



US00D438281S

(12) **United States Design Patent**
Webster

(10) **Patent No.:** **US D438,281 S**

(45) **Date of Patent:** **** Feb. 27, 2001**

(54) **ROD AND REEL SAVER**

4,763,345	*	8/1988	Deerling	43/21.2
5,038,511		8/1991	Gessner	.	
5,088,224		2/1992	Gutierrez	.	
5,341,589		8/1994	Gutierrez	.	

(76) Inventor: **Henry J. Webster**, P.O. Box 2988,
Sierra Vista, AZ (US) 85636

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/116,826**

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Inga-Maria Hyttinen

(22) Filed: **Jan. 12, 2000**

(57) **CLAIM**

(51) **LOC (7) Cl.** **22-05**

(52) **U.S. Cl.** **D22/147**

(58) **Field of Search** D22/147; 43/21.2;
248/163.1, 251, 511, 514, 520, 530; D6/417,
418, 429, 462

The ornamental design for the rod and reel saver, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of the rod and reel saver; FIG. 2 is a right side view of the rod and reel saver; FIG. 3 is a front view of the rod and reel saver; FIG. 4 is a rear view of the rod and reel saver; FIG. 5 is a top view of the rod and reel saver; and, FIG. 6 is a bottom view of the rod and reel saver.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D. 346,638		5/1994	Streeter	.	
D. 413,648	*	9/1999	Simpson et al.	D22/147
2,981,510	*	4/1961	Burns	248/520
4,177,595		12/1979	Chon	.	

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6