



US00D367017S

**United States Patent** [19]  
**Dempsey**

[11] **Patent Number:** **Des. 367,017**  
[45] **Date of Patent:** **\*\*Feb. 13, 1996**

[54] **COMBINED TRANSMITTER AND RECEIVER FOR LOCATING LOST REMOTE CONTROL UNIT**

[76] Inventor: **Mark A. Dempsey**, 528 N. 65th St., Kansas City, Kans. 66102-3031

[\*\*] Term: **14 Years**

[21] Appl. No.: **34,270**

[22] Filed: **Jan. 31, 1995**

[52] U.S. Cl. .... **D10/104**

[58] Field of Search ..... D10/104, 106, D10/116, 121; 340/540, 545, 571, 572, 573; D14/155

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 347,397 5/1994 Schmauch ..... D10/104
- D. 348,410 7/1994 Adams et al. .... D10/104
- D. 349,662 8/1994 Butcher et al. .... D10/104

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Marcus Jackson  
*Attorney, Agent, or Firm*—Harpman & Harpman


[57] **CLAIM**

The ornamental design for a combined transmitter and receiver for locating lost remote control unit, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and side perspective view of the combined transmitter and receiver for locating lost remote control units embodying the design of the present invention. FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6





FIG. 7