

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization

International Bureau

(43) International Publication Date  
14 February 2019 (14.02.2019)



(10) International Publication Number  
**WO 2019/030097 A2**

(51) International Patent Classification:

*A01P 13/00* (2006.01)      *A01N 43/50* (2006.01)  
*A01N 57/20* (2006.01)      *A01N 43/88* (2006.01)  
*A01N 35/10* (2006.01)      *A01N 37/26* (2006.01)  
*A01N 43/18* (2006.01)      *A01N 37/48* (2006.01)  
*A01N 43/40* (2006.01)      *A01N 39/04* (2006.01)  
*A01N 43/76* (2006.01)      *A01N 43/54* (2006.01)  
*A01N 47/36* (2006.01)      *A01N 43/90* (2006.01)

(21) International Application Number:

PCT/EP2018/070940

(22) International Filing Date:

02 August 2018 (02.08.2018)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

17185462.3      09 August 2017 (09.08.2017)      EP

(71) Applicant: **BASF SE** [DE/DE]; Carl-Bosch-Strasse 38, 67056 Ludwigshafen am Rhein (DE).

(72) Inventors: **WINTER, Christian**; Carl-Bosch-Strasse 38, 67056 Ludwigshafen (DE). **GEWEHR, Markus**; Speyerer Straße 2, 67117 Limburgerhof (DE). **NIELSON, Ryan Louis**; Speyerer Strasse 2, 67117 Limburgerhof (DE).

(74) Agent: **BASF IP ASSOCIATION**; BASF SE, G-FLP - C006, 67056 Ludwigshafen (DE).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,

OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))
- of inventorship (Rule 4.17(iv))

Published:

- without international search report and to be republished upon receipt of that report (Rule 48.2(g))

(54) Title: HERBICIDAL MIXTURES COMPRISING L-GLUFOSINATE AND THEIR USE IN SOYBEAN CULTURES

(57) Abstract: The present invention relates to herbicidal mixtures and their methods and uses for controlling undesirable vegetation in soybeans, wherein the herbicidal mixtures comprise L-glufosinate and and at least one herbicidal compound II selected from clethodim, cycloxydim, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluzifop, fluzifop-butyl, fluzifop-P, fluzifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, propanil, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxydim, chlorimuron, chlorimuron-ethyl, nicosulfuron, oxasulfuron, thifensulfuron, thifensulfuron-methyl, tritosulfuron, imazamox, imazamox ammonium, imazapic, imazapic ammonium, imazapyr, imazapyr isopropylammonium, imazaquin, imazethapyr, imazethapyr ammonium, cloransulam, cloransulam-methyl, diclosulam, flumetsulam, atrazine, metribuzin, linuron, monolinuron, bentazone, bentazone-sodium, acifluorfen, acifluorfen-sodium, carfentrazone, carfentrazone-ethyl, flumiclorac, flumiclorac-pentyl, flumioxazin, fluthiacet, fluthiacet-methyl, fomesafen, lactofen, oxyfluorfen, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, norflu-razon, picolinafen, bicyclopopyrone, clomazone, isoxaflutole, mesotrione, pyrasulfotole, tembotri- one, topramezone, fenquino-trione, glyphosate, glyphosate-isopropylammonium, glyphosate- potassium, glyphosate-trimesium (sulfosate), pendimethalin, trifluralin; acetochlor, alachlor, butachlor, dimethenamid, dimethenamid-P, metazachlor, metolachlor, S-metolachlor, pethoxamid, pyroxasulfone, 2,4-D and its salts and esters, clopyralid and its salts and esters, dicamba and its salts and esters, quinclorac, quinclorac dimethylammonium, quinmerac, diflufenzopyr, diflufenzopyr-sodium, tepraloxymid, cinmethylin and other compounds.

WO 2019/030097 A2

Herbicidal mixtures comprising L-glufosinate and their use in soybean cultures

### Description

The present invention relates to herbicidal mixture comprising L-glufosinate and and a herbicidal compound II selected from clethodim, cycloxydim, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxydim, chlorimuron, chlorimuron-ethyl, nicosulfuron, oxasulfuron, thifensulfuron, thifensulfuron-methyl, tritosulfuron, imazamox, imazamox ammonium, imazapic, imazapic ammonium, imazapyr, imazapyr isopropylammonium, imazaquin, imazethapyr, imazethapyr ammonium, cloransulam, cloransulam-methyl, diclosulam, flumetsulam, atrazine, metribuzin, linuron, monolinuron, bentazone, bentazone-sodium, acifluorfen, acifluorfen-sodium, carfentrazone, carfentrazone-ethyl, flumiclorac, flumiclorac-pentyl, flumioxazin, fluthiacet, fluthiacet-methyl, fomesafen, lactofen, oxyfluorfen, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, norflurazon, picolinafen, bicyclopyrone, clomazone, isoxaflutole, mesotrione, pyrasulfotole, tembotrione, topramezone, fenquino-trione, glyphosate, glyphosate dimethylammonium, glyphosate-isopropylammonium, glyphosate-potassium, glyphosate-trimesium (sulfosate), pendimethalin, trifluralin, acetochlor, alachlor, butachlor, dimethenamid, dimethenamid-P, metazachlor, metolachlor, S-metolachlor, pethoxamid, pyroxasulfone, 2,4-D and its salts and esters, clopyralid and its salts and esters, dicamba and its salts and esters, quinclorac, quinclorac dimethylammonium, quinmerac, diflufenzopyr, diflufenzopyr-sodium, tepraloxydim, cinmethylin, II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100), II-90: 2-[2-chloro-5-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-4-fluorophenoxy]-2-methoxy-acetic acid methyl ester (CAS 1970221-16-9), II-91: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-N-(methylsulfonyl)-acetamide (CAS 2158276-22-1), II-92: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid ethyl ester (CAS 2158274-56-5), II-93: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-N-(methylsulfonyl)-acetamide (CAS 2158274-53-2), II-94: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid ethyl ester (CAS 2158274-50-9), II-95: ethyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate (CAS 2230679-62-4), II-96: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid methyl ester (CAS 2158275-73-9), II-97: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid methyl ester (CAS 2158274-96-3); II-98: methyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate.

The invention also relates to methods and uses for controlling undesirable vegetation in glufosinate-tolerant soybeans.

Tolerant or resistant soybean varieties (e.g. transgenic soybean varieties) provide the option to use herbicides, which are originally not selective, in respective tolerant or resistant soybeans in addition to conventional weed control system. One example is glufosinate which can not only be used for pre-plant burn-down both in conventional soybeans and soybeans that are tolerant  
5 against herbicides including glufosinate; but which can also achieve effective weed control by post-emergence application in glufosinate tolerant soybeans. Glufosinate is a broad-spectrum herbicide that controls most grass and broadleaf herbicide species; however, there are a few tough to control species or resistant biotypes that it does not fully control. Another challenge is the duration of action, or the degradation rate of the herbicide. Furthermore, changes in the  
10 sensitivity of harmful plants, which may occur upon prolonged use of the herbicides or within a geographical limited area, must also be taken into consideration. The resulting loss of action against individual plants can sometimes compensated for to a certain extent by higher application rates of the herbicides. However, there is always a demand for methods to achieve the herbicidal effect with lower application rates of active compounds to reduce not only the amount of  
15 an active compound required for application, but also the amount of formulation auxiliaries. Thus, low application rates are for economic and environmental reasons an object eco-friendliness of the herbicide treatment.

One possibility for improving the use profile of a herbicide is the combination of the herbicide in  
20 question with one or more other active compounds which have the desired additional properties. However, the combined use of a plurality of active compounds may lead to phenomena of a chemical, physical and biological incompatibility (e.g. instability of a coformulation, decomposition of an active compound or antagonism in the biological action of the active compounds). Thus, finding effective glufosinate combinations with an additional herbicide faces the challenge  
25 that in many instances the effectiveness of such combinations is not satisfactory and high application rates are still required to achieve an acceptable weed control.

Thus, it is an object of the present invention to find combinations of active compounds with a favorable profile of action, high stability and, ideally, synergistically enhanced activity for application in glufosinate tolerant soybean, which allows the application rate to be reduced in comparison with solutions provided by prior art mixtures. Moreover, the persistence of the herbicidal activity of the mixture should be sufficiently long in order to achieve control of the weeds over a sufficient long time period thus allowing a more flexible application. The mixtures should also show an accelerated action on harmful plants and not affect the growth of the soybean plant.  
35

Glufosinate is a racemate of two enantiomers, out of which only one shows sufficient herbicidal activity (see e.g. US 4265654 and JP92448/83). Even though various methods to prepare L-glufosinate (and respective salts) are known, the mixtures known in the art do not point at the stereochemistry, meaning that the racemate is present.  
40

Surprisingly, it has been found that mixtures of L-glufosinate or its salt and the herbicidal compound II show enhanced herbicide action against undesirable vegetation in pre-plant burn-down prior to planting of conventional soybeans and soybeans that are tolerant against herbicides

including glufosinate and in post-emergence use in glufosinate tolerant soybeans and/or show superior compatibility with soybeans, i.e. their use leads to a reduced damage of the soybean plants and/or does not result in increased damage of the soybean plants, if compared to mixtures of racemic glufosinate and the herbicidal compound II, or if compared to L-glufosinate or its salts alone.

Thus, the present invention relates to herbicidal mixtures of

- 1) L-glufosinate or its salt as compound I and
- 2) at least one herbicidal compound II selected from clethodim, cycloxydim, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxydim, chlorimuron, chlorimuron-ethyl, nicosulfuron, oxasulfuron, thifensulfuron, thifensulfuron-methyl, tritosulfuron, imazamox, imazamox ammonium, imazapic, imazapic ammonium, imazapyr, imazapyr isopropylammonium, imazaquin, imazethapyr, imazethapyr ammonium, cloransulam, cloransulam-methyl, diclosulam, flumetsulam, atrazine, metribuzin, linuron, monolinuron, bentazone, bentazone-sodium, acifluorfen, acifluorfen-sodium, carfentrazone, carfentrazone-ethyl, flumiclorac, flumiclorac-pentyl, flumioxazin, fluthiacet, fluthiacet-methyl, fomesafen, lactofen, oxyfluorfen, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, norflurazon, picolinafen, bicyclopyrone, clomazone, isoxaflutole, mesotrione, pyrasulfotole, tembotrione, topramezone, fenquinotrine, glyphosate, glyphosate dimethylammonium, glyphosate-isopropylammonium, glyphosate-potassium, glyphosate-trimesium (sulfosate), pendimethalin, trifluralin; acetochlor, alachlor, butachlor, dimethenamid, dimethenamid-P, metazachlor, metolachlor, S-metolachlor, pethoxamid, pyroxasulfone, 2,4-D and its salts and esters, clopyralid and its salts and esters, dicamba and its salts and esters, quinclorac, quinclorac dimethylammonium, quinmerac, diflufenzopyr, diflufenzopyr-sodium, tepraloxydim, cinmethylin, II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100), II-90: 2-[2-chloro-5-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-4-fluorophenoxy]-2-methoxy-acetic acid methyl ester (CAS 1970221-16-9), II-91: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-N-(methylsulfonyl)-acetamide (CAS 2158276-22-1), II-92: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid ethyl ester (CAS 2158274-56-5), II-93: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-N-(methylsulfonyl)-acetamide (CAS 2158274-53-2), II-94: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid ethyl ester (CAS 2158274-50-9) and II-95: ethyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate (CAS 2230679-62-4), II-96: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid methyl ester (CAS 2158275-73-9), II-97: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-

pyridinyl]oxy]phenoxy]-acetic acid methyl ester (CAS 2158274-96-3); II-98: methyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate.

- 5 Glufosinate [common name of DL-4-[hydroxyl(methyl)phosphinoyl]-DL-homoalaninate] and its salts such as glufosinate ammonium and its herbicidal activity have been described e.g. by F. Schwerdtle et al. Z. Pflanzenkr. Pflanzenschutz, 1981, Sonderheft IX, pp. 431-440. Racemic glufosinate and its salts are commercially available, e.g. from Bayer CropScience under the tradenames Basta™ and Liberty™.
- 10 L-Glufosinate, also called glufosinate-P, is (2S)-2-amino-4-[hydroxy(methyl)phosphinoyl]butyric acid (CAS Reg. No. 35597-44-5). Relevant salts of L-glufosinate are L-glufosinate-ammonium (also called glufosinate-P-ammonium), which is ammonium (2S)-2-amino-4-(methylphosphinato) butyric acid (CAS Reg. No. 73777-50-1); L-glufosinate-sodium (also called glufosinate-P-sodium), which is sodium (2S)-2-amino-4-(methylphosphinato)butyric acid (CAS Reg. No.
- 15 70033-13-5) and L-glufosinate-potassium (also called glufosinate-P-potassium), which is potassium (2S)-2-amino-4-(methylphosphinato)butyric acid.

L-Glufosinate as used in the present invention comprises more than 70% by weight of the L-enantiomer; preferably more than 80% by weight of the L-enantiomer; more preferably more than 90% of the L-enantiomer, most preferably more than 95% of the L-enantiomer and can be prepared as referred to above.

In a preferred embodiment, the abovementioned invention relates to herbicidal mixtures as described above, wherein L-glufosinate comprises more than 70% by weight of the L-enantiomer.

- 25 L-glufosinate can be prepared according to methods known in the art, e.g. as described in WO2006/104120, US5530142, EP0127429 and J. Chem. Soc. Perkin Trans. 1, 1992, 1525-1529.

Compounds II as well as their pesticidal action and methods for producing them are generally known, for example in the Pesticide Manual V5.2 (ISBN 978 1 901396 85 0) (2008-2011) amongst other sources. Compound II-89 is known from EP 1122244. Compound II-90 is known from WO2016/120116. Compounds II-91, II-92, II-93, II-94, II-96, II-97 are known from WO2017/202768. Compounds II-95 and II-98 is known from WO2018/108695.

In the inventive mixtures the weight ratio of compound I to compound II is preferably from 1000:1 to 1:500, 400:1 to 1:40, more preferably 500:1 to 1:250, in particular from 200:1 to 1:20, even more preferably from 100:1 to 1:10, most preferably 50:1 to 1:5.

Furthermore, mixtures are preferred, which contain L-glufosinate-ammonium or L-glufosinate-sodium as L-glufosinate salts or L-glufosinate as free acid. Especially preferred are mixtures, which contain L-glufosinate-ammonium as L-glufosinate salt.

In one embodiment, the present invention relates to herbicidal mixtures of

- 1) L-glufosinate or its salt as compound I and

- 2) a herbicidal compound II selected from clethodim, cycloxydim, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxydim, chlorimuron, chlorimuron-ethyl, nicosulfuron, oxasulfuron, thifensulfuron, thifensulfuron-methyl, tritosulfuron, imazamox, imazapic, imazapyr, imazaquin, imazethapyr; cloransulam, cloransulam-methyl, diclosulam, flumetsulam, atrazine, metribuzin, linuron, monolinuron, bentazone, bentazone-sodium, acifluorfen, acifluorfen-sodium, carfentrazone, carfentrazone-ethyl, flumiclorac, flumiclorac-pentyl, flumioxazin, fluthiacet, fluthiacet-methyl, fomesafen, lactofen, oxyfluorfen, saflufenacil, sulfentrazone, trifludimoxazin, norflurazon, picolinafen, bicyclopyrone, clomazone, isoxaflutole, mesotrione, pyrasulfotole, tembotrione, topramezone, fenquino-trione, glyphosate, glyphosate-isopropylammonium, glyphosate-potassium, glyphosate-trimesium (sulfosate), pendimethalin, trifluralin; acetochlor, alachlor, butachlor, dimethenamid, dimethenamid-P, metazachlor, metolachlor, metolachlor-S, pyroxasulfone, 2,4-D and its salts and esters, clopyralid and its salts and esters, dicamba and its salts and esters, quinclorac, quinmerac, diflufenzopyr, diflufenzopyr-sodium, tepraloxydim and cinmethylin

Preferred compounds II are clethodim, cycloxydim, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxydim, chlorimuron, chlorimuron-ethyl, thifensulfuron, thifensulfuron-methyl, imazamox, imazamox ammonium, imazapyr, imazapyr isopropylammonium, imazaquin, imazethapyr, imazethapyr ammonium, cloransulam, cloransulam-methyl, diclosulam, flumetsulam, atrazine, metribuzin, bentazone, bentazone-sodium, acifluorfen, acifluorfen-sodium, carfentrazone, carfentrazone-ethyl, flumioxazin, fluthiacet, fluthiacet-methyl, fomesafen, lactofen, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, clomazone, topramezone, fenquino-trione, glyphosate, glyphosate dimethylammonium, glyphosate-isopropylammonium, glyphosate-potassium, glyphosate-trimesium (sulfosate), pendimethalin, trifluralin; acetochlor, alachlor, dimethenamid, dimethenamid-P, metolachlor, S-metolachlor, pethoxamid, pyroxasulfone, 2,4-D and its salts and esters, dicamba and its salts and esters, diflufenzopyr, diflufenzopyr-sodium, tepraloxydim, clopyralid and its salts and esters, nicosulfuron, oxasulfuron, butachlor norflurazon, bicyclopyrone, isoxaflutole, mesotrione, pyrasulfotole, tembotrione, linuron, monolinuron, flumiclorac, flumiclorac-pentyl, oxyfluorfen, II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100), II-90: 2-[2-chloro-5-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-4-fluorophenoxy]-2-methoxyacetic acid methyl ester (CAS 1970221-16-9), II-91: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-N-(methylsulfonyl)-acetamide (CAS 2158276-22-1), II-92: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid ethyl ester (CAS 2158274-56-5), II-93: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-N-(methylsulfonyl)-

acetamide (CAS 2158274-53-2), II-94: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid ethyl ester (CAS 2158274-50-9), II-95: ethyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate (CAS 2230679-62-4), II-96: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid methyl ester (CAS 2158275-73-9), II-97: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid methyl ester (CAS 2158274-96-3) and II-98: methyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate.

10 Thus, preferred mixtures of the present invention are mixtures of L-glufosinate-ammonium or L-glufosinate-sodium as L-glufosinate salts or L-glufosinate as free acid and a herbicidal compound II selected from the group consisting of clethodim, cycloxydim, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxym, chlorimuron, chlorimuron-ethyl, thifensulfuron, thifensulfuron-methyl, imazamox, imazamox ammonium, imazapyr, imazapyr isopropylammonium, imazaquin, imazethapyr, imazethapyr ammonium, cloransulam, cloransulam-methyl, diclosulam, flumetsulam, atrazine, metribuzin, bentazone, bentazone-sodium, acifluorfen, acifluorfen-sodium, carfentrazone, carfentrazone-ethyl, flumioxazin, fluthiacet, fluthiacet-methyl, fomesafen, lactofen, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, clomazone, topramezone, fenquinotrione, glyphosate, glyphosate dimethylammonium, glyphosate-isopropylammonium, glyphosate-potassium, glyphosate-trimesium (sulfosate), pendimethalin, trifluralin; acetochlor, alachlor, dimethenamid, dimethenamid-P, metolachlor, S-metolachlor, pethoxamid, pyroxasulfone, 2,4-D and its salts and esters, dicamba and its salts and esters, diflufenzopyr, diflufenzopyr-sodium, tepraloxym, clopyralid and its salts and esters, nicosulfuron, oxasulfuron, butachlor norflurazon, bicyclopym, isoxaflutole, mesotrione, pyrasulfotole, tembotrione, linuron, monolinuron, flumiclorac, flumiclorac-pentyl, oxyfluorfen II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100), II-90: 2-[2-chloro-5-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-4-fluorophenoxy]-2-methoxyacetic acid methyl ester (CAS 1970221-16-9), II-91: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-N-(methylsulfonyl)-acetamide (CAS 2158276-22-1), II-92: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid ethyl ester (CAS 2158274-56-5), II-93: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-N-(methylsulfonyl)-acetamide (CAS 2158274-53-2), II-94: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid ethyl ester (CAS 2158274-50-9), II-95: ethyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate (CAS 2230679-62-4), II-96: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid methyl ester (CAS 2158275-73-9), II-97: 2-[2-[[3-chloro-6-[3,6-dihydro-

3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid methyl ester (CAS 2158274-96-3) and II-98: methyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate.

- 5 More preferred compounds II are pethoxamid, pyroxasulfone, flumioxazin, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100), II-90: 2-[2-chloro-5-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-4-fluorophenoxy]-2-methoxy-acetic acid methyl ester (CAS 1970221-16-9), II-91: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-N-(methylsulfonyl)-acetamide (CAS 2158276-22-1), II-92: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid ethyl ester (CAS 2158274-56-5), II-93: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-N-(methylsulfonyl)-acetamide (CAS 2158274-53-2), II-94: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid ethyl ester (CAS 2158274-50-9), II-95: ethyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate (CAS 2230679-62-4), II-96: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid methyl ester (CAS 2158275-73-9), II-97: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid methyl ester (CAS 2158274-96-3) and II-98: methyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate.

In one embodiment, the compounds II are pethoxamid and pyroxasulfone.

- 25 In another embodiment, the compounds II are flumioxazin, saflufenacil, sulfentrazone, tiafenacil, and trifludimoxazin. In another embodiment, the compound II is II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100). In another embodiment, the compounds II are II-90: 2-[2-chloro-5-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-4-fluorophenoxy]-2-methoxy-acetic acid methyl ester (CAS 1970221-16-9), II-91: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-N-(methylsulfonyl)-acetamide (CAS 2158276-22-1), II-92: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid ethyl ester (CAS 2158274-56-5), II-93: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-N-(methylsulfonyl)-acetamide (CAS 2158274-53-2), II-94: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid ethyl ester (CAS 2158274-50-9), II-95: ethyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate (CAS 2230679-62-4), II-96: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid methyl ester (CAS 2158275-73-9), II-97: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid methyl ester (CAS 2158274-96-3) and II-98: methyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate.

acid methyl ester (CAS 2158274-96-3) and II-98: methyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate.

In one embodiment, the compound II is quinclorac or quinclorac dimethylammonium. Thus, preferred methods and uses of the invention are those methods and uses, in which mixtures are applied, which are mixtures of L-glufosinate-ammonium or L-glufosinate-sodium as L-glufosinate salts or L-glufosinate as free acid and a herbicidal compound II which is quinclorac or quinclorac dimethylammonium.

10 All preferred mixtures are listed in table 2, wherein the following abbreviations are used in table 1:

Table 1

Compound	Abbreviation
L-glufosinate-ammonium	I-1
L-glufosinate-sodium	I-2
L-glufosinate as free acid	I-3
clethodim	II-1
cycloxydim	II-2
fenoxaprop	II-3
fenoxaprop-ethyl	II-4
fenoxaprop-P	II-5
fenoxaprop-P-ethyl	II-6
fluazifop	II-7
fluazifop-butyl	II-8
fluazifop-P	II-9
fluazifop-P-butyl	II-10
haloxyfop	II-11
haloxyfop-methyl	II-12
haloxyfop-P	II-13
haloxyfop-P-methyl	II-14
propaquizafop	II-15
quizalofop	II-16
quizalofop-ethyl	II-17
quizalofop-tefuryl	II-18
quizalofop-P	II-19
quizalofop-P-ethyl	II-20
quizalofop-P-tefuryl	II-21
sethoxydim	II-22
chlorimuron	II-23
chlorimuron-ethyl	II-24
thifensulfuron	II-25
thifensulfuron-methyl	II-26

Compound	Abbreviation
imazamox	II-27
imazamox ammonium	II-27a
imazapyr	II-28
imazapyr isopropylammonium	II-28a
imazaquin	II-29
imazethapyr	II-30
imazethapyr ammonium	II-30a
cloransulam-methyl	II-31
diclosulam	II-32
flumetsulam	II-33
atrazine	II-34
metribuzin	II-35
bentazone	II-36
bentazone-sodium	II-37
acifluorfen-sodium	II-38
carfentrazone	II-39
carfentrazone-ethyl	II-40
flumioxazin	II-41
fluthiacet	II-42
fluthiacet-methyl	II-43
fomesafen	II-44
lactofen	II-45
saflufenacil	II-46
sulfentrazone	II-47
clomazone	II-48
topramezone	II-49
fenquinotrione	II-50
glyphosate	II-51

Compound	Abbreviation
glyphosate dimethylammonium	II-51a
glyphosate-isopropylammonium	II-52
glyphosate-potassium	II-53
glyphosate-trimesium (sulfosate)	II-54
pendimethalin	II-55
trifluralin	II-56
acetochlor	II-57
alachlor	II-58
dimethenamid	II-59
dimethenamid-P	II-60
metolachlor	II-61
S-metolachlor	II-62
pyroxasulfone	II-63
2,4-D and its salts and esters	II-64
dicamba and its salts and esters	II-65
diflufenzopyr	II-66
diflufenzopyr-sodium	II-67
clopyralid and its salts and esters	II-68
nicosulfuron	II-69
oxasulfuron	II-70
butachlor norflurazon	II-71
bicyclopyrone	II-72
isoxaflutole	II-73

Compound	Abbreviation
mesotrione	II-74
pyrasulfotole	II-75
tembotrione	II-76
linuron	II-77
monolinuron	II-78
flumiclorac	II-79
flumiclorac-pentyl	II-80
oxyfluorfen	II-81
trifludimoxazin	II-82
cloransulam	II-83
acifluorfen	II-84
imazapic	II-85
imazapic ammonium	II-85a
tepraloxydim	II-86
tiafenacil	II-87
pethoxamid	II-88
see below	II-89
see below	II-90
see below	II-91
see below	II-92
see below	II-93
see below	II-94
see below	II-95
see below	II-96
see below	II-97
see below	II-98
quinclorac	II-99
quinclorac dimethylammonium	II-99a

II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6; S-3100).

II-90: 2-[2-chloro-5-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-4-fluorophenoxy]-2-methoxy-acetic acid methyl ester (CAS 1970221-16-9)

5 II-91: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-N-(methylsulfonyl)-acetamide (CAS 2158276-22-1)

II-92: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid ethyl ester (CAS 2158274-56-5)

10 II-93: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-N-(methylsulfonyl)-acetamide (CAS 2158274-53-2)

II-94: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid ethyl ester (CAS 2158274-50-9)

II-95: ethyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluorophenoxy]-2-pyridyl]oxy]acetate (CAS 2230679-62-4)

II-96: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid methyl ester (CAS 2158275-73-9)

5 II-97: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid methyl ester (CAS 2158274-96-3)

II-98: methyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluorophenoxy]-2-pyridyl]oxy]acetate

10 Table 2

No	I	II
M-1	I-1	II-1
M-2	I-1	II-2
M-3	I-1	II-3
M-4	I-1	II-4
M-5	I-1	II-5
M-6	I-1	II-6
M-7	I-1	II-7
M-8	I-1	II-8
M-9	I-1	II-9
M-10	I-1	II-10
M-11	I-1	II-11
M-12	I-1	II-12
M-13	I-1	II-13
M-14	I-1	II-14
M-15	I-1	II-15
M-16	I-1	II-16
M-17	I-1	II-17
M-18	I-1	II-18
M-19	I-1	II-19
M-20	I-1	II-20
M-21	I-1	II-21
M-22	I-1	II-22
M-23	I-1	II-23
M-24	I-1	II-24
M-25	I-1	II-25
M-26	I-1	II-26
M-27	I-1	II-27
M-28	I-1	II-28
M-29	I-1	II-29
M-30	I-1	II-30
M-31	I-1	II-31

No	I	II
M-32	I-1	II-32
M-33	I-1	II-33
M-34	I-1	II-34
M-35	I-1	II-35
M-36	I-1	II-36
M-37	I-1	II-37
M-38	I-1	II-38
M-39	I-1	II-39
M-40	I-1	II-40
M-41	I-1	II-41
M-42	I-1	II-42
M-43	I-1	II-43
M-44	I-1	II-44
M-45	I-1	II-45
M-46	I-1	II-46
M-47	I-1	II-47
M-48	I-1	II-48
M-49	I-1	II-49
M-50	I-1	II-50
M-51	I-1	II-51
M-52	I-1	II-52
M-53	I-1	II-53
M-54	I-1	II-54
M-55	I-1	II-55
M-56	I-1	II-56
M-57	I-1	II-57
M-58	I-1	II-58
M-59	I-1	II-59
M-60	I-1	II-60
M-61	I-1	II-61
M-62	I-1	II-62

No	I	II
M-63	I-1	II-63
M-64	I-1	II-64
M-65	I-1	II-65
M-66	I-1	II-66
M-67	I-1	II-67
M-68	I-1	II-68
M-69	I-1	II-69
M-70	I-1	II-70
M-71	I-1	II-71
M-72	I-1	II-72
M-73	I-1	II-73
M-74	I-1	II-74
M-75	I-1	II-75
M-76	I-1	II-76
M-77	I-1	II-77
M-78	I-1	II-78
M-79	I-1	II-79
M-80	I-1	II-80
M-81	I-1	II-81
M-82	I-2	II-1
M-83	I-2	II-2
M-84	I-2	II-3
M-85	I-2	II-4
M-86	I-2	II-5
M-87	I-2	II-6
M-88	I-2	II-7
M-89	I-2	II-8
M-90	I-2	II-9
M-91	I-2	II-10
M-92	I-2	II-11
M-93	I-2	II-12
M-94	I-2	II-13
M-95	I-2	II-14
M-96	I-2	II-15
M-97	I-2	II-16
M-98	I-2	II-17
M-99	I-2	II-18
M-100	I-2	II-19
M-101	I-2	II-20
M-102	I-2	II-21
M-103	I-2	II-22

No	I	II
M-104	I-2	II-23
M-105	I-2	II-24
M-106	I-2	II-25
M-107	I-2	II-26
M-108	I-2	II-27
M-109	I-2	II-28
M-110	I-2	II-29
M-111	I-2	II-30
M-112	I-2	II-31
M-113	I-2	II-32
M-114	I-2	II-33
M-115	I-2	II-34
M-116	I-2	II-35
M-117	I-2	II-36
M-118	I-2	II-37
M-119	I-2	II-38
M-120	I-2	II-39
M-121	I-2	II-40
M-122	I-2	II-41
M-123	I-2	II-42
M-124	I-2	II-43
M-125	I-2	II-44
M-126	I-2	II-45
M-127	I-2	II-46
M-128	I-2	II-47
M-129	I-2	II-48
M-130	I-2	II-49
M-131	I-2	II-50
M-132	I-2	II-51
M-133	I-2	II-52
M-134	I-2	II-53
M-135	I-2	II-54
M-136	I-2	II-55
M-137	I-2	II-56
M-138	I-2	II-57
M-139	I-2	II-58
M-140	I-2	II-59
M-141	I-2	II-60
M-142	I-2	II-61
M-143	I-2	II-62
M-144	I-2	II-63

No	I	II
M-145	I-2	II-64
M-146	I-2	II-65
M-147	I-2	II-66
M-148	I-2	II-67
M-149	I-2	II-68
M-150	I-2	II-69
M-151	I-2	II-70
M-152	I-2	II-71
M-153	I-2	II-72
M-154	I-2	II-73
M-155	I-2	II-74
M-156	I-2	II-75
M-157	I-2	II-76
M-158	I-2	II-77
M-159	I-2	II-78
M-160	I-2	II-79
M-161	I-2	II-80
M-162	I-2	II-81
M-163	I-3	II-1
M-164	I-3	II-2
M-165	I-3	II-3
M-166	I-3	II-4
M-167	I-3	II-5
M-168	I-3	II-6
M-169	I-3	II-7
M-170	I-3	II-8
M-171	I-3	II-9
M-172	I-3	II-10
M-173	I-3	II-11
M-174	I-3	II-12
M-175	I-3	II-13
M-176	I-3	II-14
M-177	I-3	II-15
M-178	I-3	II-16
M-179	I-3	II-17
M-180	I-3	II-18
M-181	I-3	II-19
M-182	I-3	II-20
M-183	I-3	II-21
M-184	I-3	II-22
M-185	I-3	II-23

No	I	II
M-186	I-3	II-24
M-187	I-3	II-25
M-188	I-3	II-26
M-189	I-3	II-27
M-190	I-3	II-28
M-191	I-3	II-29
M-192	I-3	II-30
M-193	I-3	II-31
M-194	I-3	II-32
M-195	I-3	II-33
M-196	I-3	II-34
M-197	I-3	II-35
M-198	I-3	II-36
M-199	I-3	II-37
M-200	I-3	II-38
M-201	I-3	II-39
M-202	I-3	II-40
M-203	I-3	II-41
M-204	I-3	II-42
M-205	I-3	II-43
M-206	I-3	II-44
M-207	I-3	II-45
M-208	I-3	II-46
M-209	I-3	II-47
M-210	I-3	II-48
M-211	I-3	II-49
M-212	I-3	II-50
M-213	I-3	II-51
M-214	I-3	II-52
M-215	I-3	II-53
M-216	I-3	II-54
M-217	I-3	II-55
M-218	I-3	II-56
M-219	I-3	II-57
M-220	I-3	II-58
M-221	I-3	II-59
M-222	I-3	II-60
M-223	I-3	II-61
M-224	I-3	II-62
M-225	I-3	II-63
M-226	I-3	II-64

No	I	II
M-227	I-3	II-65
M-228	I-3	II-66
M-229	I-3	II-67
M-230	I-3	II-68
M-231	I-3	II-69
M-232	I-3	II-70
M-233	I-3	II-71
M-234	I-3	II-72
M-235	I-3	II-73
M-236	I-3	II-74
M-237	I-3	II-75
M-238	I-3	II-76
M-239	I-3	II-77
M-240	I-3	II-78
M-241	I-3	II-79
M-242	I-3	II-80
M-243	I-3	II-81
M-244	I-1	II-82
M-245	I-1	II-83
M-246	I-1	II-84
M-247	I-1	II-85
M-248	I-1	II-86
M-249	I-2	II-82
M-250	I-2	II-83
M-251	I-2	II-84
M-252	I-2	II-85
M-253	I-2	II-86
M-254	I-3	II-82
M-255	I-3	II-83
M-256	I-3	II-84
M-257	I-3	II-85
M-258	I-3	II-86
M-259	I-1	II-51a
M-260	I-1	II-87
M-261	I-1	II-88
M-262	I-1	II-89
M-263	I-1	II-90
M-264	I-1	II-91
M-265	I-1	II-92
M-266	I-1	II-93
M-267	I-1	II-94

No	I	II
M-268	I-1	II-95
M-269	I-1	II-96
M-270	I-1	II-97
M-271	I-1	II-98
M-272	I-1	II-27a
M-273	I-1	II-28a
M-274	I-1	II-30a
M-275	I-1	II-85a
M-276	I-1	II-99
M-277	I-1	II-99a
M-278	I-2	II-51a
M-279	I-2	II-87
M-280	I-2	II-88
M-281	I-2	II-89
M-282	I-2	II-90
M-283	I-2	II-91
M-284	I-2	II-92
M-285	I-2	II-93
M-286	I-2	II-94
M-287	I-2	II-95
M-288	I-2	II-96
M-289	I-2	II-97
M-290	I-2	II-98
M-291	I-2	II-27a
M-292	I-2	II-28a
M-293	I-2	II-30a
M-294	I-2	II-85a
M-295	I-2	II-99
M-296	I-2	II-99a
M-297	I-3	II-51a
M-298	I-3	II-87
M-299	I-3	II-88
M-300	I-3	II-89
M-301	I-3	II-90
M-302	I-3	II-91
M-303	I-3	II-92
M-304	I-3	II-93
M-305	I-3	II-94
M-306	I-3	II-95
M-307	I-3	II-96
M-308	I-3	II-97

No	I	II
M-309	I-3	II-98
M-310	I-3	II-27a
M-311	I-3	II-28a
M-312	I-3	II-30a

No	I	II
M-313	I-3	II-85a
M-314	I-3	II-99
M-315	I-3	II-99a

More preferred mixtures of the present invention are mixtures of L-glufosinate-ammonium or L-glufosinate-sodium as L-glufosinate salts or L-glufosinate as free acid and a herbicidal compound II selected from the group consisting of clethodim, cycloxydim, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxymid, chlorimuron, chlorimuron-ethyl, thifensulfuron, thifensulfuron-methyl, imazamox, imazamox ammonium, imazapyr, imazapyr isopropylammonium, imazaquin, imazethapyr, imazethapyr ammonium, cloransulam, cloransulam-methyl, diclosulam, flumetsulam, atrazine, metribuzin, bentazone, bentazone-sodium, acifluorfen, acifluorfen-sodium, carfentrazone, carfentrazone-ethyl, flumioxazin, fluthiacet, fluthiacet-methyl, fomesafen, lactofen, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, clomazone, topramezone, fenquinotrione, glyphosate, glyphosate dimethylammonium, glyphosate-isopropylammonium, glyphosate-potassium, glyphosate-trimesium (sulfosate), pendimethalin, trifluralin; acetochlor, alachlor, dimethenamid, dimethenamid-P, metolachlor, S-metolachlor, pethoxamid, pyroxasulfone, 2,4-D and its salts and esters, dicamba and its salts and esters, diflufenzopyr, diflufenzopyr-sodium, tepraloxydim, clopyralid and its salts and esters, nicosulfuron, oxasulfuron, butachlor norflurazon, bicycloporyne, isoxaflutole, mesotrione, pyrasulfotole, tembotrione, linuron, monolinuron, flumiclorac, flumiclorac-pentyl, oxyfluorfen, II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100), II-90: 2-[2-chloro-5-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-4-fluorophenoxy]-2-methoxyacetic acid methyl ester (CAS 1970221-16-9), II-91: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-N-(methylsulfonyl)-acetamide (CAS 2158276-22-1), II-92: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid ethyl ester (CAS 2158274-56-5), II-93: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-N-(methylsulfonyl)-acetamide (CAS 2158274-53-2), II-94: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid ethyl ester (CAS 2158274-50-9), II-95: ethyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate (CAS 2230679-62-4), II-96: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid methyl ester (CAS 2158275-73-9), II-97: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid methyl ester (CAS 2158274-96-3) and II-98: methyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate.

Thus, more preferred are mixtures M-1, M-2, M-3, M-4, M-5, M-6, M-7, M-8, M-9, M-10, M-11, M-12, M-13, M-14, M-15, M-16, M-17, M-18, M-19, M-20, M-21, M-22, M-23, M-24, M-25, M-26, M-27, M-28, M-29, M-30, M-31, M-32, M-33, M-34, M-35, M-36, M-37, M-38, M-39, M-40, M-41, M-42, M-43, M-44, M-45, M-46, M-47, M-48, M-49, M-50, M-51, M-52, M-53, M-54, M-55, M-56, 5 M-57, M-58, M-59, M-60, M-61, M-62, M-63, M-64, M-65, M-66, M-67, M-82, M-83, M-84, M-85, M-86, M-87, M-88, M-89, M-90, M-91, M-92, M-93, M-94, M-95, M-96, M-97, M-98, M-99, M-100, M-101, M-102, M-103, M-104, M-105, M-106, M-107, M-108, M-109, M-110, M-111, M-112, M-113, M-114, M-115, M-116, M-117, M-118, M-119, M-120, M-121, M-122, M-123, M-124, M-125, M-126, M-127, M-128, M-129, M-130, M-131, M-132, M-133, M-134, M-135, M-10 136, M-137, M-138, M-139, M-140, M-141, M-142, M-143, M-144, M-145, M-146, M-147, M-148, M-163, M-164, M-165, M-166, M-167, M-168, M-169, M-170, M-171, M-172, M-173, M-174, M-175, M-176, M-177, M-178, M-179, M-180, M-181, M-182, M-183, M-184, M-185, M-186, M-187, M-188, M-189, M-190, M-191, M-192, M-193, M-194, M-195, M-196, M-197, M-198, M-199, M-200, M-201, M-202, M-203, M-204, M-205, M-206, M-207, M-208, M-209, M-15 210, M-211, M-212, M-213, M-214, M-215, M-216, M-217, M-218, M-219, M-220, M-221, M-222, M-223, M-224, M-225, M-226, M-227, M-228, M-229, M-244, M-245, M-246, M-247, M-248, M-249, M-250, M-251, M-252, M-253, M-254, M-255, M-256, M-257, M-258, M-259, M-260, M-261, M-262, M-263, M-264, M-265, M-266, M-267, M-268, M-269, M-270, M-271, M-272, M-273, M-274, M-275, M-276, M-277, M-278, M-279, M-280, M-281, M-282, M-283, M-20 284, M-285, M-286, M-287, M-288, M-289, M-290, M-291, M-292, M-293, M-294, M-295, M-296, M-297, M-298, M-299, M-300, M-301, M-302, M-303, M-304, M-305, M-306, M-307, M-308, M-309, M-310, M-311, M-312, M-313, M-314, M-315.

Most preferred are mixtures M-41, M-46, M-47, M-63, M-122, M-127, M-128, M-144, M-203, M-25 208, M-209, M-225, M-244, M-249, M-254, M-260, M-261, M-262, M-263, M-264, M-265, M-266, M-267, M-268, M-269, M-270, M-271, M-279, M-280, M-281, M-282, M-283, M-284, M-285, M-286, M-287, M-288, M-289, M-290, M-298, M-299, M-300, M-301, M-302, M-303, M-304, M-305, M-306, M-307, M-308, M-309..

30 All above-referred mixtures are herein below referred to as "inventive mixtures".

The inventive mixtures can further contain one or more insecticides, fungicides, herbicides.

The inventive mixtures can be converted into customary types of agrochemical mixtures, e. g. 35 solutions, emulsions, suspensions, dusts, powders, pastes, granules, pressings, capsules, and mixtures thereof. Examples for mixture types are suspensions (e.g. SC, OD, FS), emulsifiable concentrates (e.g. EC), emulsions (e.g. EW, EO, ES, ME), capsules (e.g. CS, ZC), pastes, pastilles, wettable powders or dusts (e.g. WP, SP, WS, DP, DS), pressings (e.g. BR, TB, DT), granules (e.g. WG, SG, GR, FG, GG, MG), insecticidal articles (e.g. LN), as well as gel formulations 40 for the treatment of plant propagation materials such as seeds (e.g. GF). These and further mixtures types are defined in the "Catalogue of pesticide formulation types and international coding system", Technical Monograph No. 2, 6<sup>th</sup> Ed. May 2008, CropLife International.

The mixtures are prepared in a known manner, such as described by Mollet and Grubemann,

Formulation technology, Wiley VCH, Weinheim, 2001; or Knowles, New developments in crop protection product formulation, Agrow Reports DS243, T&F Informa, London, 2005.

Suitable auxiliaries are solvents, liquid carriers, solid carriers or fillers, surfactants, dispersants, emulsifiers, wetters, adjuvants, solubilizers, penetration enhancers, protective colloids, adhesion agents, thickeners, humectants, repellents, attractants, feeding stimulants, compatibilizers, bactericides, anti-freezing agents, anti-foaming agents, colorants, tackifiers and binders.

Suitable solvents and liquid carriers are water and organic solvents, such as mineral oil fractions of medium to high boiling point, e.g. kerosene, diesel oil; oils of vegetable or animal origin; aliphatic, cyclic and aromatic hydrocarbons, e. g. toluene, paraffin, tetrahydronaphthalene, alkylated naphthalenes; alcohols, e.g. ethanol, propanol, butanol, benzylalcohol, cyclohexanol; glycols; DMSO; ketones, e.g. cyclohexanone; esters, e.g. lactates, carbonates, fatty acid esters, gamma-butyrolactone; fatty acids; phosphonates; amines; amides, e.g. N-methylpyrrolidone, fatty acid dimethylamides; and mixtures thereof.

Suitable solid carriers or fillers are mineral earths, e.g. silicates, silica gels, talc, kaolins, limestone, lime, chalk, clays, dolomite, diatomaceous earth, bentonite, calcium sulfate, magnesium sulfate, magnesium oxide; polysaccharides, e.g. cellulose, starch; fertilizers, e.g. ammonium sulfate, ammonium phosphate, ammonium nitrate, ureas; products of vegetable origin, e.g. cereal meal, tree bark meal, wood meal, nutshell meal, and mixtures thereof.

Suitable surfactants are surface-active compounds, such as anionic, cationic, nonionic and amphoteric surfactants, block polymers, polyelectrolytes, and mixtures thereof. Such surfactants can be used as emulsifier, dispersant, solubilizer, wetter, penetration enhancer, protective colloid, or adjuvant. Examples of surfactants are listed in McCutcheon's, Vol.1: Emulsifiers & Detergents, McCutcheon's Directories, Glen Rock, USA, 2008 (International Ed. or North American Ed.).

Suitable anionic surfactants are alkali, alkaline earth or ammonium salts of sulfonates, sulfates, phosphates, carboxylates, and mixtures thereof. Examples of sulfonates are alkylarylsulfonates, diphenylsulfonates, alpha-olefin sulfonates, lignine sulfonates, sulfonates of fatty acids and oils, sulfonates of ethoxylated alkylphenols, sulfonates of alkoxyated arylphenols, sulfonates of condensed naphthalenes, sulfonates of dodecyl- and tridecylbenzenes, sulfonates of naphthalenes and alkylnaphthalenes, sulfosuccinates or sulfosuccinamates. Examples of sulfates are sulfates of fatty acids and oils, of ethoxylated alkylphenols, of alcohols, of ethoxylated alcohols, or of fatty acid esters. Examples of phosphates are phosphate esters. Examples of carboxylates are alkyl carboxylates, and carboxylated alcohol or alkylphenol ethoxylates.

Suitable nonionic surfactants are alkoxyates, N-substituted fatty acid amides, amine oxides, esters, sugar-based surfactants, polymeric surfactants, and mixtures thereof. Examples of alkoxyates are compounds such as alcohols, alkylphenols, amines, amides, arylphenols, fatty acids or fatty acid esters which have been alkoxyated with 1 to 50 equivalents. Ethylene oxide and/or propylene oxide may be employed for the alkoxyation, preferably ethylene oxide. Examples of N-substituted fatty acid amides are fatty acid glucamides or fatty acid alkanolamides.

Examples of esters are fatty acid esters, glycerol esters or monoglycerides. Examples of sugar-based surfactants are sorbitans, ethoxylated sorbitans, sucrose and glucose esters or alkylpolyglucosides. Examples of polymeric surfactants are homo- or copolymers of vinylpyrrolidone, vinylalcohols, or vinylacetate.

Suitable cationic surfactants are quaternary surfactants, for example quaternary ammonium compounds with one or two hydrophobic groups, or salts of long-chain primary amines. Suitable amphoteric surfactants are alkylbetains and imidazolines. Suitable block polymers are block polymers of the A-B or A-B-A type comprising blocks of polyethylene oxide and polypropylene oxide, or of the A-B-C type comprising alkanol, polyethylene oxide and polypropylene oxide. Suitable polyelectrolytes are polyacids or polybases. Examples of polyacids are alkali salts of polyacrylic acid or polyacid comb polymers. Examples of polybases are polyvinylamines or polyethyleneamines.

Suitable adjuvants are compounds, which have a neglectable or even no pesticidal activity themselves, and which improve the biological performance of the inventive mixtures on the target. Examples are surfactants, mineral or vegetable oils, and other auxiliaries. Further examples are listed by Knowles, Adjuvants and additives, Agrow Reports DS256, T&F Informa UK, 2006, chapter 5.

Suitable thickeners are polysaccharides (e.g. xanthan gum, carboxymethylcellulose), anorganic clays (organically modified or unmodified), polycarboxylates, and silicates.

Suitable bactericides are bronopol and isothiazolinone derivatives such as alkylisothiazolinones and benzisothiazolinones.

Suitable anti-freezing agents are ethylene glycol, propylene glycol, urea and glycerin.

Suitable anti-foaming agents are silicones, long chain alcohols, and salts of fatty acids.

Suitable colorants (e.g. in red, blue, or green) are pigments of low water solubility and water-soluble dyes. Examples are inorganic colorants (e.g. iron oxide, titan oxide, iron hexacyanoferrate) and organic colorants (e.g. alizarin-, azo- and phthalocyanine colorants).

Suitable tackifiers or binders are polyvinylpyrrolidons, polyvinylacetates, polyvinyl alcohols, polyacrylates, biological or synthetic waxes, and cellulose ethers.

Examples for mixture types and their preparation are:

i) Water-soluble concentrates (SL, LS)

10-60 wt% of an inventive mixture and 5-15 wt% wetting agent (e.g. alcohol alkoxyates) are dissolved in water and/or in a water-soluble solvent (e.g. alcohols) ad 100 wt%. The active substance dissolves upon dilution with water.

ii) Dispersible concentrates (DC)

5-25 wt% of an inventive mixture and 1-10 wt% dispersant (e. g. polyvinylpyrrolidone) are dissolved in organic solvent (e.g. cyclohexanone) ad 100 wt%. Dilution with water gives a dispersion.

iii) Emulsifiable concentrates (EC)

15-70 wt% of an inventive mixture and 5-10 wt% emulsifiers (e.g. calcium dodecylbenzenesulfonate and castor oil ethoxylate) are dissolved in water-insoluble organic solvent (e.g. aromatic hydrocarbon) ad 100 wt%. Dilution with water gives an emulsion.

iv) Emulsions (EW, EO, ES)

5-40 wt% of an inventive mixture and 1-10 wt% emulsifiers (e.g. calcium dodecylbenzenesulfonate and castor oil ethoxylate) are dissolved in 20-40 wt% water-insoluble organic solvent (e.g. aromatic hydrocarbon). This mixture is introduced into water ad 100 wt% by means of an emulsifying machine and made into a homogeneous emulsion. Dilution with water gives an

emulsion.

v) Suspensions (SC, OD, FS)

In an agitated ball mill, 20-60 wt% of an inventive mixture are comminuted with addition of 2-10 wt% dispersants and wetting agents (e.g. sodium lignosulfonate and alcohol ethoxylate), 0.1-2 wt% thickener (e.g. xanthan gum) and water ad 100 wt% to give a fine active substance suspension. Dilution with water gives a stable suspension of the active substance. For FS type mixture up to 40 wt% binder (e.g. polyvinylalcohol) is added.

vi) Water-dispersible granules and water-soluble granules (WG, SG)

50-80 wt% of an inventive mixture are ground finely with addition of dispersants and wetting agents (e.g. sodium lignosulfonate and alcohol ethoxylate) ad 100 wt% and prepared as water-dispersible or water-soluble granules by means of technical appliances (e. g. extrusion, spray tower, fluidized bed). Dilution with water gives a stable dispersion or solution of the active substance.

vii) Water-dispersible powders and water-soluble powders (WP, SP, WS)

50-80 wt% of an inventive mixture are ground in a rotor-stator mill with addition of 1-5 wt% dispersants (e.g. sodium lignosulfonate), 1-3 wt% wetting agents (e.g. alcohol ethoxylate) and solid carrier (e.g. silica gel) ad 100 wt%. Dilution with water gives a stable dispersion or solution of the active substance.

viii) Gel (GW, GF)

In an agitated ball mill, 5-25 wt% of an inventive mixture are comminuted with addition of 3-10 wt% dispersants (e.g. sodium lignosulfonate), 1-5 wt% thickener (e.g. carboxymethylcellulose) and water ad 100 wt% to give a fine suspension of the active substance. Dilution with water gives a stable suspension of the active substance.

ix) Microemulsion (ME)

5-20 wt% of an inventive mixture are added to 5-30 wt% organic solvent blend (e.g. fatty acid dimethylamide and cyclohexanone), 10-25 wt% surfactant blend (e.g. alcohol ethoxylate and arylphenol ethoxylate), and water ad 100 %. This mixture is stirred for 1 h to produce spontaneously a thermodynamically stable microemulsion.

x) Microcapsules (CS)

An oil phase comprising 5-50 wt% of an inventive mixture, 0-40 wt% water insoluble organic solvent (e.g. aromatic hydrocarbon), 2-15 wt% acrylic monomers (e.g. methylmethacrylate, methacrylic acid and a di- or triacrylate) are dispersed into an aqueous solution of a protective colloid (e.g. polyvinyl alcohol). Radical polymerization initiated by a radical initiator results in the formation of poly(meth)acrylate microcapsules. Alternatively, an oil phase comprising 5-50 wt% of an inventive mixture according to the invention, 0-40 wt% water insoluble organic solvent (e.g. aromatic hydrocarbon), and an isocyanate monomer (e.g. diphenylmethane-4,4'-diisocyanatae) are dispersed into an aqueous solution of a protective colloid (e.g. polyvinyl alcohol). The addition of a polyamine (e.g. hexamethylenediamine) results in the formation of polyurea microcapsules. The monomers amount to 1-10 wt%. The wt% relate to the total CS mixture.

xi) Dustable powders (DP, DS)

1-10 wt% of an inventive mixture are ground finely and mixed intimately with solid carrier (e.g. finely divided kaolin) ad 100 wt%.

x) Granules (GR, FG)

0.5-30 wt% of an inventive mixture is ground finely and associated with solid carrier (e.g. silicate) ad 100 wt%. Granulation is achieved by extrusion, spray-drying or fluidized bed.

xii) Ultra-low volume liquids (UL)

5 1-50 wt% of an inventive mixture are dissolved in organic solvent (e.g. aromatic hydrocarbon) ad 100 wt%.

The mixtures types i) to xii) may optionally comprise further auxiliaries, such as 0.1-1 wt% bactericides, 5-15 wt% anti-freezing agents, 0.1-1 wt% anti-foaming agents, and 0.1-1 wt% colorants.

10

The resulting agrochemical mixtures generally comprise between 0.01 and 95%, preferably between 0.1 and 90%, and in particular between 0.5 and 75%, by weight of active substance. The active substances are employed in a purity of from 90% to 100%, preferably from 95% to 100% (according to NMR spectrum).

15 Solutions for seed treatment (LS), Suspoemulsions (SE), flowable concentrates (FS), powders for dry treatment (DS), water-dispersible powders for slurry treatment (WS), water-soluble powders (SS), emulsions (ES), emulsifiable concentrates (EC) and gels (GF) are usually employed for the purposes of treatment of plant propagation materials, particularly seeds.

20 The mixtures in question give, after two-to-tenfold dilution, active substance concentrations of from 0.01 to 60% by weight, preferably from 0.1 to 40%, in the ready-to-use preparations. Application can be carried out before or during sowing. Methods for applying the inventive mixtures and mixtures thereof, respectively, on to plant propagation material, especially seeds include dressing, coating, pelleting, dusting, soaking and in-furrow application methods of the propagation material. Preferably, the inventive mixtures or the mixtures thereof, respectively, are applied  
25 on to the plant propagation material by a method such that germination is not induced, e. g. by seed dressing, pelleting, coating and dusting.

Various types of oils, wetters, adjuvants, fertilizer, or micronutrients, and further pesticides (e.g. herbicides, insecticides, fungicides, growth regulators, safeners) may be added to the active substances or the inventive mixtures comprising them as premix or, if appropriate not until immediately prior to use (tank mix). These agents can be admixed with the inventive mixtures in a  
30 weight ratio of 1:100 to 100:1, preferably 1:10 to 10:1.

The user applies the mixture according to the invention usually from a predosage device, a knapsack sprayer, a spray tank, a spray plane, or an irrigation system. Usually, the agrochemical mixture is made up with water, buffer, and/or further auxiliaries to the desired application  
35 concentration and the ready-to-use spray liquor or the agrochemical mixture according to the invention is thus obtained. Usually, 20 to 2000 liters, preferably 50 to 400 liters, of the ready-to-use spray liquor are applied per hectare of agricultural useful area.

40 The inventive mixtures provide excellent pre-plant burn-down, pre- and post-emergence control of weeds in soybeans, including soybeans that are tolerant to herbicides including glufosinate. Thus, in the methods and uses of the invention, the compounds present in the inventive mixtures can be applied for pre-plant burn-down (to control emerged weeds prior to planting), pre-emergence (before the emergence of undesirable vegetation) or post-emergence (i.e., during

and/or after emergence of the undesirable vegetation).

Thus, the invention relates to a method of an inventive mixture for controlling undesirable vegetation in soybeans, including soybeans that are tolerant to herbicides including glufosinate, which comprises applying the compounds present in the inventive mixtures to a locus of planted crops where undesirable vegetation occurs or might occur. The application is done before the emergence of undesirable vegetation or during and/or after emergence of the undesirable vegetation.

The application can be done after seeding of the soybeans or during and/or after emergence of the soybeans.

The term "locus", as used herein, means the area in which the vegetation or plants are growing or will grow, typically a field.

As used herein, the terms "controlling" and "combating" are synonyms.

As used herein, the terms "undesirable vegetation", "undesirable species", "undesirable plants", "harmful plants", "undesirable weeds", or "harmfull weeds" are synonyms.

When using the inventive mixtures in the methods of the present invention, the active compounds present in the inventive mixtures can be applied simultaneously or in succession, where undesirable vegetation may occur. Herein, it is immaterial whether compounds present in the inventive mixtures are formulated jointly or separately and applied jointly or separately, and, in the case of separate application, in which order the application takes place. It is only necessary, that the compounds present in the inventive mixtures are applied in a time frame, which allows simultaneous action of the active ingredients on the undesirable plants.

In the above-mentioned methods of controlling weeds by application of the inventive mixtures, the inventive mixtures have an outstanding herbicidal activity against a broad spectrum of economically important monocotyledonous and dicotyledonous harmful plants. The inventive mixtures also act efficiently on perennial weeds which produce shoots from rhizomes, rootstocks or other perennial organs and which are difficult to control. In this context, it does not matter whether the compounds of the inventive mixtures are applied before sowing, pre-emergence or post-emergence. Pre-plant burn-down, post-emergence application, or early pre-sowing or pre-emergence application, are preferred.

Both L-glufosinate alone as well as, in the methods of the present invention, the inventive mixtures are suitable for controlling a large number of harmful plants in agricultural crops, including monocotyledonous weeds, in particular annual weeds such as gramineous weeds (grasses) including *Echinochloa* species such as barnyardgrass (*Echinochloa crusgalli* var. *crus-galli*), *Echinochloa walteri* (Pursh) Heller, jungle rice (*Echinochloa colona*), *Echinochloa crus-pavonis*, *Echinochloa oryzicola*, *Digitaria* species such as crabgrass (*Digitaria sanguinalis*), *Digitaria horizontalis*, sourgrass (*Digitaria insularis*) or naked crabgrass (*Digitaria nuda*), *Setaria* species such as green foxtail (*Setaria viridis*), giant foxtail (*Setaria faberii*), yellow foxtail (*Setaria glauca* or *Setaria pumila*) or *Setaria verticillata*, *Sorghum* species such as johnsongrass (*Sorghum*

halepense Pers.), Avena species such as wild oats (*Avena fatua*), *Avena sterilis* or *Avena stri-  
gosa*, *Cenchrus* species such as *Cenchrus* species such as field sandbur (*Cenchrus pauciflo-  
rus*) or *Cenchrus echinatus*, *Bromus* species such as *Bromus japonicus* Thunb, *Bromus sterilis*  
5 or *Bromus tectorum*, *Lolium* species, *Phalaris* species such as *Phalaris brachystachys*, *Phalaris*  
*minor* or *Phalaris persicaria*, *Eriochloa* species, *Panicum* species such as fall panicum (*Panicum  
dichotomiflorum*), *Panicum fasciculatum* or *Panicum maximum*, *Brachiaria* species, annual  
bluegrass (*Poa annua*), *Alopecurus* species such as blackgrass (*Alopecurus myosuroides*), *Al-  
opecurus aequalis* Sobol or *Alopecurus japonicus* Steud, *Aegilops* species such as *Aegilops  
cylindrica* or *Aegylops tauschii*, *Apera spica-venti*, *Eleusine indica*, *Cynodon dactylon*, couch  
10 grass (*Agropyron repens* or *Elymus repens*), *Agrostis alba*, *Beckmannia syzigachne* (Steud.)  
Fernald, *Chloris* species such as *Chloris virgata*, *Commelina* species such as *Commelina ben-  
ghalensis*, *Commelina communis*, *Commelina diffusa* or *Commelina erecta*, *Dactyloctenium  
aegyptium*, *Hordeum jubatum*, *Hordeum leporinum*, *Imperata cylindrica*, *Ischaemum roguum*,  
*Ixophorus unisetus*, *Leerisa hexandra*, *Leersia japonica*, *Leptochloa* species such as *Lepto-  
chloa chinensis*, *Leptochloa fascicularis*, *Leptochloa filiformis* or *Leptochloa panicoides*, *Lolium  
species* such as *Lolium multiflorum*, *Lolium perenne*, *Lolium persicum* or rigid ryegrass (*Lolium  
rigidum*), *Luziola subintegra*, *Murdannia nudiflora* (L.) Brenan, *Oryza latifolia*, *Oryza rufipogon*,  
*Paspalum distichum*, *Paspalum* species, *Pennisetum americanum*, *Pennisetum purpureum*,  
*Phleum paniculatum*, *Phragmites australis*, *Ploypogon fugax*. N., *Poa* species such as *Poa an-  
nua* or *Poa trivialis* L., *Puccinellia distans*, *Rottboellia cochinchinensis*, *Sclerochloa kengiana*  
20 (Ohwi) Tzvel., *Trichloris crinita*, *Urochloa* or *Brachiaria* species such as *Brachiaria decumbens*,  
*Brachiaria plantaginea*, *Brachiaria platyphylla*, *Urochloa panicoides*, *Urochloa ramosa* and the  
like.

25 Both L-glufosinate alone as well as the inventive mixtures are also suitable for controlling a  
large number of dicotyledonous weeds, in particular broad leaf weeds including *Polygonum*  
*species* such as wild buckwheat (*Polygonum convolvulus*), *Polygonum pensilvanicum*, *Polygo-  
num persicaria* or prostrate knotweed (*Polygonum aviculare*), *Amaranthus* species such as pig-  
weed (*Amaranthus retroflexus*), Palmer amaranth (*Amaranthus palmeri*), tall waterhemp (Ama-  
30 ranthus tuberculatus or *Amaranthus rudis*), redroot pigweed (*Amaranthus retroflexus*), green  
amaranth (*Amaranthus hybridus*), purple amaranth (*Amaranthus lividus*), prickly amaranth (*Am-  
aranthus spinosus*) or *Amaranthus quitensis*, *Chenopodium* species such as common  
lambsquarters (*Chenopodium album* L.), *Chenopodium serotinum* or Quinoa (*Chenopodium  
quinoa*), *Sida* species such as prickly sida (*Sida spinosa* L.), *Ambrosia* species such as com-  
35 mon ragweed (*Ambrosia artemisiifolia*) or giant ragweed (*Ambrosia trifida*), *Acanthospermum*  
*species*, *Anthemis* species such as *Anthemis arvensis* or *Anthemis cotula*, *Atriplex* species,  
*Cirsium* species such as *Cirsium arvense*, *Convolvulus* species such as field bindweed (*Con-  
volvulus arvensis*), *Conyza* species such as horseweed (*Conyza canadensis*, *Erigeron cana-  
densis*) or hairy fleabane (*Conyza bonariensis*, *Erigeron bonariensis*), *Cassia* species, *Datura  
species* such as jimsonweed (*Datura stramonium*), *Euphorbia* species such as toothed spurge  
40 (*Euphorbia dentata*), *Euphorbia hirta*, *Euphorbia helioscopia* or fireplant (*Euphorbia heterophyl-*

la), Geranium species such as Geranium donianum or Geranium pusillum, Galinsoga species, morningglory (Ipomoea species), Lamium species such as henbit dead-nettle (Lamium amplexicaule), Malva species such as dwarf mallow (Malva neglecta) or cheeseweed (Malva parviflora), Matricaria species such as chamomile (Matricaria chamomilla) or Matricaria inodora,

5 Sysimbrium species, Solanum species such as black nightshade (Solanum nigrum), Xanthium species, Veronica species such as Veronica polita, Viola species, common chickweed (Stellaria media), velvetleaf (Abutilon theophrasti), Sesbania species such as Sesbania exaltata, Sesbania herbacea or hemp sesbania (Sesbania exaltata Cory), Anoda cristata, Bidens species such as Bidens frondosa or Bidens pilosa, Brassica kaber, Capsella species such as Capsella

10 media or Capsella bursa-pastoris, Centaurea cyanus, Galeopsis tetrahit, Galium aparine, Helianthus annuus, Desmodium tortuosum, Kochia scoparia, Mercurialis annua, Myosotis arvensis, Papaver rhoeas, Raphanus species such as wild radish (Raphanus raphanistrum), Salsola species such as Salsola tragus or Salsola kali, Sinapis arvensis, Sonchus species such as Sonchus asper, Sonchus arvensis or Sonchus oleraceus, Thlaspi arvense, Tagetes minuta, Richardia

15 species such as Richardia scabra or Richardia brasiliensis, Aeschynomene species such as Aeschynomene denticulata, Aeschynomene indica or Aeschynomene rudis, Alisma species such as Alisma canaliculatum or Alisma plantago-aquatica, Borreria species such as Borreria verticillata, Brassica rapa, Carduus acanthoides, Parietaria debilis, Portulaca oleracea, Ipomoea species such as Ipomoea grandifolia, Ipomoea hederacea, Ipomoea indivisa, Ipomoea lacunose,

20 Ipomoea lonchophylla or Ipomoea wrightii, Senna obtusifolia, Sida species such as arrowleaf sida (Sida rhombifolia) or prickly sida (Sida spinosa), Spermocoe latifolia, Tridax procumbens, Trianthema portulacastrum, Parthenium hysterophorus, Portulaca oleracea, Acalypha australis, Ammi majus, Atriplex species, Orobanche species, Mercurialis annua, Cirsium arvense, Calystegia sepium, Stellaria media, Lamium species, Viola species, Celosia argentea, Melampodium

25 divaricatum, Cleome viscosa, Molugo verticillatus, Borhevia erecta, Gomphrena species, Nicandra physalodes, Ricinus communis, Geranium dissectum, Alternanthera species such as Alternanthera philoxeroides or Alternanthera tenella, Ammannia species such as Ammannia coccinea, Anacamton fortunei Mitt., Anagallis arvensis, Aneilema keisak, Arenaria serpyllifolia, Argemone mexicana, Asphodelus tenuifolius, Atriplex patula, Bacopa rotundifolia, Brassica napus,

30 Caperonia species such as Caperonia castaneifolia or Caperonia palustris, Cephalanoplos segetum, Corynopus didymus, Crepis capillaris, Crepis tectorum, Croton lobatus, Descumina sophia (L.), Descurainia pinnata, Echinodorus grandiflorus, Eclipta alba, Eclipta prostrata, Eichhornia crassipes, Eleocharis species, Equisetum arvense, Fallopia convolvulus, Fallopia convolvulus, Heteranthera limosa, Jussiaea species, Kallstroemia maxima, Lactuca serriola,

35 Lathyrus aphaca, Launea nudicaulis, Leucas chinensis, Limnocharis flava, Lindernia dubia, Lindernia pyxidaria, Litospermum arvense, Ludwigia species such as Ludwigia octovallis, Macroptilium lathyroides, Malachium aquaticum (L.), Melilotus species, Merremia aegyptia, Momordica charantia, Monochoria hastate, Monochoria vaginalis, Mucuna species, Murdannia nudiflora, Oxalis neaei, Phyllanthus species, Physalis species, Pistia stratiotes, Potamogeton distinctus,

40 Rorippa islandica, Rotala indica, Rotala ramosior, Rumex dentatus, Rumex obtusifolius, Sagittaria montevidensis, Sagittaria pygmaea Miq., Sagittaria sagittifolia, Sagittaria trifolia L.,

Senecio vulgaris, Sicyos polyacanthus, Silene gallica, chenopoSisymbrium species such as Sisymbrium officinale, Solanum species, Spargula arvensis, Sphenoclea zeylanica, Trianthema spp., Tripleurospermum inodorum, Veronica species such as Veronica persica or Veronica polita Vicia sativa and the like.

5

Both L-glufosinate alone as well as the inventive mixtures are also suitable for controlling a large number of annual and perennial sedge weeds including Cyperus species such as purple nutsedge (Cyperus rotundus L.), yellow nutsedge (Cyperus esculentus L.), hime-kugu (Cyperus brevifolius H.), sedge weed (Cyperus microiria Steud), rice flatsedge (Cyperus iria L.), Cyperus difformis, Cyperus difformis L., Cyperus esculentus, Cyperus ferax, Cyperus flavus, Cyperus iria, Cyperus lanceolatus, Cyperus odoratus, Cyperus rotundus, Cyperus serotinus Rottb., Eleocharis acicularis, Eleocharis kuroguwai, Fimbristylis dichotoma, Fimbristylis miliacea, Scirpus grossus, Scirpus juncooides, Scirpus juncooides Roxb, Scirpus or Bolboschoenus maritimus, Scirpus or Schoenoplectus mucronatus, Scirpus planiculmis Fr. Schmidt and the like.

15

Both L-glufosinate alone as well as the inventive mixtures are also suitable for controlling weeds that are resistant to commonly used herbicides such as, for example, weeds that are resistant to glyphosate, weeds that are resistant to auxin inhibitor herbicides such as e. g. 2,4-D or dicamba, weeds that are resistant to photosynthesis inhibitors such as e. g. atrazine, weeds that are resistant to ALS inhibitors such as e. g. sulfonylureas, imidazolinones or triazolopyrimidines, weeds that are resistant to ACCase inhibitors such as e. g. clodinafop, clethodim or pinoxaden or weeds that are resistant to protoporphyrinogen-IX-oxidase inhibitors such as e. g. sulfentrazone, flumioxazine, fomesafen or acifluorfen, for example the weeds that are listed in the International Survey of Resistant Weeds

20

(<http://www.weedscience.org/Summary/SpeciesbySOATable.aspx>). In particular, they are suitable for controlling the resistant weeds that are listed in the International Survey of Resistant Weeds, for example ACCase resistant Echinochloa crus-galli, Avena fatua, Alopecurus myosuroides, Echinochloa colona, Alopecurus japonicus, Bromus tectorum, Hordeum murinum, Ischaemum rugosum, Setaria viridis, Sorghum halepense, Alopecurus aequalis, Apera spica-venti, Avena sterilis, Beckmannia syzigachne, Bromus diandrus, Digitaria sanguinalis, Echinochloa oryzoides, Echinochloa phyllopogon, Phalaris minor, Phalaris paradoxa, Setaria faberi, Setaria viridis, Brachypodium distachyon, Bromus diandrus, Bromus sterilis, Cynosurus echinatus, Digitaria insularis, Digitaria ischaemum, Leptochloa chinensis, Phalaris brachystachis, Rotboellia cochinchinensis, Digitaria ciliaris, Ehrharta longiflora, Eriochloa punctata, Leptochloa panicoides, Lolium persicum, Polypogon fugax, Sclerochloa kengiana, Snowdenia polystacha, Sorghum sudanese and Brachiaria plantaginea, ALS inhibitor resistant Echinochloa crus-galli, Poa annua, Avena fatua, Alopecurus myosuroides, Echinochloa colona, Amaranthus hybridus, Amaranthus palmeri, Amaranthus rudis, Conyza sumatrensis, Amaranthus retroflexus, Ambrosia artemisifolia, Conyza canadensis, Kochia scoparia, Raphanus raphanistrum, Senecio vernalis, Alopecurus japonicus, Bidens pilosa, Bromus tectorum, Chenopodium album, Conyza bonariensis, Hordeum murinum, Ischaemum rugosum, Senecio vulgaris, Setaria viridis, Sisymbrium orientale, Sorghum halepense, Alopecurus aequalis, Amaranthus blitum, Amaranthus powellii, Apera spica-venti, Avena sterilis, Brassica rapa, Bromus diandrus, Descurainia sophia,

35

40

Digitaria sanguinalis, Echinochloa oryzoides, Echinochloa phyllopogon, Euphorbia heterophylla, Lactuca serriola, Phalaris minor, Phalaris paradoxa, Setaria faberi, Setaria viridis, Sinapis arvensis, Solanum ptycanthum, Sonchus oleraceus, Stellaria media, Amaranthus blitoides, Amaranthus spinosus, Amaranthus viridis, Ambrosia trifida, Bidens subalternans, Bromus diandrus, 5 Bromus sterilis, Capsella bursa-pastoris, Centaurea cyanus, Cynosurus echinatus, Cyperus difformis, Fimbristilis miliacea, Galeopsis tetrahit, Galium aparine, Galium spurium, Helianthus annuus, Hirschfeldia incana, Limnocharis flava, Limnophila erecta, Papaver rhoeas, Parthenium hysterophorus, Phalaris brachystachis, Polygonum convolvulus, Polygonum lapathifolium, Polygonum persicaria, Ranunculus acris, Rottboellia cochinchinensis, Sagittaria montevidensis, 10 Salsola tragus, Schoenoplectus mucronatus, Setaria pumila, Sonchus asper, Xanthium strumarium, Ageratum conyzoides, Alisma canaliculatum, Alisma plantago-aquatica, Ammannia auriculata, Ammannia coccinea, Ammannia arvensis, Anthemis cotula, Bacopa rotundifolia, Bifora radians, Blyxa aubertii, Brassica tournefortii, Bromus japonicus, Bromus secalinus, Lithospermum arvense, Camelina microcarpa, Chamaesyce maculata, Chrysanthemum coronarium, 15 Clidemia hirta, Crepis tectorum, Cuscuta pentagona, Cyperus brevifolis, Cyperus compressus, Cyperus esculentus, Cyperus iria, Cyperus odoratus, Damasonium minus, Diplotaxis eruroides, Diplotaxis tenuifolia, Dopatrum junceum, Echium plantagineum, Elatine triandra, Eleocharis acicularis, Erucaria hispanica, Erysimum repandum, Galium tricornutum, Iva xanthifolia, Ixophorus unisetus, Lamium amplexicaule, Limnophila sessiliflora, Lindernia dubia, Lindernia micrantha, Lindernia procumbens, Ludwigia prostrata, Matricaria recutita, Mesembryanthemum crystallinum, Monochoria korsakowii, Monochoria vaginalis, Myosoton aquaticum, Neslia paniculata, Oryza sativa var. sylvatica, Pentzia suffruticosa, Picris hieracioides, Raphanus sativus, Rapistrum rugosum, Rorippa indica, Rotala indica, Rotala pusilla, Rumex dentatus, Sagittaria guayensis, Sagittaria pygmaea, Sagittaria trifolia, Schoenoplectus fluviatilis, Schoenoplectus 25 juncooides, Schoenoplectus wallichii, Sida spinosa, Silene gallica, Sinapis alba, Sisymbrium thelungii, Sorghum bicolor, Spargula arvensis, Thlaspi arvense, Tripleurospermum perforatum, Vaccaria hispanica and Vicia sativa, photosynthesis inhibitor resistant Echinochloa crus-galli, Poa annua, Alopecurus myosuroides, Echinochloa colona, Amaranthus hybridus, Amaranthus palmeri, Amaranthus rudis, Conyza sumatrensis, Amaranthus retroflexus, Ambrosia artemisifolia, Conyza canadensis, Kochia scoparia, Raphanus raphanistrum, Senecio vernalis, Alopecurus japonicus, Bidens pilosa, Bromus tectorum, Chenopodium album, Conyza bonariensis, Ischaemum rugosum, Senecio vulgaris, Setaria viridis, Sisymbrium orientale, Amaranthus blitum, Amaranthus powellii, Apera spica-venti, Beckmannia syzigachne, Brassica rapa, Digitaria sanguinalis, Euphorbia heterophylla, Phalaris minor, Phalaris paradoxa, Setaria faberi, Setaria viridis, 35 Sinapis arvensis, Solanum ptycanthum, Stellaria media, Amaranthus blitoides, Amaranthus viridis, Bidens subalternans, Brachypodium distachyon, Capsella bursa-pastoris, Chloris barbata, Cyperus difformis, Echinochloa erecta, Epilobium ciliatum, Polygonum aviculare, Polygonum convolvulus, Polygonum lapathifolium, Polygonum persicaria, Portulaca oleracea, Schoenoplectus mucronatus, Setaria pumila, Solanum nigrum, Sonchus asper, Urochloa panicoides, 40 Vulpia bromoides, Abutilon theophrasti, Amaranthus albus, Amaranthus cruentus, Arabidopsis thaliana, Arenaria serpyllifolia, Bidens tripartita, Chenopodium album, Chenopodium ficifolium, Chenopodium polyspermum, Crypsis schoenoides, Datura stramonium, Epilobium tetragonum, Galinsoga ciliata, Matricaria discoidea, Panicum capillare, Panicum dichotomiflorum, Plantago

lagopus, Polygonum hydopiper, Polygonum pensylvanicum, Polygonum monspeliensis, Ros-  
traria, smyrnacea, Rumex acetosella, Setaria verticillata and Urtica urens, PS-I-electron diver-  
sion inhibitor resistant Poa annua, Conyza sumatrensis, Conyza canadensis, Alopecurus japon-  
icus, Bidens pilosa, Conyza bonariensis, Hordeum murinum, Ischaemum rugosum, Amaranthus  
5 blitum, Solanum ptycanthum, Arctotheca calendula, Epilobium ciliatum, Hedyotis verticillata,  
Solanum nigrum, Vulpia bromoides, Convolvulus arvensis, Crassocephalum crepidioides,  
Cuphea carthagensis, Erigeron philadelphicus, Gamochaeta pensylvanica, Landoltia punctata,  
Lepidium virginicum, Mazus fauriei, Mazus pumilus, Mitracarpus hirtus, Sclerochloa dura, Sola-  
num americanum and Youngia japonica, glyphosate resistant Poa annua, Echinochloa colona,  
10 Amaranthus hybridus, Amaranthus palmeri, Amaranthus rudis, Conyza sumatrensis, Ambrosia  
artemisifolia, Conyza canadensis, Kochia scoparia, Raphanus raphanistrum, Bidens pilosa, Co-  
nyza bonariensis, Hordeum murinum, Sorghum halepense, Brassica rapa, Bromus diandrus,  
Lactuca serriola, Sonchus oleraceus, Amaranthus spinosus, Ambrosia trifida, Digitaria insularis,  
Hedyotis verticillata, Helianthus annuus, Parthenium hysterophorus, Plantago lanceolata, Salso-  
15 la tragus, Urochloa panicoides, Brachiaria eruciformis, Bromus rubens, Chloris elata, Chloris  
truncata, Chloris virgata, Cynodon hirsutus, Lactuca saligna, Leptochloa virgata, Paspalum pa-  
niculatum and Tridax procumbens, microtubule assembly inhibitor resistant Echinochloa crus-  
galli, Poa annua, Avena fatua, Alopecurus myosuroides, Amaranthus palmeri, Setaria viridis,  
Sorghum halepense, Alopecurus aequalis, Beckmannia syzigachne and Fumaria densiflora,  
20 auxin herbicide resistant Echinochloa crus-galli, Echinochloa colona, Amaranthus hybridus,  
Amaranthus rudis, Conyza sumatrensis, Kochia scoparia, Raphanus raphanistrum, Cheno-  
podim album, Sisymbrium orientale, Descurainia sophia, Lactuca serriola, Sinapis arvensis,  
Sonchus oleraceus, Stellaria media, Arctotheca calendula, Centaurea cyanus, Digitaria ischae-  
mum, Fimbristylis miliacea, Galeopsis tetrahit, Galium aparine, Galium spurium, Hirschfeldia  
25 incana, Limnocharis flava, Limnocharis erecta, Papaver rhoeas, Plantago lanceolata, Ranuncu-  
lus acris, Carduus nutans, Carduus pycnocephalus, Centaurea solstitialis, Centaurea stoebe ssp.  
Micranthos, Cirsium arvense, Commelina diffusa, Echinochloa crus-pavonis, Soliva sessilis and  
Sphenoclea zeylanica, HPPD inhibitor resistant Amaranthus palmeri and Amaranthus rudis,  
PPO inhibitor resistant Acalypha australis, Amaranthus hybridus, Amaranthus palmeri, Amaran-  
30 thus retroflexus, Amaranthus rudis, Ambrosia artemisifolia, Avena fatua, Conyza sumatrensis,  
Descurainia sophia, Euphorbia heterophylla and Senecio vernalis, carotenoid biosynthesis in-  
hibitor resistant Hydrilla verticillata, Raphanus raphanistrum, Senecio vernalis and Sisymbrium  
orientale, VLCFA inhibitor resistant Alopecurus myosuroides, Avena fatua and Echinochloa  
crus-galli.

35 If the compounds of the inventive mixtures are applied to the soil surface before germination,  
then the weed seedlings are either prevented completely from emerging, or the weeds grow  
until they have reached the cotyledon stage but then their growth stops, and, eventually, after  
three to four weeks have elapsed, they die completely.

If the active compounds of the inventive mixtures are applied post-emergence to the green parts  
40 of the plants, growth likewise stops drastically a very short time after the treatment and the  
weed plants remain at the growth stage of the point of time of application, or they die completely  
after a certain time, so that in this manner competition by the weeds, which is harmful to the  
soybean plants, is eliminated at a very early point in time and in a sustained manner.

When the active compounds of the inventive mixtures are used jointly, superadditive (=synergistic) effects are observed. This means that the effect in the combinations exceeds the expected total of the effects of the individual herbicides employed. The synergistic effects allow the application rate to be reduced, a broader spectrum of broad-leaved weeds and weed grasses to be controlled, the herbicidal effect to take place more rapidly, the duration of action to be longer, the harmful plants to be controlled better while using only one, or few, applications, and the application period which is possible to be extended. In some cases, uptake of the compositions also reduces the amount of harmful constituents in the crop plant, such as nitrogen or oleic acid.

The active compounds of the inventive mixtures can be used jointly or in succession. They can also conveniently be combined with further herbicide treatments to treatment combinations that ensure a more complete or long-lasting weed control, or to ensure control of weeds that are resistant against certain herbicides through combined action of multiple herbicides with different modes of action. In particular, the active compounds of the inventive mixtures and further herbicides can be used in any of the treatment combinations outlined below that consist of pre-plant burn down, pre-emergence and post-emergence treatments. These treatment combinations can be particularly suitable if the soybean crop is tolerant to the action of one or more herbicides present in the treatment combination, including tolerance that is a result of breeding and/or genetic modification. Such tolerant plants include glufosinate tolerant soybeans, glyphosate tolerant soybeans and soybeans that are tolerant to HPPD herbicides (e. g. isoxaflutole, topramezone, mesotrione, tembotrione, bicyclopyrone, fenquino-trione), auxin herbicides (e. g. 2,4-D, dicamba) and/or PPO herbicides (e. g. carfentrazone-ethyl, saflufenacil, sulfentrazone, trifludimoxazin, pyraflufen-ethyl, tiafenacil, II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100).

The following active compounds of the inventive mixtures and further herbicides are particularly suitable as pre-plant burn-down weed control components in such treatment combinations: L-Glufosinate, L-glufosinate ammonium, L-glufosinate sodium, glyphosate, glyphosate dimethylammonium, glyphosate potassium, glyphosate isopropylammonium, paraquat, tiafenacil, trifludimoxazin, saflufenacil, sulfentrazone, flumioxazin, fomesafen, carfentrazone-ethyl, II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100), cloransulam-methyl, chlorimuron-ethyl, imazethapyr, imazethapyr ammonium, 2,4-D, 2,4-D choline salt, dicamba, dicamba ethanolamine salt, dicamba diglycolamine salt, dicamba potassium and dicamba BAPMA salt (i. e. dicamba N,N-bis(3-aminopropyl)methylamine salt).

The following active compounds of the inventive mixtures and further herbicides are particularly suitable as pre-emergence weed control components in such treatment combinations: Acetochlor, metolachlor, (S)-metolachlor, dimethenamid, dimethenamid-P, pethoxamid, pyroxasulfone, cloransulam-methyl, chlorimuron-ethyl, thifensulfuron-methyl, imazethapyr, imazethapyr ammonium, trifludimoxazin, saflufenacil, sulfentrazone, flumioxazin, fomesafen, trifluralin, pendimethalin, metribuzin, isoxaflutole, mesotrione, tembotrione, bicyclopyrone and fenquino-trione.

The following active compounds of the inventive mixtures and further herbicides are particularly suitable for post-emergence weed control components in such treatment combinations: L-Glufosinate, L-glufosinate ammonium, L-glufosinate sodium, glyphosate, glyphosate dimethylammonium, glyphosate potassium, glyphosate isopropylammonium, imazamox, imazamox ammonium, imazethapyr, imazethapyr ammonium, bentazone, bentazone sodium, isoxaflutole, 5 topramezone, mesotrione, tembotrione, bicyclopyrone, fenquinoatrione, carfentrazone-ethyl, saflufenacil, sulfentrazone, trifludimoxazin, pyraflufen-ethyl, tiafenacil, II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100), 2,4-D, 2,4-D choline salt, dicamba, dicamba 10 ethanolamine salt, dicamba diglycolamine salt, dicamba potassium and dicamba BAPMA salt.

Particularly suitable treatment combinations of active compounds of the inventive mixtures and further herbicides are:

15 The treatment combinations 1.1 to 1.1087 in which one of the treatment combinations listed in the following table is combined with post-emergence use of L-glufosinate.

Treatment combination	Pre-plant burn-down	Pre-emergence
1	L-Glufosinate	Acetochlor
2	L-Glufosinate	Metolachlor
3	L-Glufosinate	(S)-Metolachlor
4	L-Glufosinate	Dimethenamid
5	L-Glufosinate	Dimethenamid-P
6	L-Glufosinate	Pyroxasulfone
7	L-Glufosinate	Cloransulam-methyl
8	L-Glufosinate	Chlorimuron-ethyl
9	L-Glufosinate	Thifensulfuron-methyl
10	L-Glufosinate	Imazethapyr
11	L-Glufosinate	Imazethapyr-ammonium
12	L-Glufosinate	Trifludimoxazin
13	L-Glufosinate	Saflufenacil
14	L-Glufosinate	Sulfentrazone
15	L-Glufosinate	Flumioxazin
16	L-Glufosinate	Fomesafen
17	L-Glufosinate	Trifluralin
18	L-Glufosinate	Pendimethalin
19	L-Glufosinate	Metribuzin
20	L-Glufosinate	Metribuzin + (S)-metolachlor
21	L-Glufosinate	Sulfentrazon + cloransulam-methyl
22	L-Glufosinate	Sulfentrazon + chlorimuron-ethyl
23	L-Glufosinate	Sulfentrazon + imazethapyr
24	L-Glufosinate	Sulfentrazon + (S)-metolachlor

Treatment combination	Pre-plant burn-down	Pre-emergence
25	L-Glufosinate	Sulfentrazon + (S)-metolachlor + metribuzin
26	L-Glufosinate	Sulfentrazon + acetochlor
27	L-Glufosinate	Sulfentrazon + dimethenamid-P
28	L-Glufosinate	Sulfentrazon + pyroxasulfone
29	L-Glufosinate	Flumioxazin + cloransulam-methyl
30	L-Glufosinate	Flumioxazin + chlorimuron-ethyl
31	L-Glufosinate	Flumioxazin + chlorimuron-ethyl + metribuzin
32	L-Glufosinate	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
33	L-Glufosinate	Flumioxazin + imazethapyr
34	L-Glufosinate	Flumioxazin + (S)-metolachlor
35	L-Glufosinate	Flumioxazin + acetochlor
36	L-Glufosinate	Flumioxazin + dimethenamid-P
37	L-Glufosinate	Flumioxazin + pyroxasulfone
38	L-Glufosinate	Fomesafen + cloransulam-methyl
39	L-Glufosinate	Fomesafen + chlorimuron-ethyl
40	L-Glufosinate	Fomesafen + imazethapyr
41	L-Glufosinate	Fomesafen + (S)-metolachlor
42	L-Glufosinate	Fomesafen + acetochlor
43	L-Glufosinate	Fomesafen + dimethenamid-P
44	L-Glufosinate	Fomesafen + pyroxasulfone
45	L-Glufosinate	Saflufenacil + cloransulam-methyl
46	L-Glufosinate	Saflufenacil + chlorimuron-ethyl
47	L-Glufosinate	Saflufenacil + imazethapyr
48	L-Glufosinate	Saflufenacil + imazethapyr + pyroxasulfone
49	L-Glufosinate	Saflufenacil + (S)-metolachlor
50	L-Glufosinate	Saflufenacil + acetochlor
51	L-Glufosinate	Saflufenacil + dimethenamid-P
52	L-Glufosinate	Saflufenacil + dimethenamid-P + pyroxasulfone
53	L-Glufosinate	Saflufenacil + pyroxasulfone
54	L-Glufosinate	Trifludimoxazin + cloransulam-methyl
55	L-Glufosinate	Trifludimoxazin + chlorimuron-ethyl
56	L-Glufosinate	Trifludimoxazin + imazethapyr
57	L-Glufosinate	Trifludimoxazin + imazethapyr + pyroxasulfone
58	L-Glufosinate	Trifludimoxazin + (S)-metolachlor

Treatment combination	Pre-plant burn-down	Pre-emergence
59	L-Glufosinate	Trifludimoxazin + acetochlor
60	L-Glufosinate	Trifludimoxazin + dimethenamid-P
61	L-Glufosinate	Trifludimoxazin + dimethenamid-P + pyroxasulfone
62	L-Glufosinate	Trifludimoxazin + pyroxasulfone
63	L-Glufosinate	Fluthiacet-methyl + pyroxasulfone
64	L-Glufosinate	Isoxaflutole
65	L-Glufosinate	Mesotrione
66	L-Glufosinate	Isoxaflutole + mesotrione
67	L-Glufosinate	Isoxaflutole + metribuzin
68	L-Glufosinate ammonium	Acetochlor
69	L-Glufosinate ammonium	Metolachlor
70	L-Glufosinate ammonium	(S)-Metolachlor
71	L-Glufosinate ammonium	Dimethenamid
72	L-Glufosinate ammonium	Dimethenamid-P
73	L-Glufosinate ammonium	Pyroxasulfone
74	L-Glufosinate ammonium	Cloransulam-methyl
75	L-Glufosinate ammonium	Chlorimuron-ethyl
76	L-Glufosinate ammonium	Thifensulfuron-methyl
77	L-Glufosinate ammonium	Imazethapyr
78	L-Glufosinate ammonium	Imazethapyr-ammonium
79	L-Glufosinate ammonium	Trifludimoxazin
80	L-Glufosinate ammonium	Saflufenacil
81	L-Glufosinate ammonium	Sulfentrazone
82	L-Glufosinate ammonium	Flumioxazin
83	L-Glufosinate ammonium	Fomesafen
84	L-Glufosinate ammonium	Trifluralin
85	L-Glufosinate ammonium	Pendimethalin
86	L-Glufosinate ammonium	Metribuzin
87	L-Glufosinate ammonium	Metribuzin + (S)-metolachlor
88	L-Glufosinate ammonium	Sulfentrazone + cloransulam-methyl
89	L-Glufosinate ammonium	Sulfentrazone + chlorimuron-ethyl
90	L-Glufosinate ammonium	Sulfentrazone + imazethapyr
91	L-Glufosinate ammonium	Sulfentrazone + (S)-metolachlor
92	L-Glufosinate ammonium	Sulfentrazone + (S)-metolachlor + metribuzin
93	L-Glufosinate ammonium	Sulfentrazone + acetochlor
94	L-Glufosinate ammonium	Sulfentrazone + dimethenamid-P
95	L-Glufosinate ammonium	Sulfentrazone + pyroxasulfone
96	L-Glufosinate ammonium	Flumioxazin + cloransulam-methyl

Treatment combination	Pre-plant burn-down	Pre-emergence
97	L-Glufosinate ammonium	Flumioxazin + chlorimuron-ethyl
98	L-Glufosinate ammonium	Flumioxazin + chlorimuron-ethyl + metribuzin
99	L-Glufosinate ammonium	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
100	L-Glufosinate ammonium	Flumioxazin + imazethapyr
101	L-Glufosinate ammonium	Flumioxazin + (S)-metolachlor
102	L-Glufosinate ammonium	Flumioxazin + acetochlor
103	L-Glufosinate ammonium	Flumioxazin + dimethenamid-P
104	L-Glufosinate ammonium	Flumioxazin + pyroxasulfone
105	L-Glufosinate ammonium	Fomesafen + cloransulam-methyl
106	L-Glufosinate ammonium	Fomesafen + chlorimuron-ethyl
107	L-Glufosinate ammonium	Fomesafen + imazethapyr
108	L-Glufosinate ammonium	Fomesafen + (S)-metolachlor
109	L-Glufosinate ammonium	Fomesafen + acetochlor
110	L-Glufosinate ammonium	Fomesafen + dimethenamid-P
111	L-Glufosinate ammonium	Fomesafen + pyroxasulfone
112	L-Glufosinate ammonium	Saflufenacil + cloransulam-methyl
113	L-Glufosinate ammonium	Saflufenacil + chlorimuron-ethyl
114	L-Glufosinate ammonium	Saflufenacil + imazethapyr
115	L-Glufosinate ammonium	Saflufenacil + imazethapyr + pyroxasulfone
116	L-Glufosinate ammonium	Saflufenacil + (S)-metolachlor
117	L-Glufosinate ammonium	Saflufenacil + acetochlor
118	L-Glufosinate ammonium	Saflufenacil + dimethenamid-P
119	L-Glufosinate ammonium	Saflufenacil + dimethenamid-P + pyroxasulfone
120	L-Glufosinate ammonium	Saflufenacil + pyroxasulfone
121	L-Glufosinate ammonium	Trifludimoxazin + cloransulam-methyl
122	L-Glufosinate ammonium	Trifludimoxazin + chlorimuron-ethyl
123	L-Glufosinate ammonium	Trifludimoxazin + imazethapyr
124	L-Glufosinate ammonium	Trifludimoxazin + imazethapyr + pyroxasulfone
125	L-Glufosinate ammonium	Trifludimoxazin + (S)-metolachlor
126	L-Glufosinate ammonium	Trifludimoxazin + acetochlor
127	L-Glufosinate ammonium	Trifludimoxazin + dimethenamid-P
128	L-Glufosinate ammonium	Trifludimoxazin + dimethenamid-P + pyroxasulfone
129	L-Glufosinate ammonium	Trifludimoxazin + pyroxasulfone
130	L-Glufosinate ammonium	Fluthiacet-methyl + pyroxasulfone

Treatment combination	Pre-plant burn-down	Pre-emergence
131	L-Glufosinate ammonium	Isoxaflutole
132	L-Glufosinate ammonium	Mesotrione
133	L-Glufosinate ammonium	Isoxaflutole + mesotrione
134	L-Glufosinate ammonium	Isoxaflutole + metribuzin
135	L-Glufosinate sodium	Acetochlor
136	L-Glufosinate sodium	Metolachlor
137	L-Glufosinate sodium	(S)-Metolachlor
138	L-Glufosinate sodium	Dimethenamid
139	L-Glufosinate sodium	Dimethenamid-P
140	L-Glufosinate sodium	Pyroxasulfone
141	L-Glufosinate sodium	Cloransulam-methyl
142	L-Glufosinate sodium	Chlorimuron-ethyl
143	L-Glufosinate sodium	Thifensulfuron-methyl
144	L-Glufosinate sodium	Imazethapyr
145	L-Glufosinate sodium	Imazethapyr-ammonium
146	L-Glufosinate sodium	Trifludimoxazin
147	L-Glufosinate sodium	Saflufenacil
148	L-Glufosinate sodium	Sulfentrazone
149	L-Glufosinate sodium	Flumioxazin
150	L-Glufosinate sodium	Fomesafen
151	L-Glufosinate sodium	Trifluralin
152	L-Glufosinate sodium	Pendimethalin
153	L-Glufosinate sodium	Metribuzin
154	L-Glufosinate sodium	Metribuzin + (S)-metolachlor
155	L-Glufosinate sodium	Sulfentrazone + cloransulam-methyl
156	L-Glufosinate sodium	Sulfentrazone + chlorimuron-ethyl
157	L-Glufosinate sodium	Sulfentrazone + imazethapyr
158	L-Glufosinate sodium	Sulfentrazone + (S)-metolachlor
159	L-Glufosinate sodium	Sulfentrazone + (S)-metolachlor + metribuzin
160	L-Glufosinate sodium	Sulfentrazone + acetochlor
161	L-Glufosinate sodium	Sulfentrazone + dimethenamid-P
162	L-Glufosinate sodium	Sulfentrazone + pyroxasulfone
163	L-Glufosinate sodium	Flumioxazin + cloransulam-methyl
164	L-Glufosinate sodium	Flumioxazin + chlorimuron-ethyl
165	L-Glufosinate sodium	Flumioxazin + chlorimuron-ethyl + metribuzin
166	L-Glufosinate sodium	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
167	L-Glufosinate sodium	Flumioxazin + imazethapyr

Treatment combination	Pre-plant burn-down	Pre-emergence
168	L-Glufosinate sodium	Flumioxazin + (S)-metolachlor
169	L-Glufosinate sodium	Flumioxazin + acetochlor
170	L-Glufosinate sodium	Flumioxazin + dimethenamid-P
171	L-Glufosinate sodium	Flumioxazin + pyroxasulfone
172	L-Glufosinate sodium	Fomesafen + cloransulam-methyl
173	L-Glufosinate sodium	Fomesafen + chlorimuron-ethyl
174	L-Glufosinate sodium	Fomesafen + imazethapyr
175	L-Glufosinate sodium	Fomesafen + (S)-metolachlor
176	L-Glufosinate sodium	Fomesafen + acetochlor
177	L-Glufosinate sodium	Fomesafen + dimethenamid-P
178	L-Glufosinate sodium	Fomesafen + pyroxasulfone
179	L-Glufosinate sodium	Saflufenacil + cloransulam-methyl
180	L-Glufosinate sodium	Saflufenacil + chlorimuron-ethyl
181	L-Glufosinate sodium	Saflufenacil + imazethapyr
182	L-Glufosinate sodium	Saflufenacil + imazethapyr + pyroxasulfone
183	L-Glufosinate sodium	Saflufenacil + (S)-metolachlor
184	L-Glufosinate sodium	Saflufenacil + acetochlor
185	L-Glufosinate sodium	Saflufenacil + dimethenamid-P
186	L-Glufosinate sodium	Saflufenacil + dimethenamid-P + pyroxasulfone
187	L-Glufosinate sodium	Saflufenacil + pyroxasulfone
188	L-Glufosinate sodium	Trifludimoxazin + cloransulam-methyl
189	L-Glufosinate sodium	Trifludimoxazin + chlorimuron-ethyl
190	L-Glufosinate sodium	Trifludimoxazin + imazethapyr
191	L-Glufosinate sodium	Trifludimoxazin + imazethapyr + pyroxasulfone
192	L-Glufosinate sodium	Trifludimoxazin + (S)-metolachlor
193	L-Glufosinate sodium	Trifludimoxazin + acetochlor
194	L-Glufosinate sodium	Trifludimoxazin + dimethenamid-P
195	L-Glufosinate sodium	Trifludimoxazin + dimethenamid-P + pyroxasulfone
196	L-Glufosinate sodium	Trifludimoxazin + pyroxasulfone
197	L-Glufosinate sodium	Fluthiacet-methyl + pyroxasulfone
198	L-Glufosinate sodium	Isoxaflutole
199	L-Glufosinate sodium	Mesotrione
200	L-Glufosinate sodium	Isoxaflutole + mesotrione
201	L-Glufosinate sodium	Isoxaflutole + metribuzin
202	Glyphosate	Acetochlor
203	Glyphosate	Metolachlor

Treatment combination	Pre-plant burn-down	Pre-emergence
204	Glyphosate	(S)-Metolachlor
205	Glyphosate	Dimethenamid
206	Glyphosate	Dimethenamid-P
207	Glyphosate	Pyroxasulfone
208	Glyphosate	Cloransulam-methyl
209	Glyphosate	Chlorimuron-ethyl
210	Glyphosate	Thifensulfuron-methyl
211	Glyphosate	Imazethapyr
212	Glyphosate	Imazethapyr-ammonium
213	Glyphosate	Trifludimoxazin
214	Glyphosate	Saflufenacil
215	Glyphosate	Sulfentrazone
216	Glyphosate	Flumioxazin
217	Glyphosate	Fomesafen
218	Glyphosate	Trifluralin
219	Glyphosate	Pendimethalin
220	Glyphosate	Metribuzin
221	Glyphosate	Metribuzin + (S)-metolachlor
222	Glyphosate	Sulfentrazone + cloransulam-methyl
223	Glyphosate	Sulfentrazone + chlorimuron-ethyl
224	Glyphosate	Sulfentrazone + imazethapyr
225	Glyphosate	Sulfentrazone + (S)-metolachlor
226	Glyphosate	Sulfentrazone + (S)-metolachlor + metribuzin
227	Glyphosate	Sulfentrazone + acetochlor
228	Glyphosate	Sulfentrazone + dimethenamid-P
229	Glyphosate	Sulfentrazone + pyroxasulfone
230	Glyphosate	Flumioxazin + cloransulam-methyl
231	Glyphosate	Flumioxazin + chlorimuron-ethyl
232	Glyphosate	Flumioxazin + chlorimuron-ethyl + metribuzin
233	Glyphosate	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
234	Glyphosate	Flumioxazin + imazethapyr
235	Glyphosate	Flumioxazin + (S)-metolachlor
236	Glyphosate	Flumioxazin + acetochlor
237	Glyphosate	Flumioxazin + dimethenamid-P
238	Glyphosate	Flumioxazin + pyroxasulfone
239	Glyphosate	Fomesafen + cloransulam-methyl
240	Glyphosate	Fomesafen + chlorimuron-ethyl

Treatment combination	Pre-plant burn-down	Pre-emergence
241	Glyphosate	Fomesafen + imazethapyr
242	Glyphosate	Fomesafen + (S)-metolachlor
243	Glyphosate	Fomesafen + acetochlor
244	Glyphosate	Fomesafen + dimethenamid-P
245	Glyphosate	Fomesafen + pyroxasulfone
246	Glyphosate	Saflufenacil + cloransulam-methyl
247	Glyphosate	Saflufenacil + chlorimuron-ethyl
248	Glyphosate	Saflufenacil + imazethapyr
249	Glyphosate	Saflufenacil + imazethapyr + pyroxasulfone
250	Glyphosate	Saflufenacil + (S)-metolachlor
251	Glyphosate	Saflufenacil + acetochlor
252	Glyphosate	Saflufenacil + dimethenamid-P
253	Glyphosate	Saflufenacil + dimethenamid-P + pyroxasulfone
254	Glyphosate	Saflufenacil + pyroxasulfone
255	Glyphosate	Trifludimoxazin + cloransulam-methyl
256	Glyphosate	Trifludimoxazin + chlorimuron-ethyl
257	Glyphosate	Trifludimoxazin + imazethapyr
258	Glyphosate	Trifludimoxazin + imazethapyr + pyroxasulfone
259	Glyphosate	Trifludimoxazin + (S)-metolachlor
260	Glyphosate	Trifludimoxazin + acetochlor
261	Glyphosate	Trifludimoxazin + dimethenamid-P
262	Glyphosate	Trifludimoxazin + dimethenamid-P + pyroxasulfone
263	Glyphosate	Trifludimoxazin + pyroxasulfone
264	Glyphosate	Fluthiacet-methyl + pyroxasulfone
265	Glyphosate	Isoxaflutole
266	Glyphosate	Mesotrione
267	Glyphosate	Isoxaflutole + mesotrione
268	Glyphosate	Isoxaflutole + metribuzin
269	Glyphosate dimethylammonium	Acetochlor
270	Glyphosate dimethylammonium	Metolachlor
271	Glyphosate dimethylammonium	(S)-Metolachlor
272	Glyphosate dimethylammonium	Dimethenamid
273	Glyphosate dimethylammonium	Dimethenamid-P
274	Glyphosate dimethylammonium	Pyroxasulfone
275	Glyphosate dimethylammonium	Cloransulam-methyl
276	Glyphosate dimethylammonium	Chlorimuron-ethyl

Treatment combination	Pre-plant burn-down	Pre-emergence
277	Glyphosate dimethylammonium	Thifensulfuron-methyl
278	Glyphosate dimethylammonium	Imazethapyr
279	Glyphosate dimethylammonium	Imazethapyr-ammonium
280	Glyphosate dimethylammonium	Trifludimoxazin
281	Glyphosate dimethylammonium	Saflufenacil
282	Glyphosate dimethylammonium	Sulfentrazone
283	Glyphosate dimethylammonium	Flumioxazin
284	Glyphosate dimethylammonium	Fomesafen
285	Glyphosate dimethylammonium	Trifluralin
286	Glyphosate dimethylammonium	Pendimethalin
287	Glyphosate dimethylammonium	Metribuzin
288	Glyphosate dimethylammonium	Metribuzin + (S)-metolachlor
289	Glyphosate dimethylammonium	Sulfentrazone + cloransulam-methyl
290	Glyphosate dimethylammonium	Sulfentrazone + chlorimuron-ethyl
291	Glyphosate dimethylammonium	Sulfentrazone + imazethapyr
292	Glyphosate dimethylammonium	Sulfentrazone + (S)-metolachlor
293	Glyphosate dimethylammonium	Sulfentrazone + (S)-metolachlor + metribuzin
294	Glyphosate dimethylammonium	Sulfentrazone + acetochlor
295	Glyphosate dimethylammonium	Sulfentrazone + dimethenamid-P
296	Glyphosate dimethylammonium	Sulfentrazone + pyroxasulfone
297	Glyphosate dimethylammonium	Flumioxazin + cloransulam-methyl
298	Glyphosate dimethylammonium	Flumioxazin + chlorimuron-ethyl
299	Glyphosate dimethylammonium	Flumioxazin + chlorimuron-ethyl + metribuzin
300	Glyphosate dimethylammonium	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
301	Glyphosate dimethylammonium	Flumioxazin + imazethapyr
302	Glyphosate dimethylammonium	Flumioxazin + (S)-metolachlor
303	Glyphosate dimethylammonium	Flumioxazin + acetochlor
304	Glyphosate dimethylammonium	Flumioxazin + dimethenamid-P
305	Glyphosate dimethylammonium	Flumioxazin + pyroxasulfone
306	Glyphosate dimethylammonium	Fomesafen + cloransulam-methyl
307	Glyphosate dimethylammonium	Fomesafen + chlorimuron-ethyl
308	Glyphosate dimethylammonium	Fomesafen + imazethapyr
309	Glyphosate dimethylammonium	Fomesafen + (S)-metolachlor
310	Glyphosate dimethylammonium	Fomesafen + acetochlor
311	Glyphosate dimethylammonium	Fomesafen + dimethenamid-P
312	Glyphosate dimethylammonium	Fomesafen + pyroxasulfone
313	Glyphosate dimethylammonium	Saflufenacil + cloransulam-methyl

Treatment combination	Pre-plant burn-down	Pre-emergence
314	Glyphosate dimethylammonium	Saflufenacil + chlorimuron-ethyl
315	Glyphosate dimethylammonium	Saflufenacil + imazethapyr
316	Glyphosate dimethylammonium	Saflufenacil + imazethapyr + pyroxasulfone
317	Glyphosate dimethylammonium	Saflufenacil + (S)-metolachlor
318	Glyphosate dimethylammonium	Saflufenacil + acetochlor
319	Glyphosate dimethylammonium	Saflufenacil + dimethenamid-P
320	Glyphosate dimethylammonium	Saflufenacil + dimethenamid-P + pyroxasulfone
321	Glyphosate dimethylammonium	Saflufenacil + pyroxasulfone
322	Glyphosate dimethylammonium	Trifludimoxazin + cloransulam-methyl
323	Glyphosate dimethylammonium	Trifludimoxazin + chlorimuron-ethyl
324	Glyphosate dimethylammonium	Trifludimoxazin + imazethapyr
325	Glyphosate dimethylammonium	Trifludimoxazin + imazethapyr + pyroxasulfone
326	Glyphosate dimethylammonium	Trifludimoxazin + (S)-metolachlor
327	Glyphosate dimethylammonium	Trifludimoxazin + acetochlor
328	Glyphosate dimethylammonium	Trifludimoxazin + dimethenamid-P
329	Glyphosate dimethylammonium	Trifludimoxazin + dimethenamid-P + pyroxasulfone
330	Glyphosate dimethylammonium	Trifludimoxazin + pyroxasulfone
331	Glyphosate dimethylammonium	Fluthiacet-methyl + pyroxasulfone
332	Glyphosate dimethylammonium	Isoxaflutole
333	Glyphosate dimethylammonium	Mesotrione
334	Glyphosate dimethylammonium	Isoxaflutole + mesotrione
335	Glyphosate dimethylammonium	Isoxaflutole + metribuzin
336	Glyphosate potassium	Acetochlor
337	Glyphosate potassium	Metolachlor
338	Glyphosate potassium	(S)-Metolachlor
339	Glyphosate potassium	Dimethenamid
340	Glyphosate potassium	Dimethenamid-P
341	Glyphosate potassium	Pyroxasulfone
342	Glyphosate potassium	Cloransulam-methyl
343	Glyphosate potassium	Chlorimuron-ethyl
344	Glyphosate potassium	Thifensulfuron-methyl
345	Glyphosate potassium	Imazethapyr
346	Glyphosate potassium	Imazethapyr-ammonium
347	Glyphosate potassium	Trifludimoxazin
348	Glyphosate potassium	Saflufenacil
349	Glyphosate potassium	Sulfentrazone

Treatment combination	Pre-plant burn-down	Pre-emergence
350	Glyphosate potassium	Flumioxazin
351	Glyphosate potassium	Fomesafen
352	Glyphosate potassium	Trifluralin
353	Glyphosate potassium	Pendimethalin
354	Glyphosate potassium	Metribuzin
355	Glyphosate potassium	Metribuzin + (S)-metolachlor
356	Glyphosate potassium	Sulfentrazone + cloransulam-methyl
357	Glyphosate potassium	Sulfentrazone + chlorimuron-ethyl
358	Glyphosate potassium	Sulfentrazone + imazethapyr
359	Glyphosate potassium	Sulfentrazone + (S)-metolachlor
360	Glyphosate potassium	Sulfentrazone + (S)-metolachlor + metribuzin
361	Glyphosate potassium	Sulfentrazone + acetochlor
362	Glyphosate potassium	Sulfentrazone + dimethenamid-P
363	Glyphosate potassium	Sulfentrazone + pyroxasulfone
364	Glyphosate potassium	Flumioxazin + cloransulam-methyl
365	Glyphosate potassium	Flumioxazin + chlorimuron-ethyl
366	Glyphosate potassium	Flumioxazin + chlorimuron-ethyl + metribuzin
367	Glyphosate potassium	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
368	Glyphosate potassium	Flumioxazin + imazethapyr
369	Glyphosate potassium	Flumioxazin + (S)-metolachlor
370	Glyphosate potassium	Flumioxazin + acetochlor
371	Glyphosate potassium	Flumioxazin + dimethenamid-P
372	Glyphosate potassium	Flumioxazin + pyroxasulfone
373	Glyphosate potassium	Fomesafen + cloransulam-methyl
374	Glyphosate potassium	Fomesafen + chlorimuron-ethyl
375	Glyphosate potassium	Fomesafen + imazethapyr
376	Glyphosate potassium	Fomesafen + (S)-metolachlor
377	Glyphosate potassium	Fomesafen + acetochlor
378	Glyphosate potassium	Fomesafen + dimethenamid-P
379	Glyphosate potassium	Fomesafen + pyroxasulfone
380	Glyphosate potassium	Saflufenacil + cloransulam-methyl
381	Glyphosate potassium	Saflufenacil + chlorimuron-ethyl
382	Glyphosate potassium	Saflufenacil + imazethapyr
383	Glyphosate potassium	Saflufenacil + imazethapyr + pyroxasulfone
384	Glyphosate potassium	Saflufenacil + (S)-metolachlor
385	Glyphosate potassium	Saflufenacil + acetochlor

Treatment combination	Pre-plant burn-down	Pre-emergence
386	Glyphosate potassium	Saflufenacil + dimethenamid-P
387	Glyphosate potassium	Saflufenacil + dimethenamid-P + pyroxasulfone
388	Glyphosate potassium	Saflufenacil + pyroxasulfone
389	Glyphosate potassium	Trifludimoxazin + cloransulam-methyl
390	Glyphosate potassium	Trifludimoxazin + chlorimuron-ethyl
391	Glyphosate potassium	Trifludimoxazin + imazethapyr
392	Glyphosate potassium	Trifludimoxazin + imazethapyr + pyroxasulfone
393	Glyphosate potassium	Trifludimoxazin + (S)-metolachlor
394	Glyphosate potassium	Trifludimoxazin + acetochlor
395	Glyphosate potassium	Trifludimoxazin + dimethenamid-P
396	Glyphosate potassium	Trifludimoxazin + dimethenamid-P + pyroxasulfone
397	Glyphosate potassium	Trifludimoxazin + pyroxasulfone
398	Glyphosate potassium	Fluthiacet-methyl + pyroxasulfone
399	Glyphosate potassium	Isoxaflutole
400	Glyphosate potassium	Mesotrione
401	Glyphosate potassium	Isoxaflutole + mesotrione
402	Glyphosate potassium	Isoxaflutole + metribuzin
403	Glyphosate isopropylammonium	Acetochlor
404	Glyphosate isopropylammonium	Metolachlor
405	Glyphosate isopropylammonium	(S)-Metolachlor
406	Glyphosate isopropylammonium	Dimethenamid
407	Glyphosate isopropylammonium	Dimethenamid-P
408	Glyphosate isopropylammonium	Pyroxasulfone
409	Glyphosate isopropylammonium	Cloransulam-methyl
410	Glyphosate isopropylammonium	Chlorimuron-ethyl
411	Glyphosate isopropylammonium	Thifensulfuron-methyl
412	Glyphosate isopropylammonium	Imazethapyr
413	Glyphosate isopropylammonium	Imazethapyr-ammonium
414	Glyphosate isopropylammonium	Trifludimoxazin
415	Glyphosate isopropylammonium	Saflufenacil
416	Glyphosate isopropylammonium	Sulfentrazone
417	Glyphosate isopropylammonium	Flumioxazin
418	Glyphosate isopropylammonium	Fomesafen
419	Glyphosate isopropylammonium	Trifluralin
420	Glyphosate isopropylammonium	Pendimethalin
421	Glyphosate isopropylammonium	Metribuzin
422	Glyphosate isopropylammonium	Metribuzin + (S)-metolachlor

Treatment combination	Pre-plant burn-down	Pre-emergence
423	Glyphosate isopropylammonium	Sulfentrazone + cloransulam-methyl
424	Glyphosate isopropylammonium	Sulfentrazone + chlorimuron-ethyl
425	Glyphosate isopropylammonium	Sulfentrazone + imazethapyr
426	Glyphosate isopropylammonium	Sulfentrazone + (S)-metolachlor
427	Glyphosate isopropylammonium	Sulfentrazone + (S)-metolachlor + metribuzin
428	Glyphosate isopropylammonium	Sulfentrazone + acetochlor
429	Glyphosate isopropylammonium	Sulfentrazone + dimethenamid-P
430	Glyphosate isopropylammonium	Sulfentrazone + pyroxasulfone
431	Glyphosate isopropylammonium	Flumioxazin + cloransulam-methyl
432	Glyphosate isopropylammonium	Flumioxazin + chlorimuron-ethyl
433	Glyphosate isopropylammonium	Flumioxazin + chlorimuron-ethyl + metribuzin
434	Glyphosate isopropylammonium	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
435	Glyphosate isopropylammonium	Flumioxazin + imazethapyr
436	Glyphosate isopropylammonium	Flumioxazin + (S)-metolachlor
437	Glyphosate isopropylammonium	Flumioxazin + acetochlor
438	Glyphosate isopropylammonium	Flumioxazin + dimethenamid-P
439	Glyphosate isopropylammonium	Flumioxazin + pyroxasulfone
440	Glyphosate isopropylammonium	Fomesafen + cloransulam-methyl
441	Glyphosate isopropylammonium	Fomesafen + chlorimuron-ethyl
442	Glyphosate isopropylammonium	Fomesafen + imazethapyr
443	Glyphosate isopropylammonium	Fomesafen + (S)-metolachlor
444	Glyphosate isopropylammonium	Fomesafen + acetochlor
445	Glyphosate isopropylammonium	Fomesafen + dimethenamid-P
446	Glyphosate isopropylammonium	Fomesafen + pyroxasulfone
447	Glyphosate isopropylammonium	Saflufenacil + cloransulam-methyl
448	Glyphosate isopropylammonium	Saflufenacil + chlorimuron-ethyl
449	Glyphosate isopropylammonium	Saflufenacil + imazethapyr
450	Glyphosate isopropylammonium	Saflufenacil + imazethapyr + pyroxasulfone
451	Glyphosate isopropylammonium	Saflufenacil + (S)-metolachlor
452	Glyphosate isopropylammonium	Saflufenacil + acetochlor
453	Glyphosate isopropylammonium	Saflufenacil + dimethenamid-P
454	Glyphosate isopropylammonium	Saflufenacil + dimethenamid-P + pyroxasulfone
455	Glyphosate isopropylammonium	Saflufenacil + pyroxasulfone
456	Glyphosate isopropylammonium	Trifludimoxazin + cloransulam-methyl
457	Glyphosate isopropylammonium	Trifludimoxazin + chlorimuron-ethyl

Treatment combination	Pre-plant burn-down	Pre-emergence
458	Glyphosate isopropylammonium	Trifludimoxazin + imazethapyr
459	Glyphosate isopropylammonium	Trifludimoxazin + imazethapyr + pyroxasulfone
460	Glyphosate isopropylammonium	Trifludimoxazin + (S)-metolachlor
461	Glyphosate isopropylammonium	Trifludimoxazin + acetochlor
462	Glyphosate isopropylammonium	Trifludimoxazin + dimethenamid-P
463	Glyphosate isopropylammonium	Trifludimoxazin + dimethenamid-P + pyroxasulfone
464	Glyphosate isopropylammonium	Trifludimoxazin + pyroxasulfone
465	Glyphosate isopropylammonium	Fluthiacet-methyl + pyroxasulfone
466	Glyphosate isopropylammonium	Isoxaflutole
467	Glyphosate isopropylammonium	Mesotrione
468	Glyphosate isopropylammonium	Isoxaflutole + mesotrione
469	Glyphosate isopropylammonium	Isoxaflutole + metribuzin
470	Saflufenacil	Acetochlor
471	Saflufenacil	Metolachlor
472	Saflufenacil	(S)-Metolachlor
473	Saflufenacil	Dimethenamid
474	Saflufenacil	Dimethenamid-P
475	Saflufenacil	Pyroxasulfone
476	Saflufenacil	Cloransulam-methyl
477	Saflufenacil	Chlorimuron-ethyl
478	Saflufenacil	Thifensulfuron-methyl
479	Saflufenacil	Imazethapyr
480	Saflufenacil	Imazethapyr-ammonium
481	Saflufenacil	Trifludimoxazin
482	Saflufenacil	Saflufenacil
483	Saflufenacil	Sulfentrazone
484	Saflufenacil	Flumioxazin
485	Saflufenacil	Fomesafen
486	Saflufenacil	Trifluralin
487	Saflufenacil	Pendimethalin
488	Saflufenacil	Metribuzin
489	Saflufenacil	Metribuzin + (S)-metolachlor
490	Saflufenacil	Sulfentrazone + cloransulam-methyl
491	Saflufenacil	Sulfentrazone + chlorimuron-ethyl
492	Saflufenacil	Sulfentrazone + imazethapyr
493	Saflufenacil	Sulfentrazone + (S)-metolachlor
494	Saflufenacil	Sulfentrazone + (S)-metolachlor + metribuzin

Treatment combination	Pre-plant burn-down	Pre-emergence
495	Saflufenacil	Sulfentrazone + acetochlor
496	Saflufenacil	Sulfentrazone + dimethenamid-P
497	Saflufenacil	Sulfentrazone + pyroxasulfone
498	Saflufenacil	Flumioxazin + cloransulam-methyl
499	Saflufenacil	Flumioxazin + chlorimuron-ethyl
500	Saflufenacil	Flumioxazin + chlorimuron-ethyl + metribuzin
501	Saflufenacil	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
502	Saflufenacil	Flumioxazin + imazethapyr
503	Saflufenacil	Flumioxazin + (S)-metolachlor
504	Saflufenacil	Flumioxazin + acetochlor
505	Saflufenacil	Flumioxazin + dimethenamid-P
506	Saflufenacil	Flumioxazin + pyroxasulfone
507	Saflufenacil	Fomesafen + cloransulam-methyl
508	Saflufenacil	Fomesafen + chlorimuron-ethyl
509	Saflufenacil	Fomesafen + imazethapyr
510	Saflufenacil	Fomesafen + (S)-metolachlor
511	Saflufenacil	Fomesafen + acetochlor
512	Saflufenacil	Fomesafen + dimethenamid-P
513	Saflufenacil	Fomesafen + pyroxasulfone
514	Saflufenacil	Saflufenacil + cloransulam-methyl
515	Saflufenacil	Saflufenacil + chlorimuron-ethyl
516	Saflufenacil	Saflufenacil + imazethapyr
517	Saflufenacil	Saflufenacil + imazethapyr + pyroxasulfone
518	Saflufenacil	Saflufenacil + (S)-metolachlor
519	Saflufenacil	Saflufenacil + acetochlor
520	Saflufenacil	Saflufenacil + dimethenamid-P
521	Saflufenacil	Saflufenacil + dimethenamid-P + pyroxasulfone
522	Saflufenacil	Saflufenacil + pyroxasulfone
523	Saflufenacil	Trifludimoxazin + cloransulam-methyl
524	Saflufenacil	Trifludimoxazin + chlorimuron-ethyl
525	Saflufenacil	Trifludimoxazin + imazethapyr
526	Saflufenacil	Trifludimoxazin + imazethapyr + pyroxasulfone
527	Saflufenacil	Trifludimoxazin + (S)-metolachlor
528	Saflufenacil	Trifludimoxazin + acetochlor
529	Saflufenacil	Trifludimoxazin + dimethenamid-P

Treatment combination	Pre-plant burn-down	Pre-emergence
530	Saflufenacil	Trifludimoxazin + dimethenamid-P + pyroxasulfone
531	Saflufenacil	Trifludimoxazin + pyroxasulfone
532	Saflufenacil	Fluthiacet-methyl + pyroxasulfone
533	Saflufenacil	Isoxaflutole
534	Saflufenacil	Mesotrione
535	Saflufenacil	Isoxaflutole + mesotrione
536	Saflufenacil	Isoxaflutole + metribuzin
537	Trifludimoxazin	Acetochlor
538	Trifludimoxazin	Metolachlor
539	Trifludimoxazin	(S)-Metolachlor
540	Trifludimoxazin	Dimethenamid
541	Trifludimoxazin	Dimethenamid-P
542	Trifludimoxazin	Pyroxasulfone
543	Trifludimoxazin	Cloransulam-methyl
544	Trifludimoxazin	Chlorimuron-ethyl
545	Trifludimoxazin	Thifensulfuron-methyl
546	Trifludimoxazin	Imazethapyr
547	Trifludimoxazin	Imazethapyr-ammonium
548	Trifludimoxazin	Trifludimoxazin
549	Trifludimoxazin	Saflufenacil
550	Trifludimoxazin	Sulfentrazone
551	Trifludimoxazin	Flumioxazin
552	Trifludimoxazin	Fomesafen
553	Trifludimoxazin	Trifluralin
554	Trifludimoxazin	Pendimethalin
555	Trifludimoxazin	Metribuzin
556	Trifludimoxazin	Metribuzin + (S)-metolachlor
557	Trifludimoxazin	Sulfentrazone + cloransulam-methyl
558	Trifludimoxazin	Sulfentrazone + chlorimuron-ethyl
559	Trifludimoxazin	Sulfentrazone + imazethapyr
560	Trifludimoxazin	Sulfentrazone + (S)-metolachlor
561	Trifludimoxazin	Sulfentrazone + (S)-metolachlor + metribuzin
562	Trifludimoxazin	Sulfentrazone + acetochlor
563	Trifludimoxazin	Sulfentrazone + dimethenamid-P
564	Trifludimoxazin	Sulfentrazone + pyroxasulfone
565	Trifludimoxazin	Flumioxazin + cloransulam-methyl
566	Trifludimoxazin	Flumioxazin + chlorimuron-ethyl
567	Trifludimoxazin	Flumioxazin + chlorimuron-ethyl +

Treatment combination	Pre-plant burn-down	Pre-emergence
		metribuzin
568	Trifludimoxazin	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
569	Trifludimoxazin	Flumioxazin + imazethapyr
570	Trifludimoxazin	Flumioxazin + (S)-metolachlor
571	Trifludimoxazin	Flumioxazin + acetochlor
572	Trifludimoxazin	Flumioxazin + dimethenamid-P
573	Trifludimoxazin	Flumioxazin + pyroxasulfone
574	Trifludimoxazin	Fomesafen + cloransulam-methyl
575	Trifludimoxazin	Fomesafen + chlorimuron-ethyl
576	Trifludimoxazin	Fomesafen + imazethapyr
577	Trifludimoxazin	Fomesafen + (S)-metolachlor
578	Trifludimoxazin	Fomesafen + acetochlor
579	Trifludimoxazin	Fomesafen + dimethenamid-P
580	Trifludimoxazin	Fomesafen + pyroxasulfone
581	Trifludimoxazin	Saflufenacil + cloransulam-methyl
582	Trifludimoxazin	Saflufenacil + chlorimuron-ethyl
583	Trifludimoxazin	Saflufenacil + imazethapyr
584	Trifludimoxazin	Saflufenacil + imazethapyr + pyroxasulfone
585	Trifludimoxazin	Saflufenacil + (S)-metolachlor
586	Trifludimoxazin	Saflufenacil + acetochlor
587	Trifludimoxazin	Saflufenacil + dimethenamid-P
588	Trifludimoxazin	Saflufenacil + dimethenamid-P + pyroxasulfone
589	Trifludimoxazin	Saflufenacil + pyroxasulfone
590	Trifludimoxazin	Trifludimoxazin + cloransulam-methyl
591	Trifludimoxazin	Trifludimoxazin + chlorimuron-ethyl
592	Trifludimoxazin	Trifludimoxazin + imazethapyr
593	Trifludimoxazin	Trifludimoxazin + imazethapyr + pyroxasulfone
594	Trifludimoxazin	Trifludimoxazin + (S)-metolachlor
595	Trifludimoxazin	Trifludimoxazin + acetochlor
596	Trifludimoxazin	Trifludimoxazin + dimethenamid-P
597	Trifludimoxazin	Trifludimoxazin + dimethenamid-P + pyroxasulfone
598	Trifludimoxazin	Trifludimoxazin + pyroxasulfone
599	Trifludimoxazin	Fluthiacet-methyl + pyroxasulfone
600	Trifludimoxazin	Isoxaflutole
601	Trifludimoxazin	Mesotrione

Treatment combination	Pre-plant burn-down	Pre-emergence
602	Trifludimoxazin	Isoxaflutole + mesotrione
603	Trifludimoxazin	Isoxaflutole + metribuzin
604	Saflufenacil + trifludimoxazin	Acetochlor
605	Saflufenacil + trifludimoxazin	Metolachlor
606	Saflufenacil + trifludimoxazin	(S)-Metolachlor
607	Saflufenacil + trifludimoxazin	Dimethenamid
608	Saflufenacil + trifludimoxazin	Dimethenamid-P
609	Saflufenacil + trifludimoxazin	Pyroxasulfone
610	Saflufenacil + trifludimoxazin	Cloransulam-methyl
611	Saflufenacil + trifludimoxazin	Chlorimuron-ethyl
612	Saflufenacil + trifludimoxazin	Thifensulfuron-methyl
613	Saflufenacil + trifludimoxazin	Imazethapyr
614	Saflufenacil + trifludimoxazin	Imazethapyr-ammonium
615	Saflufenacil + trifludimoxazin	Trifludimoxazin
616	Saflufenacil + trifludimoxazin	Saflufenacil
617	Saflufenacil + trifludimoxazin	Sulfentrazone
618	Saflufenacil + trifludimoxazin	Flumioxazin
619	Saflufenacil + trifludimoxazin	Fomesafen
620	Saflufenacil + trifludimoxazin	Trifluralin
621	Saflufenacil + trifludimoxazin	Pendimethalin
622	Saflufenacil + trifludimoxazin	Metribuzin
623	Saflufenacil + trifludimoxazin	Metribuzin + (S)-metolachlor
624	Saflufenacil + trifludimoxazin	Sulfentrazone + cloransulam-methyl
625	Saflufenacil + trifludimoxazin	Sulfentrazone + chlorimuron-ethyl
626	Saflufenacil + trifludimoxazin	Sulfentrazone + imazethapyr
627	Saflufenacil + trifludimoxazin	Sulfentrazone + (S)-metolachlor
628	Saflufenacil + trifludimoxazin	Sulfentrazone + (S)-metolachlor + metribuzin
629	Saflufenacil + trifludimoxazin	Sulfentrazone + acetochlor
630	Saflufenacil + trifludimoxazin	Sulfentrazone + dimethenamid-P
631	Saflufenacil + trifludimoxazin	Sulfentrazone + pyroxasulfone
632	Saflufenacil + trifludimoxazin	Flumioxazin + cloransulam-methyl
633	Saflufenacil + trifludimoxazin	Flumioxazin + chlorimuron-ethyl
634	Saflufenacil + trifludimoxazin	Flumioxazin + chlorimuron-ethyl + metribuzin
635	Saflufenacil + trifludimoxazin	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
636	Saflufenacil + trifludimoxazin	Flumioxazin + imazethapyr
637	Saflufenacil + trifludimoxazin	Flumioxazin + (S)-metolachlor
638	Saflufenacil + trifludimoxazin	Flumioxazin + acetochlor

Treatment combination	Pre-plant burn-down	Pre-emergence
639	Saflufenacil + trifludimoxazin	Flumioxazin + dimethenamid-P
640	Saflufenacil + trifludimoxazin	Flumioxazin + pyroxasulfone
641	Saflufenacil + trifludimoxazin	Fomesafen + cloransulam-methyl
642	Saflufenacil + trifludimoxazin	Fomesafen + chlorimuron-ethyl
643	Saflufenacil + trifludimoxazin	Fomesafen + imazethapyr
644	Saflufenacil + trifludimoxazin	Fomesafen + (S)-metolachlor
645	Saflufenacil + trifludimoxazin	Fomesafen + acetochlor
646	Saflufenacil + trifludimoxazin	Fomesafen + dimethenamid-P
647	Saflufenacil + trifludimoxazin	Fomesafen + pyroxasulfone
648	Saflufenacil + trifludimoxazin	Saflufenacil + cloransulam-methyl
649	Saflufenacil + trifludimoxazin	Saflufenacil + chlorimuron-ethyl
650	Saflufenacil + trifludimoxazin	Saflufenacil + imazethapyr
651	Saflufenacil + trifludimoxazin	Saflufenacil + imazethapyr + pyroxasulfone
652	Saflufenacil + trifludimoxazin	Saflufenacil + (S)-metolachlor
653	Saflufenacil + trifludimoxazin	Saflufenacil + acetochlor
654	Saflufenacil + trifludimoxazin	Saflufenacil + dimethenamid-P
655	Saflufenacil + trifludimoxazin	Saflufenacil + dimethenamid-P + pyroxasulfone
656	Saflufenacil + trifludimoxazin	Saflufenacil + pyroxasulfone
657	Saflufenacil + trifludimoxazin	Trifludimoxazin + cloransulam-methyl
658	Saflufenacil + trifludimoxazin	Trifludimoxazin + chlorimuron-ethyl
659	Saflufenacil + trifludimoxazin	Trifludimoxazin + imazethapyr
660	Saflufenacil + trifludimoxazin	Trifludimoxazin + imazethapyr + pyroxasulfone
661	Saflufenacil + trifludimoxazin	Trifludimoxazin + (S)-metolachlor
662	Saflufenacil + trifludimoxazin	Trifludimoxazin + acetochlor
663	Saflufenacil + trifludimoxazin	Trifludimoxazin + dimethenamid-P
664	Saflufenacil + trifludimoxazin	Trifludimoxazin + dimethenamid-P + pyroxasulfone
665	Saflufenacil + trifludimoxazin	Trifludimoxazin + pyroxasulfone
666	Saflufenacil + trifludimoxazin	Fluthiacet-methyl + pyroxasulfone
667	Saflufenacil + trifludimoxazin	Isoxaflutole
668	Saflufenacil + trifludimoxazin	Mesotrione
669	Saflufenacil + trifludimoxazin	Isoxaflutole + mesotrione
670	Saflufenacil + trifludimoxazin	Isoxaflutole + metribuzin
671	Dicamba	Acetochlor
672	Dicamba	Metolachlor
673	Dicamba	(S)-Metolachlor
674	Dicamba	Dimethenamid

Treatment combination	Pre-plant burn-down	Pre-emergence
675	Dicamba	Dimethenamid-P
676	Dicamba	Pyroxasulfone
677	Dicamba	Cloransulam-methyl
678	Dicamba	Chlorimuron-ethyl
679	Dicamba	Thifensulfuron-methyl
680	Dicamba	Imazethapyr
681	Dicamba	Imazethapyr-ammonium
682	Dicamba	Trifludimoxazin
683	Dicamba	Saflufenacil
684	Dicamba	Sulfentrazone
685	Dicamba	Flumioxazin
686	Dicamba	Fomesafen
687	Dicamba	Trifluralin
688	Dicamba	Pendimethalin
689	Dicamba	Metribuzin
690	Dicamba	Metribuzin + (S)-metolachlor
691	Dicamba	Sulfentrazon + cloransulam-methyl
692	Dicamba	Sulfentrazon + chlorimuron-ethyl
693	Dicamba	Sulfentrazon + imazethapyr
694	Dicamba	Sulfentrazon + (S)-metolachlor
695	Dicamba	Sulfentrazon + (S)-metolachlor + metribuzin
696	Dicamba	Sulfentrazon + acetochlor
697	Dicamba	Sulfentrazon + dimethenamid-P
698	Dicamba	Sulfentrazon + pyroxasulfone
699	Dicamba	Flumioxazin + cloransulam-methyl
700	Dicamba	Flumioxazin + chlorimuron-ethyl
701	Dicamba	Flumioxazin + chlorimuron-ethyl + metribuzin
702	Dicamba	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
703	Dicamba	Flumioxazin + imazethapyr
704	Dicamba	Flumioxazin + (S)-metolachlor
705	Dicamba	Flumioxazin + acetochlor
706	Dicamba	Flumioxazin + dimethenamid-P
707	Dicamba	Flumioxazin + pyroxasulfone
708	Dicamba	Fomesafen + cloransulam-methyl
709	Dicamba	Fomesafen + chlorimuron-ethyl
710	Dicamba	Fomesafen + imazethapyr
711	Dicamba	Fomesafen + (S)-metolachlor

Treatment combination	Pre-plant burn-down	Pre-emergence
712	Dicamba	Fomesafen + acetochlor
713	Dicamba	Fomesafen + dimethenamid-P
714	Dicamba	Fomesafen + pyroxasulfone
715	Dicamba	Saflufenacil + cloransulam-methyl
716	Dicamba	Saflufenacil + chlorimuron-ethyl
717	Dicamba	Saflufenacil + imazethapyr
718	Dicamba	Saflufenacil + imazethapyr + pyroxasulfone
719	Dicamba	Saflufenacil + (S)-metolachlor
720	Dicamba	Saflufenacil + acetochlor
721	Dicamba	Saflufenacil + dimethenamid-P
722	Dicamba	Saflufenacil + dimethenamid-P + pyroxasulfone
723	Dicamba	Saflufenacil + pyroxasulfone
724	Dicamba	Trifludimoxazin + cloransulam-methyl
725	Dicamba	Trifludimoxazin + chlorimuron-ethyl
726	Dicamba	Trifludimoxazin + imazethapyr
727	Dicamba	Trifludimoxazin + imazethapyr + pyroxasulfone
728	Dicamba	Trifludimoxazin + (S)-metolachlor
729	Dicamba	Trifludimoxazin + acetochlor
730	Dicamba	Trifludimoxazin + dimethenamid-P
731	Dicamba	Trifludimoxazin + dimethenamid-P + pyroxasulfone
732	Dicamba	Trifludimoxazin + pyroxasulfone
733	Dicamba	Fluthiacet-methyl + pyroxasulfone
734	Dicamba	Isoxaflutole
735	Dicamba	Mesotrione
736	Dicamba	Isoxaflutole + mesotrione
737	Dicamba	Isoxaflutole + metribuzin
738	Dicamba ethanolamine salt	Acetochlor
739	Dicamba ethanolamine salt	Metolachlor
740	Dicamba ethanolamine salt	(S)-Metolachlor
741	Dicamba ethanolamine salt	Dimethenamid
742	Dicamba ethanolamine salt	Dimethenamid-P
743	Dicamba ethanolamine salt	Pyroxasulfone
744	Dicamba ethanolamine salt	Cloransulam-methyl
745	Dicamba ethanolamine salt	Chlorimuron-ethyl
746	Dicamba ethanolamine salt	Thifensulfuron-methyl
747	Dicamba ethanolamine salt	Imazethapyr

Treatment combination	Pre-plant burn-down	Pre-emergence
748	Dicamba ethanolamine salt	Imazethapyr-ammonium
749	Dicamba ethanolamine salt	Trifludimoxazin
750	Dicamba ethanolamine salt	Saflufenacil
751	Dicamba ethanolamine salt	Sulfentrazone
752	Dicamba ethanolamine salt	Flumioxazin
753	Dicamba ethanolamine salt	Fomesafen
754	Dicamba ethanolamine salt	Trifluralin
755	Dicamba ethanolamine salt	Pendimethalin
756	Dicamba ethanolamine salt	Metribuzin
757	Dicamba ethanolamine salt	Metribuzin + (S)-metolachlor
758	Dicamba ethanolamine salt	Sulfentrazone + cloransulam-methyl
759	Dicamba ethanolamine salt	Sulfentrazone + chlorimuron-ethyl
760	Dicamba ethanolamine salt	Sulfentrazone + imazethapyr
761	Dicamba ethanolamine salt	Sulfentrazone + (S)-metolachlor
762	Dicamba ethanolamine salt	Sulfentrazone + (S)-metolachlor + metribuzin
763	Dicamba ethanolamine salt	Sulfentrazone + acetochlor
764	Dicamba ethanolamine salt	Sulfentrazone + dimethenamid-P
765	Dicamba ethanolamine salt	Sulfentrazone + pyroxasulfone
766	Dicamba ethanolamine salt	Flumioxazin + cloransulam-methyl
767	Dicamba ethanolamine salt	Flumioxazin + chlorimuron-ethyl
768	Dicamba ethanolamine salt	Flumioxazin + chlorimuron-ethyl + metribuzin
769	Dicamba ethanolamine salt	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
770	Dicamba ethanolamine salt	Flumioxazin + imazethapyr
771	Dicamba ethanolamine salt	Flumioxazin + (S)-metolachlor
772	Dicamba ethanolamine salt	Flumioxazin + acetochlor
773	Dicamba ethanolamine salt	Flumioxazin + dimethenamid-P
774	Dicamba ethanolamine salt	Flumioxazin + pyroxasulfone
775	Dicamba ethanolamine salt	Fomesafen + cloransulam-methyl
776	Dicamba ethanolamine salt	Fomesafen + chlorimuron-ethyl
777	Dicamba ethanolamine salt	Fomesafen + imazethapyr
778	Dicamba ethanolamine salt	Fomesafen + (S)-metolachlor
779	Dicamba ethanolamine salt	Fomesafen + acetochlor
780	Dicamba ethanolamine salt	Fomesafen + dimethenamid-P
781	Dicamba ethanolamine salt	Fomesafen + pyroxasulfone
782	Dicamba ethanolamine salt	Saflufenacil + cloransulam-methyl
783	Dicamba ethanolamine salt	Saflufenacil + chlorimuron-ethyl
784	Dicamba ethanolamine salt	Saflufenacil + imazethapyr

Treatment combination	Pre-plant burn-down	Pre-emergence
785	Dicamba ethanolamine salt	Saflufenacil + imazethapyr + pyroxasulfone
786	Dicamba ethanolamine salt	Saflufenacil + (S)-metolachlor
787	Dicamba ethanolamine salt	Saflufenacil + acetochlor
788	Dicamba ethanolamine salt	Saflufenacil + dimethenamid-P
789	Dicamba ethanolamine salt	Saflufenacil + dimethenamid-P + pyroxasulfone
790	Dicamba ethanolamine salt	Saflufenacil + pyroxasulfone
791	Dicamba ethanolamine salt	Trifludimoxazin + cloransulam-methyl
792	Dicamba ethanolamine salt	Trifludimoxazin + chlorimuron-ethyl
793	Dicamba ethanolamine salt	Trifludimoxazin + imazethapyr
794	Dicamba ethanolamine salt	Trifludimoxazin + imazethapyr + pyroxasulfone
795	Dicamba ethanolamine salt	Trifludimoxazin + (S)-metolachlor
796	Dicamba ethanolamine salt	Trifludimoxazin + acetochlor
797	Dicamba ethanolamine salt	Trifludimoxazin + dimethenamid-P
798	Dicamba ethanolamine salt	Trifludimoxazin + dimethenamid-P + pyroxasulfone
799	Dicamba ethanolamine salt	Trifludimoxazin + pyroxasulfone
800	Dicamba ethanolamine salt	Fluthiacet-methyl + pyroxasulfone
801	Dicamba ethanolamine salt	Isoxaflutole
802	Dicamba ethanolamine salt	Mesotrione
803	Dicamba ethanolamine salt	Isoxaflutole + mesotrione
804	Dicamba ethanolamine salt	Isoxaflutole + metribuzin
805	Dicamba diglycolamine salt	Acetochlor
806	Dicamba diglycolamine salt	Metolachlor
807	Dicamba diglycolamine salt	(S)-Metolachlor
808	Dicamba diglycolamine salt	Dimethenamid
809	Dicamba diglycolamine salt	Dimethenamid-P
810	Dicamba diglycolamine salt	Pyroxasulfone
811	Dicamba diglycolamine salt	Cloransulam-methyl
812	Dicamba diglycolamine salt	Chlorimuron-ethyl
813	Dicamba diglycolamine salt	Thifensulfuron-methyl
814	Dicamba diglycolamine salt	Imazethapyr
815	Dicamba diglycolamine salt	Imazethapyr-ammonium
816	Dicamba diglycolamine salt	Trifludimoxazin
817	Dicamba diglycolamine salt	Saflufenacil
818	Dicamba diglycolamine salt	Sulfentrazone
819	Dicamba diglycolamine salt	Flumioxazin
820	Dicamba diglycolamine salt	Fomesafen

Treatment combination	Pre-plant burn-down	Pre-emergence
821	Dicamba diglycolamine salt	Trifluralin
822	Dicamba diglycolamine salt	Pendimethalin
823	Dicamba diglycolamine salt	Metribuzin
824	Dicamba diglycolamine salt	Metribuzin + (S)-metolachlor
825	Dicamba diglycolamine salt	Sulfentrazon + cloransulam-methyl
826	Dicamba diglycolamine salt	Sulfentrazon + chlorimuron-ethyl
827	Dicamba diglycolamine salt	Sulfentrazon + imazethapyr
828	Dicamba diglycolamine salt	Sulfentrazon + (S)-metolachlor
829	Dicamba diglycolamine salt	Sulfentrazon + (S)-metolachlor + metribuzin
830	Dicamba diglycolamine salt	Sulfentrazon + acetochlor
831	Dicamba diglycolamine salt	Sulfentrazon + dimethenamid-P
832	Dicamba diglycolamine salt	Sulfentrazon + pyroxasulfone
833	Dicamba diglycolamine salt	Flumioxazin + cloransulam-methyl
834	Dicamba diglycolamine salt	Flumioxazin + chlorimuron-ethyl
835	Dicamba diglycolamine salt	Flumioxazin + chlorimuron-ethyl + metribuzin
836	Dicamba diglycolamine salt	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
837	Dicamba diglycolamine salt	Flumioxazin + imazethapyr
838	Dicamba diglycolamine salt	Flumioxazin + (S)-metolachlor
839	Dicamba diglycolamine salt	Flumioxazin + acetochlor
840	Dicamba diglycolamine salt	Flumioxazin + dimethenamid-P
841	Dicamba diglycolamine salt	Flumioxazin + pyroxasulfone
842	Dicamba diglycolamine salt	Fomesafen + cloransulam-methyl
843	Dicamba diglycolamine salt	Fomesafen + chlorimuron-ethyl
844	Dicamba diglycolamine salt	Fomesafen + imazethapyr
845	Dicamba diglycolamine salt	Fomesafen + (S)-metolachlor
846	Dicamba diglycolamine salt	Fomesafen + acetochlor
847	Dicamba diglycolamine salt	Fomesafen + dimethenamid-P
848	Dicamba diglycolamine salt	Fomesafen + pyroxasulfone
849	Dicamba diglycolamine salt	Saflufenacil + cloransulam-methyl
850	Dicamba diglycolamine salt	Saflufenacil + chlorimuron-ethyl
851	Dicamba diglycolamine salt	Saflufenacil + imazethapyr
852	Dicamba diglycolamine salt	Saflufenacil + imazethapyr + pyroxasulfone
853	Dicamba diglycolamine salt	Saflufenacil + (S)-metolachlor
854	Dicamba diglycolamine salt	Saflufenacil + acetochlor
855	Dicamba diglycolamine salt	Saflufenacil + dimethenamid-P
856	Dicamba diglycolamine salt	Saflufenacil + dimethenamid-P + pyrox-

Treatment combination	Pre-plant burn-down	Pre-emergence
		asulfone
857	Dicamba diglycolamine salt	Saflufenacil + pyroxasulfone
858	Dicamba diglycolamine salt	Trifludimoxazin + cloransulam-methyl
859	Dicamba diglycolamine salt	Trifludimoxazin + chlorimuron-ethyl
860	Dicamba diglycolamine salt	Trifludimoxazin + imazethapyr
861	Dicamba diglycolamine salt	Trifludimoxazin + imazethapyr + pyroxasulfone
862	Dicamba diglycolamine salt	Trifludimoxazin + (S)-metolachlor
863	Dicamba diglycolamine salt	Trifludimoxazin + acetochlor
864	Dicamba diglycolamine salt	Trifludimoxazin + dimethenamid-P
865	Dicamba diglycolamine salt	Trifludimoxazin + dimethenamid-P + pyroxasulfone
866	Dicamba diglycolamine salt	Trifludimoxazin + pyroxasulfone
867	Dicamba diglycolamine salt	Fluthiacet-methyl + pyroxasulfone
868	Dicamba diglycolamine salt	Isoxaflutole
869	Dicamba diglycolamine salt	Mesotrione
870	Dicamba diglycolamine salt	Isoxaflutole + mesotrione
871	Dicamba diglycolamine salt	Isoxaflutole + metribuzin
872	Dicamba potassium	Acetochlor
873	Dicamba potassium	Metolachlor
874	Dicamba potassium	(S)-Metolachlor
875	Dicamba potassium	Dimethenamid
876	Dicamba potassium	Dimethenamid-P
877	Dicamba potassium	Pyroxasulfone
878	Dicamba potassium	Cloransulam-methyl
879	Dicamba potassium	Chlorimuron-ethyl
880	Dicamba potassium	Thifensulfuron-methyl
881	Dicamba potassium	Imazethapyr
882	Dicamba potassium	Imazethapyr-ammonium
883	Dicamba potassium	Trifludimoxazin
884	Dicamba potassium	Saflufenacil
885	Dicamba potassium	Sulfentrazone
886	Dicamba potassium	Flumioxazin
887	Dicamba potassium	Fomesafen
888	Dicamba potassium	Trifluralin
889	Dicamba potassium	Pendimethalin
890	Dicamba potassium	Metribuzin
891	Dicamba potassium	Metribuzin + (S)-metolachlor
892	Dicamba potassium	Sulfentrazone + cloransulam-methyl
893	Dicamba potassium	Sulfentrazone + chlorimuron-ethyl

Treatment combination	Pre-plant burn-down	Pre-emergence
894	Dicamba potassium	Sulfentrazone + imazethapyr
895	Dicamba potassium	Sulfentrazone + (S)-metolachlor
896	Dicamba potassium	Sulfentrazone + (S)-metolachlor + metribuzin
897	Dicamba potassium	Sulfentrazone + acetochlor
898	Dicamba potassium	Sulfentrazone + dimethenamid-P
899	Dicamba potassium	Sulfentrazone + pyroxasulfone
900	Dicamba potassium	Flumioxazin + cloransulam-methyl
901	Dicamba potassium	Flumioxazin + chlorimuron-ethyl
902	Dicamba potassium	Flumioxazin + chlorimuron-ethyl + metribuzin
903	Dicamba potassium	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
904	Dicamba potassium	Flumioxazin + imazethapyr
905	Dicamba potassium	Flumioxazin + (S)-metolachlor
906	Dicamba potassium	Flumioxazin + acetochlor
907	Dicamba potassium	Flumioxazin + dimethenamid-P
908	Dicamba potassium	Flumioxazin + pyroxasulfone
909	Dicamba potassium	Fomesafen + cloransulam-methyl
910	Dicamba potassium	Fomesafen + chlorimuron-ethyl
911	Dicamba potassium	Fomesafen + imazethapyr
912	Dicamba potassium	Fomesafen + (S)-metolachlor
913	Dicamba potassium	Fomesafen + acetochlor
914	Dicamba potassium	Fomesafen + dimethenamid-P
915	Dicamba potassium	Fomesafen + pyroxasulfone
916	Dicamba potassium	Saflufenacil + cloransulam-methyl
917	Dicamba potassium	Saflufenacil + chlorimuron-ethyl
918	Dicamba potassium	Saflufenacil + imazethapyr
919	Dicamba potassium	Saflufenacil + imazethapyr + pyroxasulfone
920	Dicamba potassium	Saflufenacil + (S)-metolachlor
921	Dicamba potassium	Saflufenacil + acetochlor
922	Dicamba potassium	Saflufenacil + dimethenamid-P
923	Dicamba potassium	Saflufenacil + dimethenamid-P + pyroxasulfone
924	Dicamba potassium	Saflufenacil + pyroxasulfone
925	Dicamba potassium	Trifludimoxazin + cloransulam-methyl
926	Dicamba potassium	Trifludimoxazin + chlorimuron-ethyl
927	Dicamba potassium	Trifludimoxazin + imazethapyr
928	Dicamba potassium	Trifludimoxazin + imazethapyr + pyrox-

Treatment combination	Pre-plant burn-down	Pre-emergence
		asulfone
929	Dicamba potassium	Trifludimoxazin + (S)-metolachlor
930	Dicamba potassium	Trifludimoxazin + acetochlor
931	Dicamba potassium	Trifludimoxazin + dimethenamid-P
932	Dicamba potassium	Trifludimoxazin + dimethenamid-P + pyroxasulfone
933	Dicamba potassium	Trifludimoxazin + pyroxasulfone
934	Dicamba potassium	Fluthiacet-methyl + pyroxasulfone
935	Dicamba potassium	Isoxaflutole
936	Dicamba potassium	Mesotrione
937	Dicamba potassium	Isoxaflutole + mesotrione
938	Dicamba potassium	Isoxaflutole + metribuzin
939	Dicamba BAPMA salt	Acetochlor
940	Dicamba BAPMA salt	Metolachlor
941	Dicamba BAPMA salt	(S)-Metolachlor
942	Dicamba BAPMA salt	Dimethenamid
943	Dicamba BAPMA salt	Dimethenamid-P
944	Dicamba BAPMA salt	Pyroxasulfone
945	Dicamba BAPMA salt	Cloransulam-methyl
946	Dicamba BAPMA salt	Chlorimuron-ethyl
947	Dicamba BAPMA salt	Thifensulfuron-methyl
948	Dicamba BAPMA salt	Imazethapyr
949	Dicamba BAPMA salt	Imazethapyr-ammonium
950	Dicamba BAPMA salt	Trifludimoxazin
951	Dicamba BAPMA salt	Saflufenacil
952	Dicamba BAPMA salt	Sulfentrazone
953	Dicamba BAPMA salt	Flumioxazin
954	Dicamba BAPMA salt	Fomesafen
955	Dicamba BAPMA salt	Trifluralin
956	Dicamba BAPMA salt	Pendimethalin
957	Dicamba BAPMA salt	Metribuzin
958	Dicamba BAPMA salt	Metribuzin + (S)-metolachlor
959	Dicamba BAPMA salt	Sulfentrazon + cloransulam-methyl
960	Dicamba BAPMA salt	Sulfentrazon + chlorimuron-ethyl
961	Dicamba BAPMA salt	Sulfentrazon + imazethapyr
962	Dicamba BAPMA salt	Sulfentrazon + (S)-metolachlor
963	Dicamba BAPMA salt	Sulfentrazon + (S)-metolachlor + metribuzin
964	Dicamba BAPMA salt	Sulfentrazon + acetochlor
965	Dicamba BAPMA salt	Sulfentrazon + dimethenamid-P

Treatment combination	Pre-plant burn-down	Pre-emergence
966	Dicamba BAPMA salt	Sulfentrazone + pyroxasulfone
967	Dicamba BAPMA salt	Flumioxazin + cloransulam-methyl
968	Dicamba BAPMA salt	Flumioxazin + chlorimuron-ethyl
969	Dicamba BAPMA salt	Flumioxazin + chlorimuron-ethyl + metribuzin
970	Dicamba BAPMA salt	Flumioxazin + chlorimuron-ethyl + thifensulfuron-methyl
971	Dicamba BAPMA salt	Flumioxazin + imazethapyr
972	Dicamba BAPMA salt	Flumioxazin + (S)-metolachlor
973	Dicamba BAPMA salt	Flumioxazin + acetochlor
974	Dicamba BAPMA salt	Flumioxazin + dimethenamid-P
975	Dicamba BAPMA salt	Flumioxazin + pyroxasulfone
976	Dicamba BAPMA salt	Fomesafen + cloransulam-methyl
977	Dicamba BAPMA salt	Fomesafen + chlorimuron-ethyl
978	Dicamba BAPMA salt	Fomesafen + imazethapyr
979	Dicamba BAPMA salt	Fomesafen + (S)-metolachlor
980	Dicamba BAPMA salt	Fomesafen + acetochlor
981	Dicamba BAPMA salt	Fomesafen + dimethenamid-P
982	Dicamba BAPMA salt	Fomesafen + pyroxasulfone
983	Dicamba BAPMA salt	Saflufenacil + cloransulam-methyl
984	Dicamba BAPMA salt	Saflufenacil + chlorimuron-ethyl
985	Dicamba BAPMA salt	Saflufenacil + imazethapyr
986	Dicamba BAPMA salt	Saflufenacil + imazethapyr + pyroxasulfone
987	Dicamba BAPMA salt	Saflufenacil + (S)-metolachlor
988	Dicamba BAPMA salt	Saflufenacil + acetochlor
989	Dicamba BAPMA salt	Saflufenacil + dimethenamid-P
990	Dicamba BAPMA salt	Saflufenacil + dimethenamid-P + pyroxasulfone
991	Dicamba BAPMA salt	Saflufenacil + pyroxasulfone
992	Dicamba BAPMA salt	Trifludimoxazin + cloransulam-methyl
993	Dicamba BAPMA salt	Trifludimoxazin + chlorimuron-ethyl
994	Dicamba BAPMA salt	Trifludimoxazin + imazethapyr
995	Dicamba BAPMA salt	Trifludimoxazin + imazethapyr + pyroxasulfone
996	Dicamba BAPMA salt	Trifludimoxazin + (S)-metolachlor
997	Dicamba BAPMA salt	Trifludimoxazin + acetochlor
998	Dicamba BAPMA salt	Trifludimoxazin + dimethenamid-P
999	Dicamba BAPMA salt	Trifludimoxazin + dimethenamid-P + pyroxasulfone

Treatment combination	Pre-plant burn-down	Pre-emergence
1000	Dicamba BAPMA salt	Trifludimoxazin + pyroxasulfone
1001	Dicamba BAPMA salt	Fluthiacet-methyl + pyroxasulfone
1002	Dicamba BAPMA salt	Isoxaflutole
1003	Dicamba BAPMA salt	Mesotrione
1004	Dicamba BAPMA salt	Isoxaflutole + mesotrione
1005	Dicamba BAPMA salt	Isoxaflutole + metribuzin
1006	-	Acetochlor
1007	-	Metolachlor
1008	-	(S)-Metolachlor
1009	-	Dimethenamid
1010	-	Dimethenamid-P
1011	-	Pyroxasulfone
1012	-	Cloransulam-methyl
1013	-	Chlorimuron-ethyl
1014	-	Thifensulfuron-methyl
1015	-	Imazethapyr
1016	-	Imazethapyr-ammonium
1017	-	Trifludimoxazin
1018	-	Saflufenacil
1019	-	Sulfentrazone
1020	-	Flumioxazin
1021	-	Fomesafen
1022	-	Trifluralin
1023	-	Pendimethalin
1024	-	Metribuzin
1025	-	Metribuzin + (S)-metolachlor
1026	-	Sulfentrazone + cloransulam-methyl
1027	-	Sulfentrazone + chlorimuron-ethyl
1028	-	Sulfentrazone + imazethapyr
1029	-	Sulfentrazone + (S)-metolachlor
1030	-	Sulfentrazone + (S)-metolachlor + metribuzin
1031	-	Sulfentrazone + acetochlor
1032	-	Sulfentrazone + dimethenamid-P
1033	-	Sulfentrazone + pyroxasulfone
1034	-	Flumioxazin + cloransulam-methyl
1035	-	Flumioxazin + chlorimuron-ethyl
1036	-	Flumioxazin + chlorimuron-ethyl + metribuzin
1037	-	Flumioxazin + chlorimuron-ethyl + thifen-

Treatment combination	Pre-plant burn-down	Pre-emergence
		sulfuron-methyl
1038	-	Flumioxazin + imazethapyr
1039	-	Flumioxazin + (S)-metolachlor
1040	-	Flumioxazin + acetochlor
1041	-	Flumioxazin + dimethenamid-P
1042	-	Flumioxazin + pyroxasulfone
1043	-	Fomesafen + cloransulam-methyl
1044	-	Fomesafen + chlorimuron-ethyl
1045	-	Fomesafen + imazethapyr
1046	-	Fomesafen + (S)-metolachlor
1047	-	Fomesafen + acetochlor
1048	-	Fomesafen + dimethenamid-P
1049	-	Fomesafen + pyroxasulfone
1050	-	Saflufenacil + cloransulam-methyl
1051	-	Saflufenacil + chlorimuron-ethyl
1052	-	Saflufenacil + imazethapyr
1053	-	Saflufenacil + imazethapyr + pyroxasulfone
1054	-	Saflufenacil + (S)-metolachlor
1055	-	Saflufenacil + acetochlor
1056	-	Saflufenacil + dimethenamid-P
1057	-	Saflufenacil + dimethenamid-P + pyroxasulfone
1058	-	Saflufenacil + pyroxasulfone
1059	-	Trifludimoxazin + cloransulam-methyl
1060	-	Trifludimoxazin + chlorimuron-ethyl
1061	-	Trifludimoxazin + imazethapyr
1062	-	Trifludimoxazin + imazethapyr + pyroxasulfone
1063	-	Trifludimoxazin + (S)-metolachlor
1064	-	Trifludimoxazin + acetochlor
1065	-	Trifludimoxazin + dimethenamid-P
1066	-	Trifludimoxazin + dimethenamid-P + pyroxasulfone
1067	-	Trifludimoxazin + pyroxasulfone
1068	-	Fluthiacet-methyl + pyroxasulfone
1069	-	Isoxaflutole
1070	-	Mesotrione
1071	-	Isoxaflutole + mesotrione
1072	-	Isoxaflutole + metribuzin

Treatment combination	Pre-plant burn-down	Pre-emergence
1073	L-Glufosinate	-
1074	L-Glufosinate ammonium	-
1075	L-Glufosinate sodium	-
1076	Glyphosate	-
1077	Glyphosate dimethylammonium	-
1078	Glyphosate potassium	
1079	Glyphosate isopropylammonium	-
1080	Saflufenacil	-
1081	Trifludimoxazin	-
1082	Saflufenacil + trifludimoxazin	-
1083	Dicamba	-
1084	Dicamba ethanolamine salt	-
1085	Dicamba diglycolamine salt	-
1086	Dicamba potassium	-
1087	Dicamba BAPMA salt	-

The treatment combinations 2.1 to 2.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium.

5 The treatment combinations 3.1 to 3.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium.

The treatment combinations 4.1 to 4.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate and clethodim.

10 The treatment combinations 5.1 to 5.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium and clethodim.

The treatment combinations 6.1 to 6.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium and clethodim.

15 The treatment combinations 7.1 to 7.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate and cycloxydim.

The treatment combinations 8.1 to 8.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium and cycloxydim.

20 The treatment combinations 9.1 to 9.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium and cycloxydim.

The treatment combinations 10.1 to 10.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate and dicamba.

25 The treatment combinations 11.1 to 11.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate and dicamba ethanolamine salt.

The treatment combinations 12.1 to 12.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate and dicamba diglycolamine salt.

5 The treatment combinations 13.1 to 13.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate and dicamba potassium.

The treatment combinations 14.1 to 14.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate and dicamba BAPMA salt.

10 The treatment combinations 15.1 to 15.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium and dicamba.

15 The treatment combinations 16.1 to 16.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium and dicamba ethanolamine salt.

The treatment combinations 17.1 to 17.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium and dicamba diglycolamine salt.

20 The treatment combinations 18.1 to 18.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium and dicamba potassium.

The treatment combinations 19.1 to 19.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium and dicamba BAPMA salt.

25 The treatment combinations 20.1 to 20.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium and dicamba.

30 The treatment combinations 21.1 to 21.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium and dicamba ethanolamine salt.

The treatment combinations 22.1 to 22.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium and dicamba diglycolamine salt.

35 The treatment combinations 23.1 to 23.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium and dicamba potassium.

The treatment combinations 24.1 to 24.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium and dicamba BAPMA salt.

40 The treatment combinations 25.1 to 25.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate and dicamba.

- The treatment combinations 26.1 to 26.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate and dicamba ethanolamine salt.
- 5 The treatment combinations 27.1 to 27.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate and dicamba diglycolamine salt.
- The treatment combinations 28.1 to 28.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate and dicamba potassium.
- 10 The treatment combinations 29.1 to 29.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate and dicamba BAPMA salt.
- The treatment combinations 30.1 to 30.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate and dicamba.
- 15 The treatment combinations 31.1 to 31.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate and dicamba ethanolamine salt.
- The treatment combinations 32.1 to 32.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate and dicamba diglycolamine salt.
- 20 The treatment combinations 33.1 to 33.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate and dicamba potassium.
- 25 The treatment combinations 34.1 to 34.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate and dicamba BAPMA salt.
- The treatment combinations 35.1 to 35.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate and dicamba.
- 30 The treatment combinations 36.1 to 36.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate and dicamba ethanolamine salt.
- The treatment combinations 37.1 to 37.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate and dicamba diglycolamine salt.
- 35 The treatment combinations 38.1 to 38.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate and dicamba potassium.
- 40 The treatment combinations 39.1 to 39.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate and dicamba BAPMA salt.

The treatment combinations 40.1 to 40.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate dimethylammonium and dicamba.

5 The treatment combinations 41.1 to 41.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate dimethylammonium and dicamba ethanolamine salt.

The treatment combinations 42.1 to 42.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate dimethylammonium and dicamba diglycolamine salt.

10 The treatment combinations 43.1 to 43.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate dimethylammonium and dicamba potassium.

The treatment combinations 44.1 to 44.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate dimethylammonium and dicamba BAPMA salt.

The treatment combinations 45.1 to 45.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate dimethylammonium and dicamba.

20 The treatment combinations 46.1 to 46.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate dimethylammonium and dicamba ethanolamine salt.

The treatment combinations 47.1 to 47.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate dimethylammonium and dicamba diglycolamine salt.

25 The treatment combinations 48.1 to 48.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate dimethylammonium and dicamba potassium.

The treatment combinations 49.1 to 49.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate dimethylammonium and dicamba BAPMA salt.

The treatment combinations 50.1 to 50.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate dimethylammonium and dicamba.

35 The treatment combinations 51.1 to 51.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate dimethylammonium and dicamba ethanolamine salt.

The treatment combinations 52.1 to 52.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate dimethylammonium and dicamba diglycolamine salt.

40 The treatment combinations 53.1 to 53.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate dimethylammonium and dicamba potassium.

The treatment combinations 54.1 to 54.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate dimethylammonium and dicamba BAPMA salt.

5 The treatment combinations 55.1 to 55.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate potassium and dicamba.

The treatment combinations 56.1 to 56.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate potassium and dicamba ethanolamine salt.

10 The treatment combinations 57.1 to 57.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate potassium and dicamba diglycolamine salt.

15 The treatment combinations 58.1 to 58.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate potassium and dicamba potassium.

The treatment combinations 59.1 to 59.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate potassium and dicamba BAPMA salt.

20 The treatment combinations 60.1 to 60.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate potassium and dicamba.

The treatment combinations 61.1 to 61.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate potassium and dicamba ethanolamine salt.

25 The treatment combinations 62.1 to 62.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate potassium and dicamba diglycolamine salt.

30 The treatment combinations 63.1 to 63.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate potassium and dicamba potassium.

The treatment combinations 64.1 to 64.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate potassium and dicamba BAPMA salt.

35 The treatment combinations 65.1 to 65.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate potassium and dicamba.

The treatment combinations 66.1 to 66.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate potassium and dicamba ethanolamine salt.

40 The treatment combinations 67.1 to 67.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate potassium and dicamba diglycolamine salt.

The treatment combinations 68.1 to 68.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate potassium and dicamba potassium.

5 The treatment combinations 69.1 to 69.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate potassium and dicamba BAPMA salt.

The treatment combinations 70.1 to 70.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate isopropylammonium and dicamba.

10 The treatment combinations 71.1 to 71.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate isopropylammonium and dicamba ethanolamine salt.

15 The treatment combinations 72.1 to 72.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate isopropylammonium and dicamba diglycolamine salt.

The treatment combinations 73.1 to 73.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate isopropylammonium and dicamba potassium.

20 The treatment combinations 74.1 to 74.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate, glyphosate isopropylammonium and dicamba BAPMA salt.

The treatment combinations 75.1 to 75.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate isopropylammonium and dicamba.

25 The treatment combinations 76.1 to 76.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate isopropylammonium and dicamba ethanolamine salt.

30 The treatment combinations 77.1 to 77.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate isopropylammonium and dicamba diglycolamine salt.

The treatment combinations 78.1 to 78.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate isopropylammonium and dicamba potassium.

35 The treatment combinations 79.1 to 79.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium, glyphosate isopropylammonium and dicamba BAPMA salt.

The treatment combinations 80.1 to 80.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate isopropylammonium and dicamba.

40 The treatment combinations 81.1 to 81.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate isopropylammonium and dicamba ethanolamine salt.

The treatment combinations 82.1 to 82.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate isopropylammonium and dicamba diglycolamine salt.

5 The treatment combinations 83.1 to 83.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate isopropylammonium and dicamba potassium.

The treatment combinations 84.1 to 84.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium, glyphosate isopropylammonium and dicamba BAPMA salt.

10 The treatment combinations 85.1 to 85.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate.

The treatment combinations 86.1 to 86.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate and dicamba.

15 The treatment combinations 87.1 to 87.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate and dicamba ethanolamine salt.

The treatment combinations 88.1 to 88.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate and dicamba diglycolamine salt.

20 The treatment combinations 89.1 to 89.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate and dicamba potassium.

25 The treatment combinations 90.1 to 90.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate and dicamba BAPMA salt.

The treatment combinations 91.1 to 91.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate potassium.

30 The treatment combinations 92.1 to 92.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate potassium and dicamba.

The treatment combinations 93.1 to 93.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate potassium and dicamba ethanolamine salt.

35 The treatment combinations 94.1 to 94.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate potassium and dicamba diglycolamine salt.

The treatment combinations 95.1 to 95.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate potassium and dicamba potassium.

40 The treatment combinations 96.1 to 96.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate potassium and dicamba BAPMA salt.

The treatment combinations 97.1 to 97.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate isopropylammonium.

5 The treatment combinations 98.1 to 98.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate isopropylammonium and dicamba.

The treatment combinations 99.1 to 99.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate isopropylammonium and dicamba ethanolamine salt.

10 The treatment combinations 100.1 to 100.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate isopropylammonium and dicamba diglycolamine salt.

15 The treatment combinations 101.1 to 101.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate isopropylammonium and dicamba potassium.

The treatment combinations 102.1 to 102.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate isopropylammonium and dicamba BAPMA salt.

20 The treatment combinations 103.1 to 103.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazamox.

The treatment combinations 104.1 to 104.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazamox ammonium.

The treatment combinations 105.1 to 105.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazethapyr.

25 The treatment combinations 106.1 to 106.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazethapyr ammonium.

The treatment combinations 107.1 to 107.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole.

30 The treatment combinations 108.1 to 108.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole and metribuzin.

The treatment combinations 109.1 to 109.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of mesotrione.

35 The treatment combinations 110.1 to 110.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole and mesotrione.

The treatment combinations 111.1 to 111.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of topramezone.

40 The treatment combinations 112.1 to 112.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of topramezone and dime-thenamid-P.

The treatment combinations 113.1 to 113.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate and topramezone.

5 The treatment combinations 114.1 to 114.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate ammonium and topramezone.

The treatment combinations 115.1 to 115.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of L-glufosinate sodium and topramezone.

10 The treatment combinations 116.1 to 116.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of tembotrione.

The treatment combinations 117.1 to 117.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of bicyclopyrone.

15 The treatment combinations 118.1 to 118.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of fenquinotrine.

The treatment combinations 119.1 to 119.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of carfentrazone-ethyl.

The treatment combinations 120.1 to 120.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of sulfentrazone.

20 The treatment combinations 121.1 to 121.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of saflufenacil.

The treatment combinations 122.1 to 122.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of saflufenacil and trifludimoxazin.

25 The treatment combinations 123.1 to 123.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of trifludimoxazin.

The treatment combinations 124.1 to 124.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of pyraflufen-ethyl.

30 The treatment combinations 125.1 to 125.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of tiafenacil.

The treatment combinations 126.1 to 126.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100).

35 The treatment combinations 127.1 to 127.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazamox and glyphosate.

40 The treatment combinations 128.1 to 128.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazamox and glyphosate dimethylammonium.

The treatment combinations 129.1 to 129.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazamox and glyphosate potassium.

The treatment combinations 130.1 to 130.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazamox and glyphosate isopropylammonium.

5 The treatment combinations 131.1 to 131.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazamox ammonium and glyphosate.

The treatment combinations 132.1 to 132.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazamox ammonium and glyphosate dimethylammonium.

10 The treatment combinations 133.1 to 133.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazamox ammonium and glyphosate potassium.

15 The treatment combinations 134.1 to 134.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazamox ammonium and glyphosate isopropylammonium.

The treatment combinations 135.1 to 135.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazethapyr and glyphosate.

20 The treatment combinations 136.1 to 136.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazethapyr and glyphosate dimethylammonium.

The treatment combinations 137.1 to 137.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazethapyr and glyphosate potassium.

25 The treatment combinations 138.1 to 138.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazethapyr and glyphosate isopropylammonium.

30 The treatment combinations 139.1 to 139.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazethapyr ammonium and glyphosate.

The treatment combinations 140.1 to 140.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazethapyr ammonium and glyphosate dimethylammonium.

35 The treatment combinations 141.1 to 141.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazethapyr ammonium and glyphosate potassium.

The treatment combinations 142.1 to 142.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of imazethapyr ammonium and glyphosate isopropylammonium.

40 The treatment combinations 143.1 to 143.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole and glyphosate.

- The treatment combinations 144.1 to 144.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole and glyphosate dimethylammonium.
- 5 The treatment combinations 145.1 to 145.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole and glyphosate potassium.
- The treatment combinations 146.1 to 146.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole and glyphosate isopropylammonium.
- 10 The treatment combinations 147.1 to 147.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole, metribuzin and glyphosate.
- The treatment combinations 148.1 to 148.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole, metribuzin and glyphosate dimethylammonium.
- 15 The treatment combinations 149.1 to 149.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole, metribuzin and glyphosate potassium.
- The treatment combinations 150.1 to 150.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole, metribuzin and glyphosate isopropylammonium.
- 20 The treatment combinations 151.1 to 151.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of mesotrione and glyphosate.
- 25 The treatment combinations 152.1 to 152.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of mesotrione and glyphosate dimethylammonium.
- The treatment combinations 153.1 to 153.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of mesotrione and glyphosate potassium.
- 30 The treatment combinations 154.1 to 154.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of mesotrione and glyphosate isopropylammonium.
- The treatment combinations 155.1 to 155.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole, mesotrione and glyphosate.
- 35 The treatment combinations 156.1 to 156.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole, mesotrione and glyphosate dimethylammonium.
- 40 The treatment combinations 157.1 to 157.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole, mesotrione and glyphosate potassium.

The treatment combinations 158.1 to 158.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of isoxaflutole, mesotrione and glyphosate isopropylammonium.

5 The treatment combinations 159.1 to 159.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of topramezone and glyphosate.

The treatment combinations 160.1 to 160.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of topramezone and glyphosate dimethylammonium.

10 The treatment combinations 161.1 to 161.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of topramezone and glyphosate potassium.

The treatment combinations 162.1 to 162.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of topramezone and  
15 glyphosate isopropylammonium.

The treatment combinations 163.1 to 163.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of topramezone, dimethenamid-P and glyphosate.

20 The treatment combinations 164.1 to 164.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of topramezone, dimethenamid-P and glyphosate dimethylammonium.

The treatment combinations 165.1 to 165.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of topramezone, dimethenamid-P and glyphosate potassium.

25 The treatment combinations 166.1 to 166.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of topramezone, dimethenamid-P and glyphosate isopropylammonium.

The treatment combinations 167.1 to 167.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of tembotrione and glypho-  
30 sate.

The treatment combinations 168.1 to 168.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of tembotrione and glypho-  
sate dimethylammonium.

35 The treatment combinations 169.1 to 169.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of tembotrione and glypho-  
sate potassium.

The treatment combinations 170.1 to 170.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of tembotrione and glypho-  
sate isopropylammonium.

40 The treatment combinations 171.1 to 171.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of bicyclopyrone and  
glyphosate.

The treatment combinations 172.1 to 172.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of bicyclopyrone and glyphosate dimethylammonium.

5 The treatment combinations 173.1 to 173.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of bicyclopyrone and glyphosate potassium.

The treatment combinations 174.1 to 174.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of bicyclopyrone and glyphosate isopropylammonium.

10 The treatment combinations 175.1 to 175.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of fenquitrione and glyphosate.

15 The treatment combinations 176.1 to 176.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of fenquitrione and glyphosate dimethylammonium.

The treatment combinations 177.1 to 177.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of fenquitrione and glyphosate potassium.

20 The treatment combinations 178.1 to 178.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of fenquitrione and glyphosate isopropylammonium.

The treatment combinations 179.1 to 179.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of carfentrazone-ethyl and glyphosate.

25 The treatment combinations 180.1 to 180.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of carfentrazone-ethyl and glyphosate dimethylammonium.

30 The treatment combinations 181.1 to 181.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of carfentrazone-ethyl and glyphosate potassium.

The treatment combinations 182.1 to 182.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of carfentrazone-ethyl and glyphosate isopropylammonium.

35 The treatment combinations 183.1 to 183.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of sulfentrazone and glyphosate.

The treatment combinations 184.1 to 184.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of sulfentrazone and glyphosate dimethylammonium.

40 The treatment combinations 185.1 to 185.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of sulfentrazone and glyphosate potassium.

The treatment combinations 186.1 to 186.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of sulfentrazone and glyphosate isopropylammonium.

5 The treatment combinations 187.1 to 187.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of saflufenacil and glyphosate.

The treatment combinations 188.1 to 188.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of saflufenacil and glyphosate dimethylammonium.

10 The treatment combinations 189.1 to 189.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of saflufenacil and glyphosate potassium.

The treatment combinations 190.1 to 190.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of saflufenacil and glyphosate isopropylammonium.

The treatment combinations 191.1 to 191.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of saflufenacil, trifludimoxazin and glyphosate.

20 The treatment combinations 192.1 to 192.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of saflufenacil, trifludimoxazin and glyphosate dimethylammonium.

The treatment combinations 193.1 to 193.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of saflufenacil, trifludimoxazin and glyphosate potassium.

25 The treatment combinations 194.1 to 194.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of saflufenacil, trifludimoxazin and glyphosate isopropylammonium.

The treatment combinations 195.1 to 195.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of trifludimoxazin and glyphosate.

30 The treatment combinations 196.1 to 196.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of trifludimoxazin and glyphosate dimethylammonium.

35 The treatment combinations 197.1 to 197.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of trifludimoxazin and glyphosate potassium.

The treatment combinations 198.1 to 198.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of trifludimoxazin and glyphosate isopropylammonium.

40 The treatment combinations 199.1 to 199.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of pyraflufen-ethyl and glyphosate.

The treatment combinations 200.1 to 200.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of pyraflufen-ethyl and glyphosate dimethylammonium.

5 The treatment combinations 201.1 to 201.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of pyraflufen-ethyl and glyphosate potassium.

The treatment combinations 202.1 to 202.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of pyraflufen-ethyl and glyphosate isopropylammonium.

10 The treatment combinations 203.1 to 203.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of tiafenacil and glyphosate.

The treatment combinations 204.1 to 204.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of tiafenacil and glyphosate dimethylammonium.

15 The treatment combinations 205.1 to 205.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of tiafenacil and glyphosate potassium.

20 The treatment combinations 206.1 to 206.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of tiafenacil and glyphosate isopropylammonium.

The treatment combinations 207.1 to 207.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate and II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100).

25 The treatment combinations 208.1 to 208.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate dimethylammonium and II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100).

30 The treatment combinations 209.1 to 209.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate potassium and II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100).

35 The treatment combinations 210.1 to 210.1087 in which one of the treatment combinations listed in the preceding table is combined with post-emergence use of glyphosate isopropylammonium and II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100).

40 The abovementioned properties and advantages are necessary under practical weed control conditions to keep the soybeans free from undesired competing plants and thus to guarantee and/or increase the yields from the qualitative and quantitative point of view. These novel combinations markedly exceed the technical state of the art with a view to the properties described.

While the active compounds of the inventive mixtures have an outstanding herbicidal activity against monocotyledonous and dicotyledonous weeds, the tolerant, or cross-tolerant, glufosinate tolerant soybeans are damaged only to a minor extent, or not at all.

- 5 As mentioned above, the inventive mixtures are suitable for controlling a large number of harmful plants in glufosinate tolerant soybeans.

Thus, the term " glufosinate tolerant soybeans" as used herein includes also (soybean) plants which have been modified by mutagenesis, genetic engineering or breeding and mutation selection techniques in order to provide a new trait to a plant or to modify an already present trait. Mutagenesis includes techniques of random mutagenesis using X-rays or mutagenic chemicals, but also techniques of targeted mutagenesis, in order to create mutations at a specific locus of a plant genome. Targeted mutagenesis techniques frequently use oligonucleotides or proteins like CRISPR/Cas, zinc-finger nucleases, TALENs or meganucleases to achieve the targeting effect. Genetic engineering usually uses recombinant DNA techniques to create modifications in a plant genome which under natural circumstances cannot readily be obtained by cross breeding, mutagenesis or natural recombination. Typically, one or more genes are integrated into the genome of a plant in order to add a trait or improve a trait. These integrated genes are also referred to as transgenes in the art, while plant comprising such transgenes are referred to as transgenic plants. The process of plant transformation usually produces several transformation events, which differ in the genomic locus in which a transgene has been integrated. Plants comprising a specific transgene on a specific genomic locus are usually described as comprising a specific "event", which is referred to by a specific event name.

Glufosinate tolerance has been created by using mutagenesis as well as using genetic engineering. Transgenic soybean events comprising glufosinate tolerance genes are for example, but not excluding others, A2704-12 (event code: ACS-GMØØ5-3, gene: pat , e.g. commercially available as Liberty Link™ soybean), A2704-21 (event code: ACS-GMØØ4-2, gene: pat, e.g. commercially available as Liberty Link™ soybean), A5547-127 (event code: ACS-GMØØ6-4, gene: pat, e.g. commercially available as Liberty Link™ soybean), A5547-35 (event code: ACS-GMØØ8-6, gene: pat, e.g. commercially available as Liberty Link™ soybean), GU262 (event code: ACS-GMØØ3-1, gene: pat, e.g. commercially available as Liberty Link™ soybean), W62 (event code: ACS-GMØØ2-9, gene: pat, e.g. commercially available as Liberty Link™ soybean), W98 (event code: ACS-GMØØ1-8, gene: pat, e.g. commercially available as Liberty Link™ soybean), DAS68416-4 (event code: DAS-68416-4, gene: pat, e.g. commercially available as Enlist™ Soybean), DAS44406-6 (event code: DAS-444Ø6-6, gene: pat), DAS68416-4 x MON89788 (event code: DAS-68416-4 x MON-89788-1, gene: pat), SYHTØH2 (event code: SYN-ØØØH2-5, gene: pat), DAS81419 x DAS44406-6 (event code: DAS-81419-2 x DAS-444Ø6-6, gene: pat) and FG72 x A5547-127 (event code: MST-FGØ72-3 x ACS-GMØØ6-4, gene: pat).

40 In other aspects, soybeans of the invention include those plants which have been subjected to genetic modifications other than glufosinate tolerance by breeding, mutagenesis or genetic engineering, e.g. have been rendered tolerant to applications of specific other classes of herbi-

cides, such as PPO inhibitors (e. g. saflufenacil, trifludimoxazin), AHAS inhibitors; auxinic herbicides such as dicamba or 2,4-D; bleaching herbicides such as hydroxyphenylpyruvate dioxygenase (HPPD) inhibitors (e. g. isoxaflutole, mesotrione, tembotrione, topramezone, bicyclopyrone) or phytoene desaturase (PDS) inhibitors; EPSPS inhibitors such as glyphosate; glutamine synthetase (GS) inhibitors such as glufosinate; lipid biosynthesis inhibitors such as acetyl CoA carboxylase (ACCase) inhibitors such as "dims" {e.g., cycloxydim, sethoxydim, clethodim, or tepraloxym, "fops" {e.g. , clodinafop, diclofop, fluazifop, haloxyfop, or quizalofop), and "dens" (such as pinoxaden); or oxynil {i.e. bromoxynil or ioxynil) herbicides as a result of conventional methods of breeding or genetic engineering, Thus, soybeans of the invention can be made resistant to multiple classes of herbicides through multiple genetic modifications, such as for example resistance to both glyphosate and dicamba (e. g. Xtend® soybeans); glyphosate, 2,4-D and "fop" herbicides (e. g. Enlist® soybeans); glyphosate and glufosinate; glyphosate and HPPD inhibitors such as isoxaflutole (e. g. GT27® soybeans, Balance® GT soybeans); glyphosate, glufosinate and HPPD inhibitors such as isoxaflutole (e. g. FG72xLL55 soybeans); glufosinate and HPPD inhibitors such as isoxaflutole or mesotrione (e. g. MGI soybeans); glyphosate, glufosinate, dicamba and HPPD inhibitors such as isoxaflutole or mesotrione; glyphosate, dicamba and glufosinate; glyphosate and PPO inhibitors; glufosinate and PPO inhibitors; glyphosate, glufosinate and PPO inhibitors; glyphosate, dicamba and PPO inhibitors; glyphosate, 2,4-D, "fop" herbicides and PPO inhibitors; glyphosate, dicamba, glufosinate and PPO inhibitors; glyphosate, 2,4-D, "fop" herbicides, glufosinate and PPO inhibitors; glyphosate, PPO inhibitors and HPPD inhibitors; glufosinate, HPPD inhibitors and PPO inhibitors; glyphosate, glufosinate, HPPD inhibitors and PPO inhibitors; glyphosate, dicamba, HPPD inhibitors and PPO inhibitors; glyphosate, 2,4-D, "fop" herbicides, HPPD inhibitors and PPO inhibitors; glyphosate, dicamba, glufosinate, HPPD inhibitors and PPO inhibitors; glyphosate, 2,4-D, "fop" herbicides, glufosinate, HPPD inhibitors and PPO inhibitors; or to one of the aforementioned soybeans that are tolerant to further classes of herbicides such as AHAS inhibitors or ACCase inhibitors. These herbicide resistance technologies are, for example, described in Pest Management Science (at volume, year, page): 61, 2005, 246; 61, 2005, 258; 61, 2005, 277; 61, 2005, 269; 61, 2005, 286; 64, 2008, 326; 64, 2008, 332; Weed Science 57, 2009, 108; Australian Journal of Agricultural Research 58, 2007, 708; Science 316, 2007, 1185; and references quoted therein.

In addition to these classes of inhibitors, soybeans of the invention may also be tolerant to herbicides having other modes of action, for example, chlorophyll/carotenoid pigment inhibitors, cell membrane disrupters, photosynthesis inhibitors, cell division inhibitors, root inhibitors, shoot inhibitors, and combinations thereof.

Such additional tolerance traits may be expressed, e.g.: as mutant or wildtype PPO proteins, as mutant AHASL proteins, mutant ACCase proteins, mutant EPSPS proteins, or mutant glutamine synthetase proteins; or as mutant native, inbred, or transgenic aryloxyalkanoate dioxygenase (AAD or DHT), haloarylnitrilase (BXN), 2,2-dichloropropionic acid dehalogenase (DEH), glyphosate-N- acetyltransferase (GAT), glyphosate decarboxylase (GDC), glyphosate oxidoreductase

(GOX), glutathione-S-transferase (GST), phosphinothricin acetyltransferase (PAT or bar), or CYP450s proteins having an herbicide-degrading activity.

5 Glufosinate tolerant soybeans hereof can also be stacked with other traits including, but not limited to, pesticidal traits such as Bt Cry and other proteins having pesticidal activity toward coleopteran, lepidopteran, nematode, or other pests; nutrition or nutraceutical traits such as modified oil content or oil profile traits, high protein or high amino acid concentration traits, and other trait types known in the art.

10 In all treatments according to the methods of the present invention, the inventive mixtures can be applied in conventional manner by using techniques as skilled person is familiar with. Suitable techniques include spraying, atomizing, dusting, spreading or watering. The type of application depends on the intended purpose in a well known manner; in any case, they should ensure the finest possible distribution of the active ingredients according to the invention.

15 In one embodiment, the inventive mixtures are applied to locus mainly by spraying, in particular foliar spraying of an aqueous dilution of the active ingredients of the mixture. Application can be carried out by customary spraying techniques using, for example, water as carrier and spray liquor rates of from about 10 to 2000 l/ha or 50 to 1000 l/ha (for example from 100 to 500 l/ha). Application of the inventive mixtures by the low-volume and the ultra-low-volume method is possible, as is their application in the form of microgranules.

20 The required application rate of the mixture of the pure active compounds depends on the density of the undesired vegetation, on the development stage of the plants, on the climatic conditions of the location where the mixture is used and on the application method.

25 In general, the rate of application of L-glufosinate is usually from 50 g/ha to 3000 g/ha and preferably in the range from 100 g/ha to 2000 g/ha or from 200 g/ha to 1500 g/ha of active substance (a.i.), and the rate of application of the second herbicidal compound II is from 1 g/ha to 2000 g/ha and preferably in the range from 5 g/ha to 1500 g/ha, more preferably from 25 g/ha to 900 g/ha of active substance (a.i.).

30 The examples which follow illustrate the invention without imposing any limitation.

#### Biological examples

Synergism can be described as an interaction where the combined effect of two or more compounds is greater than the sum of the individual effects of each of the compounds. The presence of a synergistic effect in terms of percent control, between two mixing partners (X and Y) can be calculated using the Colby equation (Colby, S. R., 1967, Calculating Synergistic and Antagonistic Responses in Herbicide Combinations, Weeds, 15, 21-22):

$$E = X + Y - \frac{XY}{100}$$

40 When the observed combined control effect is greater than the expected (calculated) combined control effect (E), then the combined effect is synergistic.

The following tests demonstrate the control efficacy of compounds, mixtures or compositions of this invention on specific weeds. However, the weed control afforded by the compounds, mixtures or compositions is not limited to these species. The analysis of synergism or antagonism between the mixtures or compositions was determined using Colby's equation.

5

Test method:

The culture containers used were plastic flowerpots containing loamy sand with approximately 3.0% of humus as the substrate. The seeds of the test plants were sown separately for each species and/or resistant biotype. For the pre-emergence treatment, the active ingredients, which had been suspended or emulsified in water, were applied directly after sowing by means of finely distributing nozzles. The containers were irrigated gently to promote germination and growth and subsequently covered with transparent plastic hoods until the plants had rooted. This cover caused uniform germination of the test plants, unless this had been impaired by the active ingredients. For the post-emergence treatment, the test plants were first grown to a height of 3 to 15 cm, depending on the plant habit, and only then treated with the active ingredients which had been suspended or emulsified in water. For this purpose, the test plants were either sown directly and grown in the same containers, or they were first grown separately as seedlings and transplanted into the test containers a few days prior to treatment. Depending on the species, the plants were kept at 10 – 25°C or 20 – 35°C, respectively. The test period extended to 20 days after treatment. During this time, the plants were tended, and their response to the individual treatments was evaluated. The evaluation was carried out by using a scale from 0 to 100. 100 means no emergence of the plants or complete destruction of at least the above-ground parts, and 0 means no damage, or normal course of growth. Data shown are the mean of two replications.

25

Products:

L-Glufosinate: 5 % EC formulation

Saflufenacil: 342 g/l SC formulation

Compound II-89: 5 % EC formulation (Compound II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate)

Trifludimoxazin: 500 g/l SC formulation

Pyroxasulfone: 85 % WG formulation

Pethoxamid: 5 % EC formulation

Sulfentrazone: 480 g/l SC formulation

35

Weeds in the study:

EPPO Code	Scientific Name
ABUTH	Abutilon theophrasti
ECHCG	Echinochloa crus-galli
AVEFA	Avena fatua
CYPIR	Cyperus iria
ERICA	Erigeron Canadensis, Conyza canadensis

Example 1: Post emergence treatment with the mixture of L-glufosinate with saflufenacil

Application rate in g ai/ha		Herbicide activity against	
		ECHCG	
L-Glufosinate	Saflufenacil	Found	Calculated
400	--	65	--
--	0.5	0	--
400	0.5	97	65
200	--	0	--
--	0.5	0	--
200	0.5	35	0

5

Example 2: Post emergence treatment with the mixture of L-glufosinate with Compound II-89 (ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate)

Application rate in g ai/ha		Herbicide activity against	
		CYPIR	
L-Glufosinate	Compound II-89	Found	Calculated
200	--	0	--
--	0.25	0	--
200	0.25	35	0

10

Example 3: Post emergence treatment with the mixture of L-glufosinate with trifludimoxazin

Application rate in g ai/ha		Herbicide activity against	
		ECHCG	
L-Glufosinate	Trifludimoxazin	Found	Calculated
400	--	65	--
--	0.25	10	--
400	0.25	75	69
200	--	0	--
--	0.25	10	--
200	0.25	33	10

Example 4: Post emergence treatment with the mixture of L-glufosinate with pyroxasulfone

5

Application rate in g ai/ha		Herbicide activity against	
		ABUTH	
L-Glufosinate	Pyroxasulfone	Found	Calculated
200	--	65	--
--	50	70	--
200	50	100	90
200	--	65	--
--	25	40	--
200	25	100	79

Example 5: Post emergence treatment with the mixture of L-glufosinate with pethoxamid

Application rate in g ai/ha		Herbicide activity against			
		ABUTH		AVEFA	
L-Glufosinate	Pethoxamid	Found	Calculated	Found	Calculated
150	--	55	--	0	--
--	100	0	--	0	--
150	100	98	55	40	0
75	--	0	--	0	--
--	50	0	--	0	--
75	50	35	0	5	0

Example 6: Post emergence treatment with the mixture of L-glufosinate with sulfentrazone

Application rate in g ai/ha		Herbicidal activity against	
		ERICA	
L-Glufosinate	Sulfentrazone	Found	Calculated
75	--	90	--
--	2.5	0	--
75	2.5	100	90
75	--	90	--
--	1.25	0	--
75	1.25	100	90

## Claims

1. Use of a herbicidal mixture for controlling undesirable vegetation in soybeans, wherein the herbicidal mixture comprises
- 5 a) L- glufosinate and its salts, and  
 b) at least one herbicidal compound II selected from the group consisting of clethodim, cycloxydim, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxydim, chlorimuron, chlorimuron-ethyl, nicosulfuron, oxasulfuron, thifensulfuron, thifensulfuron-methyl, tritosulfuron, imazamox, imazamox ammonium, imazapic, imazapic ammonium, imazapyr, imazapyr isopropylammonium, imazaquin, imazethapyr, imazethapyr ammonium, cloransulam, cloransulam-methyl, diclosulam, flumetsulam, atrazine, metribuzin, linuron, monolinuron, bentazone, bentazone-sodium, acifluorfen, acifluorfen-sodium, carfentrazone, carfentrazone-ethyl, flumiclorac, flumiclorac-pentyl, flumioxazin, fluthiacet, fluthiacet-methyl, fomesafen, lactofen, oxyfluorfen, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, norflurazon, picolinafen, bicycloprone, clomazone, isoxaflutole, mesotrione, pyrasulfotole, tembotrione, topramezone, fenquino-trione, glyphosate, glyphosate dimethylammonium, glyphosate-isopropylammonium, glyphosate-potassium, glyphosate-trimesium (sulfosate), pendimethalin, trifluralin; acetochlor, alachlor, butachlor, dimethenamid, dimethenamid-P, metazachlor, metolachlor, S-metolachlor, pethoxamid, pyroxasulfone, 2,4-D and its salts and esters, clopyralid and its salts and esters, dicamba and its salts and esters, quinclorac, quinclorac dimethylammonium, quinmerac, diflufenzopyr, diflufenzopyr-sodium, tepraloxydim, cinmethylin,
- 10 II-89: ethyl [3-[2-chloro-4-fluoro-5-(1-methyl-6-trifluoromethyl-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-3-yl)phenoxy]-2-pyridyloxy]acetate (CAS 353292-31-6, S-3100), II-90: 2-[2-chloro-5-[3-chloro-5-(trifluoromethyl)-2-pyridinyl]-4-fluorophenoxy]-2-methoxy-acetic acid methyl ester (CAS 1970221-16-9), II-91: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-N-(methylsulfonyl)-acetamide (CAS 2158276-22-1), II-92: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid ethyl ester (CAS 2158274-56-5), II-93: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-N-(methylsulfonyl)-acetamide (CAS 2158274-53-2), II-94: 2-[2-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid ethyl ester (CAS 2158274-50-9), II-95: ethyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluoro-phenoxy]-2-pyridyl]oxy]acetate (CAS 2230679-62-4), II-96: 2-[[3-[[3-chloro-6-[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]-2-pyridinyl]oxy]-acetic acid methyl ester (CAS 2158275-73-9), II-97: 2-[2-[[3-chloro-6-
- 15  
20  
25  
30  
35  
40

[3,6-dihydro-3-methyl-2,6-dioxo-4-(trifluoromethyl)-1(2H)-pyrimidinyl]-5-fluoro-2-pyridinyl]oxy]phenoxy]-acetic acid methyl ester (CAS 2158274-96-3), II-98: methyl 2-[[3-[2-chloro-5-[4-(difluoromethyl)-3-methyl-5-oxo-1,2,4-triazol-1-yl]-4-fluorophenoxy]-2-pyridyl]oxy]acetate;

- 5 wherein L-glufosinate comprises more than 70% by weight of the L-enantiomer.
2. The use as claimed in claim 1, wherein compound I in the herbicidal mixture is selected from the group consisting of L-glufosinate-ammonium or L-glufosinate-sodium as L-glufosinate salts and L-glufosinate as free acid.
- 10 3. The use as claimed in claim 1, wherein compound I in the herbicidal mixture is L-glufosinate-ammonium.
4. The use as claimed in any of claims 1 to 3, wherein L-glufosinate in the herbicidal mixture comprises more than 80% by weight, preferably more than 90% by weight, even more preferably 95% by weight of the L-enantiomer.
- 15 5. The use as claimed in any of claims 1 to 3, wherein compound II in the herbicidal mixture is selected from the group consisting of clethodim, cycloxydim, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxydim, chlorimuron, chlorimuron-ethyl, thifensulfuron, thifensulfuron-methyl, imazamox, imazamox ammonium, imazapyr, imazapyr isopropylammonium, imazaquin, imazethapyr, imazethapyr ammonium, cloransulam, cloransulam-methyl, diclosulam, flumetsulam, atrazine, metribuzin, bentazone, bentazone-sodium, acifluorfen, acifluorfen-sodium, carfentrazone, carfentrazone-ethyl, flumioxazin, fluthiacet, fluthiacet-methyl, fomesafen, lactofen, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, clomazone, topramezone, fenquitrone, glyphosate, glyphosate-isopropylammonium, glyphosate-potassium, glyphosate-trimesium (sulfosate), pendimethalin, trifluralin; acetochlor,alachlor, dimethenamid, dimethenamid-P, metolachlor, S-metolachlor, pethoxamid, pyroxasulfone, 2,4-D and its salts and esters, dicamba and its salts and esters, diflufenzopyr, diflufenzopyr-sodium, tepraloxymid, clopyralid and its salts and esters, nicosulfuron, oxasulfuron, butachlor norflurazon, bicyclopyrone, isoxaflutole, mesotrione, pyrasulfotole, tembotrione, linuron, monolinuron, flumiclorac, flumiclorac-pentyl, oxyfluorfen, compounds II-89, II-90, II-91, II-92, I-93, II-94, II-95, II-96, II-97, II-98;
- 20 preferably wherein compound II is selected from the group consisting of clethodim, cycloxydim, fenoxaprop, fenoxaprop-ethyl, fenoxaprop-P, fenoxaprop-P-ethyl, fluazifop, fluazifop-butyl, fluazifop-P, fluazifop-P-butyl, haloxyfop, haloxyfop-methyl, haloxyfop-P, haloxyfop-P-methyl, propaquizafop, quizalofop, quizalofop-ethyl, quizalofop-tefuryl, quizalofop-
- 25 30 35 40

- P, quizalofop-P-ethyl, quizalofop-P-tefuryl, sethoxydim, chlorimuron, chlorimuron-ethyl, thifensulfuron, thifensulfuron-methyl, imazamox, imazamox ammonium, imazapyr, imazapyr isopropylammonium, imazaquin, imazethapyr, imazethapyr ammonium, cloransulam, cloransulam-methyl, diclosulam, flumetsulam, atrazine, metribuzin, bentazone, bentazone-sodium, acifluorfen, acifluorfen-sodium, carfentrazone, carfentrazone-ethyl, flumioxazin, fluthiacet, fluthiacet-methyl, fomesafen, lactofen, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, clomazone, topramezone, fenquino-trione, glyphosate, glyphosate dimethylammonium, glyphosate-isopropylammonium, glyphosate-potassium, glyphosate-trimesium (sulfosate), pendimethalin, trifluralin; acetochlor, alachlor, dimethenamid, dimethenamid-P, metolachlor, S-metolachlor, pethoxamid, pyroxasulfone, 2,4-D and its salts and esters, dicamba and its salts and esters, diflufenzopyr, diflufenzopyr-sodium, tepraloxymid, compounds II-89, II-90, II-91, II-92, I-93, II-94, II-95, II-96, II-97, II-98.
- 5
- 10
- 15
- 20
- 25
- 30
- 35
- 40
6. The use as claimed in any of claims 1 to 5, wherein the compound II in the herbicidal mixture is selected from the group of flumioxazin, saflufenacil, sulfentrazone, tiafenacil, trifludimoxazin, compounds II-89, II-90, II-91, II-92, I-93, II-94, II-95, II-96, II-97, II-98.
  7. The use as claimed in any of claims 1 to 5, wherein the compound II in the herbicidal mixture is selected from the group of pethoxamid and pyroxasulfone.
  8. The use as claimed in any of claims 1 to 7, wherein the weight ratio of compound I to compound II in the herbicidal mixture is from 1000:1 to 1:500; preferably wherein the weight ratio of compound I to compound II is from 500:1 to 1:250.
  9. A pesticidal mixture, wherein the compounds I and II are as defined in any of claims 1 to 8.
  10. A pesticidal composition, comprising a liquid or solid carrier and a mixture as defined in any of claims 1 to 8.
  11. A method for controlling undesirable vegetation in glufosinate tolerant soybeans, which method comprises applying a mixture as defined in claims 1 to 8 to the undesirable vegetation or the locus thereof or applying to the soil or water.
  12. The method as claimed in claim 11, wherein the glufosinate tolerant soybean is a transgenic soybean plant.
  13. The method as claimed in any of claims 11 to 12, wherein compounds I and II of the mixture as defined in any of claims 1 to 8 are applied simultaneously, that is jointly or separately, or in succession.