



US00D714766S

(12) **United States Design Patent**  
**Håkansson**

(10) **Patent No.:** **US D714,766 S**

(45) **Date of Patent:** **\*\* Oct. 7, 2014**

(54) **PUSH-TO-TALK COMMUNICATION DEVICE  
HAVING A GRIPPING SURFACE**

(71) Applicant: **3M Innovative Properties Company**,  
St. Paul, MN (US)

(72) Inventor: **Johan Håkansson**, Hultamarken (SE)

(73) Assignee: **3M Innovative Properties Company**,  
St. Paul, MN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/435,067**

(22) Filed: **Oct. 19, 2012**

(30) **Foreign Application Priority Data**

Apr. 27, 2012 (EM) ..... 1324016

(51) **LOC (10) Cl.** ..... **14-01**

(52) **U.S. Cl.**

USPC ..... **D14/225**; D14/137

(58) **Field of Classification Search**

USPC ..... D14/137, 205–206, 223, 224, 225, 226,  
D14/227, 228, 229; 381/90, 91, 122, 16,  
381/361, 357; 181/242, 355; 174/653

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D433,395 S \* 11/2000 Wong ..... D14/137  
D433,396 S \* 11/2000 Wong ..... D14/137  
D434,401 S \* 11/2000 Haase et al. .... D14/137  
D482,009 S \* 11/2003 Robertson et al. .... D14/137

D529,021 S \* 9/2006 Jensen et al. .... D14/223  
D545,790 S \* 7/2007 Jameson et al. .... D14/137  
D545,791 S \* 7/2007 Jameson et al. .... D14/137  
D554,607 S \* 11/2007 Mukai et al. .... D14/137  
D566,693 S \* 4/2008 Jensen et al. .... D14/223  
D567,232 S \* 4/2008 Darbut  
D573,564 S \* 7/2008 Goetzl et al. .... D14/137  
D645,028 S \* 9/2011 Pescetto  
D676,833 S \* 2/2013 Garcia et al. .... D14/223  
D699,227 S \* 2/2014 Erickson ..... D14/225  
D700,595 S \* 3/2014 Hong et al. .... D14/248

\* cited by examiner

*Primary Examiner* — Thomas Johannes

*Assistant Examiner* — Holly E Thurman

(74) *Attorney, Agent, or Firm* — Kristofor L. Storvick

(57) **CLAIM**

The ornamental design for a push-to-talk communication device having a gripping surface, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view showing my new design for a push-to-talk communication device having a gripping surface.

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;


FIG. 5 is a right side view thereof;


FIG. 6 is a top view thereof; and,

FIG. 7 is a bottom view thereof.


The broken lines depict unclaimed portions of the push-to-talk communication device having raised buttons, which form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**







**FIG. 1**



**FIG. 2**




**FIG. 3**




*FIG. 4*

*FIG. 5*



**FIG. 6**



**FIG. 7**