



US00D618082S

(12) **United States Design Patent**  
**Lambrou et al.**

(10) **Patent No.:** **US D618,082 S**  
(45) **Date of Patent:** **\*\* Jun. 22, 2010**

(54) **PROTECTIVE PLATE**

(75) Inventors: **Harris Lambrou**, Blackburn (AU);  
**Sajan Velandi**, Blackburn (AU)

(73) Assignee: **Gainsborough Hardware Industries Limited** (AU)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/342,208**

(22) Filed: **Aug. 20, 2009**

(30) **Foreign Application Priority Data**

Mar. 19, 2009 (AU) ..... 10887/2009

(51) **LOC (9) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/343**; D8/346; D8/353

(58) **Field of Classification Search** ..... D8/350-353,  
D8/343, 346, 400, 404, 409; D13/139.1-139.8,  
D13/146, 147, 152, 154, 156, 158, 169, 171,  
D13/173, 177; D14/159; D25/60; 174/55,  
174/58, 66, 67, 535; 220/241, 3.92, 3.5-3.8,  
220/242; 439/535, 536, 892; 200/303; 248/273;  
292/357; 70/451, 542, 417, 418  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,131,093	A *	3/1915	Sperry	.....	220/242
1,144,107	A *	6/1915	Burt	.....	220/242
1,221,652	A *	4/1917	Badeau	.....	220/242
3,438,534	A *	4/1969	Zerwes	.....	220/241
3,619,477	A *	11/1971	Rasmussen	.....	174/56
4,088,829	A *	5/1978	Milcoy	.....	174/53
4,316,371	A *	2/1982	Del Nero	.....	70/417
4,343,527	A *	8/1982	Harrington et al.	.....	439/468

4,466,264	A *	8/1984	del Nero	.....	70/417
4,530,223	A *	7/1985	Oliver	.....	70/417
4,688,409	A *	8/1987	Oliver et al.	.....	70/417
4,751,834	A *	6/1988	Beck	.....	70/452
5,076,626	A *	12/1991	Tiddy et al.	.....	292/337
5,267,461	A *	12/1993	Eizen	.....	70/451
D353,319	S *	12/1994	Eckert	.....	D8/346
5,834,695	A *	11/1998	Herbert	.....	174/66
5,837,937	A *	11/1998	Reese et al.	.....	174/66
6,447,139	B1 *	9/2002	Wilkes	.....	362/100
7,432,444	B1 *	10/2008	McCusker	.....	174/66
2006/0179905	A1 *	8/2006	Killins	.....	70/418

\* cited by examiner

*Primary Examiner*—Mark A Goodwin

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for a protective plate, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of a protective plate showing our new design;

FIG. 2 is a left side view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a bottom view thereof;

FIG. 6 is a rear isometric view thereof; and,

FIG. 7 is a front isometric view thereof.

The broken line showing of the shafts of the hardware elements is for environmental purposes only and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7