



- (51) International Patent Classification:
A63B 23/03 (2006.01) A61H 1/00 (2006.01)
- (21) International Application Number:
PCT/SE2014/050287
- (22) International Filing Date:
10 March 2014 (10.03.2014)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
1350314-9 15 March 2013 (15.03.2013) SE
- (71) Applicant: MYOROFACE AB [SE/SE]; Skinnarevägen 3, S-824 51 Hudiksvall (SE).
- (72) Inventor: HÄGG, Mary; Sörviksta 244, S-820 65 Forsa (SE).
- (74) Agent: BRANN AB; Box 12246, S-102 26 Stockholm (SE).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,

DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— of inventorship (Rule 4.17(iv))


Published:

— with international search report (Art. 21(3))



WO 2014/142735 A1

(54) Title: DEVICE FOR TRAINING OF FACE, LIP AND THROAT MUSCLES



(57) Abstract: A device for therapeutic use is disclosed, the device comprising a rigid screen (1) that is insertable behind the upper and lower lips of a user's mouth, the screen having a compound curvature and in a horizontal plane generally U-shaped profile, and in a vertical plane a convexo-concave cross-sectional profile that is gradually flattening from a central mid region towards the left and right ends (12, 13) thereof, the ends extended to reach at least past the premolar teeth on each side in the upper and lower jaws of the user when applied. A handle is attached to extend forward from a central mid region in the convex front face of the screen, the handle comprising a rigid stem (2) projecting from the front face at a neutral angle with respect to upper (5) and lower (6) halves of the screen (1), diverging from the stem in the vertical view.

TITLE

Device for training of face, lip and throat muscles

TECHNICAL FIELD OF THE INVENTION

The present invention relates to devices for therapeutic use, and more specifically relates to an oral screen that is useful in training for recovery and improvement of muscular functions in, *inter alia*, face, mouth and throat.

BACKGROUND AND PRIOR ART

It has been shown in studies that lip muscle training can improve swallowing capacity in stroke patients (see: Hägg Mary, and Anniko Matti, 2008 "Lip muscle training in stroke patients with dysphagia", *Acta Oto-Laryngologica*, 128:9, 1027-1033; 2010 "Influence of lip force on swallowing capacity in stroke patients and in healthy subjects", *Acta Oto-Laryngologica* 130: 1204-8, and: Hägg Mary, Tibbling Lita 2013 "Longstanding effect and outcome differences of palatal plate and oral screen training on stroke related dysphagia", *The Open Rehabilitation Journal*, 2013, 6, 26-33.

Indeed, training with an oral screen which is insertable into the mouth pre-dentally behind closed lips and to which a tension load is applied is effective for stimulation and activation not only of lip muscles, but affects also other muscles in the entire orofacial complex and in the upper third of esophagus, in stomach via the sensory cranial nerve vagus, and in addition effects improvement of gross motor skills in humans. It can also be effective in order to recover and improve impaired muscle functions resulting from neurological diseases other than stroke, orofacial cancer, chromosomal abnormalities, and accidental trauma or from natural causes, such as ageing, e.g.

An exercising device for the lip and cheek area is previously disclosed in US Patent No. 3,744,485. This device is adapted to be introduced into the mouth and fitted in the space defined by the user's teeth and inner lip area immediately adjacent the mouth. The device comprises a handle and a U-shaped flange connected thereto wherein this flange fits in the aforementioned area whereupon with the mouth closed over the flange

and the handle extending outwardly there from, inward and outward motion may be imparted to the device.

A device designed for exercise of lip muscles is previously known from German Utility Model Registration No. 90 01 001. This device comprises a mouthpiece designed for insertion behind the lips of the user, and a handle connected to the front of the mouthpiece via an elongate, wire-shaped bar by which a tensioning force can be applied to the mouthpiece. The mouthpiece has a convex front side facing the lips and a concave rear side facing the teeth.

The mouthpiece disclosed in DE 90 01 001 is basically intended for strengthening the lip muscles with users having special demands for strong and elastic lips such as speakers, singers and players of brass and wood wind instruments.

The disclosures of US 3,744,485 and DE 90 01 001 however contain little advice to a skilled person who is searching for an ergonomic and efficient lip and face muscle trainer that effects sensorimotor stimulation of larger groups of muscles in patients with pathologically impaired muscle functions in face, mouth and throat.

SUMMARY OF THE INVENTION

The present invention therefore aims at providing a device which in use provides improved sensorimotor stimulation of lips, and potentially of the entire orofacial complex (lip, face and throat muscles).

The object is met in a device insertable behind the upper and lower lips of a user's mouth, the device comprising a rigid screen having a compound curvature and in a horizontal plane generally U-shaped profile, the screen in a vertical plane having a convexo-concave cross-sectional profile that is gradually flattening from a central mid region towards left and right ends thereof, the ends extended to reach at least past the premolar teeth on each side in upper and lower jaws of the user as applied. A handle is further arranged to extend forward from a central mid region in the convex front face of the screen, the handle comprising a rigid stem projecting from the front face at a neutral angle with respect to upper and lower halves of the screen, diverging from the stem in the vertical view.

The compound curvature of the screen not only ensures a comfortable application of the screen in the mouth of a user, but also permits maximizing the screen's dimensions in order to involve and stimulate more nerves and muscles in the mouth and cheeks.

Tests performed on patients indicate that training with an oral screen having the compound curvature and lateral extension as claimed, under supervision from trained personnel, can in fact stimulate the entire natural neuromuscular chain activity including muscles and cranial nerves in the orofacial complex, from the lips down to the stomach, in a natural way which is similar to that which initiates a swallowing act.

In particular, the prescribed extension of the screen past the premolar teeth on each side of the mouth ensures efficient stimulation of the buccinator muscle and buccinator mechanism which is of importance for the swallowing capacity (as used in this context, a person's swallowing capacity involves the coordinated activation of the *m. orbicularis oris*, *m. buccinator*, *m. constrictor pharyngeus superior*).

The sensorimotor stimulation can be even further improved when, as in a preferred embodiment, a friction enhancing texture is applied onto the front face of the oral screen.

The texture can be realized in the form of a regular or irregular pattern of ridges or grooves running in parallel or intersecting each other, or in the form of small cavities or projections or combinations thereof. In a preferred embodiment the texture is realized as a coarse surface structure that is imprinted on the front face of the screen during molding thereof, or resulting from abrasive blasting of the front face after molding.

The oral screen of the present invention is advantageously and preferably formed in one piece by molding in a plastic material, such as acrylic plastic, e.g. Metal or other plastic material can alternatively be used for producing the oral screen.

It is further preferred that the stem which projects from the front face is a flat geometry with its major dimension being horizontal. In particular, the horizontal width of the stem transverse to its longitudinal dimension is important not only to provide structural stability and strength to the device: the horizontal dimension of the stem also provides a lip contact area which is increased in comparison to prior art as the stem protrudes between the closed lips in use of the oral screen. The lip contact with

the stem is considered important during training since it helps the user to position the device correctly and aids in muscle control and activation of the entire buccinator mechanism.

The purpose of the stem is to transfer a tension load that can be manually applied via a grip which is attached in the free end of the stem pointing away from the front face of the screen. The grip can be formed as an eye suitable for insertion of a user's finger or thumb and yet sufficiently sized to offer grasping by the hand of the user.

In a region where the grip attaches to the stem the grip may be angled out of direction of the stem to provide access to a lug that is formed in said region and intended for attachment of a measurement instrument which is to be operated in the longitudinal direction of the stem. The prime purpose of attaching a measurement instrument will be to determine the status of the user and to follow-up training and change in status. The lug may additionally be used for applying a controlled tension load via the measurement instrument or via other controllable tension spring.

In order to provide contact for maximum sensorimotor stimulation of lips and cheek, the upper and lower halves of the screen are dimensioned to substantially cover the vertical distance between the transition regions that connect the upper and lower lips to the appertaining gum, respectively. To this purpose, an upper recess and an opposite lower recesses is formed in the upper and lower edges of the screen, the recesses having a V-shape adapted for accommodation of the upper and lower lugs of skin, or lip bands, which attach to the lip and gum.

As understood from the above, the invention teaches that in applied position the oral screen occupies substantially all vertical space between the lips and the gums when the lips are closed about the stem. This extensive coverage can be accomplished by carefully determining the curvature and the vertical cross-sectional profile of the oral screen, which is of a critical nature in order to avoid uncomfortable stress in the tissue that connects the lip to the gum. In a preferred embodiment the oral screen is designed with a cross-sectional profile in the vertical plane that encloses an intermediate vertical angle between the diverging upper and lower screen halves which amounts to the order of 120-140°. In a currently highly preferred embodiment the intermediate angle is about 130° on average, or ranging from approximately 120° at a vertical mid region where the screen halves meet to approximately 140° or less at the upper and lower edges, in a slightly S-curved sectional profile of the oral screen.

Notably, clinical test has shown that training with an oral screen designed as disclosed herein will have beneficial effects also in the treatment of patients with swallowing problems/dysphagia at the oral, pharyngeal, and esophageal level. This is considered to be attributed to the fact that stressing of the lip muscles with a tensioning load starts a chain of neuromuscular activity in the mouth, the pharynx and upper part of the gullet or esophagus, an activity which is the same as that which initiates an act of swallowing. In particular, the oral screen with enhanced sensorimotor stimulation effect as provided for in the present invention will in use stimulate and initiate a coordinated activation of facial muscles which are involved in lip closure and in creation of a negative pressure in the mouth cavity, muscles involved in closure of the nasopharyngeal area and in preparing the swallowing act, all of which are associated with the facial nerve and the buccinator mechanism.

Beside the positive effect on the swallowing ability, training with the oral screen may additionally have effect to reduce snoring or drooling, or to improve the ability of facial expressions, improve speech and to recreate symmetry in the face after trauma, e.g. These and other advantages are accomplished through the oral screen of the present invention, the characterizing features of which are presented in more detail below.

SHORT DESCRIPTION OF THE DRAWINGS

An embodiment of the invention will now be described in detail with reference made to the appended schematic drawings. In the drawings,

Fig. 1 is a perspective view of the oral screen of the present invention;

Fig. 2 is a front face view of the oral screen of Figure 1;

Fig. 3 is a view from above, and

Fig. 4 is a cross-sectional view and vertical projection in a vertical plane through the central mid-portion of the oral screen depicted in Figures 1 to 3.

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

With reference to the drawings, the lip and face muscles training device of the present invention comprises a screen 1 to which a pulling handle comprising a stem 2 and a grip 3 is attached in a central mid region of a front face 4 of the oral screen 1.

As illustrated in Figure 4, the stem 2 extends in a horizontal plane L that intersects the oral screen and divides the same into an upper half 5 and lower half 6.

Basically, the upper and lower halves 5 and 6 are mirrored images of each other, but need not be perfectly identical. However, a substantially symmetrical design will permit a user to shift the device 180° in use, which may be desired in order to facilitate gripping about the stem by a less flexible hand, e.g.

Notably, for reasons discussed above, the stem 2 has a flat geometry wherein the horizontal width w of the stem transverse to its longitudinal extension is several times greater than its vertical height h . As a non-limiting advice to the skilled person the width w of the stem may be in the order of 10-15 mm, whereas the thickness or height h may amount to approximately 3 mm.

The grip 3, in the illustrated embodiment shaped as an eye, attaches to a free end of the stem 2 via a curved region R that directs the eye out of the longitudinal extension L of the stem 2. In the drawings the grip 3 is formed to point down below the plane of the stem, but may in other embodiments alternatively be pointing upwards above the plane of the stem.

Axially inside of the grip 3, as viewed in the longitudinal direction towards the screen 1, a lug 7 is formed as an opening in the stem 2. The lug 7 may be located in or near the curved region R and is adapted for attachment of a tension measuring instrument, or a tension load applying device (none of which is shown in the drawings).

Returning to the screen 1, the same is provided a composite curvature including a generally U-shaped horizontal projection (see Figure 3) and a generally U-shaped or S-shaped vertical projection (see figure 4). More precisely, the left and right wings 8 and 9 of the screen extend curved in the longitudinal direction L sufficiently to reach beyond the premolar teeth on each side of the mouth of a user in applied position. To this purpose, the extension l of the screen in the longitudinal direction should at least

amount to 30 mm in an oral screen intended for adult persons. In a children's oral screen, the same measure can be in the order of 22-25 mm, e.g..

As best seen in Figure 4, the screen 1 has a curved cross-sectional profile and projection in the vertical plane, enclosing an intermediate angle a between the upper and lower halves of the screen. The intermediate angle a is the result of the upper and lower screen halves 5 and 6 diverging from a normal N to the horizontal plane L and to the stem 2, which attaches to the screen 1 at right angles to the normal N or, in other words, at a neutral angle with respect to the diverging upper and lower halves of the screen. In particular, the intermediate angle a may vary along the vertical extension of the screen. More precisely, on each side of the horizontal plane L , the curvature of the screen 1 in a vertical view may be composed of multiple intermediate angles a varying between an intermediate angle a_{min} at a vertical mid region and an intermediate angle a_{max} towards the upper and lower ends 10 and 11 of the vertical profile and projection of the screen. In the illustrated and preferred embodiment the varying intermediate angle forms a slightly S-shaped profile wherein a_{min} corresponds to a deviation d^+ from the normal N in the order of 25-35°, whereas a_{max} corresponds to a deviation d^- from the normal N in the order of 15-25°. Thus on average the upper and lower halves 5 and 6 of the screen 1 enclose an intermediate angle a (max and min) of approximately 130°, although varying from about 120° at the central mid region to about 140° towards the upper and lower ends of the vertical profile and projection depicted in Figure 4.

Notably however, the curvature applied to the screen as explained above reduces towards the rear ends 12 and 13 of the screen, which are generally flat if viewed in vertical sections near the ends 12 and 13.

The screen 1 and the stem 2 with the grip 3 are integrated into a one-piece element, such as a molded article produced in a suitable moldable material. All edges, in particular the edge running unbroken around the screen 1, are rounded and smooth and the average thickness of the entire device may be in the order of about 3 mm, approximately.

In the production of the lip and face muscles training device of the present invention, a texture is applied onto the front face 4 of the screen 1. The texture can be a regular or irregular pattern imprinted in the front face during molding, such as the ribbons, ridges or grooves 14 illustrated in Figure 1. The texture can alternatively be a random

pattern that is imprinted during molding or applied through abrasive blasting after molding, such as the coarse surface structure 15 illustrated in Figure 3.

It will be realized that the texture applied to the front face of the screen enhances sensorimotor stimulation of the lips as the screen is pressed against the inside of lips under the tension load applied via the stem during use of the device. To the same purpose of enhanced stimulation, but through a maximized activation area, the screen is additionally designed to cover a vertical distance v between the upper and lower ends 10 and 11 of the vertical profile (see Figure 4) amounting to about 30-35 mm in the adult version, and about 25 mm in the children's version of the device. In order to permit the screen to be sized as suggested, reliefs in form of generally V-shaped recesses 16 and 17 are formed in both upper and lower edges of the screen, respectively, to accommodate for the skin lugs or lip bands that connect the upper and lower lips to the adjacent gum.

From the above a skilled person will realize that modification of details are possible without departing from the scope and teachings of the invention as reflected in the claims and description.

CLAIMS

1. A device for training of face, lip and throat muscles, the device comprising

5 -a rigid screen (1) insertable behind upper and lower lips in a user's mouth, having a length between the screen ends (12, 13) sufficient to pass the premolar teeth of the user in each side of the mouth when the screen (1) is applied,

a pulling handle including a rigid stem (2) having a grip (3) attached to a front side (4) of the screen, operative for transfer of a tension load to the lips in use of the device,

10 characterized in that the screen (1) is of compound curvature comprising generally U-shaped projections in both horizontal and vertical views respectively, the screen (1) in the vertical view having a convexo-concave sectional profile by which the screen (1), on the concave rear side of the screen, encloses an intermediate angle (a) between upper (5) and lower (6) halves of the screen, the
15 convexo-concave sectional profile gradually flattening towards the ends (12, 13) of the screen (1).

2. The lip and face muscles training device of claim 1, wherein the intermediate angle (a) amounts to the order of 120-140° at a central region of the screen.

20

3. The lip and face muscles training device of claim 2, wherein the intermediate angle (a) ranges from approximately 120° at a vertically mid region where the screen halves (5, 6) meet, to approximately 140° at the upper and lower edges (10, 11) of the screen (1), in a slightly S-shaped sectional profile of the screen (1).

25

4. The lip and face muscles training device of any of claims 1-3, wherein a texture (14; 15) is applied onto the front face (4) of the screen.

5. The lip and face muscles training device of claim 4, wherein the texture is a
30 regular or irregular coarse surface structure (15) molded into the front face, or applied through abrasive blasting.

6. The lip and face muscles training device of any previous claim, wherein the stem (2) is a flat geometry with its major dimension (w) being horizontal.

5 7. The lip and face muscles training device of any previous claim, wherein a grip (3) is attached in a free end of the stem (2), the grip angled out of the longitudinal direction (L) of the stem.

10 8. The lip and face muscles training device of claim 8, wherein a lug (7) for attachment of an instrument is formed in a region where the grip (3) attaches to the stem (2).

15 9. The lip and face muscles training device of any previous claim, wherein an upper recess (16) and an opposite lower recess (17) is formed, respectively, in upper and lower edges of the screen (1).

.....





Fig. 3





Fig. 4



INTERNATIONAL SEARCH REPORT

International application No.
PCT/SE2014/050287

A. CLASSIFICATION OF SUBJECT MATTER

IPC: see extra sheet

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC: A61C, A61H, A63B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE, DK, FI, NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPO-Internal, PAJ, WPI data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 20030089371 A1 (ROBERTSON CHRISTOPHER JOHN ET AL), 15 May 2003 (2003-05-15); figures 2-5 --	1-9
A	JP 2007319304 A (COMBI WELLNESS CORP), 13 December 2007 (2007-12-13); abstract; figure 1 --	1-9
A	DE 202012103831 U1 (RICHTER KLAUS), 4 December 2012 (2012-12-04); abstract; figures 2-4; claim 1 --	1-9
A	DE 9001001 U1 (BAIER ERWIN), 5 April 1990 (1990-04-05); figures 1-3; claim 1 --	1-9

 Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

27-06-2014

Date of mailing of the international search report

30-06-2014

Name and mailing address of the ISA/SE

Patent- och registreringsverket
Box 5055
S-102 42 STOCKHOLM
Facsimile No. + 46 8 666 02 86

Authorized officer

Gordana Ninkovic

Telephone No. + 46 8 782 25 00

INTERNATIONAL SEARCH REPORT

International application No.
PCT/SE2014/050287

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 6263877 B1 (GALL ROBERT A), 24 July 2001 (2001-07-24); figures 1-4 --	1-9
A	JP 2007117688 A (KAMATA MASAHIRO), 17 May 2007 (2007-05-17); abstract; figures 1-5 --	1-9
A	US 5921240 A1 (GALL ROBERT A), 13 July 1999 (1999-07-13); figures 1,5,7 --	1-9
A	US 6076526 A1 (ABDELMESSIH SAMY), 20 June 2000 (2000-06-20); figures 3-5 --	1-9
A	US 5624257 A1 (FARRELL CHRISTOPHER J), 29 April 1997 (1997-04-29); figures 5-7 --	1-9
A	US 3805771 A1 (WRIGHT J), 23 April 1974 (1974-04-23); abstract; figures 1-3 --	1-9
A	US 20030111083 A1 (BANCROFT JAMES J), 19 June 2003 (2003-06-19); figure 1 --	1-9
A	WO 2012031702 A2 (VON TREUENFELS HUBERTUS), 15 March 2012 (2012-03-15); abstract; figure 1 -- -----	1-9

Continuation of: second sheet

International Patent Classification (IPC)

A63B 23/03 (2006.01)

A61H 1/00 (2006.01)

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/SE2014/050287

US	20030089371	A1	15/05/2003	US	20050056282	A1	17/03/2005
				US	6997186	B2	14/02/2006
				US	6820617	B2	23/11/2004
JP	2007319304	A	13/12/2007	NONE			
DE	202012103831	U1	04/12/2012	EP	2716275	A1	09/04/2014
				US	20140100498	A1	10/04/2014
DE	9001001	U1	05/04/1990	NONE			
US	6263877	B1	24/07/2001	NONE			
JP	20071117688	A	17/05/2007	NONE			
US	5921240	A1	13/07/1999	NONE			
US	6076526	A1	20/06/2000	NONE			
US	5624257	A1	29/04/1997	NONE			
US	3805771	A1	23/04/1974	NONE			
US	20030111083	A1	19/06/2003	CA	2368796	A1	14/06/2003
				US	7128072	B2	31/10/2006
				US	7422017	B2	09/09/2008
				US	20080289639	A1	27/11/2008
				US	20070131232	A1	14/06/2007
WO	2012031702	A2	15/03/2012	CN	103153244	A	12/06/2013
				DE	202010011965	U1	01/12/2011
				EP	2611398	A2	10/07/2013
				US	20130263864	A1	10/10/2013