

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
12 February 2004 (12.02.2004)

PCT

(10) International Publication Number
WO 2004/012876 A1

(51) International Patent Classification⁷: **B05D 5/08**,
B26B 19/38, C09D 183/08, B05D 1/02

MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC,
SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA,
UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(21) International Application Number:
PCT/IB2003/003286

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(22) International Filing Date: 21 July 2003 (21.07.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
02078129.0 30 July 2002 (30.07.2002) EP

Declaration under Rule 4.17:

— *as to applicant's entitlement to apply for and be granted
a patent (Rule 4.17(ii)) for the following designations AE,
AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA,
CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES,
FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH,
PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN,
TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO
patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG,
ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU,
TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE,
DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT,
RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)*

(71) Applicant (*for all designated States except US*): **KONIN-
KLIJKE PHILIPS ELECTRONICS N.V.** [NL/NL];
Groenewoudseweg 1, NL-5621 BA Eindhoven (NL).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **WIELSTRA, Ytsen**
[NL/NL]; c/o Prof. Holstlaan 6, NL-5656 AA Eindhoven
(NL). **WINKEL, Jolanda, H., S.** [NL/NL]; c/o Prof.
Holstlaan 6, NL-5656 AA Eindhoven (NL). **BRUGGINK,
Wilhelmus, H., M.** [NL/NL]; c/o Prof. Holstlaan 6,
NL-5656 AA Eindhoven (NL).

(74) Agent: **VAN WERMESKERKEN, Stephanie, C.;**
Philips Intellectual Property & Standards, Prof. Holstlaan
6, NL-5656 AA Eindhoven (NL).

Published:

— *with international search report*
— *before the expiration of the time limit for amending the
claims and to be republished in the event of receipt of
amendments*

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,

*For two-letter codes and other abbreviations, refer to the "Guidance
Notes on Codes and Abbreviations" appearing at the beginning
of each regular issue of the PCT Gazette.*

(54) Title: UTENSIL AND USE OF A SOL GEL COATING ON SUCH A UTENSIL

(57) Abstract: As the chemical resistance of sol gel based coatings is superior to that of regular decorative coatings based on organic material, sol gel coatings are generally very well suited to serve as coatings that are exposed to cosmetic formulations, such as lotions and shampoos. The invention relates to a utensil which is provided with a sol gel coating comprising an organosilane compound that has been fluorinated. The invention also relates to the use of such a sol gel coating on a utensil.

WO 2004/012876 A1

Utensil and use of a sol gel coating on such a utensil

The invention relates to a utensil which is provided with a sol gel coating comprising an organosilane compound. The invention also relates to the use of such a sol gel coating on a utensil.

As the chemical resistance of sol gel based coatings is superior to regular decorative coatings based on organic material, sol gel coatings are usually very well suited to serve as coatings that are exposed to cosmetic formulations, such as lotions and shampoos. For example, in WO 98/13434 such a sol gel coating is described, wherein said sol gel coating contains a network of a hydrolytically condensed organosilane compound.


The surface tension of such coatings varies between 30 and 50 mN/m. Application of liquids, like cosmetic formulations in personal care appliances, will generally lead to an easy spreading of the liquid on the coated surfaces if the surface tension of the liquid is lower than the surface tension of the surface. Such adhesive spreading leads to a comparatively difficult cleaning, especially if the personal care appliance is not cleaned immediately after use. Difficulties in cleaning said appliances are undesirable from a hygienic, aesthetic, and practical point of view. If the surface tension of the liquid is higher than the surface tension of the surface of an appliance, no spreading of the liquid will take place and an easy cleaning will be possible.

The surface tension of cosmetic formulations may vary strongly, depending on the ingredients used. In particular the presence of surfactants is a determining factor for the surface tension of the cosmetic formulation. When surfactants are used, surface tensions as low as 20-22 mN/m can be achieved. It is therefore obvious that such liquids will spread easily on materials, such as coatings and plastics normally used in personal care appliances.

It is an object of the invention to provide a utensil provided with an improved sol gel coating that prevents an easy spreading of a liquid.

This object is achieved by a utensil as mentioned in the opening paragraph characterized in that the organosilane compound is fluorinated, such that the bonded fluorine is non-hydrolyzable. The use of such a fluorinated organosilane compound according to the invention leads to a sol gel coating with a low surface tension (approximately between 20 and 21 Nm/m), which results in a relatively strong hydrophobic character. As a result the sol gel coating is relatively easy to clean by simple rinsing, for example under tap water. Utensils according to the invention may be, for example, containers for liquids such as shampoo, lotions, and perfumes, but also other appliances which are adapted for holding lotions and/or being cleaned with water, such as electric, wet-shaving appliances (for example the Philips Coolskin®).

The fluorinated organosilane compound preferably comprises at least one fluorinated alkyl group. The fluorinated alkyl group is thereby provided with one or more non-hydrolyzable fluorine atoms. The length and spatial arrangement of the alkyl group is not restricted to a single embodiment, but may vary considerably. Preferably, tridecafluoro, 1,1,2,2,tetrahydrooctyltriethoxysilane is used within a sol gel coating according to the invention. Tridecafluoro, 1,1,2,2,tetrahydrooctyltriethoxysilane can be visualized in the following chemical structure:



The ethoxy groups are hydrolyzable, resulting in alcohol and a reactive intermediate that can be easily condensed with other silanes forming Si-O-Si bonds. The resulting network has a high resistance to a great variety of compounds such as, for example, those in lotions for personal care, is highly hydrophobic, and easy to clean. Although all kinds of fluorinated substances in principle can achieve the object of the invention, preferably a fluorinated organosilane compound is applied containing at least one alkoxy group. In this way the fluorinated compound is built into the network, which prevents a leaching out of the fluorinated compound. Incorporation of fluorinated compounds into regular organic lacquers will also result in a highly hydrophobic character, but such coatings lack the chemical and mechanical resistance of sol gel based coatings.

The invention also relates to the use of a coating with a fluorinated organosilane compound on a utensil.

The invention is further illustrated in the following non-restrictive examples.

Example 1

0.6 g maleic acid was added to a mixture of 19.8 g 3-glycidyloxypropyltrimethoxysilane, 8.6 g tetraethoxysilane, 1.5 g tridecafluoro-1,1,2,2 tetrahydro-octyl triethoxysilane and 27 g ethanol. After dissolution of the acid, 44 g Ludox AS-40 (40% silica dispersion, DuPont) was added under stirring. After 45 minutes a mixture of 10.3 g Zr(OPr)₄ (70% in propanol) and 2.2 g ethylacetoacetate was added. The resulting lacquer was sprayed on a nylon substrate and cured at 160 °C for 20 minutes. The surface tension was found to be 20.6 mN/m.

Example 2

In a comparative example no fluorinated silane was used, resulting in a surface with a surface tension of 42 mN/m.

Rinsing of the coating with acetone (23.7 mN/m) or ethanol (22.3 mN/m), which resulted in poor wetting in both cases, readily demonstrated the low surface tension of the fluorinated sample. Perfect wetting took place with the non-fluorinated sample.

Coated samples were covered with shaving emulsion (for example as used in the Philips Cool Skin shaver) and dried in the air for one week. The semisolid residue could be easily removed by rinsing with tap water in the case of the fluorinated sample. In the comparative non-fluorinated sample, cleaning was difficult and required hot tap water for prolonged times.

CLAIMS:

1. Utensil, which is at least partly provided with a sol gel coating comprising an organosilane compound, characterized in that the organosilane compound is fluorinated, such that the bonded fluorine is non-hydrolyzable.
2. Utensil as claimed in claim 1, characterized in that the fluorinated organosilane compound comprises at least one fluorinated alkyl group.
3. Utensil as claimed in one of the foregoing claims, characterized in that the organosilane compound comprises at least one alkoxy group.
4. Utensil according to one or more of claims 1 to 3, characterized in that it comprises an electric shaver.
5. Use of a coating with a fluorinated organosilane compound on a utensil as claimed in one the claims 1 to 4.

INTERNATIONAL SEARCH REPORT

Internationa Application No

PCT/IB 03/03286

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 B05D5/08 B26B19/38 C09D183/08 B05D1/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 B05D B26B C09D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DE 299 23 595 U (SILIT WERKE) 1 March 2001 (2001-03-01)	1,5
Y	abstract	2-4
Y	WO 98 13434 A (PHILIPS ELECTRONICS NV ;PHILIPS NORDEN AB (SE)) 2 April 1998 (1998-04-02) cited in the application the whole document	2-4
X	PATENT ABSTRACTS OF JAPAN vol. 017, no. 475 (C-1103), 30 August 1993 (1993-08-30) & JP 05 116989 A (MURAKAMI KAIMEIDOU:KK;OTHERS: 01), 14 May 1993 (1993-05-14) abstract	1,5
	-/--	

 Further documents are listed in the continuation of box C. Patent family members are listed in annex.

° Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- * & * document member of the same patent family

Date of the actual completion of the international search

7 January 2004

Date of mailing of the international search report

14/01/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Castagné, C

INTERNATIONAL SEARCH REPORT

Internat Application No
PCT/IB 03/03286

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6 273 348 B1 (KAWASHIMA KENICHI ET AL) 14 August 2001 (2001-08-14) the whole document ---	1,5
X	US 2001/053412 A1 (PETRMICHL RUDOLPH HUGO ET AL) 20 December 2001 (2001-12-20) the whole document ---	1,5
A	GB 1 393 488 A (DU PONT) 7 May 1975 (1975-05-07) the whole document ---	1-5
A	WO 98 40323 A (NIPPON SHEET GLASS CO LTD) 17 September 1998 (1998-09-17) abstract -----	1-5

INTERNATIONAL SEARCH REPORT

Information on patent family members

Internat Application No

PCT/IB 03/03286

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
DE 29923595	U	01-03-2001	DE 29923595 U1	01-03-2001
WO 9813434	A	02-04-1998	EP 0863954 A1	16-09-1998
			WO 9813434 A1	02-04-1998
			JP 2000501775 T	15-02-2000
			US 6015623 A	18-01-2000
JP 05116989	A	14-05-1993	JP 2592018 B2	19-03-1997
US 6273348	B1	14-08-2001	JP 11311168 A	09-11-1999
			DE 19919413 A1	04-11-1999
			US 2001042801 A1	22-11-2001
			US 2001032896 A1	25-10-2001
US 2001053412	A1	20-12-2001	US 6280834 B1	28-08-2001
			US 6312808 B1	06-11-2001
			US 6335086 B1	01-01-2002
			US 6338901 B1	15-01-2002
			US 6261693 B1	17-07-2001
			US 2002081378 A1	27-06-2002
			US 6277480 B1	21-08-2001
			US 6475573 B1	05-11-2002
			US 6368664 B1	09-04-2002
			US 2001028956 A1	11-10-2001
			AU 7178801 A	30-01-2002
			WO 0206174 A1	24-01-2002
			US 2002192371 A1	19-12-2002
			US 2003021997 A1	30-01-2003
			US 6447891 B1	10-09-2002
			US 6461731 B1	08-10-2002
			US 2001044030 A1	22-11-2001
			AU 6519701 A	11-12-2001
			WO 0192178 A1	06-12-2001
			US 2002028289 A1	07-03-2002
			AU 1604301 A	30-05-2001
			BR 0015667 A	23-07-2002
			CA 2390256 A1	25-05-2001
			EP 1248747 A2	16-10-2002
			JP 2003514746 T	22-04-2003
			WO 0136342 A2	25-05-2001
			US 2002155294 A1	24-10-2002
			US 2003064198 A1	03-04-2003
			US 6273488 B1	14-08-2001
			US 6284377 B1	04-09-2001
			US 2001035662 A1	01-11-2001
			US 2001051273 A1	13-12-2001
			US 2002001718 A1	03-01-2002
			US 2002009593 A1	24-01-2002
			AT 236860 T	15-04-2003
			AU 4811300 A	17-11-2000
			BR 0008391 A	29-01-2002
			CA 2368471 A1	09-11-2000
			CZ 20013760 A3	15-05-2002
			DE 60002060 D1	15-05-2003
			DE 60002060 T2	06-11-2003
			EP 1177156 A1	06-02-2002
			EP 1338576 A1	27-08-2003
			HU 0200949 A2	29-07-2002

INTERNATIONAL SEARCH REPORT

Information on patent family members

Internat Application No

PCT/IB 03/03286

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2001053412 A1		JP 2002543035 T	17-12-2002
		WO 0066506 A1	09-11-2000
		US 2001014398 A1	16-08-2001
		US 2002012798 A1	31-01-2002
GB 1393488 A	07-05-1975	AT 323857 B	11-08-1975
		AU 6027473 A	13-03-1975
		BE 804860 A1	02-01-1974
		CA 980349 A1	23-12-1975
		DE 2346419 A1	21-03-1974
		DE 2366537 A1	07-10-1982
		FR 2200275 A1	19-04-1974
		IT 998616 B	20-02-1976
		JP 1266604 C	27-05-1985
		JP 49075561 A	20-07-1974
		JP 59044320 B	29-10-1984
		JP 1387310 C	14-07-1987
		JP 58010591 A	21-01-1983
		JP 61054800 B	25-11-1986
		JP 1221786 C	26-07-1984
		JP 58008766 A	18-01-1983
		JP 58056588 B	15-12-1983
		NL 7312711 A ,B,	19-03-1974
		US 4051161 A	27-09-1977
		ZA 7307311 A	25-09-1974
WO 9840323 A	17-09-1998	AU 736054 B2	26-07-2001
		AU 6309498 A	29-09-1998
		BR 9808315 A	16-05-2000
		DE 69802072 D1	22-11-2001
		DE 69802072 T2	14-03-2002
		EP 0966410 A1	29-12-1999
		ES 2166148 T3	01-04-2002
		WO 9840323 A1	17-09-1998
		JP 2001503100 T	06-03-2001
		US 6482524 B1	19-11-2002
		US 2003021902 A1	30-01-2003