



US00D587768S

(12) **United States Design Patent**
Clark et al.

(10) **Patent No.:** **US D587,768 S**

(45) **Date of Patent:** **** Mar. 3, 2009**

(54) **DISK KICK TOY**

(76) Inventors: **Henry R. Clark**, 2402 Foxwood Rd.
South, Orange Park, FL (US) 32973;
Jeffrey Shane Matthews, 375 E. Hall
Rd., Merritt Island, FL (US) 32953

(**) Term: **14 Years**

(21) Appl. No.: **29/294,312**

(22) Filed: **Jan. 4, 2008**

(51) **LOC (9) Cl.** **21-02**

(52) **U.S. Cl.** **D21/707**; D21/398; D21/710

(58) **Field of Classification Search** D21/385–387,
D21/398, 401, 402, 436, 441–444, 455, 457,
D21/458, 563, 707, 710, 800; D30/160;
D1/106, 113, 120, 126, 130; D6/303, 309;
D20/36; D11/40, 43–48, 70, 76, 78, 79,
D11/81, 85, 96, 114, 116, 121, 124, 125,
D11/132, 133; 446/34, 36–48, 217, 236–266,
446/431, 450–453, 486, 491; 473/569, 570,
473/574, 575, 576, 588–590, 595, 596, 612,
473/613

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

662,034	A *	11/1900	Smith	446/450
1,994,615	A *	3/1935	Le Fevre	428/7
2,036,524	A *	4/1936	Girard et al.	446/450
2,791,064	A *	5/1957	McDonald	446/450
2,935,815	A *	5/1960	Wilhelm	446/247
3,742,643	A *	7/1973	Keith	446/46
D229,586	S *	12/1973	Frost	D99/34
3,940,878	A *	3/1976	Panico	446/247
4,337,950	A *	7/1982	Gidge	473/590
D275,580	S *	9/1984	Bowen	D21/387
D280,220	S *	8/1985	Blight	D21/437
4,591,164	A *	5/1986	Blight	473/589
D284,295	S *	6/1986	McGuire	D21/457

5,041,042	A *	8/1991	Stein	446/15
D325,804	S *	5/1992	Meysers et al.	D1/109
6,386,939	B1 *	5/2002	Wu et al.	446/218
2003/0232565	A1 *	12/2003	Silverglate	446/34
2005/0009435	A1 *	1/2005	Chan et al.	446/46
2005/0095950	A1 *	5/2005	Mendel	446/236

FOREIGN PATENT DOCUMENTS

FR 2604683 A1 * 4/1988

* cited by examiner

Primary Examiner—Catherine Tuttle

(74) *Attorney, Agent, or Firm*—Harry I. Leon; Vivian L. Steadman

(57) **CLAIM**

The ornamental design for the disk kick toy, as shown and described.

DESCRIPTION

FIG. 1 is a top right perspective view of the disk kick toy according to the present invention;

FIG. 2 is a top plan view of the disk kick toy according to FIG. 1;

FIG. 3 is a side elevational view of the disk kick toy according to FIG. 1;


FIG. 4 is a cross-sectional view taken on line 4—4 of FIG. 2;

FIG. 5 is a top plan view showing the flexed configuration of the design as it appears when kicked in the direction of the arrow; and,

FIG. 6 is a top plan view showing the flexed configuration of the design as it appears on impact with a solid wall when moving in the direction indicated by the arrows.

The broken lines showing a foot in FIG. 5 and a wall in FIG. 6 are included for the purpose of illustrating the environment of the disk kick toy; and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6