

(12) United States Design Patent (10) Patent No.:

Oba et al.

US D777,085 S

(45) Date of Patent:

Jan. 24, 2017

(54) MOTORCYCLE TIRE

(71) Applicant: BRIDGESTONE CORPORATION,

Tokyo (JP)

Inventors: Hirofumi Oba, Tokyo (JP); Masafumi

Ito, Tokyo (JP)

Assignee: BRIDGESTONE CORPORATION,

Tokyo (JP)

Term: 15 Years

Appl. No.: 29/534,022

(22)Filed: Jul. 24, 2015

(30)Foreign Application Priority Data

| Jar | n. 27, 2015 (J | P) 201: | 5-001402 |
|------|----------------|---------|----------|
| (51) | LOC (10) Cl. | | 12-15 |
| (52) | HC CL | | |

USPC **D12/536**; D12/605

Field of Classification Search

USPC D12/506, 530, 533-567, 570 CPC B60C 1/0016; B60C 11/0306; B60C 11/0302; B60C 11/11; B60C 11/03 See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

| D294.931 | S | * | 3/1988 | Ikeda D12/535 |
|----------|---|---|---------|-------------------|
| D454,831 | | | | Yuze D12/535 |
| D455,708 | | | | Yuze D12/535 |
| D525,189 | | * | | Itoi D12/535 |
| D565,500 | | * | 4/2008 | Whitney D12/535 |
| D579,856 | S | * | 11/2008 | Watkins D12/535 |
| D599,729 | S | * | 9/2009 | Kumamoto D12/535 |
| D601,943 | S | * | 10/2009 | Shibamoto D12/535 |
| D620,878 | S | * | 8/2010 | Larregain D12/535 |
| D638,349 | S | * | 5/2011 | Misani D12/535 |

| D640,964 | \mathbf{S} | * | 7/2011 | Takenaka | D12/535 |
|-----------|--------------|---|--------|----------|--------------|
| D644,166 | \mathbf{S} | * | 8/2011 | Yoshiya | D12/535 |
| 8,997,807 | B_2 | * | 4/2015 | Misani | B60C 11/0302 |
| | | | | | 152/209.11 |

OTHER PUBLICATIONS

Communication dated Jul. 14, 2015, issued by the Japanese Patent Office in counterpart Application No. 2015001402. Ref NPL Design Gazette 14795547 dated Apr. 21, 2014.

* cited by examiner

Primary Examiner - Robert M Spear Assistant Examiner — John Voytek

(74) Attorney, Agent, or Firm — Sughrue Mion, PLLC

(57)**CLAIM**

The ornamental design for a motorcycle tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a motorcycle tire according to my design;

FIG. 2 is a front view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a fragmentary enlarged front view showing the details of the tread portion thereof;

FIG. 6 is a section view taken along line 6-6 in FIG. 5;

FIG. 7 is a section view taken along line 7-7 in FIG. 5; and,

FIG. 8 is a fragmentary enlarged perspective view showing the details of the tread portion thereof.

The broken lines are for the purpose of showing environmental structure only and form no part of the claimed design.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

