

(51) International Patent Classification:
H04L 12/14 (2006.01)(21) International Application Number:
PCT/EP2010/054539(22) International Filing Date:
6 April 2010 (06.04.2010)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09305834.5 11 September 2009 (11.09.2009) EP(71) Applicant (for all designated States except US): **ALCATEL LUCENT** [FR/FR]; 3, avenue Octave Gréard, F-75007 Paris (FR).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BROUARD, Kim** [FR/FR]; CO/Alcatel-Lucent France, Centre de Villarcieux, Route de Villejust, F-91620 Nozay (FR). **LEVY, Thomas** [FR/FR]; CO/Alcatel-Lucent France, Centre de Villarcieux, Route de Villejust, F-91620 Nozay (FR). **CAI, Yigang** [US/US]; 23643 Royal Worlington Drive, Naperville, IL 60564 (US).(74) Agent: **SCIAUX, Edmond**; Alcatel-Lucent International, 32, avenue de Kléber, F-92700 Colombes (FR).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

(54) Title: A METHOD FOR DELIVERING DYNAMIC POLICY RULES TO AN END USER, ACCORDING ON HIS/ HER ACCOUNT BALANCE AND SERVICE SUBSCRIPTION LEVEL, IN A TELECOMMUNICATION NETWORK




FIG. 2

(57) Abstract: The method comprises the steps of: - the Policy and Charging Rules Function (PCRF) receiving (Step 1) user's subscription information, in order to determine an initial policy; - the Policy and Charging Enforcement Function (PCEF) applying (Step 2) the initial rules; - the Policy and Charging Enforcement Function (PCEF) triggering (Step 3) the Extended Online Charging System (EOCS) for the user's service/ network resource usage; - the Extended Online Charging System (EOCS) rating and charging (step 4) the user, in real time; - the Extended Online Charging System (EOCS) triggering (Step 5) a change of policy in the Policy and Charging Rules Function (PCRF); - the Policy and Charging Rules Function (PCRF) determining (Step 6) new rules for the new policy; - the Policy and Charging Enforcement Function (PCEF) receiving (Step 7) the new rules and applying them.

A method for delivering dynamic policy rules to an end user, according on his/her account balance and service subscription level, in a telecommunication network

5 BACKGROUND OF THE INVENTION

Field of the invention

The present invention generally relates to a method for delivering dynamic policy rules to an end user, according on his/her account balance and service subscription level, in a telecommunication network, and system for
10 implementing this method. It peculiarly concerns the 3GPP mobile networks. For instance, in a 3G/3G+/LTE mobile telecommunication network, the policy rules may concern the dynamic bandwidth management as a function of the prepaid user's account information (subscription, counters ...). For instance, a user's account information may
15 comprise:

1) His/her subscription:

- A flat fee bundle for unlimited volume usage for restricted Day/Time intervals (e.g. 10 Euros monthly for this unlimited off-peak bundle). This
20 flat fee is linked with a given restricted quality of service (QoS) /bandwidth.
- An end-of-bundle/out-of-bundle usage with run-on prepaid tariff (e.g. 1 euro/Mb). This tariff is linked with another better QoS/bandwidth.

25 2) His/her loyalty points/usage counters:

- If his/her monthly usage is lower than 500 Mb, for instance, then packet session is linked with a given restricted QoS/bandwidth.
- If his/her monthly usage is greater than 500 Mb, then packet session is linked with a better QoS/bandwidth.

In a 3G/3G+/LTE mobile telecommunication network, these prepaid account's subscription or data are managed on the Online Charging System (OCS). Indeed, as per 3GPP standard TS 32.296, the OCS handles the
5 Account Balance Management Function (ABMF), by hosting, in a centralized way, these account dynamic data that may change due to multiple simultaneous charging events (calls, short messages,...).

Description of the prior art

- 10 The document **3GPP TS 32.296** describes the charging functionality and charging management in 3GPP networks. It covers all internal aspects of the Online Charging System (OCS). The document contains the architecture and functions of the OCS logical components and thereby derives the functionality of the OCS interfaces.
- 15 **Figure 1** is a block diagram showing the functional architecture of an embodiment of the policy and charging control function, according to the document 3GPP TS 23.203. It comprises:
- an Online Charging System, OCS, comprising a Service Data Flow based Credit Control, SDFBCC;
 - 20 - an Offline Charging System, OFCS;
 - an application AF;
 - a Bearer Binding and Event Reporting Function BBERF;
 - a subscription Profile Repository, SPR;
 - a Policy and Charging Rules Function PCRF;
 - 25 - a gateway GW comprising a Policy and Charging Enforcement Function, PCEF.

A Gxx reference point resides between the Policy and Charging Rules Function PCRF and the Bearer Binding and Event Reporting Function BBERF. The Gxx reference point is used for:

- Provisioning, update and removal of QoS rules from the PCRF to the BBERF.

- Transmission of traffic plane events from the BBERF to the PCRF.

- Transmission of events reported by the PCEF to the BBERF via the PCRF.

The Gxx reference point enables a PCRF to have dynamic control over the BBERF behaviour. The Gxx reference point enables the signalling of QoS

control decisions and it supports the following functions:

- Establishment of Gxx session by BBERF.

- Termination of Gxx session by BBERF or PCRF.

- Establishment of Gateway Control Session by the BBERF.

- Termination of Gateway Control Session by the BBERF or PCRF.

- Request for QoS decision from BBERF to PCRF.

- Provision of QoS decision from PCRF to BBERF;

- Delivery of Internet Protocol Connectivity Access Network (IP-CAN) specific parameters from PCRF to BBERF or from BBERF to PCRF.

- Negotiation of IP-CAN bearer establishment mode (UE-only and UE/NW).

A QoS control decision consists of zero or more QoS rule(s) and IP-CAN attributes. A Gxx session serves as a channel for communication between the BBERF and the PCRF.

A Gx reference point resides between the PCRF and the PCEF. The Gx reference point enables a PCRF to have dynamic control over the Policy

Charging Control (PCC) behaviour at a PCEF. The Gx reference point enables the signalling of PCC decision, which governs the PCC behaviour, and it supports the following functions:

- Request for PCC decision from PCEF to PCRF.
- 5 - Provision of PCC decision from PCRF to PCEF.
- Delivery of Internet Protocol Connectivity Access Network (IP-CAN) specific parameters from PCRF to PCEF, or from PCEF to PCRF; this applies only when Gxx is deployed.
- Negotiation of IP-CAN bearer establishment mode.
- 10 - Termination of Gx session (corresponding to an IP-CAN session) by PCEF or PCRF.

A PCC decision consists of zero or more PCC rule(s) and IP-CAN attributes.

15 A Gy reference point resides between the Charging Enforcement Function PCEF and the Service Data Flow based Credit Control SDFBCC. The Gy reference point allows online credit control for service data flow based charging. The functionalities required across the Gy reference point are defined in 3GPP TS 32.251 [9] and is based on RFC 4006 [4].

20 A Gz reference point resides between the Charging Enforcement Function PCEF and the Offline Charging System POFCs. The Gz reference point enables transport of service data flow based offline charging information. The Gz interface is specified in TS 32.240 [3].

25 A Sp reference point resides between the Policy and Charging Rules Function PCRF and the Subscription Profile Repository SPR. The Sp reference point allows the PCRF to request subscription information

related to the IP-CAN transport level policies from the SPR based on a subscriber ID, a PDN (Packet Data Network) identifier and possible further IP-CAN session attributes. The Sp reference point allows the SPR to notify the PCRF when the subscription information has been changed if the PCRF
5 has requested such notifications. The SPR shall stop sending the updated subscription information when a cancellation notification request has been received from the PCRF.

An Rx reference point resides between the Policy and Charging Rules
10 Function PCRF and the Application Function AF. This reference point enables transport of application level session information from AF to PCRF. Such information includes, but is not limited to:

- IP filter information to identify the service data flow, for policy control and/or differentiated charging.
- 15 - Media/application bandwidth requirements for QoS control.

The Rx reference point enables the AF subscription to send notifications on signalling path status of AF session in the IP-CAN.

The application of a policy at the starting of a session is supported thanks
20 to a request Sp to the Subscription Profile Repository SPR.

The notification of a policy change during a session is supported, at the request of the application function AF, by a request Rx (P-CSEF request, video or multimedia application requests, etc...). But the notification of a policy change is not supported when user's account counters change. Thus,
25 there is a need to provide a technical solution for notification of a policy change when user's account counters change.

This can be solved by applying, the method and the system according to

the invention.

SUMMARY OF THE INVENTION

The object of the invention is a method for delivering dynamic policy rules
5 to an end user, according on his/her account balance and service
subscription level, in a telecom-munication network comprising:

- a Policy and Charging Rules Function,
- a Policy and Charging Enforcement Function,
- an Extended Online Charging System;

10 characterized in that it comprises the steps of:

- the Policy and Charging Rules Function receiving user's subscription information, in order to determine an initial policy;
- the Policy and Charging Enforcement Function applying the initial rules;
- the Policy and Charging Enforcement Function triggering the Extended Online Charging System for the user's service/network resource usage;
- the Extended Online Charging System rating and charging the user, in real
15 time;
- the Extended Online Charging System triggering a change of policy in the Policy and Charging Rules Function;
- the Policy and Charging Rules Function determining new rules for the new policy;
- 20 - the Policy and Charging Enforcement Function receiving the new rules and applying them.

Thanks to this method, there is an interface between the Online Charging System and the Policy and Charging Rules Function, in order to perform
25 Online Charging System server-initiated notification towards the Policy and Charging Rules Function of any change in policy in the network resource management, due to account's data changes controlled by the Online

Charging System.

Another object of the invention is a system for implementing the method according to the invention.

5

Other features and advantages of the present invention will become more apparent from the following detailed description of embodiments of the present invention, when taken in conjunction with the accompanying drawings.

10

BRIEF DESCRIPTION OF THE DRAWINGS

In order to illustrate in detail features and advantages of embodiments of the present invention, the following description will be with reference to the accompanying drawings. If possible, like or similar reference numerals designate the same or similar components throughout the figures thereof and description, in which:

15

- Figure 1, described above, is a block diagram showing the functional architecture of an embodiment of the policy and charging control function, according to the document 3GPP TS 23.203.

20

- Figure 2 is a block diagram showing the functional architecture of an embodiment of the policy and charging control function, according to the invention.

- Figure 3 shows a signaling flow in the embodiment represented on figure 2.

25

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Figure 2 is a block diagram showing the functional architecture of an embodiment of the policy and charging control function, according to the

invention. It comprises, as the known embodiment described above:

- an Extended Online Charging System, EOCS, comprising:
 - a Service Data Flow Based Credit Control, SDFBC, similar to the classical one,
 - 5 -- a Subscription Profile Repository, SPR, which is extended based on ABMF. Subscriber charge/payment plan, tariff index will be mapped in the subscriber profile to be downloaded to PCRF
 - and an application function AF, such as a notification application function for barring/unbarring the service access, usage, change of
 - 10 policies;
- an Offline Charging System, OFCS;
- a Bearer Binding and Event Reporting Function BBERF similar to the classical one;
- a Policy and Charging Rules Function PCRF similar to the classical one;
- 15 - a gateway GW comprising a Policy and Charging Enforcement Function PCEF similar to the classical one.

The reference point Gy is used as usual for rating and charging. However there are two supplementary interfaces:

- 20 - A first interface (optional) I1 that is similar to the classical reference point Sp, in order to get user's subscription (QoS information) from the Subscription Profile Repository SPR to the Policy and Charging Rules Function PCRF, upon user's subscription; and to transmit data from the Extended Online Charging System OCS SPR function to the Policy and
- 25 Charging Rules Function PCRF, at the start of a packet session establishment for initial policy/QoS application. I1 transfers user subscription and charging plan index from SRF of the EOCS to PCRF

- A second interface I2 that is Rx interface like, to be enhanced with policy information such as QoS level, in order to transmit any change of charging/payment plan due to service change and subscriber counter change beyond a threshold preset at EOCS, upon user's subscription data change, from the Online Charging System OCS to the Policy and Charging Rules Function PCRF for PCC rule change, during a packet session. Then this notification is forwarded from the Policy and Charging Rules Function PCRF to the Policy and Charging Enforcement Function PCEF via Gx reference point, for enforcement.

10

In this embodiment, the method comprises the following steps:

Step 1: The Policy and Charging Rules Function PCRF requests user's subscription and charging/payment information, from the Subscription Profile Repository, SPR, in the Extended Online Charging System EOCS, via the interface I1, in order to determine an initial policy. This step 1 is optional as the Policy and Charging Rules Function PCRF can request this subscription data from an external Subscription Profile Repository, such as an existing Subscription Profile Repository in an existing Home Subscriber Server (HSS) in the operator's network. For example, in some 3G/3G+ networks, the HSS is not mandatory/present, thus the Extended Online Charging System EOCS shall provide the SPR function.

15

Step 2: The Policy and Charging Enforcement Function PCEF applies the initial rules corresponding to the initial policy supplied by the PCRF.

Step 3: The Policy and Charging Enforcement Function PCEF triggers the Service Data Flow Based Credit Control, SDFBC, in the Extended Online Charging System EOCS, for the user's service/network resource usage charging.

25

Step 4: The Service Data Flow Based Credit Control, SDFBC, rates and charges the user, in real time. SDFBC successfully answers to the PCEF by

allocating a service units quota (shall it be volume units, time units or specific service units for the given service, please refer to the TS 32.299 for the Credit Control Charging application) to enable the service authorization in the network. When receiving the quota allocation, the

5 Policy and Charging Enforcement Function PCEF shall monitor the quota usage and any service change or addition in the network (could be based on threshold rules set from PCRF). The Policy and Charging Enforcement Function PCEF shall update the Extended Online Charging System EOCS for any counters and rating conditions change.

10

At a given time, during the current session, user's counters or rating conditions are changed.

Step 5: In the Extended Online Charging System EOCS, the Application Function AF triggers a change of policy in the Policy and Charging Rules Function PCRF, via the interface I2.

15

Step 6: The Policy and Charging Rules Function PCRF determines new rules corresponding to the new policy.

Step 7: The Policy and Charging Enforcement Function PCEF receives the new rules and applies them, and updates IP-CAN session. It optionally

20 updates charging conditions.

20

The Policy and Charging Enforcement Function service logic is enhanced to manage this new policy change due to the Extended Online Charging System policy notification via the Policy and Charging Rules Function PCRF, and along with the Internet Protocol Connectivity Access Network session

25 update.

25

Figure 3 shows the signaling flow in the embodiment represented on figure 2. It comprises the following steps:

Step 30: The Policy and Charging Rules Function PCRF requests the user's profile along with user's payment plans, from either the Extended Online Charging System EOCS, or an external Subscription Profile Repository, or both, in order to get user's subscription and payment information. This subscription information shall enable the Policy and Charging Rules Function PCRF to determine the initial rules for both policy control and charging.

Step 31: The Policy and Charging Rules Function PCRF then initiates the Internet Protocol Connectivity Access Network (IP-CAN) session establishment with the initial rules via the Policy and Charging Enforcement Function PCEF/ Bearer Binding and Event Reporting Function BBERF as per the TS 32.203. Initial rules QoS1 are then applied to initialize the IP-CAN session.

Step 32: The Policy and Charging Enforcement Function PCEF sends a Credit Control Request, CCR initial, to the Extended Online Charging System EOCS in order to trigger the Online Charging System OCS for the user's service/network resource usage, with all the service request related information (serviceld, Rating group, QoS1...).

Step 33: The Extended Online Charging System EOCS performs online charging operation to authorize the service usage:

- check the account credit,
- rate (e. g. 10 Mo = 5€) & reserve (cost),
- allocate a quota (e. g. 10 Mo),
- calculate the cumulated spending (e. g. 45 €),

and sends a Credit Control Answer, CCA (serviceld, Rating group, Granted = 10 Mo...), to the Policy and Charging Enforcement Function PCEF in order to enable the service usage and monitoring.

The Policy and Charging Enforcement Function PCEF shall monitor the allocated quota usage and any service change or addition in the network. It shall update and report to the Extended Online Charging System EOCS for any used counters and rating conditions change. It will also update and
5 report to the Extended Online Charging System EOCS per thresholds charging rules from the Policy and Charging Rules Function PCRF, as some of them are defined by the Subscription Profile Repository SPR of the Extended Online Charging System EOCS and relayed to the Policy and Charging Rules Function PCRF in Step 30.

10

Step 34: The Policy and Charging Enforcement Function PCEF sends a Credit Control Update CCR update (serviceld, Rating group, Consumed =10 Mo...) to the Service Data Flow Based Credit Control SDFBC in the Extended Online Charging System EOCS, in order to make it:

15

- calculate the consumed debit (e. g. 5€),
- calculate the cumulated spending (e. g. 50 €),
- upgrade to QoS2,
- apply a rating (e. g. 10Mo = 5 €) and a reservation,
- and make a new quota allocation (e. g. 10 Mo).

20

The Extended Online Charging System EOCS manages also any change in the rating and user's counters rules to apply and notify any new tariff/policy in the network resources accordingly.

25

Step 35: The Extended Online Charging System EOCS sends a Credit Control Answer CCA (serviceld, Rating group, Granted=10 Mo...), to the Policy and Charging Enforcement Function PCEF to enable the service usage. The Charging Enforcement Function PCEF shall update and report to the Extended Online Charging System EOCS for any used counters and rating conditions change.

Step 36: When processing the step 34 operation, the Extended Online Charging System EOCS detects a change in QoS (e.g. QoS2) to provide to the user's packet service session.

- 5 The application Function AF, in the Extended Online Charging System EOCS, sends a RX AAR (Authentication Authorization Request) to the Policy and Charging Rules Function PCRF in order to enable a session update. Rxx AAR should include subscriber identifier, IP-CAN session identifier, GW identifier, and charging rule change index which will point to subscriber
- 10 charging data (counter and plan) changes triggered by CCR[update] received from the Policy and Charging Enforcement Function PCEF (at Step 34).

The Policy and Charging Rules Function PCRF uses the charging rule change index received from Rx AAR and determines new policy and charging rules

15 for IP-CAN session. The Policy and Charging Rules Function PCRF responses Rx AAA (Authentication Authorization Answer) to the Online Charging System EOCS. The Policy and Charging Rules Function PCRF sends new request via Gx reference point to PCEF/BBERF in order to update the Internet Protocol Connectivity Access Network IP-CAN session.

20

Step 37:

The enhanced Policy and Charging Enforcement Function PCEF service logic manage new request of the Policy Charging Control PCC change from the Policy and Charging Rules Function PCRF due to the Online Charging System

25 EOCS notification via the Policy and Charging Rules Function PCRF, and executes the IP-CAN session update.

Step 38: The Policy and Charging Enforcement Function PCEF sends a CCR update (serviceld, Rating group, Consumed=1Mo, QoS2...) to the Extended

Online Charging System EOCS to update the rating condition change related to the QoS change.

Step 39: The Extended Online Charging System EOCS shall manage the new
5 rating rules to apply a new tariff accordingly.

Step 40: When the user ends the packet session, the Policy and Charging Enforcement Function PCEF sends a Credit Control Request, CCR terminate (serviceld, Rating group, Consumed = 6 Mo...), to the Extended Online
10 Charging System EOCS, in order to terminate the charging process:

- Debit the last consumed units.
- Update the counters (the cumulated spending = XXX).
- Generate the CDR.

15 **Step 41:** The Extended Online Charging System EOCS sends a Credit Control Answer, CCA (serviced, Rating group...), to the Extended Online Charging System EOCS to acknowledge the end of the user's session.

The steps 38-39 are the generic Diameter Credit Control Application (as per
20 the TS 32.299 and TS 32.251). Anyhow they can be optional as there may be or not intermediate CCR/CCA requests exchanges between the Policy and Charging Enforcement Function PCEF and the Extended Online Charging System EOCS along till the end of the user's session.

THERE IS CLAIMED:

1) A method for delivering dynamic policy rules to an end user, according on his/her account balance and service subscription level, in a telecommunication network comprising:

- a Policy and Charging Rules Function (PCRF),
- a Policy and Charging Enforcement Function (PCEF),
- an Extended Online Charging System (EOCS);

said method comprising the steps of:

- the Policy and Charging Rules Function (PCRF) receiving (Step 1) user's subscription information, in order to determine an initial policy;
- 10 - the Policy and Charging Enforcement Function (PCEF) applying (Step 2) the initial rules;
- the Policy and Charging Enforcement Function (PCEF) triggering (Step 3) the Extended Online Charging System (EOCS) for the user's service/network resource usage;
- 15 - the Extended Online Charging System (EOCS) rating and charging (step 4) the user, in real time;
- the Extended Online Charging System (EOCS) triggering (Step 5) a change of policy in the Policy and Charging Rules Function (PCRF);
- the Policy and Charging Rules Function (PCRF) determining (Step 6) new rules for the new policy;
- 20 - the Policy and Charging Enforcement Function (PCEF) receiving (Step 7) the new rules and applying them.

2) A method according to claim 1, characterized in that the Policy and Charging Enforcement Function (PCEF) service logic is enhanced to manage this new policy change due to the Extended Online Charging System (EOCS) policy notification via the Policy and Charging Rules Function (PCRF), and

along with the Internet Protocol Connectivity Access Network session update (step 7).

3) A system comprising:

- a Policy and Charging Rules Function (PCRF) for receiving (Step 1) user's subscription information, in order to determine an initial policy, and for determining (Step 6) new rules for a new policy;
- 5 - a Policy and Charging Enforcement Function (PCEF) for applying (Step 2) initial rules, for triggering (Step 3) the Extended Online Charging System (EOCS) for the user's service/network resource usage, and for receiving (Step 7) the new rules and applying them;
- an Extended Online Charging System (EOCS) for rating and charging
10 (step 4) the user, in real time, and for triggering (Step 5) a change of policy in the Policy and Charging Rules Function (PCRF).

4) A system according to claim 3, wherein the Policy and Charging Enforcement Function (PCEF) service logic is enhanced to manage this new
15 policy change due to the Extended Online Charging System (EOCS) policy notification via the Policy and Charging Rules Function (PCRF), and along with the Internet Protocol Connectivity Access Network session update (step 7).




FIG. 1





FIG-2

FIG. 3



INTERNATIONAL SEARCH REPORT

International application No

PCT/EP2010/054539

A. CLASSIFICATION OF SUBJECT MATTER

INV. H04L12/14

ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	"Digital cellular telecommunications system (Phase 2+); Universal Mobile Telecommunications System (UMTS); LTE; Policy and charging control architecture (3GPP TS 23.203 version 8.6.0 Release 8)" TECHNICAL SPECIFICATION, EUROPEAN TELECOMMUNICATIONS STANDARDS INSTITUTE (ETSI), 650, ROUTE DES LUCIOLES ; F-06921 SOPHIA-ANTIPOLIS ; FRANCE, no. V8.6.0, 1 June 2009 (2009-06-01), XP014044524 cited in the application page 44, line 23 - page 45, line 7 page 56, line 6 - page 56, line 43 -----	1-4
A	US 2007/270123 A1 (CAI YIGANG [US] ET AL) 22 November 2007 (2007-11-22) figure 2 paragraph [0029] -----	1-4



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

29 June 2010

Date of mailing of the international search report

06/07/2010

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Suciu, Radu

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/EP2010/054539

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2007270123	A1	22-11-2007	NONE