10-0403710

	(19) (12)	(KR) (B1)	
(51) 。Int. Cl. ⁶ H02K 11/00		(45) (11) (24)	2004 02 14 10-0403710 2003 10 17
(21) (22)	10-1996-0019616 1996 06 03	(65) (43)	10-1997-0004235 1997 01 29
(30)	95 - 171543 95 - 171544	1995 06 14 (JP) 1995 06 14 (JP)	
(73)	가 가	2479	
	가 가	2 5 5	
(72)		3296-1	
		1738-4	
(74)			
:			
(54)			

2

```
5
  6
  7
  8
         7
                             A - A
  9
  10
         7
  11
1:
              2:
3:
       4:
5:
       6:
9: 10:
10:
12a, 12B: 13:
15, 26: 16:
24: 25:
27: 50:
51: 가 53:
54:
        55:
56, 57 :
                58:
59, 60:
                                                                           )
5-2553
                                                                                       (HO2K 3/4
                                  가
                                                                                               가
                                                                                           가
                                               3.9mm,
                                                        15.5mm,
                                                                   7.3mm,
                                                                               0.9mm
                                     가
                                                               가
                  가
                                                                               18.6kg/
         +200
                                                  +60
                                           +160 , 70kg/
        가
            가
                                                           가
                                                                               가
                                              가
```

3

4

2

2

- 2 -


```
가
                                                        가
            가
                       가
                            18.6kg/
                                                        가 +260
                                                       가
                       가
                     (突極卷),
              (分相卷),
                                     (shading)
                                                        가 가
                      18.6kg/
                                                  가 +260
          1000kg/
                                    가 120mm
                      , +150
+310
                                                        70kgf/
                                               (M)(
(B) (C) ,
                                     (A)
              (M)
                         (1) (1b, 2b)
                                                 (1c, 2c) (3)(
1)
              )(2)
                            (4)
          (1) 6
                                                                    (5)
                                ) (1a, 2a)
                                                  (2)( ( ))
                                                                    (3)
                                               (2) (12A, 12B)
       (1), (2) (3)
                               (A)
( )
, (38)
(12A, 12B)
(3)
                  (38)
                                                  (12A, 12B)
  (2)
                                                                   (40)
                   (12A, 12B)
, (1)
12A, 12B)
, (3)
                 (1a, 2a)
                  (A) (1)
                                                        (A)
   (12A, 12B)
                                                        (S)
                                     (12A)
                                                                 (A)
       (3)
  (12Å, 12B)
(24)
                                       (12A) )
                                (13)(
                                                        5
                                                                 (3)
                                        .
(S)
  D, E, F, G, N
                  ( )
                             (3)
                                  (S)
                                       (3)
     ( )
(12A, 12B)
                                                 (24 · )
(24)
                                                (D, E, F, G, N)
                           (24)
                  (25) (24) (3) (26)
24)
       (25)
```


```
(12A, 12B) 5
(27) (28)가
                                                                        (12
,
A, 12B)
                                             (12A)
                                                           (13)
                                (15)
         (15)
                                                                (16)
                                     (4)
                 (4)
                                                            (6)
                              가
  (4)
                                           (9)
                                                                 (9)
                                                                        (10)
                                            (7)
       (4)
                                     (11)
                                                                        (B)
                                           (S)
                                           (54)
                  (50)
                                                            (53) 가
                                                                        (51),
                  (55)
                                         (52), (54)
                                                           (55)
 (59, 60),
                                 (56, 57)
                                                     (58)
                  3.9mm, 15.5mm, 7.3mm, 0.9mm
           (50)
                                18.6kg/
                                                     +260
                                                                 , 가 +320
        1000kg/
                                       120mm .
         (50)
                               10
                                                     (61)
(67)
                                                                 (62)
    (63)
(66)
                                          (64)
                                 (67)
                                                                  +140
                                  +290 300 , (67)
(61 63) +150
 3
                                                                +310 , (66)
                       (67)
         +320
  +310
                                  (61
   50 70kgf/
                                                    1000kgf/
                                           가 +320
    120mm ,
       (61 63)
                                       가
                                                       (50)
                          가 (51),
                                          (55)
                                                      (52), (56, 57), (54)
, (59, 60)
                     (53)
        (54),
       (55)
                           (59, 60)
                                          (50)
          (58)
                                                         가
                                               가
                                        (2)가
             (M) 11
                                                         (
                                 ,
(1)
             (12A, 12B)
                                              (29)
                                                         (30)
  (3),
                                                                      (A)
                  (31)
             +160 , 70kg/ , (28A) (12A, 12B)
                                                             (29)
(12A, 12B)
(27)
                                                       ),
         (28)
                                                             (12A, 12B)
                                   (12A, 12B)
                                                 (A)
                   (S)
                              (50)
                                                             (50)
                                    가
                                      (50)
     (S)
                                                      (A)
                           +90 )
 (53)
             +130 ,
      가
                                      . 3M, 3A
                     (M)
                                                       (3)(
                                                          (AC)
                             (S),
                                       (63)
                                      (64)
                     (64)
                                                                (H)
     (63)
             (3A)
                           (62)가
                                      (63)
                                            (S) 가
                                                       (51) 8
                                                                           (5
                          (64)
                                                          (3M)
                                                                      (3A)
2)
                          (64)
         (B)가
                                      (H)
                                                              (63)
                (3)(3M, 3A)
, 가 (51)
                                         가
      (B)가
                                                                  (53)
                                   (52)
                                         8
                                                                        (3)
                  (M)
                                                     (S)
                                                            (3)
                  (53)
                                                          (A)
                                                                 (3)
```


10-0403710

가 가 가 가 가 (57) 1. 가 가 2. 1 3. 가 1 4. 1 5. 18.6kg/ 가 +260 6. 1 , 2 , 3 , 5 7. 1 , 2 , 3 , 5 8. 1000kg/ 가 가 +260 가 +320 18.6kg/ 가 120mm , +290 +310 +150 50 70kgf/


- 5 -







5



6

