
## J. H. PHILLIPS.

Cheese Shelf.

No. 18,702.

Patented Nov. 24, 1857.



## UNITED STATES PATENT OFFICE.

J. H. PHILLIPS, OF COLEBROOK, OHIO.

SHELVING FOR CURING AND STORING CHEESE.

Specification of Letters Patent No. 18,702, dated November 24, 1857.

To all whom it may concern:

Be it known that I, Jeremiah H. Phillips, of the township of Colebrook, in the county of Ashtabula and State of Ohio, 5 have invented a new and Improved Mode of Constructing Shelves for the Storing and Curing of Cheese; and I do hereby declare that the following is a full and exact description thereof, reference being had to the accompanying drawings and to the letters of reference marked thereon.

The nature of my invention consists in rabbeting the upper anterior edge of each shelf upon which the cheese is placed for 15 storage or curing, and in constructing the said shelves in double or single tiers with the frame work of each tier fastened (at a proper distance apart) firmly to the floor below and above, so that the shelves of one 20 tier will always be parallel to, and on the same plane with the shelves of its contiguous tier; said shelves to be always of sufficient thickness, and the said rabbeting, of the same, of sufficient depth, to firmly and 25 securely receive the rabbeted or beveled ends of a short movable shelf, made to rest in the rabbetings of any two parallel shelves in the same plane and freely slide along said cheese-shelves, in the said rabbetings, cross-30 wise the aisle, or space, between said tiers of shelves, from one end to the other thereof; the said short movable shelves to be of sufficient thickness  ${
m for}$  $_{
m the}$ strength, and the rabbeting or beveling of 35 its ends to be always of sufficient depth to make the upper surface of the short movable shelves flush with the same surface of the fixed cheese-shelves. And to enable others acquainted with the business of 40 cheese making, curing, or storing, to make and use my invention, I will proceed to de-

scribe its construction and operation.

I construct my shelves upon which the cheese is placed for curing or storage in 45 double, or single tiers, from near the floor of my building up to near the floor overhead, or so many shelves one above the other as necessary to hold the quantity of cheese required to be stored or cured. These tiers 50 of shelves I fasten firmly above and below and at such a distance apart as to leave sufficient room for the operator to work, pass

and repass with freedom and ease between them; and also make the shelves of each respective tier, parallel, and in the same 55 plane of the shelves of its contiguous tier, as shown in Figure 1 of the drawings hereto attached; which said Fig. 1 is a draft representing two double tiers of cheese-shelves, with cheese thereon, and the aisle or space 60 between said tiers, with said short, movable shelves crosswise said aisle; so that any given shelf in tier "A" will have in its contiguous tier "B" a shelf on the same plane and parallel with it. The upper, an- 65 terior, edge of each cheese shelf is rabbeted from one end to the other thereof, to a sufficient depth to receive firmly and securely the rabbeted or beveled ends of a short movable shelf made to rest on and in this rab- 70 beting of the anterior edge of the fixed cheese-shelves, with further sufficient room, to allow said short movable shelves, to freely slide along in the aforesaid rabbet-ing of the fixed shelves from one end to the 75 other thereof. The object of this short movable shelf, a representation of which is seen in Fig. 2 hereto attached, placed thus on a plane with the upper surface of the cheese shelves upon which it rests, is to have 80 always at wish a convenient table or platform opposite to, and on the same plane with, any given cheese, upon which said platform the said cheese can be easily slid and turned without the necessity of lift- 85 ing the same: and which said short shelf as a platform upon which to turn the cheese accommodates itself by being placed in the rabbeting of the higher or lower shelves, to cheese placed on said shelves at any height 90 from the floor of the building. And when used on such shelves as are too high, to enable the operator with ease to stand upon the floor and turn cheese upon said short shelf, a second short movable shelf, as 95 shown in Fig. 1, is placed upon such lower shelves as will bring the operator, standing upon such second short shelf, to the height required, which said last mentioned short shelf is easily adjusted by the operator to 100 any required point, by resting his weight for the moment upon the other shelves and moving this second short shelf with his feet. Having thus fully described my invention and its operation I now declare that what I claim as my invention and desire to secure by Letters Patent, is not the construction of cheese-shelves in double or single tiers, but is—

5 gle tiers, but is—

The short movable shelves, with the rabbeted or beveled ends thereof, combined and

operating with the fixed cheese shelves in the manner, and for the purposes hereinbefore set forth.

JEREMIAH H. PHILLIPS. [L. s.]

Witnesses:

DARIUS CADWELL, B. A. WOOD.