



US00D846613S

(12) **United States Design Patent** (10) **Patent No.:** **US D846,613 S**
Kawaguchi et al. (45) **Date of Patent:** **** Apr. 23, 2019**

(54) **MANIPULATOR FOR ROBOT** 2006/0158146 A1* 7/2006 Tadano B25J 15/0004
318/568.21
(71) Applicant: **MITSUBISHI ELECTRIC** 2007/0236162 A1* 10/2007 Kawabuchi B25J 9/102
CORPORATION, Tokyo (JP) 318/568.16
2008/0127768 A1* 6/2008 Shirai B25J 15/0009
74/490.05
(72) Inventors: **Noboru Kawaguchi**, Tokyo (JP); 2009/0015026 A1* 1/2009 Matsuda B25J 15/0009
Hidetaka Yamauchi, Tokyo (JP); 294/106
Tomoya Hattori, Tokyo (JP); **Koji** 2009/0114054 A1* 5/2009 Horiuchi B25J 9/102
Hirose, Tokyo (JP) 74/490.05
(73) Assignee: **Mitsubishi Electric Corporation**, 2010/0005918 A1* 1/2010 Mizuno B25J 9/102
Tokyo (JP) 74/490.03
2010/0116079 A1* 5/2010 Ihrke B25J 9/1075
74/490.05

(Continued)

Primary Examiner — Patricia A Palasik

(74) *Attorney, Agent, or Firm* — Studebaker & Brackett
PC

(**) Term: **15 Years**
(21) Appl. No.: **29/633,260**
(22) Filed: **Jan. 12, 2018**

(30) **Foreign Application Priority Data**

Jul. 18, 2017 (JP) 2017-015411

(51) **LOC (11) Cl.** **15-99**

(52) **U.S. Cl.**
USPC **D15/199**

(58) **Field of Classification Search**

USPC D15/199; D21/369, 578–583, 621, 622
CPC B25J 15/10; B25J 15/086; B25J 15/0009;
Y10S 901/38; Y10S 901/39

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,447,403 A * 9/1995 Engler, Jr. B25J 15/0009
294/111
8,936,289 B1 * 1/2015 Kozlowski B25J 15/0009
294/106
9,814,604 B2 * 11/2017 Jury A61F 2/583
D812,122 S * 3/2018 Clerc D15/199
2004/0054424 A1 * 3/2004 Matsuda B25J 9/104
623/64

(57) **CLAIM**

The ornamental design for a manipulator for robot, as shown and described.

DESCRIPTION

FIG. 1 is front perspective view of the front, right, and bottom sides of a manipulator for robot showing our new design;

FIG. 2 is a rear perspective view of the rear, right, and top sides thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;



FIG. 7 is a top plan view thereof;

FIG. 8 is a bottom plan view thereof; and,

FIG. 9 is a front side view showing a state where a hinge angle is changed.

The broken lines shown represent unclaimed subject matter of the manipulator for robot or environments and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



Page 2

References Cited

2014/0132018	A1 *	5/2014	Claffee	B25J 9/0015 294/192
2014/0159407	A1 *	6/2014	Neff	B25J 15/0206 294/213
2014/0197652	A1 *	7/2014	Wang	B25J 15/0009 294/185
2014/0232124	A1 *	8/2014	Dan	B25J 15/0009 294/198
2015/0216679	A1 *	8/2015	Lipsey	A61F 2/582 623/24
2015/0230941	A1 *	8/2015	Jury	A61F 2/583 623/64
2015/0257903	A1 *	9/2015	Perry	A61F 2/70 623/24
2016/0008146	A1 *	1/2016	Nagatsuka	B25J 15/0009 623/64
2016/0263748	A1 *	9/2016	Nagatsuka	B25J 15/0009
2016/0278872	A1 *	9/2016	Gombert	B25J 15/028
2017/0151679	A1 *	6/2017	Wong	B25J 15/10
2018/0140441	A1 *	5/2018	Poiters	A61F 2/54
2018/0272541	A1 *	9/2018	Salisbury	B25J 13/008
2018/0311827	A1 *	11/2018	Bicchi	B25J 15/0009

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 6




Fig. 5




Fig. 7




Fig. 8




Fig. 9

