



US00D720720S

(12) **United States Design Patent**
Yu

(10) **Patent No.:** **US D720,720 S**

(45) **Date of Patent:** **** Jan. 6, 2015**

(54) **EARPHONE**

(71) Applicant: **Shenzhen Rapoo Technology Co., Ltd.**,
Shenzhen, Guangdong (CN)

(72) Inventor: **Cuijing Yu**, Guangdong (CN)

(73) Assignee: **Shenzhen Rapoo Technology Co., Ltd.**,
Shenzhen (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/472,597**

(22) Filed: **Nov. 14, 2013**

(30) **Foreign Application Priority Data**

May 15, 2013 (CN) 2013 3 0178985

(51) **LOC (10) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/205**

(58) **Field of Classification Search**

CPC H04R 25/00; H04R 1/1066; H04S 1/005
USPC D14/205; D29/112; 181/129, 130, 135;
379/430, 431; 381/380, 381, 370, 374,
381/382; 2/209; 455/90.3, 575.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

678,170 A * 7/1901 Gardner 128/866
3,506,981 A * 4/1970 Stewart et al. 2/209
3,562,816 A * 2/1971 Hutchinson 2/209
4,403,120 A * 9/1983 Yoshimi 381/380
4,597,469 A * 7/1986 Nagashima 181/129
D318,053 S * 7/1991 Ludeke et al. D14/206

D328,074 S * 7/1992 Yamazaki et al. D14/205
5,293,647 A * 3/1994 Mirmilshiteyn et al. 2/209
D346,802 S * 5/1994 Sacherman et al. D14/206
5,369,857 A * 12/1994 Sacherman et al. 29/594
D358,389 S * 5/1995 Isono D14/205
5,551,090 A * 9/1996 Thompson 2/209
D439,574 S * 3/2001 Katayama D14/203.5
D453,015 S * 1/2002 Yuyama D14/205
D505,411 S * 5/2005 Sakai D14/192
D508,908 S * 8/2005 Chueh D14/205
D517,526 S * 3/2006 Komiyama D14/205
D540,301 S * 4/2007 Obata D14/205
D557,684 S * 12/2007 Pundsack et al. D14/205
D581,394 S * 11/2008 Lee D14/205
D582,890 S * 12/2008 Koza et al. D14/205
D591,263 S * 4/2009 Shimizu D14/205

(Continued)

Primary Examiner — Paula Greene



(57) **CLAIM**

The ornamental design for an earphone, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an earphone of my new design;
FIG. 2 is a back view of the earphone of FIG. 1;
FIG. 3 is a left view of the earphone of FIG. 1;
FIG. 4 is a right view of the earphone of FIG. 1;
FIG. 5 is a top view of the earphone of FIG. 1;
FIG. 6 is a bottom view of the earphone of FIG. 1;
FIG. 7 is a left perspective view of the earphone of FIG. 1;
FIG. 8 is a right perspective view of the earphone of FIG. 1;
FIG. 9 is a top perspective view of the earphone of FIG. 1;
and,
FIG. 10 is a bottom perspective view of the earphone of FIG. 1.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D592,640	S *	5/2009	Tkachuk	D14/205	D658,156	S *	4/2012	Olodort et al.	D14/205
7,720,246	B2 *	5/2010	Wang et al.	381/383	8,208,672	B2 *	6/2012	Nageno et al.	381/374
D617,769	S *	6/2010	Birger	D14/205	D683,329	S *	5/2013	Hagelin	D14/205
D625,705	S *	10/2010	Ohori et al.	D14/205	D684,139	S *	6/2013	Miyake et al.	D14/205
D634,732	S *	3/2011	Kondo et al.	D14/205	D696,228	S *	12/2013	Miyake et al.	D14/205
8,098,872	B2 *	1/2012	Chang	381/371	D704,676	S *	5/2014	Krisztal	D14/205
D654,472	S *	2/2012	Fischer	D14/206	D710,325	S *	8/2014	Behar et al.	D14/205
						2008/0013775	A1 *	1/2008	Lederer	381/380
						2008/0037816	A1 *	2/2008	Lee et al.	381/379
						2010/0135515	A1 *	6/2010	Walsh	381/374

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6



Fig. 7



Fig. 8




Fig. 9




Fig. 10