



- (51) International Patent Classification:
A61M 15/00 (2006.01)
- (21) International Application Number:
PCT/EP2014/073206
- (22) International Filing Date:
29 October 2014 (29.10.2014)
- (25) Filing Language:
English
- (26) Publication Language:
English
- (30) Priority Data:
1351297-5 1 November 2013 (01.11.2013) SE
- (71) Applicant: CAREBAY EUROPE LTD [MT/MT]; Suite 3, Tower Business Centre, Tower Street, Swatar, BKR 4013 (MT).
- (72) Inventors: DE KRUIJF, Wilhelmus Petrus Johannes; Deurningerstraat 300, NL-nl-7522-cn Enschede (NL). WISSINK, Jeroen Mathijn; Soendastraat 62, NL7511 Enschede (NL). SÖDERLUND, Marcus; Sandhamns-gatan 10, S-115 40 Stockholm (SE). RONQUIST, Nils; Valhallavägen 69, SE11427 Stockholm (SE). EGERSTRÖM, Johan; Kärrstigen 43, S-132 41 Saltsjö-Boo (SE).
- (81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM,

AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

- (84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

- Published:**
- with international search report (Art. 21(3))
 - before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))

(54) Title: MOUTHPIECE AND INHALER




Fig. 1b

(57) Abstract: Herein a mouthpiece (2) for use with a handheld inhaler is disclosed. A housing (4) of the mouthpiece comprises an inlet (6), an outlet opening (8), and a channel (10) extending through the housing (4) connecting the inlet (6) and the outlet opening (8) for directing an aerosol from the inlet (6) to the outlet opening (8). An anterior portion (18) of the housing (4) is adapted to be placed in a mouth of a patient. The anterior portion (18) of the housing (4) is configured to direct the outlet opening (8) upwardly in the oral cavity when the anterior portion (18) is placed in the mouth of the patient. Other embodiments disclose an outlet opening (8) placed closer to the upper side (14) of the housing (4) than to the lower side (16) of the housing (4). Further, an inhaler comprising a mouthpiece is disclosed.



Mouthpiece and Inhaler

TECHNICAL FIELD

Embodiments disclosed herein relate to mouthpieces for inhalers for inhaling a medicament
5 in aerosol form. Other embodiments herein relate to inhalers for inhaling a medicament in aerosol form.

BACKGROUND

Medicament administration via inhalation from a handheld inhaler is a well-known way of
10 medicament administration to a patient. Some medicaments may be administered in powder form other medicament may be in liquid form which are administered as small droplets, both medicament forms may be referred to as aerosols. A patient puts a mouthpiece of the inhaler into his or her mouth and ejects a medicament dose, which is inhaled into the lungs of the patient.

15

Naturally, it is desirable that as much as possible of the medicament dose reaches the lungs of the patient. If the mouthpiece is directed towards the tongue or the teeth of the patient, an unnecessary large part of the medicament dose remain in the mouth of the patient and will not reach the lungs of the patient.

20

EP2381991 discloses an apparatus comprising a stepped mouthpiece for aerosol drug delivery. The apparatus aids in administering inhaled pharmaceutical aerosol to a patient. The apparatus is used in conjunction with an aerosol delivery device. The mouthpiece comprises steps on the top and bottom of the apparatus, which when used aid the patient in
25 causing mandibular advancement, and opening of the mouth, also causing opening of the patient's airway, resulting in improved aerosol lung deposition. The steps are displaced horizontally in relation to each other when the mouthpiece is inserted into the mouth of a patient. The patient biting on the two steps causes the mandibular advancement.

30

There is a need for alternative solutions, of administering a medicament in aerosol form to the lungs of a patient.

SUMMARY

It is an object to provide a mouthpiece which improves the administering of a medicament in
35 aerosol form to the lungs of a patient.

According to an aspect, this object is achieved by a mouthpiece for use with a handheld inhaler, the mouthpiece comprising a housing, wherein the housing comprises: an inlet connectable to a medicament delivery device comprising a medicament container delivering an aerosol,

5 an outlet opening for the aerosol, and
a channel extending through the housing connecting the inlet and the outlet opening for directing the aerosol from the inlet to the outlet opening, wherein a plane extends through and along the channel, the plane defining on respective sides thereof an upper side and a lower side of the housing. An anterior portion of the housing is adapted to be placed in a
10 mouth of a patient. The anterior portion of the housing is configured to direct the outlet opening upwardly in the oral cavity when the anterior portion is placed in the mouth of the patient.

Since the outlet opening is upwardly directed in the mouth of the patient, an aerosol from the
15 inhaler being ejected into the mouth of the patient from the outlet opening of the mouthpiece is directed along the tongue of the patient, rather than towards the tongue. The aerosol will thus largely avoid sticking to the tongue and instead follow the oral cavity to the pharynx, the tracheal and the lungs of the patient. As a result, the above mentioned object is achieved.

20 It has been realized by the inventors that the mouthpiece as such may be configured to aid the patient in positioning the anterior portion in a mouth of a patient in a manner to improve the administering of an aerosol from an inhaler to the lungs of a patient.

In use, when the mouthpiece forms part of an inhaler, the plane may be upwardly inclined
25 when the anterior portion is inserted into the mouth of the patient. Some medicaments may be administered in powder form other medicament may be in liquid form which are administered as small droplets, approximately 1 – 9 μm in diameter. Herein both medicament forms will be referred to as aerosols. A patient puts the anterior portion of the mouthpiece of the inhaler into his, or her, mouth and ejects via the outlet opening a medicament dose,
30 which is inhaled into the lungs of the patient.

According to embodiments, the anterior portion of the housing may comprise a frusto-conical portion, the frusto-conical portion comprising a base extending substantially perpendicularly to the plane and a top extending substantially perpendicularly to the plane. The outlet
35 opening may be arranged in the base, and the channel may extend through the top, between the inlet and the outlet opening. Accordingly, when placed in the mouth of the patient the wider base will be positioned farther into the oral cavity than the narrower top. Thus, a first

portion of the outer surface of the frusto-conical portion may abut against the tongue, and a second portion of the outer surface may abut against the palate behind the front teeth. Due to the nature of the frusto-conical shape and the outlet opening being arranged in the base, the outlet opening will be directed upwardly into the oral cavity of the patient when abutting
5 against the tongue and the palate directing an aerosol into the middle of the oral cavity. The smaller size at the top than at the base will encourage a patient to place his, or her, lips around the top of the frusto-conical portion. Thus, it may be ensured that the outlet opening is positioned sufficiently far into a mouth of the patient.

10 According to embodiments, the outlet opening may be smaller than the base of the frusto-conical portion, and the outlet opening may be centred in the base of the frusto-conical portion. In this manner, at the outlet opening, a distance may be created between the outlet opening and the tongue and a distance may be created between the outlet opening and the palate. Thus, the aerosol will be directed into the middle of the oral cavity.

15

According to embodiments, the base of the frusto-conical portion may be oval. In this manner the anterior portion may be positioned centrally in the oral cavity, seen in a lateral direction.

20 According to embodiments, an outer surface of the housing at the top of the frusto-conical portion may be provided with indentations and/or protrusions. In this manner a patient may sense the indentations and/or protrusions with his, or her, tongue, teeth, or lips to ensure that the entire anterior portion has been placed in the mouth of the patient. In particular, a patient may be instructed to sense the indentations and/or protrusions with the tip of his, or her, tongue. Thus, the tongue will be positioned out of the way of the outlet opening. Moreover,
25 the mouthpiece will be angled away from the tongue.

According to embodiments, groove portions adapted for placing lips of a patient there against may extend at least partially around the housing adjacent to the anterior portion. At least one groove portion on the upper side may extend closer to the outlet opening than at least one
30 groove portion on the lower side. In this manner, when the patient places his or her lips in the groove portions on the upper side and on the lower side, the anterior portion will be placed in the mouth of the patient at an angle with the plane upwardly inclined to direct the outlet opening upwardly in the oral cavity.

35 According to embodiments, the groove portions may comprise convexly curved bottom surfaces. In this manner the groove portions are adapted for placing the lips of the patient there against.

According to a further aspect, the above mentioned object is achieved by a mouthpiece for use with a handheld inhaler, the mouthpiece comprising a housing, wherein the housing comprises:

- 5 an inlet connectable to a medicament delivery device comprising a medicament container delivering an aerosol,
an outlet opening for the aerosol, and
a channel extending through the housing connecting the inlet and the outlet opening for directing the aerosol from the inlet to the outlet opening, wherein a plane extends through
10 and along the channel, the plane defining on respective sides thereof an upper side of the housing and a lower side of the housing. An anterior portion of the housing is adapted to be placed in a mouth of a patient. The outlet opening is placed closer to the upper side of the housing than to the lower side of the housing.

- 15 Since the outlet opening is placed closer to the upper side of the housing than to the lower side of the housing, an aerosol from the inhaler being directed into the mouth of the patient from the outlet opening of the mouthpiece is directed over the tongue of the patient, rather than towards the tongue. The aerosol will thus largely avoid sticking to the tongue and instead follow the oral cavity to the pharynx, the tracheal, and the lungs of the patient. As a
20 result, the above mentioned object is achieved.

- Also this aspect follows the line of thought along which the inventors have realized that the mouthpiece as such may be configured to aid the patient in placing the anterior portion in a mouth of a patient in a manner to improve the administering of an aerosol from an inhaler to
25 the lungs of a patient.

- According to embodiments, a channel-forming wall element of the channel may form at least a portion of an upper surface of the anterior portion on the upper side of the housing. A distance element positioned a distance from the channel may form at least a portion of a
30 lower surface of the anterior portion on the lower side of the housing. In this manner the outlet opening may be placed closer to the upper side of the housing than to the lower side of the housing to create a distance between the tongue and the outlet opening.

- According to embodiments, the mouthpiece may comprise a front surface extending
35 substantially perpendicularly to the plane, wherein the outlet opening is arranged in the front surface.

According to a further aspect there is provided an inhaler comprising a mouthpiece according to any aspect or embodiment disclosed herein. The inhaler may be a handheld inhaler.

Further features and advantages will become apparent when studying the appended claims
5 and the following detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

Various aspects of embodiments, including their particular features and advantages, will be readily understood from the example embodiments discussed in the following detailed
10 description and the accompanying drawings, in which:

Figs. 1a – 4 illustrate various embodiments of mouthpieces for use with handheld inhalers,
and

Figs. 5 and 6 illustrate handheld inhalers according to embodiments.

15

DETAILED DESCRIPTION

Aspects of example embodiments will now be described more fully. Like numbers refer to like elements throughout. Well-known functions or constructions will not necessarily be described in detail for brevity and/or clarity.

20

Figs. 1a and 1b illustrate embodiments of a mouthpiece 2 for use with a handheld inhaler.

The mouthpiece 2 forms a part of the inhaler, which is arranged to conduct an aerosol from a medicament container of the inhaler into an oral cavity of a patient. The mouthpiece 2 comprises a housing 4. The housing 4 comprises an inlet 6 and an outlet opening 8. The inlet
25 6 is connectable to a medicament delivery device of the inhaler comprising the medicament container delivering the aerosol. The mouthpiece 2 may for instance be connected to a body of an inhaler by means of a snap-fit connection, protrusions 9 of which are shown in Fig.1b. Through the outlet opening 8 the aerosol is adapted to be administered into the oral cavity to be inhaled into the lungs of the patient. A channel 10 extends through the housing 4 and
30 connects the inlet 6 and the outlet opening 8. Thus, the channel 10 is adapted to direct the aerosol from the inlet 6 to the outlet opening. A plane 12 extends through and along the channel 10. The plane 12 defines on respective sides thereof an upper side 14 of the housing 4 and a lower side 16 of the housing 4. The outlet opening 8 is arranged at a first end portion 17 of the housing 4, between the upper side 14 and the lower side 16. The inlet 6
35 is arranged at a second end portion 19 of the housing 4, between the upper side 14 and the lower side 16. When the mouthpiece 2 is positioned to be placed in the mouth of the patient,

the upper side 14 is arranged to face substantially upwardly and the lower side 16 is arranged to face substantially downwardly.

An anterior portion 18 of the housing 4 is adapted to be placed in the mouth of the patient.

5 The anterior portion 18 of the housing 4 is configured to direct the outlet opening 8 upwardly in the oral cavity when the anterior portion 18 is placed in the mouth of the patient.

In these embodiments, the anterior portion 18 of the housing 4 comprises a frusto-conical portion 20. The frusto-conical portion 20 comprises a base 22 extending substantially
10 perpendicularly to the plane 12 and a top 24 extending substantially perpendicularly to the plane 12. The outlet opening 8 is arranged in the base 22. The channel 10 extends through the top 24, between the inlet 6 and the outlet opening 8.

Seen in a direction from the base 22 towards the top 24 along the plane 12, a wide housing
15 portion 28 is arranged adjacent to the top 24. The anterior portion 18 thus, is terminated by the wide housing portion 28.

In a frusto-conical shape the base 22 is wider than the top 24. When placed in the mouth of the patient, the wide base 22 of the frusto-conical portion 20 will be positioned farther into the
20 oral cavity than the narrow top 24. The patient places his or her lips around the top 24. A first portion of an outer surface of the frusto-conical portion 20 on the lower side 16 of the housing 4 will abut against the tongue of the patient. A second portion of the outer surface of the frusto-conical portion 20 on the upper side 14 of the housing 4 may abut against the palate behind the front teeth of the patient. Thus, the natural shape of the mouth cavity and the
25 tongue of the patient will position the frusto-conical portion 20 with the plane 12 upwardly inclined, e.g. at an angle of 30 – 60 degrees to a vertical axis in the mouth of the patient. Accordingly, the outlet opening 8, being arranged in the base 22, will be directed upwardly into the oral cavity of the patient. The aerosol from the medicament delivery device will thus be administered into a middle portion of the oral cavity between the tongue and the palate.
30 Thus, minimising the aerosol deposition on the tongue and/or the palate, helping the aerosol to reach the lungs of the patient.

The outlet opening 8 is smaller than the base 22 of the frusto-conical portion 20. The outlet opening 8 is centred in the base 22 of the frusto-conical portion. The distances created
35 between the tongue and the outlet opening 8 and the distance created between the palate and the outlet opening 8 by the outlet opening 8 being smaller than the base 22 also aids in administering the aerosol in the middle portion of the oral cavity. Thus, minimising the

aerosol deposition on the tongue and/or the palate, helping the aerosol to reach the lungs of the patient.

5 The base 22 of the frusto-conical portion 20 is oval. An outer surface of the housing 4 at the top 24 of the frusto-conical portion 20 is provided with indentations and/or protrusions 26. A patient may sense the indentations and/or protrusions 26 with his or her tongue, teeth, or lips to ensure that the entire anterior portion 18 has been placed in the mouth.

10 The following dimensions are mentioned purely as an example. The mouthpiece 2 may have a length of 10-70 mm. The length of the anterior portion 18 may be 10-40 mm. The large diameter of the base 22 may be 25-40 mm and the small diameter of the base 22 may be 15 – 25 mm. The large diameter of the top 24 may be 20-30 mm and the small diameter of the top 24 may be 12 – 20 mm. The diameter of the wide portion 28 may be 15-35 mm. The diameter of the outlet opening 8 may be 14-25mm.

15

Figs. 2a and 2b illustrate embodiments of a mouthpiece 2 for use with a handheld inhaler. The mouthpiece 2 forms a part of the inhaler, which is arranged to conduct an aerosol from a medicament container of the inhaler into an oral cavity of a patient. Some features are common with the embodiments of Figs. 1a and 1b.

20

Thus again, the mouthpiece 2 comprises a housing 4. The housing 4 comprises an inlet 6 and an outlet opening 8. A channel 10 extends through the housing 4 and connects the inlet 6 and the outlet opening 8. A plane 12 extends through and along the channel 10. The plane 12 defines on respective sides thereof an upper side 14 and a lower side 16 of the housing 4. 25 When the mouthpiece 2 is positioned to be placed in the mouth of the patient, the upper side 14 is arranged to face substantially upwardly and the lower side 16 is arranged to face substantially downwardly. An anterior portion 18 of the housing 4 is adapted to be placed in the mouth of the patient. The anterior portion 18 of the housing 4 is configured to direct the outlet opening 8 upwardly in the oral cavity when the anterior portion is placed in the mouth 30 of the patient.

In these embodiments, groove portions 30, 32 extend at least partially around the housing 4 adjacent to the anterior portion 18. The groove portions 30, 32 are adapted for placing lips of the patient there against. At least one groove portion 30 on the upper side 14 of the housing 4 extends closer to the outlet opening 8 than at least one groove portion 32 on the lower side 35 16 of the housing 4. The groove portions 30, 32 comprise convexly curved bottom surfaces 33.

When the patient places his or her lips in the groove portions 30, 32 on the upper side 14 and on the lower side 16, the anterior portion 18 will be placed in the mouth of the patient with the plane 12 upwardly inclined to direct the outlet opening 8 upwardly in the oral cavity.

5 The plane 12 may be placed at an angle of 30 – 60 degrees with a vertical axis. The groove portions 30, 42 may extend across the plane 12 at an angle α of approximately 30 - 45 degrees. Thus, the anterior portion 18 is longer on the lower side 16 than on the upper side 14.

10 The following dimensions are mentioned purely as an example. The mouthpiece 2 may have a length of 20-50 mm. The length of the anterior portion 18 may be 10-20 mm at the upper side 14 and 20-40 mm at the lower side 16. The diameter of the outlet opening 8 may be 14-24 mm. The radius of the convexly curved bottom surfaces 33 of the groove portions 30, 32 may be 5-10 mm.

15

Figs. 3a and 3b illustrate embodiments of a mouthpiece 2 for use with a handheld inhaler. The mouthpiece 2 forms a part of the inhaler, which is arranged to conduct an aerosol from a medicament container of the inhaler into an oral cavity of a patient. Some features are common with the embodiments of Figs. 1a – 2b.

20

Thus again, the mouthpiece 2 comprises a housing 4. The housing 4 comprises an inlet 6 and an outlet opening 8. A channel 10 extends through the housing 4 and connects the inlet 6 and the outlet opening 8. A plane 12 extends through and along the channel 10. The plane 12 defines on respective sides thereof an upper side 14 and a lower side 16 of the housing 4.

25 When the mouthpiece 2 is positioned to be placed in the mouth of the patient, the upper side 14 is arranged to face substantially upwardly and the lower side 16 is arranged to face substantially downwardly. An anterior portion 18 of the housing 4 is adapted to be placed in the mouth of the patient.

30 In these embodiments, the outlet 8 opening is placed closer to the upper side 14 of the housing 4 than to the lower side 16 of the housing 4. Thus, an aerosol from the inhaler being directed into the mouth of the patient from the outlet opening 8 of the mouthpiece 2 is directed over the tongue into the oral cavity to improve the administering of the aerosol from the inhaler to the lungs of the patient.

35

A channel-forming wall element 34 of the channel 10 forms at least a portion of an upper surface 36 of the anterior portion 18 on the upper side 14 of the housing 4. A distance

element 38 is positioned at a distance from the channel 10 and forms at least a portion of a lower surface 40 of the anterior portion 18 on the lower side 16 of the housing 4. Accordingly, the outlet opening 8 is placed closer to the upper side 14 of the housing 4 than to the lower side 16 of the housing 4 to create a distance between the tongue of the patient and the outlet opening 8.

The distance element 38 extends outside the outlet opening 8 seen along the plane 12. The distance element 38 connects to the channel-forming wall element 34 at a middle portion of the channel 10.

The following dimensions are mentioned purely as an example. The mouthpiece 2 may have a length of 10-70 mm. The length of the anterior portion 18 may be 10-40 mm. The diameter of the outlet opening 8 may be 14-24 mm. The distance between the centre of the channel 10, i.e. the plane 12, to the lower surface 40 may be 10-20 mm.

Fig 4 illustrates embodiments of a mouthpiece 2 for use with a handheld inhaler. The mouthpiece 2 forms a part of the inhaler, which is arranged to conduct an aerosol from a medicament container of the inhaler into an oral cavity of a patient. The mouthpiece 2 according to these embodiments is similar to the mouthpiece according to the embodiments of Figs. 3a – 3b. The main difference lies in that the distance element 38 is shaped differently to create an oval shaped end of the anterior portion 18 at the outlet opening 8. The distance element 38 does not extend beyond the outlet opening 8. However again, the distance element 38 is positioned a distance from the channel 10 and forms at least a portion of a lower surface 40 of the anterior portion 18 on the lower side 16 of the housing 4.

Fig. 5 illustrates a handheld inhaler 50 according to embodiments. The inhaler 50 comprises a mouthpiece 2, an inhaler body 52, and a medicament container holder 54. The inhaler body 52 and the medicament container holder 54 may form a medicament delivery device. A patient uses the inhaler 50 by placing an anterior portion 18 of the mouthpiece 2 into his or her mouth, and pressing the medicament container holder 54 towards the inhaler body 52 while inhaling to eject a dose of medicament in aerosol form to be administered via the mouthpiece 2 into the mouth and the lungs of the patient.

The mouthpiece 2 according to these embodiments is similar to the mouthpiece according to the embodiments of Figs. 3a, 3b, and 4. The main difference lies in that the mouthpiece 2 comprises a front surface 56 extending substantially perpendicularly to the plane 12. The outlet opening 8 is arranged in the front surface 56. Again, a distance element 38 is

positioned at a distance from the channel 10 forming at least a portion of a lower surface 40 of the anterior portion 18 on the lower side 16 of the housing 4 of the mouthpiece 2.

Fig. 6 illustrates a handheld inhaler 50 according to embodiments. The inhaler 50 comprises a mouthpiece 2, an inhaler body 52, inside which a medicament container is arranged, and an energy supplying arrangement 60. The inhaler body 52 and the energy supplying arrangement 60 may form a medicament delivery device. The energy supplying arrangement 60 is loaded by a patient prior to administering an aerosol from the inhaler 50. The patient places an anterior portion 18 of the mouthpiece 2 into his or her mouth, and releases the energy supplying arrangement 60 by pressing the release button 62. At the same time the patient inhales. Thus, a dose of medicament in aerosol form is ejected from the medicament container by the energy supplying arrangement 60 and administered via the mouthpiece 2 into the mouth and the lungs of the patient. The energy supplying arrangement 60 may be reusable. The inhaler body 52 and the mouthpiece 2 may be disposable.

The mouthpiece 2 illustrated in Fig. 6 corresponds to the embodiments illustrated in Figs. 1a and 1b. Mouthpieces 2 according to other embodiments disclosed herein may alternatively be used.

Similarly, mouthpieces 2 according to embodiments disclosed in Figs. 1a - 4 may alternatively be used in the inhaler 50 according to the embodiments disclosed in Fig. 5.

This invention should not be construed as limited to the embodiments set forth herein. A person skilled in the art will realize that different features of the described embodiments may be combined to create embodiments other than those described herein, without departing from the scope of protection, as defined by the appended claims. The mouthpieces 2 disclosed herein may be manufactured from plastic material, such as polymers. Although the invention has been described with reference to example embodiments, many different alterations, modifications and the like will become apparent for those skilled in the art.

Therefore, it is to be understood that the foregoing is illustrative of various example embodiments and that the invention is defined only the appended claims.

As used herein, the term "comprising" or "comprises" is open-ended, and includes one or more stated features, elements, steps, components or functions but does not preclude the presence or addition of one or more other features, elements, steps, components, functions or groups thereof.

CLAIMS

- 5 1. A mouthpiece (2) for use with a handheld inhaler, the mouthpiece (2) comprising a housing (4), wherein the housing (4) comprises:
an inlet (6) connectable to a medicament delivery device comprising a medicament container delivering an aerosol,
an outlet opening (8) for the aerosol, and
10 a channel (10) extending through the housing (4) connecting the inlet (6) and the outlet opening (8) for directing the aerosol from the inlet (6) to the outlet opening (8), wherein a plane (12) extends through and along the channel (10), the plane (12) defining on respective sides thereof an upper side (14) and lower side (16) of the housing (4), and wherein an anterior portion (18) of the housing (4) is adapted to be placed in a mouth of a patient,
15 characterized in that the anterior portion (18) of the housing (4) is configured to direct the outlet opening (8) upwardly in the oral cavity when the anterior portion (18) is placed in the mouth of the patient.
2. The mouthpiece (2) according to claim 1, wherein the anterior portion (18) of the housing
20 (4) comprises a frusto-conical portion (20), the frusto-conical portion (20) comprising a base (22) extending substantially perpendicularly to the plane (12) and a top (24) extending substantially perpendicularly to the plane (12), wherein the outlet opening (8) is arranged in the base (22), and wherein the channel (10) extends through the top (24) between the inlet (6) and the outlet opening (8).
25
3. The mouthpiece (2) according to claim 2, wherein the outlet opening (8) is smaller than the base (22) of the frusto-conical portion (20), and wherein the outlet opening (8) is centred in the base (22) of the frusto-conical portion (20).
- 30 4. The mouthpiece (2) according to claim 2 or 3, wherein the base (22) of the frusto-conical portion (20) is oval.
5. The mouthpiece (2) according to any one of claims 2 - 4, wherein an outer surface of the housing (4) at the top (24) of the frusto-conical portion (20) is provided with indentations
35 and/or protrusions (26).

6. The mouthpiece (2) according to claim 1 or 2, wherein groove portions (30, 32) adapted for placing lips of a patient there against extend at least partially around the housing (4) adjacent to the anterior portion (18), and wherein at least one groove portion (30) on the upper side (14) extends closer to the outlet opening (8) than at least one groove portion (32) on the lower side (16).
7. The mouthpiece (2) according to claim 6, wherein the groove portions comprise convexly curved bottom surfaces (33).
8. A mouthpiece (2) for use with a handheld inhaler, the mouthpiece (2) comprising a housing (4), wherein the housing (4) comprises:
an inlet (6) connectable to a medicament delivery device comprising a medicament container delivering an aerosol,
an outlet opening (8) for the aerosol, and
a channel (10) extending through the housing (4) connecting the inlet (6) and the outlet opening (8) for directing the aerosol from the inlet (6) to the outlet opening (8), wherein a plane (12) extends through and along the channel (10), the plane (12) defining on respective sides thereof an upper side (14) of the housing (4) and a lower side (16) of the housing (4), and wherein a anterior portion (18) of the housing (4) is adapted to be placed in a mouth of a patient,
characterized in that the outlet opening (8) is placed closer to the upper side (14) of the housing (4) than to the lower side (16) of the housing (4) .
9. The mouthpiece (2) according to claim 8, wherein a channel-forming wall element (34) forms at least a portion of an upper surface (36) of the anterior portion (18) on the upper side (14) of the housing (4), and wherein a distance element (18) forms at least a portion of a lower surface (40) of the anterior portion (18) on the lower side (16) of the housing (4).
10. The mouthpiece (2) according to claim 8 or 9, comprising a front surface (56) extending substantially perpendicularly to the plane (12), wherein the outlet opening (8) is arranged in the front surface (56).
11. An inhaler (50) comprising a mouthpiece (2) according to any one of claims 1 – 10.

1/4









Fig. 1a

Fig. 1b

2/4





INTERNATIONAL SEARCH REPORT

International application No
PCT/EP2014/073206

A. CLASSIFICATION OF SUBJECT MATTER
 INV. A61M15/00
 ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 A61M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
 EPO-Internal, WPI Data

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2012/240922 A1 (DENYER JONATHAN STANLEY HAROLD [GB] ET AL) 27 September 2012 (2012-09-27) paragraphs [0023], [0025], [0029], [0059], [0060]; figures 1-6 -----	1-11
X	WO 2011/095762 A1 (BACON RAYMOND J [GB]) 11 August 2011 (2011-08-11) page 4, line 30 - page 5, line 10; figure 2 -----	1-5,8, 10,11
X	US 2013/267864 A1 (ADDINGTON W ROBERT [US] ET AL) 10 October 2013 (2013-10-10) paragraphs [0021], [0052], [0059] - [0062], [0071], [0074]; figures 5,9,10 ----- -/--	1,8

Further documents are listed in the continuation of Box C.

See patent family annex.

* Special categories of cited documents :

<p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier application or patent but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p>	<p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p>
---	---

Date of the actual completion of the international search 3 March 2015	Date of mailing of the international search report 11/03/2015
--	---

Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Fax: (+31-70) 340-3016	Authorized officer Loughman, John
--	---

INTERNATIONAL SEARCH REPORT

International application No
PCT/EP2014/073206

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 746 197 A (WILLIAMS JEFFERY W [US]) 5 May 1998 (1998-05-05) column 3, lines 32-50; figures 1,4,5 -----	1,8
A	US 6 412 481 B1 (BIENVENU ROBERT [US] ET AL) 2 July 2002 (2002-07-02) column 3, lines 55-61; figure 3; examples 124,24 column 5, lines 12-33 -----	1,8
A	US 3 998 226 A (HARRIS ARTHUR M) 21 December 1976 (1976-12-21) column 2, lines 49-57; figures 1-5 -----	1,8
A	GB 2 454 742 A (OHAYON DAVID [GB]) 20 May 2009 (2009-05-20) page 2; figures 1-5 -----	1,8

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/EP2014/073206

Patent document cited in search report	Publication date	Patent family member(s)	Publication date	
US 2012240922	A1	27-09-2012	CN 102711884 A	03-10-2012
			EP 2506905 A1	10-10-2012
			JP 2013512715 A	18-04-2013
			US 2012240922 A1	27-09-2012
			WO 2011067692 A1	09-06-2011

WO 2011095762	A1	11-08-2011	NONE	

US 2013267864	A1	10-10-2013	NONE	

US 5746197	A	05-05-1998	NONE	

US 6412481	B1	02-07-2002	US 6412481 B1	02-07-2002
			US 2002134384 A1	26-09-2002

US 3998226	A	21-12-1976	GB 1505608 A	30-03-1978
			JP S5239990 A	28-03-1977
			JP S5240795 B2	14-10-1977
			US 3998226 A	21-12-1976

GB 2454742	A	20-05-2009	NONE	
