

(19)  
(12)

(KR)  
(A)

(51) 。 Int. Cl. <sup>7</sup>  
G06F 1/16

(11)  
(43)

2001 - 0086782  
2001 09 15

---

(21) 10 - 2000 - 0010658  
(22) 2000 03 03

---

(71) 2 569 - 19

(72) 2 569 - 19

(74)

:

---

(54)

---

가

1

1

2

3

4

5

6

7 가

\*

a:

1,1':

2:

3:

4:

5:

6,6':

7':

7:

8:

2

45W

(Ni - H)

(Li - ion)

(Ni - Cd)

가

98 - 63965 ( : )가

;

;

1

(a)

(1)

(2)

(3)

(4)

(5)

(6)

(4)가

(6)

(6)

(6)

(1)

(5)

(6)

(5)

(7,7')

(8)

(a)

(a)

가

(1)

가

(Si) ·

(GaAs) ·

(CdS) ·

(InP)

(6)

(素子) 1

(開放端光電壓)

0.55 V

3.8V

6V

(11)

(1)

(6')

(6)

(1)

(6')

(1)

2

3 가 (5) (6) (9) (6)

(10) (1) (6)

(a)

4 (1) (a) (6) (1) (12)

(a) (5) (7,7') (2)

5 (a) (5) (5) (7') (a) (2)

(7) (6) (a)

(1)

(a) (5) (8) (8)

6 (a) (2) (5)

7 (6) (1')가 (a) 가 (1')

가 가 (1') (memo)

(6)

ry effect)가 (6)

(1)가 (a) (1)

(57)

1.

(a) (1) (2) (3) (4)

(5) (6)

2.

1 ,

(1) (6')

3.

1 ,

(6) (a)

4.

1 ,

(6) (1)

5.

1 ,

(7) (5) (6) (7') , (a) (2)

6.


1 ,

(5) (6) (a) (8)


7.


1 ,

(1)가 (a) (6)




2









4





6



7

