



US 20060003405A1

(19) **United States**

(12) **Patent Application Publication** (10) **Pub. No.: US 2006/0003405 A1**
Kallmeier et al. (43) **Pub. Date: Jan. 5, 2006**

(54) **METHOD OF EXPRESSING RECOMBINANT
PROTEIN IN CHO CELLS**

(76) Inventors: **Robert Kallmeier**, Holmer Green
(GB); **Robert Gay**, Pinner Middx (GB)

Correspondence Address:
NIXON & VANDERHYE, PC
901 NORTH GLEBE ROAD, 11TH FLOOR
ARLINGTON, VA 22203 (US)

(21) Appl. No.: **10/521,768**

(22) PCT Filed: **Jul. 21, 2003**

(86) PCT No.: **PCT/EP03/07946**

(30) **Foreign Application Priority Data**

Jul. 19, 2002 (GB) 0216648.6

Publication Classification

(51) **Int. Cl.**

C12P 21/06 (2006.01)

C12N 5/06 (2006.01)

C12N 15/86 (2006.01)

(52) **U.S. Cl.** **435/69.1**; 435/456; 435/358

(57) **ABSTRACT**

Method of expressing recombinant protein in CHO cells, by using an expression vector comprising the murine IgG 2A gene locus.

Fig. 1 - CHO transients




Fig. 2- CHO Stables





Fig. 3



METHOD OF EXPRESSING RECOMBINANT PROTEIN IN CHO CELLS

[0001] The present invention relates to a method for expressing a recombinant product gene in a CHO cell line as well as to recombinant CHO host cells and to novel expression vector constructs.

[0002] The Chinese Hamster ovary cell (CHO) mammalian expression system is widely used in production of recombinant protein. Apart from lymphoid cell lines such as hybridoma cell lines, it is one of the few cell types allowing for simple and efficient high-density suspension batch culture of animal cell. Furthermore, they allow for very high product yields and are comparatively robust to metabolic stresses whereas lymphoid cells are more difficult to culture at an industrial scale. Given considerable cost of production, it is of utmost importance to maximize the yield of recombinant protein per bioreactor run. Choice of culture medium composition and bioreactor design and operation are parameters that impact yield and may be quite complex to optimize. More predictably, increases in the strength or transcriptional activity of the promoter controlling expression of product protein enhance yield. Incremental increases at the single cell level will translate into considerable improvements of product yield in high-density batch or fed-batch culture showing stationary phase gene expression at cell densities in the range of 10^6 to 10^7 cells/ml.

[0003] U.S. Pat. No. 5,866,359 describes a method of enhancing expression from an already strong hCMV promoter in CHO and NSO cells by co-expressing adenoviral E1A protein from a weak promoter. E1A is a multifunctional transcription factor which may act on cell cycle regulation and has both independent transcriptional activating and repressing functional domains. The finetuning of E1A expression to appropriate low level expression is crucial for success of the co-expression approach in order to achieve the ideal balance in between gene transactivation whilst avoiding any negative impact on cell cycle progression. As a disadvantage, apart from careful choice of the promoter driving E1A expression, this system blocks part of the protein synthesis capacity of the cell with E1A expression rather than expressing the recombinant protein of interest.

[0004] WO 95/17516 describes use of the murine immunoglobulin gamma 2A locus for targeting an expression vector construct to a highly active gene locus in lymphoid cells of the B-cell lineage, e.g. widely used NSO myeloma cells. NSO cells essentially are a tumor cell line of murine plasma or B-cells. Only in B-cells, the chromatin harboring the immunoglobulin loci is in its fully active, open state, allowing for high transcriptional activity of native immunoglobulin promoters or recombinant expression constructs integrated into those gene loci.

[0005] As a disadvantage, due to the principle of homologous recombination, the targeting sequence will target efficiently in murine cell lines only matching the sequence of the gamma 2A targeting sequence harboring a recombinatorial hot spot; for high level expression, the gamma 2A locus region must be a transcriptionally active genomic region, limiting its effectiveness for homologous recombination to B-cell types.

[0006] It is an object of the present invention to devise another expression system for CHO protein expression in

biotechnology which allows for enhanced expression from a standard promoter. According to the present invention, this aim is surprisingly achieved by equipping a gene expression vector for CHO cells with a gene targeting sequence having been originally devised for homologous recombination in murine B-cells.

[0007] Possible embodiments of the invention are shown in the figures. What is shown is:

[0008] **FIG. 1** Relative expression levels of green fluorescent protein (GFP) from hCMV promoter and hCMV promoter in the presence of the IgG 2A hot spot sequence in transient transfection of CHO-K1 cells

[0009] **FIG. 2** Relative GFP expression levels from hCMV promoter and hCMV promoter in the presence of the IgG 2A hot spot sequence in stably transfected CHO-K1 cells.

[0010] **FIG. 3** Plasmid map of hCMV-MIE expression vector carrying IgG 2A targeting sequence

[0011] According to the present invention, a DNA sequence for expression of a recombinant gene in a mammalian cell comprises a recombinant product gene and a promoter for expressing the recombinant product gene, preferably a CMV promoter, and further comprises a murine immunoglobulin gamma 2A locus DNA sequence or fragments or sequence variants thereof capable of enhancing expression from the promoter. According to the present invention, such a DNA sequence is useful expression vector construct for expression of recombinant product gene in CHO cells.

[0012] According to the present invention, the method of expressing a recombinant protein comprises the steps of

[0013] a. culturing a CHO cell transfected with an expression vector comprising a promoter active in CHO cells driving expression of a recombinant product protein and further comprising the murine IgG 2A gene locus DNA or a DNA sequence variant or DNA fragment thereof which is enhancing activity of said promoter, and

[0014] b. harvesting the product protein

[0015] A recombinant product gene according to the present invention is the product protein that is sought to be expressed and harvested in high amount. It may be any protein of interest, e.g. therapeutic proteins such as interleukins or enzymes or subunits of multimeric proteins such as antibodies or fragments thereof. The recombinant product gene may include a signal sequence coding sequence portion allowing secretion of the once expressed polypeptide from the host producer cell. In a further preferred embodiment of the present invention, the product protein is a secreted protein. More preferably, the first or product protein is an antibody or engineered antibody or a fragment thereof, most preferably it is an Immunoglobulin G (IgG) antibody.

[0016] The DNA sequence of the murine immunoglobulin gamma 2A gene locus (IgG 2A) has originally been devised in WO 95/17516 for use as a genomic targeting sequence for generating stably recombinant lymphoid B-cell lines that show high expression of the recombinant gene product. B lymphocytes or plasma cells normally express extremely high levels of immunoglobulin RNA from the the Ig heavy

chain locus, probably due to cell-type specific enhancer/transcription factor activity and open chromatin structure. The preferred murine immunoglobuline gamma 2A gene sequence of the present invention is the same as the targeting sequence used in WO 95/17516. It is a 5.1 kb BamHI genomic fragment which includes all of the coding region of murine Ig gamma 2A except the most 5' part of the CH1 exon (Yamawaki-Kataoka, Y. et al., Proc. Natl. Acad. Sci. U.S.A. (1982) 79: 2623-2627; Hall, B. et al., Molecular Immunology (1989) 26:819-826; Yamawaki-Kataoka, Y. et al., Nucleic Acid Research (1981) 9: 1365-1381). According to the present invention, promotion of site-directed, homologous recombination is not the relevant property of the immunoglobulin gamma 2A gene sequence (IgG 2A).

[0017] Accordingly, any sequence variant of said IgG 2A gene sequence or sequence fragment or variant sequence fragment that is functional in or capable of enhancing recombinant product gene expression from the promoter, preferably from a hCMV promoter as set forth below, both under condition of transient or stable expression in CHO cells is also encompassed by the present invention.

[0018] Such 'functional' variants encompass e.g. base insertions, deletions or point mutations and be generated by methods well-known in the art, e.g. by primer-directed PCR, 'error-prone' PCR, 'gene-shuffling' termed PCR-reassembly of overlapping DNA fragments or by in-vivo random mutagenesis of bacterial clones followed by library transfection and functional selection in CHO cells. For instance, random mutagenesis can be achieved by alkylating chemicals or UV-irradiations as described in Miller, J., Experiments in Molecular Genetics, Cold Spring Harbor Laboratory 1972). Optionally, a natural mutator-strain of a host bacterium may be used.

[0019] Preferably, such variant sequence or sequence fragment is at least 65%, more preferably 75%, most preferably 90% homologous in DNA sequence to the corresponding part of the natural murine immunoglobuline gamma 2A gene locus. For instance, it is possible to insert a Sal I restriction site at the naturally occurring Stu I site present 39 bp upstream of membrane exon 2 (M2) to provide a unique site for linearization within the murine immunoglobulin gamma 2A sequence; such sequence variant was originally devised for site-specific recombination targeting, but can as well be employed in the context of the present invention.

[0020] A 'promoter' is defined as a DNA sequence that directs RNA polymerase to bind to DNA and initiates RNA synthesis. According to the present invention, it is a promoter that is active in CHO cells. Such a promoter preferably is a strong promoter. A strong promoter is one which causes mRNAs to be initiated at high frequency equal to or higher than that of hCMV core promoter/enhancer fragment (described in U.S. Pat. No. 5,168,062) in CHO-K1 cells. Such promoter may be a cell-type dependent strong promoter, as are cited in U.S. Pat. No. 5,589,392, or preferably is a ubiquitously active strong promoter, more preferably a constitutively active viral promoter such as e.g. early and late promoters of the SV40 virus, the immediate early promoter of the human cytomegalovirus (hCMV) or of murine cytomegalovirus (mCMV), the thymidine kinase promoter (TK) of Herpes Simplex virus or the Rous Sarcoma Virus long terminal repeat promoter (RS-LTR), more preferably it is the hCMV-MIE promoter as defined by the

2.1 kb Pst I fragment described in U.S. Pat. No. 5,385,839 and/or EP-323 997-A1 or a functional part thereof having promoter activity. The hCMV promoter construct harboring the complete first functional intron of the major immediate early (MIE) gene of hCMV, as set forth in EP-323 997-A1, is a particularly preferred embodiment of the present invention.

[0021] Preferably a hCMV promoter employed in the present invention lacks the 'modulator' sequence part in the upstream/enhancer portion of the promoter. The 'modulator' sequence has been found to be detrimental to hCMV promoter activity in CHO cells and stretches from position -750 to position -1150 relative to the MIE transcription start site (Meier et al., 1996, Intervirology 39: 331-342, Regulation of hCMV immediate-early gene expression), in particular in transient transfection. Without the modulator sequence, the enhancing effect of the presence of the IgG 2A host spot sequence on (modulator negative or mod- for short) hCMV promoter is even more pronounced.

[0022] A transient transfection is characterised by non-appliance of any selection pressure for a vector borne selection marker. A pool or batch of cells originating from a transient transfection is a pooled cell population that comprises cells which have taken up and do express and cells that have not taken up the foreign DNA. Cells that express the foreign expression cassette do usually not have integrated the transfected DNA into their genome yet and tend to lose the foreign DNA and to overgrow transfected cells in the population upon culture of the transiently transfected cell pool. Therefore expression is strongest in the period immediately following transfection and decreases with time. Preferably, a transient transfectant according to the present invention is understood as a cell that is maintained in cell culture in the absence of selection pressure up to a time of 90 hours post transfection.

[0023] Preferably, a transfected CHO host cell according to the present invention is a stably transfected host cell, in particular in combination with a hCMV promoter as set forth above. Stable transfection means that newly introduced foreign DNA is becoming incorporated into genomic DNA, usually by random, non-homologous recombination events; in case of a vector sequence, stable transfection according to the present invention may result in loss of vector sequence parts not directly related to expression of the recombinant product gene, such as e.g. bacterial copy number control regions rendered superfluous upon genomic integration. A transfected host cell has integrated at least part or different parts of the expression vector into the genome. Likewise, transfection of CHO cells with two or several DNA fragments giving rise at least in vivo to functional equivalents of the essential elements of the expression vector of the invention, namely the product gene under control of a suitable promoter and the hot spot IgG 2A sequence, is contained in the definition of such transfected host cells. In vivo assembly of functional DNA sequences after transfection of fragmented DNA is described e.g. in WO 99/53046. It is possible that such stable integration gives rise, upon exposure to further selection pressure for gene amplification, to double minute chromosomes in CHO cells. This is comprised in the present meaning of 'stable'. Upon random genomic integration of the expression vector of the present invention in CHO, the presence of the targeting sequence enhances promoter activity for expression of the recombinant product

protein. Such effect has not been observed nor could it have been anticipated upon homologous gene targetting in mature murine B-cell lines including plasmacytoma/myeloma cell lines; there, the IgG 2A targetting sequence served solely to increase the frequency of high-yielding homologous integrants since the IgG 2A locus proved to be a recombinatorial 'hot spot'. As said before, the chromatin of the immunoglobulin genomic region is in an open, highly active state in suitably targetted B-cell lines.

[0024] 'Expression vectors' are defined herein as DNA sequences that are required for transcription and the translation of their mRNAs in an appropriate mammalian host cell line after transfection with vector. An appropriately constructed expression vector should usually contain: at least one expressable marker selectable in animal cells, a limited number of useful restriction sites for insertion of the expression cassette for the recombinant product gene under control of an upstream promoter region. Where used in particular for transient/episomal expression only, it may further comprise an origin of replication such as origin of Epstein Barr Virus (EBV) or SV40 virus for autonomous replication/episomal maintenance in eukaryotic host cells but may be devoid of a selectable marker. Expression vectors are e.g., but are not limited to, linear DNA fragments, DNA fragments encompassing nuclear targeting sequences or are specially optimized for interaction with transfection reagents, animal viruses or suitable plasmids that can be shuttled and produced in bacteria. Any selection marker commonly employed such as thymidine kinase (tk), dihydrofolate reductase (DHFR) or glutamine synthetase (GS) may be used. In a preferred embodiment, an expressable GS selection marker is employed (Bebbington et al., 1992, High-level expression of a recombinant antibody from myeloma cells using a glutamine synthetase gene as an amplifiable selectable marker, *Bio/Technology* 10:169-175; Cockett et al., 1990, High level expression of tissue inhibitor of metalloproteinases in Chinese Hamster Ovary (CHO) cells using Glutamine synthetase gene amplification, *Bio/Technology* 8: 662-667).—The GS-system is one of only two systems that are of particular importance for the production of therapeutic proteins. In comparison to the dihydrofolate reductase (DHFR) system, the GS system offers a large time advantage during development because highly productive cell lines can often be created from the initial transfectant thus avoiding the need for multiple rounds of selection in the presence of increasing concentrations of selective agent in order to achieve gene amplification (Brown et al., 1992, Process development for the production of recombinant antibodies using the glutamine synthetase (GS) system, *Cytotechnology* 9:231-236). It goes without saying that equivalent to a second transcription unit for expression of the marker gene, an expression unit could use a monocistronic expression cassette both for the product gene and the marker gene by employing e.g. internal ribosome entry sites as is routinely employed in the art. Vice versa, it goes without saying that the hot spot IgG 2A sequence of the present invention and the expression cassette for the product protein comprising a promoter and/or marker cassette are not required to work in cis on a single expression vector; the elements can be well carried on separate co-transfected vectors or DNA fragments which may then be chromosomally integrated at a single, concatemeric integration site.

[0025] A further object of the present invention are CHO host cells transfected with the DNA sequences of the present invention. Further objects are a method for transfection of such host cells and a method for expression of the recombinant product gene in such host cells. The explanations and references made to preferred embodiments in the present specification of the invention relate likewise to all these further objects of the present invention. It is to be noted that a host cell transfected with the DNA sequence or vector of the present invention is to be construed as being a transiently or stably transfected cell line. Any transfection technique such as those well-known in the art, e.g. electroporation, Ca-phosphate precipitation, DEAE-dextrane transfection, lipofection, can be employed according to the present invention if appropriate for a given host cell type.

[0026] A suitable host cell line can be any chinese hamster ovary (CHO) cell line (Puck et al., 1958, *J. Exp. Med.* 108: 945-955). The term 'host cell' refers to cells capable of growth in culture and expressing a desired protein recombinant product protein. Suitable cell lines can be e.g. CHO K1 (ATCC CCL-61), CHO pro3-, CHO DG44, CHO P12 or the dhfr-CHO cell line DUK-B11 (Chassin et al., *PNAS* 77, 1980, 4216-4220) or DUXB11 (Simonsen et al., *PNAS* 80, 1983, 2495-2499). In CHO cells, the immunoglobulin gene loci are inactive and the chromatin is therefore in a densely packaged or closed state. Thus, any gene construct integrated in the immunoglobulin loci could not give rise to high-level expression of recombinant protein due to the specific state of chromatin, unless it would itself comprise flanking locus control regions promoting opening of the chromatin on both sides of the expression cassette. Further, immunoglobulin gene sequence, and in particular the intron portions of it, show considerably divergence amongst species, e.g. from mouse to hamster. The promoter or enhancer elements of immunoglobulin loci are both species and tissue specific and should be active in B-cells only. The murine IgG 2A sequence of the present invention enhances gene expression in CHO cells also in the absence of any natural immunoglobulin promoter that is giving rise to full-length transcripts coding for complete IgG heavy chain. Preferably, the IgG 2A sequence of the present invention is devoid of such promoter. Surprisingly, the murine IgG 2A targetting sequence even improved gene expression in CHO cells upon transient transfection of CHO cells with expression vectors according to the present invention (**FIG. 1**); such transient expression is a further preferred embodiment of a method according to the present invention. In transient expression assays which are commonly taking place about 20-50 hours post transfection, the transfected vectors are maintained as episomal elements and are not yet integrated into the genome. Suitable media and culture methods for mammalian cell lines are well-known in the art, as described in U.S. Pat. No. 5,633,162 for instance. Examples of standard cell culture media for laboratory flask or low density cell culture and being adapted to the needs of particular cell types are for instance: Roswell Park Memorial Institute (RPMI) 1640 medium (Morre, G., *The Journal of the American Medical Association*, 199, p. 519 f. 1967), L-15 medium (Leibovitz, A. et al., *Amer. J. of Hygiene*, 78, 1p. 173 ff, 1963), Dulbecco's modified Eagle's medium (DMEM), Eagle's minimal essential medium (MEM), Ham's F12 medium (Ham, R. et al., *Proc. Natl. Acad. Sc.* 53, p 288 ff. 1965) or Iscoves' modified DMEM lacking albumin, transferrin and lecithin (Iscoves et al., *J. Exp. med.* 1, p. 923 ff., 1978). For

instance, Ham's F10 or F12 media were specially designed for CHO cell culture. Other media specially adapted to CHO cell culture are described in EP-481 791. It is known that such culture media can be supplemented with fetal bovine serum (FBS, also called fetal calf serum FCS), the latter providing a natural source of a plethora of hormones and growth factors. The cell culture of mammalian cells is nowadays a routine operation well-described in scientific textbooks and manuals, it is covered in detail e.g. in R. Ian Fresney, *Culture of Animal cells*, a manual, 4th edition, Wiley-Liss/N.Y., 2000.

[0027] Preferably, the cell culture medium according to the present invention is devoid of fetal calf serum (FCS or FBS), which then is being termed 'serum-free'. Cells in serum-free medium generally require insulin and transferrin in a serum-free medium for optimal growth. Transferrin may at least partially be substituted by non-peptide chelating agents or siderophores such as tropolone as described in WO 94/02592 or increased levels of a source of anorganic iron favorably in conjunction with antioxidants such as vitamin C. Most cell lines require one or more of synthetic growth factors (comprising recombinant polypeptides), including e.g. epidermal growth factor (EGF), fibroblast growth factor (FGF), insulin like growth factors I and II (IGFI, IGFI), etc. Other classes of factors which may be necessary include: prostaglandins, transport and binding proteins (e.g. ceruloplasmin, high and low density lipoproteins, bovine serum albumin (BSA)), hormones, including steroid-hormones, and fatty acids. Polypeptide factor testing is best done in a stepwise fashion testing new polypeptide factors in the presence of those found to be growth stimulatory. Those growth factors are synthetic or recombinant. There are several methodological approaches well-known in animal cell culture, an exemplary being described in the following. The initial step is to obtain conditions where the cells will survive and/or grow slowly for 3-6 days after transfer from serum-supplemented culture medium. In most cell types, this is at least in part a function of inoculum density. Once the optimal hormone/growth factor/polypeptide supplement is found, the inoculum density required for survival will decrease. In a more preferred embodiment, the cell culture medium is protein-free, that is free both of fetal serum and individual protein growth factor supplements or other protein such as recombinant transferrin.

[0028] A possible embodiment of one method of the present invention, namely expression and harvest of the recombinant product protein, is high-density growth of the animal host cells e.g. in an industrial fed-batch bioreactor. Conventional downstream processing may then be applied. Consequently, a high-density growth culture medium has to be employed. Such high-density growth media can usually be supplemented with nutrients such as all amino acids, energy sources such as glucose in the range given above, inorganic salts, vitamins, trace elements (defined as inorganic compounds usually present at final concentrations in the micromolar range), buffers, the four nucleosides or their corresponding nucleotides, antioxidants such as Glutathione (reduced), Vitamin C and other components such as important membrane lipids, e.g. cholesterol or phosphatidylcholine or lipid precursors, e.g. choline or inositol. A high-density medium will be enriched in most or all of these compounds, and will, except for the inorganic salts based on which the osmolarity of the essentially isotonic medium is regulated, comprise them in higher amounts (fortified) than

the afore mentioned standard media as can be incurred from GB2251 249 in comparison with RPMI 1640. Preferably, a high-density culture medium according to the present invention is balancedly fortified in that all amino acids except for Tryptophane are in excess of 75 mg/l culture medium. Preferably, in conjunction with the general amino acid requirement, Glutamine and/or Asparagine are in excess of 1 g/l, more preferably of 2 g/l of high-density culture medium. In the context of the present invention, high-density cell culture is defined as a population of animal cells having temporarily a density of viable cells of at least or in excess of 10^5 cells/ml, preferably of at least or in excess of 10^6 cells/ml, and which population has been continuously grown from a single cell or inoculum of lower viable cell density in a cell culture medium in a constant or increasing culture volume.

[0029] In a further preferred embodiment, the fed-batch culture is a culture system wherein at least Glutamine, optionally with one or several other amino acids, preferably glycine, is fed to the cell culture as described in GB2251249 for maintaining their concentration in the medium, apart from controlling glucose concentration by separate feed. More preferably, the feed of glutamine and optionally one or several other amino acids is combined with feeding one or more energy sources such as glucose to the cell culture as described in EP-229 809-A. Feed is usually initiated at 25-60 hours after start of the culture; for instance, it is useful to start feed when cells have reached a density of about 10^6 cells/ml. It is well known in the art that in cultured animal cells, 'glutaminolysis' (McKeehan et al., 1984, *Glutaminolysis in animal cells*, in: *Carbohydrate Metabolism in Cultured Cells*, ed. M. J. Morgan, Plenum Press, New York, pp. 11-150) may become an important source of energy during growth phase. The total glutamine and/or asparagine feed (for substitution of glutamine by asparagine, see Kurano, N. et al., 1990, *J. Biotechnology* 15, 113-128) is usually in the range from 0.5 to 10 g per l, preferably from 1 to 2 g per l culture volume; other amino acids that can be present in the feed are from 10 to 300 mg total feed per litre of culture, in particular glycine, lysine, arginine, valine, isoleucine and leucine are usually fed at higher amounts of at least 150 to 200 mg as compared to the other amino acids. The feed can be added as shot-addition or as continuously pumped feed, preferably the feed is almost continuously pumped into the bioreactor. It goes without saying that the pH is carefully controlled during fed-batch cultivation in a bioreactor at an approximately physiological pH optimal for a given cell line by addition of base or buffer. When glucose is used as an energy source the total glucose feed is usually from 1 to 10, preferably from 3 to 6 grams per litre of the culture. Apart from inclusion of amino acids, the feed preferably comprises a low amount of choline in the range of 5 to 20 mg per litre of culture. More preferably, such feed of choline is combined with supplementation of ethanolamine essentially as described in U.S. Pat. No. 6,048,728, in particular in combination with feeding glutamine. It goes without saying that upon use of the GS-marker system, lower amounts of glutamine will be required as compared to a non-GS expression system since accumulation of excessive glutamine in addition to the endogenously produced would give rise to ammonia production and concomitant toxicity. For GS, glutamine in the medium or feed is mostly substituted by its equivalents and/or precursors, that is asparagine and/or glutamate.

[0030] It is a further, independent object of the present invention to devise an expression vector comprising at least a (first) transcription unit for a product gene, giving rise to product protein upon expression in a host cell, and which transcription unit is under the control of the mouse Cytomegalovirus promoter (mCMV promoter), and further comprising a second transcription unit comprising a glutamine synthetase (GS) marker gene. Such a product gene, or gene of interest (GOI) as it may be termed, can be e.g. an immunoglobulin coding sequence. A glutamine synthetase marker gene is any enzymatically active GS coding sequence, be it a natural gene sequence or a variant thereof. The above definitions of 'functional variant' as set forth above apply here as well including the preferred ranges of sequence homology. Preferably, the GS marker gene is a mammalian GS marker gene or derived thereof. Surprisingly, such expression vector allows for much higher transfection rates upon transfection in CHO cells than does e.g. an expression vector in which the first transcription unit harboring the gene of interest is under control of the hCMV promoter. This despite the fact that in CHO cells, transcriptional activity of the mCMV promoter is much higher than that of hCMV promoter; usually it is believed that upon transfection, higher metabolic load reduces clonal survival upon transfection, resulting in lower numbers of transfectants. Thus the effect can not be correlated in an obvious manner with the amount or unexpected toxicity of product protein expressed, the latter possibly adversely affecting growth of transfectants. Indeed, the finding is the very opposite of any expectation of a skilled person.

[0031] Further objects according to the present invention are animal host cells, in particular CHO cells, transfected with such an expression vector which vector can be maintained episomally or can be stably integrated in the genome and a respective transfection method. Likewise, transfection of animal cells, in particular CHO cells, with two or more gene fragments giving rise in-vivo to functional equivalents of the transcription units of the present object of the invention, is within the definition of such transfected host cells. Preferably, said host cells are stably transfected cells, meaning that the first and second transcription unit are chromosomally integrated.

[0032] A further object is the use of mCMV promoter to enhance transfection rate in CHO cells, preferably when using an expression vector comprising at least a first transcription unit for a product gene which first unit is giving rise to product protein upon expression in a host cell and which first transcription unit is further under the control of the mouse Cytomegalovirus promoter (mCMV promoter), and further comprising a second transcription unit comprising a glutamine synthetase (GS) marker gene. It may also be possible to transfect the first and second expression borne on different vectors, or as isolated gene fragments harboring individual expression units. Further, it may be possible to transfect a CHO cell that is already recombinant for and expresses GS with a first transcription unit harboring mCMV. According to the present invention, 'enhancing transfection rate' is defining by comparing transfection rate in the presence of the mCMV promoter and expression vector according to the present invention with the transfection rate of the same expression vector and host cell under identical transfection and cell culture conditions except that in the expression vector, the mCMV promoter is substituted to the hCMV-first intron enhancer/promoter construct as

defined in U.S. Pat. No. 5,658,759 and as set forth e.g. in sequence ID. No. 3 of the present invention. This hCMV-intron MIE-promoter construct, for a given identical product gene, serves as a standard for determining the claimed effect of enhanced transfection rates. Preferably, use of mCMV promoter results in at least 10-times enhanced transfection rate.

[0033] All relevant definitions given further above apply likewise to the present, independent objects of the invention. It must be stressed that the present object of the invention does not require the presence of the murine IgG 2A targeting sequence as a prerequisite.

[0034] Murine cytomegalovirus (mCMV) is a member of the highly diverse group of herpesviridae. Even amongst cytomegaloviruses of different host species there can be wide variation. For example, mCMV differs considerably from the human cytomegalovirus (hCMV) with respect to biological properties, immediate early (IE) gene organization, and overall nucleotide sequence. The 235-kbp genome of mCMV also lacks large internal and terminal repeat characteristics of hCMV. Accordingly, no isomeric forms of the mCMV genome exist (Ebeling, A. et al., (1983), J. Virol. 47, 421-433; Mercer, J. A. et al., (1983), Virology 129, 94-106). According to the present invention, it is possible to employ the promoter region essentially corresponding to a large approx. 2.1 kb PstI fragment described in U.S. Pat. No. 4,968,615 or any functional fragment thereof. In a more preferred embodiment, the mCMV promoter fragment employed comprises the transcription start site (+0) and extends upstream to about position -500. Surprisingly, such fragment has been found to promote stronger expression than a promoter cassette extending 800 bp further upstream beyond position -500. In a most preferred embodiment, a core promoter region is employed that extends from the transcription start site upstream but to the Xho I restriction site at about position -150 from the natural transcription start site or even extending but to position -100 upstream from the natural transcription start site. It goes without saying that the transcription start site might be engineered in order to comprise a suitable restriction site for insertion of the recombinant product gene.

[0035] According to the present invention, it is also possible that the first transcription unit that is under control of the mCMV promoter harbors at least one intron sequence. Such measure is well-known in the art for stabilising RNA transcripts and for promoting efficient protein synthesis from the corresponding mRNA. For efficient protein synthesis without having regard to the claimed effect on transfection rate, it is however not advisable to include the first, natural intron of mCMV in the mCMV promoter construct. In contrast to the situation with hCMV promoter (cf. U.S. Pat. No. 5,591,639), such natural first intron of mCMV was found to decrease expression of a recombinant gene from the mCMV promoter and is therefore excluded in a further preferred embodiment.

[0036] Examples of preferred, possible embodiments of GS marker gene cassettes are given in the sequence listings. Seq IDs No. 1 (pEE 15.1 hCMV/GFP-hot spot)+2 (pEE 14.4 hCMV/GFP) give examples of suitable GS-gene cassettes that are expressed from the SV40 (early and late, respectively) promoter, a weak to medium level promoter, further comprising an expression cassette for GFP (Green

fluorescent protein) that is under control of the hCMV promoter. Seq. ID No. 1 describes a GS cDNA sequence described in more detail in the figure legend of **FIG. 3**, under control of the SV40 early promoter. Seq. ID No. 2 specifies an artificial GS-minigene cassette comprising an intron that is under control of the SV40 late promoter. CHO cells are not naturally glutamine auxotrophic, therefore selection schemes as e.g. described in Cockett et al., 1990, High level expression of tissue inhibitor of metalloproteinases in Chinese Hamster Ovary (CHO) cells using Glutamine synthetase gene amplification, *Bio/Technology* 8: 662-667, can be applied. Examples of suitable transfection methods for CHO cells are equally given therein; it is possible to employ e.g. classic calcium phosphate precipitation or more modern lipofection techniques. Transfection rate is routinely defined as the number of positively transfected cells (transient transfection) or clones (stable transfection after selection period) obtained from a pool of cells subjected to transfection. The purported effect of the present object of invention can be seen e.g. by transfecting CHO-K1 cells by lipofection (any commercial reagent and manufacturers protocol) with the plasmids of either Seq. ID No. 3 (pEE 12.4 hCMV-GFP+SV40 early promoter/GS cDNA) or Seq. ID No. 4 (pEE 12.4 mCMV-GFP +SV40 early promoter/GS cDNA). Transfected cells may be grown in any conventional culture medium. The culture medium may be a fetal serum-supplemented or serum-free medium as has been defined above. Preferably, the cell culture medium is a serum-supplemented medium, more preferably a cell culture medium that has been supplemented with at least 1% (v/v) fetal serum, most preferably with at least 5% (v/v) fetal serum such as fetal calf serum or fetal bovine serum. In another preferred embodiment, the transfection method carried out is electroporation.

EXPERIMENTS

Experiment 1

Transient and Stable Expression of GFP Vector Comprising Hot Spot Sequence in CHO-K1 Cells

[0037] CHO-K1 cells (ATCC CCL-61) were adapted and cultured in normal cell culture medium GMEM-S (Gibco, UK) with 10% FCS.—For GS selection, the medium must be completely free of glutamine as set forth in table 1 below; this necessitates use of dialyzed FCS.—All culturing was carried out in shake flask at 36.5° C. with orbital shaking at 125 rpm. Lipofectin (Superfectin™, Gibco, UK) was used for transfection and green fluorescence of transfectant pool was measured in a FACS with excitation at 488 nm. For every GS/GFP vector construct, transfection was carried out independently five times, all data being the average from five independently analyzed pools. Starting with transient transfectants 48 h post-transfection, the top scoring 10% highly expressing cells of the viable cell pool in the cell count vs. fluorescence diagram were selected to determine mean fluorescence (**FIG. 1**). Viable cell population has been preselected by gating in the Forward vs. sideward scatter diagram.

[0038] For generating stable transfectants, GS marker was selected 24 hours post-transfection by supplementing the glutamine-free medium with 25 μ M MSX (methionine sulfoximine, Crockett et al., *ibid.*) and continuing cell culture with regular splitting of cultures for 26 days. Note the

impact of medium levels of other amino acids on the potency of MSX for selection, see Bebbington et al., U.S. Pat. No. 5,827,739. Fluorescence analysis was then performed again as outlined above (**FIG. 2**).

[0039] Untransfected cells served as negative control. The hot spot vector (pEE 15.1 'hCMV+hot spot') driving expression of GFP under control of the hCMV promoter comprising the first complete intron of CMV is given in Seq. ID No. 1 and essentially is the pEE 15.1 vector shown in **FIG. 3** into which the GFP sequence was inserted into the Eco RI restriction site in the polylinker. pEE 12.4 'hCMV' corresponding to Seq. ID No. 3 is identical to pEE 15.1 'hCMV+hot spot' except that it does not comprise the 5.1 kb Bam HI fragment harboring the IgA 2A sequence. pEE 12.4 served as a vector control. A further vector control pEE 12.4 'hCMV(Kozak-)' was generated by mutating the Kozak sequence of the cloning site coinciding with the translation start site (GCCGCCACCATGG) to a frameshifted functional Kozak sequence that (ACCATGGGTCCATGG) by primer directed mutagenesis (Sambrook et al., *Molecular cloning*, Cold Spring Harbor 1983), attenuating the original Kozak and translation start site. The vector of Seq. ID No. 1 was further engineered to delete the 400 bp modulator region of hCMV enhancer portion, deleting the enhancer elements upstream of -750 from the transcription start site, giving rise to pEE 15.1 'hCMV(mod-)/GS cDNA'. By exchange of the GS cDNA cassette of pEE 15.1 (s. **FIG. 3**) with the GS minigene of pEE 14.4 'hCMV(mod-)/GFP', corresponding to Seq. ID No. 2, the vector pEE 15.1 'hCMV(mod-)/GS minigene' was created. Thus all transfected cells harbored a plasmid vector comprising the GFP coding sequence. The GS minigene contains a single, first intron of the GS gene and about 1 kb of 3' flanking DNA under the control of the SV40 late promoter; the 3' part of the genomic GS DNA is believed to cause a higher copy-number of vector DNA and thus of GS in transfected cells (see U.S. Pat. No. 4,770,359, Bebbington et al.). Whereas all hCMV vectors employed in the present study express the GS maker gene from its cDNA sequence, use of the GS minigene was included as a further control in order to exclude potential effects of GS copy number and expression level.

[0040] For generation and expression analysis of stably transfected CHO cells, transfections were performed with linearized hot spot vector pEE 15.1 'hCMV+hot spot' vector. Sal I linearized plasmid was cut in the IgA 2A comprising sequence portion, free DNA ends potentially stimulating recombination with genomic regions sharing a certain degree of homology with the flanking DNA portions, testing for potential targeting effects of murine IgG 2A in hamster CHO cells. Pvu I cut in the bacterial lactamase marker gene and therefore could promote but heterologous random recombination. Indeed, the mean fluorescence was higher in the Pvu I linearized transfectants showing both some influence of vector linearization as well as that targeting to immunoglobulin loci in CHO cells may not account for the effect of the present invention. In addition, the effect of enhanced promoter activity was consistently observed in transiently transfected cell populations, nicely correlating with relative strength of individual vector constructs. Clearly, genomic integration is not involved at this early stage of transfection.

[0041] **FIG. 3** shows vector pEE 15.1 of approximately 12 830 bp. A detailed description of the GS marker and the

hCMV-p/intron expression cassette can be found in U.S. Pat. No. 5,827,739 and U.S. Pat. No. 5,591,639. pEE 15.1 is a possible embodiment of an expression vector according to the present invention, except that the DNA sequence coding for the recombinant product protein has not yet been inserted in the polylinker site. The complete 13535 bp sequence of the pEE 15.1 construct harboring GFP is given in Seq. ID No. 1: Therein, the GFP coding sequence was inserted in-frame in the Eco R I restriction site centered at base position 12 814; the introduction of the unique restriction site harboring the ATG start codon and optimizing the Kozak sequence environment of the start codon is described in detail in U.S. Pat. No. 5,591,639. Thus, the expression of GFP protein is under control of the hCMV-major immediate early gene promoter (HCMV-MIE or hCMV for short) immediately followed by the first intron of hCMV-MIE gene followed by the Nco I site (s. U.S. Pat. No. 5,591,639).

[0042] Polyadenylation is ensured by the SV40 poly A site further downstream of the polylinker insertion site. pEE 15.1 further harbors a cDNA sequence coding for glutamine synthetase (GS) from hamster that is under control of the SV40 early promoter and is followed by an SV40 intron+ poly A sequence. The IgG 2A gene locus or 'hot spot' sequence (hatched boxes CH1, Hi, CH2, CH3, M1, M2 standing for Heavy chain constant region, hinge, membrane anchor) is the 5.1 kb BamH I fragment of the murine IgG 2A locus already described in WO 9517516 and the references cited therein. Unique restriction sites Pvu I and Sal I are shown.

Experiment 2

Electroporation of CHO Cells With mCMV p12.4 -GFP Construct (Seq. ID No.4)

[0043] Attached CHO-K1 cells (ATCC CCL-61) were cultured in Iscoves' DMEM medium essentially as described in EP-481 791 comprising 2 mM Glutamine which was further supplemented with 10% FCS. Optionally, the G-MEM medium stated in table 1 and further comprising 2 mM Glutamine could be used prior to GS marker selection as in experiment 1. The cells were detached, pelleted and resuspended twice in serum-free medium, finally at a density of 5.3×10^6 cells/ml. Per 750 μ l electroporation batch, a total of 4×10^6 cells was electroporated. Electroporation was carried out as described in Methods in Molecular Biology, ed. JA Nickoloff ed, Humana Press 1995, Vol. 48/Chap. 8: Animal cell electroporation and electrofusion protocols. p12.4 mCMV-GFP vector DNA (sequence ID No. 4) was linearized. 50 μ l (20 μ g) DNA were added to 750 μ l cells in electroporation cuvette and electroporate—300 Volts/750 μ Fd—expecting an electroporation time of around 12-14 msec. Following electroporation 800 μ l volume of cells was transferred into 25 ml of modified Glasgow-MEM (GMEM, Gibco) culture medium for GS selection (comprising 10% fetal serum but no glutamine, for details see table 1) in a T75 flask. Divide into 2xT75 flasks by moving 12.9 mls into a second flask and incubate overnight at 37° C. in 10% CO₂

[0044] On the next day 37.5 ml of GS-selection GMEM culture medium supplemented with 10% FBS+33.3 μ M MSX (methionine sulphoximine) were added. Thus MSX was finally ~25 μ M. Transfectants were counted after further incubation for 26 days by colony count per flask. Upon microscopic inspection in a standard inverted microscope

for inspection of culture flasks, positive colonies brightly lit up in light green and could be easily counted.

[0045] The mCMV construct of Seq. ID No. 4 yielded up to 20 times more foci than did cells that were transfected in parallel with the hCMV construct of Seq. ID No. 3. The vector constructs only differed in the CMV promoter elements driving GFP expression, the remaining vector parts of the vectors were identical (including GS-marker; cDNA GS-marker cassette of p12.4). If cells were diluted out into 96 well plates immediately following transfection, many more colonies come up from mCMV transfected cells (>400 colonies) than from hCMV transfected cells (about 45 colonies).

TABLE 1

Medium for GS selection	
A. Stock Solutions	
1.	Double distilled water autoclaved in 400 ml aliquots
2.	10 $\times$ Glasgow MEM (GMEM) without glutamine (GIBCO: 042-2541 in UK). Store at 4° C.
3.	7.5% sodium bicarbonate (GIBCO: 043-05080 in UK; 670-5080 in US). Store at 4° C.
4.	100 $\times$ non-essential amino acids (NEAA) (GIBCO: 043-01140 in UK; 320-1140 in US). Store at 4° C.
5.	100 $\times$ Glutamate + Asparagine (G + A): add 600 mg glutamic acid and 600 mg asparagines (Sigma). Make up to 100 ml in distilled water and sterilize by passing through a sterile 2 μ m filter (Nalgene). Store at 4° C.
6.	100 mM sodium pyruvate (GIBCO: 043-01360 in UK; 320-1360 in US)
7.	50 $\times$ nucleosides: 35 mg adenosine 35 mg guanosine 35 mg cytidine 35 mg uridine 12 mg thymidine (each from Sigma). Make up to 100 ml with water, filter sterilise and store at -20° C. in 10 ml aliquots.
8.	Dialysed PCS (GIBCO: 014-06300). Heat inactivate at 56° C. for 30 min and store at -20° C. It is essential to use dialysed FCS when using GS selection.
9.	Penicillin-streptomycin at 5000 units/ml (P/S: GIBCO: 043-05070 in UK; 600-5070 in US).
10.	100 mM L.MSX (Sigma): prepare 18 mg/ml solution in PBS. Filter sterilise and store at -20° C.

B. Medium Preparation

[0046] Add the following in the order given using aseptic technique to make GMEM-S medium

1. Water	400 ml
2. 10 $\times$ GMEM	50 ml
3. Sodium bicarbonate	18.1 ml
4. NEAA	5 ml
5. G + A	5 ml
6. Sodium pyruvate	5 ml
7. Nucleosides	10 ml
8. Dialysed FCS	50 ml
9. Penicillin-streptomycin	5 ml

GMEM-S contains the non-essential amino acids, alanine, aspartate, glycine, proline and serine (100 μ M), glutamate and asparagines (500 μ M), and adenosine, guanosine, cytidine and uridine (30 μ M), and thymidine (10 μ M).

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 4

<210> SEQ ID NO 1

<211> LENGTH: 6679

<212> TYPE: DNA

<213> ORGANISM: Hamster sp.

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Seq. ID. No. 4: circular plasmid GS vector
p12.4 short mCMV-GFP / clone 3

<400> SEQUENCE: 1

```
gaattcattg atcataatca gccataccac atttgtagag gttttacttg ctttaaaaaa    60
cctcccacac ctccccctga acctgaaaca taaaatgaat gcaattgttg ttgttaactt    120
gtttattgca gcttataatg gttacaaata aagcaatagc atcacaaatt tcacaaataa    180
agcatttttt tctactgcatt ctagtgtggt tttgtccaaa ctcatcaatg tatcttatca    240
tgtctggcgg ccgcgacctg caggcgacga actggttagt atggaagatc cctcgagatc    300
cattgtgctg gcggttagcg agcagcgccg gcctgaagct gcgggcattc ccagtcagaa    360
atgagcgcca gtcgtcgtcg gctctcggca ccgaagtgt atgattctcc gccagcatgg    420
cttcggccag tgcgtcgcgc agcgcgccgt tgttcctgaa gtgccagtaa agcgcgggct    480
gctgaacccc caaccgttcc gccagtttgc gtgtcgtcag accgtctacg ccgacctcgt    540
tcaacaggtc cagggcgcca cggatcactg tattcggctg caactttgtc atgcttgaca    600
ctttatcact gataaacata atatgtccac caacttatca gtgataaaga atccgcgcca    660
gcacaatgga tctcgaggtc gagggatctc tagaggatcc atattcgcgg gcatcaccgg    720
cgccacaggt gcggttgctg gcgcctatat cgccgacatc accgatgggg aagatcgggc    780
tcgccacttc gggctcatga gcgcttgttt cggcgtgggt atggtggcag gccccgtggc    840
cgggggactg ttgggcgcca tctccttgca tgcaccattc cttgcggcgg cggtgctcaa    900
cggcctcaac ctactactgg gctgttcctt aatgcaggag tcgcataagg gagagcgtcg    960
acctcgggcc gcgttctggt cgtttttcca taggctccgc cccctgacg agcatcacia   1020
aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga ctataaagat accaggcggt   1080
tccccctgga agctccctcg tgcgtctctc tgttcgcacc ctgccgtta ccggatacct   1140
gtccgccttt ctcccttcgg gaagcgtggc gctttctcat agctcacgct gtaggtatct   1200
cagttcgggtg taggtcgttc gctccaagct gggctgtgtg cacgaacccc ccgttcagcc   1260
cgaccgctgc gcottatccg gtaactatcg tcttgagtcc aaccgggtaa gacacgactt   1320
atcgccactg gcagcagcca ctggtaacag gattagcaga gcgaggtatg taggcggtgc   1380
tacagagttc ttgaagtggg ggcctaacta cggctacact agaagaacag tatttggtat   1440
ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt ggtagctctt gatccggcaa   1500
acaaaccacc gctggtagcg gtggtttttt tgtttgcaag cagcagatta cgcgcagaaa   1560
aaaaggatct caagaagatc ctttgatctt ttctacgggg tctgacgctc agtgaacga   1620
aaactcacgt taagggatgt tgggtcatgag attatcaaaa aggatcttca cctagatcct   1680
tttaaatata aatgaaggtt ttaaataaat ctaaagtata tatgagtaaa cttggtctga   1740
cagttaccaa tgcttaataca gtgaggcacc tatctcagcg atctgtctat ttcgttcac   1800
```

-continued

catagttgcc	tgactccccg	tcgtgtagat	aactacgata	cgggaggggt	taccatctgg	1860
ccccagtgc	gcaatgatac	cgcgagaccc	acgctcaccg	gctccagatt	tatcagcaat	1920
aaaccagcca	gccggaaggg	cgcgagcgag	aagtgggtcct	gcaactttat	ccgcctccat	1980
ccagtctatt	aattgttgcc	gggaagctag	agtaagtagt	tcgccagtta	atagtttgcg	2040
caacgttggt	gccattgcta	caggcatcgt	ggtgtcacgc	tcgtcgtttg	gtatggcttc	2100
attcagctcc	ggttcccaac	gatcaaggcg	agttacatga	tccccatgt	tgtgcaaaaa	2160
agcggtagc	tccttcggtc	ctccgatcgt	tgtcagaagt	aagtggccg	cagtgttate	2220
actcatgggt	atggcagcac	tgcataatc	tcttactgtc	atgccatccg	taagatgctt	2280
ttctgtgact	ggtgagtact	caaccaagtc	attctgagaa	tagtgatgc	ggcgaccgag	2340
ttgctcttgc	ccggcgtaaa	tacgggataa	taccgcgcca	catagcagaa	ctttaaaagt	2400
gctcatcatt	ggaaaacgtt	cttcggggcg	aaaactctca	aggatcttac	cgtgttgtag	2460
atccagttcg	atgtaaccca	ctcgtgcacc	caactgatct	tcagcatctt	ttactttcac	2520
cagcgtttct	gggtgagcaa	aaacaggaag	gcaaaatgcc	gcaaaaaagg	gaataagggc	2580
gacacggaaa	tggtgaatac	tcatactctt	cctttttcaa	tattattgaa	gcatttatca	2640
gggttattgt	ctcatgagcg	gatacatatt	tgaatgtatt	tagaaaaata	aacaaatagg	2700
ggttccgcgc	acatttcccc	gaaaagtgcc	acctgacgtc	taagaaacca	ttattatcat	2760
gacattaacc	tataaaaaata	ggcgtatcac	gaggccctga	tggctctttg	cggcaccat	2820
cgttcgtaat	gttccgtggc	accgaggaca	accctcaaga	gaaaatgtaa	tcacactggc	2880
tcaccttcgg	gtgggccttt	ctgcgtttat	aaggagacac	tttatgttta	agaaggttgg	2940
taaattcctt	gcggcttttg	cagccaagct	agatccggct	gtggaatgtg	tgtcagttag	3000
ggtgtgga	gtccccaggc	tccccagcag	gcagaagtat	gcaaagcatg	catctcaatt	3060
agtcagcaac	caggtgtgga	aagtccccag	gctccccagc	aggcagaagt	atgcaaagca	3120
tgcatctcaa	ttagtcagca	accatagtc	cgccctaac	tccgccatc	ccgccctaa	3180
ctccgccag	ttccgccat	tctccgccc	atggctgact	aatttttttt	atttatgcag	3240
aggccgaggc	cgctcggcc	tctgagctat	tccagaagta	gtgaggaggc	ttttttggag	3300
gcctaggctt	ttgcaaaaag	ctagcttggg	gccaccgctc	agagcacctt	ccaccatggc	3360
cacctcagca	agttcccact	tgaacaaaaa	catcaagcaa	atgtacttgt	gcctgcccga	3420
gggtgagaaa	gtccaagcca	tgtatatctg	ggttgatggt	actggagaag	gactgcgctg	3480
caaaacccgc	accctggact	gtgagcccaa	gtgtgtagaa	gagttacctg	agtggaaatt	3540
tgatggctct	agtaccttcc	agtctgagg	ctccaacagt	gacatgtatc	tcagccctgt	3600
tgccatgttt	cgggaccctt	tccgcagaga	tccaacaag	ctggtgttct	gtgaagtttt	3660
caagtacaac	cgaagcctg	cagagaccaa	tttaaggcac	tcgtgtaaac	ggataatgga	3720
catggtgagc	aaccagcacc	cctggttttg	aatggaacag	gagtatactc	tgatgggaac	3780
agatgggcac	ccttttgggt	ggccttccaa	tggctttcct	gggccccaa	gtcgtatta	3840
ctgtggtgtg	ggcgagaca	aagcctatgg	cagggatatc	gtggaggctc	actaccgcgc	3900
ctgcttgat	gctggggtca	agattacagg	aacaaatgct	gaggtcatgc	ctgccagtgc	3960
ggaaactcaa	ataggaccct	gtgaaggaat	cgcgatggga	gatcatctct	gggtggcccg	4020
tttcatcttg	catcgagtat	gtgaagactt	tggggtaata	gcaacctttg	accccaagcc	4080

-continued

cattcctggg aactggaatg gtgcaggctg ccataccaac tttagcacca aggccatgcg	4140
ggaggagaat ggtctgaagc acatcgagga ggccatcgag aaactaagca agcggcaccg	4200
gtaccacatt cgagcctacg atcccaaggg gggcctggac aatgcccggtg gtctgactgg	4260
gttcacacgaa acgtccaaca tcaacgactt ttctgctggg gtcgccaatc gcagtgccag	4320
catccgcatt ccccggaactg tcggccagga gaagaaaggt tactttgaag accgcggccc	4380
ctctgccaat tgtgaccctt ttgcagtgcg agaagccatc gtcgcacat gccttctcaa	4440
tgagactggc gacgagccct tccaatacaa aaactaatta gactttgagt gatcttgagc	4500
ctttcctagt tcatcccacc ccgccccaga gagatctttg tgaaggaacc ttactttctgt	4560
ggtgtgacat aattggacaa actacctaca gagattttaa gctctaaggt aaatataaaa	4620
tttttaagtg tataatgtgt taaactactg attctaattg tttgtgtatt ttagattcca	4680
acctatggaa ctgatgaatg ggagcagtg tggaatgcct ttaatgagga aaacctgttt	4740
tgctcagaag aaatgccatc tagtgatgat gaggtactg ctgactctca acattctact	4800
cctcaaaaa agaagagaaa ggtagaagac cccaaggact ttccttcaga attgctaagt	4860
tttttgagtc atgctgtgtt tagtaataga actcttgctt gctttgctat ttacaccaca	4920
aaggaaaaag ctgcactgct atacaagaaa attatggaaa aatattctgt aacctttata	4980
agtaggcata acagttataa tcataacata ctgttttttc ttactccaca caggcataga	5040
gtgtctgcta ttaataacta tgctcaaaaa ttgtgtacct ttagcttttt aatttgtaaa	5100
ggggttaata aggaatattt gatgtatagt gccttgacta gagatcataa tcagccatac	5160
cacatttgta gaggttttac ttgctttaaa aaacctccca cacctcccc tgaacctgaa	5220
acataaaatg aatgcaattg ttgttggttaa cttgtttatt gcagcttata atggttacaa	5280
ataagcaat agcatcacia atttcacaaa taaagcattt ttttactgc attctagtgt	5340
tggtttgtcc aaactcatca atgtatctta tcatgtctgg atctctagct tcgtgtcaag	5400
gacggtgagg cgcgcctact gagtcatag ggactttcca atgggttttg ccaggtacat	5460
aaggtcaata ggggtgaatc aacaggaaag tccatttga gccagtaga ctgagtcatt	5520
agggactttc cattgggttt tgcccagtag aaaaggtag taggggtga gtcaatgggt	5580
ttttccatt attggcagct acataaggtc aataggggtg agtcattggg tttttccagc	5640
caatttaatt aaaacgcat gtactttccc accattgacg tcaatgggt attgaaacta	5700
atgcaacgtg acctttaaac ggtactttcc catagctgat taatgggaaa gtaccgttct	5760
cgagccaata cacgtcaatg ggaagtgaag gggcagccaa aacgtaacac cgcgccggtt	5820
ttcccctgga aattccatat tggcacgcat tctattggct gagctgcgtt ctacgtgggt	5880
ataagaggcg cgaccagct cggtaccgtc gcagtcctcg gtctgaccac cgtagaacgc	5940
agaagcttgc cgccaccatg gtgagcaagc agatcctgaa gaacaccggc ctgcaggaga	6000
tcatgagctt caaggtgaac ctggaggcg tggtgaacaa ccacgtgttc accatggagg	6060
gtcgcggcaa gggcaacatc ctgttcggca accagctggt gcagatccgc gtgaccaagg	6120
gcgccccct gcccttcgcc ttcgacatcc tgagccccgc cttccagtag ggcaaccgca	6180
ccttcaccaa gtaccccgag gacatcagcg acttcttcat ccagagcttc cccgcgggt	6240
tcgtgtacga gcgcaccctg cgctacagag acggcggcct ggtggagatc cgcagcgaca	6300
tcaacctgat cgaggagatg ttcgtgtacc gcgtggagta caaggccgc aacttcccca	6360

-continued

acgacggccc cgtgatgaag aagaccatca ccggcctgca gccagcttc gagtggtgt	6420
acatgaacga cggcgtgctg gtgggccagg tgatcctggt gtaccgcctg aacagcggca	6480
agttctacag ctgccacatg cgcacctga tgaagagcaa ggcgtggtg aaggacttcc	6540
ccgagtacca cttcatccag caccgcctg agaagaccta cgtggaggac ggcggcttcg	6600
tggagcagca cgagaccgcc atcgcccagc tgaccagcct gggcaagccc ctgggcagcc	6660
tgcacgagtg ggtgtaata	6679

<210> SEQ ID NO 2
 <211> LENGTH: 8251
 <212> TYPE: DNA
 <213> ORGANISM: Hamster sp.
 <220> FEATURE:
 <221> NAME/KEY: misc_feature
 <223> OTHER INFORMATION: Seq. ID. No. 3: circular plasmid GS vector
 p12.4 hCMVp-GFP /clone 13

<400> SEQUENCE: 2

gaattcattg atcataatca gccataccac attttagtag gttttacttg ctttaaaaaa	60
cctcccacac ctcccctga acctgaaaca taaaatgaat gcaattgttg ttgttaactt	120
gtttattgca gttataatg gttacaaata aagcaatagc atcacaaatt tcacaaataa	180
agcatttttt tctactgcat ctagtgtggt tttgtccaaa ctcacaaatg tatcttatca	240
tgcttgggcg ccgcgacctg caggcgacga actggtaggt atggaagatc cctcgagatc	300
cattgtgctg gcggtaggcg agcagcgctt gcctgaagct gcgggcattc ccagtcagaa	360
atgagcgcca gtctgctgct gctctcgga ccgaagtgt atgattctcc gccagcatgg	420
cttcggccag tgcgtcgagc agcggccgct tgttctgaa gtgccagtaa agcggcggct	480
gctgaacccc caaccgttc gccagtttgc gtgtcgtcag accgtctacg ccgacctcgt	540
tcaacaggtc caggggcgga cggatcactg tattcggtcg caactttgtc atgcttgaca	600
ctttatcact gataaacata atatgtccac caacttatca gtgataaaga atccgcgcca	660
gcacaatgga tctcgaggtc gagggatctc tagaggatcc atattcgcg gcacaccgg	720
cgccacaggc gcggttgctg gcgcctatat cgcgcacatc accgatgggg aagatcgggc	780
tcgccacttc gggctcatga gcgcttgtt cggcgtgggt atggtggcag gcccgtggc	840
cgggggactg ttgggcgcca tctccttgca tgcaccattc cttgcggcgg cgtgctcaa	900
cggcctcaac ctactactgg gctgcttcct aatgcaggag tcgcataagg gagagcgtcg	960
acctcgggcc gcgttgctgg cgtttttcca taggtccgc cccctgacg agcatcaca	1020
aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga ctataaagat accaggcgtt	1080
tcccctgga agctccctcg tgcgtctccc tgttccgacc ctgccgtta ccggatacct	1140
gtccgccttt ctcccttcgg gaagcgtggc gctttctcat agctcacgct gtaggtatct	1200
cagttcgggt taggtcgttc gctccaagct gggctgtgtg cacgaacccc ccgttcagcc	1260
cgaccgctgc gccttatccg gtaactatcg tottgagtcc aaccggtaa gacacgactt	1320
atcgccactg gcagcagcca ctggtaacag gattagcaga gcgaggtatg taggcggtgc	1380
tacagagttc ttgaagtgtt ggcctaacta cggctacact agaagaacag tatttggtat	1440
ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt ggtagctctt gatccggcaa	1500
acaaaccacc gctggtagcg gtggtttttt tgtttgcaag cagcagatta cgcgcagaaa	1560

-continued

aaaaggatct caagaagatc ctttgatctt ttctacgggg tctgacgctc agtggaaacga	1620
aaactcacgt taagggatctt tggatcatgag attatcaaaa aggatcttca cctagatcct	1680
tttaaattaa aaatgaagtt ttaaatcaat ctaaagtata tatgagtaaa cttgggtctga	1740
cagttaccaa tgcttaatac gtgaggcacc tatctcagcg atctgtctat ttcgttcac	1800
catagttgcc tgactccccg tcgtgtagat aactacgata cgggagggct taccatctgg	1860
ccccagtgct gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat	1920
aaaccagcca gccggaaggc cggagcgagc aagtggctct gcaactttat ccgcctccat	1980
ccagttctatt aattgttgcc gggaaagctag agtaagtagt tcgccagtta atagtttgcg	2040
caacgttggt gccattgcta caggcatcgt ggtgtcacgc tcgtcgtttg gtatggcttc	2100
attcagctcc ggttcccaac gatcaaggcg agttacatga tccccatgt tgtgcaaaaa	2160
agcggtagc tccttcgggc ctccgatcgt tgtcagaagt aagtggccg cagtgttatc	2220
actcatggtt atggcagcac tgcataattc tcttactgtc atgccatccg taagatgctt	2280
ttctgtgact ggtgagtact caaccaagtc attctgagaa tagtgtatgc ggcgaccgag	2340
ttgtctttgc ccggcgtaaa tacgggataa taccgcgcca catagcagaa ctttaaaagt	2400
gtcatcatt ggaacacgtt cttcggggcg aaaactctca aggatcttac cgtgttgag	2460
atccagttcg atgtaacca ctcgtgcacc caactgatct tcagcatctt ttactttcac	2520
cagcgtttct gggtagcaaa aaacaggaag gcaaatgcc gcaaaaagg gaataagggc	2580
gacacggaaa tgttgaatac tcatactctt cctttttcaa tattattgaa gcatttatca	2640
gggttattgt ctcagtagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg	2700
ggttccgcgc acatttcccc gaaaagtgcc acctgacgtc taagaaacca ttattatcat	2760
gacattaacc tataaaaaa ggcgtatcac gaggccctga tggctctttg cggcaccat	2820
cgttcgtaat gttccgtggc accgaggaca acctcaaga gaaaatgtaa tcacactggc	2880
tcaccttcgg gtgggccttt ctgcgtttat aaggagacac tttatgttta agaaggttg	2940
taaattcctt gcggcctttg cagccaagct agatccggct gtggaatgtg tgcagttag	3000
ggtgtggaaa gtccccagc tccccagcag gcagaagtat gcaaagcatg catctcaatt	3060
agtcagcaac cagggtgtga aagtccccag gctccccagc aggcagaagt atgcaaagca	3120
tgcatctcaa ttagtcagca accatagtc cgcctctaac tccgccatc ccgccctaa	3180
ctccgccag ttccgccat tctccgccc atggctgact aattttttt atttatgcag	3240
aggccgaggc cgcctcgcc tctgagctat tccagaagta gtgaggaggc ttttttgag	3300
gcctaggtt ttgcaaaaag ctagcttggt gccaccgctc agagcacctt ccaccatggc	3360
cacctcagca agttccact tgaacaaaa catcaagcaa atgtactgt gcctgcccc	3420
gggtgagaaa gtccaagcca tgtatatctg ggttgatggt actggagaag gactgcgctg	3480
caaaacccgc acctggact gtgagcccaa gtgtgtagaa gagttacctg agtgaattt	3540
tgatggctct agtaccttct agtctgagg ctccaacagt gacatgtatc tcagccctgt	3600
tgccatgtt cgggaccct tccgagaga tccaacaag ctggtgttct gtgaagttt	3660
caagtacaac cggaagcctg cagagaccaa ttttaaggcac tcgtgtaaac ggataatgga	3720
catggtgagc aaccagcacc cctggtttg aatggaacag gagtatactc tgatgggaac	3780
agatgggcac ccttttggtt ggccttcaa tggctttcct gggcccaag gtccgtatta	3840

-continued

ctgtggtgtg ggcgcagaca aagcctatgg cagggatatac gtggaggctc actaccgcgc	3900
ctgcttgat gctgggtca agattacagg aacaaatgct gaggtcatgc ctgccagt	3960
ggaactccaa ataggacct gtgaaggaat ccgcatggga gatcatctct gggtgcccc	4020
tttcactctg catcgagtat gtgaagactt tggggtaata gcaacctttg accccaagcc	4080
cattcctggg aactggaatg gtgcaggctg ccataccaac tttagcacca aggccatgcg	4140
ggaggagaat ggtctgaagc acatcgagga ggccatcgag aaactaagca agcggcaccg	4200
gtaccacatt cgagcctacg atcccaaggg gggcctggac aatgccctg gtctgactgg	4260
gttccacgaa acgtccaaca tcaacgactt ttctgctggt gtcgccaatc gcagtgccag	4320
catccgcatt ccccgactg tcggccagga gaagaaagg tactttgaag accgcggccc	4380
ctctgccaat tgtgaccct ttgcagtgc agaagccatc gtcgcacat gccttctcaa	4440
tgagactggc gacgagccct tccaatacaa aaactaatta gactttgagt gatcttgagc	4500
ctttcctagt tcatccacc ccgcccaga gagatctttg tgaaggaacc ttacttctgt	4560
ggtgtgacat aattggacaa actacctaca gagatttaaa gctctaagg aaatataaaa	4620
tttttaagt tataatgtgt taaactactg attctaattg tttgtgtatt ttagattcca	4680
acctatggaa ctgatgaatg ggagcagtgg tggaatgcct ttaatgagga aaacctgtt	4740
tgctcagaag aaatgccatc tagtgatgat gaggctactg ctgactctca acattctact	4800
cctccaaaaa agaagagaaa ggtagaagac cccaaggact ttccttcaga attgctaagt	4860
tttttgagtc atgctgtgt tagtaataga actcttgctt gctttgctat ttacaccaca	4920
aaggaaaaag ctgactgct atacaagaaa attatggaaa aatattctgt aacctttata	4980
agtaggcata acagttataa tcataacata ctgttttttc ttactccaca caggcataga	5040
gtgtctgcta ttaataacta tgctcaaaaa ttgtgtacct ttagcttttt aatttgtaaa	5100
ggggttaata aggaatattt gatgtatagt gccttgacta gagatcataa tcagccatac	5160
cacatttgta gaggttttac ttgctttaaa aaacctccca cacctcccc tgaacctgaa	5220
acataaaatg aatgcaattg ttgttggttaa cttgtttatt gcagcttata atggttacaa	5280
ataaagcaat agcatcacia atttcacaaa taaagcattt ttttactgc attctagtgt	5340
tggtttgtcc aaactcatca atgtatctta tcatgtctgg atctagcttc gtgtcaagga	5400
cggtgactgc agtgaataat aaaatgtgtg tttgtccgaa atacgcgttt tgagatttct	5460
gtcgcgact aaattcatgt cgcgcgatag tgggttttat cgcgcataga gatggcgata	5520
ttggaaaaat cgatatattg aaatatggca tattgaaaat gtcgcgatg tgagtttctg	5580
tgtaactgat atcgccattt ttccaaaagt gatttttggg catacgcgat atctggcgat	5640
agcgttata tcgtttacgg gggatggcga tagacgactt tggtgacttg ggcgattctg	5700
tgtgtcgcaa atatcgagc ttcgatatag gtgacagacg atatgaggct atatcgccga	5760
tagaggcgac atcaagctgg cacatggcca atgcataatc atctatacat tgaatcaata	5820
ttggccatta gccatattat tcattggtta tatagcataa atcaatattg gctattggcc	5880
attgcatacg ttgtatccat atcataatat gtacatttat attggctcat gtccaacatt	5940
accgcatgt tgacattgat tattgactag ttattaatag taatcaatta cggggtcatt	6000
agttcatagc ccatatatgg agttccgcgt tacataactt acggtaaatg gccgccttg	6060
ctgaccgccc aacgaccccc gccattgac gtcaataatg acgtatgttc ccatagtaac	6120

-continued

gccaataggg actttccatt gacgtcaatg ggtggagtat ttacggtaaa ctgccactt	6180
ggcagtacat caagtgtatc atatgccaa gacgccccct attgacgtca atgacggtaa	6240
atggcccgcc tggcattatg ccaggtacat gaccttatgg gactttccta cttggcagta	6300
catctacgta ttagtcatcg ctattacat ggtgatgcgg ttttggcagt acatcaatgg	6360
gcgtggatag cggtttgact cacggggatt tccaagtctc caccctattg acgtcaatgg	6420
gagtttgttt tggcaccaaa atcaacggga ctttccaaaa tgtcgtaaca actccgcccc	6480
attgacgcaa atgggcggtg ggcgtgtacg gtgggaggtc tatataagca gagctcgttt	6540
agtgaaccgt cagatgcctt ggagacgcca tccacgctgt ttgacctcc atagaagaca	6600
ccgggaccga tccagcctcc gcggccggga acggtgcatt ggaacgcgga tcccccgctg	6660
caagagtgcg gtaagtaccg cctatagagt ctataggccc acccccttgg cttcttatgc	6720
atgctatact gtttttggct tgggggtctat acacccccgc ttcctcatgt tatagggtat	6780
ggtatagctt agcctatagg tgtgggttat tgaccattat tgaccactcc cctattggtg	6840
acgatacttt ccattactaa tccataacat ggctctttgc cacaactctc tttattggct	6900
atatgccaat acactgtcct tcagagactg acacggactc tgtattttta caggatgggg	6960
tctcatttat tatttacaaa ttcacatata caacaccacc gtccccagtg cccgcagttt	7020
ttattaaaca taacgtggga tctccacgcg aatctcggtt acgtgttccg gacatgggt	7080
cttctccggt agcggcggtg cttctacatc cgagccctgc tcccatgcct ccagcgactc	7140
atggtcgctc ggcagctcct tgctcctaac agtggaggcc agacttaggc acagcacgat	7200
gcccaccacc accagtgtgc cgcacaaggc cgtggcggtg gggatatgtg ctgaaaatga	7260
gctcggggag cgggcttgca ccgctgacgc atttgggaaga cttaaggcag cggcagaaga	7320
agatgcaggc agctgagttg ttgtgttctg ataagagtca gaggtaactc ccgttgcggt	7380
gctgttaacg gtggagggca gtgtagtctg agcagtactc gttgctgccg cgcgcgccac	7440
cagacataat agctgacaga ctaacagact gttcctttcc atgggtcttt tctgcagtca	7500
ccgtccttga cacgaagctt gccgccacca tggtagagca gcagatcctg aagaacaccg	7560
gcctgcagga gatcatgagc ttcaaggatg acctggaggc cgtggtgaac aaccacgtgt	7620
tcaccatgga gggctgcggc aagggaacaa tcctgttcgg caaccagctg gtgcagatcc	7680
gcgtgaccaa gggcgcccc ctgcccttcg ccttcgacat cctgagcccc gccttccagt	7740
acggcaaccg caccttcacc aagtaccccg aggacatcag cgacttcttc atccagagct	7800
tccccgcggt cttcgtgtac gagcgacccc tgcgctacga ggacggcggc ctggtggaga	7860
tccgcagcga catcaacctg atcgaggaga tgttcgtgta ccgcgtggag tacaagggcc	7920
gcaacttccc caacgacggc cccgtgatga agaagaccat caccggcctg cagcccagct	7980
tcgaggtggt gtacatgaac gacggcgctg tggtagggcca ggtgatcctg gtgtaccgcc	8040
tgaacagcgg caagtcttac agctgccaca tgcgcacct gatgaagagc aaggcgctgg	8100
tgaaggactt ccccgagtac cacttcatcc agcaccgcct ggagaagacc tacgtggagg	8160
acggcggtct cgtggagcag cacgagaccg ccatcgcca gctgaccagc ctgggcaagc	8220
ccctgggcag cctgcacgag tgggtgtaat a	8251

<210> SEQ ID NO 3
 <211> LENGTH: 10369
 <212> TYPE: DNA

-continued

```

<213> ORGANISM: Hamster sp.
<220> FEATURE:
<221> NAME/KEY: misc_feature
<223> OTHER INFORMATION: Seq. ID. No. 2: circular plasmid GS-minigene
        vector p 14.4 DeltaModulator (mod-) hCMVp-GFP /clone 6

<400> SEQUENCE: 3

gaattcattg atcataatca gccataccac atttgtagag gttttacttg ctttaaaaaa    60
cctcccacac ctcccctga acctgaaaca taaaatgaat gcaattgttg ttgttaactt    120
gtttattgca gcttataatg gttacaaata aagcaatagc atcacaaatt tcacaaataa    180
agcatttttt tctactgcatt ctagtgtggg tttgtccaaa ctcatcaatg tatcttatca    240
tgtctggcgg ccgcgacctg caggcgacga actggtaggt atggaagatc cctcgagatc    300
cattgtgctg gcggtaggcg agcagcgccg gctgaagct gcgggcattc ccagtcagaa    360
atgagcgcca gtcgtcgtcg gctctcgcca ccgaagtgct atgattctcc gccagcatgg    420
cttcggccag tgcgtcgagc agcgcccgct tgttcctgaa gtgccagtaa agcgccggct    480
gctgaacccc caaccgttcc gccagtttgc gtgtcgtcag accgtctacg ccgacctcgt    540
tcaacagggtc cagggcgcca cggatcactg tattcggtcg caactttgtc atgcttgaca    600
ctttatcact gataaacata atatgtccac caacttatca gtgataaaga atccgcgcca    660
gcacaatgga tctcgaggtc gagggatctc tagaggatcc atattcgagg gcatcaccgg    720
cgccacaggt gcggttgctg gcgcctatat cgccgacatc accgatgggg aagatcgggc    780
tcgccacttc gggctcatga gcgctgtttt cggcgtgggt atggtggcag gccccgtggc    840
cgggggactg ttgggcgcca tctccttgca tgcaccattc cttgcggcgg cggtgctcaa    900
cggcctcaac ctactactgg gctgcttcct aatgcaggag tcgcataagg gagagcgtcg    960
acctcgggcc gcgttgctgg cgtttttcca taggctccgc cccctgacg agcatcacia   1020
aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga ctataaagat accaggcggt   1080
tccccctgga agtcctctcg tgcgtctctc tgttcgacc ctgccgctta ccggatacct   1140
gtccgccttt ctcccttcgg gaagcgtggc gctttctcat agctcacgct gtaggtatct   1200
cagttcgggt taggtcgttc gctccaagct gggctgtgtg cacgaacccc ccgttcagcc   1260
cgaccgctgc gccttatccg gtaactatcg tottgagtcc aaccgggtaa gacacgactt   1320
atcgccactg gcagcagcca ctggtaacag gattagcaga gcgaggatg taggcggtgc   1380
tacagagttc ttgaagtggg ggcctaacta cggctacact agaagaacag tatttggtat   1440
ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt gtagctctt gatccggcaa   1500
acaaaccacc gctggtagcg gtggtttttt tgtttgcaag cagcagatta cgcgcagaaa   1560
aaaaggatct caagaagatc ctttgatctt ttctacgggg tctgacgctc agtggaaacga   1620
aaactcacgt taagggatgt tggctatgag attatcaaaa aggatcttca cctagatcct   1680
tttaaattaa aaatgaagtt ttaaataaat ctaaagtata tatgagtaaa cttggtctga   1740
cagttaccaa tgcttaatca gtgaggcacc tatctcagcg atctgtctat ttcgttcac   1800
catagttgcc tgactccccg tcgtgtagat aactacgata cgggagggct taccatctgg   1860
ccccagtgtc gcaatgatac cgcgagaccc acgctcaccg gctccagatt tatcagcaat   1920
aaaccagcca gccggaaggg ccgagcgagc aagtggctct gcaactttat ccgcctccat   1980
ccagtctatt aattgttgcc gggaagctag agtaagtagt tcgccagtta atagtttgcg   2040

```

-continued

caacgttggt gccattgcta caggcatcgt ggtgtcacgc tcgtcgtttg gtatggcttc	2100
attcagctcc ggttcccaac gatcaaggcg agttacatga tcccccatgt tgtgcaaaaa	2160
agcggtagc tccttcgggc ctccgatcgt tgtcagaagt aagttggccg cagtgttatc	2220
actcatgggt atggcagcac tgcataattc tcttactgtc atgccatccg taagatgctt	2280
ttctgtgact ggtgagtact caaccaagtc attctgagaa tagtgtatgc ggcgaccgag	2340
ttgctcttgc cggcgctcaa tacgggataa taccgcgcca catagcagaa ctttaaaagt	2400
gctcatcatt ggaaaacgtt cttcggggcg aaaactctca aggatcttac cgctgttgag	2460
atccagttcg atgtaaccca ctctgtgcacc caactgatct tcagcatctt ttactttcac	2520
cagcgtttct gggtagagaa aaacaggaag gcaaaatgcc gcaaaaaagg gaataagggc	2580
gacacggaaa tgttgaatac tcatactctt cctttttcaa tattattgaa gcatttatca	2640
gggttattgt ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg	2700
ggttcgcgc acatttcccc gaaaagtgcc acctgacgtc taagaaacca ttattatcat	2760
gacattaacc tataaaaaata ggcgtatcac gaggccctga tggctctttg cggcaccat	2820
cgttcgtaat gttccgtggc accgaggaca accctcaaga gaaaatgtaa tcacactggc	2880
tcaccttcg gtgggccttt ctgcgtttat aaggagacac tttatgttta agaaggttg	2940
taaattcctt gcggttttg cagccaagct agatccagct ttttgcaaaa gcctaggcct	3000
ccaaaaaagc ctctcacta cttctggaat agctcagagg ccgaggcggc ctcggcctct	3060
gcataaataa aaaaaattag tcagccatgg ggcggagaat ggcgggaact ggcggagtt	3120
aggggaggga tggcgaggat tagggggggg actatggttg ctgactaatt gagatgcag	3180
ctttgcatac ttctgcctgc tggggagcct ggggactttc cacacctggt tgcgactaa	3240
ttgagatgca tgctttgcat acttctgcct gctggggagc ctggggactt tccacacct	3300
aactgacaca cattccacag ggaagctagc ttggaattaa tccccgccc cttccaata	3360
caaaaactaa ttagactttg agtgatcttg agcctttcct agtttttgta ttggaagggc	3420
tcgtcgccag tctcattgag aaggcatgtg cggacgatgg cttctgtcac tgcaagggg	3480
tcacaattgg cagagggggc gcggtcttca aagtaacctt tcttctcctg ccgagccgag	3540
aatgggagta gagccgactg cttgattccc acaccaatct cctcgccgct ctacttcgc	3600
ctcgttctcg tggctcgtg ccctgtccac cccgtccatc atcccgcgg ccaccgctca	3660
gagcaccttc caccatggcc acctcagcaa gttcccactt gaacaaaaac atcaagcaaa	3720
tgtacttggt cctgccccag ggtgagaaag tccaagccat gtatatctgg gttgatggta	3780
ctggagaagg actgcgctgc aaaacccgca ccctggactg tgagcccaag tgtgtagaag	3840
agttacctga gtggaatttt gatggctcta gtacctttca gtctgagggc tccaacagt	3900
acatgtatct cagccctgtt gccatgttct gggacccctt ccgcagagat cccaacaagc	3960
tgggtttctg tgaagtttct aagtacaacc ggaagcctgc agagaccaat ttaaggcact	4020
cgtgtaaagc gataatggac atggtgagca accagcacc cttggtttgga atggaacagg	4080
agtatactct gatgggaaca gatgggcacc cttttggttg gccttccaat ggctttcctg	4140
ggccccaagg tccgtattac tgtggtgttg gcgcagacaa agcctatggc agggatatcg	4200
tggaggctca ctaccgcgc tgcttgatg ctggggtcaa gattacagga acaaatgctg	4260
aggtcatgcc tgcccagtg gaactccaaa taggaccctg tgaaggaatc cgcatgggag	4320

-continued

atcatctctg ggtggcccg ttcattctgc atcgagtatg tgaagacttt ggggtaatag	4380
caacctttga ccccaagccc attcctggga actggaatgg tgcaggctgc cataccaact	4440
ttagacacaa ggccatgcgg gaggagaatg gtctgaagta agtagctccc tctggaccat	4500
ctttattctc atgggggtga aggcctttgt gttagggttg ggaaaagttg gacttctcac	4560
aaactacatg ccatgctctt cgtgtttgtc ataagcctat cgttttgtac ccgttgagga	4620
agtgcagatg ctctaggaat agaattacag ctgtgatatg ggaaaagttg cactgaggtt	4680
caagcattta aaggctctta gtaagaacta aatacacata caagcaagtg ggtgacttaa	4740
ttcttactga tgggaagagg ccagtgatgg gggctctccc atccaaaaga taattggtat	4800
tacatgttga ggactggtct gaagcacttg agacataggt cacaaggcag acacagcctg	4860
catcaagtat ttattggttt cttatggaac tcatgcctgc tcctgccctt gaaggacagg	4920
ttcttagtga caaggtcaga ccctcacctt tactgcttcc accaggcaca tcgaggaggc	4980
catcgagaaa ctaagcaagc ggcaccggtg ccacattcga gcctacgatc ccaagggggg	5040
gctggacaat gcccggtgct tgactgggtt ccacgaaacg tccaacatca acgacttttc	5100
tgctggtgct gccaatcgca gtgccagcat ccgcatctcc cggactgtcg gccaggagaa	5160
gaaaggttac ttggaagacc gccgcccctc tgccaattgt gacctctttg cagtgcaga	5220
agccatcgct cgcacatgcc ttctcaatga gactggcgac gagcccttcc aatacaaaaa	5280
ctaattagac tttagtgatg cttgagcctt tcctagttca tgccaccccg cccagctgt	5340
ctcattgtaa ctcaaaggat ggaatatcaa cggtcttttt attcctctgt cccagttaat	5400
ccttgctttt attggtcaga atagaggagt caagttctta atgcctatac accaacctca	5460
tttcttttct atttagcttt ctactggtgg gtgggagggg tagggagggg taggcgaagg	5520
gaacgtaacc acatgcttca tctcatcagg aatgccatgt ccagtaggca gagctgccac	5580
agagtgggtg tatttgtgga ggaggacttt ttcttcagga cagttaaaag agcagggtcca	5640
ctgcttggat tgacaattcc cctataggtg gagagcttgc tagttcttca ggtaaaccaa	5700
ctttctattc caaatggaag ttaggtgagg agtagtgagg gagttaatgc cctccatgaa	5760
gacagctcag tgtatcacct gagacagatg ggtagcccta ctgtaaaaga aggaaaagtt	5820
atttctgggt cctccattta taacacaaag cagtagtatt tttatattta aatgtaaaaa	5880
caaaagttaa atatatgata tgtggatata tgtgtatttc taattcagaa accatcctag	5940
ttactgggtt tgccaagttt gaagagcttg gttacaaga aaggatctct tgagtagagg	6000
tgggggtgca gtaccaggaa aggtggttat ctggggctca gcgctttatt actatgtggg	6060
gtttccctg cccactctgc aggagcagat gctggacagg tagcagggtg ggacaccagt	6120
gcttgccacc acctgtccct gtgcttaggc taagatgcat atgtatccac acagagttag	6180
caggatggag ttggctggtc aacttgaaca ttgttactga taggggtggg tggggtttat	6240
tttttggtg gactagcatg tcactaaagc aggccttttg atatattaaa ttttttaaag	6300
caaaacaagt tcagctttta atcaactttg tagggtttct aactttacag aattgcctgt	6360
ttgtttcagt gtctccatcc actttgctct tggaggaacg gaggacaggc agacctggag	6420
ttaaaacatt tgatcttttg tgatcatagt tctactttct cccagcagaa tattcctttc	6480
cttcttagga gtctatgga gttttgtttt tgtttttttt ctattacgat aaacataccc	6540
cacctccatt ctggcttgcc ctgctgttct ctggttgttt gtgtgctgtc cgcagcaggc	6600

-continued

tgccctgtggt tttctcttgc catgacgact tctaattgcc atgtacagta tgttcagtta	6660
gataactcct cattgtaaac agactgtaac tgccagagca gcgcttataa atcaacctaa	6720
cattttataag atttctctct gacttggttc tttgtggttg ggggaggaag aaaaaaaaaa	6780
gcgtgcagta tttttttgtt ccttcatttc ctatcaaaag aaaggggagt ggttctgttt	6840
tgtttactcg caaaataagc tagcttatct attggctttt cttttttttt ttttttttaa	6900
acgggctttt tcttgtagct ataatttggt gtaagggtgt agagttttta tagttttttg	6960
agacagggtc ttggtgtata cccttggtcg gcctggagct aactatgtag actgggctag	7020
cctttaactt gcagttctgc tttcaattag ggtttatata tttagtcttg gcaattccta	7080
gttccacggt taatctcttt acatttcaaa gcagtggtat ctgaagagtt caggcgcaga	7140
gtcaattcaa tagagtaca caaaaaccta aaaaacaagt tttaaatacc aagttatgtt	7200
ggcctggcca cttttcacag ctgtccacaa ctcaatgtga caaggctaca aattggatat	7260
actagaatth cctgggtgatt tgggaaccct gcttcatttc ccggaaccag ggcttttggt	7320
gacagtccta gcttatcaga ttatttaaaa cagttactct tctcgccctt ctctctgaga	7380
cctttgtcca gctgccatga gccatctaca cagtacttgc ttccctgttg aagtcactga	7440
aggcacatca gcccagaca taaaggcttg tcccggattc actagcctgg tgaactgtg	7500
gttctctgat gttttgtcct gttttgtgtg gatttagtct caaatttccc agcctgggtt	7560
gaaaatctgg gctcccagcc ttcaataagg aggactacag atatgtacga ctgagccttg	7620
attccagcct catgtttata cgtctgtgct cagctccctg aaggttccag tttgaaactc	7680
aataatccag gggtcagaaa gtcttgatct tatccccaca gtatggcacc aagcctggct	7740
gagccttctg acttagtctg ccctgttgct atttaagcac ttttcttcac taggctaaaa	7800
ataaaaggag cttctcctt tgccatggcg ctgtgcatga taggaaaagg tagctatcta	7860
ctagcatatt aactccactg tttttgcttt gtgtgttttg tttttgagga agggctctca	7920
ctgtgtatcc ctggctggcc tggccggatc tagcttcgtg tcaaggacgg tgaggcgcgc	7980
caatattggc tattggccat tgcatacgtt gtatccatat cataatatgt acatttatat	8040
tggtcatgt ccaacattac cgccatgttg acattgatta ttgactagtt attaatagta	8100
atcaattacg gggtcattag ttcatagccc atatatggag ttccgcgtta cataacttac	8160
ggtaaatggc ccgcctggct gaccgcccaa cgacccccgc ccattgacgt caataatgac	8220
gtatgttccc atagtaacgc caatagggac tttccattga cgtcaatggg tggagtattt	8280
acggtaaaact gccacttg cagtacatca agtgtatcat atgccaagta cgccccctat	8340
tgacgtcaat gacggtaaat ggcccgcctg gcattatgcc cagtacatga ccttatggga	8400
ctttcctact tggcagtaca tctacgtatt agtcatcgct attaccatgg tgatgcggtt	8460
ttggcagtac atcaatgggc gtggatagcg gtttgactca cggggatttc caagtctcca	8520
ccccattgac gtcaatggga gtttgttttg gcacccaaat caacgggact ttccaaaatg	8580
tcgtaacaac tccgccccat tgacgcaaat gggcggtagg cgtgtacggt gggaggtcta	8640
tataagcaga gctcgtttag tgaaccgtca gatcgccctg agacgccatc cacgctgttt	8700
tgacctccat agaagacacc gggaccgatc cagcctccgc ggcgggaac ggtgcattgg	8760
aacggcgatt ccccggtcca agagtacgt aagtaccgcc tatagagtct ataggccac	8820
ccccttggtc tcttatgcat gctatactgt ttttggttg ggtctatac acccccgtt	8880

-continued

cctcatgtta taggtgatgg tatagcttag cctataggtg tgggttattg accattattg	8940
accactcccc tattggtgac gatactttcc attactaatc cataacatgg ctctttgcca	9000
caactctctt tattggctat atgccaatac actgtccttc agagactgac acggactctg	9060
tattttttaca ggatggggtc tcattttatta ttacaaaatt cacatatata acaccaccgt	9120
ccccagtgcc cgcagttttt attaaacata acgtgggata tccacgcgaa tctcgggtac	9180
gtgttccgga catgggctct tctccggtag cggcggagct tctacatccg agccctgctc	9240
ccatgcctcc agcgactcat ggtcgcctcg cagctccttg ctcctaacag tggaggccag	9300
acttaggcac agcacgatgc ccaccaccac cagtgtgccg cacaaggccg tggcggtagg	9360
gtatgtgtct gaaaatgagc tcggggagcg ggcttgaccc gctgacgcat ttggaagact	9420
taaggcagcg gcagaagaag atgcaggcag ctgagttggt gtgttctgat aagagtcaga	9480
ggtaactccc gttgcgggtc tgtaaacggt ggagggcagt gtagtctgag cagtactcgt	9540
tgctgcgcg cgcgccacca gacataatag ctgacagact aacagactgt tcctttccat	9600
gggtcttttc tgcagtcacc gtccttgaca cgaagcttgc cgccaccatg gtgagcaagc	9660
agatcctgaa gaacaccggc ctgcaggaga tcatgagctt caagggtgaa ctggaggggc	9720
tggagaacaa ccacgtgttc accatggagg gctgcggcaa gggcaacatc ctgttcggca	9780
accagctggt gcagatccgc gtgaccaagg gcgccccct gcccttcgcc ttcgacatcc	9840
tgagccccgc cttccagtac ggcaaccgca ccttcaccaa gtaccccgag gacatcagcg	9900
acttcttcat ccagacttc cccgcggct tcgtgtacga gcgcaccctg cgtacgagg	9960
acggcggcct ggtggagatc cgcagcgaca tcaacctgat cgaggagatg ttcgtgtacc	10020
gcgtggagta caaggggcgc aacttcccca acgacggccc cgtgatgaag aagaccatca	10080
ccggcctgca gccacgttc gaggtggtgt acatgaacga cggcgtgctg gtgggccagg	10140
tgatcctggt gtaccgctg aacagcggca agttctacag ctgccacatg cgcaccctga	10200
tgaagagcaa gggcgtggtg aaggacttcc ccgagtacca cttcatccag caccgcctgg	10260
agaagaccta cgtggaggac ggcggttcg tggagcagca cgagaccgcc atcgcccagc	10320
tgaccagcct gggcaagccc ctgggcagcc tgcacgagtg ggtgtaata	10369

<210> SEQ ID NO 4

<211> LENGTH: 13535

<212> TYPE: DNA

<213> ORGANISM: Hamster sp.

<220> FEATURE:

<221> NAME/KEY: misc_feature

<223> OTHER INFORMATION: Seq. ID. No. 1: circular plasmid GS + IgG 2A
hot spot targetting vector pEE 15.1 hCMVp-GFP /clone 11

<400> SEQUENCE: 4

gaattcattg atcataatca gccataccac attttagtag gttttacttg ctttaaaaaa	60
cctcccacac ctcccctga acctgaaaca taaaatgaat gcaattgttg ttgttaactt	120
gtttattgca gcttataatg gttacaaata aagcaatagc atcacaaatt tcacaaataa	180
agcatttttt tcaactgcatt ctagtgtggg tttgtccaaa ctcatcaatg tatcttatca	240
tgcttgccgg ccgcgacctg caggcgagca actggtaggt atggaagatc cctcgagatc	300
cattgtgctg gcggtaggcg agcagcgcct gctgaagct gcgggcattc ccagtcagaa	360
atgagcgcca gtcgtcgtcg gctctcgcca ccgaagtgt atgattctcc gccagcatgg	420

-continued

cttcggccag	tgcgtcgagc	agcgcccgc	tggtccctgaa	gtgccagtaa	agcgccggct	480
gctgaacccc	caaccgttcc	gccagtttgc	gtgtcgtcag	accgtctacg	ccgacctcgt	540
tcaacaggtc	tagggcggca	cggatcactg	tattcggctg	caactttgtc	atgcttgaca	600
ctttatcact	gataaacata	atatgtccac	caacttatca	gtgataaaga	atccgcgcca	660
gcacaatgga	tctcagagtc	gagggatctc	tagaggatcc	atattcgcga	atatgccggc	720
atcacccggc	ccacagggtc	ggttgctggc	gcctatatcg	ccgacatcac	cgatggggaa	780
gateggggctc	gccacttcgg	gctcatgagc	gcttgtttcg	gcgtgggtat	ggtggcaggc	840
ccgtggccgg	gggactgttg	ggcgccatct	ccttgcatgc	accattcctt	gcggcggcgg	900
tgctcaacgg	cctcaacctc	ctactgggct	gcttcctaata	gcaggagtcg	cataagggag	960
agcgtcgagt	cctccgtgtt	cgaagcgatc	cctgtccagt	ggtgtgcaca	ccttcccagc	1020
tgctcctgag	tctgacctct	acaccctcag	cagctcagtg	actgtaacct	cgagcacctg	1080
gcccagccag	tccatcacct	gcaatgtggc	ccacccggca	agcagcacca	aggtggacaa	1140
gaaaattggt	gaggaataca	aggggagtag	aggttcacaa	gtgattagtc	taaggcctta	1200
gcctagctag	accagccagg	atcagcagcc	atcaccaaaa	atgggaactt	ggcccagaag	1260
agaaggagat	actgactgtg	actccctctt	ggaaacttct	aactatgacc	acctaccttc	1320
aagggtcatga	tcctctagga	tagatgtcct	tggtcatttc	caggatcatc	ctgacctaa	1380
gccataccca	gggacaaagt	ccctgggttg	gtgccttttc	tccttcaaac	ttgagtaacc	1440
cccagccttc	tctctgcaga	gcccagaggg	cccacaatca	agccctgtcc	tccatgcaaa	1500
tgcccaggta	agtcactaga	ccagagctcc	acccggggaga	atggtaagt	ctgtaaacat	1560
ccctgcacta	gaggataaag	catgtacaga	tccatttcca	tctctcctca	tcagcaccta	1620
acctcttggg	tggaccatcc	gtcttcatct	tccctccaaa	gatcaaggat	gtactcatga	1680
tctccctgag	ccccatagtc	acatgtgtgg	tggtggatgt	gagcgaggat	gaccagatg	1740
tccagatcag	ctggtttgtg	aacaacgtgg	aagtacacac	agctcagaca	caaaccata	1800
gagaggatta	caacagtact	ctccgggtgg	tcagtgcctt	cccattccag	caccaggact	1860
ggatgagtgg	caaggagtgc	aaatgcaagg	tcaacaacaa	agacctccca	gcgccatcg	1920
agagaacctat	ctcaaaaccc	aaagggtgaga	gctgcagcct	gactgcatgg	gggctgggat	1980
gggcataaag	ataaaggctt	gtgtggacag	ccttctgctt	cagccatgac	ctttgtgtat	2040
gtttctaccc	tcacagggtc	agtaagagct	ccacagggtat	atgtcttgcc	tccaccagaa	2100
gaagagatga	ctaagaaaca	ggtcactctg	acctgcatgg	tcacagactt	catgcctgaa	2160
gacatttacg	tggagtggac	caacaacggg	aaaacagagc	taaactacaa	gaacactgaa	2220
ccagtctcgg	actctgatgg	ttcttacttc	atgtacagca	agctgagagt	ggaaaagaag	2280
aactgggtgg	aaagaaatag	ctactcctgt	tcagtgggtc	acgaggggtc	gcacaatcac	2340
cacacgacta	agagcttctc	ccggactccg	ggtaaatgag	ctcagcacc	acaaaactct	2400
cagggtccaaa	gagacaccca	cactcatctc	catgcttccc	ttgtataaat	aaagcaccca	2460
ccaatgcctg	ggaccatgta	aaactgtcct	ggttctttcc	aaggatataga	gcatagctca	2520
caggctgata	tttctggcca	gggttgagg	acagccttgt	ctatagggaag	agaatgaggt	2580
ttttgactg	caggactcag	agctcattag	ttatcctgcc	ttggagtgtt	ggggcttggc	2640
tttaggcagt	gccttttctt	tccttcccta	cgaaccagca	gctgccatac	atagagataa	2700

-continued

tcctaggaag cctcaaatgg agaaggacac aaacccacct ccctcaggct gttcctctat	2760
cccgccccca cttctttacc taggggttct tctgagtcta ttgtggagtt acacatggcc	2820
aggggcattc cagagaccct tgtcatccat aactcaact caggcagctt tgcacaaaca	2880
aagtctgcac acccatacag atggctcact cttgcctgtg ccatgtaggc ctgaggcaca	2940
tggtctttgc tgcccaagg gagggactat tagatagcca cactcatgct gaatcctggc	3000
ccattcaaat tagcctgtcg aacaccatcc agtccatata gcacatgtat ccacatgcac	3060
gtgtgcacaa aacgcattta atacactggg acaacaattc tgtgccctgc acagcaccta	3120
tatccagcaa tgtatcacca tacacacgac caaaaaaatt caatgcccac gtttctgcca	3180
tcacaaacag acacatcttt cctctctgtg gccactgcat tatatgctca acacaagacc	3240
tctgaagcca gatccatctc tggcacctcg gggtcctgct tcaaccccac atgaattatg	3300
caaaccatag ccataatggt ctgaatcact tcacactggg atgttcccaa gttcaggcaa	3360
gacgagccac aggtctgtct gatgactgaa ggacagcaaa gggtcagtcc agctgtatag	3420
ccactgttga cctgggtcac aggccctgct gaccctccac cttctcctgt actgaaggaa	3480
tgaaagatga gacaagcata gagggcactt gaataatcca ggtcactctg aggtccaccc	3540
aaggcattat tggactcagg tgggaagctg agactggtgt cccagaggga aagggaaggaa	3600
agcagggccc ggggagggtc tgctgtccca gtcaggctgg agatctctcc tctgaatcca	3660
tgacagcatg tctgcctcac agggaatctc tcccagcacc aaccatgttg ggacaaacac	3720
tgactgtcct ctctgttcag ggctagacct ggatgatgtc tgtgtgagg cccaggacgg	3780
ggagctggac ggctcttgga cgaccatcac catcttcac agcctcttcc tgctcagcgt	3840
gtgtacagc gcctctgtca cactcttcaa ggttggcact gtctcccacc ctctgtgtg	3900
atggctacac tgaccacaaa atgtcctctc actcctcccc agatgtagta ggacgttact	3960
ttgtgtcccc tactctgtcc cacacaccat ttctctcatt ccttgagcca tcccacattg	4020
ttctatgtga ctccacattg tgtcccatc agtctgcctt tctgtctctc ttggtgtcct	4080
gcgtgatcct gatactgtct tatgagacca aacctccttg cattccacac tagccttcat	4140
gaggttcaat gctgtcttac acacaatccc ctacgcctca ccatggctca aggtactctg	4200
tgagctatcc tcataaccatc tccacctcaa ctcccacaat atctccactc tgacccctcc	4260
cataccagct ctctacctg tatgaaggga attgaaggag agacaggtcg acctctgtct	4320
ttcccacaga ttggagggtc tgagcatggg cgtgggtctct gactttctct cacttcccca	4380
caggtaaagt ggatcttctc ctctgtgtg gagctgaagc agacgatctc cctgactac	4440
agaaacatga ttgggcagg agcctaggcc acttctctg ggatcagaag agcttcctag	4500
gccctgcaga agcccatcca tcctactgtg cagcctaaca gggaggccac actctagccc	4560
tatgactctc tgatcagaac tcccattgtc tcctctttgg aggaccacgt gcagtgcagg	4620
ctttgccag acctaaacac tcccacagca gtcgccagat atctaactac tccggaccag	4680
aagaaccatc tccttccaaa ccagcactag ggatctgaga tctcagaatg ttgcctaag	4740
aagagctgga aatccaggct tcctgtgttc tgctacaagg acatcagcct ggatttgacc	4800
tggaccacac attttcatct aaatgagttt tccacaaaagg acacgtttca gatccttgaa	4860
tgagacctct acatggaaga ccagagtcac tatacccaaa ggtcactctg tatccttgca	4920
ccagctatac tggacagctt ccttcctggt acttcagtga ccctggctga ggaaaggatc	4980

-continued

tgtgacctca	actgttttga	gagcctctgg	aagatgtagt	cttctcttcc	tgtaccacc	5040
aacatgctgg	atctcagatg	cagaatccaa	tccacagaca	ccactgacca	cacaacctga	5100
agacaaggcc	attgccacct	ccacagagat	gccatccaca	ctctgtggag	aaataaggag	5160
tgctttgtgc	agcctctgca	aagctctggc	agggattaga	gtatacacac	tgagtactga	5220
ctaggtgacc	aggcagaaaa	acctccagga	gaaggacaa	tgggggagag	atgtgaacag	5280
atagttagaa	aaagcatggt	gtcacaggtc	tgctctgtgg	actgatttcc	agattggacc	5340
acctacagca	gaaacctatg	gttgcaagg	caatctagga	ggaccaacct	ggaataggag	5400
ggctgctgtg	gtcaatggag	agtagacctg	tatctatttc	tccactgcct	cttatgacca	5460
ataagaagcc	agagtctcca	gacagaaa	aagaaagaaa	gaaagaaaga	aagaaagaaa	5520
gaaagagaga	gagagagaga	gagagagaga	gagggaaggaa	ggaagggaagg	aagggaaggaa	5580
ggaagggaagg	aggagaggga	ggaggaggag	gaggaggaga	gagagagaga	gagagagaga	5640
gagagagaga	gagcaccagc	ttttctgtga	ctggaaggaa	atgcttagag	agcttgatc	5700
tttaaagctt	cttttttcta	gagaccatga	atgtctttgt	tctctctctc	tctctctctc	5760
tctctctctc	tctctctctc	tctctctgtg	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	5820
tgcatgcacg	ctattgtttt	ggcatttgaa	acaataaaac	attcttttaa	tattctgtat	5880
ctcatgggtc	cccttctgtg	tggtacagcc	ctaaccacca	ggaacagggg	acaataaaca	5940
gaccacagcc	atgtacagcc	ttctacctcc	cttctgggtc	tgacctccca	gaggtccctc	6000
agtgggcccc	tcacagctgg	gtttcttccc	tggcagtgcc	accaagagct	caggcacctc	6060
tgagctggag	gtgtctctga	tgccataggg	aggctatgga	gcagagatga	tgaccacggt	6120
ggactccagg	tgagccaggc	aaagcctccc	atgccagaag	agaagcgtgt	ggtactcact	6180
ggcctcgggc	tgctacggat	tcagcaaa	gcattggatc	cttcgaagcc	tccaagctcg	6240
acctcgggcc	gcgttctg	cggtttttcca	taggctccgc	ccccctgacg	agcatcaca	6300
aaatcgacgc	tcaagtcaga	ggtggcgaaa	cccgcagga	ctataaagat	accagcggtt	6360
tccccctgga	agctccctcg	tgctctctcc	tgttccgacc	ctgccgctta	ccggatacct	6420
gtccgccttt	ctcccttcgg	gaagcgtggc	gctttctcaa	tgctcacgct	gtaggtatct	6480
cagttcgggtg	taggtcgttc	gtccaaagct	gggctgtgtg	cacgaacccc	ccgttcagcc	6540
cgaccgctgc	gccttatccg	gtaactatcg	tcttgagtcc	aaccggtaa	gacacgactt	6600
atcgccactg	gcagcagcca	ctggtaacag	gattagcaga	gcgaggtatg	taggcgggtg	6660
tacagagttc	ttgaagtggg	ggcctaacta	cggctacact	agaaggacag	tatttggtat	6720
ctgcgctctg	ctgaagccag	ttaccttcgg	aaaaagagtt	ggtagctctt	gatccggcaa	6780
acaaaccacc	gtggttagcg	gtggtttttt	tgtttgcaag	cagcagatta	cgcgagaaa	6840
aaaaggatct	caagaagatc	ctttgatctt	ttctacgggg	tctgacgctc	agtggaacga	6900
aaactcacgt	taagggatct	tggctcatgag	attatcaaaa	aggatcttca	cctagatcct	6960
tttaaattaa	aaatgaagtt	ttaaataaat	ctaaagtata	tatgagtaaa	cttggtctga	7020
cagttaccaa	tgcttaataca	gtgaggcacc	tatctcagcg	atctgtctat	ttcgttcac	7080
catagttgcc	tgactccccg	tcgtgtagat	aactacgata	cgggagggct	taccatctgg	7140
ccccagtgtc	gcaatgatac	cgcgagaccc	acgctcacgg	gctccagatt	tatcagcaat	7200
aaaccagcca	gccggaaggg	ccgagcgag	aagtggctct	gcaactttat	ccgcctccat	7260

-continued

ccagtctatt aattgttgcc gggaagctag agtaagtagt tcgccagtta atagtttgcg	7320
caacgttggt gccattgcta caggcatcgt ggtgtcacgc tcgtcgtttg gtatggcttc	7380
attcagctcc ggttcccaac gatcaaggcg agttacatga tcccccatgt tgtgcaaaaa	7440
agcggtttagc tccttcggtc ctccgatcgt tgtcagaagt aagttggccg cagtgttate	7500
actcatgggt atggcagcac tgcataatc tcttactgtc atgccatccg taagatgctt	7560
ttctgtgact ggtgagtact caaccaagtc attctgagaa tagtgatgc gccgaccgag	7620
ttgtctttgc ccggcgtaaa cacgggataa taccgcgcca catagcagaa ctttaaaagt	7680
gctcatcatt ggaaaacgtt cttcggggcg aaaactctca aggatcttac cgctgttgag	7740
atccagttcg atgtaaccca ctcggtgcacc caactgatct tcagcatctt ttactttcac	7800
cagcgtttct gggtagcaaa aaacaggaag gcaaaatgcc gcaaaaaagg gaataagggc	7860
gacacggaaa tgttgaatac tcatactctt cctttttcaa tattattgaa gcatttatca	7920
gggttattgt ctcatgagcg gatacatatt tgaatgtatt tagaaaaata aacaaatagg	7980
ggttccgcgc acatttcccc gaaaagtgcc acctgacgtc taagaaacca ttattatcat	8040
gacattaacc tataaaaaata ggcgtatcac gaggccctga tggctctttg cggcacccat	8100
cgttcgtaat gttccgtggc accgaggaca accctcaaga gaaaatgtaa tcacactggc	8160
tcaccttcgg gtgggccttt ctgcgtttat aaggagacac tttatgttta agaaggttgg	8220
taaattcctt gcggcttttg cagccaagct agagatccgg ctgtggaatg tgtgtcagtt	8280
aggggttgga aagtccccg gctccccagc aggcagaagt atgcaaagca tgcactctca	8340
ttagtcagca accaggtgtg gaaagtcccc aggcctccca gcaggcagaa gtatgcaaag	8400
catgcatctc aattagtcag caaccatagt cccgcccta actccgcca tcccgccct	8460
aactccgcc agttccgcc attctccgcc ccatggctga ctaattttt ttatttatgc	8520
agaggccgag gccgcctcgg cctctgagct attccagaag tagtgaggag gcttttttg	8580
aggcctaggc ttttgcaaaa agctagcttg gggccaccgc tcagagcacc ttccaccatg	8640
gccacctcag caagtccca cttgaacaaa aacatcaagc aaatgtactt gtgcctgccc	8700
cagggtgaga aagtccaagc catgtatata tgggttgatg gtactggaga aggactgcgc	8760
tgcaaaacc gcacctgga ctgtgagccc aagtgttag aagagttacc tgagtggaat	8820
tttgatggct ctagtacct tcagtctgag ggctccaaca gtgacatgta tctcagccct	8880
gttgccatgt ttcgggaccc cttccgcaga gatcccaaca agctggtgtt ctgtgaagtt	8940
ttcaagtaca accggaagcc tgcagagacc aatttaaggc actcgtgtaa acggataatg	9000
gacatgggta gcaaccagca cccctggttt ggaatggaac aggagtatac tctgatggga	9060
acagatgggc acccttttg ttggccttc aatggcttc ctgggcccc aggtccgtat	9120
tactgtgggt tgggcgcaga caaagcctat ggcagggata tcgtggaggc tccactaccg	9180
gcctgcttgt atgctgggt caagattaca ggaacaaatg ctgaggtcat gcctgcccag	9240
tgggaactcc aaataggacc ctgtgaagga atccgcatgg gagatcatct ctgggtggcc	9300
cgtttcatct tgcacgagt atgtgaagac tttggggtaa tagcaacctt tgaccccaag	9360
ccattcctg ggaactggaa tgggtcaggc tgccatacca acttttagcac caaggccatg	9420
cgggaggaga atggtctgaa gcacatcgag gaggccatcg agaaactaag caagcggcac	9480
cgggtaccaca ttcgagccta cgatcccaag gggggcctgg acaatgcccg tggctctgact	9540

-continued

gggttccacg aaacgtccaa catcaacgac ttttctgctg gtgtcgccaa tcgcagtgcc	9600
agcatccgca ttccccggac tgtcgccag gagaagaaag gttactttga agaccgcggc	9660
ccctctgcca attgtgaccc ctttgcagt acagaagcca tcgtccgcac atgccttctc	9720
aatgagactg gcgacgagcc cttccaatac aaaaactaat tagactttga gtgatcttga	9780
gcctttccta gttcatccca ccccgcccca gagagatctt tgtgaaggaa ccttacttct	9840
gtggtgtgac ataattggac aaactaccta cagagattta aagctctaag gtaaatataa	9900
aatttttaag tgtataatgt gttaaactac tgattctaata tgtttgtgta ttttagattc	9960
caacctatgg aactgatgaa tgggagcagt ggtggaatgc ctttaatgag gaaaacctgt	10020
tttgctcaga agaaatgcc aatagtatg atgaggctac tgctgactct caacattcta	10080
ctctccaaa aaagaagaga aaggtagaag accccaagga ctttccttca gaattgctaa	10140
gttttttgag tcatgctgtg tttagtaata gaactcttgc ttgctttgct atttacacca	10200
caaaggaaaa agctgcactg ctatacaaga aaattatgga aaaatattct gtaaccttta	10260
taagtaggca taacagttaa aatcataaca tactgttttt tcttactcca cacaggcata	10320
gagtgtctgc tattaataac tatgctcaaa aattgtgtac ctttagcttt ttaatttgta	10380
aagggggtta taaggaatat ttgatgtata gtgccttgac tagagatcat aatcagccat	10440
accacatttg tagaggtttt acttgcttta aaaaacctcc cacacctccc cctgaacctg	10500
aaacataaaa tgaatgcaat tgttggtgtt aacttgttta ttgcagctta taatggttac	10560
aaataaagca atagcatcac aaatttcaca aataaagcat ttttttcaact gcattctagt	10620
tgtggtttgt ccaaactcat caatgtatct tatcatgtct ggatctctag ctctgtgtca	10680
aggacgggtga ctgcagtga taataaaatg tgtgtttgtc cgaaatacgc gttttgagat	10740
ttctgtcgcc gactaaatc atgtcgcgcg atagtgggtt ttatcgccga tagagatggc	10800
gatattggaa aaatcgatat ttgaaaatat ggcataattga aaatgtcgcc gatgtgagtt	10860
tctgtgtaac tgatatcgcc atttttccaa aagtgaatttt tgggcatacg cgatatctgg	10920
cgatagcgct tatatcgttt acgggggatg gcgatatagc actttggtga cttgggcgat	10980
tctgtgtgtc gcaaatatcg cagtttcgat ataggtgaca gacgatatga ggctatatcg	11040
ccgatagagg cgacatcaag ctggcacatg gccaatgcat atcgatctat acattgaatc	11100
aatattggcc attagccata ttattcattg gttatatagc ataatcaat attggctatt	11160
ggccattgca tacgttgtat ccataatcata atatgtacat ttatattggc tcatgtccaa	11220
cattaccgcc atgttgacat tgattattga ctagtattta atagtaatca attacggggt	11280
cattagtcca tagcccatat atggagtacc gcgttacata acttacggta aatggcccgc	11340
ctggctgacc gcccaacgac ccccgcccat tgacgtcaat aatgacgtat gttcccatag	11400
taacgccaat agggactttc cattgacgtc aatgggtgga gtatttacgg taaactgccc	11460
acttggcagt acatcaagtg tatcatatgc caagtacgcc ccctattgac gtcaatgacg	11520
gtaaattggc cgctggcat tatgcccagt acatgacctt atgggacttt cctacttggc	11580
agtaacatcta cgtattatgc atcgctatta ccatgggtgat gcggttttgg cagtacatca	11640
atgggcgtgg atagcggttt gactcacggg gatttccaag tctccacccc attgacgtca	11700
atgggagttt gttttggcac caaaatcaac gggactttcc aaaatgtcgt aacaactccg	11760
ccccattgac gcaaattggc ggtaggcgtg tacgggtggga ggtctatata agcagagctc	11820

-continued

gtttagtga	ccgtcagatc	gcctggagac	gccatccacg	ctgttttgac	ctccatagaa	11880
gacaccggga	ccgatccagc	ctccgcggcc	gggaacggtg	cattggaacg	cggattcccc	11940
gtgccaaag	tgacgtaagt	accgcctata	gagtctatag	gccaccccc	ttggcttctt	12000
atgcattgta	tactgttttt	ggcttgggg	ctatacacc	ccgcttcctc	atgttatagg	12060
tgatggtata	gcttagccta	taggtgtggg	ttattgacca	ttattgacca	ctcccctatt	12120
ggtgacgata	ctttccatta	ctaattccata	acatggctct	ttgccacaac	tctctttatt	12180
ggctatatgc	caatacacgt	tccttcagag	actgacacgg	actctgtatt	tttacaggat	12240
ggggtctcat	ttattattta	caaattcaca	tatacaacac	caccgtcccc	agtgcctgca	12300
gtttttatta	aacataacgt	gggatctcca	cgcgaatctc	gggtacgtgt	tccggacatg	12360
ggctcttctc	cggtagcggc	ggagcttcta	catccgagcc	ctgctcccat	gcctccagcg	12420
actcatggtc	gctcggcagc	tccttgctcc	taacagtgga	ggccagactt	aggcacagca	12480
cgatgcccc	caccaccagt	gtgccgcaca	aggccgtggc	ggtaggggat	gtgtctgaaa	12540
atgagctcgg	ggagcgggct	tgaccgctg	acgcatttgg	aagacttaag	gcagcggcag	12600
aagaagatgc	aggcagctga	gttgttgtgt	tctgataaga	gtcagaggta	actcccgttg	12660
cgggtgtgtt	aacggtggag	ggcagtgtag	tctgagcagt	actcgttgct	gccgcgcgcg	12720
ccaccagaca	taatagctga	cagactaaca	gactgttcct	ttccatgggt	cttttctgca	12780
gtcaccgtcc	ttgacacgaa	gcttgccgcc	accatggtga	gcaagcagat	cctgaagaac	12840
accggcctgc	aggagatcat	gagcttcaag	gtgaacctgg	agggcgtggg	gaacaaccac	12900
gtgttcacca	tgaggggctg	cggcaagggc	aacatcctgt	tcggcaacca	gctggtgcag	12960
atccgcgtga	ccaagggcgc	ccccctgccc	ttcgcttcg	acatcctgag	ccccgccttc	13020
cagtacggca	accgcacctt	caccaagtac	cccaggaca	tcagcgactt	cttcatccag	13080
agcttcccc	ccggcttcgt	gtacgagcgc	accctgcgct	acgaggacgg	cggcctggtg	13140
gagatccgca	gcgacatcaa	cctgatcgag	gagatgttcg	tgtaccgcgt	ggagtacaag	13200
ggccgcaact	tccccaacga	cggccccgtg	atgaagaaga	ccatcacccg	cctgcagccc	13260
agcttcgagg	tggtgtacat	gaacgacggc	gtgctggtgg	gccaggtgat	cctggtgtac	13320
cgcctgaaca	gcggcaagtt	ctacagctgc	cacatgcgca	ccctgatgaa	gagcaagggc	13380
gtggtgaagg	acttccccga	gtaccacttc	atccagcacc	gcctggagaa	gacctacgtg	13440
gaggacggcg	gcttcgtgga	gcagcacgag	accgccatcg	cccagctgac	cagcctgggc	13500
aagccccctg	gcagcctgca	cgagtgggtg	taata			13535

1-8. (canceled)

9. CHO cell transfected with an expression vector comprising a promoter that is active in CHO cells and that is driving expression of a recombinant product protein and further comprising a portion from the murine IgA 2A gene locus DNA which portion is enhancing activity of said promoter.

10. CHO cell according to claim 9, characterized in that the vector further comprises a transcription unit encoding a selectable marker, preferably a glutamin synthetase (GS) marker.

11. CHO cell according to claim 9 or 10, characterized in the CHO cell is stably transfected.

12. Method of expressing a recombinant protein, comprising the steps of culturing a CHO cell transfected with an expression vector comprising a promoter active in CHO cells driving expression of a recombinant product protein and further comprising the murine IgA 2A gene locus DNA or a DNA sequence variant or DNA fragment thereof which is enhancing activity of said promoter, and harvesting the product protein

13. Method according to claim 12, characterised in that the promoter is a strong viral promoter, preferably the hCMV promoter.

14. Method according to one of claims **12** or **13**, characterised in that the IgA 2A gene locus portion does lack the natural immunoglobulin promoter.

15. Method according to claim **12**, characterized in that the promoter is hCMV promoter or a functional part thereof having promoter activity wherein said promoter or functional part lack the 'modulator' sequence in the upstream/enhancer portion as found stretching from position -750 to -1150 relative to the MIE transcription start site.

16. CHO cell transfected with a mammalian expression vector comprising at least a first transcription unit for a product gene which transcription unit is under the control of the mCMV promoter, and further comprising a second transcription unit comprising a glutamine synthetase (GS) marker gene.

17. Mammalian expression vector comprising at least a first transcription unit for a product gene which transcription unit is under control of the mCMV promoter or a functional fragment thereof, and further comprising a second transcrip-

tion unit comprising a glutamine synthetase (GS) marker gene.

18. Vector according to claim **16**, wherein the mCMV promoter or functional fragment comprises the natural transcription start site (+0) and extends upstream to position -500.

19. Vector according to claim **18**, wherein the mCMV promoter or functional fragment extends to the natural Xho I restriction site.

20. Vector according to claim **18**, wherein the transcription start site is engineered to comprise a suitable restriction site for insertion of a recombinant gene product.

21. Vector according to claim **17** or **18**, wherein the first transcription unit harbors at least one intron sequence.

22. Vector according to claim **21**, wherein said intron is not the first, natural intron of the mCMV promoter.

23. Method of using **17** for enhancing the transfection rate in CHO cells.

* * * * *