




(86) Date de dépôt PCT/PCT Filing Date: 2006/09/25
 (87) Date publication PCT/PCT Publication Date: 2007/04/05
 (45) Date de délivrance/Issue Date: 2015/02/17
 (85) Entrée phase nationale/National Entry: 2008/03/27
 (86) N° demande PCT/PCT Application No.: US 2006/037393
 (87) N° publication PCT/PCT Publication No.: 2007/038469
 (30) Priorité/Priority: 2005/09/28 (US60/721,238)

(51) Cl.Int./Int.Cl. *A45C 11/00* (2006.01),
A45C 11/04 (2006.01)
 (72) Inventeurs/Inventors:
TOKARSKI, MICHAEL, US;
PECK, JAMES MALCOLM, US;
DZWILL, EDWARD, US;
BROCK, GEORGE M., US;
COLEMAN, RONALD K., US
 (73) Propriétaire/Owner:
JOHNSON & JOHNSON VISION CARE, INC., US
 (74) Agent: NORTON ROSE FULBRIGHT CANADA
LLP/S.E.N.C.R.L., S.R.L.

(54) Titre : BOITIER DE LENTILLES OPHTALMIQUES AVEC SAC FRANGIBLE ET PROCEDE D'UTILISATION
 (54) Title: OPHTHALMIC LENS PACKAGE WITH A FRANGIBLE POUCH AND METHODS OF ITS USE



(57) Abrégé/Abstract:
 An ophthalmic lens package including a frangible pouch and methods of using the package.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
5 April 2007 (05.04.2007)

PCT

(10) International Publication Number
WO 2007/038469 A3

(51) International Patent Classification:

A45C 11/00 (2006.01) A45C 11/04 (2006.01)

(21) International Application Number:

PCT/US2006/037393

(22) International Filing Date:

25 September 2006 (25.09.2006)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/721,238 28 September 2005 (28.09.2005) US

(71) Applicants (for all designated States except US): **JOHNSON & JOHNSON VISION CARE, INC.** [US/US]; Suite 100, 7500 Centurion Parkway, Jacksonville, FL 32256 (US). **COLEMAN, Ronald, K.** [US/US]; 1354 Piedmont Road, Columbus, OH 43214 (US).

(72) Inventors; and


(75) Inventors/Applicants (for US only): **TOKARSKI, Michael** [US/US]; 500 N. Lakewood Run, Ponte Vedra,FL 32082 (US). **PECK, James** [US/US]; 217 West Eagle Drive, Maple Grove, MN 55369 (US). **DZWILL, Edward** [US/US]; 9 Blossom Lane, Flemington, NJ 08822 (US). **BROCK, George** [US/US]; 919 Garrison Drive, St. Augustine, FL 32092 (US).(74) Agents: **JOHNSON, Philip, S.** et al.; Johnson & Johnson, One Johnson & Johnson Plaza, New Brunswick, NJ 08933 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),

[Continued on next page]

(54) Title: OPTHALMIC LENS PACKAGE WITH A FRANGIBLE POUCH AND METHODS OF ITS USE



(57) Abstract: An ophthalmic lens package including a frangible pouch and methods of using the package.

WO 2007/038469 A3

WO 2007/038469 A3

European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- *with international search report*
- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments*

(88) Date of publication of the international search report:
7 June 2007

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

**OPHTHALMIC LENS PACKAGE WITH A FRANGIBLE POUCH AND
METHODS OF ITS USE**

Field of the Invention

5 The present invention relates to an ophthalmic lens package and, more particularly, to an ophthalmic lens package adapted for improved accessibility to the contents thereof.

Background of the Invention

10 Ophthalmic lenses, including contact lenses, intra-ocular lenses and overlay lenses and particularly disposable contact lenses, have been conventionally packaged in "blister packs." In general, a blister pack comprises a rigid plastic (e.g., polypropylene), concave-shaped receptacle for receiving an ophthalmic lens and a flexible cover, typically made from a laminate material
15 (such as metal foil), which is removably attached to the receptacle for enclosing the lens therein. Within each blister pack are a single ophthalmic lens and a sufficient amount of contact lens solution to prevent drying of the ophthalmic lens and to maintain the ophthalmic lens readily available for use. While conventional blister packs provide many users with a convenient means for
20 shipping and storing ophthalmic lenses, some users have trouble removing the lens from the contact lens solution and the lenses are damaged during removal from the package. Further, lens can often stick to the inner surface of the laminate and may be damaged or lost when users open their packages. Accordingly, there is a need for an ophthalmic lens package that provides

user's easy access to its contents on a consistent basis. This need is met by the following invention.

Brief Description of the Drawings

5 For a more complete understanding of the present invention, reference is made to the following detailed description of an exemplary embodiment considered in conjunction with the accompanying drawings, in which:

FIG. 1 is a perspective view of a closed ophthalmic lens package constructed in accordance with an exemplary embodiment of the present
10 invention;

FIG. 2 is a perspective view of an opened ophthalmic lens package of **FIG. 1**;

FIG. 3a, 3b is a side view of a closed and an opened ophthalmic package of **FIG. 1**; and

15 **FIG. 4** is a side view of an opened ophthalmic lens package of **FIG. 1**

FIG. 5 is a perspective view of a closed ophthalmic lens package constructed in accordance with an exemplary embodiment of the present invention.

FIG. 6 is a perspective view of the opened ophthalmic lens package of
20 **FIG. 5**.

Detailed Description of the Invention

The invention includes a package for enclosing an ophthalmic lens comprising,

25 a first side member comprising a first top end and a first bottom end

a second side member comprising a second top end and a second bottom end,

wherein said first side member and said second side member are

pivotaly attached at said first bottom end and said second bottom

5 end to allow said first side member and said second side member to pivot between an opened and a closed position

a pouch member comprising a first end, a second end, and two breakable side portions,

wherein said first end of said pouch member and said first top end of

10 said first member are attached, and said second end of said pouch member and said second top end of said second member are attached,

wherein, when said package is closed said two breakable side portions

are attached, said first end and said second end are attached to each

15 other, said pouch member is enclosed between said first member and said second member, and said pouch member encloses the ophthalmic lens and its packaging solution

wherein, when said package is open, said two breakable side portions

separate, said first end and said second end separate from each

20 other and the ophthalmic lens contained within said pouch is presented to a user.

FIGS. 1, 2 and 3 illustrate an ophthalmic lens package **10** includes a first side member **12** a second side member **14**, pouch **18** containing contact lens **20** and its packaging solution (not shown). First side member **12** is pivotally

attached to side member **14** at first bottom end **30** and second bottom end **32**. Each of the depicted first and second side members are rectangular cavities, however any shape is appropriate. It is preferred that each side has a cavity for containing the packaging solution that is released when pouch **18** is

5 opened. However, it is contemplated that side members could be flat pieces which contain an absorbent member to contain packaging solution released from the pouch upon opening. Referring to Fig 1, 2, and 3a, when package **10** is closed, first end **24** and second end **28** are attached and two breakable sides **34** are attached to enclose contact lens **20** in its solution. In addition, to

10 being attached to each other, in the closed positions, first end **24** and second end **28** are attached to first top end **22** and second top end **26**, respectively. First top end **22** and second top end **26** are close to one another and are preferably sealed to each other in the closed position. Fig. 2 illustrates a partially opened package. The package is pivotally opened in the direction

15 indicated by arrows **36** and **38**. First end **24**, second end **28**, and two breakable sides **34** separate as the pouch opens to reveal the ophthalmic lens. Fig. 4 depicts a fully opened package, some or all of the packaging solution spills from the pouch upon opening and is contained with said first and second side members. Ophthalmic lens **20** is presented on the opened pouch to the

20 user, for insertion.

As used herein, "ophthalmic lens" refer to a device that resides on the eye, including but not limited to soft contact, lenses, hard contact lenses, intraocular lenses, overlay lenses, preferably soft contact lenses. Pouch **18** may be manufactured from flexible materials, such as a combination of

25 polymers with various barrier and sealing characteristics formed into a laminate

or co-extrusion materials. Two breakable sides **34**, may be formed of different materials from the rest of the pouch, that material tears when pouch **18** is opened. It is preferably that pouch **18** is transparent, but not necessary. When the package is closed first end **22** and second end **26** are sealed to prevent the
5 loss or evaporation of the solution from the package **10** and to prevent contamination of the contents thereof from foreign objects such as debris and dirt particles. The preferred method of sealing the surface is heat sealing. Alternatively, other sealing means, such as adhesives, induction sealing or sonic welding, may be utilized. First top end and second top end, may be
10 sealed in this manner, or by use of an external tape or other mechanism.

Packaging solutions for the ophthalmic lenses include but are not limited to saline solution, water or buffered aqueous solutions, and the preferred solution is aqueous saline solution. The packaging solution is present in a quantity sufficient to keep the ophthalmic lens saturated to retain its intended
15 shape (i.e. convex shape) and softness when release from package **10**. First and second Side members may be prepared from polymers that may be formed into a rigid shape. It is preferable that such polymers are transparent, to that the user can see through the member to the internal pouch.

Further the invention includes a package for enclosing an ophthalmic
20 lens comprising,

a first side member comprising a first top end and a first bottom end
a second side member comprising a second top end and a second bottom
end,

wherein said first side member and said second side member are
25 pivotally attached at said first bottom end and said second bottom

end to allow said first side member and said second side member to pivot between an opened and a closed position

a pouch member comprising a first end, a second end, two sealing areas, and two breakable side portions,

5 wherein said first end of said pouch member and said first top end of said first member are attached, and said second end of said pouch member and said second top end of said second member are attached,

wherein, when said package is closed said two breakable side portions

10 are attached, said two sealing areas are attached to each other, said pouch member is enclosed between said first member and said second member, and said pouch member encloses the ophthalmic lens and its packaging solution

wherein, when said package is open, said two breakable side portions

15 separate, said two sealing areas separate from each other and the ophthalmic lens contained within said pouch is presented to a user.

FIGS. 5 and 6. illustrate an ophthalmic lens package **60** includes a first side member **62** a second side member **64**, pouch **68** containing contact lens **70** and its packaging solution (not shown). First side member **62** is pivotally

20 attached to side member **64** at first bottom end **80** and second bottom end **82**. Each of the depicted first and second side members are rectangular cavities, however any shape is appropriate. It is preferred that each side has a cavity for containing the packaging solution that is released when pouch **68** is

opened. However, it is contemplated that side members could be flat pieces

25 which contain an absorbent member to contain packaging solution released

from the pouch upon opening. Referring to Fig 5 when package **60** is closed, sealing areas **38a** and **38b** are attached and two breakable sides **84** are attached to enclose contact lens **70** in its solution. Sealing areas **38a** and **38b** may be sealed by any of methods mentioned above. First end **74** and
5 second end **78** are attached to first top end **72** and second top end **76**, respectively by any of the methods mentioned above. First top end **72** and second top end **76** are close to one another and are preferably sealed to each other in the closed position. Fig. 6 illustrates a partially opened package. The package is pivotally opened in the direction indicated by arrows **86** and **88**.
10 Sealing areas **38a** and **38b** and two breakable sides **84** separate as the pouch opens to reveal the ophthalmic lens. First end **74** and second end **78** remain attached to first top end **72** and second top end **76**, respectively.

The invention includes a method of packaging an ophthalmic lens comprising
15 inserting an ophthalmic lens and its packaging solution into a pouch member of a package comprising,
a first side member comprising a first top end and a first bottom end
a second side member comprising a second top end and a second bottom end,
20 wherein said first side member and said second side member are pivotally attached at said first bottom end and said second bottom end to allow said first side member and said second side member to pivot between an opened and a closed position
a pouch member comprising a first end, a second end, and two breakable
25 side portions,

sealing said first end of said pouch member to said first top end of said first member, and said second end of said pouch member to said second top end of said second member and,

sealing said first end and said second end of said pouch member to each other.

5 Still further the invention includes a method for packaging an ophthalmic lens comprising inserting the ophthalmic lens and its packaging solution into the pouch member of a package comprising,

a first side member comprising a first top end and a first bottom end

a second side member comprising a second top end and a second bottom

10 end,

wherein said first side member and said second side member are

pivotally attached at said first bottom end and said second bottom

end to allow said first side member and said second side member to

pivot between an opened and a closed position

15 a pouch member comprising a first end, a second end, two sealing areas, and two breakable side portions,

sealing said two sealing areas, and

sealing said first end of said pouch member to said first top end of said first

member and said second end of said pouch member to said second top end

20 of said second member.

Further the invention includes a method of inserting an ophthalmic lens into the eye of a user comprising opening a package comprising

a first side member comprising a first top end and a first bottom end

a second side member comprising a second top end and a second bottom

25 end,

wherein said first side member and said second side member are
pivotaly attached at said first bottom end and said second bottom
end to allow said first side member and said second side member to
pivot between an opened and a closed position

5 a pouch member comprising a first end, a second end, and two breakable
side portions,
wherein said first end of said pouch member and said first top end of
said first member are attached, and said second end of said pouch
member and said second top end of said second member are
10 attached,
wherein, when said package is closed said two breakable side portions
are attached, said first end and said second end are attached to each
other, said pouch member is enclosed between said first member
and said second member, and said pouch member encloses the
15 ophthalmic lens and its packaging solution
wherein, when said package is open, said two breakable side portions
separate, said first end and said second end separate from each other
and the ophthalmic lens contained within said pouch is presented to
a user, and
20 inserting said ophthalmic lens into the user's eye.

Yet still further, the invention includes a method of inserting an
ophthalmic lens into the eye of a user comprising opening a package
comprising

a first side member comprising a first top end and a first bottom end

a second side member comprising a second top end and a second bottom end,

wherein said first side member and said second side member are

pivotally attached at said first bottom end and said second bottom

5 end to allow said first side member and said second side member to pivot between an opened and a closed position

a pouch member comprising a first end, a second end, two sealing areas, and two breakable side portions,

wherein said first end of said pouch member and said first top end of

10 said first member are attached, and said second end of said pouch member and said second top end of said second member are attached,

wherein, when said package is closed said two breakable side portions are attached, said two sealing areas are attached to each other, and

15 said pouch member is enclosed between said first member and said second member and said pouch member encloses the ophthalmic lens and its packaging solution

wherein, when said package is open, said two breakable side portions separate, said two sealing areas separate from each other and the

20 ophthalmic lens contained within said pouch is presented to a user, and inserting said ophthalmic lens into the user's eye.

It will be understood that the embodiments described herein is merely exemplary and that a person skilled in the art may make many variations and modifications.

25 Specifically, the present invention has been adapted for use in housing a single

ophthalmic lens and an amount of solution. However, the present invention can be utilized to house a plurality of ophthalmic lenses and an amount of solution therefor. Further features and advantages of the invention will appear more clearly on a reading of the detailed description of an exemplary
5 embodiment of the invention, which is given below by way of example only with reference to the accompanying drawings. All such variations and modifications are intended to be included.

CLAIMS:

1. A package for enclosing an ophthalmic lens comprising,
a first side member comprising a first top end and a first bottom end;
a second side member comprising a second top end and a second bottom end,
wherein said first side member and said second side member are pivotally attached at said first bottom end and said second bottom end to allow said first side member and said second side member to pivot from a closed to an opened position;
a pouch member comprising a first end and further comprises two breakable side portions;
wherein said first end of said pouch member and said first top end of said first member are attached to each other, and said second end of said pouch member and said second top end of said second member are attached to each other;
wherein, when said package is initially closed said two breakable side portions are attached to each other said first end and said second end are attached to each other, said pouch member is enclosed between said first member and said second member, and said pouch member encloses the ophthalmic lens and its packaging solution; and
wherein, when said package is opened, said two breakable side portions separate, said first end and said second end separate from each other and the ophthalmic lens contained within said pouch is presented to a user.
2. The package of Claim 1, wherein said first top end and said second top end are removably attached.
3. The package of Claim 1 wherein said first side member and said second side member are rectangular cavities.
4. The package of Claim 1 further comprising printed or illustrated instructions of how to open said package.

5. The package of Claim 1 further comprising printed or illustrated instructions of how to open said package and insert the ophthalmic lens.
6. The package of claim 1, wherein, the pouch member further comprises two sealing areas, wherein, when said package is closed said two sealing areas are attached to each other, wherein, when said package is open said two sealing areas separate from each other.
7. The package of Claim 6 wherein said first side member and said second side member are rectangular cavities.
8. The package of Claim 6 further comprising printed or illustrated instructions of how to open said package.
9. The package of Claim 6 further comprising printed or illustrated instructions of how to open said package and insert the ophthalmic lens.
10. A method of packaging an ophthalmic lens comprising,
inserting the ophthalmic lens and its packaging solution into a pouch member of a package comprising,
a first side member comprising a first top end and a first bottom end a second side member comprising a second top end and a second bottom end;
wherein said first side member and said second side member are pivotally attached at said first bottom end and said second bottom end to allow said first side member and said second side member to pivot from a closed to an opened position;
a pouch member comprising a first end, a second end, and two breakable side portions;
sealing said first end of said pouch member to said first top end of said first member, and said second end of said pouch member to said second top end of said second member;

sealing said first end and said second end of said pouch member to each other, said pouch member being enclosed between said first member and said second member; and

wherein, when said package is opened, said two breakable side portions separate and said first end and said second end separate from each other.

11. The method of claim 10, wherein said pouch member further comprises two sealing areas: further comprising sealing said two sealing area.

12. A package for enclosing an ophthalmic lens comprising,
 a first side member comprising a first top end and a first bottom end;
 a second side member comprising a second top end and a second bottom end;
 wherein said first side member and said second side member are pivotally attached at said first bottom end and said second bottom end to allow said first side member and said second side member to pivot between an opened and a closed position;

a pouch member comprising a first end, a second end, two sealing areas, two breakable side portions enclosing, an ophthalmic lens and packaging solution;

wherein said packaging solution is a quantity sufficient to keep the ophthalmic lens saturated to retain its intended shape;

wherein said first end of said pouch member and said first top end of said first member are attached in both the opened and the closed positions, and said second end of said pouch member and said second top end of said second member are attached in both the opened and the closed positions;

wherein, when said package is closed said two breakable side portions are attached, said two sealing areas are attached to each other, said pouch member is enclosed between said first member and said second member, and said pouch member encloses the ophthalmic lens and the packaging solution;

wherein, when said package is open, said two breakable side portions separate, said two sealing areas separate from each other and the ophthalmic lens contained within said pouch is presented to a user;

wherein said first side member and said second side member are rectangular

cavities; and

wherein when said first side member and said second side member are opened the packaging solution is released and contained within said first side member and said second side member.

13. The package of claim 12 further comprising printed or illustrated instructions of how to open said package.

14. The package of claim 12 further comprising printed or illustrated instructions of how to open said package and insert the ophthalmic lens.

FIG. 1




FIG. 2




FIG. 3A





FIG. 3B



3/4

FIG. 4




FIG. 5




FIG. 6

