



(86) Date de dépôt PCT/PCT Filing Date: 2008/03/14  
(87) Date publication PCT/PCT Publication Date: 2008/10/30  
(85) Entrée phase nationale/National Entry: 2009/10/19  
(86) N° demande PCT/PCT Application No.: US 2008/057091  
(87) N° publication PCT/PCT Publication No.: 2008/130752  
(30) Priorité/Priority: 2007/04/19 (US60/912,793)

(51) Cl.Int./Int.Cl. *A61K 8/97* (2006.01),  
*A61K 8/34* (2006.01), *A61K 8/64* (2006.01),  
*A61Q 19/00* (2006.01), *A61Q 19/08* (2006.01)  
(71) Demandeur/Applicant:  
MARY KAY INC., US  
(72) Inventeurs/Inventors:  
FALLER, JIM, US;  
GAN, DAVID, US;  
HINES, MICHELLE, US;  
MANGOS, LISA, US  
(74) Agent: BCF LLP

(54) Titre : COMPOSITIONS CONTENANT UN EXTRAIT DE MAGNOLIA  
(54) Title: MAGNOLIA EXTRACT CONTAINING COMPOSITIONS

(57) **Abrégé/Abstract:**

Disclosed is a composition comprising at least two of the following ingredients: Magnolia extract, honokiol, humulus lupulus extract, hesperidin methyl chalcone, gotu kola, dipeptide valyl-tryptophane, palmitoyl tetrapeptide-3, corylus avellana bud extract, centella asiatica extract, cucumis sativa extract, morus alba extract, hibiscus sabdariffa flower extract, vitis vinifera extract, ascorbyl glucoside, citrus medica limonum extract, avena sativa kernel extract, hydrolyzed soy protein, aniseed myrtle extract, tasmania lanceolata leaf extract, artemisia abrotanum extract, or citrus grandis fruit extract or any combination thereof. Also disclosed are methods of treating skin conditions by topically applying the composition to skin.



## (12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
30 October 2008 (30.10.2008)

PCT

(10) International Publication Number  
**WO 2008/130752 A3**

## (51) International Patent Classification:

A61Q 19/00 (2006.01) A61K 8/34 (2006.01)  
A61Q 19/08 (2006.01) A61K 8/64 (2006.01)  
A61K 8/97 (2006.01)

## (21) International Application Number:

PCT/US2008/057091

(22) International Filing Date: 14 March 2008 (14.03.2008)

(25) Filing Language: English

(26) Publication Language: English

## (30) Priority Data:

60/912,793 19 April 2007 (19.04.2007) US

(71) Applicant (for all designated States except US): **MARY KAY INC.** [US/US]; 16251 N. Dallas Parkway, P.O. Box 799045, Dallas, TX 75379-9045 (US).

## (72) Inventors; and

(75) Inventors/Applicants (for US only): **FALLER, Jim** [US/US]. **GAN, David** [MY/US]; 3201 Gray Lane, Southlake, TX 76092 (US). **HINES, Michelle** [US/US]; 500 Drexel Lane, Lewisville, TX 75067 (US). **MANGOS, Lisa** [US/US]; 1210 Laguna Place, Carrollton, TX 75006 (US).(74) Agent: **KRAWZSENEK, Michael, R.**; Fulbright & Jaworski L.L.P., 600 Congress Avenue, Suite 2400, Austin, TX 78701 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

## Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:

19 March 2009

(54) Title: MAGNOLIA EXTRACT CONTAINING COMPOSITIONS

(57) Abstract: Disclosed is a composition comprising at least two of the following ingredients: Magnolia extract, honokiol, humulus lupulus extract, hesperidin methyl chalcone, gotu kola, dipeptide valyl-tryptophane, palmitoyl tetrapeptide-3, corylus avellana bud extract, centella asiatica extract, cucumis sativa extract, morus alba extract, hibiscus sabdariffa flower extract, vitis vinifera extract, ascorbyl glucoside, citrus medica limonum extract, avena sativa kernel extract, hydrolyzed soy protein, aniseed myrtle extract, tasmania lanceolata leaf extract, artemisia abrotanum extract, or citrus grandis fruit extract or any combination thereof. Also disclosed are methods of treating skin conditions by topically applying the composition to skin.



WO 2008/130752 A3

## DESCRIPTION

### MAGNOLIA EXTRACT CONTAINING COMPOSITIONS

#### CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application claims the benefit of U.S. Provisional Application Serial No. 60/912,793, filed April 19, 2007, the contents of which are incorporated by reference.

#### BACKGROUND OF THE INVENTION

##### **A. Field of the Invention**

[0002] The present invention relates generally to skin care compositions. In non-limiting aspects, the compositions can be used to treat skin conditions such as telangiectasia, eye circles, and puffy eyes. In certain embodiments, the compositions can include a Magnolia extract and can be incorporated into cosmetic products.

##### **B. Background of the Invention**

[0003] Ageing, chronic exposure to adverse environmental factors, malnutrition, fatigue, *etc.*, can change the visual appearance, physical properties, or physiological functions of skin in ways that are considered visually undesirable. Some notable changes include the appearance spider veins, eye circles (*e.g.*, dark circles under the eye), and puffy eyes. Other changes include the development of aged or environmentally damaged skin which can include the appearance fine lines and wrinkles, loss of elasticity, increased sagging, loss of firmness, loss of color evenness or tone, coarse surface texture, and mottled pigmentation. Less obvious, but measurable changes which occur as skin ages or endures chronic environmental insult include a general reduction in cellular and tissue vitality, reduction in cell replication rates, reduced cutaneous blood flow, reduced moisture content, accumulated errors in structure and function, alterations in the normal regulation of common biochemical pathways, and a reduction in the skin's ability to remodel and repair itself. Many of the alterations in appearance and function of the skin are caused by changes in the outer epidermal layer of the skin, while others are caused by changes in the lower dermis.

## 1. Spider Veins

[0004] Spider veins (*i.e.*, telangiectasias or sunburst varicosities) are formed by the dilation of a small group of blood vessels located close to the surface of the skin. Although they can appear anywhere on the body, spider veins are most commonly found on the face and legs. They can be visible to the naked eye and typically appear as unsightly clusters of red, blue or purple veins on the thighs, calves, and ankles of people. It is estimated that over half of the adult female population suffers from this cosmetic problem. Factors that can contribute to the development of spider veins include heredity, pregnancy, and other events that cause hormonal shifts, weight gain, occupations or activities that require prolonged sitting or standing, and the use of certain medications.

[0005] Typical methods for treating spider veins is through cosmetic surgery (*e.g.*, sclerotherapy, laser surgery, electrodesiccation, surgical ligation, and ambulatory phlebectomy). For instance, sclerotherapy is a surgical procedure where veins are injected with a sclerosing solution, which causes them to collapse and fade from view. Risks associated with sclerotherapy include the formation of blood clots in the veins, severe inflammation, adverse allergic reactions to the sclerosing solution, and skin injury that can lead to permanent scarring. Further, it is common to develop irregular skin pigmentation in the treated areas (*e.g.*, brownish splotches) that can take several months to fade. Another problem associated with sclerotherapy is “telangiectatic matting,” where fine reddish blood vessels appear around the treated area, requiring further injections. Other surgical methods can have similar side effects.

## 2. Eye Circles and Puffy Eyes

[0006] The skin around the periorbital area (*i.e.*, around the eyes) is thin and delicate. Like all skin, the periorbital area is webbed with tiny capillaries. Blood sometimes leaks from these capillaries which can cause the appearance of dark circles under the eye. Other known causes dark under eye circles include UV exposure (*e.g.*, exposure to the sun can increase natural melanin levels and draws the melanin to the surface of the skin, making it darker), ageing (*e.g.*, with age, the skin around the eyes can become even thinner which makes dark under eye circles become more pronounced), fatigue (being tired can make skin paler which makes dark circles look darker), allergies (*e.g.*, allergic reactions can cause smudges in the under eye area and conditions that causes a person to rub their eyes can make dark circles worse because scratching or rubbing can darken the skin), pregnancy or

menstruation (*e.g.*, skin becomes pale during pregnancy and menstruation which makes dark circles look darker), and inadequate nutrition (*e.g.*, lack of key nutrients such as iron can cause dark under eye circles).

[0007] One method for treating under eye circles includes topical application of a composition having hydroquinone. Hydroquinone, however, can be toxic, and it may actually cause hyper-pigmentation and make the dark circles darker. Cosmetic concealers can be used to hide the dark circles. Unfortunately, the dark circles become visible again once the concealer is removed. Chamomile has also been used, but can cause allergic reactions.

[0008] As for puffy eyes, this is a condition where the skin under the eyes swells which can be visually undesirable. Puffy eyes can be caused by several factors including increased vascularization, leaky capillaries, thinning/slackening skin which can fill up with more fluid, loss of the fat pad under the eye which can contribute to under eye bags, and allergies, dusts, and pollutants which can trigger a release of chemicals thereby swelling the tissue around the eyes.

[0009] One method of treating puffy eyes includes washing the face with cold water to reduce swelling. Other treatments include dietary restrictions (*e.g.*, limiting the intake of salt), placing slices of cucumbers on the eyes, or placing tea bags in cold water and subsequently placing the bags on the eyes. These treatment options can be limiting in that the effects can oftentimes be negligible or short-lived.

### **3. Aged or Environmentally Damaged Skin**

[0010] Several different approaches have been used to treat damaged skin caused by aging, environmental factors, chemicals, or malnutrition. One approach involves the use of specific agents to directly stimulate or inhibit selected biochemical targets. Examples include the use of retinoids to stimulate collagen and glycosaminoglycan synthesis by fibroblasts (Schiltz, *et al.*, 1986). Another approach is to use agents or processes that stimulate the rate at which the epidermis replaces itself, a process known as epidermal cell renewal. Increases in epidermal cell renewal rates usually result from a more rapid rate of replication of epidermal basal cells, and can be caused by diverse stimuli such as chemical or physical injury, adverse environmental conditions, or direct stimulators of basal cell division.

[0011] Several of the above methods have been shown to have various drawbacks, such as significant irritation to the skin or skin toxicity. In addition, most of these methods involve the invocation of chronic damage to the skin, which sets up repair mechanisms. For most of the existing treatments, there will be a period of time, up to several weeks or months, during which the skin becomes irritated and after which tolerance sets in and the symptoms of irritation may decrease and/or cease.

### SUMMARY OF THE INVENTION

[0012] The present invention provides compositions and methods that can be used to treat the appearance of a person's skin.

[0013] In one embodiment, there is disclosed a topical skin care composition that includes, consists essentially of, or consists of at least one of the following ingredients: Magnolia extract; honokiol, magnolol, *humulus lupulus* extract, hesperidin methyl chalcone, gotu kola (*centella asiatica* extract), dipeptide valyl-tryptophane, palmitoyl tetrapeptide-3, *corylus avellana* bud extract, *cucumis sativa* extract, *morus alba* extract, *hibiscus sabdariffa* flower extract, *vitis vinifera* extract, ascorbyl glucoside, *citrus medica limonum* extract, *avena sativa* kernel extract, hydrolyzed soy protein, aniseed myrtle extract, *tasmania lanceolata* leaf extract, *artemisia abrotanum* extract, *citrus grandis* fruit extract, or apigenin. These ingredients can be isolated or purified prior to their inclusion in a corresponding composition. It is contemplated that compositions of the present invention can include at least 2, 3, 4, 5, 6, 7, 8, 9, or more of these ingredients in any different combination. The combination of ingredients can be formulated into blends and subsequently added to the composition. Non-limiting examples of *Magnolia* species from which the Magnolia extract can be obtained include *Magnolia acuminata*, *Magnolia ashei*, *Magnolia biondii*, *Magnolia cylindrica*, *Magnolia cambellii*, *Magnolia denudata*, *Magnolia fraseri*, *Magnolia grandiflora*, *Magnolia hypoleuca*, *Magnolia kobus*, *Magnolia hliiflora*, *Magnolia loegneri*, *Magnolia macrophylla*, *Magnolia officinalis*, *Magnolia pyramidata*, *Magnolia sargentiana*, *Magnolia seiboldii*, *Magnolia soulangiana*, *Magnolia sprengeri*, *Magnolia stellata*, *Magnolia tripetala*, *Magnolia virginiana*, *Magnolia zenii*, and *Michelia figo*. In certain embodiments, the composition can include a Magnolia extract and isolated or purified honokiol or magnolol or a combination of all three. The Magnolia extract in particular embodiments is *Magnolia biondii* extract. In other aspects, the composition can include Magnolia extract and *humulus lupulus* extract,

Magnolia extract and hesperidin methyl chalcone and gotu kola, Magnolia extract and dipeptide valyl-tryptophane, Magnolia extract and palmitoyl tetrapeptide-3, Magnolia extract and *corylus avellana* bud extract, Magnolia extract and a botanical blend comprising *cucumis sativa* extract, *morus alba* extract, *hibiscus sabdariffa* flower extract, and *vitis vinifera* extract, Magnolia extract and ascorbyl glucoside, *citrus medica limonum* extract, and *cucumis sativa* extract, Magnolia extract and a blend of *avena sativa* kernel extract, hydrolyzed soy protein, aniseed myrtle extract, *tasmania lanceolata* leaf extract, and *hibiscus sabdariffa* flower extract, Magnolia extract and *artemisia abrotanum* extract, Magnolia extract and *citrus grandis* fruit extract, or Magnolia extract and isolated or purified apigenin. In certain aspects, the *citrus grandis* fruit extract includes at least 90% by weight of apigenin. The compositions can also include a cooling agent (*e.g.*, an agent that provides a cooling sensation when applied to the skin. The cooling agent can be those known in the art such as, for example, menthol or menthol derivatives (*e.g.*, menthyl lactate and menthone glycerin acetal).

[0014] In certain aspects, the compositions can be formulated to have a pH of about less than 4.0, or 4.0, 4.1, 4.2, 4.3, 4.4, 4.5, 4.6, 4.7, 4.8, 4.9, 5.0, 5.1, 5.2, 5.3, 5.4, 5.5, 5.6, 5.7, 5.8, 5.9, 6.0, 6.1, 6.2, 6.3, 6.4, 6.5, 6.6, 6.7, 6.8, 6.9, 7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6, 8.7, 8.8, 8.9, 9.0, 9.1, 9.2, 9.3, 9.4, 9.5, 9.6, 9.7, 9.8, 9.9, 10.0, 10.1, 10.2, 10.3, 10.4, 10.5, 10.6, 10.7, 10.8, 10.9, 11.0, 11.1, 11.2, 11.3, 11.4, 11.5, 11.6, 11.7, 11.8, 11.9, to about 12.0, or more, or any range or integer derivable therein. In other aspects, the compositions can be formulated into a cosmetic product (*e.g.*, skin cleanser, moisturizer, concealer, *etc.*). The composition can be comprised in a cosmetic vehicle (*e.g.*, an emulsion, cream, lotion, solution, anhydrous base, gel, ointment, *etc.*). The composition can be in a dry, powdered, liquid, solid, semi-solid, spray, or aerosol form. It is contemplated that the compositions of the present invention can be used in combination with other cosmetic products (*e.g.*, a composition of the present invention can be formulated into a concealer product which can be used in conjunction with a foundation product). The compositions can be formulated for application to skin at least 1, 2, 3, 4, 5, 6, 7, or more times per day.

[0015] As described throughout this specification, the ingredients in compositions of the present invention can be present within the compositions in a variety of amounts. The amounts can be measured by total weight or volume of the composition. By way of example only, an ingredient can be included into the composition at 0.0001, 0.001, 0.01, 0.1, 1, 2, 3, 4,

5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 96, 97, 98, 99%, or more, or any range or integer derivable therein, by weight or volume of the total composition. In certain aspects, Magnolia extract can be in a composition from about 0.1% to about 10.0% by weight. The ratio of any ingredient within the composition when compared to another ingredient can be from about 1:1, 2:1, 3:1, 4:1, 5:1, 6:1, 7:1, 8:1, 9:1, 10:1, 11:1, 12:1, 13:1, 14:1, 15:1, 16:1, 17:1, 18:1, 19:1, 20:1, 21:1, 22:1, 23:1, 24:1, 25:1, 26:1, 27:1, 28:1, 29:1, 30:1, 31:1, 32:1, 33:1, 34:1, 35:1, 36:1, 37:1, 38:1, 39:1, 40:1, 50:1, 60:1, 70:1, 80:1, 90:1, 100:1, or more or any number derivable therein, by weight or volume of the total composition. In other aspects, the ratio of any ingredient within the composition when compared to another ingredient can be from about 1:2, 1:3, 1:4, 1:5, 1:6, 1:7, 1:8, 1:9, 1:10, 1:11, 1:12, 1:13, 1:14, 1:15, 1:16, 1:17, 1:18, 1:19, 1:20, 1:21, 1:22, 1:23, 1:24, 1:25, 1:26, 1:27, 1:28, 1:29, 1:30, 1:31, 1:32, 1:33, 1:34, 1:35, 1:36, 1:37, 1:38, 1:39, 1:40, 1:50, 1:60, 1:70, 1:80, 1:90, 1:100, or more or any number derivable therein, by weight or volume of the total composition.

[0016] It is also contemplated that the viscosity of the composition can be selected to achieve a desired result (*e.g.*, depending on the type of composition desired, the viscosity of such composition can be from about 1 cps to well over 1 million cps or any range or integer derivable therein (*e.g.*, 2 cps, 3, 4, 5, 6, 7, 8, 9, 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 200, 300, 400, 500, 600, 700, 800, 900, 1000, 2000, 3000, 4000, 5000, 6000, 7000, 8000, 9000, 10000, 20000, 30000, 40000, 50000, 60000, 70000, 80000, 90000, 100000, 200000, 300000, 400000, 500000, 600000, 700000, 800000, 900000, 1000000 cps, etc.).

[0017] The compositions of the present invention can include additional ingredients that can be included into cosmetic or pharmaceutical compositions. As explained throughout this specification, non-limiting examples of additional ingredients can include essential oils, volatile, and non-volatile oils, thickening agents, surfactants, preservatives, silicone containing compounds, absorbents, adsorbents, chelating agents, lubricants, solvents, moisturizers (including, *e.g.*, emollients, humectants, film formers, occlusive agents, and agents that affect the natural moisturization mechanisms of the skin), water repellents, anti-oxidants, UV absorbers, anti-irritants, anti-microbial agents, dyes and color ingredients, or structuring agents, or any combination thereof.

[0018] In other aspects of the present invention, there is disclosed a method of treating a skin condition, comprising topically applying an effective amount of a composition



of the present invention to skin. Topical application of the composition can treat or prevent such a skin condition. The effectiveness of the composition can be compared with skin that has not been treated with a composition of the present invention. In certain non-limiting embodiments, the skin treatment can be localized to and/or around an area where the composition is applied to the skin. The skin can be facial, torso, back, neck, ear, pelvic, arms, hands, legs (*e.g.*, ankle, knee, thigh), feet, or buttocks skin. For instance, topical application of a composition to , wherein topical application of the composition treats the skin condition. Non-limiting examples of skin conditions that can be treated or prevented with compositions of the present invention include telangiectasia (*i.e.*, spider veins), eye circles (*e.g.*, dark circles under the eye), puffy eyes, pruritus, lentigo, age spots, senile purpura, keratosis, melasma, blotches, wrinkles, fine lines, nodules, sun damaged skin, dermatitis (including, but not limited to seborrheic dermatitis, nummular dermatitis, contact dermatitis, atopic dermatitis, exfoliative dermatitis, perioral dermatitis, and stasis dermatitis), psoriasis, folliculitis, rosacea, acne, impetigo, erysipelas, erythrasma, eczema, or hyperpigmentation. In certain aspects, the skin condition can be caused by exposure to UV light, age, irradiation, chronic sun exposure, environmental pollutants, air pollution, wind, cold, heat, chemicals, disease pathologies, or smoking. The skin to be treated can be aged, nutritionally compromised, or environmentally damaged skin. In certain aspects, the composition can be topically applied in an amount effective to increase the stratum corneum turnover rate of the skin, collagen synthesis production of the skin, fat production of the skin, firmness of the skin, or elasticity of the skin. In other aspects, the composition can be topically applied in an amount effective to reduce or inhibit new capillary formation in or near the skin, blood flow to the skin, fluid amount in or near the skin, or melanin production in the skin.

[0019] Also disclosed are kits that can include a composition of the present invention. In certain non-limiting aspects, the composition is comprised in a container. The container can be a bottle, dispenser, package, *etc.* The container can be configured to dispense a pre-determined amount of the composition. The container can be configured to dispense the composition in a semi-solid, liquid, spray, or an aerosol form. In certain aspects, the kit can include indicial on its surface and/or instructions for using the composition.

[0020] In other aspects of the present invention, the composition can be used as part of a regimen to treat a skin condition. For instance, the regimen can include applying a

composition of the present invention in a first instance as disclosed throughout this specification. The regimen can then include additional applications that are identical, similar, or different than the first instance application. The additional applications can include, for example, a second, third, fourth, fifth, sixth, seventh, eighth, nine, tenth, or more applications with a composition of the present invention and/or whether another method for treating a particular skin condition (*e.g.*, other compositions, surgeries, *etc.*).

[0021] It is contemplated that any embodiment discussed in this specification can be implemented with respect to any method or composition of the invention, and *vice versa*. Furthermore, compositions of the invention can be used to achieve methods of the invention.

[0022] The terms “inhibiting,” “reducing,” or “prevention,” or any variation of these terms, when used in the claims and/or the specification includes any measurable decrease or complete inhibition to achieve a desired result.

[0023] The term “effective,” as that term is used in the specification and/or claims, means adequate to accomplish a desired, expected, or intended result.

[0024] The use of the word “a” or “an” when used in conjunction with the term “comprising” in the claims and/or the specification may mean “one,” but it is also consistent with the meaning of “one or more,” “at least one,” and “one or more than one.”

[0025] The terms “about” or “approximately” are defined as being close to as understood by one of ordinary skill in the art, and in one non-limiting embodiment the terms are defined to be within 10%, within 5%, within 1%, and in certain aspects within 0.5%.

[0026] The use of the term “or” in the claims is used to mean “and/or” unless explicitly indicated to refer to alternatives only or the alternatives are mutually exclusive, although the disclosure supports a definition that refers to only alternatives and “and/or.”

[0027] As used in this specification and claim(s), the words “comprising” (and any form of comprising, such as “comprise” and “comprises”), “having” (and any form of having, such as “have” and “has”), “including” (and any form of including, such as “includes” and “include”) or “containing” (and any form of containing, such as “contains” and “contain”) are inclusive or open-ended and do not exclude additional, unrecited elements or method steps.

[0028] Other objects, features and advantages of the present invention will become apparent from the following detailed description. It should be understood, however, that the detailed description and the examples, while indicating specific embodiments of the invention, are given by way of illustration only. Additionally, it is contemplated that changes and modifications within the spirit and scope of the invention will become apparent to those skilled in the art from this detailed description.

### **DESCRIPTION OF ILLUSTRATIVE EMBODIMENTS**

[0029] In today's image conscious society, people are continually looking for a product that can improve the visual appearance of their skin. The skin's appearance can be affected in a negative way from skin conditions. For instance, spider veins (*i.e.*, telangiectasias or sunburst varicosities) can appear on a person's skin (*e.g.*, face, thighs, calves, ankles, arms, torso, buttocks, *etc.*) as unsightly clusters of red, blue or purple veins. Under eye circles and puffy eyes can appear as dark circles and swelling around the periorbital area, respectively. Additionally, aged or environmentally damaged skin which can include the appearance fine lines and wrinkles, loss of elasticity, increased sagging, loss of firmness, loss of color evenness or tone, coarse surface texture, and mottled pigmentation.

[0030] In one aspect, the present invention provides compositions and methods for treating skin conditions. In one non-limiting embodiment, the compositions of the present invention can be used to treat spider veins, eye circles, puffy eyes, or environmentally damaged skin by topically applying a composition of the present invention to an area of the skin that needs such treatment. As noted throughout this specification, the compositions can include at least one or any combination of the following ingredients: Magnolia extract; honokiol, magnolol, *humulus lupulus* extract, hesperidin methyl chalcone, gotu kola, dipeptide valyl-tryptophane, palmitoyl tetrapeptide-3, *corylus avellana* bud extract, *cucumis sativa* extract, *morus alba* extract, *hibiscus sabdariffa* flower extract, *vitis vinifera* extract, ascorbyl glucoside, *citrus medica limonum* extract, *avena sativa* kernel extract, hydrolyzed soy protein, aniseed myrtle extract, *tasmania lanceolata* leaf extract, *artemisia abrotanum* extract, *citrus grandis* fruit extract, or apigenin. These and other non-limiting aspects of the present invention are described in further detail in the following sections.

## A. Ingredients

[0031] The following subsections provide non-limiting examples of ingredients that can be included into compositions of the present invention. The compositions can include any one of the following ingredients or a combination of such ingredients. It is contemplated that other ingredients can also be incorporated into the compositions. Further, a person of ordinary skill in the art would recognize that the ingredients are commercially available, can be chemically synthesized, or can be isolated or purified by known methods from sources that includes such ingredients.

### 1. Magnolia Extract

[0032] In certain non-limiting embodiments, the compositions of the present invention can include a Magnolia extract. The Magnolia extract can be obtained or derived from a variety of sources from a Magnolia plant (*e.g.*, flower, bark, seed cone, *etc.*). In general, Magnolia is a large genus of about 210 flowering plant species in the subfamily *Magnolioidae* of the family *Magnoliaceae*. Magnolia extract can be obtained from the species within the *Magnoliaceae* family. Non-limiting examples of these species include *Magnolia acuminata*, *Magnolia ashei*, *Magnolia biondii*, *Magnolia cylindrica*, *Magnolia cambellii*, *Magnolia denudata*, *Magnolia fraseri*, *Magnolia grandiflora*, *Magnolia hypoleuca*, *Magnolia kobus*, *Magnolia hliiflora*, *Magnolia loegneri*, *Magnolia macrophylla*, *Magnolia officinalis*, *Magnolia pyramidata*, *Magnolia sargentiana*, *Magnolia seiboldii*, *Magnolia soulangiana*, *Magnolia sprengeri*, *Magnolia stellata*, *Magnolia tripetala*, *Magnolia virginiana*, *Magnolia zenii*, and *Michelia figo*. A more complete listing of the species within the *Magnoliaceae* family can be found in Figlar & Nooteboom (2004), which is incorporated by reference.


[0033] Magnolia extract can reduce the blood flow near the skin surface through a variety of ways (*e.g.*, vasoconstriction, inhibition of angiogenesis, endothelial cell migration, or tube formation in or near the skin area that has been contacted with a composition containing Magnolia extract). Active ingredients that have been identified in Magnolia flower, bark, and seed cone extracts include magnolol, dihydroxydihydromagnolol, honokiol, and dihydrohonokiol. These are polyphenolic containing compounds in which honokiol is an isomer of magnolol.

[0034] Magnolia extracts are commercially available from a variety of different sources. For instance Magnolia extracts can be purchased from Carrubba, Inc. (Milford

Connecticut), Arcadia Herbs & Alternatives (Langhorne, Pennsylvania), and Herbal Extracts Plus (Croydon, Pennsylvania). Alternatively, a person of ordinary skill in the art would be able to isolate Magnolia extract from the Magnolia flower, bark, or seed cone by using any suitable isolation and purification methods known in the art (*see e.g.*, Bai *et al.* (2003)).

## 2. Honokiol and Magnolol

[0035] The compositions of the present invention can include honokiol or magnolol or both. As noted above, these are biphenolic containing compounds in which honokiol is an isomer of magnolol. These compounds can be useful in reducing the blood flow near the skin surface through a variety of mechanisms (*e.g.*, vasoconstriction, inhibition of angiogenesis, endothelial cell migration, or tube formation in or near the skin area that has been contacted with a composition containing honokiol or magnolol). The chemical structures of these compounds are illustrated below:



[0036] Honokiol and magnolol can be isolated or purified from Magnolia extracts (*e.g.*, flower, bark, and seed cone extracts) or other extracts that include such compounds by standard techniques. Alternatively, these compounds are commercially available (*e.g.*, Wako Chemical Company (Tokyo, Japan)) or can be synthesized using convention chemical synthesis techniques known to those of ordinary skill in the art (*see, e.g.*, Vollhardt and Schore, 1994).

## 3. Chemical Compounds and Extracts

[0037] The compositions of the present invention can include *humulus lupulus* extract, gotu kola (*centella asiatica* extract), hesperidin methyl chalcone, dipeptide valyl-

tryptophane, palmitoyl tetrapeptide-3, *corylus avellana* bud extract, *cucumis sativa* extract, *morus alba* extract, *hibiscus sabdariffa* flower extract, *vitis vinifera* extract, ascorbyl glucoside, *citrus medica limonum* extract, *avena sativa* kernel extract, hydrolyzed soy protein, aniseed myrtle extract, *tasmania lanceolata* leaf extract, *artemisia abrotanum* extract, *citrus grandis* fruit extract, or apigenin or any combination or mixture of such ingredients.

[0038] For instance, *Humulus lupulus* extract, or hops extract, can be used to reduce blood flow near the skin surface through the vasoconstriction, inhibition of angiogenesis, inhibition of endothelial cell migration or tube formation in or near the skin area that has been contacted with a composition containing hops extract. Hops extract is commercially available through a variety of sources (e.g., Actives International (Allendale, New Jersey)) and can also be isolated or purified from *Humulus lupulus* plants by standard isolation and purification techniques. Non-limiting examples of varieties of *Humulus lupulus* from which hops extract can be obtained include *Humulus lupulus* var. *lupulus*, *Humulus lupulus* var. *cordifolius*, *Humulus lupulus* var. *lupuloides* (syn. *H. americanus*), *Humulus lupulus* var. *neomexicanus*, and *Humulus lupulus* var. *pubescens*. *Humulus lupulus* extract includes active ingredients such as humulene and lupulene.

[0039] Gotu kola (*Centella asiatica*) extract is a vine-like plant that is native to India and Southeast Asia. This ingredient can be used to strengthen capillary micro vessel barrier which can improve the overall function of blood vessels (e.g., efficient or improved blood circulation) in or near the skin area that has been contacted with a composition containing Gotu kola extract. Gotu kola extract is commercially available through a variety of sources (e.g., Naturex (South Hackensack, New Jersey)) and can also be isolated or purified from Gotu kola containing plants by standard isolation and purification techniques. Gotu kola extract contains active ingredients such as asiaticoside (a triterpene glycoside) (triterpenoid), brahmoside and brahminoside (both saponin glycosides), madecassoside (a glycoside with anti-inflammatory properties), madecassic acid, thiamine, riboflavin, pyridoxine, vitamin K, aspartate, glutamate, serine, threonine, alanine, lysine, histidine, magnesium, calcium and sodium.


[0040] Hesperidin methyl chalcone, dipeptide valyl-tryptophane (i.e., dipeptide-2 which comprises valine and tryptophan), and palmitoyl tetrapeptide-3 (which is the reaction product of palmitic acid and a synthetic peptide containing glycine, glutamine, proline, and

arginine) can also be included in compositions of the present invention. Hesperidin, a bioflavonoid which can be found in citrus peel such as the peel of sweet oranges (*Citrus aurantium* var. *sinensis*), can be converted into hesperidin methyl chalcone by extracting hesperidin from its source and placing the extract into an alkaline solution. This converts hesperidin into hesperidin chalcone which can subsequently be methylated by any known methylation process to produce hesperidin methyl chalcone. Hesperidin methyl chalcone can strengthen capillary micro vessel barrier in or near skin area that has been contacted with a composition including this ingredient. Dipetide valyl-tryptophane, which is commercially available under the trade name DIPEPTIDE VW™ through Sederma SAS (Cedex, France), can be used to mobilize fluid in skin tissue and drain the fluid from such tissue (which can reduce puffy eyes) when applied to the skin. Palmitoyl tetrapeptide-3, which is commercially available under the trade name N-PALMITOYL RIGIN™ through Sederma SAS (Cedex, France), can reduce local inflammation in skin tissue and restore skin firmness and elasticity when applied to skin. Further, a blend of these three ingredients is also commercially available under the trade name EYELISS™ through Dermaxime (Gauteng, South Africa).

[0041] *Corylus* (Hazel) extract can moisturize skin and can be used to mobilize fluid in skin tissue and drain the fluid from such tissue (which can reduce puffy eyes) when applied to the skin. The extract can be obtained from the bud, flower, leaves, nut, bark, etc. from the Hazel plant. Hazel extract is commercially available through a variety of sources (e.g., Mountain Rose Herbs, Eugene Oregon) and can also be isolated or purified from Hazel plants by standard isolation and purification techniques. Non-limiting examples of species of which Hazel extract can be obtained include *Corylus americana*, *Corylus avellana*, *Corylus chinensis*, *Corylus colurna*, *Corylus cornuta*, *Corylus ferox*, *Corylus heterophylla*, *Corylus jacquemontii*, *Corylus maxima*, *Corylus sieboldiana*, and *Corylus tibetica*.

[0042] *Cucumis sativa* (Cucumber) extract, *morus alba* extract, *hibiscus sabdariffa* flower extract, and *vitis vinifera* extract can be used in to brighten or even skin tone by inhibiting tyrosinase activity when applied to the skin. These ingredients are commercially available through a variety of sources and can also be isolated or purified from plants containing these extracts by standard isolation and purification techniques. In certain non limiting aspects, a blend of these ingredients can be used to obtain brighter or more even skin tone. Such a blend is commercially available under the trade name CLERILYS™ through GreenTech SA (Saint Beuzire, France).

[0043] Ascorbyl glucoside can also be used to brighten or even skin tone by inhibiting tyrosinase activity when applied to the skin. Ascorbyl glucoside is a derivative of ascorbic acid (vitamin C) that includes an attached glucose sugar. In an ascorbyl glucoside molecule, typically, the glucose is typically attached at an OH group of ascorbic acid. The following is a non-limiting example of one form of ascorbyl glucoside, ascorbic acid-2-glucoside:



**Ascorbic Acid 2-Glucoside**

Other non-limiting examples of ascorbyl glucoside include ascorbic acid 1-glucoside (including 1-O- $\alpha$ -D-glucopyranosyl-L-ascorbic acid and 1-O- $\beta$ -D-glucopyranosyl-L-ascorbic acid), ascorbic acid 2-glucoside (including 2-O- $\alpha$ -D-glucopyranosyl-L-ascorbic acid and 2-O- $\beta$ -D-glucopyranosyl-L-ascorbic acid), ascorbic acid 3-glucoside (including 3-O- $\alpha$ -D-glucopyranosyl-L-ascorbic acid or 3-O- $\beta$ -D-glucopyranosyl-L-ascorbic acid), ascorbic acid 5-glucoside (including 5-O- $\alpha$ -D-glucopyranosyl-L-ascorbic acid or 5-O- $\beta$ -D-glucopyranosyl-L-ascorbic acid), and ascorbic acid 6-glucoside (including 6-O- $\alpha$ -D-glucopyranosyl-L-ascorbic acid or 6-O- $\beta$ -D-glucopyranosyl-L-ascorbic acid). Ascorbyl glucoside is commercially available (e.g., Hayashibara Biochemical Laboratories, Inc.). The preparation of ascorbyl glucoside is also known in the art (see, e.g. U.S. Pat. Nos. 5,084,563; 5,252,722; 5,272,136; 5,388,420; 5,432,161; 5,843,907; and 5,508,391).

[0044] The compositions of the present invention can include an extract formulation comprising *cucumis sativa* (Cucumber) extract and *citrus medica limonum* (Lemon). Such a formulation can be used to brighten or even skin tone by inhibiting tyrosinase activity when applied to the skin. Such a formulation is commercially available under the trade name UNINONTAN U34™ through Chesham Chemicals, Ltd. (United Kingdom). Ingredients with the UNINONTAN U34™ formulation include cucumber extract (*cucumis sativus*)



(15.0%), lemon extract (*Citrus medica limonum*) (16.0%), sodium citrate (20.0%), propylene glycol (23.5%), and water (25.5%).

[0045] Non-limiting examples of anti-irritants and anti-oxidants that can be included in the compositions of the present invention include *Avena sativa* (Oat) extract, hydrolyzed soy protein, aniseed myrtle extract, *tasmania lanceolata* leaf extract, and *Hibiscus sabdariffa* (roselle) flower extract, or any combination or mixture of such ingredients. These ingredients are commercially available through a variety of sources and can also be isolated or purified from plants containing these extracts by standard isolation and purification techniques. For instance, a composition comprising Oat extract is commercially available under the trade name DRAGO CALM™ through Symrise (Holzminden, Germany). Hydrolyzed soy protein is commercially available under the trade name AQUA PRO SP™ through MGP Ingredients, Inc. (Atchison, Kansas). A blend of *Anetholea anisata* (aniseed myrtle) extract, *Tasmania lanceolata* (tasmanian mountain pepperberry) leaf extract, and *Hibiscus sabdariffa* (roselle) flower extract is commercially available under the trade name MOUNTAIN HARVEST™ through Southern Cross Botanicals (Knockrow, Australia).

[0046] *Artemisia abrotanum* (Southernwood) extract can stimulate adipogenesis and aid in the protection of the fat pad under the eye. This can be beneficial in combating fine lines and wrinkles and thinning/slackening skin. Southernwood extract is commercially available under the trade name PULPACTYL™ through Silab (Cedex, France) and can also be isolated or purified from plants containing these extracts by standard isolation and purification techniques.

[0047] *Citrus grandis* (Grapefruit) peel extract has anti-hyaluronidase, anti-angiogenesis, anti-inflammatory properties when applied to skin. This ingredient can be used as a soothing agent for acute or chronic inflammation and can help repair skin damaged from excessive UV exposure. An active ingredient in Grapefruit extract is Apigenin. Grapefruit extract is commercially available under the trade name VIAPURE CITRUS™ through Actives International (Allendale, New Jersey) and can also be isolated or purified from plants containing these extracts by standard isolation and purification techniques.

#### 4. Cosmetic Ingredients

[0048] Compositions of the present invention can include other ingredients. Non-limiting examples of additional ingredients that can be added to cosmetic formulations can be

found in the International Cosmetic Ingredient Dictionary, 10th Ed., 2004, which is incorporated by reference. Such ingredients include surfactants, preservatives, absorbents, adsorbents, chelating agents, lubricants, solvents, moisturizers (including, *e.g.*, emollients, humectants, film formers, occlusive agents, and agents that affect the natural moisturization mechanisms of the skin), water repellents, anti-oxidants, UV absorbers, anti-irritants, vitamins, trace metals, anti-microbial agents, dyes and color ingredients, and/or structuring agents (*see, e.g.*, McCutcheon's Functional Materials North American Edition 2001 and McCutcheon's Emulsifiers & Detergents North American Edition 2001; U.S. Patent 6,290,938).

**a. Surfactants**

[0049] The compositions of the present invention can also comprise one or more surfactants. Surfactants can reduce the interfacial tension between phases and improve the formulation and stability of a formulation. The surfactants can be nonionic, cationic, anionic, cryptoanionic, and zwitterionic emulsifiers (See McCutcheon's Emulsifiers & Detergents (2001); U.S. Pat. Nos. 5,011,681; 4,421,769; 3,755,560, 6,117,915). Non-limiting examples include esters of glycerin, esters of propylene glycol, fatty acid esters of polyethylene glycol, fatty acid esters of polypropylene glycol, esters of sorbitol, esters of sorbitan anhydrides, carboxylic acid copolymers, esters and ethers of glucose, ethoxylated ethers, ethoxylated alcohols, alkyl phosphates, polyoxyethylene fatty ether phosphates, fatty acid amides, acyl lactylates, soaps, TEA stearate, DEA oleth-3 phosphate, polyethylene glycol 20 sorbitan monolaurate (polysorbate 20), polyethylene glycol 5 soya sterol, steareth-2, steareth-20, steareth-21, cetareth-20, PPG-2 methyl glucose ether distearate, ceteth-10, cetyl phosphate, potassium cetyl phosphate, diethanolamine cetyl phosphate, polysorbate 20, polysorbate 60, polysorbate 80, glyceryl stearate, PEG-100 stearate, tyloxapol, and mixtures thereof.

**b. Preservatives**

[0050] Non-limiting examples of preservatives that can be used in the context of the present invention include quaternary ammonium preservatives such as polyquaternium-1 and benzalkonium halides (*e.g.*, benzalkonium chloride ("BAC") and benzalkonium bromide), parabens (*e.g.*, methylparabens and propylparabens), phenoxyethanol, benzyl alcohol, chlorobutanol, phenol, sorbic acid, thimerosal or combinations thereof.

**c. Moisturizers**

[0051] Non-limiting examples of moisturizers include amino acids, chondroitin sulfate, diglycerin, erythritol, fructose, glucose, glycerin, glycerol polymers, glycol, 1,2,6-hexanetriol, honey, hyaluronic acid, hydrogenated honey, hydrogenated starch hydrolysate, inositol, lactitol, maltitol, maltose, mannitol, natural moisturizing factor, PEG-15 butanediol, polyglyceryl sorbitol, salts of pyrrolidone carboxylic acid, potassium PCA, propylene glycol, sodium glucuronate, sodium PCA, sorbitol, sucrose, trehalose, urea, and xylitol.

[0052] Other examples include acetylated lanolin, acetylated lanolin alcohol, acrylates/C10-30 alkyl acrylate crosspolymer, acrylates copolymer, alanine, algae extract, aloe *barbadensis*, aloe-*barbadensis* extract, aloe *barbadensis* gel, *althea officinalis* extract, aluminum starch octenylsuccinate, aluminum stearate, apricot (*prunus armeniaca*) kernel oil, arginine, arginine aspartate, *arnica montana* extract, ascorbic acid, ascorbyl palmitate, aspartic acid, avocado (*persea gratissima*) oil, barium sulfate, barrier sphingolipids, butyl alcohol, beeswax, behenyl alcohol, beta-sitosterol, BHT, birch (*betula alba*) bark extract, borage (*borago officinalis*) extract, 2-bromo-2-nitropropane-1,3-diol, butcherbroom (*ruscus aculeatus*) extract, butylene glycol, *calendula officinalis* extract, *calendula officinalis* oil, *candelilla (euphorbia cerifera)* wax, canola oil, caprylic/capric triglyceride, cardamon (*elettaria cardamomum*) oil, carnauba (*copernicia cerifera*) wax, carrageenan (*chondrus crispus*), carrot (*daucus carota sativa*) oil, castor (*ricinus communis*) oil, ceramides, ceresin, cetareth-5, cetareth-12, cetareth-20, cetaryl octanoate, ceteth-20, ceteth-24, cetyl acetate, cetyl octanoate, cetyl palmitate, chamomile (*anthemis nobilis*) oil, cholesterol, cholesterol esters, cholesteryl hydroxystearate, citric acid, clary (*salvia sclarea*) oil, cocoa (*theobroma cacao*) butter, coco-caprylate/caprate, coconut (*cocos nucifera*) oil, collagen, collagen amino acids, corn (*zea mays*) oil, fatty acids, decyl oleate, dextrin, diazolidinyl urea, dimethicone copolyol, dimethiconol, dioctyl adipate, dioctyl succinate, dipentaerythrityl hexacaprylate/hexacaprate, DMDM hydantoin, DNA, erythritol, ethoxydiglycol, ethyl linoleate, eucalyptus globulus oil, evening primrose (*oenothera biennis*) oil, fatty acids, fructose, gelatin, geranium maculatum oil, glucosamine, glucose glutamate, glutamic acid, glycereth-26, glycerin, glycerol, glyceryl distearate, glyceryl hydroxystearate, glyceryl laurate, glyceryl linoleate, glyceryl myristate, glyceryl oleate, glyceryl stearate, glyceryl stearate SE, glycine, glycol stearate, glycol stearate SE, glycosaminoglycans, grape (*vitis vinifera*) seed oil, hazel (*corylus americana*) nut oil, hazel (*corylus avellana*) nut oil, hexylene glycol, honey, hyaluronic acid, hybrid safflower (*carthamus tinctorius*) oil,

hydrogenated castor oil, hydrogenated coco-glycerides, hydrogenated coconut oil, hydrogenated lanolin, hydrogenated lecithin, hydrogenated palm glyceride, hydrogenated palm kernel oil, hydrogenated soybean oil, hydrogenated tallow glyceride, hydrogenated vegetable oil, hydrolyzed collagen, hydrolyzed elastin, hydrolyzed glycosaminoglycans, hydrolyzed keratin, hydrolyzed soy protein, hydroxylated lanolin, hydroxyproline, imidazolidinyl urea, iodopropynyl butylcarbamate, isocetyl stearate, isocetyl stearyl stearate, isodecyl oleate, isopropyl isostearate, isopropyl lanolate, isopropyl myristate, isopropyl palmitate, isopropyl stearate, isostearamide DEA, isostearic acid, isostearyl lactate, isostearyl neopentanoate, jasmine (*jasminum officinale*) oil, jojoba (*buxus chinensis*) oil, kelp, kukui (*aleurites moluccana*) nut oil, lactamide MEA, laneth-16, laneth-10 acetate, lanolin, lanolin acid, lanolin alcohol, lanolin oil, lanolin wax, lavender (*lavandula angustifolia*) oil, lecithin, lemon (*citrus medica limonum*) oil, linoleic acid, linolenic acid, macadamia ternifolia nut oil, magnesium stearate, magnesium sulfate, maltitol, matricaria (*chamomilla recutita*) oil, methyl glucose sesquistearate, methylsilanol PCA, microcrystalline wax, mineral oil, mink oil, mortierella oil, myristyl lactate, myristyl myristate, myristyl propionate, neopentyl glycol dicaprylate/dicaprate, octyldodecanol, octyldodecyl myristate, octyldodecyl stearyl stearate, octyl hydroxystearate, octyl palmitate, octyl salicylate, octyl stearate, oleic acid, olive (*olea europaea*) oil, orange (*citrus aurantium dulcis*) oil, palm (*elaeis guineensis*) oil, palmitic acid, pantethine, panthenol, panthenyl ethyl ether, paraffin, PCA, peach (*prunus persica*) kernel oil, peanut (*arachis hypogaea*) oil, PEG-8 C12-18 ester, PEG-15 cocamine, PEG-150 distearate, PEG-60 glyceryl isostearate, PEG-5 glyceryl stearate, PEG-30 glyceryl stearate, PEG-7 hydrogenated castor oil, PEG-40 hydrogenated castor oil, PEG-60 hydrogenated castor oil, PEG-20 methyl glucose sesquistearate, PEG40 sorbitan peroleate, PEG-5 soy sterol, PEG-10 soy sterol, PEG-2 stearate, PEG-8 stearate, PEG-20 stearate, PEG-32 stearate, PEG40 stearate, PEG-50 stearate, PEG-100 stearate, PEG-150 stearate, pentadecalactone, peppermint (*mentha piperita*) oil, petrolatum, phospholipids, polyamino sugar condensate, polyglyceryl-3 diisostearate, polyquaternium-24, polysorbate 20, polysorbate 40, polysorbate 60, polysorbate 80, polysorbate 85, potassium myristate, potassium palmitate, potassium sorbate, potassium stearate, propylene glycol, propylene glycol dicaprylate/dicaprate, propylene glycol dioctanoate, propylene glycol dipelargonate, propylene glycol laurate, propylene glycol stearate, propylene glycol stearate SE, PVP, pyridoxine dipalmitate, quaternium-15, quaternium-18 hectorite, quaternium-22, retinol, retinyl palmitate, rice (*oryza sativa*) bran oil, RNA, rosemary (*rosmarinus officinalis*) oil, rose oil, sage (*salvia officinalis*) oil, salicylic acid, sandalwood (*santalum album*) oil, serine, serum protein, sesame (*sesamum*

*indicum*) oil, shea butter (*butyrospermum parkii*), silk powder, sodium chondroitin sulfate, sodium hyaluronate, sodium lactate, sodium palmitate, sodium PCA, sodium polyglutamate, sodium stearate, soluble collagen, sorbic acid, sorbitan laurate, sorbitan oleate, sorbitan palmitate, sorbitan sesquioleate, sorbitan stearate, sorbitol, soybean (glycine soja) oil, sphingolipids, squalane, squalene, stearamide MEA-stearate, stearic acid, stearoxy dimethicone, stearoxytrimethylsilane, stearyl alcohol, stearyl glycyrrhettinate, stearyl heptanoate, stearyl stearate, sunflower (*helianthus annuus*) seed oil, sweet almond (*prunus amygdalus dulcis*) oil, synthetic beeswax, tocopherol, tocopheryl acetate, tocopheryl linoleate, tribehenin, tridecyl neopentanoate, tridecyl stearate, triethanolamine, tristearin, urea, vegetable oil, water, waxes, wheat (*triticum vulgare*) germ oil, and ylang ylang (*cananga odorata*) oil.

#### d. Emollients

[0053] Examples of emollients include, but are not limited to, vegetable oils, mineral oils, silicone oils, synthetic and natural waxes, medium chain triglycerides, petrolatum, lanolin, aluminum magnesium hydroxide stearate (which can also function as a water repellent), and fatty acid esters. Non-limiting examples of vegetable oils include safflower oil, corn oil, sunflower seed oil, and olive oil.

#### e. Antioxidants

[0054] Examples of antioxidants include, but are not limited to, acetyl cysteine, ascorbic acid, ascorbic acid polypeptide, ascorbyl dipalmitate, ascorbyl methylsilanol pectinate, ascorbyl palmitate, ascorbyl stearate, BHA, BHT, t-butyl hydroquinone, cysteine, cysteine HCl, diamylhydroquinone, di-t-butylhydroquinone, dicetyl thiodipropionate, dioleoyl tocopheryl methylsilanol, disodium ascorbyl sulfate, distearyl thiodipropionate, ditridecyl thiodipropionate, dodecyl gallate, erythorbic acid, esters of ascorbic acid, ethyl ferulate, ferulic acid, gallic acid esters, hydroquinone, isooctyl thioglycolate, kojic acid, magnesium ascorbate, magnesium ascorbyl phosphate, methylsilanol ascorbate, natural botanical antioxidants such as green tea or grape seed extracts, nordihydroguaiaretic acid, octyl gallate, phenylthioglycolic acid, potassium ascorbyl tocopheryl phosphate, potassium sulfite, propyl gallate, quinones, rosmarinic acid, sodium ascorbate, sodium bisulfite, sodium erythorbate, sodium metabisulfite, sodium sulfite, superoxide dismutase, sodium thioglycolate, sorbityl furfural, thiodiglycol, thiodiglycolamide, thiodiglycolic acid, thioglycolic acid, thiolactic acid, thiosalicylic acid, tocophereth-5, tocophereth-10, tocophereth-12, tocophereth-18,

tocophereth-50, tocopherol, tocophersolan, tocopheryl acetate, tocopheryl linoleate, tocopheryl nicotinate, tocopheryl succinate, and tris(nonylphenyl)phosphite.

**f. Compounds Having Ultraviolet Light Absorbing Properties**

[0055] Non-limiting examples of compounds that have ultraviolet light absorbing properties that can be used with the compounds of the present invention include benzophenone, benzophenone-1, benzophenone-2, benzophenone-3, benzophenone-4, benzophenone-5, benzophenone-6, benzophenone-7, benzophenone-8, benzophenone-9, benzophenone-10, benzophenone-11, benzophenone-12, benzyl salicylate, butyl PABA, cinnamate esters, cinoxate, DEA-methoxycinnamate, diisopropyl methyl cinnamate, ethyl dihydroxypropyl PABA, ethyl diisopropylcinnamate, ethyl methoxycinnamate, ethyl PABA, ethyl urocanate, glyceryl octanoate dimethoxycinnamate, glyceryl PABA, glycol salicylate, homosalate, isoamyl p-methoxycinnamate, PABA, PABA esters, Parsol 1789, isopropylbenzyl salicylate, and octyl methoxycinnamate.

**g. Structuring Agents**

[0056] In other non-limiting aspects, the compositions of the present invention can include a structuring agent. Structuring agent, in certain aspects, assist in providing rheological characteristics to the composition to contribute to the composition's stability. In other aspects, structuring agents can also function as an emulsifier or surfactant. Non-limiting examples of structuring agents include stearic acid, palmitic acid, stearyl alcohol, cetyl alcohol, behenyl alcohol, stearic acid, palmitic acid, the polyethylene glycol ether of stearyl alcohol having an average of about 1 to about 21 ethylene oxide units, the polyethylene glycol ether of cetyl alcohol having an average of about 1 to about 5 ethylene oxide units, and mixtures thereof. Other non-limiting examples can be found in International Cosmetic Ingredient Dictionary, 10th edition, 2004, which is incorporated by reference.

**h. Silicone Containing Compounds**

[0057] In non-limiting aspects, silicone containing compounds include any member of a family of polymeric products whose molecular backbone is made up of alternating silicon and oxygen atoms with side groups attached to the silicon atoms. By varying the -Si-O- chain lengths, side groups, and cross linking, silicones can be synthesized into a wide variety of materials. They can vary in consistency from liquid to gel to solids.

[0058] The silicone containing compounds that can be used in the context of the present invention include those described in this specification or those known to a person of ordinary skill in the art. Non-limiting examples include silicone oils (*e.g.*, volatile and non-volatile oils), gels, and solids. In certain aspects, the silicon containing compounds includes a silicone oils such as a polyorganosiloxane. Non-limiting examples of polyorganosiloxanes include dimethicone, cyclomethicone, polysilicone-11, phenyl trimethicone, trimethylsilylamodimethicone, stearoxytrimethylsilane, or mixtures of these and other organosiloxane materials in any given ratio in order to achieve the desired consistency and application characteristics depending upon the intended application (*e.g.*, to a particular area such as the skin, hair, or eyes). A “volatile silicone oil” includes a silicone oil have a low heat of vaporization, *i.e.* normally less than about 50 cal per gram of silicone oil. Non-limiting examples of volatile silicone oils include: cyclomethicones such as Dow Corning 344 Fluid, Dow Corning 345 Fluid, Dow Corning 244 Fluid, and Dow Corning 245 Fluid, Volatile Silicon 7207 (Union Carbide Corp., Danbury, Conn.); low viscosity dimethicones, *i.e.*, dimethicones having a viscosity of about 50 cst or less (*e.g.*, dimethicones such as Dow Corning 200-0.5 cst Fluid). The Dow Corning Fluids are available from Dow Corning Corporation, Midland, Michigan. Cyclomethicone and dimethicone are described in International Cosmetic Ingredient Dictionary, 10th edition, 2004, which is incorporated by reference as cyclic dimethyl polysiloxane compounds and a mixture of fully methylated linear siloxane polymers end-blocked with trimethylsiloxy units, respectively. Other non-limiting volatile silicone oils that can be used in the context of the present invention include those available from General Electric Co., Silicone Products Div., Waterford, N.Y. and SWS Silicones Div. of Stauffer Chemical Co., Adrian, Michigan.

**i. Essential Oils**

[0059] Essential oils include oils derived from herbs, flowers, trees, and other plants. Such oils are typically present as tiny droplets between the plant's cells, and can be extracted by several method known to those of skill in the art (*e.g.*, steam distilled, enfleurage (*i.e.*, extraction by using fat), maceration, solvent extraction, or mechanical pressing). When these types of oils are exposed to air they tend to evaporate (*i.e.*, a volatile oil). As a result, many essential oils are colorless, but with age they can oxidize and become darker. Essential oils are insoluble in water and are soluble in alcohol, ether, fixed oils (vegetal), and other organic solvents. Typical physical characteristics found in essential oils include boiling points that vary from about 160° to 240° C and densities ranging from about 0.759 to about 1.096.

[0060] Essential oils typically are named by the plant from which the oil is found. For example, rose oil or peppermint oil are derived from rose or peppermint plants, respectively. Non-limiting examples of essential oils that can be used in the context of the present invention include sesame oil, macadamia nut oil, tea tree oil, evening primrose oil, Spanish sage oil, Spanish rosemary oil, coriander oil, thyme oil, pimento berries oil, rose oil, anise oil, balsam oil, bergamot oil, rosewood oil, cedar oil, chamomile oil, sage oil, clary sage oil, clove oil, cypress oil, eucalyptus oil, fennel oil, sea fennel oil, frankincense oil, geranium oil, ginger oil, grapefruit oil, jasmine oil, juniper oil, lavender oil, lemon oil, lemongrass oil, lime oil, mandarin oil, marjoram oil, myrrh oil, neroli oil, orange oil, patchouli oil, pepper oil, black pepper oil, petitgrain oil, pine oil, rose otto oil, rosemary oil, sandalwood oil, spearmint oil, spikenard oil, vetiver oil, wintergreen oil, or ylang ylang. Other essential oils known to those of skill in the art are also contemplated as being useful within the context of the present invention.

**j. Thickening Agents**

[0061] Thickening agents, including thickener or gelling agents, include substances which that can increase the viscosity of a composition. Certain thickeners can increase the viscosity of a composition without substantially modifying the efficacy of the active ingredient within the composition. Thickeners can also increase the stability of the compositions of the present invention.

[0062] Non-limiting examples of thickening agents that can be used in the context of the present invention include hydrogenated polyisobutene or trihydroxystearin or combination of both. Other examples include carboxylic acid polymers, crosslinked polyacrylate polymers, polyacrylamide polymers, polysaccharides, and gums. Examples of carboxylic acid polymers include crosslinked compounds containing one or more monomers derived from acrylic acid, substituted acrylic acids, and salts and esters of these acrylic acids and the substituted acrylic acids, wherein the crosslinking agent contains two or more carbon-carbon double bonds and is derived from a polyhydric alcohol (see U.S. Pat. Nos. 5,087,445; 4,509,949; 2,798,053; CTFA International Cosmetic Ingredient Dictionary, Tenth Edition, 2004). Examples of commercially available carboxylic acid polymers include carbomers, which are homopolymers of acrylic acid crosslinked with allyl ethers of sucrose or pentaerytritol (*e.g.*, Carbopol™ 900 series from B. F. Goodrich).



[0063] Non-limiting examples of crosslinked polyacrylate polymers include cationic and nonionic polymers. Examples are described in U.S. Pat. Nos. 5,100,660; 4,849,484; 4,835,206; 4,628,078; 4,599,379.

[0064] Non-limiting examples of polyacrylamide polymers (including nonionic polyacrylamide polymers including substituted branched or unbranched polymers) include polyacrylamide, isoparaffin and laureth-7, multi-block copolymers of acrylamides and substituted acrylamides with acrylic acids and substituted acrylic acids.

[0065] Non-limiting examples of polysaccharides include cellulose, carboxymethyl hydroxyethylcellulose, cellulose acetate propionate carboxylate, hydroxyethylcellulose, hydroxyethyl ethylcellulose, hydroxypropylcellulose, hydroxypropyl methylcellulose, methyl hydroxyethylcellulose, microcrystalline cellulose, sodium cellulose sulfate, and mixtures thereof. Another example is an alkyl substituted cellulose where the hydroxy groups of the cellulose polymer is hydroxyalkylated (*e.g.*, hydroxy ethylated or hydroxypropylated) to form a hydroxyalkylated cellulose which is then further modified with a C10-C30 straight chain or branched chain alkyl group through an ether linkage. Typically these polymers are ethers of C10-C30 straight or branched chain alcohols with hydroxyalkylcelluloses. Other useful polysaccharides include scleroglucans comprising a linear chain of (1-3) linked glucose units with a (1-6) linked glucose every three unit.

[0066] Non-limiting examples of gums that can be used with the present invention include acacia, agar, algin, alginic acid, ammonium alginate, amylopectin, calcium alginate, calcium carrageenan, carnitine, carrageenan, dextrin, gelatin, gellan gum, guar gum, guar hydroxypropyltrimonium chloride, hectorite, hyaluroinic acid, hydrated silica, hydroxypropyl chitosan, hydroxypropyl guar, karaya gum, kelp, locust bean gum, natto gum, potassium alginate, potassium carrageenan, propylene glycol alginate, sclerotium gum, sodium carboxymethyl dextran, sodium carrageenan, tragacanth gum, xanthan gum, and mixtures thereof.

#### **k. Additional Ingredients**

[0067] Non-limiting examples of additional compounds and agents that can be used with the compositions of the present invention include, vitamins (*e.g.*, D, E, A, K, and C), trace metals (*e.g.*, zinc, calcium and selenium), anti-irritants (*e.g.*, steroids and non-steroidal anti-inflammatories), botanical extracts (*e.g.* aloe vera, chamomile, cucumber extract, ginkgo

biloba, ginseng, and rosemary), dyes and color ingredients (*e.g.*, D&C blue no. 4, D&C green no. 5, D&C orange no. 4, D&C red no. 17, D&C red no. 33, D&C violet no. 2, D&C yellow no. 10, D&C yellow no. 11 and DEA-cetyl phosphate), emollients (*i.e.*, organic esters, fatty acids, lanolin and its derivatives, plant and animal oils and fats, and di- and triglycerides), antimicrobial agents (*e.g.*, triclosan and ethanol), and fragrances (natural and artificial).

#### **B. Source of Ingredients**

[0068] The ingredients of the compositions of the present invention can be obtained by any means known to a person of ordinary skill in the art. In a non-limiting embodiment, for example, the ingredients can be isolated by obtaining the source of such ingredient. In many instances, the ingredients are also commercially available as explained above. For example, Magnolia extracts can be obtained through any number of companies including Carrubba, Inc. (Milford Connecticut), Arcadia Herbs & Alternatives (Langhorne, Pennsylvania), and Herbal Extracts Plus (Croydon, Pennsylvania). Additionally, the compounds, agents, and active ingredients can be purified by any number of techniques known to a person of ordinary skill in the art. Non-limiting examples of purification techniques include Polyacrylamide Gel Electrophoresis, High Performance Liquid Chromatography (HPLC), Gel chromatography or Molecular Sieve Chromatography, and Affinity Chromatography. In other aspects, the compounds, agents, and active ingredients can be obtained by chemical synthesis or by recombinant means by using conventional techniques. See, for example, Stewart and Young, (1984); Tam *et al.*, (1983); Merrifield, (1986); and Barany and Merrifield (1979), Houghten (1985).

#### **C. Modifications and Derivatives**

[0069] Modifications or derivatives of the ingredients disclosed throughout this specification are also contemplated as being useful with the methods and compositions of the present invention. Derivatives may be prepared and the properties of such derivatives may be assayed for their desired properties by any method known to those of skill in the art.

[0070] In certain aspects, "derivative" refers to a chemically modified compound that still retains the desired effects of the compound prior to the chemical modification. Such derivatives may have the addition, removal, or substitution of one or more chemical moieties on the parent molecule. Non limiting examples of the types modifications that can be made to the compounds and structures disclosed throughout this document include the addition or

removal of lower alkanes such as methyl, ethyl, propyl, or substituted lower alkanes such as hydroxymethyl or aminomethyl groups; carboxyl groups and carbonyl groups; hydroxyls; nitro, amino, amide, and azo groups; sulfate, sulfonate, sulfono, sulfhydryl, sulfonyl, sulfoxido, phosphate, phosphono, phosphoryl groups, and halide substituents. Additional modifications can include an addition or a deletion of one or more atoms of the atomic framework, for example, substitution of an ethyl by a propyl; substitution of a phenyl by a larger or smaller aromatic group. Alternatively, in a cyclic or bicyclic structure, hetero atoms such as N, S, or O can be substituted into the structure instead of a carbon atom.

#### **D. Equivalents**

[0071] Known and unknown equivalents to the ingredients discussed throughout this specification and claims can be used with the compositions and methods of the present invention. The equivalents can be used as substitutes for any given ingredient in a composition of the present invention. The equivalents can also be used to add to the methods and compositions of the present invention. A person of ordinary skill in the art would be able to recognize and identify acceptable known and unknown equivalents to the ingredients without undue experimentation.

#### **E. Compositions of the Present Invention**

[0072] A person of ordinary skill would recognize that the compositions of the present invention can include any number of combinations of the ingredients discussed throughout this specification. It is also contemplated that that the concentrations of the ingredients can vary. In non-limiting embodiments, for example, the compositions may include in their final form, for example, at least about 0.0001%, 0.0002%, 0.0003%, 0.0004%, 0.0005%, 0.0006%, 0.0007%, 0.0008%, 0.0009%, 0.0010%, 0.0011%, 0.0012%, 0.0013%, 0.0014%, 0.0015%, 0.0016%, 0.0017%, 0.0018%, 0.0019%, 0.0020%, 0.0021%, 0.0022%, 0.0023%, 0.0024%, 0.0025%, 0.0026%, 0.0027%, 0.0028%, 0.0029%, 0.0030%, 0.0031%, 0.0032%, 0.0033%, 0.0034%, 0.0035%, 0.0036%, 0.0037%, 0.0038%, 0.0039%, 0.0040%, 0.0041%, 0.0042%, 0.0043%, 0.0044%, 0.0045%, 0.0046%, 0.0047%, 0.0048%, 0.0049%, 0.0050%, 0.0051%, 0.0052%, 0.0053%, 0.0054%, 0.0055%, 0.0056%, 0.0057%, 0.0058%, 0.0059%, 0.0060%, 0.0061%, 0.0062%, 0.0063%, 0.0064%, 0.0065%, 0.0066%, 0.0067%, 0.0068%, 0.0069%, 0.0070%, 0.0071%, 0.0072%, 0.0073%, 0.0074%, 0.0075%, 0.0076%, 0.0077%, 0.0078%, 0.0079%, 0.0080%, 0.0081%, 0.0082%, 0.0083%, 0.0084%, 0.0085%, 0.0086%, 0.0087%, 0.0088%, 0.0089%, 0.0090%, 0.0091%, 0.0092%, 0.0093%,

0.0094%, 0.0095%, 0.0096%, 0.0097%, 0.0098%, 0.0099%, 0.0100%, 0.0200%, 0.0250%, 0.0275%, 0.0300%, 0.0325%, 0.0350%, 0.0375%, 0.0400%, 0.0425%, 0.0450%, 0.0475%, 0.0500%, 0.0525%, 0.0550%, 0.0575%, 0.0600%, 0.0625%, 0.0650%, 0.0675%, 0.0700%, 0.0725%, 0.0750%, 0.0775%, 0.0800%, 0.0825%, 0.0850%, 0.0875%, 0.0900%, 0.0925%, 0.0950%, 0.0975%, 0.1000%, 0.1250%, 0.1500%, 0.1750%, 0.2000%, 0.2250%, 0.2500%, 0.2750%, 0.3000%, 0.3250%, 0.3500%, 0.3750%, 0.4000%, 0.4250%, 0.4500%, 0.4750%, 0.5000%, 0.5250%, 0.5500%, 0.5750%, 0.6000%, 0.6250%, 0.6500%, 0.6750%, 0.7000%, 0.7250%, 0.7500%, 0.7750%, 0.8000%, 0.8250%, 0.8500%, 0.8750%, 0.9000%, 0.9250%, 0.9500%, 0.9750%, 1.0%, 1.1%, 1.2%, 1.3%, 1.4%, 1.5%, 1.6%, 1.7%, 1.8%, 1.9%, 2.0%, 2.1%, 2.2%, 2.3%, 2.4%, 2.5%, 2.6%, 2.7%, 2.8%, 2.9%, 3.0%, 3.1%, 3.2%, 3.3%, 3.4%, 3.5%, 3.6%, 3.7%, 3.8%, 3.9%, 4.0%, 4.1%, 4.2%, 4.3%, 4.4%, 4.5%, 4.6%, 4.7%, 4.8%, 4.9%, 5.0%, 5.1%, 5.2%, 5.3%, 5.4%, 5.5%, 5.6%, 5.7%, 5.8%, 5.9%, 6.0%, 6.1%, 6.2%, 6.3%, 6.4%, 6.5%, 6.6%, 6.7%, 6.8%, 6.9%, 7.0%, 7.1%, 7.2%, 7.3%, 7.4%, 7.5%, 7.6%, 7.7%, 7.8%, 7.9%, 8.0%, 8.1%, 8.2%, 8.3%, 8.4%, 8.5%, 8.6%, 8.7%, 8.8%, 8.9%, 9.0%, 9.1%, 9.2%, 9.3%, 9.4%, 9.5%, 9.6%, 9.7%, 9.8%, 9.9%, 10%, 11%, 12%, 13%, 14%, 15%, 16%, 17%, 18%, 19%, 20%, 21%, 22%, 23%, 24%, 25%, 26%, 27%, 28%, 29%, 30%, 35%, 40%, 45%, 50%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, or 99% or more, or any range or integer derivable therein, of at least one of the ingredients mentioned throughout the specification and claims. In non-limiting aspects, the percentage can be calculated by weight or volume of the total composition. A person of ordinary skill in the art would understand that the concentrations can vary depending on the desired effect of the composition and/or on the product into which the composition is incorporated into.

#### **F. Cosmetic Vehicles**

[0073] The compositions of the present invention can be incorporated in a variety of different vehicles. Non-limiting examples of suitable vehicles include emulsions (*e.g.*, oil/water emulsion, an oil/water/oil emulsion, a water/oil emulsion, a water/oil/water emulsion, a water/silicone emulsion, a water/silicone/water emulsion, a silicone/water emulsion, a silicone/water/silicone emulsion, a water/wax emulsion, or an oil/water/silicone emulsion), creams, lotions, solutions (both aqueous and hydro-alcoholic), anhydrous bases (*e.g.*, lipsticks and powders), gels, ointments, serums, liquids, fluids, non-aerosol sprays, aerosol sprays, non-aerosol foams, aerosol foams or by other method or any combination of the forgoing as would be known to one of ordinary skill in the art (Remington's, 1990). Variations and other appropriate vehicles will be apparent to the skilled artisan and are

appropriate for use in the present invention. In certain aspects, it is important that the concentrations and combinations of ingredients be selected in such a way that the combinations are chemically compatible and do not form complexes which precipitate from the finished product.

### **G. Cosmetic Products**

[0074] The composition of the present invention can also be used in many cosmetic products including, but not limited to, concealers, foundations, sunscreen products, sunless skin tanning products, moisturizing creams, skin benefit creams and lotions, softeners, day lotions, gels, ointments, night creams, lipsticks, cleansers, toners, masks, hair products, finger nail products, and other known cosmetic products or applications.

### **H. Kits**

[0075] Kits are also contemplated as being used in certain aspects of the present invention. For instance, compositions of the present invention can be included in a kit. A kit can include a container. Containers can include a bottle, a metal tube, a laminate tube, a plastic tube, a dispenser, a pressurized container, a barrier container, a package, a compartment, a lipstick container, a compact container, cosmetic pans that can hold cosmetic compositions (*e.g.*, foundations), or other types of containers such as injection or blow-molded plastic containers into which the dispersions or compositions or desired bottles, dispensers, or packages are retained. The kit and/or container can include indicia on its surface. The indicia, for example, can be a word, a phrase, an abbreviation, a picture, or a symbol.

[0076] The containers can dispense a pre-determined amount of the composition. In other embodiments, the container can be squeezed (*e.g.*, metal, laminate, or plastic tube) to dispense a desired amount of the composition. The composition can be dispensed as a spray, an aerosol, a liquid, a fluid, or a semi-solid. The containers can have spray, pump, or squeeze mechanisms. A kit can also include instructions for employing the kit components as well the use of any other dispersions or compositions included in the container. Instructions can include an explanation of how to apply, use, and maintain the products, dispersions, or compositions.

**EXAMPLES**

[0077] The following examples are included to demonstrate certain non-limiting aspects of the invention. It should be appreciated by those of skill in the art that the techniques disclosed in the examples which follow represent techniques discovered by the inventor to function well in the practice of the invention. However, those of skill in the art should, in light of the present disclosure, appreciate that many changes can be made in the specific embodiments which are disclosed and still obtain a like or similar result without departing from the spirit and scope of the invention.

**EXAMPLE 1**

[0078] A non-limiting example of a composition of the present invention is described in Table 1. This composition is a cream that can be topically applied to skin.

**Table 1\***

<b>Phase</b>	<b>Ingredient</b>	<b>% Concentration by weight</b>
<b>A</b>	Water	66.70
	Disodium EDTA	0.10
	Dimethicone	1.00
	Butylene glycol	1.50
<b>B</b>	Polysorbate-20	0.50
	Menthyl lactate	0.20
<b>C</b>	HDI/trimethylol hexyllactone C	5.00
	Polyacrylamide C13-14 Isopr	2.25
	Silicone HL88	1.00
	Hispagel Oil/LV	4.00
<b>D</b>	Ascorbyl glucoside	0.10
	Clerilys	0.50
	Sodium citrate and lemon extract	0.10
	<i>Magnolia biondii</i> flower extract	2.00
	Mountain Harvest <sup>TM</sup>	0.50
	Hydrolyzed soy protein	2.00
	<i>Centella asiatica</i> extract	1.00
	<i>Citrus grandis</i> (grapefruit) peel	0.50
	<i>Humulus lupulus</i> (hops) extract	0.50
	Eyeliss	1.50
	<i>Corylus avellana</i> (hazel) bud extract	1.00
	Dermochlorella D	1.00
	<i>Avena sativa</i> (oat) kernal extract	1.50

	<i>Artemisia abrotanum</i> extract	4.00
<b>E</b>	Diazolidinyl urea	0.20
	Iodo propynyl butylcarbamate	0.10
	Natural extract blend 33137*	0.25
	<b>Total</b>	<b>100.0</b>

\*The Natural extract blend contains 6.3% Citrus Tangerina (tangerine) extract, 63.7% Citrus aurantium dulcis (orange) peel extract, and 30% phenoxyethanol (preservative).

[0079] The following non-limiting procedure was used to prepare the composition in Table 1. All Phase A ingredients were added to water in a main vessel and dispersed by propeller and sweep mixing. The mixture was heated to 55-60 °C and while mixing. In a separate vessel, the Phase B ingredients were heated to 55-60 °C or until the solids melted. The Phase B mixture was added to the main vessel and mixed for approximately fifteen (15) minutes. The heat source was removed. The Phase C ingredients were added to the main vessel in the order listed in Table 1 while mixing. Before the Phase D ingredients were added, the mixture resembled a smooth, thick, white cream. The Phase D ingredients were added to the main vessel at approximately 50 °C while mixing (note that the Phase D ingredients can be made into a slurry prior to adding to the main vessel, if needed). As the Phase D ingredients are added, the mixture will thin back down and turn a yellow shade. The Phase E ingredients are then added at 40-45 °C. Mixing is continued as the mixture is cooled to 30-35 °C.

**EXAMPLE 2**

[0080] **Testing Parameters of the Table 1 Composition:** The efficacy of the composition in Table 1 was tested on human skin. The composition was tested on one-hundred and twenty three (123) women (“panelists”) having the following characteristics: (a) 1/2 of the women were between the ages of 32 to 45 and 1/2 were between 46 to 60 years of age; (b) 1/3 of the women had dry/dry to normal skin, 1/3 had normal skin and 1/3 had combination skin/oily skin; (c) 80% of the women had noticeably mild/moderate “under eye puffiness;” and (d) 50% of the women used a facial concealer product 3 or more times a week. A summary of the panelists’ skin conditions is in Table 2. The composition was applied to the under eye skin area twice a day (once in the morning and evening) for a total of fourteen (14) days. The panelists filled out questionnaires that inquired into the tactile properties and efficacy of the composition.

**Table 2 (Panelist Skin Conditions)**

	Total	AGE		SKIN TYPE <sup>®</sup>			SKIN TONE		
		35 - 45	46 - 60	Dry	Normal	Oily	Light	Medium	Dark
Base: Total Respondents	(123)	(57)	(66)	(41)	(38)	(44)	(49) <sup>®</sup>	(50)	(24) <sup>®</sup>
	%	%	%	%	%	%	%	%	%
Crow's Feet	55	37	71	59	61	48	53	60	50
<u>Dark Circles</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>	<u>100</u>
Mild	69	83	58	66	66	75	61	74	75
Moderate	31	17	42	34	34	25	39	26	25
<u>Undereye Puffiness</u>	<u>85</u>	<u>77</u>	<u>92</u>	<u>85</u>	<u>87</u>	<u>84</u>	<u>84</u>	<u>86</u>	<u>88</u>
Mild	64	68	61	63	66	64	55	68	75
Moderate	21	9	31	22	21	20	29	18	13

[0081] **Results of the Table 1 Composition:** The panelists’ responses are summarized in the following Tables 3-16. The responses in Table 3 concern the tactile properties and efficacy of the composition immediately after application to the skin.

**Table 3 (Immediately After Application)**

Claim Attribute*	Number of Respondents	% Agree	% Disagree
Is easy to apply	123	98	2
Is lightweight	122	98	2
Leaves a soft afterfeel	123	96	4
My regular eye cream applies easily over the test product	118	96	4
My regular foundation applies easily over the test product	117	96	4



Does not feel oily/greasy during application	123	93	7
Provides a cooling sensation upon application	119	92	8
Does not leave an oily/greasy afterfeel	123	91	9
Leaves a smooth afterfeel	121	90	10
Is suitable for my skin type	121	90	10
Has a silky-smooth texture	121	87	13
Absorbs quickly	122	84	16
Provides a cooling sensation that lasts a few minutes	122	82	18
Visibly reduces appearance of undereye puffiness immediately after application	115	56	44
Visibly minimizes appearance of undereye puffiness immediately after application	115	50	50
Visibly minimizes appearance of dark circles immediately after application	118	49	51
Visibly reduces appearance of dark circles immediately after application	117	44	56

\* Excluding "does not apply to me/don't know"

[0082] The panelists' responses in Table 4 concern the efficacy of the composition after two weeks of use.

**Table 4 (After Two Weeks of Use)**

Claim Attribute*	Number of Respondents	% Agree	% Disagree
Freshens my eye area	121	88	12
Softens appearance of undereye puffiness	115	80	20
Rejuvenates eye area	120	78	22
Visibly minimizes appearance of undereye puffiness	112	75	25
Leaves eye area with a rested look	119	75	25
Softens appearance of dark circles	118	74	26
Improves appearance of undereye puffiness	114	74	26
Visibly reduces appearance of undereye puffiness	113	73	27
Revitalizes eye area	122	73	27
Diminishes appearance of undereye puffiness	112	70	30
Softens appearance of undereye sagginess	102	70	30
Visibly minimizes appearance of dark circles	118	69	31
Leaves eye area looking younger	121	69	31
Improves appearance of dark circles	118	68	32
Brightens up eye area	121	68	32
Visibly reduces appearance of dark circles	117	66	34
Improves appearance of undereye sagginess	103	66	34
Leaves eye area looking vibrant	120	66	34
Diminishes appearance of dark circles	118	64	36
Visibly reduces appearance of undereye sagginess	102	63	37
Visibly minimizes appearance of undereye sagginess	102	61	39
Diminishes appearance of undereye sagginess	103	56	44

[0083] The responses in Table 5 concern the tactile properties and efficacy of the composition immediately after application to the skin. The responses are organized by panelist age.

**Table 5 (Age--Immediately After Application)**

*Immediately After Application – “% Agree”*

	AGE	
	32 - 45	46 - 60
	<u>%</u>	<u>%</u>
Is easy to apply	97	99
Is lightweight	96	99
Leaves a soft afterfeel	93	99
My regular eye cream applies easily over the test product	93	98
My regular foundation applies easily over the test product	91	100
Does not feel oily/greasy during application	90	96
Provides a cooling sensation upon application	91	94
Does not leave an oily/greasy afterfeel	90	92
Leaves a smooth afterfeel	88	92
Is suitable for my skin type	90	91
Has a silky-smooth texture	91	83
Absorbs quickly	84	85
Provides a cooling sensation that lasts a few minutes	73	89
Visibly reduces appearance of undereye puffiness immediately after application	55	57
Visibly minimizes appearance of undereye puffiness immediately after application	48	51
Visibly minimizes appearance of dark circles immediately after application	45	53
Visibly reduces appearance of dark circles immediately after application	38	49

[0084] The panelists' responses in Table 6 concern the efficacy of the composition after two weeks of use. The responses are organized by panelist age.

**Table 6 (Age--After Two Weeks of Use)**

<i>Two Weeks After Use – “% Agree”</i>	AGE	
	32 - 45	46 - 60
	<u>%</u>	<u>%</u>
<u>Dark Circles</u>		
Visibly minimizes appearance of dark circles	73	65
Improves appearance of dark circles	67	68
Visibly reduces appearance of dark circles	66	66
Diminishes appearance of dark circles	71	59
Softens appearance of dark circles	80	68
<u>Puffiness</u>		
Softens appearance of undereye puffiness	83	77
Visibly minimizes appearance of undereye puffiness	73	77
Improves appearance of undereye puffiness	77	71
Visibly reduces appearance of undereye puffiness	74	72
Diminishes appearance of undereye puffiness	71	69
<u>Saggy Skin</u>		
Softens appearance of undereye sagginess	71	68
Improves appearance of undereye sagginess	63	68
Visibly reduces appearance of undereye sagginess	59	66
Visibly minimizes appearance of undereye sagginess	59	63
Diminishes appearance of undereye sagginess	52	60
<u>General Appearance Of Eye Area</u>		
Freshens my eye area	87	89
Rejuvenates eye area	84	72
Leaves eye area with a rested look	76	73
Revitalizes eye area	75	71
Leaves eye area looking younger	75	63
Brightens up eye area	71	65
Leaves eye area looking vibrant	68	64

[0085] The panelists' responses in Table 7 concern the tactile properties and efficacy of the composition immediately after application to the skin. The responses are organized by panelists who have mild/moderate under eye puffiness and panelists who do not have under eye puffiness.

**Table 7 (Under Eye Puffiness--Immediately After Application)**

*Immediately After Application – “% Agree”*

	<u>UNDEREYE PUFFINESS</u>	
	<u>Have Mild/ Moderate Undereye Puffiness</u>	<u>Do Not Have Undereye Puffiness</u>
	<u>%</u>	<u>%</u>
Is easy to apply	97	100
Is lightweight	98	94
Leaves a soft afterfeel	96	94
My regular eye cream applies easily over the test product	97	88
My regular foundation applies easily over the test product	97	89
Does not feel oily/greasy during application	94	89
Provides a cooling sensation upon application	92	94
Does not leave an oily/greasy afterfeel	92	83
Leaves a smooth afterfeel	90	89
Is suitable for my skin type	90	89
Has a silky-smooth texture	85	100
Absorbs quickly	85	83
Provides a cooling sensation that lasts a few minutes	85	65
Visibly reduces appearance of undereye puffiness immediately after application	58	41
Visibly minimizes appearance of undereye puffiness immediately after application	52	33
Visibly minimizes appearance of dark circles immediately after application	49	50
Visibly reduces appearance of dark circles immediately after application	44	39

[0086] The panelists' responses in Table 8 concern the efficacy of the composition after two weeks of use. The responses are organized by panelists who have mild/moderate under eye puffiness and panelists who do not have under eye puffiness.

**Table 8 (Undereye Puffiness--After Two Weeks of Use)**

**Two Weeks After Use – “% Agree”**

	<u>UNDEREYE PUFFINESS</u>	
	<u>Have Mild/ Moderate Undereye Puffiness</u>	<u>Do Not Have Undereye Puffiness</u>
	<u>%</u>	<u>%</u>
<u>Dark Circles</u>		
Visibly minimizes appearance of dark circles	66	83
Improves appearance of dark circles	65	83
Visibly reduces appearance of dark circles	64	78
Diminishes appearance of dark circles	63	72
Softens appearance of dark circles	71	89
<u>Puffiness</u>		
Softens appearance of undereye puffiness	78	93
Visibly minimizes appearance of undereye puffiness	72	93
Improves appearance of undereye puffiness	72	87
Visibly reduces appearance of undereye puffiness	69	93
Diminishes appearance of undereye puffiness	68	80
<u>Saggy Skin</u>		
Softens appearance of undereye sagginess	68	83
Improves appearance of undereye sagginess	63	85
Visibly reduces appearance of undereye sagginess	60	85
Visibly minimizes appearance of undereye sagginess	57	85
Diminishes appearance of undereye sagginess	54	69
<u>General Appearance Of Eye Area</u>		
Freshens my eye area	89	88
Rejuvenates eye area	75	94
Leaves eye area with a rested look	74	82
Revitalizes eye area	70	89
Leaves eye area looking younger	66	83
Brightens up eye area	66	78
Leaves eye area looking vibrant	64	78

[0087] The panelists' responses in Table 9 concern the tactile properties and efficacy of the composition immediately after application to the skin. The responses are organized by panelists who have mild dark circles under the eye and panelists who do not have mild dark circles under the eye.

**Table 9 (Dark Circles--Immediately After Application)**

*Immediately After Application - "% Agree"*

	DARK CIRCLES	
	Mild	Moderate
	<u>%</u>	<u>%</u>
Is easy to apply	98	97
Is lightweight	98	97
Leaves a soft afterfeel	97	95
My regular eye cream applies easily over the test product	95	97
My regular foundation applies easily over the test product	94	100
Does not feel oily/greasy during application	93	92
Provides a cooling sensation upon application	94	90
Does not leave an oily/greasy afterfeel	89	95
Leaves a smooth afterfeel	93	84
Is suitable for my skin type	91	89
Has a silky-smooth texture	91	78
Absorbs quickly	86	82
Provides a cooling sensation that lasts a few minutes	82	82
Visibly reduces appearance of undereye puffiness immediately after application	60	46
Visibly minimizes appearance of undereye puffiness immediately after application	54	39
Visibly minimizes appearance of dark circles immediately after application	52	43
Visibly reduces appearance of dark circles immediately after application	44	42

[0088] The panelists' responses in Table 10 concern the efficacy of the composition after two weeks of use. The responses are organized by panelists who have mild dark circles under the eye and panelists who do not have mild dark circles under the eye.

**Table 10 (Dark Circles--After Two Weeks of Use)**

**Two Weeks After Use - "% Agree"**

	DARK CIRCLES	
	Mild	Moderate
	<u>%</u>	<u>%</u>
<u>Dark Circles</u>		
Visibly minimizes appearance of dark circles	70	66
Improves appearance of dark circles	69	66
Visibly reduces appearance of dark circles	67	63
Diminishes appearance of dark circles	68	58
Softens appearance of dark circles	76	68
<u>Puffiness</u>		
Softens appearance of undereye puffiness	80	81
Visibly minimizes appearance of undereye puffiness	74	77
Improves appearance of undereye puffiness	75	71
Visibly reduces appearance of undereye puffiness	73	71
Diminishes appearance of undereye puffiness	74	59
<u>Saggy Skin</u>		
Softens appearance of undereye sagginess	74	60
Improves appearance of undereye sagginess	69	60
Visibly reduces appearance of undereye sagginess	64	60
Visibly minimizes appearance of undereye sagginess	63	57
Diminishes appearance of undereye sagginess	58	53
<u>General Appearance Of Eye Area</u>		
Freshens my eye area	88	90
Rejuvenates eye area	77	78
Leaves eye area with a rested look	72	81
Revitalizes eye area	74	71
Leaves eye area looking younger	68	71
Brightens up eye area	66	71
Leaves eye area looking vibrant	66	65

[0089] The panelists' responses in Table 11 concern the tactile properties and efficacy of the composition immediately after application to the skin. The responses are organized by panelists who use a concealer product and panelists who do not use a concealer product.

**Table 11 (Concealer Use--Immediately After Application)**

***Immediately After Application - "% Agree"***

	USE OF CONCEALER	
	Use Concealer	Do Not Use Concealer
	<u>%</u>	<u>%</u>
Is easy to apply	97	98
Is lightweight	96	100
Leaves a soft afterfeel	94	98
My regular eye cream applies easily over the test product	99	92
My regular foundation applies easily over the test product	99	92
Does not feel oily/greasy during application	94	91
Provides a cooling sensation upon application	89	96
Does not leave an oily/greasy afterfeel	93	89
Leaves a smooth afterfeel	85	96
Is suitable for my skin type	93	87
Has a silky-smooth texture	88	85
Absorbs quickly	84	85
Provides a cooling sensation that lasts a few minutes	81	83
Visibly reduces appearance of undereye puffiness immediately after application	58	53
Visibly minimizes appearance of undereye puffiness immediately after application	52	47
Visibly minimizes appearance of dark circles immediately after application	55	42
Visibly reduces appearance of dark circles immediately after application	47	39



[0090] The panelists' responses in Table 12 concern the efficacy of the composition after two weeks of use. The responses are organized by panelists who use a concealer product and panelists who do not use a concealer product.

**Table 12 (Concealer Use--After Two Weeks of Use)**

**Two Weeks After Use - "% Agree"**

	USE OF CONCEALER	
	Use Concealer	Do Not Use Concealer
	<u>%</u>	<u>%</u>
<u>Dark Circles</u>		
Visibly minimizes appearance of dark circles	72	65
Improves appearance of dark circles	72	63
Visibly reduces appearance of dark circles	69	62
Diminishes appearance of dark circles	66	63
Softens appearance of dark circles	78	69
<u>Puffiness</u>		
Softens appearance of undereye puffiness	87	71
Visibly minimizes appearance of undereye puffiness	81	67
Improves appearance of undereye puffiness	79	67
Visibly reduces appearance of undereye puffiness	80	63
Diminishes appearance of undereye puffiness	75	62
<u>Saggy Skin</u>		
Softens appearance of undereye sagginess	78	59
Improves appearance of undereye sagginess	75	55
Visibly reduces appearance of undereye sagginess	71	52
Visibly minimizes appearance of undereye sagginess	69	50
Diminishes appearance of undereye sagginess	66	43
<u>General Appearance Of Eye Area</u>		
Freshens my eye area	91	85
Rejuvenates eye area	82	71
Leaves eye area with a rested look	84	64
Revitalizes eye area	81	62
Leaves eye area looking younger	74	62
Brightens up eye area	75	58
Leaves eye area looking vibrant	72	58

[0091] The panelists' responses in Table 13 concern the tactile properties and efficacy of the composition immediately after application to the skin. The responses are organized by panelists who have dry, normal, and oily skin.

**Table 13 (Skin Type--Immediately After Application)**

*Immediately After Application - "% Agree"*

	SKIN TYPE		
	Dry	Normal	Oily
	<u>%</u>	<u>%</u>	<u>%</u>
Is easy to apply	100	97	96
Is lightweight	95	97	100
Leaves a soft afterfeel	98	95	96
My regular eye cream applies easily over the test product	95	97	95
My regular foundation applies easily over the test product	95	97	96
Does not feel oily/greasy during application	95	90	93
Provides a cooling sensation upon application	98	92	88
Does not leave an oily/greasy afterfeel	90	92	91
Leaves a smooth afterfeel	88	90	93
Is suitable for my skin type	88	94	89
Has a silky-smooth texture	95	79	86
Absorbs quickly	85	82	86
Provides a cooling sensation that lasts a few minutes	93	76	77
Visibly reduces appearance of undereye puffiness immediately after application	58	44	64
Visibly minimizes appearance of undereye puffiness immediately after application	63	39	46
Visibly minimizes appearance of dark circles immediately after application	55	35	56
Visibly reduces appearance of dark circles immediately after application	51	37	43

[0092] The panelists' responses in Table 14 concern the efficacy of the composition after two weeks of use. The responses are organized by panelists who have dry, normal, and oily skin.

**Table 14 (Skin Type--After Two Weeks of Use)****Two Weeks After Use - "% Agree"**

	SKIN TYPE		
	Dry	Normal	Oily
	<u>%</u>	<u>%</u>	<u>%</u>
<u>Dark Circles</u>			
Visibly minimizes appearance of dark circles	63	67	76
Improves appearance of dark circles	68	64	71
Visibly reduces appearance of dark circles	66	58	73
Diminishes appearance of dark circles	66	53	73
Softens appearance of dark circles	68	69	83
<u>Puffiness</u>			
Softens appearance of undereye puffiness	73	80	87
Visibly minimizes appearance of undereye puffiness	70	77	78
Improves appearance of undereye puffiness	68	80	74
Visibly reduces appearance of undereye puffiness	68	77	73
Diminishes appearance of undereye puffiness	68	71	70
<u>Saggy Skin</u>			
Softens appearance of undereye sagginess	64	69	77
Improves appearance of undereye sagginess	61	69	69
Visibly reduces appearance of undereye sagginess	58	66	65
Visibly minimizes appearance of undereye sagginess	58	66	58
Diminishes appearance of undereye sagginess	58	51	59
<u>General Appearance Of Eye Area</u>			
Freshens my eye area	85	90	91
Rejuvenates eye area	73	78	81
Leaves eye area with a rested look	73	75	76
Revitalizes eye area	73	74	72
Leaves eye area looking younger	59	68	79
Brightens up eye area	71	61	71
Leaves eye area looking vibrant	63	65	69

[0093] The panelists' responses in Table 15 concern the tactile properties and efficacy of the composition immediately after application to the skin. The responses are organized by panelists who have light, medium, and dark skin tones.

**Table 15 (Skin Tone--Immediately After Application)*****Immediately After Application - "% Agree"***

	SKIN TONE*		
	Light	Medium	Dark
	<u>%</u>	<u>%</u>	<u>%</u>
Is easy to apply	98	96	100
Is lightweight	98	96	100
Leaves a soft afterfeel	96	94	100
My regular eye cream applies easily over the test product	96	98	91
My regular foundation applies easily over the test product	96	98	91
Does not feel oily/greasy during application	94	94	88
Provides a cooling sensation upon application	96	91	88
Does not leave an oily/greasy afterfeel	90	94	88
Leaves a smooth afterfeel	88	92	92
Is suitable for my skin type	88	94	88
Has a silky-smooth texture	85	90	83
Absorbs quickly	81	88	83
Provides a cooling sensation that lasts a few minutes	86	78	83
Visibly reduces appearance of under-eye puffiness immediately after application	57	52	61
Visibly minimizes appearance of under-eye puffiness immediately after application	53	50	42
Visibly minimizes appearance of dark circles immediately after application	53	47	46
Visibly reduces appearance of dark circles immediately after application	48	41	42

\*"Light" = Very Light and Light; "Medium" = Light to Medium, Medium and Medium to Dark; "Dark" = Dark and Very Dark

[0094] The panelists' responses in Table 16 concern the efficacy of the composition after two weeks of use. The responses are organized by panelists who have light, medium, and dark skin tones.

**Table 16 (Skin Tone--After Two Weeks of Use)**

**Two Weeks After Use - "% Agree"**

	SKIN TONE*		
	Light	Medium	Dark
	<u>%</u>	<u>%</u>	<u>%</u>
<u>Dark Circles</u>			
Visibly minimizes appearance of dark circles	65	67	79
Improves appearance of dark circles	63	71	71
Visibly reduces appearance of dark circles	59	70	71
Diminishes appearance of dark circles	63	63	71
Softens appearance of dark circles	72	73	79
<u>Puffiness</u>			
Softens appearance of undereye puffiness	71	88	82
Visibly minimizes appearance of undereye puffiness	67	83	73
Improves appearance of undereye puffiness	66	79	77
Visibly reduces appearance of undereye puffiness	66	81	68
Diminishes appearance of undereye puffiness	61	77	71
<u>Saggy Skin</u>			
Softens appearance of undereye sagginess	67	69	76
Improves appearance of undereye sagginess	67	65	67
Visibly reduces appearance of undereye sagginess	59	62	71
Visibly minimizes appearance of undereye sagginess	62	60	62
Diminishes appearance of undereye sagginess	54	58	57
<u>General Appearance Of Eye Area</u>			
Freshens my eye area	89	88	88
Rejuvenates eye area	79	78	75
Leaves eye area with a rested look	69	76	83
Revitalizes eye area	71	76	71
Leaves eye area looking younger	60	74	75
Brightens up eye area	60	72	74
Leaves eye area looking vibrant	62	65	75

\*"Light" = Very Light and Light; "Medium" = Light to Medium, Medium and Medium to Dark; "Dark" = Dark and Very Dark

### EXAMPLE 3

[0095] Three ingredients that can be used in the compositions of the present invention were tested to determine their effects on melanin production and tyrosinase activity. The three ingredients were CLERILYS™, Ascorbyl Glucoside, and UNINONTAN U34™. The materials and methods used to perform these tests and the corresponding data follows.

[0096] **Materials and Methods:** Human melanocytes from a moderately pigmented donor were purchased from Cascade Biologics (Portland, Oregon). Human dermal fibroblasts were purchased from Cambrex (Rockland, ME). In order to determine the optimal concentrations of the test materials for the whitening experiment, these materials were first examined in a proliferation assay with human dermal fibroblasts. The highest non-interfering concentration was determined for each test material and further 5-fold dilutions were made for use in melanocytes cultures.

[0097] The following assay was used to the effects of the materials on melanin production. Melanocytes were seeded in the fully-supplemented 254 medium (Cascade) in 96 well plates and test materials were added 24h later. Cells were grown for 6 days with one growth medium change. At the end of the experiment, cells were lysed with the Cellytic Mammalian Cell Lysis/Extraction Reagent (Sigma, St. Louis, MO) and melanin was solubilized in 2N NaOH. Melanin content was determined spectrophotometrically at 405 nm and standardized to total protein content from the same cultures, using Bradford reagent (Sigma, St. Louis, MO). Kojic acid was used as positive control. Cell cultures were monitored on a Nikon Eclipse inverted microscope.

[0098] Tyrosinase activity was measured by the modified Pomerantz method (*Biophys Res Commun*, 1964). Mushroom Tyrosinase (Sigma #3212816630) stock enzyme was 5 U/well (25 U/ml). The substrate (I-DOPA, Fisher Scientific, Pittsburgh, PA) stock solution was 20 mM. Working solution was prepared in PBS for each assay. The reaction mixture consisted of 50  $\mu$ l 20 mM I-DOPA and 10  $\mu$ l undiluted test sample. Reaction was initiated by adding tyrosinase. Assays were performed in 96 well flat-bottom microtiter plates (Fisher #0720087) and read at 490 nm after 5, 10, and 20 min.

[0099] **Results:** The test results of the melanin production and tyrosinase inhibition assays are summarized in Table 17 below. These results confirm that the tested materials can inhibit melanin production and tyrosinase activity.

**Table 17 (Melanin Production Assay)**

<b>Test Material</b>	<b>Melanin Inhibition in Cells)</b>	<b>Dilution Factor</b>	<b>Tyrosinase inhibition assay (5 min)</b>	<b>Tyrosinase inhibition assay (10 min)</b>	<b>Tyrosinase inhibition assay (20 min)</b>
H <sub>2</sub> O	100%	-	100.0	100.0	100.0
Kojic acid	83%	200 $\mu$ M	39.0	35.5	33.1
CLERILYS™	60%	1-100	62.4	45.9	34.3
Ascorbyl Glucoside	75-65.5%	1/25- 1/125	33.8	30.6	30.1
UNINONTAN U34™	60.5%	1/100	9.4	6.5	5.0

\*\*\*\*\*

[00100] All of the compositions and/or methods disclosed and claimed in this specification can be made and executed without undue experimentation in light of the present disclosure. While the compositions and methods of this invention have been described in terms of specific embodiments, it will be apparent to those of skill in the art that variations may be applied to the compositions and/or methods and in the steps or in the sequence of steps of the method described herein without departing from the concept, spirit and scope of the invention. More specifically, it will be apparent that certain agents which are both chemically and physiologically related may be substituted for the agents described herein while the same or similar results would be achieved. All such similar substitutes and modifications apparent to those skilled in the art are deemed to be within the spirit, scope and concept of the invention as defined by the appended claims.

**REFERENCES**

The following references, to the extent that they provide exemplary procedural or other details supplementary to those set forth herein, are specifically incorporated herein by reference.

U.S. Patent 2,798,053

U.S. Patent 3,755,560

U.S. Patent 4,421,769

U.S. Patent 4,509,949

U.S. Patent 4,599,379

U.S. Patent 4,628,078

U.S. Patent 4,835,206

U.S. Patent 4,849,484

U.S. Patent 5,011,681

U.S. Patent 5,084,563

U.S. Patent 5,087,445

U.S. Patent 5,100,660

U.S. Patent 5,252,722

U.S. Patent 5,272,136

U.S. Patent 5,388,420

U.S. Patent 5,432,161

U.S. Patent 5,508,391

U.S. Patent 5,559,146

U.S. Patent 5,720,963

U.S. Patent 5,843,907

U.S. Patent 6,262,541

U.S. Patent 6,290,938

U.S. Patent 6,443,164

U.S. Patent 6,447,760

U.S. Patent 6,482,397

U.S. Patent 6,495,126

Bai *et al.*, *J. Biol. Chem.*, 278(37):35501-35507, 2003.



Barany and Merrifield, In: *The Peptides*, Gross and Meienhofer (Eds.), Academic Press, NY, 1-284, 1979.

*Biophys. Res. Commun.*, 16(2):188-94, 1964.

Figlar and Nooteboom, *Blumea*, 49:87-100, 2004.

Houghten *et al.*, *Infect. Immun.*, 48(3):735-740, 1985.

International Cosmetic Ingredient Dictionary, 10<sup>th</sup> Ed., 2004.

McCutcheon's Emulsifiers & Detergents North American Edition, 2001.

McCutcheon's Functional Materials North American Edition, 2001.

McCutcheon's, Detergents and Emulsifiers, North American Edition, 1986.

Merrifield, *Science*, 232(4748):341-347, 1986.

Remington's Pharmaceutical Sciences, 18<sup>th</sup> Ed., Mack Printing Company, 1289-1329, 1990.

Schiltz *et al.*, *J. Investigative Dermatology*, 87:663-667, 1986.

Stewart and Young, In: *Solid Phase Peptide Synthesis*, 2<sup>nd</sup> Ed., Pierce Chemical Co., 1984.

Tam *et al.*, *J. Am. Chem. Soc.*, 105:6442, 1983.

Vollhardt and Schore, In: *Organic Chemistry*, 2<sup>nd</sup> Ed., W. H. Freeman & Co., 1994.

## CLAIMS

1. A topical skin care composition comprising at least two of the following:
  - (a) Magnolia extract; and
  - (b) honokiol, magnolol, *humulus lupulus* extract, hesperidin methyl chalcone, gotu kola, dipeptide valyl-tryptophane, palmitoyl tetrapeptide-3, *corylus avellana* bud extract, *centella asiatica* extract, *cucumis sativa* extract, *morus alba* extract, *hibiscus sabdariffa* flower extract, *vitis vinifera* extract, ascorbyl glucoside, *citrus medica limonum* extract, *avena sativa* kernel extract, hydrolyzed soy protein, aniseed myrtle extract, *tasmania lanceolata* leaf extract, *artemisia abrotanum* extract, *citrus grandis* fruit extract, or apigenin.
2. The composition of claim 1, wherein the Magnolia extract is selected from the group consisting of *Magnolia acuminata* extract, *Magnolia ashei* extract, *Magnolia biondii* extract, *Magnolia cylindrica* extract, *Magnolia cambellii* extract, *Magnolia denudata* extract, *Magnolia fraseri* extract, *Magnolia grandiflora* extract, *Magnolia hypoleuca* extract, *Magnolia kobus* extract, *Magnolia hliiflora* extract, *Magnolia loegneri* extract, *Magnolia macrophylla* extract, *Magnolia officinalis* extract, *Magnolia pyramidata* extract, *Magnolia sargentiana* extract, *Magnolia seiboldii* extract, *Magnolia soulangiana* extract, *Magnolia sprengeri* extract, *Magnolia stellata* extract, *Magnolia tripetala* extract, *Magnolia virginiana* extract, *Magnolia zenii* extract, and *Michelia figo* extract.
3. The composition of claim 1, wherein the composition comprises Magnolia extract and isolated or purified honokiol.
4. The composition of claim 3, wherein the Magnolia extract is *Magnolia biondii* extract.
5. The composition of claim 1, wherein the composition comprises Magnolia extract and *humulus lupulus* extract.

6. The composition of claim 1, wherein the composition comprises Magnolia extract, hesperidin methyl chalcone, and gotu kola.
7. The composition of claim 1, wherein the composition comprises Magnolia extract and dipeptide-2.
8. The composition of claim 1, wherein the composition comprises Magnolia extract and palmitoyl tetrapeptide-3.
9. The composition of claim 1, wherein the composition comprises Magnolia extract and *corylus avellana* bud extract.
10. The composition of claim 1, wherein the composition comprises Magnolia extract and a botanical blend comprising *cucumis sativa* extract, *morus alba* extract, *hibiscus sabdariffa* flower extract, and *vitis vinifera* extract.
11. The composition of claim 1, wherein the composition comprises Magnolia extract and ascorbyl glucoside, *citrus medica limonum* extract, and *cucumis sativa* extract.
12. The composition of claim 1, wherein the composition comprises Magnolia extract and a blend of *avena sativa* kernel extract, hydrolyzed soy protein, aniseed myrtle extract, *tasmania lanceolata* leaf extract, and *hibiscus sabdariffa* flower extract.
13. The composition of claim 1, wherein the composition comprises Magnolia extract and *artemisia abrotanum* extract.
14. The composition of claim 1, wherein the composition comprises Magnolia extract and *citrus grandis* fruit extract.
15. The composition of claim 1, wherein the citrus grandis fruit extract includes at least 90% by weight of apigenin.
16. The composition of claim 1, wherein the composition comprises Magnolia extract and *centella asiatica* extract.

17. The composition of claim 1, wherein the composition further comprising a cooling agent.
18. The composition of claim 17, wherein the cooling agent is menthyl lactate.
19. The composition of claim 1, wherein the composition has a pH from about 3 to about 9.
20. The composition of claim 1, wherein the composition is formulated as a skin cleanser or moisturizer.
21. The composition of claim 1, wherein the composition is comprised in a cosmetic vehicle.
22. The composition of claim 21, wherein the cosmetic vehicle is an emulsion, a cream, a lotion, a solution, an anhydrous base, a gel, or an ointment.
23. The composition of claim 22, wherein the cosmetic vehicle is an emulsion, a solution, or an anhydrous base.
24. The composition of claim 1, wherein the composition is in a solid, semi-solid, or liquid form.
25. The composition of claim 1, wherein the composition is comprised in a cosmetic product.
26. The composition of claim 1, wherein the product is a concealer.
27. The composition of claim 26, wherein the concealer is in liquid form.
28. The composition of claim 26, wherein the concealer is in solid form.

29. The composition of claim 1, wherein the composition comprises from about 0.01% to about 4.0% by weight of Magnolia extract.
30. The composition of claim 1, wherein the composition comprises from about 0.01% to about 4.0%, by weight, of an ingredient listed in (b).
31. The composition of claim 1, wherein the composition further comprises an essential oil.
32. The composition of claim 1, wherein the composition further comprises a thickening agent.
33. The composition of claim 1, wherein the composition further comprises a surfactant.
34. A method of treating a skin condition, comprising topically applying the composition of claim 1 to skin, wherein topical application of the composition treats the skin condition.
35. The method of claim 34, wherein the skin condition is telangiectasia.
36. The method of claim 35, wherein the telangiectasia is facial, hand, or leg telangiectasia.
37. The method of claim 34, wherein the skin condition is eye circles.
38. The method of claim 34, wherein the skin wherein the skin condition is puffy eyes.
39. The method of claim 34, wherein the composition comprises Magnolia extract and honokiol.
40. The method of claim 39, wherein the Magnolia extract is *Magnolia biondii* extract.
41. The method of claim 34, wherein the skin condition is pruritus, spider veins, lentigo, age spots, senile purpura, keratosis, melasma, blotches, wrinkles, fine lines, nodules,

sun damaged skin, dermatitis (including, but not limited to seborrheic dermatitis, nummular dermatitis, contact dermatitis, atopic dermatitis, exfoliative dermatitis, perioral dermatitis, and stasis dermatitis), psoriasis, folliculitis, rosacea, acne, impetigo, erysipelas, erythrasma, eczema, or hyperpigmentation.

42. The method of claim 34, wherein the skin condition is caused by exposure to UV light, age, irradiation, chronic sun exposure, environmental pollutants, air pollution, wind, cold, heat, chemicals, disease pathologies, or smoking.
43. The method of claim 34, wherein the skin is aged, nutritionally compromised, or environmentally damaged skin.
44. The method of claim 34, wherein the composition is topically applied in an amount effective to increase the stratum corneum turnover rate of the skin, collagen synthesis production of the skin, or the fat production of the skin.
45. The method of claim 34, wherein the composition is topically applied in an amount effective to reduce or inhibit new capillary formation in or near the skin, blood flow to the skin, fluid amount in or near the skin, or melanin production in the skin.
46. The method of claim 34, wherein the composition is topically applied in an amount effective to increase the firmness or elasticity of the skin.
47. The method of claim 34, wherein the skin condition is fine lines or wrinkles.
48. The method of claim 47, wherein topically applying the composition to skin having fine lines or wrinkles reduce or prevents the appearance of fine lines or wrinkles in the skin.
49. A method of reducing or inhibiting new capillary formation in or near skin, comprising topically applying the composition of claim 1 to skin, wherein topical application of the composition reduces or inhibits new capillary formation in or near the treated skin.

50. The method of claim 49, wherein reducing or inhibiting new capillary formation reduces the appearance of telangiectasia in the skin.
51. The method of claim 50, wherein the telangiectasia is visible on a person's face, arms, hands, or legs.
52. The method of claim 49, wherein reducing or inhibiting new capillary formation reduces the appearance of eye circles.
53. The method of claim 49, wherein the composition comprises Magnolia extract and honokiol.
54. The method of claim 53, wherein the Magnolia extract is *Magnolia biondii* extract.
55. A method of reducing blood flow to a person's skin comprising topically applying the composition of claim 1 to skin, wherein topical application of the composition reduces blood flow to the person's skin surface.
56. A method of reducing the amount of fluid in or near a person's skin comprising topically applying the composition of claim 1 to skin, wherein topical application of the composition reduces the amount of fluid in or near the person's skin.
57. The method of claim 56, wherein the skin is the skin under the person's eye.
58. A method of increasing the firmness or elasticity of skin, comprising topically applying the composition of claim 1 to skin, wherein topical application of the composition increases the firmness or elasticity of the skin.
59. A method of increasing fat production in a person's skin, comprising topically applying the composition of claim 1 to skin, wherein topical application of the composition increases the fat production in the person's skin.

60. A method of reducing melanin production in skin, comprising topically applying the composition of claim 1 to skin, wherein topical application of the composition reduces melanin production in the skin.
61. A method of increasing collagen production in skin, comprising topically applying the composition of claim 1 to skin, wherein topical application of the composition increases collagen production in the skin.
62. A kit comprising the composition of claim 1.
63. The kit of claim 62, wherein the composition is comprised in a container.
64. The kit of claim 63, wherein the container is a bottle, dispenser, or package.
65. The kit of claim 63, wherein the container dispenses a pre-determined amount of the composition.
66. The kit of claim 65, wherein the composition is dispensed in a liquid, spray, or an aerosol form.
67. The kit of claim 62, wherein the container includes indicia on its surface.
68. A cosmetic skin care product comprising the composition of claim 1.
69. The cosmetic skin care product of claim 68, wherein the cosmetic product is a moisturizer, a cream, a lotion, a skin softener, a foundation, a night cream, a lipstick, a cleanser, a toner, a sunscreen, a mask, or a concealer.