

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
9 September 2005 (09.09.2005)

PCT

(10) International Publication Number
WO 2005/081935 A2

(51) International Patent Classification: **Not classified**

(21) International Application Number:
PCT/US2005/005622

(22) International Filing Date: 23 February 2005 (23.02.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/546728 23 February 2004 (23.02.2004) US

(71) Applicant (for all designated States except US):
SMITHKLINE BEECHAM CORPORATION
[US/US]; One Franklin Plaza, P.O. Box 7929, Philadelphia, PA 19101 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SMETANA, Alfred, J** [US/US]; 9 Larkspur Road, Wayne, NJ 07470 (US).
WILENSKY, Stuart, B. [US/US]; 1500 Littleton Road, Parsippany, NJ 07054 (US).

(74) Agents: **WINSLOW, Andrea, L.** et al.; GlaxoSmithKline, Corporate Intellectual Property, UW2220, 709 Swedeland Road, P.O. Box 1539, King of Prussia, PA 19406-0939 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),

European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— of inventorship (Rule 4.17(iv)) for US only

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHOD OF APPLYING A DENTURE ADHESIVE

(57) Abstract: A method of reducing the time to reach maximum adhesivity of a denture adhesive to providing rapid hold of a denture to the oral cavity of an individual.

WO 2005/081935 A2

METHOD OF APPLYING A DENTURE ADHESIVE

FIELD OF THE INVENTION

The present invention relates to a method of reducing the time to reach
5 maximum adhesivity of a denture adhesive to provide rapid hold of a denture in the
oral cavity of an individual.

BACKGROUND OF THE INVENTION

Dentures and dental plates function as a substitute for all or part of missing
10 teeth ordinarily found in the mouth. While dentures are usually carefully fitted for the
user, the fit can change over time, due to natural shrinkage and changes in the gum or
mucosal tissue, causing discomfort and slippage. To alleviate the discomfort and to
control the slippage, a denture adhesive may be applied to the denture to fill the
interstices between the dentures and the gum or tissues. Sometimes referred to as a
15 denture stabilizer, the denture adhesive is formulated not only for its adherent
properties, but also to provide a cushion or gasket between the denture and the gums
or tissues, thereby positioning the denture securely in the oral cavity. By producing a
more secure fit of the denture a barrier is created preventing food particles from
becoming lodged in between the denture and the mucosal tissue.

20 Common forms of the denture adhesive, or stabilizer, include denture adhesive
creams, powders, gels and liners. Generally, these denture adhesive products
comprise a sealing or gasket-forming material that is typically a water swellable gum or
polymer. The gum or polymer hydrates and becomes tacky when introduced to the
saliva in the oral cavity, thus holding the dentures in place.

25 Those products currently available typically instruct the consumer to dry the
denture upon cleansing and prior to the application of any denture adhesive product.
The consumer is further instructed to insert the dry, adhesive coated denture into the
oral cavity and situate the denture in place, without prior rinsing. It has not been
recognized that the process of applying the denture adhesive and securing the denture
30 in place can be more effective when performed with the introduction of additional water
to the system.

SUMMARY OF THE INVENTION

The present invention relates to a method of reducing the time to reach maximum adhesivity of a denture adhesive to provide a more rapid hold of a denture to the oral cavity of an individual without negatively effecting the length or extent of hold ultimately achieved. The method comprises the steps of applying denture adhesive to said denture; wetting the denture and inserting said denture in place in the mouth. An alternative method comprises the steps of wetting a denture, applying denture adhesive to said denture; and inserting said denture in the mouth. A third embodiment comprises the steps of wetting a denture, applying denture adhesive to said denture; rewetting the denture; and inserting said denture in place in the mouth. Wetting the denture before and/or after application of the denture adhesive and prior to insertion into the mouth has been found to reduce the speed to maximum adhesivity of the denture adhesive without negatively effecting other properties of the adhesive.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a graph indicating the results of dislodge force studies comparing the dislodge force of a denture adhesive cream when the adhesive is applied to a pre-wetted denture versus application of the denture adhesive cream to a dry denture as measured at 5 minutes post application.

DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to a method of reducing the time to reach maximum adhesivity of a denture adhesive to produce stronger hold of the denture to the oral cavity faster, without negatively effecting other properties of the denture adhesive. The method comprises the steps of applying denture adhesive to said denture; wetting the denture and inserting said denture in place in the mouth. An alternative method comprises the steps of wetting a denture, applying denture adhesive to said denture; and inserting said denture in the mouth. A third embodiment comprises the steps of wetting a denture, applying denture adhesive to said denture; rewetting the denture; and inserting said denture in place in the mouth. In certain embodiments, the method may further comprise the step of rinsing the mouth with water at any point in the method, prior to inserting the denture in place in the mouth.

As used herein the term "maximum adhesivity" means the maximum force, measured in pounds, necessary to dislodge a denture from the oral cavity after the

application of a denture adhesive product measured at the time the adhesive component of the denture adhesive product has been fully activated.

The denture adhesive used may be any denture adhesive known in the art that comprises an adhesive polymer system wherein the adhesive polymer system

5 includes as least one water activated adhesive hydrophilic colloid or polymer. Water activated, as used herein, means that the hydrophilic colloid or polymer swells to form a mucilaginous mass upon exposure to water. Water activated adhesive hydrophilic colloids and polymers include, but are not limited to; mixed partial salts of alkyl vinyl ether maleic acid or anhydride copolymers (AVE/MA) comprising alkaline cations

10 selected from the group of calcium, strontium, sodium, zinc, magnesium, iron (II), potassium, and zirconium oxy cations; xanthan gum; karaya gum; guar gum; acacia gum; chitosan; gelatin; algin; agar; sodium alginate; tragacanth; polyethylene glycol (PEG); acrylamide polymers; carbopol; polyvinyl alcohol; polyvinyl acetate; polyamines; polyquarternary compounds; polybutenes; silicones; ethylene oxide

15 polymers; polyvinylpyrrolidone (PVP); cationic polyacrylamide polymers; methylcellulose; sodium carboxymethylcellulose; hydroxy ethylcellulose (HEC); hydroxy propylcellulose (HPC); hydroxy propyl methylcellulose (HPMC); and carboxymethylcellulose. Suitable mixed partial salts of AVE/MA include triple salts such as magnesium/zinc/sodium salt and double salts such as the calcium/sodium salt

20 and the calcium/zinc salt. Examples of denture adhesive compositions that include at least one water activated denture adhesive polymer are more particularly described in U.S. Pats. 4,758,630; 4,880,702; 5,073,604; 5,093,387; 5,266,624; 5,304,616; 5,424,058; 5,395,867; 5,543,443; 5,763,554; 5,872,160; 5,877,233; 5,880,172; 5,900,470; 6,069,188; 6,080,811; 5,525,652; 5,696,181; 5,750,591; 5,830,933;

25 6,025,411; 6,124,374; 6,166,102; 6,239,191; 6,423,762 and in published patent applications WO 92/10988; WO 92/10987; WO 92/22280; WO 95/33435; WO 98/43594; WO 98/01103; WO 96/04883, incorporated herein by reference.

The following examples further describe and demonstrate certain formulations wherein the application of the instant methods can be useful. These examples are

30 given solely for the purpose of illustration and are not to be construed as limitations of the present method. Many variations of these formulations are possible to which the present methods are still readily applicable.

Examples 1-3: Cream and Gel Adhesive Formulation

Component in % wt/wt	Ex. 1	Ex. 2	Ex. 3
MVE/MA* Na/Mg/Zn Salt	30	25	
Polyethylene oxide			13
Sodium Carboxymethylcellulose	24	20	32
Mineral Oil	16	16	11.95
Petrolatum	26.25	37.08	41.82
Flavor, spray dried	1.6		0.4
Colloidal Silicon Dioxide	1.1	1.1	
MVE/MA	1	0.82	
Lake Dye Paste	0.05		0.68
Preservative			0.05
Buffering agent			0.1
Total	100	100	100

*Poly methyl vinyl ether/maleic acid

Examples 4-5: Powder Adhesive Formulations

Component in % wt/wt	Ex.4	Ex.5
MVE/MA Na/Ca Salt	49.8	
Carboxymethylcellulose sodium	49.8	49
Polyethylene oxide		21
Dicalcium phosphate anhydrous		29.4
Flavor, spray dried	0.4	0.4
Buffering agent		0.2
Total	100	100

Examples 6-12: Denture Adhesive Liner Formulations

Component in % wt/wt	Ex. 6	Ex. 7	Ex. 8	Ex. 9	Ex. 10	Ex. 11	Ex. 12
Polyethylene oxide	0	5	0	0	0	5.0	0.0
Hydroxypropylcellulose	78.3	70.8	93.3	78.3	78.3	65.8	75.8
MVE/MA Na/Mg/Zn lysine Salt	0	0	0	0	15	0.0	0.0
MVE/MA Na/Mg/Zn Salt	0	0	0	15	0	0.0	0.0
MVE/MA Na/Ca Salt	15	15	0	0	0	15.0	0.0
Carboxymethylcellulose sodium	0	2.5	0	0	0	0.0	0.0
Alginate acid	0	0	0	0	0	7.5	17.5
Silicon Dioxide	2.5	2.5	2.5	2.5	2.5	2.5	2.5
Preservative	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Plasticizer	4	4	4	4	4	4.0	4.0
Total	100	100	100	100	100	100.0	100.0
						0	0

In order to determine the effectiveness of the present method on reducing the time to reach maximum adhesivity, a dislodge force test was performed. The test

5 determined the dislodge force of a denture that was pre-wetted prior to application of a denture adhesive cream and the dislodge force of a denture that was dried prior to the application of the denture adhesive and not wetted prior to insertion in the mouth. The dislodge force, measured in pounds, was recorded at time = 0 and time = 5 minutes.

The wet sample was prepared by placing a piece of Alpha B Cloth (chamois)

10 onto an acrylic plate. The cloth was then moistened with water and the denture adhesive cream was placed on four areas of the cloth. The dry sample was prepared by placing a piece of Alpha B Cloth (chamois) onto an acrylic plate. The denture adhesive cream was placed on four areas of the dry cloth in the same manner as described above. In each instance, the total weight of the cream was 0.50g. The

15 results of that testing, reported as lbs. of force, follow:

Pre-Wetted Denture								
Time (Min)	Run #1	Run #2	Run #3	Run #4	Run #5	Run #6	Run #7	Run #8
0	0	0	0	0	0	0	0	0
5	4.88	7.6	7.6	9.72	8.58	7.56	8.94	8.34
Dry Denture								
Time (Min)	Run #1	Run #2	Run #3	Run #4	Run #5	Run #6	Run #7	Run #8
0	0	0	0	0	0	0	0	0
5	5.52	6.48	6.24	6.56	3.12	6.06	4.9	3.82

Peak Values for 12 readings.

Eight runs were completed with readings taken at time = 0 and time = 5 minutes. The test results indicate that there is a statistically significant difference favoring the "wet" sample over the "dry". The average force for the "wet" sample was 7.90 lbs. The average force for the "dry" sample was 5.34 lbs.

A bite force test was conducted on denture adhesive creams in which methods of application were compared. Hydrating the denture before or after application of the adhesive combined with oral rinsing prior to insertion of the denture was studied for their effect on hold for up to 6 hours later. Bite force readings were taken at baseline and at 0.5, 1, 3, and 6 hours after the application of adhesive. All subjects wore full upper dentures. The sample size was based on subject availability.

There were significant differences in hold observed at the half-hour time point (Table 1). Conditions involving rinsing the mouth prior to inserting the denture produced a lower mean bite force compared to conditions in which the denture was moist at the time of application or moisture was added directly to the denture after application prior to insertion. This difference was most significant when application of adhesive to a dry denture was combined with mouth rinsing.

There appears to be some quick-hold benefit to hydrating an application of a denture adhesive, either by applying the adhesive to a moistened denture or wetting the denture after application. In contrast, rinsing the mouth resulted in a lower mean hold in the first half-hour of use. By the end of 6 hours, initial wetting conditions did not affect hold differentially.

The results of the bite force test are included below:

Table 1. Least Squares Means and Standard Errors by Treatment at Baseline and Each Time After Application With P-Values from LSD Tests on Comparisons of Interest							
(N = 11)		Base -line	0.5 h	1 h	3 h	6 h	16 h AUC
DRY / NO RINSE Dry Denture, No Rinsing	LS Mean	1.62	8.10	8.63	8.71	8.95	43.8
	LS Std. Err.	0.06	0.30	0.23	0.20	0.28	2.2
	P-Value vs.:						
	Dry / Rinse	0.16	0.03	0.45	0.72	0.91	0.89
	Dry / Wet	0.01	0.09	0.92	0.11	0.88	0.74
DRY / RINSE Dry Denture, Mouth Rinse Before Insertion	Wet / Rinse	0.85	0.66	0.53	0.80	0.30	0.84
	Wet / No rinse	0.03	0.11	0.29	0.08	0.90	0.75
	LS Mean	1.74	7.21	8.38	8.61	9.00	43.4
	LS Std. Err.	0.06	0.29	0.23	0.20	0.27	2.13
	P-Value vs.:						
DRY / WET Dry Denture / Wet Denture After Application	Dry / Wet	0.05	0.01	0.39	0.19	0.96	0.84
	Wet / Rinse	0.22	0.01	0.90	0.54	0.25	0.95
	Wet / No rinse	0.44	0.01	0.75	0.03	0.99	0.64
	LS Mean	1.92	8.83	8.66	8.24	9.02	42.8
	LS Std. Err.	0.06	0.30	0.24	0.20	0.28	2.2
WET / RINSE Wet Denture, Mouth Rinse Before Insertion	P-Value vs.:						
	Wet / Rinse	0.01	0.20	0.48	0.06	0.25	0.90
	Wet / No rinse	0.24	0.90	0.24	0.01	0.98	0.51
	LS Mean	1.64	8.28	8.42	8.78	8.55	43.2
	LS Std. Err.	0.06	0.30	0.23	0.20	0.28	2.2
WET / NO RINSE Wet Denture, No Rinsing	P-Value vs.:						
	Wet / No rinse	0.05	0.24	0.65	0.12	0.25	0.60
	LS Mean	1.81	8.77	8.27	9.22	9.01	44.8
	LS Std. Err.	0.06	0.29	0.23	0.20	0.28	2.2

WHAT IS CLAIMED IS:

1. A method of increasing the rate by which maximum adhesivity of a denture adhesive
5 is achieved comprising the steps of:
- (a) applying a denture adhesive to a denture;
 - (b) wetting said denture after application of the denture adhesive to the denture; and
 - (c) inserting said denture in the mouth.
- 10
2. The method of claim 1 wherein the denture adhesive is in the form of a cream, gel, powder or liner.
3. A method of increasing the rate by which maximum adhesivity of a denture adhesive
15 is achieved comprising the steps of:
- (a) wetting a denture,
 - (b) applying denture adhesive to said denture; and
 - (c) inserting said denture in the mouth.
- 20
4. The method of claim 3 wherein the denture adhesive is in the form of a cream, gel, powder or liner.
5. A method of increasing the rate by which maximum adhesivity of a denture adhesive
is achieved comprising the steps of:
- 25
- (a) wetting a denture;
 - (b) applying denture adhesive to said denture;
 - (c) rewetting the denture after application of the denture adhesive to the denture; and
 - (d) inserting the denture in place in the mouth.
- 30
6. The method of claim 5 wherein the denture adhesive is in the form of a cream, gel, powder or liner.