



US00D773696S

(12) **United States Design Patent** (10) **Patent No.:** **US D773,696 S**
Molinelli (45) **Date of Patent:** **** Dec. 6, 2016**

(54) **SUPPORT STRUCTURE**

(71) Applicant: **Michael Molinelli**, Briarcliff Manor,
NY (US)

(72) Inventor: **Michael Molinelli**, Briarcliff Manor,
NY (US)

(73) Assignees: **ST Bungalow LLC**, Briarcliff Manor,
NY (US); **Michael Molinelli**, Briarcliff,
NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/525,395**

(22) Filed: **Apr. 29, 2015**

(51) **LOC (10) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/136**

(58) **Field of Classification Search**

USPC D23/259–262, 264–265, 268–269,
393, D23/386; D25/119–125, 141, 136,
138, 164, D25/38.1, 41.1, 43, 48.2;
D34/27; D13/155–156
CPC E04D 13/08; E04D 2013/0833; E04D
2013/082; E04D 2013/086; E04D
2013/0866; E04B 1/3404; E04B 1/7069;
E04B 1/62; E04B 1/68; E04B 2/08; E04B
2/18; E04B 2/28; E04B 2/30; E06B 1/18;
E06B 9/01; E04C 2/08; E04C
2/384; E04C 5/04; E04G 21/26; E01C
11/221; E01C 11/222; E01C 11/22; E04F
13/06; E02D 5/803; E04H 12/182; A01G
1/08

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,564,386 A * 8/1951 Webb A47B 95/04
16/DIG. 2
2,865,312 A * 12/1958 Cookson E04D 3/363
52/520

3,330,080 A * 7/1967 Grieb E04B 7/08
264/129
D215,157 S * 9/1969 Edmondson D23/267
D257,397 S * 10/1980 Gustafsson D25/140
5,327,689 A * 7/1994 Jansen E04D 13/064
248/48.2
D351,668 S * 10/1994 Lim D25/121
D354,574 S * 1/1995 Lim D25/138
5,765,328 A * 6/1998 Moore E04D 13/0477
405/119
6,161,606 A * 12/2000 Wegner E06B 3/485
160/201
D450,564 S * 11/2001 Kane D8/356
D457,972 S * 5/2002 Harel D25/121
6,854,925 B2 * 2/2005 DiTullio E03F 1/003
138/105
D655,886 S * 3/2012 Kovich D1/122
D658,275 S * 4/2012 Luke D23/267

(Continued)

Primary Examiner — Eric Goodman

Assistant Examiner — Amy Wierenga

(74) *Attorney, Agent, or Firm* — Carter Ledyard &
Milburn LLP


(57) **CLAIM**

The ornamental design for a support structure, substantially
as shown and described.

DESCRIPTION

FIG. 1 is a front, right side perspective view of a support
structure of the present invention;
FIG. 2 is a right side view of FIG. 1;
FIG. 3 is a left side view of FIG. 1;
FIG. 4 is a front view of FIG. 1;
FIG. 5 is a rear view of FIG. 1;
FIG. 6 is a top plan view of FIG. 1; and,
FIG. 7 is a bottom plan view of FIG. 1.
The broken lines depict portions of the support structure
which form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D718,886	S	*	12/2014	Derraumaux	D25/141
D719,280	S	*	12/2014	Hamilton	D25/121
D732,260	S	*	6/2015	Wiley	D34/27
D735,363	S	*	7/2015	Moller	D25/136
D735,364	S	*	7/2015	Moller	D25/136
D753,468	S	*	4/2016	Weger	D8/356
D755,409	S	*	5/2016	Hamilton	D25/121
D757,240	S	*	5/2016	Forlong	D23/393
2009/0229191	A1	*	9/2009	Petrov	E04D 13/0645
					52/16
2014/0245691	A1	*	9/2014	Molinelli	E04C 2/041
					52/582.1

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7