



(12) **United States Patent**  
**Kim et al.**

(10) **Patent No.:** **US 10,156,975 B1**  
(45) **Date of Patent:** **Dec. 18, 2018**

(54) **SYSTEMS AND METHODS FOR USING ANALYTIC OBJECTS IN A DYNAMIC DATA VISUALIZATION INTERFACE**

(71) Applicant: **Tableau Software Inc.**, Seattle, WA (US)

(72) Inventors: **Jun Kim**, Sammamish, WA (US); **Christopher Richard Stolte**, Seattle, WA (US); **Jock Douglas Mackinlay**, Seattle, WA (US); **Robin Stewart**, Washington, DC (US); **Bora Beran**, Bothell, WA (US); **Justin Talbot**, Seattle, WA (US); **Marc Rueter**, Seattle, WA (US)

(73) Assignee: **Tableau Software, Inc.**, Seattle, WA (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 393 days.

(21) Appl. No.: **14/628,181**

(22) Filed: **Feb. 20, 2015**

**Related U.S. Application Data**

(60) Provisional application No. 62/047,579, filed on Sep. 8, 2014.

(51) **Int. Cl.**  
**G06F 3/0486** (2013.01)  
**G06T 11/20** (2006.01)  
(Continued)

(52) **U.S. Cl.**  
CPC ..... **G06F 3/0486** (2013.01); **G06F 3/0482** (2013.01); **G06F 3/04817** (2013.01); **G06T 11/206** (2013.01); **G06T 11/60** (2013.01)

(58) **Field of Classification Search**  
CPC .. G06F 3/0486; G06F 3/04817; G06F 3/0482; G06T 11/206; G06T 11/60  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,727,161 A \* 3/1998 Purcell, Jr. .... G06F 17/246 705/30  
5,894,311 A \* 4/1999 Jackson ..... G06F 17/30398 345/440

(Continued)

**FOREIGN PATENT DOCUMENTS**

EP 2098966 A1 8/2008  
WO WO 97/06492 A1 2/1997

**OTHER PUBLICATIONS**

FutureSource, Verson 3.7, Release Date: Dec. 13, 2013, "Drag and Drop Studies to Quotes," from [http://download.esignal.com/products/workstation/help/quotes/studies/drag\\_drop\\_study.htm](http://download.esignal.com/products/workstation/help/quotes/studies/drag_drop_study.htm), Webpage tutorial for software including current version 3.7, 13 pgs.

(Continued)

*Primary Examiner* — Kevin L Young


*Assistant Examiner* — Seth A Silverman

(74) *Attorney, Agent, or Firm* — Morgan, Lewis & Bockius LLP

(57) **ABSTRACT**

A method displays a chart and a visual analytic object superimposed on the chart. The chart displays visual marks representing a data set, displayed according to contents of displayed shelf regions, which determine characteristics of the chart. The analytic object corresponds to an analytic operation applied to the data set. The method detects a first input on the analytic object, and displays a moveable icon corresponding to the analytic object while maintaining display of the analytic object. The method also detects a second input on the moveable icon, and moves the moveable icon over a first shelf region. Upon ceasing to detect the input, the method updates the content of the first shelf region based on the analytic operation, and updates the chart according to updated content of the first shelf region.

**26 Claims, 116 Drawing Sheets**



- (51) **Int. Cl.**  
**G06T 11/60** (2006.01)  
**G06F 3/0481** (2013.01)  
**G06F 3/0482** (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,057,844	A	5/2000	Strauss	
7,457,785	B1	11/2008	Greitzer et al.	
2005/0039170	A1*	2/2005	Cifra .....	G06F 3/0486 717/125
2007/0250523	A1*	10/2007	Beers .....	G06F 17/30554
2008/0139936	A1*	6/2008	Choi .....	A61B 8/0866 600/443
2009/0292190	A1	11/2009	Miyashita	
2010/0122194	A1	5/2010	Rogers	
2010/0235771	A1	9/2010	Gregg, III	
2011/0115814	A1	5/2011	Heimendinger et al.	
2011/0239165	A1*	9/2011	Peebler .....	G06Q 40/04 715/856
2012/0023429	A1	1/2012	Medhi	
2014/0075380	A1	3/2014	Milirud et al.	

OTHER PUBLICATIONS

Kim, Office Action, U.S. Appl. No. 14/628,187, dated Jan. 9, 2017, 22 pgs.  
 "2-D Line Plot," by MATLAB on Feb. 17, 2014, from <http://www.mathworks.com/help/matlab/ref/plot.html>, 8 pgs.  
 "Change the display on a 3-D chart," by Microsoft Office in 2007, from <https://support.office.com/en-us/article/Change-the-display-of-a-3-D-chart-60c13909-d2a1-4e06-8b8c-bccba7868c9b>, 6 pgs.  
 Kim, Office Action, U.S. Appl. No. 14/628,170, dated Jun. 9, 2016, 25 pgs.  
 EasyBI, easyBI Documentation, Getting Started, Create Reports, <https://does.eazybi.com/display/EAZYBI/Create+reports>, downloaded Mar. 10, 2016, 1 pg.  
 Demo this Wednesday: Drag-and-drop to create R-based workflows, Office Supply Retail Chain Case Study: <http://blog.revolutionanalytics.com/2014/01/demo-this-wednesday-drag-and-drop-to-create-r-based-workflows.html>, Jan. 24, 2014, 2 pgs.

Thompson, Data Driven Journalism, Hate Spreadsheets Formulas? Meet Drag and Drop Data Analysis Tool 'Query Tree', [http://datadrivenjournalism.net/resources/Hate\\_Spreadsheets\\_Formulas\\_Meet\\_Drag\\_and\\_Drop\\_Data\\_Tool\\_QueryTree](http://datadrivenjournalism.net/resources/Hate_Spreadsheets_Formulas_Meet_Drag_and_Drop_Data_Tool_QueryTree), Jun. 14, 2013, 3 pgs.  
*The Tools*, D4 Software Ltd, <http://querytreeapp.com/help/tools/>, downloaded Mar. 10, 2016, 3 pgs.  
 Harris, Gigaom, Data for dummies: 6 data-analysis tools anyone can use, <http://gigaom.com/2013/01/31/data-for-dummies-5-data-analysis-tools-anyone-can-use/>, Jan. 31, 2013, 11 pgs.  
 Martinez, *Tableau Public, What the Tableau Public Community is Making*, <http://www.tableausoftware.com/public/>, downloaded Mar. 10, 2016, 6 pgs.  
 Sisense, *Business Analytics Software Built for Complex Data*, <http://www.sisense.com/features/>, 2016, 13 pgs.  
 Lurie, Profit Bricks, The IaaS-Company, 39 Data Visualization Tools for Big Data, <http://blog.profitbricks.com/39-data-visualization-tools-for-big-data/>, Feb. 13, 2014, 37 pgs.  
 "Keynote—Tableau Conference 2014—theCUBE," Sep. 10, 2014, retrieved from <https://www.youtube.com/watch?v=bZKq1jFm2dU>, 1 pg.  
 Tableau Software, Inc., International Search Report and Written Opinion, PCTUS2015/048991, dated Feb. 25, 2016, 25 pgs.  
 Microsoft, "Create a Box Plot," Applied to Excel, Date: year 2013, 11 pgs.  
 ExcelFunctions.net, "Excel Statistical Functions," Published Feb. 17, 2012, 4 pgs.  
 Kim, Final Office Action, U.S. Appl. No. 14/628,170, dated Jan. 23, 2017, 33 pgs.  
 Kim, Final Office Action, U.S. Appl. No. 14/628,176, dated Mar. 10, 2017, 14 pgs.  
 Tableau Software, Inc., International Preliminary Report on Patentability PCTUS2015/048991, dated Mar. 10, 2017, 17 pgs.  
 Tableau Software, Inc., Communication Pursuant to Rules 161(1) and 162—EP15778078.4, dated Apr. 24, 2017, 2 pgs.  
 Kim, Office Action, U.S. Appl. No. 14/628,170, dated Jul. 10, 2017, 31 pgs.  
 Kim, Final Office Action, U.S. Appl. No. 14/628,187, dated Jun. 29, 2017, 26 pgs.

\* cited by examiner



Figure 1




Figure 2




Figure 3








Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16




Figure 17



Custom Analytic Dialog 1064




Figure 19

Analytics Pane 1068




Figure 20




Figure 21





Figure 23



Figure 24



Figure 25




Figure 26





Figure 28

1096



Figure 29



Figure 30



Figure 31




Figure 32




Figure 33




Figure 34



Figure 35



Figure 36

1134




Figure 37




Figure 38






Figure 40






Figure 42




Figure 43







Figure 45













Figure 50






Figure 52




Figure 53




Figure 54




Figure 55




Figure 56




Figure 57




Figure 58




Figure 59




Figure 60




Figure 61




Figure 62




Figure 63




Figure 64




Figure 65




Figure 66




Figure 67




Figure 68




Figure 69




Figure 70




Figure 71




Figure 72




Figure 73




Figure 74




Figure 75




Figure 76




Figure 77




Figure 78




Figure 79




Figure 80




Figure 81




Figure 82






Figure 84




Figure 85




Figure 86




Figure 87




Figure 88




Figure 89




Figure 90




Figure 91




Figure 92




Figure 93





Figure 94








Figure 97




Figure 98




Figure 99




Figure 100






Figure 102




Figure 103




Figure 104




Figure 105




Figure 106




Figure 107




Figure 108




Figure 109A




Figure 109B




Figure 110




Figure 111

1394




Figure 112




Figure 113




Figure 114





Figure 115





## SYSTEMS AND METHODS FOR USING ANALYTIC OBJECTS IN A DYNAMIC DATA VISUALIZATION INTERFACE

### RELATED APPLICATIONS

This application claims priority to U.S. Provisional Application Ser. No. 62/047,579, filed Sep. 8, 2014, entitled "Systems and Methods for Providing Drag and Drop Analytics in a Data Visualization User Interface," which is incorporated by reference herein in its entirety.

This application is related to U.S. patent application Ser. No. 14/628,170, filed Feb. 20, 2015, entitled "Systems and Methods for Providing Adaptive Analytics in a Dynamic Data Visualization Interface," U.S. patent application Ser. No. 14/628,176, filed Feb. 20, 2015, entitled "Systems and Methods for Providing Drag and Drop Analytics in a Dynamic Data Visualization Interface," and U.S. patent application Ser. No. 14/628,187, filed Feb. 20, 2015, entitled "Systems and Methods for Using Displayed Data Marks in a Dynamic Data Visualization Interface," each of which is incorporated by reference herein in its entirety.

### TECHNICAL FIELD

The disclosed implementations relate generally to data visualization and more specifically to systems, methods, and user interfaces that provide analytic functions for interactively exploring and investigating a data set.

### BACKGROUND

Data visualization applications enable a user to understand a data set visually, including distribution, trends, outliers, and other factors that are important to making business decisions. Some data sets are very large or complex. Various analytic tools can be used to help understand the data, such as regression lines, average lines, and percentile bands. However, analytic functionality may be difficult to use or hard to find within a complex user interface. In addition, analysis sometimes requires using analytic functions on two or more subsets of data at the same time

### SUMMARY

Disclosed implementations address the above deficiencies and other problems associated with data visualizations that use analytic functions. Some implementations simplify the complexity of using analytic functions by providing a palette of analytic options that may be dragged and dropped to display corresponding analytic data on a visual graphic. In some implementations, an analytic function has sub-options, which are displayed in a drop area, and the user selects a sub-option by dropping an icon for the analytic function onto the sub-option in the drop area. For example, a trend line (regression line) is an analytic function, which has several sub-options that may be displayed for user selection: a linear trend line, an exponential trend line, a logarithmic trend line, or a polynomial trend line.

Some implementations simplify the process of comparing analytic data for different subsets of data from a data source. When an analytic function has been selected (e.g., an average line, a trend line, or quartile bands), a user may select any subset of data points (or visual marks, which may represent more than a single data point), and the user interface displays that analytic function based on the selected subset, while still continuing to display the analytic

data for the entire subset. This allows a user to quickly compare a subset to the whole set. In some implementations, the user may continue to modify the set of selected points or marks, and the analytic data for the selected subset adjusts according to the selection.

Disclosed implementations make experimenting with analytic techniques easier. Exemplary analytic operations or functions include summarizing the data, modeling the data, or performing custom operations specified by a user. For example, analytic functions may provide reference lines, reference bands, statistical bands (e.g., averages, medians with quartiles, average with predefined confidence interval (e.g., 95%), box plots, trend lines, totals, subtotals, and forecasts).

Some implementations provide a drag and drop user interface for analytic icons. This functionality has various benefits for users, including: allowing users to easily experiment and iterate; drop spots where a user may drag an analytic icon show options that a user will most likely want to experiment with; it becomes easy to pick up and re-drop an object/analytic icon to try a different analytic function; analytic functions that are commonly used together are grouped as a single "analytic icon," and thus can be selected in one step; and the analytic techniques are not buried in pull down menus.

Some implementations provide instant/adaptive analytics. This functionality has various benefits for users. For visualizations with a reference line, a reference band, a trend line, or other analytic function applied, a user may want to compare the analytic data for the set of data to an identified subset. When the user selects a subset of the marks, the user will see a new line or band corresponding to just the selected items. The user can instantly view the analytic data for just the selected marks (sample group), and compare the analytic data to the same analytic functionality applied to all marks (e.g., the "population"). This provides an interactive experience for comparing a sample group to the overall data set. In particular, implementations show an instant, selection-based reference line, band, trend line, or other analytic function alongside the original analytic line or band.

Some implementations with instant/adaptive analytics display the difference between the analytic data for the selected subset and the analytic data for the whole set in a tooltip when hovering over the selected subset or when the subset is selected. The instant/adaptive analytics are calculated and shown for each selection event, so as the user adds or removes marks from the selection, the analytic data updates on the fly, providing immediate feedback. The analytic data for the selected subset is displayed using the same formula or definition as the analytic data for the whole set of displayed data. For example, if an "average" line has been applied to the whole set, then an average line is created for the selected subset. In addition, the scope of the analytic data for the selected subset is inherited from the scope of the original line (e.g. table, pane, or cell).

In some implementations, the analytic data created for the selected subset is referred to as the "instant" line or band, and the analytic data for the entire set of data is referred to as the "original" line or band. In some instances, the instant and original items are close together on the display, and thus labels for some of the items may be obscured. In some implementations, the items are ordered in layers (e.g., like layers in a drawing program). In some implementations, the items are drawn from top to bottom as follows: (top) the instant label, the original label, the instant line, the original line, the instant band, and the original band (bottom). This layering helps users to understand the data visualization and

the analytic data displayed in the data visualization. In particular, this allows the user to distinguish visually between the original and the instant line or band. Some implementations de-emphasize the original line, original band, and/or original label to distinguish them from the instant line, instant band, and/or instant label. This may be implemented by dimming, changing color, graying out, or other techniques.

In accordance with some implementations, a method executes at an electronic device with a display. For example, the electronic device can be a smart phone, a tablet, a notebook computer, or a desktop computer. The method concurrently displays a chart that displays visual marks that represent a set of data (e.g., bars in a bar chart or geometric shapes such as circles, squares, triangles, or other representations of data points in a scatter plot) and a plurality of analytic icons. In some implementations, the analytic icons are displayed in a panel that toggles between data that may be used to make the chart and analytic icons that correspond to analytic operations that may be performed on the data used to make the chart.

The method detects a first portion of a user input on a first analytic icon in the plurality of analytic icons (e.g., a mouse click down, finger down, or other selection of the first analytic icon and/or an initial mouse drag or finger drag on the first analytic icon) and in response, displays one or more option icons that correspond to options for performing a first analytic operation that corresponds to the first analytic icon.

The method also detects a second portion of the user input on the first analytic icon. For example, after a mouse click or finger down on the first analytic icon, a mouse drag or finger drag on the first analytic icon moves the first analytic icon across the display and over a respective option icon and/or a mouse up or finger up that “drops” the first analytic icon on the respective option icon. In some implementations, the option icons are “drop-targets” for the respective analytic icon. In response to detecting the second portion of the user input, the first analytic icon moves over a respective option icon in the one or more option icons that are displayed such that the first analytic icon is over the respective option icon immediately prior to ceasing to detect the input. The method then adds one or more graphics to the chart (e.g., analytic lines and/or bands) that correspond to the first analytic operation and a respective option that corresponds to the respective option icon.

In some implementations, the second portion of the input results in dropping the first analytic icon on the respective option icon and displays one or more graphics in the chart that correspond to the first analytic operation and the respective option in response to the dropping. In some implementations, the second portion of the input results in hovering the first analytic icon over the respective option icon and displaying one or more graphics (e.g., an average line) in the chart that corresponds to the first analytic operation and the respective option in response to the hovering (i.e., providing a preview of the analytic operation). In some implementations, if the input ends while the first analytic icon is hovering over the respective option icon, the first analytic icon is “dropped” on the respective option icon and the one or more graphics in the chart that correspond to the first analytic operation and the respective option remain displayed. In some implementations, the added graphics include reference lines, reference bands, statistical bands (e.g., averages, medians with quartiles, averages with predefined confidence intervals (e.g., 95%), box plots, trend lines, totals, subtotals, and/or forecasts).

In some implementations, the input comprises a drag and drop operation. For example, with a mouse or other pointing device, the user moves a pointer over the first analytic icon, presses and holds down a button on the pointing device to select the first analytic icon, “drags” the first analytic icon over the respective option icon by moving the pointer, and “drops” the first analytic icon by releasing the button. With a touch screen, the user can contact the first analytic icon with a finger (e.g., a long press), “drag” the first analytic icon over the respective option icon by moving the finger, and “drop” the first analytic icon by lifting off the finger from the touch screen.

In some implementations, the options that correspond to the one or more option icons are specific to the first analytic operation. That is, there is a different set of displayed option icons depending on the selected analytic icon.

In some implementations, in response to detecting the first portion of the input on the first analytic icon (e.g., when the first analytic icon is hovered over or selected), the method visually distinguishes the first analytic icon from other analytic icons in the plurality of analytic icons (e.g., by outlining or highlighting).

In some implementations, in response to detecting the first portion of the input on the first analytic icon, the method visually distinguishes the first analytic icon from other analytic icons in the plurality of analytic icons and concurrently dims the chart. In some implementations, the device visually deemphasizes the chart when the one or more options icons are displayed, to indicate to the user the need to select an option icon.

In some implementations, an image is displayed on a respective option icon that illustrates a type of analytic graphic that will be added to the chart if the respective option icon is selected.

In some implementations, in response to detecting the second portion of the input on the first analytic icon, the method performs the first analytic operation that corresponds to the first analytic icon on at least part of the data in the set of data in accordance with the respective option and displays the result. In some implementations, the analytic operation includes summarizing the data, modeling the data, and/or performing custom predefined operations specified by a user. In some implementations, the analytic operation includes determining averages, medians with quartiles, averages with predefined confidence intervals (e.g., 95%), box plots, trend lines, totals, subtotals, and/or forecasts.

In some implementations, the first analytic operation includes a plurality of analytic operations. For example, a single analytic icon may provide both a median and quartile bands, or a single analytic icon may provide both a mean average and a 95% confidence interval.

In some implementations, in response to detecting the second portion of the input on the first analytic icon, the method ceases to display the first analytic icon over the respective option icon and ceases to display the one or more option icons.

In some implementations, while displaying the chart with one or more added graphics, the method detects a first portion of a second input on a second analytic icon (e.g., a mouse click down, finger down, or other selection of the second analytic icon and/or an initial mouse drag or finger drag on the second analytic icon). In response, one or more option icons are displayed that correspond to options for performing a second analytic operation that corresponds to the second analytic icon. The method also detects a second portion of the second input on the second analytic icon and in response, moves the second analytic icon over a respec-

tive option icon in the one or more option icons such that the second analytic icon is over the respective option icon immediately prior to ceasing to detect the input. The method also adds one or more graphics to the chart that correspond to the second analytic operation and a respective option that corresponds to the respective option icon. In some implementations, the one or more added graphics that correspond to the second analytic operation replace the one or more added graphics that correspond to the first analytic operation. In some implementations the one or more added graphics that correspond to the second analytic operation are displayed concurrently with the one or more added graphics that correspond to the first analytic operation.

In accordance with some implementations, a method executes at an electronic device with a display. For example, the electronic device may be a smart phone, a tablet computer, a notebook computer, or a desktop computer. The method displays a chart, which includes visual marks that represent a set of data and a first line and/or first band (e.g., statistical lines or bands, such as averages, medians with quartiles, averages with predefined confidence intervals, box plots, trend lines, totals, subtotals, and/or forecasts) based on (e.g., calculated using) data in the set of data that corresponds to the displayed visual marks. The method detects one or more inputs that select a plurality (but less than all) of the displayed visual marks in the chart. In response to detecting the one or more inputs, the method displays a second line and/or second band (e.g., analogous statistical lines or bands to the first line and/or first band) based on (e.g., calculated using) data in the set of data that corresponds to the selected plurality of the displayed visual marks. The method maintains display of the chart and the first line and/or first band in the chart while the second line and/or second band are displayed.

In some implementations, the one or more inputs are detected on the displayed chart.

In some implementations, the one or more inputs include a separate input on each visual mark (e.g., a finger tap gesture or mouse click) in the plurality of the displayed visual marks.

In some implementations, the one or more inputs used to select the plurality of the displayed visual marks in the chart are made with a selection box or lasso tool.

In some implementations, the first line and/or first band displayed in the chart are calculated using data in the set of data that correspond to the displayed visual marks, independent of whether or not a respective displayed visual mark is selected, and the second line and/or second band displayed in the chart are calculated in an analogous manner using just data in the set of data that correspond to the selected displayed visual marks. In some implementations, the second line and/or second band is based on an original formula (e.g. "average") calculated for the selected marks, and the scope of the second line and/or second band is inherited from the scope of the first line and/or first band (e.g. table, pane, or cell, as illustrated in some of the figures).

In some implementations, while displaying the chart, the first line and/or first band, and the second line and/or second band, the method detects one or more inputs that modify the plurality of selected visual marks. For example, the inputs may select additional displayed visual marks and/or deselect displayed visual marks that were previously selected. In response to detecting the one or more inputs, the method modifies the second line and/or second band based on (e.g., calculated using) data in the set of data that corresponds to the modified plurality of the displayed visual marks in the chart that are selected and maintains display of the chart and

the first line and/or first band in the chart. In some implementations, the second line and/or second band is recalculated and the updated second line and/or second band displays in response to each selection event.

In some implementations, in response to detecting the one or more inputs that select the plurality of the displayed visual marks in the chart, the method displays a third line and/or third band based on (e.g., calculated using) data in the set of data that corresponds to displayed visual marks other than the selected plurality of the displayed visual marks.

In some implementations, a third line and/or third band is calculated based on the data that corresponds to visual marks that are not selected. In some implementations, the third line and/or third band is displayed concurrently with the first line and/or first band and the second line and/or second band (not shown).

In some implementations, the third line and/or third band replaces the first line and/or first band, and is displayed concurrently with the second line and/or second band (not shown). For example, if the selected visual marks correspond to suspect data points or outliers, then the third line and/or third band (which excludes the suspect data points) may be more informative than the first line and/or first band (which includes the suspect data points).

In some implementations, in response to detecting the one or more inputs that select the plurality of the displayed visual marks in the chart, the method visually deemphasizes (e.g., by dimming) the first line and/or first band relative to the second line and/or second band. In some implementations, visually deemphasizing the first (original) line or band helps the user to distinguish visually between the first (original) line or band and the second (instant) line or band.

In some implementations, the second line is displayed above the first line in a z-height order on the display (e.g., the elements in the graphical user interface can be thought of as "layers" coming out from the display, and the layers for the z-height order).

In some implementations, the second band is displayed above the first band in a z-height order on the display (e.g., layer ordering). In some implementations, the graphics in the chart are drawn from top to bottom as follows: (top) instant label, original label, instant line, original line, instant band, original band (bottom).

Some implementations provide both drag and drop analytics as well as adaptive analytics. In accordance with some implementations, a method executes at an electronic device with a display, concurrently displaying a chart that displays visual marks (e.g., bars in a bar chart or geometric shapes such as circles, squares, triangles, or other representations of data points in a scatter plot) that represent a set of data and a plurality of analytic icons. The method detects a first portion of an input on a first analytic icon in the plurality of analytic icons and in response, displays one or more option icons that correspond to options for performing a first analytic operation that corresponds to the first analytic icon. The method also detects a second portion of the input on the first analytic icon and in response, moves the first analytic icon over a respective option icon in the one or more displayed option icons such that the first analytic icon is over the respective option icon immediately prior to ceasing to detect the input. The method then adds a first line and/or first band to the chart that correspond to the first analytic operation and a respective option that corresponds to the respective option icon. While displaying the chart and the first line and/or first band, the method detects one or more inputs that select a plurality of the displayed visual marks in the chart. In response to detecting the one or more inputs, the method

displays a second line and/or second band based on data in the set of data that corresponds to the selected plurality of the displayed visual marks and maintains display of the chart and the first line and/or first band in the chart.

Implementations may provide drag and drop analytics, adaptive analytics, or both. The descriptions above for implementing these features individually apply as well when these features are combined. Furthermore, implementations may provide additional features, some of which are illustrated in the figures, including FIGS. 95-117.

In accordance with some implementations, a method executes at an electronic device with a display. The method concurrently displays a chart and a visual analytic object. In some implementations, the chart is a bar chart, a line chart, or a scatter plot. The chart displays visual marks representing a set of data, displayed in accordance with contents of a plurality of displayed shelf regions. For example, some implementations include a columns shelf region **120** and a rows shelf region **122** as illustrated in FIG. **1**. In addition, some implementations include a filters shelf region **1392**, a color shelf region (or icon) **1394**, a label shelf region (or icon) **1396** and/or a tooltip shelf region (or icon) **1398**, as illustrated in FIG. **111**. Each shelf region determines a respective characteristic of the chart. For example, the rows and columns self regions determine the rows and columns for displayed visual graphics, the color shelf region determines how colors are assigned to marks (if at all), and so on.

The method displays the visual analytic object superimposed on the chart. For example, as illustrated in FIG. **101**, the visual analytic object **1346** is superimposed on the visual graphic **1356**. The visual analytic object corresponds to a first analytic operation applied to the set of data displayed in the chart as visual marks. For example, the visual analytic object **1346** in FIG. **101**, is computed as an average of the values for the bars in the chart.

The method detects a first portion of an input on top of the visual analytic object (e.g., clicking, performing a mouse down, touching the display, or tapping the display). In response, the method displays a moveable icon corresponding to the visual analytic object while maintaining display of the visual analytic object. For example, in FIG. **100**, the moveable icon **1350** corresponds to the average line **1346**, and the average line **1346** remains displayed as the moveable icon **1350** is moved.

The method detects a second portion of the input on the moveable icon (e.g., a “dragging” input) and in response, moves the moveable icon over a first shelf region of the plurality of shelf regions such that the moveable icon is over the first shelf region immediately prior to ceasing to detect the input. For example, in FIG. **100**, the user has moved the moveable icon **1350** to the filters shelf region **1348**.

When the input ceases to be detected, the method updates the content of the first shelf region based on the first analytic operation corresponding to the visual analytic object. For example, after dragging the moveable icon **1350** to the filters shelf region **1348** (as shown in FIG. **100**), the user ceases the drag operation (e.g., by releasing the mouse button), and the filters shelf region **1348** is updated with a filter pill **1352** as illustrated in FIG. **101**.

The method then updates the chart in accordance with updated content of the first shelf region. For example, in FIG. **105**, the user has dragged the moveable icon **1368** to the color shelf region (or icon) **1370**, and after the dragging operation is complete, the chart is updated, as shown in FIG. **106**, to show the bars in different colors. One color is used

for the first set of bars **1376** that are greater than the average and a second color is used for the second set of bars **1378** that are below the average.

In some implementations, the input is a drag and drop operation.

In some implementations, an image is displayed on the moveable icon that identifies the type of the visual analytic object. For example, in FIG. **105**, the moveable icon **1368** for the visual analytic object **1366** displays “Average Line.”

In some implementations, the visual analytic object is an average line, a trend line, a median line, a constant reference line, a distribution band, or a quartile band. Although many of the examples provided herein use average line, the same techniques apply to other types of lines (which may be straight lines or curved lines, such as an exponential curve), as well as some analytic bands (such as quartile bands or confidence bands). For example, when an analytic band is dropped on the filters shelf region, some implementations create a filter based on which marks are inside or outside of the band.

In some instances, updating the content of the first shelf region based on the first analytic operation modifies a formula for a data element in the first shelf region. This is illustrated in FIG. **97**, where the user modifies the original data element (i.e., SUM(Total Emissions)) to create the formula SUM(Total Emissions)-[Average Emissions]. This is an example of modifying the formula for the data element by adding to the formula a mathematical operator and a reference to the analytic object.

In some implementations, updating the content of the first shelf region using the first analytic operation comprises placing in the first shelf region a data element whose formula is based on the first analytic operation. This is illustrated in FIGS. **101** and **106**, where the new data elements **1352** and **1372** are created on the shelves.

In some implementations, the first shelf region is a color encoding shelf, and updating the chart in accordance with updated content of the first shelf region includes displaying a first subset of the visual marks in a first color based on positioning of the first set of visual marks in the chart relative to the visual analytic object, and displaying the remaining visual marks in a second color distinct from the first color. This is illustrated in FIG. **106**.

In some implementations, the first shelf region is a label encoding shelf, and updating the chart in accordance with updated content of the first shelf region includes displaying labels for a first subset of the visual marks based on positioning of the first set of visual marks in the chart relative to the visual analytic object (e.g., similar to the labels **1400** shown in FIG. **112**).

In some implementations, the first shelf region is a filter shelf, and updating the chart in accordance with updated content of the first shelf region comprises displaying a first subset of the visual marks based on positioning of the first set of visual marks in the chart relative to the visual analytic object, and filtering out the remaining visual marks from the chart. This is illustrated in FIGS. **100-103**. In some implementations, the visual analytic object is a line (such as the average line **1346** in FIG. **101**), which partitions the chart into a first region and a second region. The first subset of visual marks is the set of visual marks positioned in the first region, as illustrated in FIG. **102**.

In some implementations where the first shelf region is a filter shelf, the method displays a quick filter box that enables a user to select displaying display all of the visual marks, displaying only the first subset of visual marks, or

displaying only visual marks not in the first subset. This is illustrated by the quick filter box **1354** in FIG. **101**.

In accordance with some implementations, a method executes at an electronic device with a display. The method displays a chart that includes visual marks representing a set of data, displayed in accordance with contents of a plurality of displayed shelf regions. Each shelf region determines a respective characteristic of the chart. The method detects selection of a plurality of visual marks, as illustrated by the selection **1382** in FIG. **108**. In response to detecting selection of a plurality of visual marks, the method visually emphasizes the selected plurality of visual marks, as illustrated in FIG. **108**.

The method detects a first portion of an input on one of the selected marks, and in response displays a moveable icon corresponding to the selected visual marks while maintaining display of the visual marks. This is illustrated by the moveable icon **1384** in FIG. **111**. The selected bars are still displayed.

The method detects a second portion of the input on the moveable icon; and in response, moves the moveable icon over a first shelf region of the plurality of shelf regions such that the moveable icon is over the first shelf region immediately prior to ceasing to detect the input. This is illustrated by the moveable icon **1384** in FIG. **111**, which has been moved over the filters shelf region **1392**.

When the method ceases to detect the input, the method updates the content of the first shelf region based on the selected visual marks. This is analogous to the filter designation pill **1352** in FIG. **101**. The method updates the chart in accordance with updated content of the first shelf region. For example, FIG. **112** illustrates updating the chart based on dragging the selected set of visual marks to the label shelf, creating labels **1400** for just the selected set of visual marks.

In some implementations, the input comprises a drag and drop operation.

In some implementations, an image is displayed on the moveable icon that identifies the selected visual marks, as illustrated by the moveable icon **1384** in FIG. **111**.

In some implementations, updating the content of the first shelf region based on the selected visual marks includes placing in the first shelf region a group data element whose elements are the selected visual marks. This is illustrated by the group data element (pill) **1412** in FIG. **115**. In some implementations, updating the chart in accordance with updated content of the first shelf region comprises subdividing the chart into two separate charts, wherein one of the separate charts includes the visual marks from the selected visual marks and the other separate chart includes all visual marks other than the selected visual marks. This is illustrated by the two panes **1414** and **1416** in FIG. **115**.

In some implementations, the first shelf region is a color encoding shelf, and wherein updating the chart in accordance with updated content of the first shelf region comprises displaying the selected visual marks in a first color, and displaying the remaining visual marks in a second color distinct from the first color. This is illustrated in FIG. **113**.

In some implementations, the first shelf region is a label encoding shelf, and wherein updating the chart in accordance with updated content of the first shelf region comprises displaying labels for the selected visual marks and not displaying labels for visual marks not selected. This is illustrated in FIG. **112**.

In some implementations, the first shelf region is a filter shelf, and updating the chart in accordance with updated content of the first shelf region includes displaying only the

selected visual marks and filtering out the remaining visual marks from the chart. This is analogous to the filtering example illustrated in FIGS. **100-103**. In some implementations, the method displays a quick filter box that enables a user to select displaying display all of the visual marks, displaying only the selected visual marks, or displaying only visual marks not included in the selected visual marks. This is analogous to the filtering example illustrated in FIGS. **100-103**.

Thus methods, systems, and graphical user interfaces are disclosed that provide data visualization analytic functions, enabling a user to apply analytic functions quickly with a drag and drop interface, and to quickly compare analytic functions for a subset of data against analytic functions for the entire data set. When analytic objects are created, they can be dragged to other locations to create or modify other elements. Similarly, displayed visual marks can be selected and dragged to other locations to create or modify the display.

## BRIEF DESCRIPTION OF THE DRAWINGS

For a better understanding of the aforementioned systems, methods, and graphical user interfaces, as well as additional systems, methods, and graphical user interfaces that provide data visualization analytics, reference should be made to the Description of Implementations below, in conjunction with the following drawings in which like reference numerals refer to corresponding parts throughout the figures.

FIG. **1** illustrates a graphical user interface used in some implementations.

FIG. **2** is a block diagram of a computing device according to some implementations.

FIGS. **3-117** are screen shots illustrating various features of some disclosed implementations.

Reference will now be made to implementations, examples of which are illustrated in the accompanying drawings. In the following description, numerous specific details are set forth in order to provide a thorough understanding of the present invention. However, it will be apparent to one of ordinary skill in the art that the present invention may be practiced without requiring these specific details.

## DESCRIPTION OF IMPLEMENTATIONS

FIG. **1** illustrates a graphical user interface **100** in accordance with some implementations. When the Data tab **114** is selected, the user interface **100** displays a schema information region **110**, which is also referred to as a data pane. The schema information region **110** provides named data elements (field names) that may be selected and used to build a data visualization. In some implementations, the list of field names is separated into a group of dimensions and a group of measures (typically numeric quantities). Some implementations also include a list of parameters. When the Analytics tab **116** is selected, the user interface displays a list of analytic functions instead of data elements, as illustrated in FIG. **4** and many of the subsequent figures.

The graphical user interface **100** also includes a data visualization region **112**. The data visualization region **112** includes a plurality of shelf regions, such as a columns shelf region **120** and a rows shelf region **122**. These are also referred to as the column shelf **120** and the row shelf **122**. As illustrated here, the data visualization region **112** also has a large space for displaying a visual graphic. Because no data elements have been selected yet, the space initially has

no visual graphic. In some implementations, the data visualization region **112** has multiple layers that are referred to as sheets.

FIG. 2 is a block diagram illustrating a computing device **200** that can display the graphical user interface **100** in accordance with some implementations. Computing devices **200** include desktop computers, laptop computers, tablet computers, and other computing devices with a display and a processor capable of running a data visualization application. A computing device **200** typically includes one or more processing units/cores (CPUs) **202** for executing modules, programs, and/or instructions stored in the memory **214** and thereby performing processing operations; one or more network or other communications interfaces **204**; memory **214**; and one or more communication buses **212** for interconnecting these components. The communication buses **212** may include circuitry that interconnects and controls communications between system components. A computing device **200** includes a user interface **206** comprising a display device **208** and one or more input devices or mechanisms **210**. In some implementations, the input device/mechanism includes a keyboard; in some implementations, the input device/mechanism includes a “soft” keyboard, which is displayed as needed on the display device **208**, enabling a user to “press keys” that appear on the display **208**. In some implementations, the display **208** and input device/mechanism **210** comprise a touch screen display (also called a touch sensitive display).

In some implementations, the memory **214** includes high-speed random access memory, such as DRAM, SRAM, DDR RAM or other random access solid state memory devices. In some implementations, the memory **214** includes non-volatile memory, such as one or more magnetic disk storage devices, optical disk storage devices, flash memory devices, or other non-volatile solid state storage devices. In some implementations, the memory **214** includes one or more storage devices remotely located from the CPU(s) **202**. The memory **214**, or alternately the non-volatile memory device(s) within the memory **214**, comprises a non-transitory computer readable storage medium. In some implementations, the memory **214**, or the computer readable storage medium of the memory **214**, stores the following programs, modules, and data structures, or a subset thereof:

- an operating system **216**, which includes procedures for handling various basic system services and for performing hardware dependent tasks;
- a communications module **218**, which is used for connecting the computing device **200** to other computers and devices via the one or more communication network interfaces **204** (wired or wireless) and one or more communication networks, such as the Internet, other wide area networks, local area networks, metropolitan area networks, and so on;
- a web browser **220** (or other client application), which enables a user to communicate over a network with remote computers or devices;
- a data visualization application **222**, which provides a graphical user interface **100** for a user to construct visual graphics. A user selects one or more data sources **240** (which may be stored on the computing device **200** or stored remotely), selects data fields from the data source(s), and uses the selected fields to define a visual graphic. In some implementations, the information the user provides is stored as a visual specification **228**. The data visualization application **222** includes a data visualization generation module **226**, which takes the user input (e.g., the visual specification **228**), and

generates a corresponding visual graphic (also referred to as a “data visualization” or a “data viz”). The data visualization application **222** then displays the generated visual graphic in the user interface **100**. In some implementations, the data visualization application **222** executes as a standalone application (e.g., a desktop application). In some implementations, the data visualization application **222** executes within the web browser **220** or another application; and

zero or more databases or data sources **240** (e.g., a first data source **240-1** and a second data source **240-2**), which are used by the data visualization application **222**. In some implementations, the data sources can be stored as spreadsheet files, CSV files, XML files, or flat files, or stored in a relational database.

Each of the above identified executable modules, applications, or set of procedures may be stored in one or more of the previously mentioned memory devices, and corresponds to a set of instructions for performing a function described above. The above identified modules or programs (i.e., sets of instructions) need not be implemented as separate software programs, procedures, or modules, and thus various subsets of these modules may be combined or otherwise re-arranged in various implementations. In some implementations, the memory **214** may store a subset of the modules and data structures identified above. Furthermore, the memory **214** may store additional modules or data structures not described above.

Although FIG. 2 shows a computing device **200**, FIG. 2 is intended more as functional description of the various features that may be present rather than as a structural schematic of the implementations described herein. In practice, and as recognized by those of ordinary skill in the art, items shown separately could be combined and some items could be separated.

FIGS. 3-117 illustrate various features of some disclosed implementations.

FIG. 3 shows a graphical user interface **100** for exploring a data set using visual graphics. In this example, the underlying data provides information about carbon dioxide emissions for various countries. In this example, each column represents a year, as shown by the YEAR(date) data element in the columns shelf region **1006**. For each year, the height of each mark in the graphs is specified by the data element SUM(Total Emissions) in the rows shelf region **1008**. In this example, the data is filtered to shown only China and the United States, with color encoding to distinguish them. This line chart includes a China line **1002** that represents the total carbon dioxide emissions in China, and a United States line **1004**, representing the total carbon dioxide emissions in the United States. At this time the visual graphic is displaying the data visually, but no analytic operations have been applied.

In FIG. 4, the user has selected the Analytics tab **1010**, and thus the interface **100** displays analytic operations. In some implementations, the analytic operations are grouped together. In the illustrated implementation, there is a first group **1012** of analytic operations that can be used to summarize the data in various ways. As illustrated here, the “Summarize” group includes: constant lines (e.g., a horizontal line with a fixed value); average lines (e.g., a line whose height is the average height of the individual data points); an analytic operation that includes both a median value and quartiles; box plots; and totals.

In some implementations, there is a second group **1014** of analytic operations that perform statistical modeling. In some implementations, the “Model” group **1014** includes an

analytic operation to show both an average line and a 95% confidence interval, an analytic operation to compute a trend line (a regression line), and an analytic operation to compute a forecast line. In some implementations, a forecast line is implemented by extending a trend line on a temporal axis.

Some implementations also provide a third group **1016** of custom analytic operations, which may be reference lines, reference bands, or distribution bands. When used, the user can specify various parameters of the custom reference analytics.

In some implementations, analytic operations that are not currently applicable are dimmed, grayed out, displayed in a different color and/or otherwise de-emphasized.

The analytic operators available on the Analytics tab are displayed as selectable icons or “pills.” The term “pill” is sometimes used because of the pill shape displayed when an analytic operator icon is selected or dragged in some implementations.

FIG. 5 illustrates that a user has selected the trend line icon **1018**, and is dragging the trend line icon **1018** to the drop spot **1020**. In this implementation, the drop spot appeared when the user dragged the icon **1018** from the analytic pane. The drop spot **1020** includes four option icons, each representing a different type of trend line. In this example, the four options include both labels (“Linear,” “Logarithmic,” etc.) as well as visual graphics that illustrate the trend line options. The user can select which type of trend line to create by dropping the trend line pill **1018** on the appropriate option icon. During the drag operation, the China line **1022** and United States line **1024** in the visual graphic have been dimmed.

In FIG. 6, the user has selected the average line icon **1026**, and is dragging the average line icon **1026** to the drop spot **1028**. This drop spot appeared when the user dragged the average line icon **1026** away from the analytic pane. The drop spot **1028** includes three option icons, which provide three different ways that average lines may be applied. In this case, the options are: a single average line for the entire table, an average line for each pane, or an average line for each cell. In this example there is only one pane, but in some instances a data visualization is subdivided into two or more panes (like a window for a house). For example, in FIG. 33 there are two panes **1116** and **1118**. When there are multiple panes, the user can choose to have a separate average line for each pane. A “cell” here is an individual data point, so creating an average line for each cell would produce a small horizontal line for each year. An example of this is shown in FIG. 89.

In some instances, an analytic operation can be applied to the data visualization based on two or more different data elements, such as creating a horizontal average line for one data element or a vertical average line for a different data element. This is sometimes referred to as a multi-axis or multi-measure scenario. In FIG. 6, both of the axes use a numeric quantity (Year(Date) for the x-axis and SUM(Total Emissions) for the y-axis). To address which reference object(s) to create, some implementations provide a list region **1029** that identifies each of the choices. In this example, if the user wants both average lines (horizontal and vertical), the user can use the drop targets in the main drop area **1028**. However, if the user wants only one of the choices, the user can drop the average line pill **1026** onto one of the individual drop boxes in the list region **1029**. The list region is a two-dimensional grid because the user must choose an option that identifies both the data element (Year (Date) or SUM(Total Emissions)) as well as a scope (table, pane, or cell).

In some implementations, the list region **1029** illustrated in FIG. 6 has more than two data elements because a user may place two or more data elements on the columns shelf **120** or the rows shelf **122**. For example, the user could include both SUM(Total Emissions) as well as SUM(Vehicle Emissions) on the rows shelf **122**, creating a data visualization with two vertical panes (one showing Total Emissions by year and the other showing Vehicle Emissions by year). In this example, when dragging the average line pill **1026**, there would be three data elements in the list region **1029**.

The list region **1029** illustrated here applies to other analytic operations as well when they can apply to more than one axis and/or more than one data element. Analytic operations are generally available only for numeric data elements (e.g., measures), so the analytic operations that can be applied depend on the data types of the data elements placed in the columns shelf **120** and the rows shelf **122**.

In FIG. 7, the user has selected the totals icon **1030**, and is dragging the totals icon **1030** to the totals drop location **1032**, which appeared in the data visualization region once the totals icon was dragged from the analytics pane. As illustrated in this example, there are three totals option icons. The first option (“Sub Totals”) is dimmed to show that it is not available. The other two icon options can be used to generate grand totals by column or by row.

FIG. 8 illustrates linear trend lines. This is displayed after the user drops the trend line icon **1018** into the drop location **1020** on top of the “Linear” option icon. Because the graphic displays separate lines for China and for the United States, a separate trend line is created for each. Specifically, the United States trend line **1036** and the China trend line **1034** show the trends in usage for the two countries.

As illustrated in FIG. 9, some implementations display a tooltip box **1038** when a user hovers (e.g., leaving the cursor at the same location for a predefined period of time, such as a second) over an analytic element (e.g., the trend line **1036** here). The tooltip box **1038** for an analytic element can provide information about the analytic element, such as a formula.

FIG. 10 illustrates that some implementations allow a user to edit a trend line or other analytic object. In some implementations, a user can initiate editing an analytic object by double clicking on it, or by selecting the object and using a context sensitive menu (e.g., using a right click). When editing is initiated, the user interface **100** brings up an edit box **1040**, such as the one illustrated in FIG. 10.

Some implementations allow a user to drag a trend line **1042** (or other analytic object), as illustrated in FIG. 11. The user can drag the existing analytic object **1042** to the drop spot **1044**, and select a different option for the analytic object (e.g., select a different type of trend line).

As illustrated in FIGS. 12 and 13, a user can drag a constant line (such as the constant line **1046**) to a different location, which results in displaying a new constant line **1048** with a different constant value.

FIGS. 14-17 illustrate editing properties of an average line. Like other analytic objects, a user can bring up an edit box **1050** by double clicking on it, using a context sensitive menu, using a pull down menu, or using a toolbar icon. In this case, the average line computes the average of the sum of total emissions, as illustrated in the value box **1052**. In some implementations, the user can edit the expression **1054**. As illustrated in FIG. 16, some implementations allow a user to drop a data element pill **1056** into the value box **1054** to edit the expression. In this case, the user is changing the average from total emissions to just emissions from

vehicles. The resulting average line **1058** is displayed in FIG. 17. The user is hovering over this line, so the tooltip **1060** displays.

In FIG. 18, the user has switched to a bar chart **1062** to display the carbon dioxide emissions data, and has removed the filter so that the data is displayed for more countries. In this case, there is a single bar for each country, representing the average total emissions for that country.

FIG. 19 illustrates a dialog box **1064** for creating a custom analytic operation. When the user saves this custom analytic operation, it appears as a custom analytic icon **1070** in the analytics pane **1068**, as illustrated in FIG. 20. Once this analytic operation is defined, the user can apply it, as illustrated in FIG. 21. When this is applied to the graphic in FIG. 18, a distribution band **1066** is displayed.

FIGS. 22-36 are a sequence of screen shots that illustrate using analytic functionality for a bar graph. In FIG. 22, the user has the Data tab **1072** open, displaying a set **1074** of data fields (field name or aliases). In FIG. 23, the user has selected the Analytics tab **1076**, and a corresponding set of analytic operators **1078** display for user selection. In FIG. 24, the user selects the Constant Reference Line pill **1080**, and begins dragging the pill to the drop location **1082**. In some implementations, a constant reference line has only one option icon (e.g., "Table"). In some implementations, when there is only a single option, the user can drop the analytic pill **1080** directly onto the visual graphic to create the analytic object (e.g., the constant reference line here). In FIG. 25, the user has brought the reference line icon **1080** over the Table option icon **1084**, which is highlighted to indicate that the pill may be dropped at this location.

Once the reference line icon **1080** is dropped, the reference line **1086** is created, as illustrated in FIG. 26. In some implementations, an edit box **1088** is displayed immediately so that the user can edit the values that were populated by default. In some implementations, a user has to take an action to bring up the edit box **1088** (e.g., double clicking on the reference line **1086**). In the illustrated implementation, the default value 0.17 was selected based on the value of the first vertical bar, but other implementations use other default values (e.g., an average of the values). In this implementation, the default value 0.17 is also used as the default label for the new constant reference line.

In FIG. 27, the user uses the editor **1088** to change the constant line value to 0.35 in the value box **1092**, and changes the label to "Goal: 35%" in the label box **1094**. In some implementations, the changes take effect immediately (e.g., by pressing ENTER or moving to a different control in the edit box **1088**), resulting in display of an updated constant reference line **1090**. In some implementations, the modified reference line **1090** is displayed only after the user chooses to apply the changes (e.g., using an Apply button) or closes the edit box **1088**.

In FIG. 28, the user has closed the edit box **1088**, and selected another analytic operator, which is an average reference line icon **1096**. As shown in FIG. 29, as soon as the user begins to drag the icon **1098**, the drop spot **1100** appears in the data visualization region. In FIG. 30, the user has dragged the average reference line icon **1098** toward the drop location **1100**, and may choose between the three option icons **1102**, **1104**, and **1106**. As noted earlier, the Table option **1102** is used to create one average line for the entire table, the Pane option **1104** is used to create a separate average line for each pane, and the Cell option **1106** is used to create a separate average line for each data mark (e.g., each bar). In the data visualization displayed in FIG. 30,

there is only one pane, so the Table option **1102** and the Pane option **1104** would produce the same result.

In FIG. 31, the reference line icon **1098** is over the highlighted Table option **1108**, indicating that the reference line icon **1098** may be dropped. FIG. 32 illustrates that the average reference line **1110** has been created. The height is the average of the bar heights. Also shown in FIG. 32 is the filter **1112**, which has been used to limit the data to a specific time span.

In FIG. 33, the user has removed the filter **1112**, but placed a trial date grouping **1114** on the columns shelf **120**. The grouping just placed on the columns shelf **120** splits the trial dates into dates before "provisioning" was applied and dates after provisioning was applied (labeled "AutoProvision" in FIG. 33). This creates a first pane **1118** and a second pane **1116**.

In FIG. 34, the user is dragging an analytic icon **1120** for median with 95% confidence interval to the drop spot **1122**, which has the three option icons Table, Pane, and Cell. In FIG. 35, the user has placed the analytic icon **1120** over the Pane option icon **1124**, which is highlighted. After dropping the analytic icon **1120** onto the Pane option icon, the visual graphic in FIG. 36 includes a median **1126** for the "No Provisioning" pane **1118**, and a separate median **1130** for the "AutoProvision" pane **1116**. The analytic icon **1120** also provides a 95% confidence interval, so the "No Provisioning" pane **1118** has a 95% confidence interval **1128** that is independent of the 95% confidence interval **1132** for the "AutoProvision" pane **1116**.

FIGS. 37-50 illustrate several analytic features. FIG. 37 shows a bar graph based on data elements selected from the data pane **1134**. In FIG. 38, the user has selected the Analytics pane **1136**, and selected the "Quartiles with Median" analytic icon **1138** within the Analytics pane **1136**. The user drags the analytic icon pill **1144** to the drop area **1140**, and places the analytic icon **1144** over the "Table" option icon **1142**. Once the analytic icon **1144** is dropped, the median **1146** and quartiles **1148** are displayed with the data visualization, as illustrated in FIG. 40.

In FIG. 41, the user has used the cursor **1152** to create a selection region **1150**, which selects the tallest bar **1158** and the second tallest bar **1160**, as illustrated in FIG. 42. These two bars are highlighted to show their selection, whereas the remaining bar marks are dimmed. The previous median **1146** and previous quartiles **1148** are still shown (although dimmed), but a separate median **1154** and separate quartiles **1156** are shown that have been computed for the selected data.

In FIG. 43, the user has selected the addition bar **1166**, and thus a new median **1162** and new quartile bands **1164** are displayed, corresponding to the three selected bars.

In FIG. 44, the user is viewing the same bar chart as in FIGS. 37-43, but chooses the average line analytic icon **1168** instead. In FIG. 45, the user has moved the analytic icon **1170** for the Average line to the drop area **1172**, and positioned it over the Table option icon **1174**. After dropping the analytic icon **1170** onto the Table option icon **1174**, the average line **1176** displays, as illustrated in FIG. 46. As illustrated in FIG. 46, some implementations display a tooltip **1180** for visual bars (e.g., the bar marks here) when the cursor **1178** is over (or near) one of the marks.

In FIG. 47, the user has selected the tall bar **1182**, and thus a new average line **1184** is displayed for the selected set. Because there is only one bar selected, the average line exactly matches the height of the one selected bar. In FIG. 48, the user has selected a second bar **1186**, and thus the average line **1188** calculated for the selected two bar marks

is displayed. In FIG. 49, a third bar 1190 is selected, so the average line 1192 calculated for the three selected lines is displayed. In FIG. 50, additional bar marks 1194 are selected, and the average line 1196 is redrawn based on the selection. Any time the selected set of marks changes, the computed average line for the selected subset is immediately updated, but the original average line 1176 remains displayed. Immediate updates occur without additional user input and within a short period of time (e.g., less than a second)

FIGS. 51-60 illustrate the use of adaptive analytics for a scatter plot. In FIG. 51, a scatter plot is displayed based on the selected data source. The user has selected the trend line analytic icon 1198. In FIG. 52, the user has dragged the trend line icon 1204 to the drop spot 1200, and placed the icon 1204 over the Table option icon 1202. When the user drops the icon 1204 onto the Table option icon 1202, the data visualization application creates and displays the trend line 1206 (regression line) for the data. There is only one trend line 1206 for the entire graphic table. In FIG. 54, the user creates a selection rectangle 1208 (e.g., by clicking and dragging with the cursor) to select a subset of the data marks. Once the selection is complete, the data visualization application displays a second trend line 1210 for just the selected subset of marks, as illustrated in FIG. 55. The second trend line is displayed while maintaining display of the first trend line 1206 (which is dimmed or otherwise de-emphasized in some implementations). The user can modify the selected set of points (e.g., by clicking on additional marks), and the display of the second trend line 1210 adapts to the updated selection as the selection occurs (e.g., in a fraction of a second).

In FIG. 56, the user has selected the average line analytic icon 1212, and in FIG. 5, the user has dragged the average line analytic icon 1218 to the drop spot 1214 and placed it over the Pane option icon 1216. Note that there is only one pane in FIG. 57, so the Pane option would produce the same results as selecting the Table option. After dropping the analytic icon 1218, two average lines 1220 and 1222 are displayed, as illustrated in FIG. 58. Because the scatter plot has measures along both the x-axis and the y-axis, the horizontal average line 1220 represents the average of the y-values, and the vertical average line 1222 represents the average of the x-values. Note that a single drop operation created both of the average lines.

In FIG. 59, the user has selected a subset of the marks using a selection rectangle 59 (e.g., by dragging the cursor). In response, the data visualization application creates and displays the analytic objects for the selected subset, as illustrated in FIG. 60. While maintaining display of the original trend line 1206 and the original average lines 1220 and 1222 (all dimmed), the data visualization application displays a second trend line 1230 for the selected set of marks, as well as a horizontal average line 1226 and a vertical average line 1228.

As illustrated by FIGS. 55 and 60, when the user selects a subset of the marks, the data visualization application creates and displays analytic elements for the selected subset using the same analytic operations that are already applied to the full set of data. The user does not have to re-select the analytic operations.

FIGS. 61-70 illustrate the use of adaptive analytics for a line chart. In FIG. 61 the user has selected data elements to form a line chart. As can be seen, the wide swings in monthly profits do not follow a simple pattern. To determine if there is an overall trend, the user selects the trend line analytic icon 1232 in FIG. 62. In FIG. 63, the user has dragged the

trend line icon 1238 to the drop spot 1234 and placed it over the "Linear" option icon 1236. When the user drops the trend line analytic icon 1238 on the option icon 1236, the trend line 1240 is displayed, as illustrated in FIG. 64. This shows that the monthly profits are increasing overall.

The user notices that there are spikes at the end of each year, and wonders about the trend for just those year-end points. In FIG. 65, the user selects the year-end points 1242 (e.g., using SHIFT+click or CTRL+click). As each of the points 1242 is selected, an updated second trend line for the selection is displayed (not illustrated here). When all four points 1242 are selected, the second trend line 1244 appears as illustrated in FIG. 66. The original trend line 1240 is still displayed as well. By seeing both the overall trend 1240 as well as the spike trend 1244, the user can see that the spikes are growing even faster than the overall trend.

In FIG. 67, the user has decided to model the data with an exponential trend line. The user has dragged the trend line analytic icon 1248 over the exponential option icon 1246. This results in displaying an exponential trend line 1250, as illustrated in FIG. 68. The user wants to compare the overall trend to the trend within a single year, and uses a selection rectangle 1252, as illustrated in FIG. 69. Once selected, a second exponential trend line 1254 is displayed for the selected marks, as illustrated in FIG. 70. The exponential growth within the selection is much greater than the overall growth because it does not account for the significant drop off at the end of each year.

FIGS. 71-92 illustrate analytic functionality on a line chart that has been split into multiple panes. In these figures, the data has been split into separate panes based on region (the columns shelf 120 includes both Region and YEAR (Order Date)).

In FIG. 71, the user has selected the analytic icon 1256 for 95% confidence interval with average. In FIG. 72, the user places the analytic icon 1260 over the Pane option icon 1258 in the drop spot 1256, and drops the analytic icon. Because the Pane option was selected, FIG. 73 illustrates that there is separate analytic data displayed for each of the panes. For example, the fourth pane 1266 has its own average line 1262 and 95% confidence interval 1264.

In FIG. 74, the user drags the trend line analytic icon 1268 toward the drop spot 1270, and in FIG. 75 drops the analytic icon 1268 onto the linear option icon 1272. FIG. 76 shows the separate trend lines for each of the panes, including the fourth trend line 1274 for the fourth pane 1266. Note that separate trend lines for each pane are created and displayed automatically because trend lines could not meaningfully span the panes.

In FIGS. 77 and 78, the user selects the trend line analytic icon 1276 again, but drops it onto the exponential option icon 1278 instead, resulting in exponential trend lines, as illustrated in FIG. 79. The trend line 1280 for the second pane shows a little exponential curvature, but the exponential trend lines are not much different from the linear trend lines shown in FIG. 76.

In FIG. 80, the user has selected the trend line analytic icon again, and drops it onto the polynomial option icon 1282, creating the polynomial trend lines displayed in FIG. 81. For some of the panes the polynomial trend line better matches the data, such as the polynomial trend line 1284 for the second pane. In some implementations, the default degree for a polynomial trend line is three (i.e., fit using a cubic polynomial).

In FIG. 82, the user has selected the analytic icon 1286 for 95% confidence interval with average. In FIGS. 83 and 84, the user drags the analytic icon 1288 to the drop spot 1290,

and drops the icon **1288** onto the Table option icon **1292**. As illustrated in FIG. **85**, this creates and displays a single average line **1294** and 95% confidence interval **1296** for all of the data.

In FIG. **86**, the user has selected the trend line analytic icon again, and drags it to the Pane option icon **1298**. As illustrated in FIG. **87**, this creates and displays a separate average line and a separate confidence interval for each of the panes, including the fourth average line **1302** and the fourth confidence interval **1304** for the fourth pane **1300**.

In FIG. **88**, the user has selected the analytic icon for 95% confidence interval with average again, and is dropping it onto the Cell option icon **1306**. This creates and displays a separate average line and a separate confidence interval for each mark. Because each mark is a single point, the “average” for a single point is the value at that point. The averages are thus displayed as short line segments, such as the last two segments **1310** and **1308**. Applying a 95% confidence interval to a single point is not particularly meaningful.

In FIGS. **90** and **91**, the user has selected the analytic icon **1312** for quartiles with median, and drops the analytic icon **1312** onto the Pane option icon **1314**. The data visualization application thus creates and displays a separate median and separate quartile bands for each pane, including the fourth median **1318** and the fourth quartile bands **1320** in the fourth pane **1316**.

FIG. **93** illustrates the analytic operators that are available in some implementations. In some implementations, the analytic operators are grouped as illustrated here. In some implementations, some of the analytic operators combine basic analytic functions that are commonly used together (e.g., median plus quartiles, average plus 95% confidence interval).

FIG. **94** illustrates the option selection icons that are available in some implementations in the drop area when a user selects the totals analytic icon.

FIGS. **95-117** further illustrate how some implementations treat displayed marks and analytic objects as interactive elements that can be dragged to various parts of the user interface to build new objects, edit calculations, modify display parameters and encodings, and many other ways. A visual object in a data visualization is not just to look at—it is a functional element of the user interface. These figures are based on a data set for carbon dioxide emissions, which was also used above in FIGS. **3-21**.

FIG. **95** shows average total carbon dioxide emissions for each country, and the countries are grouped into three categories. This layout has been selected by placing the data element AVG(Total Emissions) on the columns shelf **120**, and placing the Ranked Countries grouping **1322** and Country Name on the rows shelf **122**. The grouping has created three panes **1324**, **1326**, and **1328** vertically. The user has added average reference lines per pane, including the first reference line **1330** for the first pane **1324**, the second reference line **1332** for the second pane **1326**, and the third reference line **1334** for the third pane **1328**.

In some implementations, a user can edit data elements to create ad hoc calculations or formulas. In FIG. **96**, the user has opened the data element pill **1336** for editing. In some implementations, a user can open the pill **1336** for editing by double clicking on the pill. In other implementations, opening the pill can be accomplished in other ways as well, such as using a context sensitive menu, a drop down menu, or a toolbar icon. On touch screen devices, one or more finger gestures can open the pill **1336** for editing.

The user wants to compute a residual value for each country, which is the difference between the emissions for

the country and the average for the ranked countries. In this case, the user is interested in the residuals within each ranked group. The averages are displayed visually in the screen as the average lines, so visually the user wants to subtract the average line from the bars.

FIG. **97** illustrates how the user can subtract the average line from the bar lengths. As shown in FIG. **97**, the user has edited the expression in the pill **1336** by typing in a minus sign **1338**. Then the user drags the average line to pill **1336** as well. While dragging, the average line object is displayed as a pill **1340**, and the average lines on the visual graphic (e.g., average line **1330**) remain displayed.

Once the expression in the pill **1336** is saved or applied, the data visualization is regenerated and redisplayed as illustrated in FIG. **98**. The average lines are still displayed as before, but the bars extend to the right or left of the origin line **1344** depending on whether the country’s emissions are above or below the average. Note that the lower axis and label **1345** have been modified to shift the axis and provide an accurate label. In this implementation, the average lines are displayed at locations according to their values, but in some implementations the average lines are shifted to the origin line **1344** to illustrate visually that the bars are displaying the amount above or below the average lines.

FIG. **99** is a simple bar chart with a single pane, and the user has created an average line **1346**. In FIG. **100**, the user drags the average line **1346** toward the filter shelf **1348**. When dragged, the average line is displayed as a pill **1350**, and the visual average line **1346** remains displayed. Once the average line pill **1350** is dropped on the filter shelf, it creates a filter **1352**. The details of the filter **1352** are displayed as a filter selection box **1354**. The filter can be used to select which countries are displayed, either all countries (the default selection), just the countries whose emissions are above the reference average, or just the countries below the reference average. When initially created, the default is to include all of the countries, as illustrated by the visual graphic **1356**.

In FIG. **102**, the user has used the filter selection box **1354** to select the “Above Reference Line” option **1358**, and the visual graphic **1360** is updated to display just the countries whose emissions are above the average. The reference line **1346** remains displayed, but there are only five countries that are displayed.

In FIG. **103**, the user has used the filter selection box **1354** to select the “Below Reference Line” option **1362**, and the visual graphic **1364** is updated to display just the countries whose emissions are below the average. The average line **1346** is displayed. In some implementations, the visual graphic **1364** expands to use the visual space and provide finer detail (e.g., the bar for India in FIG. **103** extends much further to the right than the corresponding bar for India in FIG. **101**).

In some implementations, various visual encodings can be specified on the Marks shelf **1367**. Visual encodings can define what colors are used for the marks, the size of the marks, labels for the marks, or what data is included in tooltips for the marks. Analytic objects, such as average lines, can be dragged to the marks shelf to create various useful encodings.

In FIG. **104**, the user has added an average line **1366** to a bar chart that represents the total carbon dioxide emissions for each country. In FIG. **105**, the user drags the average line to the color encoding shelf (or icon) **1370**. While dragged, the average line is displayed as a pill **1368**.

In FIG. **106**, the average line is now used for color encoding. In this example, countries whose emissions are

above the average are displayed in one color, as shown by the upper five bars **1376**, and the countries whose emissions are below the average are displayed in a second color, as illustrated by the lower bars **1378**. The Marks shelf **1367** now includes a color encoding designator **1372** and a color encoding legend **1374**. In some implementations, the color encoding legend **1374** is editable, so the user can specify what colors to use.

As illustrated above, analytic objects that are displayed in a data visualization may be dragged to various locations in the interface, and used to build formulas, create or modify encodings, and so on. Like analytic objects, visual marks can be dragged to various locations in the user interface. Rather than viewing visual marks as a just an output of a data visualization process, implementations enable a user to use visual marks as part of an interactive process to modify or refine what is displayed. FIGS. **107-115** illustrate some ways that implementations allow a user to use the visual marks.

In FIG. **107**, the user has created a bar graph, as indicated by the bar selection **1380** in the mark selector control **1381**. In FIG. **108**, the user selects three of the marks **1382**, which are highlighted to indicate the selection. In some implementations, the unselected marks are shown dimmed.

In FIGS. **109A** and **109B**, the user drags the selected marks to create or update a defined set. Some implementations allow a user to interact with a set like any other dimension field, essentially creating a new field. When the marks are dragged, they are displayed as a pill **1384**. In some implementations, the pill **1384** includes a label that indicates one or more of the marks that are selected. In FIG. **109A**, the user drags the pill **1384** to the “Create Set” selection box **1386**, thereby creating a new set. The user will then be prompted to name the set. In FIG. **109B**, the user drags the pill **1384** to an existing set **1388** named “Top Countries,” thereby adding the elements to the set.

FIG. **110** illustrates that the selected marks can be used to construct a group, which can be used when multiple values should be grouped together for reporting. In this case, dragging the pill **1384** (representing the United States, China, and the Russian Federation) to the Create Group box **1390** creates a new group that contains these three countries. When this group is used later, these three countries will be consolidated into a single record. Groups are commonly used when a data set has inconsistent naming within a dimension. For example, consider a data set that includes addresses for people, and the state names include “California,” “Calif,” and “CA.” When creating a data visualization that summarizes data for each state, the data shows these as three different states. The user can select the marks for these three, and drag them to the Create Group box, thereby creating a single state that includes all these variations. Subsequent visualizations thus show a single state.

FIG. **111** illustrates that the selected marks (as illustrated by the pill **1384**) can be dragged to the filters shelf **1392**. In some implementations, when a collection of marks is dragged to the filters shelf, an include/exclude filter is created, which is similar to the filter selection box **1354** shown in FIG. **101**. From an analogous filter selection box, the user can select to include all countries, only countries that are in the collection of marks (i.e., the United States, China, and the Russian Federation), or only countries that are not in the collection of marks (i.e., all countries except the United States, China, or the Russian Federation).

The marks shelf includes icons or sub-shelves for color **1394**, labels **1396**, and tooltips **1398**. As illustrated in FIG. **112**, if the pill **1384** for the three countries is dropped onto the label icon **1396**, labels **1400** are displayed for just the

three identified countries. If the user drops the pill **1384** for these three countries onto the color icon **1394**, the bars for the selected countries are displayed in a different color, as illustrated in FIG. **113**. The selected bars **1406** are displayed in one color and the remaining bars **1408** are displayed in a different color. In some implementations, the Marks shelf **1367** now includes a color encoding designator **1402** and a color encoding legend **1404**. In some implementations, the color encoding legend **1404** is editable, so the user can specify what colors to use.

If the pill **1384** for the selected countries is dropped on the Tooltip icon **1398** on the Marks shelf, some implementations include the data for these selected countries in the tooltips, which can be useful for comparing the emissions of each country. This is illustrated in FIG. **114**. The user has hovered the cursor over the bar for Poland, so the tooltip **1410** displays the emissions data for Poland. In addition, the tooltip includes the emissions data for the United States, China, and the Russian Federation.

In FIG. **115**, the user has dragged the pill **1384** for the three selected countries to the rows shelf **122**, which creates a grouping data element **1412**. This results in splitting the data visualization into two panes **1414** and **1416**, where the first pane **1414** includes the three selected countries, and the second pane **1416** includes all of the other countries.

FIGS. **116** and **117** illustrate analytic previews that are provided in some implementations. In these examples, a user has dragged an average line analytic icon **1418** from the Analytics pane to the drop area. In FIG. **116**, when the user places the analytic icon **1418** over the Pane option icon **1420**, the corresponding average line **1422** is displayed in the data visualization region, even before dropping the analytic icon **1418**. In FIG. **117**, the user has moved the analytic icon **1418** over the Table option icon **1424**, and the corresponding average line **1426** displays. In this pair of examples, there is only one pane, so these two options produce the same results.

Some implementations provide the same preview functionality for each of the analytic operations. Some of the analytic operations take more time to generate and display than other analytic operations, and thus some implementations provide previews for the ones where the preview can be generated and displayed quickly enough (e.g., when the preview can be generated and displayed in less than half a second).

The analytic features provided by disclosed implementations bring “experimentation” to all aspects of data analysis. Analytics capabilities are grouped together in an Analytics pane. This includes some pre-built or pre-configured combinations of analytic features that are analytically useful together (such as a single option that adds two reference lines AND a trend line). Disclosed implementations provide immediate feedback so that users can see what they are building as they build it. In addition, implementations provide incremental building, which allows users to easily experiment and iterate through different perspectives as they successively add new data elements or analytic objects.

Drag and drop for analytics includes several aspects. As illustrated above, a user can drag an icon for an analytic operation to a drop area to create a corresponding analytic object in the data visualization. Going the other way, a user can drag an existing analytic object (e.g., a reference line or band) back to the drop area to place it on a different drop target, thus creating a different type of analytic object. The user can also drag an analytic object out of the data visualization region to remove it from the display, or drag an analytic object to a shelf as illustrated in FIGS. **95-106**.

In some implementations, analytic options that are not appropriate for the current visualization are dimmed or otherwise de-emphasized, and thus unavailable for selection. In some implementations, if creating an analytic object would create a substantial delay (e.g., due to complex calculations on a large data set), the user interface provides feedback about the potential delay before the analytic object begins creation. In some implementations, the user interface provides tooltips for individual analytic operations in the Analytics pane and/or tooltips for the groupings.

The disclosed implementations typically provide instant or immediate updates or feedback based on user selection. In practice, “instant” means within a short period of time and without additional user input. For example, “instant” updates may occur within a tenth of a second, a half of a second, or a second. As computer processors become more powerful, instant updates can occur for even more complex operations.

The terminology used in the description of the invention herein is for the purpose of describing particular implementations only and is not intended to be limiting of the invention. As used in the description of the invention and the appended claims, the singular forms “a,” “an,” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise. It will also be understood that the term “and/or” as used herein refers to and encompasses any and all possible combinations of one or more of the associated listed items. It will be further understood that the terms “comprises” and/or “comprising,” when used in this specification, specify the presence of stated features, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, steps, operations, elements, components, and/or groups thereof.

The foregoing description, for purpose of explanation, has been described with reference to specific implementations. However, the illustrative discussions above are not intended to be exhaustive or to limit the invention to the precise forms disclosed. Many modifications and variations are possible in view of the above teachings. The implementations were chosen and described in order to best explain the principles of the invention and its practical applications, to thereby enable others skilled in the art to best utilize the invention and various implementations with various modifications as are suited to the particular use contemplated.

What is claimed is:

1. A method, comprising: at an electronic device with a display: displaying, on the display, a chart including visual marks representing a set of data, wherein the chart is displayed in accordance with contents of a plurality of displayed shelf regions, and wherein each shelf region determines a respective characteristic of the chart; generating a visual analytic object by applying a first analytic operation to the set of data represented by the visual marks, and displaying the visual analytic object superimposed over the chart, wherein the visual analytic object is an average line, a trend line, a median line, a constant reference line, an exponential curve, a distribution band, a confidence band, or a quartile band; detecting an input directed to the visual analytic object; in response to detecting the input: displaying a moveable icon comprising a representation of the visual analytic object while maintaining display of the visual analytic object; and moving the moveable icon over a first shelf region of the plurality of shelf regions such that the moveable icon is over the first shelf region immediately prior to ceasing to detect the input; ceasing to detect the input; and in response to ceasing to detect the input: updat-

ing the content of the first shelf region to include an association with the first analytic operation corresponding to the visual analytic object; and updating the chart in accordance with the updated content of the first shelf region, including updating the chart based on values of the set of data represented by the visual marks relative to the first analytic operation corresponding to the visual analytic object.

2. The method of claim 1, wherein the input comprises a drag and drop operation.

3. The method of claim 1, wherein an image is displayed on the moveable icon that identifies the type of the visual analytic object.

4. The method of claim 1, wherein the visual analytic object is selected from the group consisting of average line, trend line, median line, constant reference line, distribution band, and quartile band.

5. The method of claim 1, wherein updating the content of the first shelf region to include the association with the first analytic operation comprises modifying a formula for a data element in the first shelf region.

6. The method of claim 5, wherein modifying the formula for the data element comprises adding to the formula a mathematical operator and a reference to the visual analytic object.

7. The method of claim 1, wherein updating the content of the first shelf region to include the association with the first analytic operation comprises placing in the first shelf region a data element whose formula is based on the first analytic operation.

8. The method of claim 1, wherein the first shelf region is a color encoding shelf, and wherein updating the chart based on values of the set of data represented by the visual marks relative to the first analytic operation comprises displaying a first subset of the visual marks in a first color based on positioning of the visual marks in the chart relative to the visual analytic object, and displaying the remaining visual marks in a second color distinct from the first color.

9. The method of claim 1, wherein the first shelf region is a label encoding shelf, and wherein updating the chart based on values of the set of data represented by the visual marks relative to the first analytic operation comprises displaying labels for a first subset of the visual marks based on positioning of the visual marks in the chart relative to the visual analytic object.

10. The method of claim 1, wherein the first shelf region is a filter shelf, and wherein updating the chart based on values of the set of data represented by the visual marks relative to the first analytic operation comprises displaying a first subset of the visual marks based on positioning of the visual marks in the chart relative to the visual analytic object, and filtering out the remaining visual marks from the chart.

11. The method of claim 10, wherein the visual analytic object is a line, which partitions the chart into a first region and a second region, and wherein the first subset of the visual marks comprise visual marks positioned in the first region.

12. The method of claim 10, further comprising: displaying a quick filter box that enables a user to select displaying all of the visual marks, displaying only the first subset of the visual marks, or displaying only visual marks not in the first subset.

13. The method of claim 1, wherein updating the chart based on values of the set of data represented by the visual marks relative to the first analytic operation corresponding to the visual analytic object includes:

25

updating each visual mark based on whether a respective value in the set of data represented by the respective visual mark is greater than or less than a corresponding value of the first analytic operation corresponding to the visual analytic object.

14. A client device, comprising: one or more processors; memory; a display; and one or more programs stored in the memory and configured for execution by the one or more processors, the one or more programs comprising instructions for: displaying, on the display, a chart including visual marks representing a set of data, wherein the chart is displayed in accordance with contents of a plurality of displayed shelf regions, and wherein each shelf region determines a respective characteristic of the chart; generating a visual analytic object by applying a first analytic operation to the set of data represented by the visual marks, and displaying the visual analytic object superimposed over the chart, wherein the visual analytic object is an average line, a trend line, a median line, a constant reference line, an exponential curve, a distribution band, a confidence band, or a quartile band; detecting an input directed to the visual analytic object; in response to detecting the input: displaying a moveable icon comprising a representation of the visual analytic object while maintaining display of the visual analytic object; and moving the moveable icon over a first shelf region of the plurality of shelf regions such that the moveable icon is over the first shelf region immediately prior to ceasing to detect the input; ceasing to detect the input; and in response to ceasing to detect the input: updating the content of the first shelf region to include an association with the first analytic operation corresponding to the visual analytic object; and updating the chart in accordance with the updated content of the first shelf region, including updating the chart based on values of the set of data represented by the visual marks relative to the first analytic operation corresponding to the visual analytic object.

15. The client device of claim 14, wherein the input comprises a drag and drop operation.

16. The client device of claim 14, wherein an image is displayed on the moveable icon that identifies the type of the visual analytic object.

17. The client device of claim 14, wherein the visual analytic object is selected from the group consisting of average line, trend line, median line, constant reference line, distribution band, and quartile band.

18. The client device of claim 14, wherein updating the content of the first shelf region to include the association with the first analytic operation comprises modifying a formula for a data element in the first shelf region.

19. The client device of claim 18, wherein modifying the formula for the data element comprises adding to the formula a mathematical operator and a reference to the visual analytic object.

20. The client device of claim 14, wherein updating the content of the first shelf region to include the association with the first analytic operation comprises placing in the first shelf region a data element whose formula is based on the first analytic operation.

21. The client device of claim 14, wherein the first shelf region is a color encoding shelf, and wherein updating the chart based on values of the set of data represented by the visual marks relative to the first analytic operation comprises

26

displaying a first subset of the visual marks in a first color based on positioning of the visual marks in the chart relative to the visual analytic object, and displaying the remaining visual marks in a second color distinct from the first color.

22. The client device of claim 14, wherein the first shelf region is a label encoding shelf, and wherein updating the chart based on values of the set of data represented by the visual marks relative to the first analytic operation comprises displaying labels for a first subset of the visual marks based on positioning of the visual marks in the chart relative to the visual analytic object.

23. The client device of claim 14, wherein the first shelf region is a filter shelf, and wherein updating the chart based on values of the set of data represented by the visual marks relative to the first analytic operation comprises displaying a first subset of the visual marks based on positioning of the visual marks in the chart relative to the visual analytic object, and filtering out the remaining visual marks from the chart.

24. The client device of claim 23, wherein the visual analytic object is a line, which partitions the chart into a first region and a second region, and wherein the first subset of the visual marks comprise visual marks positioned in the first region.

25. The client device of claim 23, wherein the one or more programs further comprise instructions for:

displaying a quick filter box that enables a user to select displaying all of the visual marks, displaying only the first subset of the visual marks, or displaying only visual marks not in the first subset.

26. A non-transitory computer readable storage medium storing one or more programs configured for execution by a client device having one or more processors, memory, and a display, the one or more programs comprising instructions for: displaying, on the display, a chart including visual marks representing a set of data, wherein the chart is displayed in accordance with contents of a plurality of displayed shelf regions, and wherein each shelf region determines a respective characteristic of the chart; generating a visual analytic object by applying a first analytic operation to the set of data represented by the visual marks, and displaying the visual analytic object superimposed over the chart, wherein the visual analytic object is an average line, a trend line, a median line, a constant reference line, an exponential curve, a distribution band, a confidence band, or a quartile band; detecting an input directed to the visual analytic object; in response to detecting the input displaying a moveable icon comprising a representation of the visual analytic object while maintaining display of the visual analytic object; and moving the moveable icon over a first shelf region of the plurality of shelf regions such that the moveable icon is over the first shelf region immediately prior to ceasing to detect the input; ceasing to detect the input; and in response to ceasing to detect the input: updating the content of the first shelf region to include an association with the first analytic operation corresponding to the visual analytic object; and updating the chart in accordance with the updated content of the first shelf region, including updating the chart based on values of the set of data represented by the visual marks relative to the first analytic operation corresponding to the visual analytic object.

\* \* \* \* \*