



US00D369152S

United States Patent [19]
Fujisawa

[11] **Patent Number: Des. 369,152**
[45] **Date of Patent: **Apr. 23, 1996**

[54] **OPTICAL DISC CARTRIDGE**
[75] Inventor: **Hirotohi Fujisawa**, Tokyo, Japan
[73] Assignee: **Sony Corporation**, Tokyo, Japan
[**] Term: **14 Years**

D. 311,181 10/1990 Miyazawa D14/114
D. 330,022 10/1992 Chen D14/114 X
4,627,532 12/1986 Clemens 206/444 X
4,639,813 1/1987 Uno 206/444 X
4,787,006 11/1988 Iizuka et al. 206/444 X

[21] Appl. No.: **765,102**
[22] Filed: **Sep. 25, 1991**
[30] **Foreign Application Priority Data**

Primary Examiner—M. H. Tung
Attorney, Agent, or Firm—Thomas G. Carulli

Apr. 27, 1991 [JP] Japan 3-12634
[52] **U.S. Cl.** **D14/114**
[58] **Field of Search** D14/100, 114,
D14/121; 242/197; 369/106, 109, 121;
206/312, 444, 310; 360/97.01-99.12, 93

[57] **CLAIM**

The ornamental design for an optical disk cartridge, as shown and described.

DESCRIPTION

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 292,292 10/1987 Saito et al. D14/114
D. 298,251 10/1988 Kato et al. D14/114
D. 304,720 11/1989 Ashe et al. D14/114
D. 307,893 5/1990 Kato et al. D14/114

FIG. 1 is a top plan view showing my new design;
FIG. 2 is a left side view thereof;
FIG. 3 is a front plan view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a backview thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a backview showing the shutter in the open position thereof; and,
FIG. 8 is a perspective view thereof.

1 Claim, 4 Drawing Sheets





FIG. 1





FIG. 3






FIG. 7




FIG. 2

FIG. 5




FIG. 4



FIG. 6





FIG. 8