

REPUBLIC OF SOUTH AFRICA
PATENTS ACT, 1978**PUBLICATION PARTICULARS AND ABSTRACT**

(Section 32(3)(a) – Regulation 22(1)(g) and 31)

OFFICIAL APPLICATION NO.

LODGING DATE

ACCEPTANCE DATE

21 2006/07637

22 4 MAR 2005

43 26-03-08

INTERNATIONAL CLASSIFICATION

NOT FOR PUBLICATION

51 C07D ; C07C ; C07F ; A01N

CLASSIFIED BY: WIPO

FULL NAMES OF APPLICANT

71 NISSAN CHEMICAL INDUSTRIES, LTD.

FULL NAMES OF INVENTORS

72 1. MITA, TAKESHI
2. KIKUCHI, TAKAMASA
3. MIZUKOSHI, TAKASHI
4. YAOSAKA, MANABU
5. KOMODA, MITSUAKI

EARLIEST PRIORITY CLAIMED

COUNTRY

NUMBER

DATE

33 JP

31 2004-061749

32 5 MAR 2004

TITLE OF INVENTION

54 ISOXAZOLINE-SUBSTITUTED BENZAMIDE COMPOUND AND NOXIOUS ORGANISM CONTROL AGENT

57 ABSTRACT (NOT MORE THAN 150 WORDS)


NUMBER OF SHEETS

437

If no classification is finished, Form P.9 should accompany this form.
The figure of the drawing to which the abstract refers is attached.

ABSTRACT

An isoxazoline-substituted benzamide compound of the general formula: (1) [wherein each of A^1 , A^2 and A^3 independently represents a carbon atom or nitrogen atom; G a benzene ring, etc.; W an oxygen atom or sulfur atom; X a halogen atom, C_1 - C_6 haloalkyl, etc.; Y a halogen atom, C_1 - C_6 alkyl, etc.; R^1 an, arbitrarily substituted with R^{16} , C_1 - C_{12} alkyl, C_3 - C_{12} alkenyl, $-N(R^{20})R^{19}$, etc.; R^2 a hydrogen atom, (C_1-C_4) alkoxy (C_1-C_4) alkyl, etc.; R^3 a C_1 - C_6 haloalkyl, etc.; R^{16} a halogen atom, cyano, phenyl substituted with (Z)p1, D-1 to D-60, E-1 to E-49, etc.; R^{19} a phenyl, phenyl substituted with (Z)p1, etc.; R^{20} a hydrogen atom, C_1 - C_6 alkyl, etc.; Z a halogen atom, nitro, C_1 - C_6 alkoxy, etc.; D-1 to D-60 a 5- or 6-membered aromatic heterocycle; E-1 to E-49 a 5- or 6-membered saturated heterocycle; m an integer of 0 to 5; n an integer of 0 to 4; and p1 an integer of 1 to 5], or a salt thereof. Further, there is provided a noxious organism control agent comprising any of these compounds.



DESCRIPTION

Technical Field

[0001] The present invention relates to a novel isoxazoline-substituted benzamide compound and the salt thereof, and a pesticide characterized by containing the compound as an active ingredient. The pesticide in the present invention means a pest controlling agent applied for harmful arthropods in agricultural and horticultural field or livestock farming and hygienic field (endo-parasitocides and ecto-parasitocides for mammals or birds as domestic animals or pets, or hygienic pest- or unpleasant pest-controlling agents for domestic or business use). In addition, agricultural chemicals in the present invention mean insecticides, acaricides (miticides), nematocides, herbicides and fungicides, and the like.

Background Art

[0002] Conventionally, as to isoxazoline-substituted benzoic acid amide compounds, the followings are known: a report of synthesis by use of solid phase synthesis of 4-(5-methyl-5-substituted pyrrolyl-4,5-dihydroisoxazole-3-yl) benzoic acid amide derivatives (see, Non-patent Document 1); 4-(5-pyridyl-4,5-dihydroisoxazole-3-yl) benzoic acid amide derivatives have matrix metalloprotease and TNF- α inhibition activity, or the like, and can be used as an anti-inflammatory agent or a chondro-protective agent (see, Patent Document 1); 4-(5-substituted carbamoylmethyl-4,5-dihydroisoxazole-3-yl) benzoic acid amide derivatives, 3-(5-substituted carbamoylmethyl-5-substituted alkyl-4,5-dihydroisoxazole-3-yl) benzoic acid amide derivatives and 4-(5-substituted carbamoylmethyl-4,5-dihydroisoxazole-3-yl) benzamidine derivatives have platelet glycoprotein IIb/IIIa fibrinogen receptor complex competitive activity or factor Xa inhibition activity or the like, and can be used as a thrombolysis agent or a therapeutic agent of thrombo-embolic disorder (see, for example Patent Documents 2-5), etc. In addition, it is known that other specific substituted isoxazoline compound can be used as a production intermediate of HIV protease inhibitors, or production intermediate of insecticides (see, for example Patent Documents 6 and 7). However, there is no disclosure on 4-(5-substituted-5-substituted aryl-

4,5-dihydroisoxazole-3-yl)benzoic acid amide compounds according to the present invention, and further the usefulness thereof as a pesticide is not known at all.

[0003] On the other hand, as to 3-(4-substituted phenyl)-4,5-dihydroisoxazole derivatives, 5-substituted alkyl-3,5-bis substituted phenyl-4,5-dihydroisoxazole derivatives (see, Patent Document 7), 3-alkoxyphenyl-5-substituted-5-phenyl-4,5-dihydroisoxazole derivatives (see, Patent Document 8), 3-alkoxyphenyl-5-substituted alkyl-5-substituted carbamoyl-4,5-dihydroisoxazole derivatives (see, Patent Document 9), 3-(4-halophenyl)-5-substituted-5-substituted phenyl-4,5-dihydroisoxazole derivatives (see, Patent Documents 10 and Non-patent Document 2), and 3-(4-nitrophenyl)-5-substituted -5-substituted phenyl-4,5-dihydroisoxazole derivatives (see, patent Document 11 and Non-patent Document 3), etc. are known. However, 5-substituted alkyl-3,5-bis substituted phenyl-4,5-dihydroisoxazole derivatives that can be used as a production intermediate of the pesticides according to the present invention are not described in any documents and thus novel compounds.

[0004] Further, as to 4-hydroxyiminomethyl benzoic acid amide derivatives, 4-hydroxyiminomethyl-N,N-dimethyl benzoic acid amide (see, Non-patent Document 4), 4-hydroxyiminomethyl benzoyl piperidine derivatives (see, Patent Documents 12 and 13), 4-hydroxyiminomethyl-N-bicycloalkyl benzoic acid amide derivatives (see, Patent Document 14), and 6-(hydroxyiminomethyl) pyridine-2-carboxamide derivatives (see, Non-patent Document 5), etc. are known. However, 4-hydroxyiminomethyl benzoic acid amide derivatives that can be used as a production intermediate of the pesticides according to the present invention are not described in any documents and thus novel compounds.

[0005] In addition, as to haloalkenylbenzene derivatives, substituted 3,3,3-trifluoro-2-propenylbenzene derivatives (see, Non-patent Documents 6-8), etc. are known. However, specific substituted haloalkenylbenzene derivatives that can be used as a production intermediate of the pesticides according to the present invention are not described in any documents and thus novel compounds.

Patent Document 1: WO 01/070673 Pamphlet

Patent Document 2: WO 96/038426 Pamphlet

Patent Document 3: WO 97/023212 Pamphlet

Patent Document 4: WO 95/014683 Pamphlet

Patent Document 5: WO 97/048395 Pamphlet

Patent Document 6: WO 99/014210 Pamphlet
Patent Document 7: WO 04/018410 Pamphlet
Patent Document 8: WO 95/024398 Pamphlet
Patent Document 9: WO 98/057937 Pamphlet
Patent Document 10: EP 0455052 A1 (1991)
Patent Document 11: WO 2004/018410 Pamphlet
Patent Document 12: WO 95/019773 Pamphlet
Patent Document 13: WO 00/066558 Pamphlet
Patent Document 14: WO 97/000853 Pamphlet
Non-patent Document 1: J. Comb. Chem., vol. 6, p. 142 (2004)
Non-patent Document 2: Synth. Commun., vol. 33, p. 4163 (2003)
Non-patent Document 3: Australian J. Chem., vol. 32, p. 1487 (1979)
Non-patent Document 4: J. Chem. Soc. Perkin Trans, 1, p. 643 (1979)
Non-patent Document 5: J. Org. Chem., vol. 35, p. 841 (1970)
Non-patent Document 6: J. Org. Chem., vol. 24, p. 238 (1959)
Non-patent Document 7: J. Am. Chem. Soc., vol. 101, p. 357 (1979)
Non-patent Document 8: Bull. Chem. Soc. Jpn., vol. 69, p. 3273 (1996)

Disclosure of Invention

Problems to be solved by the invention


[0006] Recently, pests acquire resistance by the use of pesticides such as insecticides or fungicides over long term, and thus control by the insecticides or fungicides that have been conventionally used becomes difficult. In addition, a part of known pesticides has a high toxicity, or some of them start to disturb native ecosystems due to long-term persistency. Under the circumstances, it is expected all the time to develop a novel pesticide having a low toxicity and a low persistency.

Means for solving the problems

[0007] The inventors have eagerly investigated in order to solve the above-mentioned problems, and as a result of it, they found that novel isoxazoline- substituted benzamide compounds of formula (I) are extremely useful compounds having excellent pest controlling activity, particularly insecticidal activity and acaricidal activity, and having little adverse affect on non-targeted beings such as mammals, fishes and useful insects, etc. Thus, the present invention has been accomplished.

[0008] That is, the present invention relates to the following aspects (1) to (15):

(1) An isoxazoline-substituted benzamide compound of formula (1) or a salt thereof:



wherein A¹, A² and A³ independently of one another are carbon atom or nitrogen atom,

G is benzene ring, nitrogen-containing 6-membered aromatic heterocyclic ring, furan ring, thiophene ring, or 5-membered aromatic heterocyclic ring containing two or more hetero atoms selected from oxygen atom, sulfur atom and nitrogen atom,

W is oxygen atom or sulfur atom,

X is halogen atom, cyano, nitro, azido, -SCN, -SF₅, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, C₃-C₈cycloalkyl, C₃-C₈cycloalkyl arbitrarily substituted with R⁴, C₂-C₆alkenyl, C₂-C₆alkenyl arbitrarily substituted with R⁴, C₃-C₈cycloalkenyl, C₃-C₈halocycloalkenyl, C₂-C₆alkynyl, C₂-C₆alkynyl arbitrarily substituted with R⁴, -OH, -OR⁵, -OSO₂R⁵, -SH, -S(O)_rR⁵, -N(R⁷)R⁶, -N=CHOR⁸, -N=C(R⁹)OR⁸, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -CH=NOR¹¹, -C(R⁹)=NOR¹¹, -S(O)₂OR⁹, -S(O)₂NHR¹⁰, -S(O)₂N(R¹⁰)R⁹, -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49, when m is 2, 3, 4 or 5, each X may be identical with or different from each other,

further, when two Xs are adjacent, the adjacent two Xs may form 5-membered or 6-membered ring together with carbon atoms to which the two Xs are bonded by forming -CH₂CH₂CH₂-, -CH₂CH₂O-, -CH₂OCH₂-, -OCH₂O-, -CH₂CH₂S-, -CH₂SCH₂-, -CH₂CH₂N(R¹⁵)-, -CH₂N(R¹⁵)CH₂-, -CH₂CH₂CH₂CH₂-, -CH₂CH₂CH₂O-, -CH₂CH₂OCH₂-, -CH₂OCH₂O-, -OCH₂CH₂O-, -OCH₂CH₂S-, -CH₂CH=CH-, -OCH=CH-, -SCH=CH-, -N(R¹⁵)CH=CH-, -OCH=N-, -SCH=N-, -N(R¹⁵)CH=N-, -N(R¹⁵)N=CH-, -CH=CHCH=CH-, -OCH₂CH=CH-, -N=CHCH=CH-, -N=CHCH=N- or -N=CHN=CH-, in this case, hydrogen atoms bonded to each carbon atom forming the ring may be arbitrarily substituted with Z, further when the hydrogen atoms are substituted with two or more Zs at the same time, each Z may be identical with or

different from each other,

Y is halogen atom, cyano, nitro, azido, -SCN, -SF₅, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, C₃-C₈cycloalkyl, C₃-C₈cycloalkyl arbitrarily substituted with R⁴, -OH, -OR⁵, -OSO₂R⁵, -SH, -S(O)_nR⁵, -NHR⁷, -N(R⁷)R⁶, -N=CHOR⁸, -N=C(R⁹)OR⁸, -C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49, when n is 2, 3 or 4, each Y may be identical with or different from each other,


further, when two Ys are adjacent, the adjacent two Ys may form 5-membered or 6-membered ring together with carbon atoms to which the two Ys are bonded by forming -CH₂CH₂CH₂-, -CH₂CH₂O-, -CH₂OCH₂-, -OCH₂O-, -CH₂CH₂S-, -CH₂SCH₂-, -SCH₂S-, -CH₂CH₂CH₂CH₂-, -CH₂CH₂CH₂O-, -CH₂CH₂OCH₂-, -CH₂OCH₂O-, -OCH₂CH₂O-, -OCH₂CH₂S-, -SCH₂CH₂S-, -OCH=N- or -SCH=N-, in this case, hydrogen atoms bonded to each carbon atom forming the ring may be arbitrarily substituted with Z, further when the hydrogen atoms are substituted with two or more Zs at the same time, each Z may be identical with or different from each other,

R¹ and R² independently of each other are hydrogen atom, cyano, C₁-C₁₂alkyl, C₁-C₁₂alkyl arbitrarily substituted with R¹⁶, C₃-C₁₂cycloalkyl, C₃-C₁₂cycloalkyl arbitrarily substituted with R¹⁶, C₃-C₁₂alkenyl, C₃-C₁₂alkenyl arbitrarily substituted with R¹⁶, C₃-C₁₂cycloalkenyl, C₃-C₁₂halocycloalkenyl, C₃-C₁₂alkynyl, C₃-C₁₂alkynyl arbitrarily substituted with R¹⁶, -SR⁹, -S(O)₂R⁹, -SN(R¹⁸)R¹⁷, -S(O)₂N(R¹⁰)R⁹, -OH, -OR¹⁹, -NHR²⁰, -N(R²⁰)R¹⁹, -N=CHR^{19b}, -N=C(R^{19b})R^{19a}, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)N(R¹⁰)R⁹, -C(=NR¹¹)OR⁹, -C(=NR¹¹)SR⁹, -C(=NR¹¹)N(R¹⁰)R⁹, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-6 to D-13, D-15 to D-23, D-25 to D-37, D-39, D-40, D-42, D-45 to D-60, E-3 to E-9, E-23 to E-28, E-30, E-31, E-34 or E-45, or R¹ and R² together form =C(R^{2a})R^{1a}, and further R¹ and R² together may form 3- to 8-membered ring together with the nitrogen atom bonding them by forming C₂-C₇ alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxy (C₁-C₆)alkyl, C₁-C₆alkoxy, formyl, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl or C₁-C₆alkoxycarbonyl, R^{1a} and R^{2a} independently of each other are C₁-C₁₂alkyl, C₁-C₁₂haloalkyl, C₃-C₁₂cycloalkyl, C₃-C₁₂alkenyl, C₃-C₁₂haloalkenyl, C₃-C₁₂alkynyl, C₃-C₁₂haloalkynyl, -SR⁹, -OR⁹, -N(R¹⁰)R⁹, phenyl, phenyl substituted with (Z)_{p1}, or R^{1a} and R^{2a} together may form 5- or 6-membered ring together with the carbon atom bonding them by forming C₄ or C₅ alkylene chain or C₄ or C₅ alkenylene chain, in this case, the


alkylene chain and the alkenylene chain may contain one to three oxygen atoms, sulfur atoms or nitrogen atoms, and may be arbitrarily substituted with halogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio or C₁-C₆haloalkylthio,

R³ is halogen atom, cyano, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, C₃-C₈cycloalkyl, C₃-C₈cycloalkyl arbitrarily substituted with R⁴, C₃-C₆alkenyl, C₂-C₆alkenyl arbitrarily substituted with R⁴, C₃-C₆alkynyl, C₂-C₆alkynyl arbitrarily substituted with R⁴, -OR⁵, -S(O)_iR⁵, -N(R¹⁰)R⁹, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -CH=NOR¹¹, -C(R⁹)=NOR¹¹, -Si(R¹³)(R¹⁴)R¹², -P(O)(OR²¹)₂, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,


D-1 to D-60 are aromatic heterocyclic rings of the following formulae, respectively




D-1




D-2




D-3




D-4




D-5




D-6




D-7




D-8




D-9




D-10




D-11




D-12




D-13




D-14




D-15




D-16




D-17




D-18




D-19




D-20




D-21




D-22




D-23




D-24




D-25




D-26




D-27




D-28




D-29




D-30




D-31




D-32




D-33




D-34




D-35




D-36




D-37




D-38




D-39




D-40




D-41




D-42




D-43

















D-44



D-45









D-46




Z is halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄haloalkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄haloalkylthio C₁-C₄alkyl, C₁-C₄alkylsulfinyl C₁-C₄alkyl, C₁-C₄haloalkylsulfinyl C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-C₄haloalkylsulfonyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, -OH, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylsulfonyloxy, C₁-C₆haloalkylsulfonyloxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfinyl, C₁-C₆haloalkylsulfinyl, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, -NH₂, C₁-C₆alkylamino, di(C₁-C₆alkyl)amino, C₁-C₆alkoxycarbonyl, C₁-C₆haloalkoxycarbonyl, -C(O)NH₂, C₁-C₆alkylaminocarbonyl, di(C₁-C₆alkyl)aminocarbonyl, -C(S)NH₂, -S(O)₂NH₂, C₁-C₆alkylaminosulfonyl, di(C₁-C₆alkyl)aminosulfonyl, phenyl or phenyl arbitrarily substituted with halogen atom, when p₁, p₂, p₃ or p₄ is an integer of 2 or more, each Z may be identical with or different from each other,

further, when two Zs are adjacent, the adjacent two Zs may form 5-membered or 6-membered ring together with carbon atoms to which the two Zs are bonded by forming -CH₂CH₂CH₂-, -CH₂CH₂O-, -CH₂OCH₂-, -OCH₂O-, -CH₂CH₂S-, -CH₂SCH₂-, -CH₂CH₂CH₂CH₂-, -CH₂CH₂CH₂O-, -CH₂CH₂OCH₂-, -CH₂OCH₂O-, -OCH₂CH₂O-, -CH₂CH₂CH₂S-, -OCH₂CH₂S- or -CH=CH-CH=CH-, in this case, hydrogen atoms bonded to each carbon atom forming the ring may be arbitrarily substituted with halogen atom, C₁-C₄alkyl or C₁-C₄haloalkyl,

E-1 to E-49 are saturated heterocyclic rings of the following formulae, respectively





R^4 is halogen atom, cyano, C_3 - C_8 cycloalkyl, C_3 - C_8 halocycloalkyl, -OH, -OR⁵, -SH, -S(O)₂R⁵, -N(R¹⁰)R⁹, -N(R¹⁰)CHO, -N(R¹⁰)C(O)R⁹, -N(R¹⁰)C(O)OR⁹, -N(R¹⁰)C(O)SR⁹, -N(R¹⁰)C(S)OR⁹, -N(R¹⁰)C(S)SR⁹, -N(R¹⁰)S(O)₂R⁹, -C(O)OR⁹, -C(O)N(R¹⁰)R⁹, -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49, R^5 is C_1 - C_6 alkyl, C_1 - C_6 alkyl arbitrarily substituted with R^{24} , C_3 - C_8 cycloalkyl, C_3 - C_8 cycloalkyl arbitrarily substituted with R^{24} , C_2 - C_6 alkenyl, C_2 - C_6 alkenyl arbitrarily substituted with R^{24} , C_3 - C_8 cycloalkenyl, C_3 - C_8 halocycloalkenyl, C_3 - C_6 alkynyl, C_3 - C_6 alkynyl arbitrarily substituted with R^{24} , phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-6 to D-13, D-15 to D-23, D-25 to D-35, D-39, D-40, D-42, D-45 to D-60, E-3 to E-9, E-23 to E-31, E-34 or E-45,

R^6 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl C_1 - C_4 alkyl, C_1 - C_4 alkoxy C_1 - C_4 alkyl, C_1 - C_4 alkylthio C_1 - C_4 alkyl, phenylthio C_1 - C_4 alkyl, phenylthio C_1 - C_4 alkyl substituted with

(Z)_{p1}, cyano C₁-C₆alkyl, C₁-C₆alkoxycarbonyl C₁-C₄alkyl, C₁-C₆alkylaminocarbonyl C₁-C₄alkyl, di(C₁-C₆alkyl)aminocarbonyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₁-C₄alkyl substituted with any one of D-1 to D-60, C₁-C₄alkyl substituted with any one of E-1 to E-49, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -OH, C₁-C₆alkylcarbonyloxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, phenylthio, phenylthio substituted with (Z)_{p1}, -SN(R¹⁸)R¹⁷, -S(O)₂R⁹, -S(O)₂N(R¹⁰)R⁹, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -C(O)C(O)R⁹, -C(O)C(O)OR⁹, -P(O)(OR²¹)₂ or -P(S)(OR²¹)₂,

R⁷ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl or C₁-C₆alkoxycarbonyl, or R⁷ together with R⁶ may form 3- to 7-membered ring with the bonding nitrogen atom by forming C₂-C₆alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom, C₁-C₆alkyl or C₁-C₆haloalkyl,

R⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆alkenyl, phenyl or phenyl substituted with (Z)_{p1}, R⁹ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆haloalkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, C₁-C₆haloalkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₁-C₄alkyl substituted with any one of D-1 to D-60, C₁-C₄alkyl substituted with any one of E-1 to E-49, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,

R¹⁰ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl, R¹⁰ together with R⁹ may form 3- to 7-membered ring with the atom bonding them by forming C₂-C₆alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom, C₁-C₆alkyl, C₁-C₆alkoxy, formyl, C₁-C₆alkylcarbonyl or C₁-C₆alkoxycarbonyl,

R¹¹ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl or phenyl that may be substituted with (Z)_{p1}, R¹¹ together with

R^9 may form 5- to 7-membered ring with the atom bonding them by forming C_2 - C_4 alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom or C_1 - C_6 alkyl,

R^{12} is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, phenyl or phenyl substituted with $(Z)_{p1}$,


R^{13} and R^{14} independently of each other are C_1 - C_6 alkyl or C_1 - C_6 haloalkyl,

R^{15} is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_6 alkoxycarbonyl C_1 - C_4 alkyl, C_1 - C_6 haloalkoxycarbonyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with $(Z)_{p1}$, C_3 - C_6 alkenyl, C_3 - C_6 haloalkenyl, C_3 - C_6 alkynyl, C_3 - C_6 haloalkynyl, C_1 - C_6 alkoxy, C_1 - C_6 alkoxycarbonyl, C_1 - C_6 haloalkoxycarbonyl, phenyl or phenyl substituted with $(Z)_{p1}$,

further, in case where Z is present in an adjacent position of R^{15} , the adjacent R^{15} and Z may form 6-membered ring together with the atom bonding them by forming $-CH_2CH_2CH_2CH_2-$, $-CH=CH-CH=CH-$, $-N=CH-CH=CH-$, $-CH=N-CH=CH-$, $-CH=CH-N=CH-$ or $-CH=CH-CH=N-$, in this case, hydrogen atoms bonded to each carbon atom forming the ring may be arbitrarily substituted with halogen atom, C_1 - C_4 alkyl or C_1 - C_4 haloalkyl,

R^{16} is halogen atom, cyano, nitro, C_3 - C_8 cycloalkyl, C_3 - C_8 halocycloalkyl, $-OR^{25}$, $-N(R^{26})R^{25}$, $-SH$, $-S(O)_rR^{27}$, $-SO_2NHR^{29}$, $-SO_2N(R^{29})R^{28}$, $-CHO$, $-C(O)R^{28}$, $-C(O)OH$, $-C(O)OR^{28}$, $-C(O)SR^{28}$, $-C(O)NHR^{29}$, $-C(O)N(R^{29})R^{28}$, $-C(S)NHR^{29}$, $-C(S)N(R^{29})R^{28}$, $-C(O)C(O)OR^{28}$, $-C(R^{31})=NOH$, $-C(R^{31})=NOR^{30}$, $-C(=NR^{31})OR^{30}$, $-C(=NR^{31})SR^{30}$, $-C(=NR^{31})N(R^{29})R^{30}$, $-C(=NOR^{31})NHR^{29}$, $-C(=NOR^{31})N(R^{29})R^{30}$, $-Si(R^{13})(R^{14})R^{12}$, $-P(O)(OR^{21})_2$, $-P(S)(OR^{21})_2$, $-P(phenyl)_2$, $-P(O)(phenyl)_2$, phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-60, E-1 to E-49 or M-1 to M-22,

M-1 to M-22 are partially saturated heterocyclic rings of the following formulae, respectively



R^{17} is C_1 - C_{12} alkyl, C_1 - C_{12} haloalkyl, C_1 - C_{12} alkoxy C_1 - C_{12} alkyl, cyano C_1 - C_{12} alkyl, C_1 - C_{12} alkoxycarbonyl C_1 - C_{12} alkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with $(Z)_{p1}$, C_3 - C_{12} alkenyl, C_3 - C_{12} haloalkenyl, C_3 - C_{12} alkynyl, C_3 - C_{12} haloalkynyl, C_1 - C_{12} alkylcarbonyl, C_1 - C_{12} alkoxycarbonyl, $-C(O)ON=C(CH_3)SCH_3$, $-C(O)ON=C(SCH_3)C(O)N(CH_3)_2$, phenyl or phenyl substituted with $(Z)_{p1}$,
 R^{18} is C_1 - C_{12} alkyl, C_1 - C_{12} haloalkyl, C_1 - C_{12} alkoxy C_1 - C_{12} alkyl, cyano C_1 - C_{12} alkyl,

C₁-C₁₂alkoxycarbonyl C₁-C₁₂alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₁₂alkenyl, C₃-C₁₂haloalkenyl, C₃-C₁₂alkynyl, C₃-C₁₂haloalkynyl, phenyl or phenyl substituted with (Z)_{p1}, or R¹⁸ together with R¹⁷ may form 5- to 8-membered ring with the nitrogen atom bonding them by forming C₄-C₇alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom, and may be arbitrarily substituted with C₁-C₄alkyl or C₁-C₄alkoxy,

R¹⁹ is hydrogen atom, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -CHO, -C(O)R²⁸, -C(O)OR²⁸, -C(O)SR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, -S(O)₂R²⁸, -S(O)₂NHR²⁹, -S(O)₂N(R²⁹)R²⁸, -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-13, D-15 to D-25, D-30 to D-37, D-39, D-40, D-42, D-45 to D-60, E-5, E-7, E-9, E-24, E-25, E-27, E-28, E-30 or E-31,

R^{19a} is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,

R^{19b} is hydrogen atom or C₁-C₆alkyl, or R^{19a} together with R^{19b} may form 4- to 6-membered ring with the carbon atom bonding them by forming C₃-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with C₁-C₆alkyl, formyl, C₁-C₆alkylcarbonyl or C₁-C₆alkoxycarbonyl,

R²⁰ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄haloalkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄haloalkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-C₄haloalkylsulfonyl C₁-C₄alkyl, cyano C₁-C₆alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, C₂-C₆alkenyl, C₂-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹, -C(S)SR⁹, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,

R²¹ is C₁-C₆alkyl or C₁-C₆haloalkyl,

R²² is halogen atom, cyano, C₁-C₆alkyl, C₁-C₆haloalkyl, hydroxy C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, C₁-C₆alkoxy, C₁-C₆alkylthio, C₁-C₆alkylamino, di(C₁-C₄alkyl)amino, C₁-C₆alkoxycarbonyl, phenyl or phenyl substituted with (Z)_{p1}, when q₁, q₂, q₃ or q₄ is an integer of 2 or more, each R²² may be identical with or different from each other, further in case where two R²²s are present on the same carbon atom, the two R²²s together may form oxo, thio, imino,

C₁-C₆alkylimino, C₁-C₆alkoxyimino or C₁-C₆alkylidene,

R²³ is hydrogen atom, C₁-C₆alkyl, C₁-C₆alkyl substituted with R³², C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, -OH, benzyloxy, -CHO, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, -S(O)₂R³³, -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, phenyl, phenyl substituted with (Z)_{p1} or D-5, R²⁴ is halogen atom, cyano, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, C₁-C₆alkylamino, di(C₁-C₆alkyl)amino, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆haloalkoxycarbonyl, -CH=NOR¹¹, -C(R⁹)=NOR¹¹, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49, R²⁵ is hydrogen atom, C₁-C₈alkyl, C₁-C₈alkyl arbitrarily substituted with R³², C₃-C₈cycloalkyl, C₃-C₈cycloalkyl arbitrarily substituted with R³², C₃-C₈alkenyl, C₃-C₈alkenyl arbitrarily substituted with R³², C₃-C₈alkynyl, C₃-C₈alkynyl arbitrarily substituted with R³², -CHO, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(O)C(O)R³³, -C(O)C(O)OR³³, -C(S)R³³, -C(S)OR³³, -C(S)SR³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, -S(O)₂R³³, -S(O)₂N(R³⁴)R³³, -Si(R¹³)(R¹⁴)R¹², -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-6 to D-13, D-15 to D-23, D-25 to D-37, D-39, D-40, D-42, D-45 to D-60, E-3 to E-9, E-23 to E-31, E-34 or E-45,

R²⁶ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆alkynyl or C₁-C₆alkoxy, or R²⁶ together with R²⁵ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may one contain oxygen atom, sulfur atom or nitrogen atom, and may be substituted with halogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxy, phenyl, phenyl substituted with (Z)_{p1}, oxo or thioxo,

R²⁷ is C₁-C₈alkyl, C₁-C₈alkyl arbitrarily substituted with R³², C₃-C₈cycloalkyl, C₃-C₈cycloalkyl arbitrarily substituted with R³², C₃-C₈alkenyl, C₃-C₈alkenyl arbitrarily substituted with R³², C₃-C₈alkynyl, C₃-C₈alkynyl arbitrarily substituted with R³², -SH, C₁-C₆alkylthio, C₁-C₆haloalkylthio, phenylthio, phenylthio substituted with (Z)_{p1}, -CHO, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(O)C(O)R³³, -C(O)C(O)OR³³, -C(S)R³³, -C(S)OR³³, -C(S)SR³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, phenyl, phenyl substituted with (Z)_{p1}, D-18, D-21, D-25, D-30 to D-35, D-47, D-50, D-51, E-3 to E-9, E-23 to E-31, E-34 or E-45,

R²⁸ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R³², C₃-C₈cycloalkyl, C₃-

C₈cycloalkyl arbitrarily substituted with R³², C₂-C₆alkenyl C₃-C₈cycloalkyl, C₂-C₆haloalkenyl C₃-C₈cycloalkyl, C₂-C₈alkenyl, C₂-C₈alkenyl arbitrarily substituted with R³², C₂-C₈alkynyl, C₂-C₈alkynyl arbitrarily substituted with R³², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,

R²⁹ is hydrogen atom, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R³², C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl or phenyl substituted with (Z)_{p1}, or R²⁹ together with R²⁸ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom, C₁-C₆alkyl, C₁-C₆alkoxy, formyl, C₁-C₆alkylcarbonyl, C₁-C₆alkoxycarbonyl, phenyl or phenyl substituted with (Z)_{p1}, R³⁰ is C₁-C₈alkyl, C₁-C₈alkyl arbitrarily substituted with R³², C₃-C₈cycloalkyl, C₃-C₈alkenyl, C₃-C₈alkenyl arbitrarily substituted with R³², C₃-C₈alkynyl, C₃-C₈alkynyl arbitrarily substituted with R³²,

R³¹ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆haloalkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, C₁-C₆haloalkylthio C₁-C₄alkyl, C₁-C₆alkylsulfonyl C₁-C₄alkyl, C₁-C₆haloalkylsulfonyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, phenyl or phenyl substituted with (Z)_{p1}, or R³¹ together with R³⁰ may form 5- to 7-membered ring with the atom bonding them by forming C₂-C₄alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom or C₁-C₆alkyl,


R³² is halogen atom, cyano, nitro, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, -OH, -OR³³, -OC(O)R³³, -OC(O)OR³³, -OC(O)NHR³³, -OC(O)N(R³⁴)R³³, -OC(S)NHR³³, -OC(S)N(R³⁴)R³³, -SH, -S(O)_iR³³, -SC(O)R³³, -SC(O)OR³³, -SC(O)NHR³³, -SC(O)N(R³⁴)R³³, -SC(S)NHR³³, -SC(S)N(R³⁴)R³³, -NHR³⁴, -N(R³⁴)R³³, -N(R³⁴)CHO, -N(R³⁴)C(O)R³³, -N(R³⁴)C(O)OR³³, -N(R³⁴)C(O)NHR³³, -N(R³⁴)C(O)N(R³⁴)R³³, -N(R³⁴)C(S)NHR³³, -N(R³⁴)C(S)N(R³⁴)R³³, -CHO, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(O)C(O)OR³³, -CH=NOR¹¹, -C(R⁹)=NOR¹¹, -Si(R¹³)(R¹⁴)R¹², -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, -P(phenyl)₂, -P(O)(phenyl)₂, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,

R³³ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₃-C₆halocycloalkyl C₁-C₄alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄haloalkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄haloalkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-C₄haloalkylsulfonyl C₁-C₄alkyl, cyano C₁-C₆alkyl, C₁-C₆alkylcarbonyl C₁-C₄alkyl, C₁-

C_6 haloalkylcarbonyl C_1 - C_4 alkyl, C_1 - C_6 alkoxycarbonyl C_1 - C_4 alkyl, di(C_1 - C_6 alkyl)aminocarbonyl C_1 - C_4 alkyl, tri(C_1 - C_4 alkyl)silyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with (Z)_{p1}, C_1 - C_4 alkyl substituted with any one of D-1 to D-60, C_1 - C_4 alkyl substituted with any one of E-1 to E-49, C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, C_2 - C_6 alkenyl C_3 - C_8 cycloalkyl, C_2 - C_6 haloalkenyl C_3 - C_8 cycloalkyl, C_2 - C_8 alkenyl, C_2 - C_8 haloalkenyl, C_3 - C_8 cycloalkenyl, C_3 - C_8 halocycloalkenyl, C_2 - C_8 alkynyl, C_2 - C_8 haloalkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49, R^{34} is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_8 cycloalkyl, C_3 - C_8 alkenyl, C_3 - C_8 alkynyl, C_1 - C_6 alkylcarbonyl, C_1 - C_6 haloalkylcarbonyl, C_1 - C_6 alkoxycarbonyl, C_1 - C_6 haloalkoxycarbonyl, phenoxycarbonyl, phenoxycarbonyl substituted with (Z)_{p1}, phenylcarbonyl, phenylcarbonyl substituted with (Z)_{p1}, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-6 to D-13, D-15 to D-23, D-25 to D-37, D-39, D-40, D-42, D-45 to D-60, E-3 to E-9, E-23 to E-31, E-34 or E-45, or R^{34} together with R^{33} may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C_2 - C_5 alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom, C_1 - C_6 alkyl, C_1 - C_6 alkoxy, formyl, C_1 - C_6 alkylcarbonyl, C_1 - C_6 alkoxycarbonyl, phenyl or phenyl substituted with (Z)_{p1}, m is an integer of 0 to 5, n is an integer of 0 to 4, p1 is an integer of 1 to 5, p2 is an integer of 0 to 4, p3 is an integer of 0 to 3, p4 is an integer of 0 to 2, p5 is an integer of 0 or 1, q1 is an integer of 0 to 3, q2 is an integer of 0 to 5, q3 is an integer of 0 to 7, q4 is an integer of 0 to 9, r is an integer of 0 to 2, and t is an integer of 0 or 1.

(2) The isoxazoline-substituted benzamide compound or the salt thereof as set forth in (1), wherein

G is an aromatic 6-membered ring shown in any one of G-1 to G-10 or an aromatic 5-membered ring shown in any one of G-11 to G-25



X is halogen atom, cyano, nitro, $-SF_5$, C_1-C_6 alkyl, C_1-C_6 alkyl arbitrarily substituted with R^4 , C_3-C_8 cycloalkyl, C_3-C_8 cycloalkyl arbitrarily substituted with R^4 , C_2-C_6 alkenyl, C_2-C_6 alkenyl arbitrarily substituted with R^4 , C_2-C_6 alkynyl, C_2-C_6 alkynyl arbitrarily substituted with R^4 , $-OH$, $-OR^5$, $-OSO_2R^5$, $-S(O)R^5$, $-N(R^7)R^6$, $-C(O)OR^9$, $-C(O)SR^9$, $-C(O)NHR^{10}$, $-C(O)N(R^{10})R^9$, $-C(S)OR^9$, $-C(S)SR^9$, $-C(S)NHR^{10}$, $-C(S)N(R^{10})R^9$,

-CH=NOR¹¹, -C(R⁹)=NOR¹¹, -S(O)₂NHR¹⁰, -S(O)₂N(R¹⁰)R⁹,
 -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,
 when m is an integer of 2 or more, each X may be identical with or different from
 each other,

further, when two Xs are adjacent, the adjacent two Xs may form 5-membered or 6-
 membered ring together with carbon atoms to which the two Xs are bonded by
 forming -CH₂CH₂CH₂-, -CH₂CH₂O-, -CH₂OCH₂-, -OCH₂O-, -CH₂CH₂S-, -CH₂SCH₂-,
 -CH₂CH₂CH₂CH₂-, -CH₂CH₂CH₂O-, -CH₂CH₂OCH₂-, -CH₂OCH₂O-, -OCH₂CH₂O-,
 -OCH₂CH₂S- or -CH=CHCH=CH-, in this case, hydrogen atoms bonded to each
 carbon atom forming the ring may be arbitrarily substituted with halogen atom, C₁-
 C₄alkyl or C₁-C₄haloalkyl,

Y is halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴,
 -OR⁵, -OSO₂R⁵, -S(O)₂R⁵, -NHR⁷, -N(R⁷)R⁶, -N=CHOR⁸, -N=C(R⁹)OR⁸, -C(O)NHR¹⁰,
 -C(O)N(R¹⁰)R⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, phenyl, phenyl substituted with (Z)_{p1}, D-1
 to D-24, D-30 to D-38, D-43 to D-52 or D-53, when n is an integer of 2 or more, each
 Y may be identical with or different from each other,

further, when two Ys are adjacent, the adjacent two Ys may form 5-membered or 6-
 membered ring together with carbon atoms to which the two Ys are bonded by
 forming -CH₂CH₂CH₂-, -CH₂CH₂O-, -CH₂OCH₂-, -OCH₂O-, -CH₂CH₂CH₂CH₂-,
 -CH₂CH₂CH₂O-, -CH₂CH₂OCH₂-, -CH₂OCH₂O-, -OCH₂CH₂O-, -OCH=N- or -SCH=N-,
 in this case, hydrogen atoms bonded to each carbon atom forming the ring may be
 arbitrarily substituted with halogen atom, C₁-C₄alkyl or C₁-C₄haloalkyl,

R¹ is C₁-C₈alkyl, C₁-C₈alkyl arbitrarily substituted with R¹⁶, C₃-C₈cycloalkyl, C₃-
 C₈halocycloalkyl, C₃-C₈alkenyl, C₃-C₈haloalkenyl, phenyl C₃-C₆alkenyl, phenyl C₃-
 C₆alkenyl substituted with (Z)_{p1}, C₃-C₈alkynyl, C₃-C₈haloalkynyl, phenyl C₃-C₆alkynyl,
 phenyl C₃-C₆alkynyl substituted with (Z)_{p1}, C₁-C₆alkoxy, -N(R²⁰)R¹⁹, -N=CHR^{19b},
 -N=C(R^{19b})R^{19a}, -C(O)N(R¹⁰)R⁹, -C(S)N(R¹⁰)R⁹, -C(=NR¹¹)OR⁹, -C(=NR¹¹)SR⁹,
 -C(=NR¹¹)N(R¹⁰)R⁹, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-6 to D-13, D-
 15 to D-23, D-26, D-27, D-29 to D-37, D-39, D-40, D-42, D-45 to D-58, E-4 to E-9,
 E-23 to E-28, E-30, E-31, E-34 or E-45,

R² is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-
 C₄alkoxy C₁-C₄alkyl, C₁-C₄haloalkoxy C₁-C₄alkyl, benzyloxy C₁-C₄alkyl, C₁-C₄alkylthio
 C₁-C₄alkyl, C₁-C₄haloalkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-
 C₄haloalkylsulfonyl C₁-C₄alkyl, phenylthio C₁-C₄alkyl, phenylthio C₁-C₄alkyl
 substituted with (Z)_{p1}, cyano C₁-C₆alkyl, nitro C₁-C₆alkyl, C₁-C₄alkylcarbonyl C₁-

C₄alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, -SR⁹, -S(O)₂R⁹, -SN(R¹⁸)R¹⁷, -OH, -OR¹⁹, -NHR²⁰, -N(R²⁰)R¹⁹, -N=CHR^{19b}, -N=C(R^{19b})R^{19a}, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹, -C(S)SR⁹, phenyl, phenyl substituted with (Z)_{p1},

or R¹ and R² together form =C(R^{2a})R^{1a}, and further R¹ and R² together may form 3- to 7-membered ring together with the nitrogen atom bonding them by forming C₂ to C₆ alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with C₁-C₆alkyl, formyl, C₁-C₆alkylcarbonyl or C₁-C₆alkoxycarbonyl,

R^{1a} and R^{2a} together may form 5- or 6-membered ring together with the carbon atom bonding them by forming C₄ or C₅ alkylene chain or C₄ or C₅ alkenylene chain, in this case, the alkylene chain and the alkenylene chain may contain one to three oxygen atoms, sulfur atoms or nitrogen atoms, and may be arbitrarily substituted with halogen atom or C₁-C₆alkyl,

R³ is cyano, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -OR⁵, -S(O)₂R⁵, -N(R¹⁰)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -CH=NOR¹¹, -C(R⁹)=NOR¹¹, -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D8- to D-13, D-15 to D-23, D-25 to D-37, D-39, D-40, D-42, D-45 to D-60 or E-4 to E-7, E-23 to E27 or E-28,

R⁴ is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, -OH, -OR⁵, -S(O)₂R⁵, -N(R¹⁰)R⁹, -N(R¹⁰)C(O)R⁹, -N(R¹⁰)C(O)OR⁹, -N(R¹⁰)C(O)SR⁹, -N(R¹⁰)C(S)OR⁹, -N(R¹⁰)C(S)SR⁹, -N(R¹⁰)S(O)₂R⁹, -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-5, D-8 to D-38, D-41, D-43, D-44, D-47 to D-52 or D-53,

R⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₃haloalkoxy C₁-C₃haloalkyl, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₂-C₆alkenyl, C₂-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-7, D-9, D-15 to D-23, D-30 to D-35, D-47 to D-53, E-3 to E-9, E-23 to E-27 or E-28,

R⁶ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, -S(O)₂R⁹, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹ or -C(S)SR⁹,

R⁷ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,

R⁸ is C₁-C₆alkyl,

R^9 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl C_1 - C_4 alkyl, C_1 - C_6 alkoxy C_1 - C_4 alkyl, C_1 - C_6 alkylthio C_1 - C_4 alkyl, cyano C_1 - C_6 alkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with $(Z)_{p1}$, C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 haloalkenyl, C_3 - C_6 alkynyl, C_3 - C_6 haloalkynyl, phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-4, D-6 to D-35, D-38, D-47 to D-54 or D-55,

R^{10} is hydrogen atom or C_1 - C_6 alkyl, or R^{10} together with R^9 may form 5- to 7-membered ring with the nitrogen atom bonding them by forming C_4 - C_6 alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom,

R^{11} is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with $(Z)_{p1}$, phenyl or phenyl substituted with $(Z)_{p1}$, or R^{11} together with R^9 may form 5- or 6-membered ring with the atom bonding them by forming C_2 - C_3 alkylene chain, in this case, the alkylene chain may be arbitrarily substituted with C_1 - C_6 alkyl,

R^{12} is C_1 - C_6 alkyl, phenyl or phenyl substituted with $(Z)_{p1}$,

R^{13} and R^{14} independently of each other are C_1 - C_6 alkyl,

R^{15} is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with $(Z)_{p1}$, phenyl or phenyl substituted with $(Z)_{p1}$,

R^{16} is halogen atom, cyano, C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, $-OR^{25}$, $-N(R^{26})R^{25}$, $-SH$, $-S(O)_rR^{27}$, $-SO_2NHR^{29}$, $-SO_2N(R^{29})R^{28}$, $-CHO$, $-C(O)R^{28}$, $-C(O)OR^{28}$, $-C(O)NHR^{29}$, $-C(O)N(R^{29})R^{28}$, $-C(O)N(R^{29})OR^{28}$, $-C(S)NHR^{29}$, $-C(S)N(R^{29})R^{28}$, $-C(R^{31})=NOH$, $-C(R^{31})=NOR^{30}$, $-C(=NR^{31})OR^{30}$, $-C(=NR^{31})SR^{30}$, $-C(=NR^{31})N(R^{29})R^{30}$, $-C(=NOR^{31})NHR^{29}$, $-C(=NOR^{31})N(R^{29})R^{30}$, $-Si(R^{13})(R^{14})R^{12}$, phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-60, E-1 to E-49 or M-1 to M-22,

R^{17} is C_1 - C_6 alkyl, C_1 - C_4 alkoxy C_1 - C_4 alkyl, C_1 - C_6 alkoxycarbonyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with $(Z)_{p1}$ or C_1 - C_6 alkoxycarbonyl,

R^{18} is C_1 - C_6 alkyl, phenyl C_1 - C_4 alkyl or phenyl C_1 - C_4 alkyl substituted with $(Z)_{p1}$, or R^{18} together with R^{17} may form 5- or 6-membered ring with the nitrogen atom bonding them by forming C_4 - C_5 alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom, and may be arbitrarily substituted with methyl or methoxy,

R^{19} is C_1 - C_6 alkyl, C_1 - C_6 alkyl arbitrarily substituted with R^{16} , C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 haloalkenyl, C_3 - C_6 alkynyl, $-CHO$, $-C(O)R^{28}$, $-C(O)OR^{28}$, $-C(O)NHR^{29}$, $-C(O)N(R^{29})R^{28}$, $-C(S)NHR^{29}$, $-C(S)N(R^{29})R^{28}$, $-S(O)_2R^{28}$, $-S(O)_2NHR^{29}$, $-S(O)_2N(R^{29})R^{28}$, phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-13, D-15 to D-25, D-30 to D-37, D-39, D-40, D-42, D-45 to D-60, E-5, E-7, E-9, E-24, E-25, E-27, E-28, E-30 or E-31,

R^{19a} is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-10, D-15 to D-23, D-47 to D-55, E-4 to E-7, E-23 to E-27 or E-28,

R^{19b} is hydrogen atom or C₁-C₆alkyl, or R^{19a} together with R^{19b} may form 5- or 6-membered ring with the carbon atom bonding them by forming C₄-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom,

R²⁰ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, C₂-C₆alkenyl, C₃-C₆alkynyl, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹, -C(S)SR⁹ or C₁-C₆alkylsulfonyl,

R²² is halogen atom, cyano, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxy, C₁-C₆alkoxycarbonyl, -C(O)NH₂ or -C(S)NH₂, when q₁, q₂, q₃ or q₄ is an integer of 2 or more, each R²² may be identical with or different from each other, further in case where two R²²s are present on the same carbon atom, the two R²²s together may form oxo, thioxo, imino, C₁-C₆alkylimino, C₁-C₆alkoxyimino or C₁-C₆alkylidene, R²³ is hydrogen atom, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R³², C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆alkynyl, -OH, benzyloxy, -CHO, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -S(O)₂R³³, phenyl, phenyl substituted with (Z)_{p1} or D-5,

R²⁵ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl, C₃-C₆alkynyl, -CHO, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)R³³, -C(S)OR³³, -C(S)SR³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, -S(O)₂R³³, -S(O)₂N(R³⁴)R³³, di(C₁-C₆alkyl)phosphoryl, di(C₁-C₆alkyl)thiophosphoryl, tri(C₁-C₄alkyl)silyl, phenyl or phenyl substituted with (Z)_{p1},

R²⁶ is hydrogen atom, C₁-C₆alkyl, C₃-C₆alkenyl, C₃-C₆alkynyl or C₁-C₆alkoxy, or R²⁶ together with R²⁵ may form 4- to 6-membered ring with the nitrogen atom bonding them by forming C₃-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may substituted with C₁-C₆alkyl, oxo or thioxo,

R²⁷ is C₁-C₆alkyl, C₁-C₆haloalkyl, hydroxy C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄alkylcarbonyl C₁-C₄alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, di(C₁-C₄alkyl)aminocarbonyl C₁-C₄alkyl, tri(C₁-C₄alkyl)silyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl, C₃-C₆alkynyl, C₁-

C₆alkylcarbonyl, C₁-C₆alkylthio, phenylthio, phenylthio substituted with (Z)_{p1}, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, phenyl, phenyl substituted with (Z)_{p1}, D-21, D-35, D-47 or D-50,

R²⁸ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R³², C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,

R²⁹ is hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl, or R²⁹ together with R²⁸ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom, R³⁰ is C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, tri(C₁-C₆alkyl)silyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₈alkenyl, C₃-C₈haloalkenyl, C₃-C₈alkynyl or C₃-C₈haloalkynyl,

R³¹ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl or C₃-C₆cycloalkyl, or R³¹ together with R³⁰ may form 5- or 6-membered ring with the atom bonding them by forming C₂-C₃alkylene chain, in this case, the alkylene chain may be arbitrarily substituted with C₁-C₆alkyl,

R³² is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, -OR³³, -OC(O)R³³, -OC(O)NHR³³, -OC(O)N(R³⁴)R³³, -S(O)R³³, -SC(O)R³³, -SC(O)NHR³³, -SC(O)N(R³⁴)R³³, -N(R³⁴)CHO, -N(R³⁴)C(O)R³³, -N(R³⁴)C(O)OR³³, -C(O)OR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,

R³³ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄haloalkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄haloalkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-C₄haloalkylsulfonyl C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-13, D-15 to D-18, D-21, D-29 to D-37, D-47 to D-55, E-5, E-7, E-9, E-24, E-25, E-27, E-28, E-30, E-31 or E-34,

R³⁴ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl, or R³⁴ together with R³³ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom.

(3) The isoxazoline-substituted benzamide compound or the salt thereof as set

forth in (2), wherein

G is G-1, G-3, G-4, G-13, G-14, G-17, G-18, G-20, G-21 or G-22,

X is halogen atom, cyano, nitro, $-\text{SF}_5$, $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ alkyl arbitrarily substituted with R^4 , $\text{C}_3\text{-C}_8$ cycloalkyl, $\text{C}_3\text{-C}_8$ halocycloalkyl, $\text{C}_2\text{-C}_6$ alkenyl, $\text{C}_2\text{-C}_6$ haloalkenyl, $\text{C}_2\text{-C}_6$ alkynyl, $\text{C}_2\text{-C}_6$ haloalkynyl, $-\text{OR}^5$, $-\text{OSO}_2\text{R}^5$, $-\text{S}(\text{O})_r\text{R}^5$, $-\text{C}(\text{O})\text{OR}^9$, $-\text{C}(\text{O})\text{SR}^9$, $-\text{C}(\text{S})\text{OR}^9$, $-\text{C}(\text{S})\text{SR}^9$, $-\text{C}(\text{S})\text{NHR}^{10}$, $-\text{C}(\text{S})\text{N}(\text{R}^{10})\text{R}^9$, $-\text{CH}=\text{NOR}^{11}$, $-\text{C}(\text{R}^9)=\text{NOR}^{11}$, $-\text{Si}(\text{R}^{13})(\text{R}^{14})\text{R}^{12}$, E-10, E-12, E-18, E-32, E-35 or E-43, when m is 2 or 3, each X may be identical with or different from each other,

further, when two Xs are adjacent, the adjacent two Xs may form 5-membered or 6-membered ring together with carbon atoms to which the two Xs are bonded by forming $-\text{CF}_2\text{OCF}_2-$, $-\text{OCF}_2\text{O}-$, $-\text{CF}_2\text{OCF}_2\text{O}-$ or $-\text{OCF}_2\text{CF}_2\text{O}-$,

Y is halogen atom, cyano, nitro, $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ alkyl arbitrarily substituted with R^4 , $-\text{OR}^5$, $-\text{OSO}_2\text{R}^5$, $-\text{S}(\text{O})_r\text{R}^5$, $-\text{NHR}^7$, $-\text{N}(\text{R}^7)\text{R}^6$, $-\text{N}=\text{C}(\text{R}^9)\text{OR}^8$, $-\text{C}(\text{O})\text{NH}_2$ or $-\text{C}(\text{S})\text{NH}_2$, when n is 2 or 3, each Y may be identical with or different from each other,

R^1 is $\text{C}_1\text{-C}_8$ alkyl, $\text{C}_1\text{-C}_6$ alkyl arbitrarily substituted with R^{16} , $\text{C}_3\text{-C}_8$ cycloalkyl, $\text{C}_3\text{-C}_8$ halocycloalkyl, $\text{C}_3\text{-C}_8$ alkenyl, $\text{C}_3\text{-C}_8$ haloalkenyl, $\text{C}_3\text{-C}_8$ alkynyl, $\text{C}_3\text{-C}_8$ haloalkynyl, $-\text{N}(\text{R}^{20})\text{R}^{19}$, $-\text{C}(\text{O})\text{N}(\text{R}^{10})\text{R}^9$, $-\text{C}(\text{S})\text{N}(\text{R}^{10})\text{R}^9$, phenyl substituted with $(\text{Z})_{p1}$, D-8 to D-13, D-15 to D-18, D-21 to D-23, D-26, D-27, D-29 to D-37, D-39, D-40, D-42, D-45 to D-58, E-5, E-7, E-8, E-9, E-24, E-25, E-27, E-28, E-30, E-31 or E-34,

R^2 is hydrogen atom, $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ haloalkyl, $\text{C}_1\text{-C}_4$ alkoxy $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ alkylthio $\text{C}_1\text{-C}_4$ alkyl, cyano $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_3\text{-C}_6$ cycloalkyl, $\text{C}_3\text{-C}_6$ alkenyl, $\text{C}_3\text{-C}_6$ alkynyl, $-\text{OH}$, $\text{C}_1\text{-C}_6$ alkoxy, $\text{C}_1\text{-C}_6$ alkylcarbonyloxy, $\text{C}_1\text{-C}_6$ alkoxycarbonyloxy, $\text{C}_1\text{-C}_6$ alkylsulfonyloxy, $\text{C}_1\text{-C}_6$ haloalkylthio, phenylthio, phenylthio substituted with $(\text{Z})_{p1}$, $\text{C}_1\text{-C}_6$ alkylsulfonyl, $-\text{SN}(\text{R}^{18})\text{R}^{17}$, $-\text{NHR}^{20}$, $-\text{N}=\text{CHR}^{19b}$, $-\text{N}=\text{C}(\text{R}^{19b})\text{R}^{19a}$, $-\text{C}(\text{O})\text{R}^9$, $-\text{C}(\text{O})\text{OR}^9$, $-\text{C}(\text{O})\text{SR}^9$, $-\text{C}(\text{S})\text{OR}^9$ or $-\text{C}(\text{S})\text{SR}^9$, or R^2 together with R^1 may form 3- to 7-membered ring with the nitrogen atom bonding them by forming $\text{C}_2\text{-C}_6$ alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom,

R^3 is $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ haloalkyl, $\text{C}_3\text{-C}_6$ cycloalkyl $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_3\text{-C}_6$ halocycloalkyl $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ alkoxy $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ haloalkoxy $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ alkylthio $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ alkylsulfinyl $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ alkylsulfonyl $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ haloalkylthio $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ haloalkylsulfinyl $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ haloalkylsulfonyl $\text{C}_1\text{-C}_4$ alkyl, cyano $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_4$ alkoxy $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ haloalkoxy $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ alkylthio $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ alkylsulfinyl $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ alkylsulfonyl $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ haloalkylthio $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ haloalkylsulfinyl $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ haloalkylsulfonyl $\text{C}_1\text{-C}_4$ haloalkyl, cyano $\text{C}_1\text{-C}_6$ haloalkyl, $\text{C}_3\text{-C}_8$ cycloalkyl, $\text{C}_3\text{-C}_8$ halocycloalkyl, $\text{C}_3\text{-C}_8$ alkenyl, $\text{C}_3\text{-C}_8$ haloalkenyl, $\text{C}_3\text{-C}_8$ alkynyl, $\text{C}_3\text{-C}_8$ haloalkynyl, $-\text{OR}^5$, $-\text{OSO}_2\text{R}^5$, $-\text{S}(\text{O})_r\text{R}^5$, $-\text{NHR}^7$, $-\text{N}(\text{R}^7)\text{R}^6$, $-\text{N}=\text{C}(\text{R}^9)\text{OR}^8$, $-\text{C}(\text{O})\text{NH}_2$ or $-\text{C}(\text{S})\text{NH}_2$, when n is 2 or 3, each Y may be identical with or different from each other,

C_8 halocycloalkyl, E-4 to E-7, E-23 to E-27 or E-28,
 R^4 is halogen atom, cyano, -OH, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_1 - C_6 alkylthio, C_1 - C_6 haloalkylthio, C_1 - C_6 alkylsulfinyl, C_1 - C_6 haloalkylsulfinyl, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl or tri(C_1 - C_6 alkyl)silyl,
 R^5 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_3 haloalkoxy, C_1 - C_3 haloalkyl, C_3 - C_8 cycloalkyl, C_3 - C_8 halocycloalkyl, C_2 - C_6 alkenyl, C_2 - C_6 haloalkenyl, C_3 - C_6 alkynyl, C_3 - C_6 haloalkynyl, E-4 to E-9, E-23 to E-27 or E-28,
 R^6 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, $-S(O)_2R^9$, -CHO, $-C(O)R^9$, $-C(O)OR^9$, $-C(O)SR^9$, $-C(S)OR^9$ or $-C(S)SR^9$,
 R^7 is hydrogen atom, C_1 - C_6 alkyl or C_1 - C_6 haloalkyl,
 R^9 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl, C_1 - C_4 alkyl, C_1 - C_6 alkoxy, C_1 - C_4 alkyl, C_1 - C_6 alkylthio, C_1 - C_4 alkyl, cyano, C_1 - C_6 alkyl, phenyl, C_1 - C_4 alkyl, C_3 - C_8 cycloalkyl, C_3 - C_8 halocycloalkyl, C_3 - C_6 alkenyl or C_3 - C_6 alkynyl,
 R^{10} is hydrogen atom or C_1 - C_6 alkyl, or R^{10} together with R^9 may form 5- or 6-membered ring with the nitrogen atom bonding them by forming C_4 or C_5 alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom,
 R^{11} is C_1 - C_6 alkyl or C_1 - C_6 haloalkyl, or R^{11} together with R^9 may form 5- or 6-membered ring with the atom bonding them by forming C_2 or C_3 alkylene chain, in this case, the alkylene chain may be arbitrarily substituted with C_1 - C_6 alkyl,
 R^{15} is C_1 - C_6 alkyl or C_1 - C_6 haloalkyl,
 R^{16} is halogen atom, cyano, C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, $-OR^{25}$, $-N(R^{26})R^{25}$, $-S(O)_2R^{27}$, $-SO_2NHR^{29}$, $-SO_2N(R^{29})R^{28}$, -CHO, $-C(O)R^{28}$, $-C(O)OR^{28}$, $-C(O)NHR^{29}$, $-C(O)N(R^{29})R^{28}$, $-C(O)N(R^{29})OR^{28}$, $-C(S)NHR^{29}$, $-C(S)N(R^{29})R^{28}$, $-C(R^{31})=NOH$, $-C(R^{31})=NOR^{30}$, $-C(=NR^{31})OR^{30}$, $-C(=NR^{31})SR^{30}$, $-C(=NR^{31})N(R^{29})R^{30}$, $-C(=NOR^{31})NHR^{29}$, $-C(=NOR^{31})N(R^{29})R^{30}$, phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-4, D-8 to D-42, D-47 to D-55, E-4 to E-12, E-14, E-16 to E-19, E-21 to E-23, E-26 to E-35, E-40 to E-45, E-48, M-2, M-3, M-5, M-8 to M-10, M-14, M-15 or M-16,
 R^{17} is C_1 - C_6 alkyl, C_1 - C_6 alkoxycarbonyl, C_1 - C_4 alkyl or C_1 - C_6 alkoxycarbonyl,
 R^{18} is C_1 - C_6 alkyl or benzyl,
 R^{19} is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl, C_1 - C_6 alkyl, phenyl, C_1 - C_6 alkyl, phenyl, C_1 - C_6 alkyl substituted with $(Z)_{p1}$, C_3 - C_6 cycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 haloalkenyl, C_3 - C_6 alkynyl, $-C(O)R^{28}$, $-C(O)OR^{28}$, $-C(O)NHR^{29}$, $-C(O)N(R^{29})R^{28}$, $-C(S)NHR^{29}$, $-C(S)N(R^{29})R^{28}$, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl, phenylsulfonyl, phenylsulfonyl substituted with $(Z)_{p1}$, phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-4, D-18, D-21, D-25, D-30 to D-35, D-47 to D-55 or D-56,

R^{19a} is C₁-C₆alkyl,

R^{19b} is hydrogen atom or C₁-C₆alkyl,

R²⁰ is hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkenyl, C₃-C₆alkynyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆haloalkoxycarbonyl or C₁-C₆alkylsulfonyl,

R²² is C₁-C₄alkyl or C₁-C₄haloalkyl, or two R²²s present on the same carbon atom may together form oxo, or thioxo,

R²³ is hydrogen atom, C₁-C₆alkyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,

R²⁵ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)R³³, -C(S)OR³³, -C(S)SR³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, -S(O)₂R³³, -S(O)₂N(R³⁴)R³³, di(C₁-C₆alkyl)thiophosphoryl, phenyl or phenyl substituted with (Z)_{p1},

R²⁶ is hydrogen atom or C₁-C₆alkyl, or R²⁶ together with R²⁵ may form 4- to 6-membered ring with the nitrogen atom bonding them by forming C₃-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be substituted with C₁-C₆alkyl, oxo or thioxo,

R²⁷ is C₁-C₆alkyl, C₁-C₆haloalkyl, tri(C₁-C₄alkyl)silyl C₁-C₄alkyl, C₁-C₆alkylthio, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, phenyl, phenyl substituted with (Z)_{p1}, D-47 or D-50,

R²⁸ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R³², C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl or phenyl substituted with (Z)_{p1},

R²⁹ is hydrogen atom, C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl, or R²⁹ together with R²⁸ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom,

R³⁰ is C₁-C₆alkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₈alkenyl or C₃-C₈alkynyl,

R³¹ is hydrogen atom or C₁-C₆alkyl, or R³¹ together with R³⁰ may form 5- or 6-membered ring with the atom bonding them by forming C₂ or C₃alkylene chain, in this case, the alkylene chain may be arbitrarily substituted with C₁-C₆alkyl,

R³² is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₁-C₄alkoxy, C₁-C₄haloalkoxy, C₁-C₄alkylthio, C₁-C₄haloalkylthio, C₁-C₄alkoxycarbonyl, -C(O)NH₂, C₁-

C₄alkylaminocarbonyl, di(C₁-C₄alkyl)aminocarbonyl, phenyl or phenyl substituted with (Z)_{p1},

R³³ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆alkynyl, phenyl or phenyl substituted with (Z)_{p1},

R³⁴ is hydrogen atom or C₁-C₆alkyl,

m is an integer of 1 to 3,

n is an integer of 0 to 2,

q2 is an integer of 0 to 3,

q3 is an integer of 0 to 2, and

q4 is an integer of 0 to 2.

(4) The isoxazoline-substituted benzamide compound or the salt thereof as set forth in (3), wherein

A¹ is carbon atom or nitrogen atom,

A² and A³ are carbon atom,

G is G-1,

X is halogen atom, cyano, nitro, -SF₅, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₂-C₆alkenyl, C₂-C₆haloalkenyl, C₂-C₆alkynyl, C₂-C₆haloalkynyl, -OR⁵, -OSO₂R⁵, -S(O)_rR⁵ or tri(C₁-C₆alkyl)silyl, when m is 2 or 3, each X may be identical with or different from each other,

further, when two Xs are adjacent, the adjacent two Xs may form 5-membered or 6-membered ring together with carbon atoms to which the two Xs are bonded by forming -CF₂OCF₂-, -OCF₂O-, -CF₂OCF₂O- or -OCF₂CF₂O-,

Y is halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, -OR⁵, -OSO₂R⁵, -S(O)_rR⁵, -NHR⁷, -N(R⁷)R⁶, -C(O)NH₂ or -C(S)NH₂, when n is 2 or 3, each Y may be identical with or different from each other,

R¹ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -N(R²⁰)R¹⁹, -C(O)N(R¹⁰)R⁹, -C(S)N(R¹⁰)R⁹, phenyl substituted with (Z)_{p1}, D-8, D-10, D-11, D-13, D-15, D-17, D-18, D-21 to D-23, D-26, D-27, D-29 to D-37, D-39, D-40, D-42, D-45, D-47, D-48, D-50, D-51, D-53, D-54, D-56, D-58, E-5, E-7 or E-9,

R² is hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆alkynyl, -OH, C₁-C₆alkylcarbonyloxy, C₁-C₆alkylsulfonyloxy, -NH₂, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹,

-C(S)OR⁹ or -C(S)SR⁹,

R³ is C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄haloalkyl, C₁-C₄haloalkoxy C₁-C₄haloalkyl, C₁-C₄alkylthio C₁-C₄haloalkyl, C₁-C₄haloalkylthio C₁-C₄haloalkyl, cyano C₁-C₆haloalkyl or C₃-C₈halocycloalkyl,

R⁴ is halogen atom, cyano, -OH, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfinyl, C₁-C₆haloalkylsulfinyl, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl or tri(C₁-C₆alkyl)silyl,

R⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₃haloalkoxy C₁-C₃haloalkyl, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₂-C₆alkenyl, C₂-C₆haloalkenyl, C₃-C₆alkynyl or C₃-C₆haloalkynyl,

R⁶ is C₁-C₆alkyl, C₁-C₆haloalkyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₃-C₆cycloalkylcarbonyl, C₃-C₆halocycloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆haloalkoxycarbonyl, C₁-C₆alkylthiocarbonyl, C₁-C₆alkoxythiocarbonyl, C₁-C₆alkyldithiocarbonyl, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,

R⁷ is hydrogen atom or C₁-C₆alkyl,

R⁹ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₈cycloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,

R¹⁶ is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, -OR²⁵, -N(R²⁶)R²⁵, -S(O)_iR²⁷, -SO₂NHR²⁹, -SO₂N(R²⁹)R²⁸, -C(O)R²⁸, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(O)N(R²⁹)OR²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, -C(=NR³¹)OR³⁰, -C(=NR³¹)SR³⁰, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-38, D-47 to D-55, E-4 to E-12, E-18, E-19, E-32, E-35, E-43, M-2, M-3, M-5, M-8, M-9 or M-10,

R¹⁹ is C₁-C₆haloalkyl, C₃-C₆cycloalkyl, -C(O)R²⁸, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, phenyl, phenyl substituted with (Z)_{p1}, D-3, D-4, D-21, D-47, D-50, D-51, D-53 or D-54,

R²⁰ is hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkenyl, C₃-C₆alkynyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆alkoxycarbonyl or C₁-C₆alkylsulfonyl,

R²⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylaminocarbonyl, di(C₁-C₆alkyl)aminocarbonyl or C₁-C₆alkylsulfonyl,

R²⁶ is hydrogen atom or C₁-C₆alkyl,

R²⁷ is C₁-C₆alkyl, C₁-C₆haloalkyl or tri(C₁-C₄alkyl)silyl C₁-C₄alkyl,

R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl

substituted with (Z)_{p1}, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, phenyl or phenyl substituted with (Z)_{p1},

R²⁹ is hydrogen atom, C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,

R³⁰ is C₁-C₆alkyl or C₃-C₆cycloalkyl C₁-C₄alkyl,

R³¹ is hydrogen atom or C₁-C₆alkyl, or R³¹ together with R³⁰ may form 5- or 6-membered ring with the atom bonding them by forming C₂ or C₃alkylene chain.

(5) The isoxazoline-substituted benzamide compound or the salt thereof as set forth in (4), wherein

X is halogen atom, cyano, nitro, -SF₅, C₁-C₆alkyl, C₁-C₆haloalkyl, hydroxy C₁-C₆haloalkyl, C₁-C₆alkoxy C₁-C₆haloalkyl, C₁-C₆haloalkoxy C₁-C₆haloalkyl, C₃-C₆halocycloalkyl, -OR⁵, -OSO₂R⁵ or -S(O)_rR⁵, when m is 2 or 3, each X may be identical with or different from each other,

Y is halogen atom, cyano, nitro, C₁-C₄alkyl, C₁-C₄haloalkyl, C₁-C₄alkoxy, C₁-C₄haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, -NHR⁷ or -N(R⁷)R⁶,

R¹ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, -N(R²⁰)R¹⁹, D-8, D-10, D-13, D-15, D-18, D-21, D-34, D-35, D-50 or D-51,

R² is hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkynyl, -C(O)R⁹ or -C(O)OR⁹,

R³ is C₁-C₆haloalkyl or C₃-C₆halocycloalkyl,

R⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl or C₁-C₃haloalkoxy C₁-C₃haloalkyl,

R⁶ is C₁-C₆alkyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylthiocarbonyl, C₁-C₆alkoxythiocarbonyl, C₁-C₆alkyldithiocarbonyl, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,

R⁹ is C₁-C₆alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,

R¹⁶ is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfinyl, C₁-C₆haloalkylsulfinyl, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, C₁-C₆alkylcarbonyl, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NH₂, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-38, D-47 to D-55, E-4 to E-7, E-10, E-11 or E-32,

R¹⁹ is C₁-C₆haloalkyl, -C(O)R²⁸, -C(O)OR²⁸, phenyl, phenyl substituted with (Z)_{p1}, D-3, D-4, D-21, D-47, D-50, D-51, D-53 or D-54,

R²⁰ is hydrogen atom or C₁-C₆alkyl,

R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,


R²⁹ is hydrogen atom or C₁-C₆alkyl,

R³⁰ is C₁-C₆alkyl,

R³¹ is hydrogen atom or C₁-C₆alkyl, and

n is an integer of 0 or 1.

(6) 3,5-Bis (substituted aryl) substituted isoxazoline compound of formula (2) or a salt thereof:



wherein

A¹ is carbon atom or nitrogen atom,

X¹ is halogen atom, -SF₅, C₁-C₆haloalkyl, hydroxy C₁-C₆haloalkyl, C₁-C₆alkoxy C₁-C₆haloalkyl, C₁-C₆haloalkoxy C₁-C₆haloalkyl, C₃-C₆halocycloalkyl, C₁-C₆haloalkoxy, C₁-C₃haloalkoxy C₁-C₃haloalkoxy, C₁-C₆haloalkylthio, C₁-C₆haloalkylsulfonyl or C₁-C₆haloalkylsulfonyl,

X² is halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆haloalkyl, -OR⁵, -OSO₂R⁵ or -S(O)_rR⁵, when m₁ is 2, each X² may be identical with or different from each other,

Y is halogen atom, cyano, nitro, C₁-C₄alkyl, C₁-C₄haloalkyl, C₁-C₄alkoxy, C₁-C₄haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, -NHR⁷ or -N(R⁷)R⁶,

R³ is C₁-C₆haloalkyl or C₃-C₆halocycloalkyl,

R⁵ is C₁-C₆alkyl or C₁-C₆haloalkyl,

R⁶ is C₁-C₆alkyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylthiocarbonyl, C₁-C₆alkoxythiocarbonyl, C₁-C₆alkyldithiocarbonyl, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,

R⁷ is hydrogen atom or C₁-C₆alkyl,

R is halogen atom, cyano, nitro, -NH₂, halosulfonyloxy, C₁-C₆alkylsulfonyloxy, C₁-C₆haloalkylsulfonyloxy, phenylsulfonyloxy, phenylsulfonyloxy substituted with (Z)_{p1} or -C(O)R^a,

R^a is halogen atom, -OH, C_1 - C_6 alkoxy, 1-pyrazolyl, 1-imidazolyl or 1-triazolyl,
 Z is halogen atom, C_1 - C_6 alkyl or C_1 - C_6 haloalkyl, when p_1 is an integer of 2 or more,
each Z may be identical with or different from each other,
 m_1 is an integer of 0 to 2,
 n is an integer of 0 or 1,
 p_1 is an integer of 1 or 5, and
 r is an integer of 0 to 2.


(7) 3,5-Bis (substituted aryl) substituted isoxazoline compound or the salt thereof as set forth in (6), wherein

(a) in case where R is halosulfonyloxy, C_1 - C_6 haloalkylsulfonyloxy, phenylsulfonyloxy or phenylsulfonyloxy substituted with $(Z)_{p_1}$, Y is halogen atom, cyano, nitro, C_1 - C_6 alkyl, C_1 - C_4 haloalkyl, C_1 - C_4 alkoxy, C_1 - C_4 haloalkoxy, C_1 - C_6 alkylthio, C_1 - C_6 haloalkylthio, C_1 - C_6 alkylsulfonyl or C_1 - C_6 haloalkylsulfonyl,

(b) in case where R is $-C(O)R^a$, Y is cyano, nitro, C_1 - C_6 alkyl, C_1 - C_4 haloalkyl, C_1 - C_6 haloalkylthio or C_1 - C_6 haloalkylsulfonyl,

(c) in case where, R is halogen atom, cyano, nitro or $-NH_2$, Y is cyano, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_6 haloalkylthio or C_1 - C_6 haloalkylsulfonyl.

(8) 4-Hydroxyiminomethyl substituted benzamide compound of formula (3) or a salt thereof:



wherein

A^1 is carbon atom or nitrogen atom,

J is hydrogen atom or halogen atom,

W is oxygen atom or sulfur atom,

Y is halogen atom, cyano, nitro, C_1 - C_4 alkyl, C_1 - C_4 haloalkyl, C_1 - C_4 alkoxy, C_1 - C_4 haloalkoxy, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl or $-N(R^7)R^6$,

R^1 is C_1 - C_6 alkyl, C_1 - C_6 alkyl arbitrarily substituted with R^{16} , C_3 - C_6 cycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 haloalkenyl, C_3 - C_6 alkynyl, $-N(R^{20})R^{19}$, D-8, D-10, D-13, D-15, D-18, D-21, D-34, D-35, D-50 or D-51,

R^2 is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_4 alkoxy, C_1 - C_4 alkyl, cyano, C_1 - C_6 alkyl, C_3 -

C₆alkynyl, -C(O)R⁹ or -C(O)OR⁹,


R⁶ is -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylthiocarbonyl, C₁-C₆alkoxythiocarbonyl, C₁-C₆alkyldithiocarbonyl, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,


R⁷ is hydrogen atom or C₁-C₆alkyl,

R⁹ is C₁-C₆alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, C₃-C₈cycloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,


R¹⁶ is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, C₁-C₆alkylcarbonyl, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NH₂, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-38, D-47 to D-55, E-4 to E-7, E-10, E-11 or E-32,

D-1 to D-4, D-8 to D-38, D-47 to D-54 and D-55 are aromatic heterocyclic rings of the following formulae, respectively,







D-34




D-35




D-36




D-37




D-38




D-47




D-48




D-49




D-50




D-51




D-52



D-53



D-54




D-55


Z is halogen atom, cyano, nitro, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl, C_1 - C_6 alkoxycarbonyl, $-C(O)NH_2$, C_1 - C_6 alkylaminocarbonyl, di(C_1 - C_6 alkyl)aminocarbonyl, $-C(S)NH_2$, $-S(O)_2NH_2$, C_1 - C_6 alkylaminosulfonyl or di(C_1 - C_6 alkyl)aminosulfonyl, when p1, p2, p3 or p4 is an integer of 2 or more, each Z may be identical with or different from each other,

R^{15} is C_1 - C_6 alkyl, phenyl or phenyl substituted with $(Z)_{p1}$,


E-4, E-5, E-10, E-11 or E-32 is a saturated heterocyclic ring of the following formulae, respectively




E-4




E-5



E-10



E-11



E-32

R^{19} is C_1 - C_6 haloalkyl, $-C(O)R^{28}$, $-C(O)OR^{28}$, phenyl, phenyl substituted with $(Z)_{p1}$, D-3, D-4, D-21, D-47, D-50, D-51, D-53 or D-54,

R^{20} is hydrogen atom or C_1 - C_6 alkyl,

R^{22} is C_1 - C_4 alkyl,

R^{28} is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl C_1 - C_4 alkyl, C_3 - C_6 cycloalkyl, C_3 -

C₆alkenyl or C₃-C₆alkynyl,

R²⁹ is hydrogen atom or C₁-C₆alkyl,

R³⁰ is C₁-C₆alkyl,

R³¹ is C₁-C₆alkyl,

n is an integer of 0 or 1, with a proviso that n is 1 when R¹ and R² are methyl at the same time,

p1 is an integer of 1 to 5,

p2 is an integer of 0 to 4,

p3 is an integer of 0 to 3,

p4 is an integer of 0 to 2,

p5 is an integer of 0 or 1,

q2 is an integer of 0 to 3, and


q3 is an integer of 0 to 2

(9) 4-Hydroxyiminomethyl substituted benzamide compound or the salt thereof as set forth in (8), wherein

R¹ is C₁-C₆alkyl arbitrarily substituted with R¹⁶, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, -N(R²⁰)R¹⁹, D-8, D-10, D-13, D-15, D-18, D-21, D-34, D-35, D-50 or D-51,

R¹⁶ is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NH₂, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, D-1 to D-4, D-8 to D-38, D-47 to D-55, E-4, E-5, E-10, E-11 or E-32.

(10) Substituted alkenylbenzene compound of formula (4):



wherein

X¹ is halogen atom, -SF₅, C₁-C₆haloalkyl, hydroxy C₁-C₆haloalkyl, C₁-C₆alkoxy C₁-C₆haloalkyl, C₁-C₆haloalkoxy C₁-C₆haloalkyl, C₃-C₆halocycloalkyl, C₁-C₆haloalkoxy, C₁-C₃haloalkoxy C₁-C₃haloalkoxy, C₁-C₆haloalkylthio, C₁-C₆haloalkylsulfinyl or C₁-C₆haloalkylsulfonyl,

X³ is hydrogen atom, halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆haloalkyl, -OR⁵, -OSO₂R⁵ or -S(O)₂R⁵,

X⁴ is hydrogen atom, halogen atom, cyano, nitro, C₁-C₆alkyl, -OH, C₁-C₆alkoxy or C₁-C₆haloalkoxy,

R³ is C₁-C₆alkyl that is arbitrarily substituted with two or more arbitrarily halogen atoms, or C₃-C₈halocycloalkyl with a proviso that in case where X¹ is fluorine atom, chlorine atom or -CF₃ and both X³ and X⁴ are hydrogen atom, in case where both X¹ and X³ are fluorine atom, and X⁴ is hydrogen atom, and in case where both X¹ and X³ are -CF₃, and X⁴ is hydrogen atom, R³ is -CHF₂, -CHFCl, -CHFBr, -CHCl₂, -CF₂Cl, -CF₂Br, -CF₂I, -CFCl₂, -CFCIBr, -CFBr₂, -CCl₃, C₂-C₆haloalkyl or C₃-C₈halocycloalkyl, R⁵ is C₁-C₆alkyl or C₁-C₆haloalkyl,

r is an integer of 0 to 2.

(11) The substituted alkenylbenzene compound as set forth in (10), wherein X¹ is halogen atom, -SF₅, C₁-C₆haloalkyl, C₁-C₆haloalkoxy, C₁-C₆haloalkylthio, C₁-C₆haloalkylsulfinyl or C₁-C₆haloalkylsulfonyl,

X³ is hydrogen atom, halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio or C₁-C₆haloalkylthio,

X⁴ is hydrogen atom, halogen atom, cyano, nitro, methyl, -OH, C₁-C₄alkoxy or C₁-C₄haloalkoxy,

R³ is -CHF₂, -CF₃, -CF₂Cl, -CF₂Br or -CF₂CF₃, with a proviso that in case where X¹ is fluorine atom, chlorine atom or -CF₃ and both X³ and X⁴ are hydrogen atom, in case where both X¹ and X³ are fluorine atom, and X⁴ is hydrogen atom, and in case where both X¹ and X³ are -CF₃, and X⁴ is hydrogen atom, R³ is -CHF₂, -CF₂Cl, -CF₂Br or -CF₂CF₃.

(12) A pesticide containing as an active ingredient one or more selected from isoxazoline-substituted benzamide compound and the salt thereof as set forth in (1) to (5).

(13) An agrochemical containing as an active ingredient one or more selected from isoxazoline-substituted benzamide compound and the salt thereof as set forth in (1) to (5).

(14) An endo- or ecto-parasiticide for mammals or birds containing as an active ingredient one or more selected from isoxazoline-substituted benzamide compound and the salt thereof as set forth in (1) to (5).

(15) An insecticide or acaricide containing as an active ingredient one or more selected from isoxazoline-substituted benzamide compound and the salt thereof as set forth in (1) to (5).


Effect of the Invention

[0009] The compound according to the present invention has an excellent insecticidal and acaricidal activity for many agricultural insect pests, spider mites, endo- or ecto-parasiticide for mammals or birds, and exerts a control effect sufficient for pest insects that acquire resistance against existing insecticides. Further, the compound has little adverse affect on mammals, fishes and beneficial insects, and has a low persistency and a low impact on the environment. Therefore, the present invention can provide a useful and novel pesticide.

Best Mode for carrying out the Invention

[0010] Active compounds used as the pesticide in the present invention are generally the compounds of formulae (1) to (5) mentioned above, and the compounds of formulae (6) to (11) mentioned above are novel production intermediates used for the production of these active compounds. These intermediates contain specific compounds themselves having control activity against specific pests that can be used as a control agent for the pest.

[0011] In the compounds included in the present invention, some compounds have geometrical isomers of E-form and Z-form depending on the kind of substituents. The present invention includes these E-forms, Z-forms and mixtures containing E-form and Z-form in an arbitrary proportion. In addition, the compounds included in the present invention have optically active forms resulting from the presence of 1 or more asymmetric carbon atoms, and the present invention includes all optically active forms or racemates. Further, in the compounds of formula (1) according to the present invention, some compounds wherein R² is hydrogen atom are present in tautomer, and the present invention includes these structures,



[0012] The compounds included in the present invention can be converted to acid addition salts for example salts of hydrohalide acid such as hydrofluoric acid, hydrochloric acid, hydrobromic acid, hydroiodic acid or the like, salts of inorganic acids such as nitric acid, sulfuric acid, phosphoric acid, chloric acid, perchloric acid or the like, salts of sulfonic acid such as methansulfonic acid, ethansulfonic acid,

trifluoromethanesulfonic acid, benzene sulfonic acid, p-toluene sulfonic acid or the like, salts of carboxylic acid such as formic acid, acetic acid, propionic acid, trifluoroacetic acid, fumaric acid, tartaric acid, oxalic acid, maleic acid, malic acid, succinic acid, benzoic acid, mandelic acid, ascorbic acid, lactic acid, gluconic acid, citric acid or the like, or salts of amino acid such as glutamic acid, aspartic acid or the like, according to a conventional method.

[0013] The compounds included in the present invention can be converted to metal salts for example salts of alkali metal such as lithium, sodium, potassium, salts of alkaline earth metal such as calcium, barium, magnesium, or salts of aluminum, according to a conventional method.

[0014] Hereinafter, concrete examples of each substituent shown in the specification are described. In the specification, "n-" means normal, "i-" means iso, "s-" means secondary, and "t-" means tertiary, and "Ph" means phenyl.

[0015] Halogen atom in the compounds of the present invention includes fluorine atom, chlorine atom, bromine atom and iodine atom. In the interim, the indication of "halo" in the specification also means these halogen atoms.

[0016] In the specification, the indication of "C_a-C_balkyl" means straight-chain or branched-chain hydrocarbon groups having carbon atom number of a to b, and includes for example methyl, ethyl, n-propyl, i-propyl, n-butyl, s-butyl, i-butyl, t-butyl, n-pentyl, 1-methylbutyl, 2-methylbutyl, 3-methylbutyl, 1-ethylpropyl, 1,1-dimethylpropyl, 1,2-dimethylpropyl, neopentyl, n-hexyl, 1-methylpentyl, 2-methylpentyl, 3-methylpentyl, 4-methylpentyl, 1-ethylbutyl, 2-ethylbutyl, 1,1-dimethylbutyl, 1,2-dimethylbutyl, 1,3-dimethylbutyl, 2,2-dimethylbutyl, 2,3-dimethylbutyl, 3,3-dimethylbutyl, 1,1,2-trimethylpropyl, 1,2,2-trimethylpropyl, 1-ethyl-1-methylpropyl, 1-ethyl-2-methylpropyl, heptyl, 5-methylhexyl, 2-ethylpentyl, octyl, 2-ethylhexyl, nonyl, 2-methyloctyl, decyl, 2-methylnonyl, undecyl, 2-methyldecyl, dodecyl and the like. It is selected from the scope of the indicated carbon atom number.

[0017] In the specification, the indication of "C_a-C_bhaloalkyl" means straight-chain or branched-chain hydrocarbon groups having carbon atom number of a to b that a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with a halogen atom (halogen atoms). In this case, if it is substituted with two or more halogen atoms, these halogen atoms may be identical with or different from each other. Concrete examples thereof are for example fluoromethyl, chloromethyl, difluoromethyl, dichloromethyl, trifluoromethyl, chlorodifluoromethyl,

trichloromethyl, bromodifluoromethyl, 2-fluoroethyl, 2-chloroethyl, 2-bromoethyl, 2,2-difluoroethyl, 2-chloro-2-fluoroethyl, 2,2-dichloroethyl, 2-bromo-2-fluoroethyl, 2-bromo-2-chloroethyl, 2,2,2-trifluoroethyl, 2-chloro-2,2-difluoroethyl, 2,2-dichloro-2-fluoroethyl, 2,2,2-trichloroethyl, 2-bromo-2,2-difluoroethyl, 2-bromo-2-chloro-2-fluoroethyl, 2-bromo-2,2-dichloroethyl, pentafluoroethyl, 2-fluoropropyl, 2-chloropropyl, 2-bromopropyl, 2,3-dichloropropyl, 2,3-dibromopropyl, 3,3,3-trifluoropropyl, 3-bromo-3,3-difluoropropyl, 2,2,3,3-tetrafluoropropyl, 2-chloro-3,3,3-trifluoropropyl, 2,2,3,3,3-pentafluoropropyl, 2,2,2-trifluoro-1-trifluoromethylethyl, heptafluoropropyl, 1,2,2,2-tetrafluoro-1-trifluoromethylethyl, 2,2,3,3,4,4-hexafluorobutyl, 2,2,3,4,4,4-hexafluorobutyl, 2,2,3,3,4,4,4-heptafluorobutyl, nonafluorobutyl, 5-chloro-2,2,3,4,4,5,5-heptafluoropentyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0018] In the specification, the indication of “hydroxy C_a-C_balkyl” means straight-chain or branched-chain alkyl groups having carbon atom number of a to b that a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with a hydroxy group (hydroxy groups). Concrete examples thereof are for example hydroxymethyl, 1-hydroxyethyl, 2-hydroxyethyl, 2-hydroxypropyl, 3-hydroxypropyl, 2-hydroxybutyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0019] In the specification, the indication of “cyano C_a-C_balkyl” means straight-chain or branched-chain alkyl groups having carbon atom number of a to b that a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with a cyano group (cyano groups). Concrete examples thereof are for example cyanomethyl, 1-cyanoethyl, 2-cyanoethyl, 2-cyanopropyl, 3-cyanopropyl, 2-cyanobutyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0020] In the specification, the indication of “C_a-C_bcycloalkyl” means cyclic hydrocarbon groups having carbon atom number of a to b, and can form 3-membered to 6-membered single ring or conjugated ring structure. In addition, each ring may be arbitrarily substituted alkyl group in the scope of the indicated carbon atom number. Concrete examples thereof are for example cyclopropyl, 1-methylcyclopropyl, 2-methylcyclopropyl, 2,2-dimethylcyclopropyl, 2,2,3,3-tetramethylcyclopropyl, cyclobutyl, cyclopentyl, 2-methylcyclopentyl, 3-methylcyclopentyl, cyclohexyl, 2-methylcyclohexyl, 3-methylcyclohexyl,

4-methylcyclohexyl, bicyclo[2.2.1]heptan-2-yl and the like. It is selected from the scope of the indicated carbon atom number.

[0021] In the specification, the indication of " C_a-C_b halocycloalkyl" means cyclic hydrocarbon groups having carbon atom number of a to b that a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with a halogen atom (halogen atoms), and can form 3-membered to 6-membered single ring or conjugated ring structure. In addition, each ring may be arbitrarily substituted alkyl group in the scope of the indicated carbon atom number. The substitution for halogen atom may be in the ring structure moiety, the side chain moiety or both of them. Further, if it is substituted with two or more halogen atoms, these halogen atoms may be identical with or different from each other. Concrete examples thereof are for example 2,2-dichlorocyclopropyl, 2,2-dibromocyclopropyl, 2,2-difluoro-1-methylcyclopropyl, 2,2-dichloro-1-methylcyclopropyl, 2,2-dibromo-1-methylcyclopropyl, 2,2-dichloro-3,3-dimethylcyclopropyl, 2,2,3,3-tetrafluorocyclobutyl, 2-trifluoromethylcyclohexyl, 3-trifluoromethylcyclohexyl, 4-trifluoromethylcyclohexyl and the like. It is selected from the scope of the indicated carbon atom number.

[0022] In the specification, the indication of " C_a-C_b alkenyl" means straight-chain or branched-chain unsaturated hydrocarbon groups having carbon atom number of a to b and having 1 or more double bonds. Concrete examples thereof are for example vinyl, 1-propenyl, 1-methylethenyl, 2-propenyl, 2-butenyl, 1-methyl-2-propenyl, 2-methyl-2-propenyl, 2-methyl-2-butenyl, 3-methyl-2-butenyl, 2-hexenyl, 2-methyl-2-pentenyl, 2,4-dimethyl-2,6-heptadienyl, 3,7-dimethyl-2,6-octadienyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0023] In the specification, the indication of " C_a-C_b haloalkenyl" means straight-chain or branched-chain unsaturated hydrocarbon groups having carbon atom number of a to b and having 1 or more double bonds, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with a halogen atom (halogen atoms). In this case, if it is substituted with two or more halogen atoms, these halogen atoms may be identical with or different from each other. Concrete examples thereof are for example 2,2-dichlorovinyl, 2-fluoro-2-propenyl, 2-chloro-2-propenyl, 2-bromo-2-propenyl, 3-bromo-2-propenyl, 3,3-difluoro-2-propenyl, 2,3-dichloro-2-propenyl, 3,3-dichloro-2-propenyl, 2,3-dibromo-2-propenyl, 2,3,3-trifluoro-2-propenyl, 1-trifluoromethylvinyl, 2,3,3-trichloro-2-propenyl, 2-bromo-2-butenyl, 3-bromo-2-methyl-2-propenyl,

4,4-difluoro-3-butenyl, 3,4,4-trifluoro-3-butenyl, 3-chloro-4,4,4-trifluoro-2-butenyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0024] In the specification, the indication of " C_a-C_b cycloalkenyl" means cyclic unsaturated hydrocarbon groups having carbon atom number of a to b and having 1 or more double bonds, and can form 3-membered to 6-membered single ring or conjugated ring structure. In addition, each ring may be arbitrarily substituted alkyl group in the scope of the indicated carbon atom number, and further the double bond may be either endo- or exo-form. Concrete examples thereof are for example 2-cyclopenten-1-yl, 3-cyclopenten-1-yl, 2-cyclohexen-1-yl, 3-cyclohexen-1-yl, bicyclo [2.2.1]-5-hepten-2-yl and the like. It is selected from the scope of the indicated carbon atom number.

[0025] In the specification, the indication of " C_a-C_b halocycloalkenyl" means cyclic unsaturated hydrocarbon groups having carbon atom number of a to b and having 1 or more double bonds, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with a halogen atom (halogen atoms), and can form 3-membered to 6-membered single ring or conjugated ring structure. In addition, each ring may be arbitrarily substituted alkyl group in the scope of the indicated carbon atom number, and further the double bond may be either endo- or exo-form. The substitution for halogen atom may be in the ring structure moiety, the side chain moiety or both of them. Further, if it is substituted with two or more halogen atoms, these halogen atoms may be identical with or different from each other. Concrete examples thereof are for example 2-chlorobicyclo [2.2.1]-5-hepten-2-yl and the like. It is selected from the scope of the indicated carbon atom number.

[0026] In the specification, the indication of " C_a-C_b alkynyl" means straight-chain or branched-chain unsaturated hydrocarbon groups having carbon atom number of a to b and having 1 or more triple bonds. Concrete examples thereof are for example ethynyl, 1-propynyl, 2-propynyl, 1-methyl-2-propynyl, 2-butylnyl, 2-pentylnyl, 1-methyl-2-butylnyl, 2-hexynyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0027] In the specification, the indication of " C_a-C_b haloalkynyl" means straight-chain or branched-chain unsaturated hydrocarbon groups having carbon atom number of a to b and having 1 or more triple bonds, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with a halogen atom (halogen atoms). In this case, if it is substituted with two or more

halogen atoms, these halogen atoms may be identical with or different from each other. Concrete examples thereof are for example 2-chloroethynyl, 2-bromoethynyl, 2-iodoethynyl, 3-chloro-2-propynyl, 3-bromo-2-propynyl, 3-iodo-2-propynyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0028] In the specification, the indication of "C_a-C_balkoxy" means alkyl-O- groups wherein the alkyl has carbon atom number of a to b, and includes for example methoxy, ethoxy, n-propyloxy, i-propyloxy, n-butyloxy, s-butyloxy, i-butyloxy, t-butyloxy, n-pentyloxy, n-hexyloxy and the like. It is selected from the scope of the indicated carbon atom number.

[0029] In the specification, the indication of "C_a-C_bhaloalkoxy" means haloalkyl-O- groups wherein the haloalkyl has carbon atom number of a to b, and includes for example difluoromethoxy, trifluoromethoxy, chlorodifluoromethoxy, bromodifluoromethoxy, 2-fluoroethoxy, 2-chloroethoxy, 2,2,2-trifluoroethoxy, 1,1,2,2-tetrafluoroethoxy, 2-chloro-1,1,2-trifluoroethoxy, 2-bromo-1,1,2-trifluoroethoxy, 2,2-dichloro-1,1,2-trifluoroethoxy, pentafluoroethoxy, 2,2,2-trichloro-1,1-difluoroethoxy, 2-bromo-1,1,2,2-tetrafluoroethoxy, 2,2,3,3-tetrafluoropropyloxy, 1,1,2,3,3,3-hexafluoropropyloxy, 2,2,2-trifluoro-1-trifluoromethylethoxy, heptafluoropropyloxy, 2-bromo-1,1,2,3,3,3-hexafluoropropyloxy, and the like. It is selected from the scope of the indicated carbon atom number.

[0030] In the specification, the indication of "C_a-C_balkenyloxy" means alkenyl-O- groups wherein the alkenyl has carbon atom number of a to b, and includes for example 2-propenyloxy, 2-butenyloxy, 2-methyl-2-propenyloxy, 3-methyl-2-butenyloxy, and the like. It is selected from the scope of the indicated carbon atom number.

[0031] In the specification, the indication of "C_a-C_bhaloalkenyloxy" means haloalkenyl-O- groups wherein the haloalkenyl has carbon atom number of a to b, and includes for example 2-chloro-2-propenyl, 3-chloro-2-propenyl, 3,3-difluoro-2-propenyl, 3,3-dichloro-2-propenyl, 2,3,3-trifluoro-2-propenyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0032] In the specification, the indication of "C_a-C_balkylthio" means alkyl-S- groups wherein the alkyl has carbon atom number of a to b, and includes for example methylthio, ethylthio, n-propylthio, i-propylthio, n-butylthio, s-butylthio, i-butylthio, t-butylthio, n-pentylthio, n-hexylthio and the like. It is selected from the scope of the indicated carbon atom number.

[0033] In the specification, the indication of "C_a-C_bhaloalkylthio" means haloalkyl-S- groups wherein the haloalkyl has carbon atom number of a to b, and includes for example difluoromethylthio, trifluoromethylthio, bromodifluoromethylthio, 2,2,2-trifluoroethylthio, 1,1,2,2-tetrafluoroethylthio, 1,1,2-trifluoro-2-chloroethylthio, pentafluoroethylthio, 2-bromo-1,1,2,2-tetrafluoroethylthio, heptafluoropropylthio, 1,2,2,2-tetrafluoro-1-trifluoromethylthio, 1,2,2,2-tetrafluoro-1-trifluoroethylthio, nonafluorobutylthio, and the like. It is selected from the scope of the indicated carbon atom number.

[0034] In the specification, the indication of "C_a-C_balkylsulfinyl" means alkyl-S(O)- groups wherein the alkyl has carbon atom number of a to b, and includes for example methylsulfinyl, ethylsulfinyl, n-propylsulfinyl, i-propylsulfinyl, n-butylsulfinyl, s-butylsulfinyl, i-butylsulfinyl, t-butylsulfinyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0035] In the specification, the indication of "C_a-C_bhaloalkylsulfinyl" means haloalkyl-S(O)- groups wherein the haloalkyl has carbon atom number of a to b, and includes for example difluoromethylsulfinyl, trifluoromethylsulfinyl, bromodifluoromethylsulfinyl, 2,2,2-trifluoroethylsulfinyl, 2-bromo-1,1,2,2-tetrafluoroethylsulfinyl, 1,2,2,2-tetrafluoro-1-trifluoromethylethylsulfinyl, nonafluorobutylsulfinyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0036] In the specification, the indication of "C_a-C_balkylsulfonyl" means alkyl-SO₂- groups wherein the alkyl has carbon atom number of a to b, and includes for example methanesulfonyl, ethanesulfonyl, n-propylsulfonyl, i-propylsulfonyl, n-butylsulfonyl, s-butylsulfonyl, i-butylsulfonyl, t-butylsulfonyl, n-pentylsulfonyl, n-hexylsulfonyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0037] In the specification, the indication of "C_a-C_bhaloalkylsulfonyl" means haloalkyl-SO₂- groups wherein the haloalkyl has carbon atom number of a to b, and includes for example difluoromethanesulfonyl, trifluoromethanesulfonyl, chlorodifluoromethanesulfonyl, bromodifluoromethanesulfonyl, 2,2,2-trifluoroethanesulfonyl, 1,1,2,2-tetrafluoroethanesulfonyl, 1,1,2-trifluoro-2-chloroethanesulfonyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0038] In the specification, the indication of "C_a-C_balkylamino" means amino groups, which either hydrogen atom is substituted with the above-mentioned alkyl

group having carbon atom number of a to b, and includes for example methylamino, ethylamino, n-propylamino, i-propylamino, n-butylamino, i-butylamino, t-butylamino, and the like. It is selected from the scope of the indicated carbon atom number.

[0039] In the specification, the indication of “di(C_a-C_balkyl)amino” means amino groups, which both hydrogen atoms are substituted with the above-mentioned alkyl groups having carbon atom number of a to b that may be identical with or different from each other, and includes for example dimethylamino, ethyl(methyl)amino, diethylamino, n-propyl(methyl)amino, i-propyl(methyl)amino, di(n-propyl)amino, n-butyl(methyl)amino, i-butyl(methyl)amino, t-butyl(methyl)amino, and the like. It is selected from the scope of the indicated carbon atom number.

[0040] In the specification, the indication of “C_a-C_balkylcarbonyl” means alkyl-C(O)- groups wherein the alkyl has carbon atom number of a to b, and includes for example CH₃C(O)-, CH₃CH₂C(O)-, CH₃CH₂CH₂C(O)-, (CH₃)₂CHC(O)-, CH₃(CH₂)₃C(O)-, (CH₃)₂CHCH₂C(O)-, CH₃CH₂CH(CH₃)C(O)-, (CH₃)₃CC(O)-, CH₃(CH₂)₄C(O)-, CH₃(CH₂)₅C(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0041] In the specification, the indication of “C_a-C_bhaloalkylcarbonyl” means haloalkyl-C(O)- groups wherein the haloalkyl has carbon atom number of a to b, and includes for example FCH₂C(O)-, ClCH₂C(O)-, F₂CHC(O)-, Cl₂CHC(O)-, CF₃C(O)-, ClCF₂C(O)-, BrCF₂C(O)-, CCl₃C(O)-, CF₃CF₂C(O)-, ClCH₂CH₂CH₂C(O)-, CF₃CF₂CF₂C(O)-, ClCH₂C(CH₃)₂C(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0042] In the specification, the indication of “C_a-C_bcycloalkylcarbonyl” means cycloalkyl-C(O)- groups wherein the cycloalkyl has carbon atom number of a to b, and includes for example cyclopropyl-C(O)-, 1-methylcyclopropyl-C(O)-, 2-methylcyclopropyl-C(O)-, 2,2-dimethylcyclopropyl-C(O)-, 2,2,3,3-tetramethylcyclopropyl-C(O)-, cyclobutyl-C(O)-, cyclopentyl-C(O)-, cyclohexyl-C(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0043] In the specification, the indication of “C_a-C_bhalocycloalkylcarbonyl” means halocycloalkyl-C(O)- groups wherein the halocycloalkyl has carbon atom number of a to b, and includes for example 2,2-dichlorocyclopropyl-C(O)-, 2,2-dibromocyclopropyl-C(O)-, 2,2-difluoro-1-methylcyclopropyl-C(O)-, 2,2-dichloro-1-methylcyclopropyl-C(O)-, 2,2-dibromo-1-methylcyclopropyl-C(O)-, 2,2-dichloro-3,3-dimethylcyclopropyl-C(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0044] In the specification, the indication of “C_a-C_balkoxycarbonyl” means alkyl-O-C(O)- groups wherein the alkyl has carbon atom number of a to b, and includes for example CH₃OC(O)-, CH₃CH₂OC(O)-, CH₃CH₂CH₂OC(O)-, (CH₃)₂CHOC(O)-, CH₃(CH₂)₃OC(O)-, (CH₃)₂CHCH₂OC(O)-, (CH₃)₃COC(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0045] In the specification, the indication of “C_a-C_bhaloalkoxycarbonyl” means haloalkyl-O-C(O)- groups wherein the haloalkyl has carbon atom number of a to b, and includes for example ClCH₂CH₂OC(O)-, CF₃CH₂OC(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0046] In the specification, the indication of “C_a-C_balkylthiocarbonyl” means alkyl-S-C(O)- groups wherein the alkyl has carbon atom number of a to b, and includes for example CH₃SC(O)-, CH₃CH₂SC(O)-, CH₃CH₂CH₂SC(O)-, (CH₃)₂CHSC(O)-, CH₃(CH₂)₃SC(O)-, (CH₃)₂CHCH₂SC(O)-, (CH₃)₃CSC(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0047] In the specification, the indication of “C_a-C_balkoxythiocarbonyl” means alkyl-O-C(S)- groups wherein the alkyl has carbon atom number of a to b, and includes for example CH₃OC(S)-, CH₃CH₂OC(S)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0048] In the specification, the indication of “C_a-C_balkyldithiocarbonyl” means alkyl-S-C(S)- groups wherein the alkyl has carbon atom number of a to b, and includes for example CH₃SC(S)-, CH₃CH₂SC(S)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0049] In the specification, the indication of “C_a-C_balkylaminocarbonyl” means carbamoyl groups, which either hydrogen atom is substituted with the above-mentioned alkyl group having carbon atom number of a to b, and includes for example CH₃NHC(O)-, CH₃CH₂NHC(O)-, CH₃CH₂CH₂NHC(O)-, (CH₃)₂CHNHC(O)-, CH₃(CH₂)₃NHC(O)-, (CH₃)₂CHCH₂NHC(O)-, CH₃CH₂CH(CH₃)NHC(O)-, (CH₃)₃CNHC(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0050] In the specification, the indication of “C_a-C_bcycloalkylaminocarbonyl” means carbamoyl groups, which either hydrogen atom is substituted with the above-mentioned cycloalkyl group having carbon atom number of a to b, and includes for example cyclopropyl-NHC(O)-, cyclobutyl-NHC(O)-, cyclopentyl-NHC(O)-, cyclohexyl-NHC(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0051] In the specification, the indication of “di(C_a-C_balkyl)aminocarbonyl” means carbamoyl groups, which both hydrogen atoms are substituted with the above-mentioned alkyl group having carbon atom number of a to b that may be identical with or different from each other, and includes for example (CH₃)₂NC(O)-, CH₃CH₂N(CH₃)C(O)-, (CH₃CH₂)₂NC(O)-, (CH₃CH₂CH₂)₂NC(O)-, (CH₃CH₂CH₂CH₂)₂NC(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0052] In the specification, the indication of “C_a-C_balkylaminothiocarbonyl” means thiocarbamoyl groups, which either hydrogen atom is substituted with the above-mentioned alkyl group having carbon atom number of a to b, and includes for example CH₃NHC(S)-, CH₃CH₂NHC(S)-, CH₃CH₂CH₂NHC(S)-, (CH₃)₂CHNHC(S)-, CH₃(CH₂)₃NHC(S)-, (CH₃)₂CHCH₂NHC(S)-, CH₃CH₂CH(CH₃)NHC(S)-, (CH₃)₃CNHC(S)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0053] In the specification, the indication of “di(C_a-C_balkyl)aminothiocarbonyl” means thiocarbamoyl groups, which both hydrogen atoms are substituted with the above-mentioned alkyl group having carbon atom number of a to b that may be identical with or different from each other, and includes for example (CH₃)₂NC(S)-, CH₃CH₂N(CH₃)C(S)-, (CH₃CH₂)₂NC(S)-, (CH₃CH₂CH₂)₂NC(S)-, (CH₃CH₂CH₂CH₂)₂NC(S)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0054] In the specification, the indication of “C_a-C_balkylaminosulfonyl” means sulfamoyl groups, which either hydrogen atom is substituted with the above-mentioned alkyl group having carbon atom number of a to b, and includes for example CH₃NHSO₂-, CH₃CH₂NHSO₂-, CH₃CH₂CH₂NHSO₂-, (CH₃)₂CHNHSO₂-, CH₃(CH₂)₃NHSO₂-, (CH₃)₂CHCH₂NHSO₂-, CH₃CH₂CH(CH₃)NHSO₂-, (CH₃)₃CNHSO₂-, and the like. It is selected from the scope of the indicated carbon atom number.

[0055] In the specification, the indication of “di(C_a-C_balkyl)aminosulfonyl” means sulfamoyl groups, which both hydrogen atoms are substituted with the above-mentioned alkyl group having carbon atom number of a to b that may be identical with or different from each other, and includes for example (CH₃)₂NSO₂-, CH₃CH₂N(CH₃)SO₂-, (CH₃CH₂)₂NSO₂-, (CH₃CH₂CH₂)₂NSO₂-, (CH₃CH₂CH₂CH₂)₂NSO₂-, and the like. It is selected from the scope of the indicated carbon atom number.

[0056] In the specification, the indication of “di(C_a-C_balkyl)phosphoryl” means

phosphoryl groups, which both hydrogen atoms are substituted with the above-mentioned alkyl group having carbon atom number of a to b that may be identical with or different from each other, and includes for example $(\text{CH}_3\text{O})_2\text{P}(\text{O})-$, $(\text{CH}_3\text{CH}_2\text{O})_2\text{P}(\text{O})-$, and the like. It is selected from the scope of the indicated carbon atom number.

[0057] In the specification, the indication of “di(C_a - C_b alkyl)thiophosphoryl” means thiophosphoryl groups, which both hydrogen atoms are substituted with the above-mentioned alkyl group having carbon atom number of a to b that may be identical with or different from each other, and includes for example $(\text{CH}_3\text{O})_2\text{P}(\text{S})-$, $(\text{CH}_3\text{CH}_2\text{O})_2\text{P}(\text{S})-$, and the like. It is selected from the scope of the indicated carbon atom number.

[0058] In the specification, the indication of “tri(C_a - C_b alkyl)silyl” means silyl groups substituted with the above-mentioned alkyl group having carbon atom number of a to b that may be identical with or different from each other, and includes for example trimethylsilyl, triethylsilyl, tri(n-propyl)silyl, ethyldimethylsilyl, n-propyldimethylsilyl, n-butyldimethylsilyl, i-butyldimethylsilyl, t-butyldimethylsilyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0059] In the specification, the indication of “ C_a - C_b alkylcarbonyloxy” means alkylcarbonyl-O- groups wherein the alkyl has carbon atom number of a to b, and includes for example $\text{CH}_3\text{C}(\text{O})-\text{O}-$, $\text{CH}_3\text{CH}_2\text{C}(\text{O})-\text{O}-$, $\text{CH}_3\text{CH}_2\text{CH}_2\text{C}(\text{O})-\text{O}-$, $(\text{CH}_3)_2\text{CHC}(\text{O})-\text{O}-$, $\text{CH}_3(\text{CH}_2)_3\text{C}(\text{O})-\text{O}-$, $(\text{CH}_3)_2\text{CHCH}_2\text{C}(\text{O})-\text{O}-$, $\text{CH}_3\text{CH}_2\text{CH}(\text{CH}_3)\text{C}(\text{O})-\text{O}-$, $(\text{CH}_3)_3\text{CC}(\text{O})-\text{O}-$, and the like. It is selected from the scope of the indicated carbon atom number.

[0060] In the specification, the indication of “ C_a - C_b alkylsulfonyloxy” means alkylsulfonyl-O- groups wherein the alkyl has carbon atom number of a to b, and includes for example $\text{CH}_3\text{SO}_2-\text{O}-$, $\text{CH}_3\text{CH}_2\text{SO}_2-\text{O}-$, $\text{CH}_3\text{CH}_2\text{CH}_2\text{SO}_2-\text{O}-$, $(\text{CH}_3)_2\text{CHSO}_2-\text{O}-$, and the like. It is selected from the scope of the indicated carbon atom number.

[0061] In the specification, the indication of “ C_a - C_b haloalkylsulfonyloxy” means haloalkylsulfonyl-O- groups wherein the haloalkyl has carbon atom number of a to b, and includes for example difluoromethanesulfonyl-O-, trifluoromethanesulfonyl-O-, chlorodifluoromethanesulfonyl-O-, bromodifluoromethanesulfonyl-O-, and the like. It is selected from the scope of the indicated carbon atom number.

[0062] In the specification, the indication of “ C_a - C_b cycloalkyl C_d - C_e alkyl”, “ C_a - C_b halocycloalkyl C_d - C_e alkyl”, “ C_a - C_b alkoxy C_d - C_e alkyl”, “ C_a - C_b haloalkoxy C_d - C_e alkyl”,

“benzyloxy C_d-C_ealkyl”, “C_a-C_balkylthio C_d-C_ealkyl”, “C_a-C_bhaloalkylthio C_d-C_ealkyl”, “phenylthio C_d-C_ealkyl”, “phenylthio C_d-C_ealkyl substituted with (Z)_{p1}”, “C_a-C_balkylsulfinyl C_d-C_ealkyl”, “C_a-C_bhaloalkylsulfinyl C_d-C_ealkyl”, “C_a-C_balkylsulfonyl C_d-C_ealkyl”, “C_a-C_bhaloalkylsulfonyl C_d-C_ealkyl”, “C_a-C_balkylcarbonyl C_d-C_ealkyl”, “C_a-C_bhaloalkylcarbonyl C_d-C_ealkyl”, “C_a-C_balkoxycarbonyl C_d-C_ealkyl”, “C_a-C_bhaloalkoxycarbonyl C_d-C_ealkyl”, “C_a-C_balkylaminocarbonyl C_d-C_ealkyl”, “di(C_a-C_balkyl) aminocarbonyl C_d-C_ealkyl”, “tri(C_a-C_balkyl) silyl C_d-C_ealkyl”, “phenyl C_d-C_ealkyl”, “phenyl C_d-C_ealkyl substituted with (Z)_{p1}”, “C_d-C_ealkyl substituted with any one of D-1 to D-60” or “C_d-C_ealkyl substituted with any one of E-1 to E-49” means straight-chain or branched-chain hydrocarbon groups having carbon atom number of d to e, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with the C_a-C_bcycloalkyl, C_a-C_bhalocycloalkyl, C_a-C_balkoxy, C_a-C_bhaloalkoxy, benzyloxy, C_a-C_balkylthio, C_a-C_bhaloalkylthio, phenylthio, phenylthio substituted with (Z)_{p1}, C_a-C_balkylsulfinyl, C_a-C_bhaloalkylsulfinyl, C_a-C_balkylsulfonyl, C_a-C_bhaloalkylsulfonyl, C_a-C_balkylcarbonyl, C_a-C_bhaloalkylcarbonyl, C_a-C_balkoxycarbonyl, C_a-C_bhaloalkoxycarbonyl, C_a-C_balkylaminocarbonyl, di(C_a-C_balkyl) aminocarbonyl, tri(C_a-C_balkyl) silyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49 that has the meaning mentioned above, respectively. It is selected from the scope of the indicated carbon atom number.

[0063] In the specification, the indication of “C_a-C_balkyl arbitrarily substituted with R⁴”, “C_a-C_balkyl arbitrarily substituted with R¹⁶”, “C_a-C_balkyl arbitrarily substituted with R²⁴” or “C_a-C_balkyl arbitrarily substituted with R³²” means straight-chain or branched-chain hydrocarbon groups having carbon atom number of d to e, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with R⁴, R¹⁶, R²⁴ or R³². It is selected from the scope of the indicated carbon atom number. In this case, when two or more substituents R⁴, R¹⁶, R²⁴ or R³² are present on the C_a-C_balkyl, respective R⁴, R¹⁶, R²⁴ or R³² may be identical with or different from each other.

[0064] In the specification, the indication of “C_a-C_bhaloalkoxy C_d-C_ehaloalkyl” means the haloalkyl having carbon atom number of d to e, which a hydrogen atom (hydrogen atoms) or a halogen atom (halogen atoms) bonded to carbon atom is (are) arbitrarily substituted with the C_a-C_bhaloalkoxy, and includes for example 2,2,2-trifluoro-1-(2,2,2-trifluoroethoxy)-1-(trifluoromethyl)ethyl, 3(1,2-dichloro-1,2,2-trifluoroethoxy)-1,1,2,2,3,3-hexafluoropropyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0065] In the specification, the indication of “C_a-C_balkenyl C_d-C_ecycloalkyl” or “C_a-C_bhaloalkenyl C_d-C_ecycloalkyl” means the cycloalkyl having carbon atom number of d to e, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with C_a-C_balkenyl or C_a-C_bhaloalkenyl, and includes for example 2-vinylcyclopropyl, 3,3-dimethyl-2-(2-methyl-1-propenyl)cyclopropyl, 2-(2,2-dichloroethyl)-3,3-dimethylcyclopropyl, 2-(2-chloro-3,3,3-trifluoro-1-propenyl)-3,3-dimethylcyclopropyl, 2-allylcyclopentyl, and the like. It is selected from the scope of the indicated carbon atom number.

[0066] In the specification, the indication of “C_a-C_bcycloalkyl arbitrarily substituted with R⁴”, “C_a-C_bcycloalkyl arbitrarily substituted with R¹⁶”, “C_a-C_bcycloalkyl arbitrarily substituted with R²⁴” or “C_a-C_bcycloalkyl arbitrarily substituted with R³²” means the cycloalkyl groups having carbon atom number of a to b, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with R⁴, R¹⁶, R²⁴ or R³². The substitution for R⁴, R¹⁶, R²⁴ or R³² may be in the ring structure moiety, the side chain moiety or both of them. In this case, when two or more substituents R⁴, R¹⁶, R²⁴ or R³² are present on the C_a-C_bcycloalkyl, respective R⁴, R¹⁶, R²⁴ or R³² may be identical with or different from each other.

[0067] In the specification, the indication of “phenyl C_a-C_balkenyl” or “phenyl C_a-C_balkenyl substituted with (Z)_{p1}” means the alkenyl having carbon atom number of a to b, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted phenyl or phenyl substituted with (Z)_{p1}. It is selected from the scope of the indicated carbon atom number.

[0068] In the specification, the indication of “C_a-C_balkenyl arbitrarily substituted with R⁴”, “C_a-C_balkenyl arbitrarily substituted with R¹⁶”, “C_a-C_balkenyl arbitrarily substituted with R²⁴” or “C_a-C_balkenyl arbitrarily substituted with R³²” means the alkenyl groups having carbon atom number of a to b, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with R⁴, R¹⁶, R²⁴ or R³². It is selected from the scope of the indicated carbon atom number. In this case, when two or more substituents R⁴, R¹⁶, R²⁴ or R³² are present on the C_a-C_balkenyl, respective R⁴, R¹⁶, R²⁴ or R³² may be identical with or different from each other.

[0069] In the specification, the indication of “phenyl C_a-C_balkynyl” or “phenyl C_a-C_balkynyl substituted with (Z)_{p1}” means the alkynyl having carbon atom number of a to b, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted phenyl or phenyl substituted with (Z)_{p1}. It is selected from the

scope of the indicated carbon atom number.

[0070] In the specification, the indication of "C_a-C_balkynyl arbitrarily substituted with R⁴", "C_a-C_balkynyl arbitrarily substituted with R¹⁶", "C_a-C_balkynyl arbitrarily substituted with R²⁴" or "C_a-C_balkynyl arbitrarily substituted with R³²" means the alkynyl groups having carbon atom number of a to b, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted with R⁴, R¹⁶, R²⁴ or R³². It is selected from the scope of the indicated carbon atom number. In this case, when two or more substituents R⁴, R¹⁶, R²⁴ or R³² are present on the C_a-C_balkynyl, respective R⁴, R¹⁶, R²⁴ or R³² may be identical with or different from each other.

[0071] In the specification, the indication of "phenyl C_a-C_balkoxy" or "phenyl C_a-C_balkoxy substituted with (Z)_{p1}" means the C_a-C_balkoxy, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted phenyl or phenyl substituted with (Z)_{p1}. The concrete examples of C_a-C_balkoxy are for example -CH₂O-, -CH(CH₃)O-, -C(CH₃)₂O-, -CH₂CH₂O-, -CH(CH₃)CH₂O-, -C(CH₃)₂CH₂O-, and the like. It is selected from the scope of the indicated carbon atom number.

[0072] In the specification, the indication of "phenyl C_a-C_balkylcarbonyl" or "phenyl C_a-C_balkylcarbonyl substituted with (Z)_{p1}" means the C_a-C_balkylcarbonyl, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted phenyl or phenyl substituted with (Z)_{p1}. The concrete examples of C_a-C_balkylcarbonyl are for example -CH₂C(O)-, -CH(CH₃)C(O)-, -C(CH₃)₂C(O)-, -CH₂CH₂C(O)-, -CH(CH₃)CH₂C(O)-, -C(CH₃)₂CH₂C(O)-, -CH₂CH(CH₃)C(O)-, -CH₂C(CH₃)₂C(O)-, -CH₂CH₂CH₂C(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0073] In the specification, the indication of "phenyl C_a-C_balkoxycarbonyl" or "phenyl C_a-C_balkoxycarbonyl substituted with (Z)_{p1}" means the C_a-C_balkoxycarbonyl, which a hydrogen atom (hydrogen atoms) bonded to carbon atom is (are) arbitrarily substituted phenyl or phenyl substituted with (Z)_{p1}. The concrete examples of C_a-C_balkoxycarbonyl are for example -CH₂O-C(O)-, -CH(CH₃)O-C(O)-, -C(CH₃)₂O-C(O)-, -CH₂CH₂O-C(O)-, -CH(CH₃)CH₂O-C(O)-, -C(CH₃)₂CH₂O-C(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0074] In the specification, the indication of "phenyl C_a-C_balkylaminocarbonyl" or "phenyl C_a-C_balkylaminocarbonyl substituted with (Z)_{p1}" means the C_a-C_balkylaminocarbonyl, which a hydrogen atom (hydrogen atoms) bonded to

carbon atom is (are) arbitrarily substituted phenyl or phenyl substituted with (Z)_{p1}. The concrete examples of C_a-C_balkylaminocarbonyl are for example -CH₂NH-C(O)-, -CH(CH₃)NH-C(O)-, -C(CH₃)₂NH-C(O)-, -CH₂CH₂NH-C(O)-, -CH(CH₃)CH₂NH-C(O)-, C(CH₃)₂CH₂NH-C(O)-, and the like. It is selected from the scope of the indicated carbon atom number.

[0075] In the specification, concrete examples of the indication of "R¹ and R² together may form 3- to 8-membered ring together with the nitrogen atom bonding them by forming C₂ to C₇ alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom",

"R¹⁰ together with R⁹ may form 3- to 7-membered ring with the nitrogen atom bonding them by forming C₂-C₆alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom",

"R¹⁸ together with R¹⁷ may form 5- to 8-membered ring with the nitrogen atom bonding them by forming C₄-C₇alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom",

"R²⁶ together with R²⁵ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom",

"R²⁹ together with R²⁸ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom",

"R³⁴ together with R³³ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom",

are for example aziridine, azetidine, pyrrolidine, oxazolidine, thiazoridine, imidazolidine, piperidine, morpholine, thiomorpholine, piperazine, homopiperidine, heptamethyleneimine, and the like. It is selected from the scope of the indicated carbon atom number.

[0076] In the specification, concrete examples of the indication of "R⁷ together with R⁶ may form 3- to 7-membered ring with the nitrogen atom bonding them by forming C₂-C₆alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom" are for example aziridine, azetidine, azetidin-2-one, pyrrolidine, pyrrolidin-2-one, oxazolidine, oxazolidin-2-one, thiazoridine, thiazoridin-2-one, imidazolidine, imidazolidin-2-one, piperidine, piperidin-2-one, morpholine, tetrahydro-1,3-oxadin-2-one, thiomorpholine,

tetrahydro-1,3-thiazin-2-one, piperazine, tetrahydropyrimidin-2-one, homopiperidine, homopiperidin-2-one, and the like. It is selected from the scope of the indicated carbon atom number.

[0077] In the specification, concrete examples of the indication of "R¹¹ together with R⁹ may form 5- to 7-membered ring with the nitrogen atom bonding them by forming C₂-C₄alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom" are for example isoxazoline, oxazoline, thiazoline, imidazoline, 1,4,2-dioxazoline, 1,4,2-oxathiazoline, 1,2,4-oxadiazoline, dihydro-1,2-oxadine, dihydro-1,3-oxadine, dihydro-1,3-thiazine, 3,4,5,6-tetrahydropyrimidine, dihydro-1,4,2-dioxadine, dihydro-1,4,2-oxathiazine, dihydro-4H-1,2,4-oxadiazine, tetrahydro-1,2-oxazepine, and the like. It is selected from the scope of the indicated carbon atom number.

[0078] In the specification, concrete examples of the indication of "R³¹ together with R³⁰ may form 5- to 7-membered ring with the nitrogen atom bonding them by forming C₂-C₄alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom" are for example oxazoline, thiazoline, imidazoline, dihydro-1,3-oxazine, dihydro-1,3-thiazine, 3,4,5,6-tetrahydropyrimidine, dihydro-1,4,2-dioxadine, and the like. It is selected from the scope of the indicated carbon atom number.

[0079] In the compounds included in the present invention, the combination of the atoms of A¹, A² and A³ includes for example the following groups.

That is, A-I: A¹, A² and A³ are carbon atoms.

A-II: A¹ is nitrogen atom, A² and A³ are carbon atoms.

A-III: A² is nitrogen atom, A¹ and A³ are carbon atoms.

A-IV: A¹ and A³ are nitrogen atom, A² is carbon atom.

A-V: A² and A³ are nitrogen atom, A¹ is carbon atom.

[0080] In the compounds included in the present invention, the substituent G includes for example aromatic 6-membered rings shown in any one of G-1 to G-10 and aromatic 5-membered rings shown in any one of G-11 to G-25. Among them, aromatic 6-membered rings shown in G-1, G-3 and G-4 and aromatic 5-membered rings shown in any one of G-13, G-14, G-17, G-18, G-20, G-21 and G-22 are preferable, and aromatic 6-membered ring shown in G-1 is particularly preferable.

[0081] In the compounds included in the present invention, the substituent W includes for example oxygen atom or sulfur atom.

[0082] In the compounds included in the present invention, the substituent X

includes for example the following groups. In each case mentioned below, when m is an integer of 2 or more, Xs may be identical with or different from each other.

That is, X-I: halogen atom and C₁-C₆haloalkyl.

X-II: halogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxy, C₁-C₆alkylsulfonyloxy, C₁-C₆alkylthio, C₁-C₆alkylsulfinyl and C₁-C₆alkylsulfonyl.

X-III: halogen atom, C₁-C₆haloalkyl, C₁-C₆haloalkoxy, C₁-C₃haloalkoxy C₁-C₃haloalkoxy, C₁-C₆haloalkylsulfonyloxy, C₁-C₆haloalkylthio, C₁-C₆haloalkylsulfinyl and C₁-C₆haloalkylsulfonyl.

X-IV: halogen atom, C₁-C₆haloalkyl, cyano, nitro, -SF₅ and -Si(R¹³)(R¹⁴)R¹² wherein R¹² is C₁-C₆alkyl, phenyl or phenyl substituted with (Z)_{p1}, R¹³ and R¹⁴ independently of each other are C₁-C₆alkyl.

X-V: halogen atom and C₁-C₆alkyl arbitrarily substituted with R⁴ wherein R⁴ is halogen atom, cyano, -OH, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfinyl, C₁-C₆haloalkylsulfinyl, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl or tri(C₁-C₆alkyl)silyl.

X-VI: halogen atom, C₁-C₆haloalkyl, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₂-C₆alkenyl, C₂-C₆haloalkenyl, C₂-C₆alkynyl, C₂-C₆haloalkynyl, E-10, E-12, E-18, E-32, E-35 and E-43.

X-VII: halogen atom, C₁-C₆haloalkyl, -OR⁵, -OSO₂R⁵ and -S(O)_rR⁵ wherein R⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₃haloalkoxy C₁-C₃haloalkyl, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₂-C₆alkenyl, C₂-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, E-4 to E-9, E-23 to E-27 or E-28, r is an integer of 0 to 2.

X-VIII: halogen atom, C₁-C₆haloalkyl, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -CH=NOR¹¹ and -C(R⁹)=NOR¹¹ wherein R⁹ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₈cycloalkyl or C₃-C₈halocycloalkyl, R¹⁰ is hydrogen atom or C₁-C₆alkyl, or R¹⁰ together with R⁹ may form 5- or 6-membered ring with the nitrogen atom bonding them by forming C₄-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom, R¹¹ is C₁-C₆alkyl or C₁-C₆haloalkyl, or R¹¹ together with R⁹ may form 5- or 6-membered ring with the atom bonding them by forming C₂-C₃alkylene chain, in this case, the alkylene chain may be arbitrarily substituted with C₁-C₆alkyl.

X-IX: m is 2, two adjacent Xs form 5- or 6-membered ring with the carbon atom bonding them by forming -CF₂OCF₂-, -OCF₂O-, -CF₂OCF₂O- or -OCF₂CF₂O-.

[0083] In the compounds included in the present invention, m indicating the number of substituent X is an integer of 0 to 5. Among them, m is preferably 1, 2

and 3.

[0084] In the compounds included in the present invention, the substituent Y includes for example the following groups. In each case mentioned below, when n is an integer of 2 or more, Ys may be identical with or different from each other.

That is, Y-I: halogen atom, C₁-C₆alkyl and C₁-C₆haloalkyl.

Y-II: halogen atom, C₁-C₆alkyl, cyano, nitro, -C(O)NH₂ and -C(S)NH₂.

Y-III: halogen atom, C₁-C₆alkyl and C₁-C₆alkyl arbitrarily substituted with C₁-C₆alkyl and R⁴ wherein R⁴ is halogen atom, cyano, -OH, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfinyl, C₁-C₆haloalkylsulfinyl, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl or tri(C₁-C₆alkyl)silyl.

Y-IV: halogen atom, C₁-C₆alkyl, -OR⁵, -OSO₂R⁵ and -S(O)_rR⁵ wherein R⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₃haloalkoxy, C₁-C₃haloalkyl, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₂-C₆alkenyl, C₂-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, E-4 to E-9, E-23 to E-27 or E-28, r is an integer of 0 to 2.

Y-V: halogen atom, C₁-C₆alkyl, -NHR⁷, -N(R⁷)R⁶ wherein R⁶ is C₁-C₆alkyl, C₁-C₆haloalkyl, -S(O)₂R⁹, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹ or -C(S)SR⁹, R⁷ is hydrogen atom, C₁-C₆alkyl or C₁-C₆haloalkyl, R⁹ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₈cycloalkyl or C₃-C₈halocycloalkyl and -N=C(R⁹)OR⁸ wherein R⁸ is C₁-C₆alkyl, R⁹ is C₁-C₆alkyl or C₁-C₆haloalkyl.

Y-VI: halogen atom, nitro, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkylthio, C₁-C₆alkylamino and di(C₁-C₆alkyl)amino.

[0085] In the compounds included in the present invention, n indicating the number of substituent Y is an integer of 0 to 4. Among them, n is preferably 0 and 1.

[0086] In the compounds included in the present invention, the substituent R¹ includes for example the following groups.

That is, R¹-I: C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶ (wherein R¹⁶ is halogen atom, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-38, D-47 to D-55, E-4 to E-12, E-18, E-19, E-32, E-35, E-43, M-2, M-3, M-5, M-8, M-9 or M-10), C₃-C₈cycloalkyl and C₃-C₈halocycloalkyl.

R¹-II: C₁-C₆alkyl arbitrarily substituted with -OR²⁵ wherein R²⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylaminocarbonyl, di(C₁-C₆alkyl)aminocarbonyl or C₁-C₆alkylsulfonyl.

R¹-III: C₁-C₆alkyl arbitrarily substituted with -N(R²⁶)R²⁵ wherein R²⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylaminocarbonyl,

di(C₁-C₆alkyl)aminocarbonyl or C₁-C₆alkylsulfonyl, R²⁶ is hydrogen or C₁-C₆alkyl.

R¹-IV: C₁-C₆alkyl arbitrarily substituted with -S(O)_rR²⁷ wherein R²⁷ is C₁-C₆alkyl, C₁-C₆haloalkyl or tri(C₁-C₄alkyl)silyl C₁-C₄alkyl, r is an integer of 0 to 2.

R¹-V: C₁-C₆alkyl arbitrarily substituted with R¹⁶ wherein R¹⁶ is cyano, -C(O)R²⁸, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(O)N(R²⁹)OR²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, -SO₂NHR²⁹, -SO₂N(R²⁹)R²⁸, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, -C(=NR³¹)OR³⁰ or -C(=NR³¹)SR³⁰, R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl, C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, phenyl or phenyl substituted with (Z)_{p1}, R²⁹ is hydrogen atom, C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl, R³⁰ is C₁-C₆alkyl or C₃-C₆cycloalkyl C₁-C₄alkyl, R³¹ is hydrogen atom or C₁-C₆alkyl, or R³¹ together with R³⁰ may form 5- or 6-membered ring with the atom bonding them by forming C₂-C₃alkylene chain.

R¹-VI: C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl substituted with (Z)_{p1}, D-8, D-10, D-11, D-13, D-15, D-17, D-18, D-21 to D-23, D-26, D-27, D-29 to D-37, D-39, D-40, D-42, D-45, D-47, D-48, D-50, D-51, D-53, D-54, D-56, D-58, E-5, E-7 and E-9.

R¹-VII: -N(R²⁰)R¹⁹ wherein R¹⁹ is C₁-C₆haloalkyl, C₃-C₆cycloalkyl, -C(O)R²⁸, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, phenyl, phenyl substituted with (Z)_{p1}, D-3, D-4, D-21, D-47, D-50, D-51, D-53 or D-54, R²⁰ is hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkenyl, C₃-C₆alkynyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆alkoxycarbonyl or C₁-C₆alkylsulfonyl, R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, phenyl or phenyl substituted with (Z)_{p1}, R²⁹ is hydrogen atom, C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl.

R¹-VIII: C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶ (wherein R¹⁶ is cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfinyl, C₁-C₆haloalkylsulfinyl, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, C₁-C₆alkylcarbonyl, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NH₂, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-38, D-47 to D-55, E-4 to E-7, E-10, E-11 or E-32, R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-

C₈alkenyl or C₃-C₈alkynyl, R²⁹ is hydrogen atom or C₁-C₆alkyl, R³⁰ is C₁-C₆alkyl, R³¹ is hydrogen or C₁-C₆alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, -N(R²⁰)R¹⁹ (wherein R¹⁹ is C₁-C₆haloalkyl, -C(O)R²⁸, -C(O)OR²⁸, phenyl, phenyl substituted with (Z)_{p1}, D-3, D-4, D-21, D-47, D-50, D-51, D-53 or D-54, R²⁰ is hydrogen atom or C₁-C₆alkyl, R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₈alkenyl or C₃-C₈alkynyl), phenyl substituted with (Z)_{p1}, D-8, D-10, D-13, D-15, D-18, D-21, D-34, D-35, D-50 and D-51.

R¹-IX: C₁-C₆haloalkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶ (wherein R¹⁶ is cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfinyl, C₁-C₆haloalkylsulfinyl, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, C₁-C₆alkylcarbonyl, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NH₂, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-38, D-47 to D-55, E-4 to E-7, E-10, E-11 or E-32, R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₈alkenyl or C₃-C₈alkynyl, R²⁹ is hydrogen atom or C₁-C₆alkyl, R³⁰ is C₁-C₆alkyl, R³¹ is hydrogen or C₁-C₆alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, -N(R²⁰)R¹⁹ (wherein R¹⁹ is C₁-C₆haloalkyl, -C(O)R²⁸, -C(O)OR²⁸, phenyl, phenyl substituted with (Z)_{p1}, D-3, D-4, D-21, D-47, D-50, D-51, D-53 or D-54, R²⁰ is hydrogen atom or C₁-C₆alkyl, R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₈alkenyl or C₃-C₈alkynyl), phenyl substituted with (Z)_{p1}, D-8, D-10, D-13, D-15, D-18, D-21, D-34, D-35, D-50 and D-51.

R¹-X: C₁-C₆haloalkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶ (wherein R¹⁶ is C₃-C₆cycloalkyl, C₁-C₆alkoxy, C₁-C₆alkylthio, C₁-C₆alkylsulfinyl, C₁-C₆alkylsulfonyl, -C(O)NH₂, -C(O)NHR²⁸, -C(S)NH₂, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, D-1 to D-4, D-8 to D-38, D-47 to D-54, E-4 to E-7, E-10, E-11 or E-32, R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl, C₃-C₈alkenyl or C₃-C₈alkynyl, R³⁰ is C₁-C₆alkyl, R³¹ is hydrogen or C₁-C₆alkyl, C₃-C₆cycloalkyl, C₃-C₈alkenyl, C₃-C₈haloalkenyl, C₃-C₈alkynyl, -N(R²⁰)R¹⁹ (wherein R¹⁹ is C₁-C₆haloalkyl, -C(O)R²⁸, -C(O)OR²⁸, phenyl, D-3, D-4, D-21, D-47, D-50, D-51, D-53 or D-54, R²⁰ is hydrogen atom or C₁-C₆alkyl, R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₈alkenyl or C₃-C₈alkynyl), D-8, D-10, D-13, D-15, D-18, D-21, D-34, D-35, D-50 and D-51.

R¹-XI: C₁-C₆alkyl and phenyl C₁-C₆alkyl.

R¹-XII: C₁-C₈alkyl, C₁-C₈alkyl arbitrarily substituted with R¹⁶ (wherein R¹⁶ is halogen atom, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-42, D-47 to D-55, E-4 to E-12, E-14, E-16 to E-19, E-21 to E-23, E-

26 to E-35, E-40 to E-45, E-48, M-2, M-3, M-5, M-8 to M-10, M-14, M-15 or M-16), C₃-C₈cycloalkyl and C₃-C₈halocycloalkyl.

R¹-XIII: C₁-C₈alkyl arbitrarily substituted with -OR²⁵ wherein R²⁵ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, -C(O)R³³, -C(O)OR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, -S(O)₂R³³, -S(O)₂N(R³⁴)R³³, di(C₁-C₆alkyl)thiophosphoryl, phenyl or phenyl substituted with (Z)_{p1}, R³³ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl, C₃-C₆alkynyl, phenyl or phenyl substituted with (Z)_{p1}, R³⁴ is hydrogen atom or C₁-C₆alkyl.

R¹-XIV : C₁-C₈alkyl arbitrarily substituted with -N(R²⁶)R²⁵ wherein R²⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)R³³, -C(S)OR³³, -C(S)SR³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, -S(O)₂R³³ or -S(O)₂N(R³⁴)R³³, R²⁶ is hydrogen atom or C₁-C₆alkyl, or R²⁶ together with R²⁵ may form 4- to 6-membered ring with the nitrogen atom bonding them by forming C₃-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be substituted with C₁-C₆alkyl, oxo or thioxo, R³³ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl, C₃-C₆alkynyl, phenyl or phenyl substituted with (Z)_{p1}, R³⁴ is hydrogen atom or C₁-C₆alkyl.

R¹-XV: C₁-C₈alkyl arbitrarily substituted with -S(O)_rR²⁷ wherein R²⁷ is C₁-C₆alkyl, C₁-C₆haloalkyl, tri(C₁-C₄alkyl)silyl C₁-C₄alkyl, C₁-C₆alkylthio, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, phenyl, phenyl substituted with (Z)_{p1}, D-47 or D-50, R³³ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl, C₃-C₆alkynyl, phenyl or phenyl substituted with (Z)_{p1}, R³⁴ is hydrogen atom or C₁-C₆alkyl, r is an integer of 0 to 2.

R¹-XVI : C₁-C₈alkyl arbitrarily substituted with R¹⁶ wherein R¹⁶ is cyano, -SO₂NHR²⁹, -SO₂N(R²⁹)R²⁸, -CHO, -C(O)R²⁸, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, -C(=NR³¹)OR³⁰, -C(=NR³¹)SR³⁰, -C(=NR³¹)N(R³⁰)R²⁹, -C(=NOR³¹)NHR²⁹ or -C(=NOR³¹)N(R³⁰)R²⁹, R²⁸ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R³², C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkenyl, phenyl or phenyl substituted with (Z)_{p1}, R²⁹ is hydrogen atom, C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl, or R²⁹ together with R²⁸ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this

case, the alkylene chain may contain one oxygen atom or sulfur atom, R^{30} is C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with $(Z)_{p1}$, C_3 - C_8 alkenyl or C_3 - C_8 alkynyl, R^{31} is hydrogen atom or C_1 - C_6 alkyl, or R^{31} together with R^{30} may form 5- or 6-membered ring with the atom bonding them by forming C_2 - C_3 alkylene chain, in this case, the alkylene chain may be arbitrarily substituted with C_1 - C_6 alkyl, R^{32} is halogen atom, cyano, C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, C_1 - C_4 alkoxy, C_1 - C_4 haloalkoxy, C_1 - C_4 alkylthio, C_1 - C_4 haloalkylthio, C_1 - C_4 alkoxycarbonyl, $-C(O)NH_2$, C_1 - C_4 alkylaminocarbonyl, $di(C_1$ - C_4 alkyl)aminocarbonyl, phenyl or phenyl substituted with $(Z)_{p1}$.

R^1 -XVII: C_3 - C_8 alkenyl, C_3 - C_8 haloalkenyl, C_3 - C_8 alkynyl, C_3 - C_8 haloalkynyl, phenyl substituted with $(Z)_{p1}$, D-8 to D-13, D-15 to D-18, D-21 to D-23, D-26, D-27, D-29 to D-37, D-39, D-40, D-42, D-45 to D-58, E-5, E-7, E-9, E-24, E-25, E-27, E-28, E-30, E-31 and E-34.

R^1 -XVIII: $-N(R^{20})R^{19}$ wherein R^{19} is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl C_1 - C_6 alkyl, phenyl C_1 - C_6 alkyl, phenyl C_1 - C_6 alkyl substituted with $(Z)_{p1}$, C_3 - C_6 cycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 haloalkenyl, C_3 - C_6 alkynyl, $-C(O)R^{28}$, $-C(O)OR^{28}$, $-C(O)NHR^{29}$, $-C(O)N(R^{29})R^{28}$, $-C(S)NHR^{29}$, $-C(S)N(R^{29})R^{28}$, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl, phenylsulfonyl, phenylsulfonyl substituted with $(Z)_{p1}$, phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-4, D-18, D-21, D-25, D-30 to D-35, D-47 to D-55 or D-56, R^{20} is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_4 alkoxy C_1 - C_4 alkyl, C_1 - C_4 alkylthio C_1 - C_4 alkyl, cyano C_1 - C_6 alkyl, C_3 - C_6 alkenyl, C_3 - C_6 alkynyl, $-CHO$, C_1 - C_6 alkylcarbonyl, C_1 - C_6 haloalkylcarbonyl, C_1 - C_6 alkoxycarbonyl, C_1 - C_6 haloalkoxycarbonyl or C_1 - C_6 alkylsulfonyl, R^{28} is C_1 - C_6 alkyl, C_1 - C_6 alkyl arbitrarily substituted with R^{32} , C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 haloalkenyl, C_3 - C_6 alkynyl, C_3 - C_6 haloalkynyl, phenyl or phenyl substituted with $(Z)_{p1}$, R^{29} is hydrogen atom, C_1 - C_6 alkyl, C_3 - C_6 alkenyl or C_3 - C_6 alkynyl, R^{29} together with R^{28} may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C_2 - C_5 alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom, R^{32} is hydrogen atom, cyano, C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, C_1 - C_4 alkoxy, C_1 - C_4 haloalkoxy, C_1 - C_4 alkylthio, C_1 - C_4 haloalkylthio, C_1 - C_4 alkoxycarbonyl, $-C(O)NH_2$, C_1 - C_4 alkylaminocarbonyl, $di(C_1$ - C_4 alkyl)aminocarbonyl, phenyl or phenyl substituted with $(Z)_{p1}$.

[0087] In the compounds included in the present invention, the substituent R^2 includes for example the following groups.

That is, R^2 -I: hydrogen atom.

R²-II: C₁-C₆alkyl, C₁-C₆haloalkyl and C₃-C₆cycloalkyl.

R²-III: C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl and cyano C₁-C₆alkyl.

R²-IV: C₃-C₆alkenyl and C₃-C₆alkynyl.

R²-V: -OH, C₁-C₆alkoxy, C₁-C₆alkylcarbonyloxy, C₁-C₆alkoxycarbonyloxy and C₁-C₆alkylsulfonyloxy.

R²-VI: C₁-C₆haloalkylthio, phenylthio, phenylthio substituted with (Z)_{p1} and -SN(R¹⁸)R¹⁷ wherein R¹⁷ is C₁-C₆alkyl, C₁-C₆alkoxycarbonyl C₁-C₄alkyl or C₁-C₆alkoxycarbonyl, R¹⁸ is C₁-C₆alkyl or benzyl.

R²-VII: -NHR²⁰ (wherein R²⁰ is hydrogen atom, C₁-C₆alkyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆alkoxycarbonyl or C₁-C₆alkylsulfonyl), -N=CHR^{19b} and -N=C(R^{19b})R^{19a} wherein R^{19a} is C₁-C₆alkyl, R^{19b} is hydrogen atom or C₁-C₆alkyl.

R²-VIII: -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹, -C(S)SR⁹ (wherein R⁹ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl) and C₁-C₆alkylsulfonyl.

R²-IX: 3- to 7-membered ring that R² forms together with R¹ is aziridine, azetidine, pyrrolidine, oxazolidine, thiazolidine, piperidine, morpholine, thiomorpholine and homopiperidine.

R²-X: hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆alkynyl, -OH, C₁-C₆alkylcarbonyloxy, C₁-C₆alkylsulfonyloxy, -NH₂, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹ and -C(S)SR⁹ wherein R⁹ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₈cycloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl.

R²-XI: hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkynyl, -C(O)R⁹ and -C(O)OR⁹ wherein R⁹ is C₁-C₆alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, C₃-C₈cycloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl.

[0088] In the compounds included in the present invention, the substituent R³ includes for example the following groups.

That is, R³-I: C₁-C₆haloalkyl and C₃-C₈halocycloalkyl.

R³-II: C₁-C₆alkyl, C₃-C₈cycloalkyl, E-4 to E-7, E-23 to E-27 and E-28.

R³-III: C₁-C₄alkoxy C₁-C₄haloalkyl, C₁-C₄haloalkoxy C₁-C₄haloalkyl, C₁-C₄alkylthio C₁-C₄haloalkyl, C₁-C₄alkylsulfinyl C₁-C₄haloalkyl, C₁-C₄alkylsulfonyl C₁-C₄haloalkyl, C₁-C₄haloalkylthio C₁-C₄haloalkyl, C₁-C₄haloalkylsulfinyl C₁-C₄haloalkyl, C₁-C₄haloalkylsulfonyl C₁-C₄haloalkyl and cyano C₁-C₆haloalkyl.

R³-IV: C₃-C₆cycloalkyl C₁-C₄alkyl, C₃-C₆halocycloalkyl C₁-C₄alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄haloalkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄alkylsulfinyl C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-C₄haloalkylthio C₁-C₄alkyl, C₁-C₄haloalkylsulfinyl C₁-C₄alkyl, C₁-C₄haloalkylsulfonyl C₁-C₄alkyl and cyano C₁-C₆alkyl.

R³-V: C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄haloalkyl, C₁-C₄haloalkoxy C₁-C₄haloalkyl, C₁-C₄alkylthio C₁-C₄haloalkyl, C₁-C₄haloalkylthio C₁-C₄haloalkyl, cyano C₁-C₆haloalkyl and C₃-C₆halocycloalkyl.

R³-VI: C₁-C₆haloalkyl.

R³-VII: C₁-C₆alkyl arbitrarily substituted with two or more arbitrary halogen atoms.

[0089] Each group showing the scope of each substituent in the compounds included in the present invention can be arbitrarily combined one another, and all combination thereof falls within the scope of the present invention. Examples of the combination of the scope of X, Y and R¹ include for example the combination shown in Table 1. In the meantime, the combination of Table 1 is for illustrative purposes, and the present invention is not limited thereto.

Table 1

X	Y	R ¹
X-I	Y-I	R ¹ -I
X-I	Y-I	R ¹ -II
X-I	Y-I	R ¹ -III
X-I	Y-I	R ¹ -IV
X-I	Y-I	R ¹ -V
X-I	Y-I	R ¹ -VI
X-I	Y-I	R ¹ -VII
X-I	Y-I	R ¹ -VIII
X-I	Y-I	R ¹ -IX
X-I	Y-I	R ¹ -X
X-I	Y-I	R ¹ -XI
X-I	Y-II	R ¹ -I
X-I	Y-II	R ¹ -II
X-I	Y-II	R ¹ -III
X-I	Y-II	R ¹ -IV
X-I	Y-II	R ¹ -V
X-I	Y-II	R ¹ -VI
X-I	Y-II	R ¹ -VII
X-I	Y-II	R ¹ -VIII
X-I	Y-II	R ¹ -IX

Table 1 (continued)

X	Y	R ¹
X-III	Y-VI	R ¹ -II
X-III	Y-VI	R ¹ -III
X-III	Y-VI	R ¹ -IV
X-III	Y-VI	R ¹ -V
X-III	Y-VI	R ¹ -VI
X-III	Y-VI	R ¹ -VII
X-III	Y-VI	R ¹ -VIII
X-III	Y-VI	R ¹ -IX
X-III	Y-VI	R ¹ -X
X-III	Y-VI	R ¹ -XI
X-IV	Y-I	R ¹ -I
X-IV	Y-I	R ¹ -II
X-IV	Y-I	R ¹ -III
X-IV	Y-I	R ¹ -IV
X-IV	Y-I	R ¹ -V
X-IV	Y-I	R ¹ -VI
X-IV	Y-I	R ¹ -VII
X-IV	Y-I	R ¹ -VIII
X-IV	Y-I	R ¹ -IX
X-IV	Y-I	R ¹ -X


X-I	Y-II	R ¹ -X	X-IV	Y-I	R ¹ -XI
X-I	Y-II	R ¹ -XI	X-IV	Y-II	R ¹ -X
X-I	Y-III	R ¹ -I	X-IV	Y-III	R ¹ -X
X-I	Y-III	R ¹ -VII	X-IV	Y-IV	R ¹ -X
X-I	Y-III	R ¹ -VIII	X-IV	Y-V	R ¹ -X
X-I	Y-III	R ¹ -IX	X-IV	Y-VI	R ¹ -I
X-I	Y-III	R ¹ -X	X-IV	Y-VI	R ¹ -II
X-I	Y-IV	R ¹ -I	X-IV	Y-VI	R ¹ -III
X-I	Y-IV	R ¹ -II	X-IV	Y-VI	R ¹ -IV
X-I	Y-IV	R ¹ -III	X-IV	Y-VI	R ¹ -V
X-I	Y-IV	R ¹ -IV	X-IV	Y-VI	R ¹ -VI
X-I	Y-IV	R ¹ -V	X-IV	Y-VI	R ¹ -VII
X-I	Y-IV	R ¹ -VI	X-IV	Y-VI	R ¹ -VIII
X-I	Y-IV	R ¹ -VII	X-IV	Y-VI	R ¹ -IX
X-I	Y-IV	R ¹ -VIII	X-IV	Y-VI	R ¹ -X
X-I	Y-IV	R ¹ -IX	X-IV	Y-VI	R ¹ -XI
X-I	Y-IV	R ¹ -X	X-V	Y-I	R ¹ -I
X-I	Y-IV	R ¹ -XI	X-V	Y-I	R ¹ -VII
X-I	Y-V	R ¹ -I	X-V	Y-I	R ¹ -IX
X-I	Y-V	R ¹ -II	X-V	Y-I	R ¹ -X
X-I	Y-V	R ¹ -III	X-V	Y-II	R ¹ -X
X-I	Y-V	R ¹ -IV	X-V	Y-III	R ¹ -X
X-I	Y-V	R ¹ -V	X-V	Y-IV	R ¹ -X
X-I	Y-V	R ¹ -VI	X-V	Y-V	R ¹ -X
X-I	Y-V	R ¹ -VII	X-V	Y-VI	R ¹ -I
X-I	Y-V	R ¹ -VIII	X-V	Y-VI	R ¹ -VII
X-I	Y-V	R ¹ -IX	X-V	Y-VI	R ¹ -IX
X-I	Y-V	R ¹ -X	X-V	Y-VI	R ¹ -X
X-I	Y-V	R ¹ -XI	X-VI	Y-I	R ¹ -I
X-I	Y-VI	R ¹ -I	X-VI	Y-I	R ¹ -II
X-I	Y-VI	R ¹ -II	X-VI	Y-I	R ¹ -III
X-I	Y-VI	R ¹ -III	X-VI	Y-I	R ¹ -IV
X-I	Y-VI	R ¹ -IV	X-VI	Y-I	R ¹ -V
X-I	Y-VI	R ¹ -V	X-VI	Y-I	R ¹ -VI
X-I	Y-VI	R ¹ -VI	X-VI	Y-I	R ¹ -VII
X-I	Y-VI	R ¹ -VII	X-VI	Y-I	R ¹ -VIII
X-I	Y-VI	R ¹ -VIII	X-VI	Y-I	R ¹ -IX
X-I	Y-VI	R ¹ -IX	X-VI	Y-I	R ¹ -X
X-I	Y-VI	R ¹ -X	X-VI	Y-II	R ¹ -X
X-I	Y-VI	R ¹ -XI	X-VI	Y-III	R ¹ -X
X-II	Y-I	R ¹ -I	X-VI	Y-IV	R ¹ -X
X-II	Y-I	R ¹ -II	X-VI	Y-V	R ¹ -X
X-II	Y-I	R ¹ -III	X-VI	Y-VI	R ¹ -I
X-II	Y-I	R ¹ -IV	X-VI	Y-VI	R ¹ -II
X-II	Y-I	R ¹ -V	X-VI	Y-VI	R ¹ -III
X-II	Y-I	R ¹ -VI	X-VI	Y-VI	R ¹ -IV

X-II	Y-I	R ¹ -VII	X-VI	Y-VI	R ¹ -V
X-II	Y-I	R ¹ -VIII	X-VI	Y-VI	R ¹ -VI
X-II	Y-I	R ¹ -IX	X-VI	Y-VI	R ¹ -VII
X-II	Y-I	R ¹ -X	X-VI	Y-VI	R ¹ -VIII
X-II	Y-II	R ¹ -X	X-VI	Y-VI	R ¹ -IX
X-II	Y-III	R ¹ -X	X-VI	Y-VI	R ¹ -X
X-II	Y-IV	R ¹ -X	X-VII	Y-I	R ¹ -I
X-II	Y-V	R ¹ -X	X-VII	Y-I	R ¹ -II
X-II	Y-VI	R ¹ -I	X-VII	Y-I	R ¹ -III
X-II	Y-VI	R ¹ -II	X-VII	Y-I	R ¹ -IV
X-II	Y-VI	R ¹ -III	X-VII	Y-I	R ¹ -V
X-II	Y-VI	R ¹ -IV	X-VII	Y-I	R ¹ -VI
X-II	Y-VI	R ¹ -V	X-VII	Y-I	R ¹ -VII
X-II	Y-VI	R ¹ -VI	X-VII	Y-I	R ¹ -VIII
X-II	Y-VI	R ¹ -VII	X-VII	Y-I	R ¹ -IX
X-II	Y-VI	R ¹ -VIII	X-VII	Y-I	R ¹ -X
X-II	Y-VI	R ¹ -IX	X-VII	Y-II	R ¹ -X
X-II	Y-VI	R ¹ -X	X-VII	Y-III	R ¹ -X
X-III	Y-I	R ¹ -I	X-VII	Y-IV	R ¹ -X
X-III	Y-I	R ¹ -II	X-VII	Y-V	R ¹ -X
X-III	Y-I	R ¹ -III	X-VII	Y-VI	R ¹ -I
X-III	Y-I	R ¹ -IV	X-VII	Y-VI	R ¹ -II
X-III	Y-I	R ¹ -V	X-VII	Y-VI	R ¹ -III
X-III	Y-I	R ¹ -VI	X-VII	Y-VI	R ¹ -IV
X-III	Y-I	R ¹ -VII	X-VII	Y-VI	R ¹ -V
X-III	Y-I	R ¹ -VIII	X-VII	Y-VI	R ¹ -VI
X-III	Y-I	R ¹ -IX	X-VII	Y-VI	R ¹ -VII
X-III	Y-I	R ¹ -X	X-VII	Y-VI	R ¹ -VIII
X-III	Y-I	R ¹ -XI	X-VII	Y-VI	R ¹ -IX
X-III	Y-II	R ¹ -X	X-VII	Y-VI	R ¹ -X
X-III	Y-III	R ¹ -X	X-VIII	Y-I	R ¹ -X
X-III	Y-IV	R ¹ -X	X-VIII	Y-VI	R ¹ -X
X-III	Y-V	R ¹ -X	X-IX	Y-I	R ¹ -X
X-III	Y-VI	R ¹ -I	X-IX	Y-VI	R ¹ -X
X-I	Y-I	R ¹ -XII	X-I	Y-VI	R ¹ -XII
X-I	Y-I	R ¹ -XIII	X-I	Y-VI	R ¹ -XIII
X-I	Y-I	R ¹ -XIV	X-I	Y-VI	R ¹ -XIV
X-I	Y-I	R ¹ -XV	X-I	Y-VI	R ¹ -XV
X-I	Y-I	R ¹ -XVI	X-I	Y-VI	R ¹ -XVI
X-I	Y-I	R ¹ -XVII	X-I	Y-VI	R ¹ -XVII
X-I	Y-I	R ¹ -XVIII	X-I	Y-VI	R ¹ -XVIII
X-III	Y-I	R ¹ -XII	X-III	Y-VI	R ¹ -XII
X-III	Y-I	R ¹ -XIII	X-III	Y-VI	R ¹ -XIII
X-III	Y-I	R ¹ -XIV	X-III	Y-VI	R ¹ -XIV
X-III	Y-I	R ¹ -XV	X-III	Y-VI	R ¹ -XV
X-III	Y-I	R ¹ -XVI	X-III	Y-VI	R ¹ -XVI

X-III	Y-I	R ¹ -XVII	X-III	Y-VI	R ¹ -XVII
X-III	Y-I	R ¹ -XVIII	X-III	Y-VI	R ¹ -XVIII

[0090] The compounds of the present invention can be produced for example according to the methods mentioned below.

Production Method A



[0091] The compound of formula (1-1) wherein A¹, A², A³, G, X, Y, R¹, R², R³, m and n are as defined above that is the compound of formula (1) wherein W is oxygen atom can be obtained by reacting the compound of formula (5) wherein A¹, A², A³, G, X, Y, R³, m and n are as defined above with the compound of formula (6) wherein R¹ and R² are as defined above by use of a condensation agent, optionally by using a solvent inactive for the reaction, optionally in the presence of a base.

[0092] The reaction substrates can be used in an amount of 1 to 100 equivalents of the compound of formula (6) based on 1 equivalent of the compound of formula (5).

[0093] The condensation agent is not specifically limited if it is a compound used for ordinary amide synthesis, but it is for example Mukaiyama agent (2-chloro-N-methylpyridinium iodide), DCC (1,3-dicyclohexyl carbodiimide), WSC (1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide hydrochloride), CDI (carbonyl diimidazole), dimethylpropynyl sulfonium bromide, propagyl triphenyl phosphonium bromide,

DEPC (diethyl phosphorocyanidate) or the like, and can be used in an amount of 1 to 4 equivalents based on the compound of formula (5).

[0094] In case where a solvent is used, the solvent is not specifically limited if it does not inhibit the progress of the reaction, but it includes for example aromatic hydrocarbons such as benzene, toluene, xylene or the like, aliphatic hydrocarbons such as hexane, heptane or the like, alicyclic hydrocarbons such as cyclohexane or the like, aromatic halogenated hydrocarbons such as chlorobenzene, dichlorobenzene or the like, aliphatic halogenated hydrocarbons such as dichloromethane, chloroform, carbon tetrachloride, 1,2-dichloroethane, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene or the like, ethers such as diethyl ether, 1,2-dimethoxyethane, tetrahydrofuran, 1,4-dioxane or the like, esters such as ethyl acetate, ethyl propionate or the like, amides such as N,N-dimethylformamide, N,N-dimethylacetamide, N-methyl-2-pyrrolidone or the like, amines such as triethyl amine, tributyl amine, N,N-dimethyl aniline or the like, pyridines such as pyridine, picoline or the like, acetonitrile and dimethyl sulfoxide, and the like. These solvents may be used alone or in a mixture of two or more.

[0095] The addition of a base is not necessarily required. However, when the base is used, alkali metal hydroxides such as sodium hydroxide, potassium hydroxide or the like, alkali metal carbonates such as sodium carbonate, potassium carbonate or the like, alkali metal bicarbonates such as sodium hydrogen carbonate, potassium hydrogen carbonate or the like, organic bases such as triethylamine, tributylamine, N,N-dimethylaniline, pyridine, 4-(dimethylamino)pyridine, imidazole, 1,8-diazabicyclo[5.4.0]-7-undecene, and the like can be used in an amount of 1 to 4 equivalents based on the compound of formula (5).

[0096] The reaction temperature may be an arbitrary temperature ranging from -60°C to the reflux temperature of a reaction mixture, and the reaction time may be an arbitrary time ranging from 5 minutes to 100 hours although it varies depending on the concentration of the reaction substrates or the reaction temperature.

[0097] Generally, it is preferable to carry out the reaction by using 1 to 20 equivalents of the compound of formula (6) and 1 to 4 equivalent of the condensation agent such as WSC (1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide hydrochloride), CDI (carbonyl diimidazole) or the like based on 1 equivalent of the compound of formula (5), optionally in the presence of 1 to 4 equivalents of a base such as potassium carbonate, triethylamine, pyridine, 4-(dimethylamino)pyridine or the like, without solvent or in a solvent such as dichloromethane, chloroform, diethyl ether,

tetrahydrofuran, 1,4-dioxane or the like, at a temperature ranging from 0°C to the reflux temperature of these solvents for 10 minutes to 24 hours.

[0098] In addition, the compound of formula (1-1) according to the present invention can be also synthesized by reacting the compound of formula (7) wherein A^1 , A^2 , A^3 , G, X, Y, R^3 , m and n are as defined above, J^1 is chlorine atom, bromine atom, C_1 - C_4 alkylcarbonyloxy (for example pivaloyloxy), C_1 - C_4 alkoxycarbonyloxy (for example isobutyloxycarbonyloxy) or azolyl (for example imidazol-1-yl) that can be synthesized according to a known method disclosed in documents from the compound of formula (5), for example a method by reacting with a chlorinating agent such as thionyl chloride, phosphorus pentachloride or oxalyl chloride, a method by reacting with a organic acid halide such as pivaloyl chloride or isobutyl chlorformate, etc. optionally in the presence of a base, or a method by reacting with carbonyl diimidazole or sulfonyl diimidazole, etc., with the compound of formula (6), optionally by using a solvent inactive for the reaction, optionally in the presence of a base.

[0099] The reaction substrates can be used in an amount of 1 to 50 equivalents of the compound of formula (6) based on 1 equivalent of the compound of formula (7).

[0100] In case where a solvent is used, the solvent is not specifically limited if it dose not inhibit the progress of the reaction, but it includes for example aromatic hydrocarbons such as benzene, toluene, xylene or the like, aliphatic hydrocarbons such as hexane, heptane or the like, alicyclic hydrocarbons such as cyclohexane or the like, aromatic halogenated hydrocarbons such as chlorobenzene, dichlorobenzene or the like, aliphatic halogenated hydrocarbons such as dichloro methane, chloroform, carbon tetrachloride, 1,2-dichloroethane, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene or the like, ethers such as diethyl ether, 1,2-dimethoxyethane, tetrahydrofuran, 1,4-dioxane or the like, esters such as ethyl acetate, ethyl propionate or the like, amides such as N,N-dimethylformamide, N,N-dimethylacetamide, N-methyl-2-pyrrolidone or the like, amines such as triethyl amine, tributyl amine, N,N-dimethyl aniline or the like, pyridines such as pyridine, picoline or the like, acetonitrile and water, and the like. These solvents may be used alone or in a mixture of two or more.


[0101] The addition of a base is not necessarily required. However, when the base is used, alkali metal hydroxides such as sodium hydroxide, potassium hydroxide or the like, alkali metal carbonates such as sodium carbonate, potassium carbonate or the like, alkali metal bicarbonates such as sodium hydrogen carbonate,

potassium hydrogen carbonate or the like, organic bases such as triethylamine, tributylamine, N,N-dimethylaniline, pyridine, 4-(dimethylamino)pyridine, imidazole, 1,8-diazabicyclo[5.4.0]-7-undecene, and the like can be used in an amount of 1 to 4 equivalents based on the compound of formula (7).

[0102] The reaction temperature may be an arbitrary temperature ranging from -60°C to the reflux temperature of a reaction mixture, and the reaction time may be an arbitrary time ranging from 5 minutes to 100 hours although it varies depending on the concentration of the reaction substrates or the reaction temperature.

[0103] Generally, it is preferable to carry out the reaction by using 1 to 10 equivalents of the compound of formula (6) based on 1 equivalent of the compound of formula (7), optionally in the presence of 1 to 2 equivalents of a base such as potassium carbonate, triethylamine, pyridine, 4-(dimethylamino)pyridine or the like, without solvent or in a solvent such as dichloromethane, chloroform, diethyl ether, tetrahydrofuran, 1,4-dioxane, ethyl acetate, acetonitrile or the like, at a temperature ranging from 0°C to the reflux temperature of these solvents for 10 minutes to 24 hours.

Production Method B



[0104] Hydroxamic chloride of formula (9) wherein A¹, A², A³, W, Y, R¹, R² and n are as defined above, J means halogen atom such as chlorine atom and bromine atom can be obtained by halogenating the compound of formula (8) wherein A¹, A², A³, W, Y, R¹, R² and n are as defined above using a halogenating reagent optionally

by using a solvent inactive for the reaction, optionally in the presence of a base.

[0105] Halogenating agents include for example N-halosuccinimides such as N-chlorosuccinimide, N-bromosuccinimide or the like, hypohalogenous acid alkali metal salts such as sodium hypochlorite or the like, hypohalogenous acid esters such as hypochlorous acid-t-butyl ester or the like, simple substance halogens such as chlorine gas or the like, and it can be used in an amount of 1 to 10 equivalents based on the compound of formula (8).

[0106] In case where a solvent is used, the solvent is not specifically limited if it does not inhibit the progress of the reaction, but it includes for example aromatic hydrocarbons such as benzene, toluene, xylene or the like, aliphatic hydrocarbons such as hexane, heptane or the like, alicyclic hydrocarbons such as cyclohexane or the like, aromatic halogenated hydrocarbons such as chlorobenzene, dichlorobenzene or the like, aliphatic halogenated hydrocarbons such as dichloromethane, chloroform, carbon tetrachloride, 1,2-dichloroethane, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene or the like, ethers such as diethyl ether, 1,2-dimethoxyethane, tetrahydrofuran, 1,4-dioxane or the like, esters such as ethyl acetate, ethyl propionate or the like, amides such as N,N-dimethylformamide, N,N-dimethylacetamide, N-methyl-2-pyrrolidone or the like, alcohols such as methanol, ethanol, ethylene glycol or the like, carboxylic acids such as acetic acid, propionic acid or the like, acetonitrile and water, and the like. These solvents may be used alone or in a mixture of two or more.

[0107] The reaction temperature may be an arbitrary temperature ranging from -60°C to the reflux temperature of a reaction mixture, and the reaction time may be an arbitrary time ranging from 5 minutes to 24 hours although it varies depending on the concentration of the reaction substrates or the reaction temperature.

[0108] The compounds of formula (1) wherein A^1 , A^2 , A^3 , G, W, X, Y, R^1 , R^2 , R^3 , m and n are as defined above according to the present invention can be obtained by reacting the compound of formula (9) with the compound of formula (10) wherein G, X, R^3 and m are as defined above in the presence of a base optionally by use of a solvent inactive for the reaction.

[0109] The reaction substrates can be used in an amount of 1 to 5 equivalents of the compound of formula (10) based on 1 equivalent of the compound of formula (9).

[0110] The used base includes for example alkali metal hydroxides such as sodium hydroxide, potassium hydroxide or the like, alkali metal carbonates such as sodium carbonate, potassium carbonate or the like, alkali metal bicarbonates such


as sodium hydrogen carbonate, potassium hydrogen carbonate or the like, organic bases such as triethylamine, tributylamine, N,N-dimethylaniline, pyridine, 4-(dimethylamino)pyridine, imidazole, 1,8-diazabicyclo[5.4.0]-7-undecene, and the like can be used in an amount of 1 to 5 equivalents based on the compound of formula (9).

[0111] In case where a solvent is used, the solvent is not specifically limited if it does not inhibit the progress of the reaction, but it includes for example aromatic hydrocarbons such as benzene, toluene, xylene or the like, aliphatic hydrocarbons such as hexane, heptane or the like, alicyclic hydrocarbons such as cyclohexane or the like, aromatic halogenated hydrocarbons such as chlorobenzene, dichlorobenzene or the like, aliphatic halogenated hydrocarbons such as dichloromethane, chloroform, carbon tetrachloride, 1,2-dichloroethane, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene or the like, ethers such as diethyl ether, 1,2-dimethoxyethane, tetrahydrofuran, 1,4-dioxane or the like, esters such as ethyl acetate, ethyl propionate or the like, amides such as N,N-dimethylformamide, N,N-dimethylacetamide, N-methyl-2-pyrrolidone or the like, and acetonitrile, and the like. These solvents may be used alone or in a mixture of two or more.

[0112] The reaction temperature may be an arbitrary temperature ranging from -60°C to the reflux temperature of a reaction mixture, and the reaction time may be an arbitrary time ranging from 5 minutes to 100 hours although it varies depending on the concentration of the reaction substrates or the reaction temperature.

[0113] Generally, the compound of formula (9) can be obtained for example by carrying out the reaction by using 1 to 2 equivalents of a halogenating agent such as N-chlorosuccinimide, sodium hypochlorite aqueous solution, hypochlorous acid-t-butyl ester, chlorine gas or the like based on 1 equivalent of the compound of formula (8) in a solvent such as dichloromethane, chloroform, 1,2-dimethoxyethane, tetrahydrofuran, 1,4-dioxane, N,N-dimethylformamide or the like, at a temperature ranging from 0°C to the reflux temperature of these solvents for 10 minutes to 2 hours. Then, preferably without the isolation of the compound of formula (9), 1 to 2 equivalents of the compound of formula (10) and 1 to 2 equivalents of a base such as sodium carbonate, sodium hydrogen carbonate, triethylamine or the like are added, and the reaction is carried out at a temperature ranging from 0°C to the reflux temperature of these solvents for 10 minutes to 24 hours.

Production Method C



[0114] The compound of formula (1-1) wherein A¹, A², A³, G, X, Y, R¹, R³, m and n are as defined above and R² has the same meaning defined above excluding hydrogen atom according to the present invention that is the compound of formula (1) wherein W is oxygen atom can be obtained by reacting the compound of formula (1-2) wherein A¹, A², A³, G, X, Y, R¹, R³, m and n are as defined above that is the compound of formula (1) wherein W is oxygen atom and R² is hydrogen atom with the compound of formula (11) wherein R² has the same meaning defined above excluding hydrogen atom, J³ is a good leaving group such as chlorine atom, bromine atom, iodine atom, C₁-C₄alkylcarbonyloxy (for example pivaloyloxy), C₁-C₄alkylsulfonate (for example methane sulfonyloxy), C₁-C₄haloalkylsulfonate (for example trifluoromethane sulfonyloxy), arylsulfonate (for example benzene sulfonyloxy, p-toluene sulfonyloxy) or azolyl (for example imidazol-1-yl), optionally in the presence of a base, optionally by using a solvent inactive for the reaction.

[0115] The reaction substrates can be used in an amount of 1 to 50 equivalents of the compound of formula (11) based on 1 equivalent of the compound of formula (1-2).

[0116] In case where a solvent is used, the solvent is not specifically limited if it dose not inhibit the progress of the reaction, but it includes for example aromatic hydrocarbons such as benzene, toluene, xylene or the like, aliphatic hydrocarbons such as hexane, heptane or the like, alicyclic hydrocarbons such as cyclohexane or the like, aromatic halogenated hydrocarbons such as chlorobenzene, dichlorobenzene or the like, aliphatic halogenated hydrocarbons such as dichloro methane, chloroform, carbon tetrachloride, 1,2-dichloroethane, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene or the like, ethers such as diethyl ether, 1,2-dimethoxyethane, tetrahydrofuran, 1,4-dioxane or the like, esters such as ethyl acetate, ethyl propionate or the like, amides such as N,N-dimethylformamide, N,N-dimethylacetamide, N-methyl-2-pyrrolidone or the like, amines such as triethyl amine, tributyl amine, N,N-dimethyl aniline or the like, pyridines such as pyridine, picoline or the like, alcholes such as methanol, ethanol,


ethylene glycol or the like, acetonitrile, dimethylsulfoxide, sulfolane, 1,3-dimethyl-2-imidazolidinone and water, and the like. These solvents may be used alone or in a mixture of two or more.

[0117] When the base is used, alkali metal hydride such as sodium hydride, potassium hydride or the like, alkali metal hydroxides such as sodium hydroxide, potassium hydroxide or the like, alkali metal alkoxides such as sodium ethoxide, potassium t-butoxide or the like, alkali metal amides such as lithium diisopropylamide, lithium hexamethyl disilazane, sodium amide or the like, organic metal compounds such as t-butyl lithium or the like, alkali metal carbonates such as sodium carbonate, potassium carbonate, sodium hydrogen carbonate or the like, organic bases such as triethylamine, tributylamine, N,N-dimethylaniline, pyridine, 4-(dimethylamino)pyridine, imidazole, 1,8-diazabicyclo[5.4.0]-7-undecene, and the like can be used in an amount of 1 to 4 equivalents based on the compound of formula (1-2).

[0118] The reaction temperature may be an arbitrary temperature ranging from -60°C to the reflux temperature of a reaction mixture, and the reaction time may be an arbitrary time ranging from 5 minutes to 100 hours although it varies depending on the concentration of the reaction substrates or the reaction temperature.

[0119] Generally, it is preferable to carry out the reaction by using 1 to 10 equivalents of the compound of formula (11) based on 1 equivalent of the compound of formula (1-2), in a polar solvent such as tetrahydrofurane, 1,4-dioxane, acetonitrile, N,N-dimethylformamide or the like, optionally in the presence of 1 to 3 equivalents of a base such as sodium hydride, potassium t-butoxide, potassium hydroxide, potassium carbonate, triethylamine, pyridine or the like, based on 1 equivalent of the compound of formula (1-2), at a temperature ranging from 0 to 90°C for 10 minutes to 24 hours.

Production Method D



[0120] The compound of formula (1-3) wherein A¹, A², A³, G, X, Y, R¹, R², R³, m and n are as defined above according to the present invention that is the compound

of formula (1) wherein W is sulfur atom can be obtained by reacting the compound of formula (1-1) wherein A¹, A², A³, G, X, Y, R¹, R², R³, m and n are as defined above according to the present invention that is the compound of formula (1) wherein W is oxygen atom with a sulfurizing agent such as diphosphorus pentasulfide, diphosphorus pentasulfide-HMDO (hexamethyldisiloxane), Lawesson's Reagent (2,4-bis(4-methoxyphenyl)-1,3,2,4-dithiadiphosphetane-2,4-disulfide), optionally by using a solvent inactive for the reaction, optionally in the presence of a base.

[0121] The reaction substrates can be used in an amount of 1 to 50 equivalents of the sulfurizing agent based on 1 equivalent of the compound of formula (1-1).

[0122] In case where a solvent is used, the solvent is not specifically limited if it does not inhibit the progress of the reaction, but it includes for example aromatic hydrocarbons such as benzene, toluene, xylene or the like, aliphatic hydrocarbons such as hexane, heptane or the like, alicyclic hydrocarbons such as cyclohexane or the like, aromatic halogenated hydrocarbons such as chlorobenzene, dichlorobenzene or the like, aliphatic halogenated hydrocarbons such as dichloromethane, chloroform, carbon tetrachloride, 1,2-dichloroethane, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene or the like, ethers such as diethyl ether, 1,2-dimethoxyethane, tetrahydrofuran, 1,4-dioxane or the like, amines such as triethyl amine, tributyl amine, N,N-dimethyl aniline or the like, pyridines such as pyridine, picoline or the like, and HMPA (hexamethylphosphoric triamide), and the like. These solvents may be used alone or in a mixture of two or more.

[0123] The addition of a base is not necessarily required. However, when the base is used, alkali metal carbonates such as sodium carbonate, potassium carbonate, sodium hydrogen carbonate or the like, organic bases such as triethylamine, tributylamine, N,N-dimethylaniline, pyridine, 4-(dimethylamino)pyridine, imidazole, 1,8-diazabicyclo[5.4.0]-7-undecene, and the like can be used in an amount of 1 to 10 equivalents based on the compound of formula (1-1).

[0124] The reaction temperature may be an arbitrary temperature ranging from 0°C to the reflux temperature of a reaction mixture, and the reaction time may be an arbitrary time ranging from 5 minutes to 100 hours although it varies depending on the concentration of the reaction substrates or the reaction temperature.


[0125] Generally, it is preferable to carry out the reaction by using 1 to 10 equivalents of a sulfurizing agent such as diphosphorus pentasulfide, diphosphorus pentasulfide-HMDO, Lawesson's Reagent or the like, based on 1 equivalent of the

compound of formula (1-1), optionally in the presence of 1 to 4 equivalents of a base such as sodium hydrogen carbonate, triethylamine, pyridine or the like, in a solvent such as benzene, toluene, chlorobenzene, dichloromethane, chloroform, 1,2-dimethoxyethane, tetrahydrofuran, 1,4-dioxane, HMPA or the like, at a temperature ranging from room temperature to the reflux temperature of the reaction mixture for 10 minutes to 50 hours, or in a solvent amount of pyridine at a temperature of 80°C to the reflux temperature of the reaction mixture for 1 to 3 hours.

[0126] In Production Method A to Production Method D, the aimed compound of the present invention can be obtained by subjecting the reaction mixture after the completion of the reaction to ordinary post-treatment such as a direct concentration, or a concentration after dissolving in an organic solvent and washing with water or a concentration after placing in ice water and extracting with an organic solvent. In addition, when a purification is required, it can be separated and purified by an arbitrary purification process such as recrystallization, column chromatograph, thin layer chromatograph, liquid chromatograph collection or the like.

[0127] The compound of formula (5) used in Production Method A can be synthesized as follows, for example.

Reaction Scheme 1



[0128] That is, the compound of formula (5) wherein A¹, A², A³, G, X, Y, R³, m and n are as defined above can be obtained by reacting the compound of formula (12) wherein A¹, A², A³, G, X, Y, R³, m and n are as defined above, J⁴ is bromine


atom, iodine atom, halosulfonyloxy (for example fluorosulfonyloxy), C₁-C₄haloalkylsulfonyloxy (for example trifluoromethane sulfonyloxy) or arylsulfonyloxy (for example benzenesulfonyloxy) according to a known method disclosed in documents, for example by CO insertion reaction by use of a transition metal catalyst such as palladium or the like stated in J. Org. Chem., 1999, vol. 64, p. 6921 or the like, or by a process by lithiation and then reaction with carbonic acid gas stated in Chem. Rev., 1990, vol. 90, p. 879.

[0129] In addition, the compound of formula (5) can be obtained by subjecting the compound of formula (12) to a reaction according to a reaction condition for CO insertion reaction by use of a transition metal catalyst such as palladium or the like stated in J. Org. Chem., 1974, vol. 39, p. 3318 or the like to convert the compound of formula (13) wherein A¹, A², A³, G, X, Y, R³, m and n are as defined above, R^b is C₁-C₆alkyl such as methyl, ethyl or the like, and then hydrolyzing according to an ordinary ester hydrolysis disclosed in documents, for example a reaction condition stated in Angew. Chem., 1951, vol. 63, p. 329, J. Am. Chem. Soc., 1929, vol. 51, p. 1865 or the like.

[0130] Some of the compounds of formula (6) used in Production Method A are known compounds, and a part thereof is commercially available. Also, the compounds other than the above-mentioned compounds can be synthesized according to methods stated in for example Justus Liebigs Ann. Chem., 1979, p. 920, US 5,990,323, WO 96/11200 or the like, and general synthetic methods for primary or secondary alkyl amines disclosed in documents.

[0131] The compounds of formula (8) used in Production Method B can be synthesized as follows, for example.

Reaction Scheme 2




[0132] That is, the compound of formula (8) wherein A¹, A², A³, W, Y, R¹, R² and n are as defined above can be easily synthesized by reacting the compound of formula (14) wherein A¹, A², A³, W, Y, R¹, R² and n are as defined above with hydroxylamine or the salt thereof according to known methods disclosed in documents, for example

the method stated in J. Med. Chem., 2001, vol. 44, p. 2308 or the like.

[0133] The compounds of formula (10) used in Production Method B can be synthesized as follows, for example.

Reaction Scheme 3



[0134] That is, the compound of formula (10) wherein G, X, R³ and m are as defined above can be obtained by reacting the known compound of formula (15) wherein G, X and m are as defined above, J⁵ is bromine atom, iodine atom, C₁-C₄haloalkylsulfonyloxy (for example trifluoromethanesulfonyloxy), -B(OH)₂, 4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl, -Si(OEt)₃, -ZnCl, -ZnBr or -ZnI, etc. with the compound of formula (16) wherein R³ is as defined above, J⁶ is halogen atom such as bromine atom, iodine atom or the like, or -B(OH)₂ according to an ordinary crosscoupling reaction by use of a transition metal catalyst such as palladium or the like disclosed in documents, for example a reaction condition stated in J. Org. Chem., 1991, vol. 56, p. 7336, Tetrahedron Lett., 2001, vol. 42, p. 4083, or the like.

[0135] Some of the compounds of formula (16) used in the above-mentioned process are known compounds, and a part thereof is commercially available. Also, the compounds other than the above-mentioned compounds can be synthesized according to methods disclosed in documents, for example a method stated in J. Am. Chem. Soc., 1971, vol. 93, p. 1925, Tetrahedron Lett., 1990, vol. 31, p. 1919 and 2001, vol. 42, p. 4083 or the like.


[0136] In addition, the compounds of formula (10) can be obtained by reacting the compound of formula (17) wherein G, X, R³ and m are as defined above according to a reaction of converting carbonyl to olefine disclosed in documents, for example a reaction condition stated in J. Org. Chem., 1986, vol. 51, p. 5252 and

1994, vol. 59, p. 2898, Synthesis, 1991, p. 29, Tetrahedron Lett., 1985, vol. 26, p. 5579 or the like.

[0137] Some of the compounds of formula (11) used in Production method C are known compounds, and a part thereof is commercially available. Also, the compounds other than the above-mentioned compounds can be easily synthesized according to methods disclosed in documents, for example a method stated in Chem. Lett., 1976, p. 373, J. Am. Chem. Soc., 1964, vol. 86, p. 4383, J. Org. Chem., 1976, vol. 41, p. 4028 and 1978, vol. 43, p. 3244, Org. Synth., 1988, Corrective vol. 6, p. 101, Tetrahedron Lett., 1972, p. 4339, GB 2,161,802, EP 0,051,273 or the like.

[0138] The compounds of formula (12) can be synthesized as follows, for example.

Reaction Scheme 4




[0139] That is, the compounds of formula (12) wherein A^1 , A^2 , A^3 , G , X , Y , R^3 , m , n and J^4 are as defined above can be obtained by halogenating the compound of formula (18) wherein A^1 , A^2 , A^3 , Y , n and J^4 are as defined above under a condition similar to that of Production Method B to obtain the compound of formula (19) wherein A^1 , A^2 , A^3 , Y , n , J^3 and J^4 are as defined above, and then reacting it with the compound of formula (10) wherein G , X , R^3 and m are as defined above.

[0140] The compound of formula (18) can be easily synthesized by use of the corresponding known substituted aromatic aldehyde similarly to the process described in Reaction Scheme 2.

[0141] The compound of formula (14) can be synthesized for example


according to Reaction Scheme 5 or Reaction Scheme 6.

Reaction Scheme 5



[0142] The compounds of formula (14) wherein A¹, A², A³, W, Y, R¹, R² and n are as defined above can be obtained by subjecting the compound of formula (20) wherein A¹, A², A³, W, Y, R¹, R², n and J⁴ are as defined above to CO insertion reaction according to known methods disclosed in documents, for example the reaction by use of a transition metal catalyst such as palladium or the like in the presence of hydride source such as formic acid or the like stated in Bull. Chem. Soc. Jpn., 1994, vol. 67, p. 2329, J. Am. Chem. Soc., 1986, vol. 108, p. 452, or the like.

Reaction Scheme 6




[0143] The compounds of formula (14-1) wherein A¹, A², A³, Y, R¹, R² and n are as defined above that are the compounds of formula (14) wherein W is oxygen atom can be synthesized by reacting the known compound of formula (21) wherein A¹, A², A³, Y and n are as defined above with the compound of formula (6) wherein R¹ and R² are as defined above by use of the method similar to Production Method A.

[0144] The compounds of formula (17) can be synthesized as follows, for

example.

Reaction Scheme 7




[0145] That is, the compounds of formula (17) wherein X, R³ and m are as defined above, G is benzene ring can be obtained by reacting the known compound of formula (23) wherein X and m are as defined above, G is benzene ring with the known compound of formula (24) wherein R³ is as defined above, J⁷ is a leaving group such as halogen atom, trifluoromethanesulfonyloxy, 2-pyridyloxy or the like, or the known compound of formula (25) wherein R³ is as defined above according to a general acylating reaction of aromatic ring disclosed in documents, for example a method stated in Chem. Lett., 1990, p. 783, J. Org. Chem., 1991, vol. 56, p. 1963 or the like.

[0146] In addition, the compound of formula (17) wherein G, X, R³ and m are as defined above can be obtained according to general methods disclosed in documents for example by a method stated in J. Am. Chem. Soc., 1955, vol. 77, p. 3657, Tetrahedron Lett., 1980, vol. 21, p. 2129 and 1991, vol. 32, p. 2003, US 5,514,816 in which the compound of formula (26) wherein G, X and m are as defined above, J⁸ is bromine atom or iodine atom is lithiated and the resulting compound is reacted with the known compound of formula (27) wherein R³ is as defined above, J⁹ is halogen atom, hydroxy, metal salt (for example, -OLi, -ONa), C₁-C₄alkoxy (for example, methoxy, ethoxy), di(C₁-C₄alkyl)amino (for example, diethylamino), C₁-C₄alkoxy C₁-C₄alkyl amino (for example O,N-dimethylhydroxyamino) or cyclic amino (for example, piperidin-1-yl, morpholin-4-yl, 4-methylpiperadin-1-yl), or the known compound of formula (25), or by a method stated in Heterocycles, 1987, vol. 25, p.

221, Synth. Commun., 1985, vol. 15, p. 1291 and 1990, vol. 20, p. 1469, DE 19727042, or the like in which a Grignard reagent is formed and then it is reacted with the compound of formula (27) or the compound of formula (25).


[0147] The compounds of formula (20) can be synthesized according to for example Reaction Scheme 8 or Reaction Scheme 9.

Reaction Scheme 8



[0148] The compounds of formula (20-1) wherein A¹, A², A³, Y, R¹, R², n and J⁴ are as defined above that are the compounds of formula (20) wherein W is oxygen atom can be obtained by reacting the known compound of formula (28) wherein A¹, A², A³, Y, n and J⁴ are as defined above with the compound of formula (6) wherein R¹ and R² are as defined above by use of the method similar to Production Method A.

Reaction Scheme 9



[0149] The compounds of formula (20-2) wherein A¹, A², A³, Y, R¹, R², n and J⁵ are as defined above that are the compounds of formula (20) wherein W is sulfur atom can be obtained by reacting the compound of formula (20-1) wherein A¹, A², A³, Y, R¹, R², n and J⁴ are as defined above that are the compounds of formula (20) wherein W is oxygen atom with a sulfurizing agent such as diphosphorus


pentasulfide, diphosphorus pentasulfide-HMDO (hexamethyldisiloxane), Lawesson's Reagent (2,4-bis(4-methoxyphenyl)-1,3,2,4-dithiadiphosphetane-2,4-disulfide) under a condition similar to that of Production Method D.


[0150] In each reaction, after the completion of the reaction, each production intermediate that is a starting compound in Production Method A to Production Method C can be obtained by carrying out normal post-treatments.




























[0151] In addition, each production intermediate produced by the above-mentioned methods can be used for the following reaction step as such without isolation or purification.




























[0152] The active compounds included in the present invention concretely include for example the compounds shown in Tables 2 and 3. The compounds that can be used as novel production intermediates for producing the active compounds included in the present invention concretely include for example the compounds shown in Tables 4 to 6. In the interim, the compounds shown in Tables 2 to 6 are for purposes of illustration and the present invention is not limited thereto.


[0153] In the meantime, in Tables, the indication "Et" means ethyl, hereinafter similarly thereto, "n-Pr" and "Pr-n" mean normal propyl, "i-Pr" and "Pr-i" mean isopropyl, "c-Pr" and "Pr-c" mean cyclopropyl, "n-Bu" and "Bu-n" mean normal butyl, "s-Bu" and "Bu-s" mean secondary butyl, "i-Bu" and "Bu-i" mean isobutyl, "t-Bu" and "Bu-t" mean tertiary butyl, "c-Bu" and "Bu-c" mean cyclobutyl, "n-Pen" and "Pen-n" mean normal pentyl, "c-Pen" and "Pen-c" mean cyclopentyl, "n-Hex" and "Hex-n" mean normal hexyl, "c-Hex" and "Hex-c" mean cyclohexyl, "Hept" means heptyl, "Oct" means octyl, "Ph" means phenyl, "1-Naph" means 1-naphthyl, "2-Naph" means 2-naphthyl, and in Tables, aromatic heterocyclic rings of D-1a to D-59a are the following structures, respectively





































































For example, the indication "[CH₂(D-17a)CH₃]" means 1-methylpyrazol-5-yl methyl, the indication "[CH₂(D-22b)CH₃]" means 2-methylthiazol-4-yl methyl.










In addition, aliphatic heterocyclic rings of E-4a to E-43b are the following structures, respectively































For example, the indication "[CH₂(E-10b)CH₃]" means 2-methyl-1,3-dioxolan-2-yl methyl, the indication "[CH₂(E-8a)CH₃]" means N-methylpyrrolidin-2-yl methyl. Further, in Tables, partially saturated heterocyclic rings of M-2a to M-16a are the following structures, respectively



For example, the indication "[CH₂(M-5a)CH₃]" means 3-methyl-4,5-dihydroisoxazol-5-yl methyl.

Further, in Tables, T-1 to T-38 are the following structures, respectively





















Table 2


In the table, the number showing the substitution position of substituent (X)_m corresponds to the position number indicated in the following structural formulae. The indication “-” means no-substitution.




[1] - 9




[1] - 10




[1] - 11




[1] - 12




[1] - 13











[1] - 14












[1] - 15




[1] - 16









[1] - 33




[1] - 34




[1] - 35




[1] - 36




[1] - 37




[1] - 38




[1] - 39




[1] - 40




[1] - 41




[1] - 42




[1] - 43




[1] - 44




[1] - 45










[1] - 46




[1] - 47



[1] - 48



or



(X) _m	R ³	R ²	R ¹
—	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2-F	CF ₃	H	CH ₂ (D-22a)
3-F	CF ₃	H	CH ₂ CF ₃
3-F	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl

3-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F	CF ₃	H	CH ₂ (D-22a)
3-F	CF ₃	H	CH ₂ (D-47a)
3-F	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-F	CF ₃	C(O)Et	CH ₂ (D-47a)
3-F	CF ₃	H	CH(CH ₃)Ph(R)
3-F	CF ₃	H	N(CH ₃)Ph
3-F	CF ₃	H	N(CH ₃)(D-50a)
4-F	CF ₃	H	CH ₂ (D-47a)
2-Cl	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Cl	CF ₃	H	CH ₂ CF ₃
3-Cl	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl	CF ₃	H	CH ₂ (D-22a)
3-Cl	CF ₃	H	CH ₂ (D-47a)
3-Cl	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl	CF ₃	H	CH(CH ₃)Ph(R)
3-Cl	CF ₃	H	N(CH ₃)Ph
3-Cl	CF ₃	H	N(CH ₃)(D-50a)
4-Cl	CF ₃	H	N(CH ₃)(D-50a)
2-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br	CF ₃	H	CH ₂ Pr-c
3-Br	CF ₃	H	c-Bu
3-Br	CF ₃	H	CH ₂ CF ₃
3-Br	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Br	CF ₃	C(O)Et	CH ₂ CF ₃
3-Br	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Br	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Br	CF ₃	H	CH ₂ (E-10a)
3-Br	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-Br	CF ₃	H	CH ₂ CH=NOCH ₃
3-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br	CF ₃	H	CH(CH ₃)Ph(R)
3-Br	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Br	CF ₃	H	CH ₂ (D-17b)Cl
3-Br	CF ₃	H	CH ₂ (D-21a)
3-Br	CF ₃	H	CH ₂ (D-22a)
3-Br	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Br	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Br	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Br	CF ₃	H	CH ₂ (D-47a)
3-Br	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-Br	CF ₃	CH ₂ CN	CH ₂ (D-47a)

3-Br	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-Br	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Br	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Br	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Br	CF ₃	H	N(CH ₃)Ph
3-Br	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-Br	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-Br	CF ₃	H	N(CH ₃)(D-50a)
3-Br	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Br	CF ₃	H	(D-13b)CH ₃
3-Br	CF ₃	H	(D-15a)CH ₃
4-Br	CF ₃	H	CH ₂ (D-22a)
2-I	CF ₃	H	CH ₂ (D-47a)
3-I	CF ₃	H	CH ₂ Pr-c
3-I	CF ₃	H	c-Bu
3-I	CF ₃	H	CH ₂ CF ₃
3-I	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-I	CF ₃	C(O)Et	CH ₂ CF ₃
3-I	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-I	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-I	CF ₃	H	CH ₂ (E-10a)
3-I	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-I	CF ₃	H	CH ₂ CH=NOCH ₃
3-I	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-I	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-I	CF ₃	H	CH(CH ₃)Ph(R)
3-I	CF ₃	H	CH ₂ (D-17a)CH ₃
3-I	CF ₃	H	CH ₂ (D-17b)Cl
3-I	CF ₃	H	CH ₂ (D-21a)
3-I	CF ₃	H	CH ₂ (D-22a)
3-I	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-I	CF ₃	C(O)Et	CH ₂ (D-22a)
3-I	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-I	CF ₃	H	CH ₂ (D-47a)
3-I	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-I	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-I	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-I	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-I	CF ₃	C(O)Et	CH ₂ (D-47a)
3-I	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-I	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-I	CF ₃	H	N(CH ₃)Ph
3-I	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-I	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-I	CF ₃	H	N(CH ₃)(D-50a)

3-I	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-I	CF ₃	H	(D-13b)CH ₃
3-I	CF ₃	H	(D-15a)CH ₃
3-I	CF ₂ Cl	H	CH ₂ CF ₃
3-I	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-I	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-I	CF ₂ Cl	H	CH ₂ (D-22a)
3-I	CF ₂ Cl	H	CH ₂ (D-47a)
3-I	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-47a)
3-I	CF ₂ Cl	H	N(CH ₃)(D-50a)
2-CH ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CH ₃	CF ₃	H	N(CH ₃)(D-50a)
4-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2-Et	CF ₃	H	CH ₂ (D-22a)
3-Et	CF ₃	H	CH ₂ (D-47a)
3-n-Pr	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-i-Pr	CF ₃	H	N(CH ₃)(D-50a)
3-n-Bu	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-i-Bu	CF ₃	H	CH ₂ (D-22a)
3-t-Bu	CF ₃	H	CH ₂ (D-47a)
4-t-Bu	CF ₃	C(O)Et	CH ₂ (D-47a)
2-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₃	CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃	CF ₃	H	Et
3-CF ₃	CF ₃	Et	Et
3-CF ₃	CF ₃	H	CH ₂ Pr-c
3-CF ₃	CF ₃	H	c-Bu
3-CF ₃	CF ₃	H	CH ₂ CF ₃
3-CF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CF ₃	CF ₃	H	CH ₂ CH(OCH ₃) ₂
3-CF ₃	CF ₃	H	CH ₂ (E-4a)
3-CF ₃	CF ₃	H	CH ₂ (E-5a)
3-CF ₃	CF ₃	H	CH ₂ (E-10a)
3-CF ₃	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3-CF ₃	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3-CF ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-CF ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3-CF ₃	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CF ₃

3-CF ₃	CF ₃	H	CH ₂ CH=CH ₂
3-CF ₃	CF ₃	H	CH ₂ CCl=CH ₂
3-CF ₃	CF ₃	H	CH ₂ C≡CH
3-CF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-CF ₃	CF ₃	H	CH(CF ₃)Ph
3-CF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-CF ₃	CF ₃	H	CH ₂ (D-21a)
3-CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CF ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3-CF ₃	CF ₃	H	CH ₂ (D-28a)
3-CF ₃	CF ₃	H	CH ₂ (D-34a)
3-CF ₃	CF ₃	H	CH ₂ (D-35a)
3-CF ₃	CF ₃	H	CH ₂ (D-38a)
3-CF ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3-CF ₃	CF ₃	H	CH(CH ₃)(D-47a)
3-CF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CF ₃	CF ₃	H	CH ₂ (D-50a)
3-CF ₃	CF ₃	H	CH ₂ (D-51a)
3-CF ₃	CF ₃	H	CH ₂ (D-53a)
3-CF ₃	CF ₃	H	N(CH ₃)Ph
3-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3-CF ₃	CF ₃	C(O)Et	N(CH ₃)Ph
3-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-CF ₃	CF ₃	H	N(CH ₃)(D-47a)
3-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3-CF ₃	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-CF ₃	CF ₃	H	NH(D-50a)
3-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3-CF ₃	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-CF ₃	CF ₃	H	(D-13b)CH ₃
3-CF ₃	CF ₃	H	(D-15a)CH ₃
3-CF ₃	CF ₃	H	D-21a

3-CF ₃	CF ₃	H	D-50a
3-CF ₃	CF ₂ Cl	H	CH ₂ CF ₃
3-CF ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃
3-CF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3-CF ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3-CF ₃	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3-CF ₃	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3-CF ₃	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3-CF ₃	CF ₂ Cl	H	N(CH ₃)Ph
3-CF ₃	CF ₂ Cl	H	N(CH ₃)(D-50a)
3-CF ₃	CF ₂ Br	H	CH ₂ CF ₃
3-CF ₃	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃	CF ₂ Br	H	CH ₂ (D-22a)
3-CF ₃	CF ₂ Br	H	CH ₂ (D-47a)
3-CF ₃	CF ₂ CHF ₂	H	CH ₂ CF ₃
3-CF ₃	CF ₂ CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃	CF ₂ CHF ₂	H	CH ₂ (D-22a)
3-CF ₃	CF ₂ CHF ₂	H	CH ₂ (D-47a)
4-CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₂ CF ₃	CF ₃	H	Et
3-CF ₂ CF ₃	CF ₃	Et	Et
3-CF ₂ CF ₃	CF ₃	H	CH ₂ Pr-c
3-CF ₂ CF ₃	CF ₃	H	c-Bu
3-CF ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-CF ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CF ₂ CF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CF ₂ CF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CF ₂ CF ₃	CF ₃	H	CH ₂ CH(OCH ₃) ₂
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (E-4a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (E-5a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (E-10a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3-CF ₂ CF ₃	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3-CF ₂ CF ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-CF ₂ CF ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3-CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3-CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3-CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3-CF ₂ CF ₃	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CF ₃
3-CF ₂ CF ₃	CF ₃	H	CH ₂ CH=CH ₂
3-CF ₂ CF ₃	CF ₃	H	CH ₂ CCl=CH ₂

3-CF ₂ CF ₃	CF ₃	H	CH ₂ C≡CH
3-CF ₂ CF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-CF ₂ CF ₃	CF ₃	H	CH(CF ₃)Ph
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-21a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CF ₂ CF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CF ₂ CF ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-28a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-34a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-35a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-38a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₂ CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-CF ₂ CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CF ₂ CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-CF ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF ₂ CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₂ CF ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3-CF ₂ CF ₃	CF ₃	H	CH(CH ₃)(D-47a)
3-CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-50a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-51a)
3-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-53a)
3-CF ₂ CF ₃	CF ₃	H	N(CH ₃)Ph
3-CF ₂ CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3-CF ₂ CF ₃	CF ₃	C(O)Et	N(CH ₃)Ph
3-CF ₂ CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-CF ₂ CF ₃	CF ₃	H	N(CH ₃)(D-47a)
3-CF ₂ CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3-CF ₂ CF ₃	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3-CF ₂ CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-CF ₂ CF ₃	CF ₃	H	NH(D-50a)
3-CF ₂ CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₂ CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3-CF ₂ CF ₃	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3-CF ₂ CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-CF ₂ CF ₃	CF ₃	H	(D-13b)CH ₃
3-CF ₂ CF ₃	CF ₃	H	(D-15a)CH ₃
3-CF ₂ CF ₃	CF ₃	H	D-21a
3-CF ₂ CF ₃	CF ₃	H	D-50a
3-CF ₂ CF ₃	CF ₂ Cl	H	CH ₂ CF ₃

3-CF ₂ CF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₂ CF ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3-CF ₂ CF ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ Pr-c
3-CF ₂ CF ₂ CF ₃	CF ₃	H	c-Bu
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (E-10a)
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-21a)
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CF ₂ CF ₂ CF ₃	CF ₃	H	N(CH ₃)Ph
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-CF ₂ CF ₂ CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-CF ₂ CF ₂ CF ₃	CF ₃	H	(D-13b)CH ₃
3-CF ₂ CF ₂ CF ₃	CF ₃	H	(D-15a)CH ₃
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ Pr-c
3-CF(CF ₃) ₂	CF ₃	H	c-Bu
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ CF ₃
3-CF(CF ₃) ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CF(CF ₃) ₂	CF ₃	C(O)Et	CH ₂ CF ₃
3-CF(CF ₃) ₂	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ (E-10a)

3-CF(CF ₃) ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ CH=NOCH ₃
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF(CF ₃) ₂	CF ₃	H	CH(CH ₃)Ph(R)
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-17b)Cl
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-21a)
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-22a)
3-CF(CF ₃) ₂	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CF(CF ₃) ₂	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CF(CF ₃) ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-47a)
3-CF(CF ₃) ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-CF(CF ₃) ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CF(CF ₃) ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-CF(CF ₃) ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF(CF ₃) ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF(CF ₃) ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF(CF ₃) ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CF(CF ₃) ₂	CF ₃	H	N(CH ₃)Ph
3-CF(CF ₃) ₂	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-CF(CF ₃) ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-CF(CF ₃) ₂	CF ₃	H	N(CH ₃)(D-50a)
3-CF(CF ₃) ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-CF(CF ₃) ₂	CF ₃	H	(D-13b)CH ₃
3-CF(CF ₃) ₂	CF ₃	H	(D-15a)CH ₃
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	c-Bu
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (E-10a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)

3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	N(CH ₃)Ph
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-CH ₂ OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-CH ₂ OCH ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-C(CF ₃) ₂ OH	CF ₃	H	c-Bu
3-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ CF ₃
3-C(CF ₃) ₂ OH	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-C(CF ₃) ₂ OH	CF ₃	C(O)Et	CH ₂ CF ₃
3-C(CF ₃) ₂ OH	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (E-10a)
3-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-C(CF ₃) ₂ OH	CF ₃	H	CH(CH ₃)Ph(R)
3-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (D-17a)CH ₃
3-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (D-17b)Cl
3-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (D-22a)
3-C(CF ₃) ₂ OH	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-C(CF ₃) ₂ OH	CF ₃	C(O)Et	CH ₂ (D-22a)
3-C(CF ₃) ₂ OH	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (D-47a)
3-C(CF ₃) ₂ OH	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-C(CF ₃) ₂ OH	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-C(CF ₃) ₂ OH	CF ₃	C(O)Et	CH ₂ (D-47a)
3-C(CF ₃) ₂ OH	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-C(CF ₃) ₂ OH	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-C(CF ₃) ₂ OH	CF ₃	H	N(CH ₃)Ph
3-C(CF ₃) ₂ OH	CF ₃	H	N(CH ₃)(D-50a)
3-C(CF ₃) ₂ OH	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	c-Bu
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ CF ₃
3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (E-10a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (D-22a)

3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	N(CH ₃)Ph
3-C(CF ₃) ₂ OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-C(CF ₃) ₂ OCH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-CH ₂ SCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₂ S(O)CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₂ SO ₂ CH ₃	CF ₃	H	CH ₂ (D-22a)
3-CH ₂ SEt	CF ₃	H	CH ₂ (D-47a)
3-CH ₂ S(O)Et	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CH ₂ SO ₂ Et	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₂ SPr-n	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₂ SO ₂ Pr-n	CF ₃	H	CH ₂ (D-22a)
3-CH ₂ SPr-i	CF ₃	H	CH ₂ (D-47a)
3-CH ₂ SO ₂ Pr-i	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CH ₂ SPr-c	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₂ SO ₂ Pr-c	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₂ SBu-n	CF ₃	H	CH ₂ (D-22a)
3-CH ₂ SO ₂ Bu-n	CF ₃	H	CH ₂ (D-47a)
3-CH ₂ SCF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CH ₂ S(O)CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₂ SO ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₂ SCH ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-(T-3)	CF ₃	H	CH ₂ CF ₃
3-(T-3)	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-(T-3)	CF ₃	H	CH ₂ (D-22a)
3-(T-3)	CF ₃	H	CH ₂ (D-47a)
3-(T-4)	CF ₃	H	CH ₂ CF ₃
3-(T-4)	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-(T-4)	CF ₃	H	CH ₂ (D-22a)
3-(T-4)	CF ₃	H	CH ₂ (D-47a)
3-(T-5)	CF ₃	H	CH ₂ CF ₃
3-(T-5)	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-(T-5)	CF ₃	H	CH ₂ (D-22a)
3-(T-5)	CF ₃	H	CH ₂ (D-47a)
2-OH	CF ₃	H	CH ₂ (D-47a)
3-OH	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
4-OH	CF ₃	H	N(CH ₃)(D-50a)
2-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃

3-OCH ₃	CF ₃	H	CH ₂ (D-22a)
4-OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-OEt	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-OPr-n	CF ₃	H	N(CH ₃)(D-50a)
3-OPr-i	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OBu-n	CF ₃	H	CH ₂ (D-22a)
3-OBu-t	CF ₃	H	CH ₂ (D-47a)
2-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-OCHF ₂	CF ₃	H	N(CH ₃)(D-50a)
4-OCHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2-OCF ₃	CF ₃	H	CH ₂ (D-22a)
3-OCF ₃	CF ₃	H	CH ₂ CF ₃
3-OCF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-OCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-OCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OCF ₃	CF ₃	H	CH ₂ (D-22a)
3-OCF ₃	CF ₃	H	CH ₂ (D-47a)
3-OCF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-OCF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-OCF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-OCF ₃	CF ₃	H	N(CH ₃)Ph
3-OCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-OCF ₃	CF ₂ Cl	H	CH ₂ CF ₃
3-OCF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OCF ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3-OCF ₃	CF ₂ Cl	H	CH ₂ (D-47a)
4-OCF ₃	CF ₃	H	CH ₂ (D-47a)
3-OCF ₂ Br	CF ₃	H	CH ₂ CF ₃
3-OCF ₂ Br	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-OCF ₂ Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-OCF ₂ Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OCF ₂ Br	CF ₃	H	CH ₂ (D-22a)
3-OCF ₂ Br	CF ₃	H	CH ₂ (D-47a)
3-OCF ₂ Br	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-OCF ₂ Br	CF ₃	C(O)Et	CH ₂ (D-47a)
3-OCF ₂ Br	CF ₃	H	CH(CH ₃)Ph(R)
3-OCF ₂ Br	CF ₃	H	N(CH ₃)Ph
3-OCF ₂ Br	CF ₃	H	N(CH ₃)(D-50a)
3-OCH ₂ CH ₂ Cl	CF ₃	H	CH ₂ (D-47a)
3-OCH ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-OCF ₂ CHF ₂	CF ₃	H	CH ₂ CF ₃
3-OCF ₂ CHF ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-OCF ₂ CHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-OCF ₂ CHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OCF ₂ CHF ₂	CF ₃	H	CH ₂ (D-22a)
3-OCF ₂ CHF ₂	CF ₃	H	CH ₂ (D-47a)

3-OCF ₂ CHFOCF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OCF ₂ CHFOCF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-OCF ₂ CHFOCF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-OCH ₂ CH=CH ₂	CF ₃	H	CH ₂ (D-22a)
3-OCH ₂ CH=CF ₂	CF ₃	H	CH ₂ (D-47a)
3-OCH ₂ CF=CF ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3-OCH ₂ CH=CCl ₂	CF ₃	H	N(CH ₃)(D-50a)
3-OCH ₂ CCl=CCl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2-OCH ₂ Ph	CF ₃	H	CH ₂ (D-22a)
3-OCH ₂ Ph	CF ₃	H	CH ₂ (D-47a)
4-OCH ₂ Ph	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-OSO ₂ CH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-OSO ₂ Et	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OSO ₂ Pr-n	CF ₃	H	CH ₂ (D-22a)
3-OSO ₂ Pr-i	CF ₃	H	CH ₂ (D-47a)
3-OSO ₂ Pr-c	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-OSO ₂ Bu-n	CF ₃	H	N(CH ₃)(D-50a)
3-OSO ₂ CHCl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OSO ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-OSO ₂ CH ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
2-OPh	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-OPh	CF ₃	H	N(CH ₃)(D-50a)
4-OPh	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-O(Ph-2-Cl)	CF ₃	H	CH ₂ (D-22a)
3-O(Ph-3-Cl)	CF ₃	H	CH ₂ (D-47a)
3-O(Ph-4-Cl)	CF ₃	C(O)Et	CH ₂ (D-47a)
3-O(Ph-4-Br)	CF ₃	H	N(CH ₃)(D-50a)
3-O(Ph-2-CF ₃)	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-O(Ph-3-CF ₃)	CF ₃	H	CH ₂ (D-22a)
3-O(Ph-4-CF ₃)	CF ₃	H	CH ₂ (D-47a)
3-O(Ph-2-Cl-4-CF ₃)	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-O(D-21c)Br	CF ₃	H	N(CH ₃)(D-50a)
3-O(D-21c)CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-O(D-47d)Br	CF ₃	H	CH ₂ (D-22a)
3-O(D-47d)CF ₃	CF ₃	H	CH ₂ (D-47a)
2-O(D-47f)	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-O(D-47f)	CF ₃	H	N(CH ₃)(D-50a)
3-O(D-50c)Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2-SCH ₃	CF ₃	H	CH ₂ (D-22a)
3-SCH ₃	CF ₃	H	CH ₂ (D-47a)
4-SCH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
2-S(O)CH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-S(O)CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
4-S(O)CH ₃	CF ₃	H	CH ₂ (D-22a)
2-SO ₂ CH ₃	CF ₃	H	CH ₂ (D-47a)
3-SO ₂ CH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)

4-SO ₂ CH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-SEt	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-S(O)Et	CF ₃	H	CH ₂ (D-22a)
3-SO ₂ Et	CF ₃	H	CH ₂ (D-47a)
3-SPr-n	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-S(O)Pr-n	CF ₃	H	N(CH ₃)(D-50a)
3-SO ₂ Pr-n	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SPr-i	CF ₃	H	CH ₂ (D-22a)
3-S(O)Pr-i	CF ₃	H	CH ₂ (D-47a)
3-SO ₂ Pr-i	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-SBu-n	CF ₃	H	N(CH ₃)(D-50a)
3-S(O)Bu-n	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SO ₂ Bu-n	CF ₃	H	CH ₂ (D-22a)
2-SBu-t	CF ₃	H	CH ₂ (D-47a)
3-SBu-t	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-S(O)Bu-t	CF ₃	H	N(CH ₃)(D-50a)
3-SO ₂ Bu-t	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SCH ₂ F	CF ₃	H	CH ₂ (D-22a)
3-S(O)CH ₂ F	CF ₃	H	CH ₂ (D-47a)
3-SO ₂ CH ₂ F	CF ₃	C(O)Et	CH ₂ (D-47a)
2-SCHF ₂	CF ₃	H	N(CH ₃)(D-50a)
2-S(O)CHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2-SO ₂ CHF ₂	CF ₃	H	CH ₂ (D-22a)
3-SCHF ₂	CF ₃	H	CH ₂ (D-47a)
3-S(O)CHF ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-SO ₂ CHF ₂	CF ₃	H	N(CH ₃)(D-50a)
4-SCHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
4-S(O)CHF ₂	CF ₃	H	CH ₂ (D-22a)
4-SO ₂ CHF ₂	CF ₃	H	CH ₂ (D-47a)
2-SCF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
2-S(O)CF ₃	CF ₃	H	N(CH ₃)(D-50a)
2-SO ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SCF ₃	CF ₃	H	CH ₂ CF ₃
3-SCF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-SCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-SCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SCF ₃	CF ₃	H	CH ₂ (D-22a)
3-SCF ₃	CF ₃	H	CH ₂ (D-47a)
3-SCF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-SCF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-SCF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-SCF ₃	CF ₃	H	N(CH ₃)Ph
3-SCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-SCF ₃	CF ₂ Cl	H	CH ₂ CF ₃
3-SCF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SCF ₃	CF ₂ Cl	H	CH ₂ (D-22a)

3-SCF ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3-S(O)CF ₃	CF ₃	H	CH ₂ CF ₃
3-S(O)CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-S(O)CF ₃	CF ₃	H	CH ₂ (D-22a)
3-S(O)CF ₃	CF ₃	H	CH ₂ (D-47a)
3-SO ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-SO ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SO ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-SO ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
4-SCF ₃	CF ₃	H	CH ₂ (D-22a)
4-S(O)CF ₃	CF ₃	H	CH ₂ (D-47a)
4-SO ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-SCF ₂ Cl	CF ₃	H	CH ₂ CF ₃
3-SCF ₂ Cl	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-SCF ₂ Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-SCF ₂ Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SCF ₂ Cl	CF ₃	H	CH ₂ (D-22a)
3-SCF ₂ Cl	CF ₃	H	CH ₂ (D-47a)
3-SCF ₂ Cl	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-SCF ₂ Cl	CF ₃	C(O)Et	CH ₂ (D-47a)
3-SCF ₂ Cl	CF ₃	H	CH(CH ₃)Ph(R)
3-SCF ₂ Cl	CF ₃	H	N(CH ₃)Ph
3-SCF ₂ Cl	CF ₃	H	N(CH ₃)(D-50a)
3-SCF ₂ Cl	CF ₂ Cl	H	CH ₂ CF ₃
3-SCF ₂ Cl	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SCF ₂ Cl	CF ₂ Cl	H	CH ₂ (D-22a)
3-SCF ₂ Cl	CF ₂ Cl	H	CH ₂ (D-47a)
3-S(O)CF ₂ Cl	CF ₃	H	N(CH ₃)(D-50a)
3-SO ₂ CF ₂ Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SCF ₂ Br	CF ₃	H	CH ₂ CF ₃
3-SCF ₂ Br	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-SCF ₂ Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-SCF ₂ Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SCF ₂ Br	CF ₃	H	CH ₂ (D-22a)
3-SCF ₂ Br	CF ₃	H	CH ₂ (D-47a)
3-SCF ₂ Br	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-SCF ₂ Br	CF ₃	C(O)Et	CH ₂ (D-47a)
3-SCF ₂ Br	CF ₃	H	CH(CH ₃)Ph(R)
3-SCF ₂ Br	CF ₃	H	N(CH ₃)Ph
3-SCF ₂ Br	CF ₃	H	N(CH ₃)(D-50a)
3-SCF ₂ Br	CF ₃	H	CH ₂ (D-22a)
3-S(O)CF ₂ Br	CF ₃	H	CH ₂ (D-47a)
3-SO ₂ CF ₂ Br	CF ₃	H	CH ₂ (D-47a)
3-SO ₂ NHCH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-SO ₂ N(CH ₃) ₂	CF ₃	H	N(CH ₃)(D-50a)
3-S(Ph-4-Cl)	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-S(Ph-4-Br)	CF ₃	H	CH ₂ (D-22a)

3-S(Ph-4-CF ₃)	CF ₃	H	CH ₂ (D-47a)
3-S(D-21c)Br	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-S(D-21c)CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-S(D-47d)Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-S(D-47d)CF ₃	CF ₃	H	CH ₂ (D-22a)
3-S(D-47f)	CF ₃	H	CH ₂ (D-47a)
3-S(D-50c)Br	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-SF ₅	CHF ₂	H	N(CH ₃)(D-50a)
3-SF ₅	CF ₃	H	Et
3-SF ₅	CF ₃	Et	Et
3-SF ₅	CF ₃	H	CH ₂ Pr-c
3-SF ₅	CF ₃	H	c-Bu
3-SF ₅	CF ₃	H	CH ₂ CF ₃
3-SF ₅	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-SF ₅	CF ₃	C(O)Et	CH ₂ CF ₃
3-SF ₅	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-SF ₅	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-SF ₅	CF ₃	H	CH ₂ CH(OCH ₃) ₂
3-SF ₅	CF ₃	H	CH ₂ (E-4a)
3-SF ₅	CF ₃	H	CH ₂ (E-5a)
3-SF ₅	CF ₃	H	CH ₂ (E-10a)
3-SF ₅	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3-SF ₅	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3-SF ₅	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-SF ₅	CF ₃	H	CH ₂ CH=NOCH ₃
3-SF ₅	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3-SF ₅	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-SF ₅	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SF ₅	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3-SF ₅	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3-SF ₅	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CF ₃
3-SF ₅	CF ₃	H	CH ₂ CH=CH ₂
3-SF ₅	CF ₃	H	CH ₂ CCl=CH ₂
3-SF ₅	CF ₃	H	CH ₂ C≡CH
3-SF ₅	CF ₃	H	CH(CH ₃)Ph(R)
3-SF ₅	CF ₃	H	CH(CF ₃)Ph
3-SF ₅	CF ₃	H	CH ₂ (D-17a)CH ₃
3-SF ₅	CF ₃	H	CH ₂ (D-17b)Cl
3-SF ₅	CF ₃	H	CH ₂ (D-21a)
3-SF ₅	CF ₃	H	CH ₂ (D-22a)
3-SF ₅	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-SF ₅	CF ₃	C(O)Et	CH ₂ (D-22a)
3-SF ₅	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-SF ₅	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3-SF ₅	CF ₃	H	CH ₂ (D-28a)
3-SF ₅	CF ₃	H	CH ₂ (D-34a)

3-SF ₅	CF ₃	H	CH ₂ (D-35a)
3-SF ₅	CF ₃	H	CH ₂ (D-38a)
3-SF ₅	CF ₃	H	CH ₂ (D-47a)
3-SF ₅	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-SF ₅	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-SF ₅	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-SF ₅	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-SF ₅	CF ₃	C(O)Et	CH ₂ (D-47a)
3-SF ₅	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-SF ₅	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3-SF ₅	CF ₃	H	CH(CH ₃)(D-47a)
3-SF ₅	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-SF ₅	CF ₃	H	CH ₂ (D-50a)
3-SF ₅	CF ₃	H	CH ₂ (D-51a)
3-SF ₅	CF ₃	H	CH ₂ (D-53a)
3-SF ₅	CF ₃	H	N(CH ₃)Ph
3-SF ₅	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3-SF ₅	CF ₃	C(O)Et	N(CH ₃)Ph
3-SF ₅	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-SF ₅	CF ₃	H	N(CH ₃)(D-47a)
3-SF ₅	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3-SF ₅	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3-SF ₅	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-SF ₅	CF ₃	H	NH(D-50a)
3-SF ₅	CF ₃	H	N(CH ₃)(D-50a)
3-SF ₅	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3-SF ₅	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3-SF ₅	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-SF ₅	CF ₃	H	(D-13b)CH ₃
3-SF ₅	CF ₃	H	(D-15a)CH ₃
3-SF ₅	CF ₃	H	D-21a
3-SF ₅	CF ₃	H	D-50a
3-SF ₅	CF ₂ Cl	H	CH ₂ CF ₃
3-SF ₅	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃
3-SF ₅	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-SF ₅	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SF ₅	CF ₂ Cl	H	CH ₂ (D-22a)
3-SF ₅	CF ₂ Cl	H	CH ₂ (D-47a)
3-SF ₅	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3-SF ₅	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3-SF ₅	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3-SF ₅	CF ₂ Cl	H	N(CH ₃)Ph
3-SF ₅	CF ₂ Cl	H	N(CH ₃)(D-50a)
3-SF ₅	CF ₂ Br	H	CH ₂ CF ₃
3-SF ₅	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SF ₅	CF ₂ Br	H	CH ₂ (D-22a)

3-SF ₅	CF ₂ Br	H	CH ₂ (D-47a)
3-SF ₅	CF ₂ CHF ₂	H	CH ₂ CF ₃
3-SF ₅	CF ₂ CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3-SF ₅	CF ₂ CHF ₂	H	CH ₂ (D-22a)
3-SF ₅	CF ₂ CHF ₂	H	CH ₂ (D-47a)
3-NHC(O)CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
4-NHC(O)CH ₃	CF ₃	H	CH ₂ (D-22a)
3-NHC(O)CF ₃	CF ₃	H	CH ₂ (D-47a)
3-NHSO ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-N(CH ₃) ₂	CF ₃	H	N(CH ₃)(D-50a)
3-N(Et) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-N(CH ₃)C(O)CF ₃	CF ₃	H	CH ₂ (D-22a)
3-N(Et)C(O)CF ₃	CF ₃	H	CH ₂ (D-47a)
3-N(CH ₃)C(O)CF ₂ Cl	CF ₃	C(O)Et	CH ₂ (D-47a)
3-N(Et)C(O)CF ₂ Cl	CF ₃	H	N(CH ₃)(D-50a)
3-N(CH ₃)C(O)CF ₂ Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-N(Et)C(O)CF ₂ Br	CF ₃	H	CH ₂ (D-22a)
3-N(CH ₃)SO ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-N(Et)SO ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-(T-28)	CF ₃	H	N(CH ₃)(D-50a)
3-NO ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Si(CH ₃) ₃	CF ₃	H	CH ₂ (D-22a)
2-CN	CF ₃	H	CH ₂ (D-47a)
3-CN	CF ₃	CH ₂ CN	CH ₂ (D-47a)
4-CN	CF ₃	H	N(CH ₃)(D-50a)
3-C(O)CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
4-C(O)CH ₃	CF ₃	H	CH ₂ (D-22a)
3-C(O)OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-C(O)OEt	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-C(O)NH ₂	CF ₃	H	N(CH ₃)(D-50a)
3-C(O)NHCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-C(O)NH ₂ Et	CF ₃	H	CH ₂ (D-22a)
3-C(O)N(CH ₃) ₂	CF ₃	H	CH ₂ (D-47a)
3-C(S)NH ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Ph	CF ₃	H	N(CH ₃)(D-50a)
4-Ph	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-(D-5a)	CF ₃	H	CH ₂ (D-22a)
3-(D-14a)	CF ₃	H	CH ₂ (D-47a)
3-(D-24a)	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-(D-38a)	CF ₃	H	N(CH ₃)(D-50a)
2,3-F ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2,4-F ₂	CF ₃	H	CH ₂ (D-22a)
2,5-F ₂	CF ₃	H	CH ₂ (D-47a)
2,6-F ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,4-F ₂	CF ₃	H	CH ₂ CF ₃
3,4-F ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃

3,4-F ₂	CF ₃	H	CH ₂ (D-22a)
3,4-F ₂	CF ₃	H	CH ₂ (D-47a)
3,5-F ₂	CF ₃	H	CH ₂ CF ₃
3,5-F ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,5-F ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-F ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-F ₂	CF ₃	H	CH ₂ (D-22a)
3,5-F ₂	CF ₃	H	CH ₂ (D-47a)
3,5-F ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-F ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-F ₂	CF ₃	H	CH(CH ₃)Ph(R)
3,5-F ₂	CF ₃	H	N(CH ₃)Ph
3,5-F ₂	CF ₃	H	N(CH ₃)(D-50a)
2-Cl-4-F	CF ₃	H	N(CH ₃)(D-50a)
2-F-3-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-4-F	CF ₃	H	CH ₂ Pr-c
3-Cl-4-F	CF ₃	H	c-Bu
3-Cl-4-F	CF ₃	H	CH ₂ CF ₃
3-Cl-4-F	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Cl-4-F	CF ₃	C(O)Et	CH ₂ CF ₃
3-Cl-4-F	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Cl-4-F	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Cl-4-F	CF ₃	H	CH ₂ (E-10a)
3-Cl-4-F	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-Cl-4-F	CF ₃	H	CH ₂ CH=NOCH ₃
3-Cl-4-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-4-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-4-F	CF ₃	H	CH(CH ₃)Ph(R)
3-Cl-4-F	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Cl-4-F	CF ₃	H	CH ₂ (D-17b)Cl
3-Cl-4-F	CF ₃	H	CH ₂ (D-21a)
3-Cl-4-F	CF ₃	H	CH ₂ (D-22a)
3-Cl-4-F	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Cl-4-F	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Cl-4-F	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Cl-4-F	CF ₃	H	CH ₂ (D-47a)
3-Cl-4-F	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-Cl-4-F	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-4-F	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-Cl-4-F	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-4-F	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-4-F	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-4-F	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Cl-4-F	CF ₃	H	N(CH ₃)Ph
3-Cl-4-F	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-Cl-4-F	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)

3-Cl-4-F	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-4-F	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Cl-4-F	CF ₃	H	(D-13b)CH ₃
3-Cl-4-F	CF ₃	H	(D-15a)CH ₃
2-F-4-Cl	CF ₃	H	CH ₂ (D-22a)
3-F-4-Cl	CF ₃	H	CH ₂ (D-47a)
3-F-5-Cl	CHF ₂	CH ₂ CN	CH ₂ (D-47a)
3-F-5-Cl	CF ₃	H	Et
3-F-5-Cl	CF ₃	Et	Et
3-F-5-Cl	CF ₃	H	CH ₂ Pr-c
3-F-5-Cl	CF ₃	H	c-Bu
3-F-5-Cl	CF ₃	H	CH ₂ CF ₃
3-F-5-Cl	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-F-5-Cl	CF ₃	C(O)Et	CH ₂ CF ₃
3-F-5-Cl	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-F-5-Cl	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-F-5-Cl	CF ₃	H	CH ₂ CH(OCH ₃) ₂
3-F-5-Cl	CF ₃	H	CH ₂ (E-4a)
3-F-5-Cl	CF ₃	H	CH ₂ (E-5a)
3-F-5-Cl	CF ₃	H	CH ₂ (E-10a)
3-F-5-Cl	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3-F-5-Cl	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3-F-5-Cl	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-F-5-Cl	CF ₃	H	CH ₂ CH=NOCH ₃
3-F-5-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3-F-5-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-F-5-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3-F-5-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3-F-5-Cl	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CF ₃
3-F-5-Cl	CF ₃	H	CH ₂ CH=CH ₂
3-F-5-Cl	CF ₃	H	CH ₂ CCl=CH ₂
3-F-5-Cl	CF ₃	H	CH ₂ C≡CH
3-F-5-Cl	CF ₃	H	CH(CH ₃)Ph(R)
3-F-5-Cl	CF ₃	H	CH(CF ₃)Ph
3-F-5-Cl	CF ₃	H	CH ₂ (D-17a)CH ₃
3-F-5-Cl	CF ₃	H	CH ₂ (D-17b)Cl
3-F-5-Cl	CF ₃	H	CH ₂ (D-21a)
3-F-5-Cl	CF ₃	H	CH ₂ (D-22a)
3-F-5-Cl	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-F-5-Cl	CF ₃	C(O)Et	CH ₂ (D-22a)
3-F-5-Cl	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-F-5-Cl	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3-F-5-Cl	CF ₃	H	CH ₂ (D-28a)
3-F-5-Cl	CF ₃	H	CH ₂ (D-34a)
3-F-5-Cl	CF ₃	H	CH ₂ (D-35a)

3-F-5-Cl	CF ₃	H	CH ₂ (D-38a)
3-F-5-Cl	CF ₃	H	CH ₂ (D-47a)
3-F-5-Cl	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-F-5-Cl	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-F-5-Cl	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-F-5-Cl	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-F-5-Cl	CF ₃	C(O)Et	CH ₂ (D-47a)
3-F-5-Cl	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-F-5-Cl	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3-F-5-Cl	CF ₃	H	CH(CH ₃)(D-47a)
3-F-5-Cl	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-F-5-Cl	CF ₃	H	CH ₂ (D-50a)
3-F-5-Cl	CF ₃	H	CH ₂ (D-51a)
3-F-5-Cl	CF ₃	H	CH ₂ (D-53a)
3-F-5-Cl	CF ₃	H	N(CH ₃)Ph
3-F-5-Cl	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3-F-5-Cl	CF ₃	C(O)Et	N(CH ₃)Ph
3-F-5-Cl	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-F-5-Cl	CF ₃	H	N(CH ₃)(D-47a)
3-F-5-Cl	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3-F-5-Cl	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3-F-5-Cl	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-F-5-Cl	CF ₃	H	NH(D-50a)
3-F-5-Cl	CF ₃	H	N(CH ₃)(D-50a)
3-F-5-Cl	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3-F-5-Cl	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3-F-5-Cl	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-F-5-Cl	CF ₃	H	(D-13b)CH ₃
3-F-5-Cl	CF ₃	H	(D-15a)CH ₃
3-F-5-Cl	CF ₃	H	D-21a
3-F-5-Cl	CF ₃	H	D-50a
3-F-5-Cl	CF ₂ Cl	H	CH ₂ CF ₃
3-F-5-Cl	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃
3-F-5-Cl	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-F-5-Cl	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-Cl	CF ₂ Cl	H	CH ₂ (D-22a)
3-F-5-Cl	CF ₂ Cl	H	CH ₂ (D-47a)
3-F-5-Cl	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3-F-5-Cl	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3-F-5-Cl	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3-F-5-Cl	CF ₂ Cl	H	N(CH ₃)Ph
3-F-5-Cl	CF ₂ Cl	H	N(CH ₃)(D-50a)
3-F-5-Cl	CF ₂ Br	H	CH ₂ CF ₃
3-F-5-Cl	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-Cl	CF ₂ Br	H	CH ₂ (D-22a)
3-F-5-Cl	CF ₂ Br	H	CH ₂ (D-47a)

3-F-5-Cl	CF ₂ CHF ₂	H	N(CH ₃)(D-50a)
3-F-5-Cl	CF ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-Cl	CF ₂ OCH ₃	H	CH ₂ (D-22a)
2-F-6-Cl	CF ₃	H	CH ₂ (D-47a)
2,3-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
2,4-Cl ₂	CF ₃	H	N(CH ₃)(D-50a)
2,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2,6-Cl ₂	CF ₃	H	CH ₂ (D-22a)
3,4-Cl ₂	CF ₃	H	CH ₂ Pr-c
3,4-Cl ₂	CF ₃	H	c-Bu
3,4-Cl ₂	CF ₃	H	CH ₂ CF ₃
3,4-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,4-Cl ₂	CF ₃	C(O)Et	CH ₂ CF ₃
3,4-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,4-Cl ₂	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,4-Cl ₂	CF ₃	H	CH ₂ (E-10a)
3,4-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3,4-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₃
3,4-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,4-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4-Cl ₂	CF ₃	H	CH(CH ₃)Ph(R)
3,4-Cl ₂	CF ₃	H	CH ₂ (D-17a)CH ₃
3,4-Cl ₂	CF ₃	H	CH ₂ (D-17b)Cl
3,4-Cl ₂	CF ₃	H	CH ₂ (D-21a)
3,4-Cl ₂	CF ₃	H	CH ₂ (D-22a)
3,4-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,4-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-22a)
3,4-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,4-Cl ₂	CF ₃	H	CH ₂ (D-47a)
3,4-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,4-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,4-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,4-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,4-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3,4-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,4-Cl ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,4-Cl ₂	CF ₃	H	N(CH ₃)Ph
3,4-Cl ₂	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,4-Cl ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,4-Cl ₂	CF ₃	H	N(CH ₃)(D-50a)
3,4-Cl ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,4-Cl ₂	CF ₃	H	(D-13b)CH ₃
3,4-Cl ₂	CF ₃	H	(D-15a)CH ₃
3,5-Cl ₂	CH ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	Et	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	n-Pr	H	N(CH ₃)(D-50a)

3,5-Cl ₂	i-Pr	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	c-Pr	H	CH ₂ (D-22a)
3,5-Cl ₂	n-Bu	H	CH ₂ (D-47a)
3,5-Cl ₂	i-Bu	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	s-Bu	H	N(CH ₃)(D-50a)
3,5-Cl ₂	c-Bu	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	c-Pen	H	CH ₂ (D-22a)
3,5-Cl ₂	n-Hex	H	CH ₂ (D-47a)
3,5-Cl ₂	c-Hex	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CH ₂ F	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CH ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CH ₂ Br	H	CH ₂ (D-22a)
3,5-Cl ₂	CH ₂ I	H	CH ₂ (D-47a)
3,5-Cl ₂	CHF ₂	H	c-Bu
3,5-Cl ₂	CHF ₂	H	CH ₂ CF ₃
3,5-Cl ₂	CHF ₂	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CHF ₂	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂	CHF ₂	C(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CHF ₂	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CHF ₂	H	CH ₂ (E-10a)
3,5-Cl ₂	CHF ₂	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CHF ₂	H	CH(CH ₃)Ph(R)
3,5-Cl ₂	CHF ₂	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CHF ₂	H	CH ₂ (D-17b)Cl
3,5-Cl ₂	CHF ₂	H	CH ₂ (D-22a)
3,5-Cl ₂	CHF ₂	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CHF ₂	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂	CHF ₂	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CHF ₂	H	CH ₂ (D-47a)
3,5-Cl ₂	CHF ₂	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CHF ₂	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CHF ₂	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CHF ₂	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CHF ₂	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	CHF ₂	H	N(CH ₃)Ph
3,5-Cl ₂	CHF ₂	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CHF ₂	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	CHFCI	H	c-Bu
3,5-Cl ₂	CHFCI	H	CH ₂ CF ₃
3,5-Cl ₂	CHFCI	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CHFCI	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂	CHFCI	C(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CHFCI	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CHFCI	H	CH ₂ (E-10a)
3,5-Cl ₂	CHFCI	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl

3,5-Cl ₂	CHFCI	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CHFCI	H	CH(CH ₃)Ph(R)
3,5-Cl ₂	CHFCI	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CHFCI	H	CH ₂ (D-17b)Cl
3,5-Cl ₂	CHFCI	H	CH ₂ (D-22a)
3,5-Cl ₂	CHFCI	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CHFCI	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂	CHFCI	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CHFCI	H	CH ₂ (D-47a)
3,5-Cl ₂	CHFCI	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CHFCI	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CHFCI	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CHFCI	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CHFCI	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	CHFCI	H	N(CH ₃)Ph
3,5-Cl ₂	CHFCI	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CHFCI	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	CHFBr	H	c-Bu
3,5-Cl ₂	CHFBr	H	CH ₂ CF ₃
3,5-Cl ₂	CHFBr	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CHFBr	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂	CHFBr	C(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CHFBr	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CHFBr	H	CH ₂ (E-10a)
3,5-Cl ₂	CHFBr	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CHFBr	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CHFBr	H	CH(CH ₃)Ph(R)
3,5-Cl ₂	CHFBr	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CHFBr	H	CH ₂ (D-17b)Cl
3,5-Cl ₂	CHFBr	H	CH ₂ (D-22a)
3,5-Cl ₂	CHFBr	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CHFBr	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂	CHFBr	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CHFBr	H	CH ₂ (D-47a)
3,5-Cl ₂	CHFBr	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CHFBr	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CHFBr	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CHFBr	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CHFBr	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	CHFBr	H	N(CH ₃)Ph
3,5-Cl ₂	CHFBr	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CHFBr	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	CHCl ₂	H	CH ₂ CF ₃
3,5-Cl ₂	CHCl ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CHCl ₂	H	CH ₂ (D-22a)
3,5-Cl ₂	CHCl ₂	H	CH ₂ (D-47a)

3,5-Cl ₂	CF ₃	H	CH ₃
3,5-Cl ₂	CF ₃	CH ₃	CH ₃
3,5-Cl ₂	CF ₃	NH ₂	CH ₃
3,5-Cl ₂	CF ₃	H	Et
3,5-Cl ₂	CF ₃	CH ₃	Et
3,5-Cl ₂	CF ₃	Et	Et
3,5-Cl ₂	CF ₃	NH ₂	Et
3,5-Cl ₂	CF ₃	N=C(CH ₃) ₂	Et
3,5-Cl ₂	CF ₃	H	n-Pr
3,5-Cl ₂	CF ₃	CH ₃	n-Pr
3,5-Cl ₂	CF ₃	H	i-Pr
3,5-Cl ₂	CF ₃	CH ₃	i-Pr
3,5-Cl ₂	CF ₃	H	c-Pr
3,5-Cl ₂	CF ₃	C(O)CH ₃	c-Pr
3,5-Cl ₂	CF ₃	C(O)Et	c-Pr
3,5-Cl ₂	CF ₃	C(O)OCH ₃	c-Pr
3,5-Cl ₂	CF ₃	H	n-Bu
3,5-Cl ₂	CF ₃	CH ₂ CN	n-Bu
3,5-Cl ₂	CF ₃	H	i-Bu
3,5-Cl ₂	CF ₃	CH ₃	i-Bu
3,5-Cl ₂	CF ₃	H	CH ₂ Pr-c
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ Pr-c
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ Pr-c
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ Pr-c
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ Pr-c
3,5-Cl ₂	CF ₃	H	s-Bu
3,5-Cl ₂	CF ₃	H	t-Bu
3,5-Cl ₂	CF ₃	H	c-Bu
3,5-Cl ₂	CF ₃	C(O)CH ₃	c-Bu
3,5-Cl ₂	CF ₃	C(O)Et	c-Bu
3,5-Cl ₂	CF ₃	C(O)OCH ₃	c-Bu
3,5-Cl ₂	CF ₃	H	n-Pen
3,5-Cl ₂	CF ₃	H	CH ₂ Bu-i
3,5-Cl ₂	CF ₃	H	CH ₂ Bu-s
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ Bu-s
3,5-Cl ₂	CF ₃	H	CH ₂ Bu-t
3,5-Cl ₂	CF ₃	H	CH ₂ Bu-c
3,5-Cl ₂	CF ₃	H	CH ₂ (T-6)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)Pr-n
3,5-Cl ₂	CF ₃	H	CH(CH ₃)Pr-i
3,5-Cl ₂	CF ₃	H	CH(Et) ₂
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ Et
3,5-Cl ₂	CF ₃	H	c-Pen
3,5-Cl ₂	CF ₃	H	n-Hex
3,5-Cl ₂	CF ₃	H	CH ₂ (T-7)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)Bu-i

3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ Pr-n
3,5-Cl ₂	CF ₃	H	c-Hex
3,5-Cl ₂	CF ₃	H	Hept
3,5-Cl ₂	CF ₃	H	CH ₂ Hex-c
3,5-Cl ₂	CF ₃	H	Oct
3,5-Cl ₂	CF ₃	H	CH ₂ (T-12)
3,5-Cl ₂	CF ₃	-CH ₂ CH ₂ CH ₂	CH ₂ CH ₂ CH ₂ -
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ F
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ Br
3,5-Cl ₂	CF ₃	H	CH ₂ CHF ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CHFCI
3,5-Cl ₂	CF ₃	H	CH ₂ CHCl ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CHFBr
3,5-Cl ₂	CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	Et	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	n-Pr	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	i-Pr	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ OEt	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ CH ₂ OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ OCH ₂ CH ₂ Cl	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ OCH ₂ CH ₂ OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ OCH ₂ Ph	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ SCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ SCF ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ SPh	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ CH=CH ₂	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)Pr-n	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)Pr-i	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)Pr-c	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)Bu-t	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)CH ₂ OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)CH ₂ SCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)OEt	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)OCH ₂ CH ₂ Cl	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)SCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(S)OCH ₃	CH ₂ CF ₃

3,5-Cl ₂	CF ₃	C(S)SCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SCCl ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SPh	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Et) ₂	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Pr-i) ₂	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Bu-n) ₂	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	S(T-35)	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(CH ₃)CH ₂ CH ₂ C(O)OEt	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Et)CH ₂ CH ₂ C(O)OEt	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Pr-i)CH ₂ CH ₂ C(O)OEt	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(CH ₂ Ph)CH ₂ CH ₂ C(O)OEt	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(CH ₃)C(O)OEt	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(CH ₃)C(O)OPr-n	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(CH ₃)C(O)OBu-n	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(CH ₃)C(O)OHex-n	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Et)C(O)OEt	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Et)C(O)OPr-n	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Et)C(O)OBu-n	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Pr-i)C(O)OEt	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Pr-i)C(O)OPr-n	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SN(Pr-i)C(O)OBu-n	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SO ₂ CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	SO ₂ Et	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	NH ₂	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	NHCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	NHCHO	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	NHC(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	NHC(O)CF ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	NHC(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	NHC(O)NHCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	N=C(CH ₃) ₂	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	N=CHPh	CH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CF ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ CFCl ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CCl ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CF ₂ Br
3,5-Cl ₂	CF ₃	H	CH ₂ CFCIBr
3,5-Cl ₂	CF ₃	H	CH ₂ CCl ₂ Br
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ F
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ F(S)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ Br
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ Br(R)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ Br(S)
3,5-Cl ₂	CF ₃	H	CH ₂ CHFCH ₃

3,5-Cl ₂	CF ₃	H	CH ₂ CHClCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CHClCH ₃ (R)
3,5-Cl ₂	CF ₃	H	CH ₂ CHClCH ₃ (S)
3,5-Cl ₂	CF ₃	H	CH ₂ CHBrCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CFCICH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CHClCH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ CHBrCH ₂ F
3,5-Cl ₂	CF ₃	H	CH ₂ CHClCH ₂ Br
3,5-Cl ₂	CF ₃	H	CH ₂ CHBrCH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ CClBrCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CHBrCH ₂ Br
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CF ₂ Br
3,5-Cl ₂	CF ₃	H	CH ₂ CClBrCH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ CF ₂ CHF ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CHClCF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CF ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CF(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CHFCH ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CHClCH ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CF ₂ CHFCF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CF ₂ CF ₂ CHF ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CF ₂ CF ₂ CF ₃
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ Br
3,5-Cl ₂	CF ₃	H	CH ₂ (T-1)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-2)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-3)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-4)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-5)
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CHBrCH ₂ Br
3,5-Cl ₂	CF ₃	H	CH ₂ (T-10)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-11)
3,5-Cl ₂	CF ₃	H	CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH(CF ₃)OH
3,5-Cl ₂	CF ₃	H	CH(CF ₃)OCH ₃
3,5-Cl ₂	CF ₃	H	CH(CF ₃)OEt
3,5-Cl ₂	CF ₃	H	CH(CF ₃)OPr-n
3,5-Cl ₂	CF ₃	H	CH(CF ₃)OPr-i
3,5-Cl ₂	CF ₃	H	CH(CF ₃)OPr-c
3,5-Cl ₂	CF ₃	H	CH(CF ₃)OCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH(CF ₃)OCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH(CF ₃)OCH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	CH ₂ CH ₂ OCH ₃	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ CH ₂ OCH ₃

3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	C(O)SCH ₃	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	C(S)OCH ₃	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	C(S)SCH ₃	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OEt
3,5-Cl ₂	CF ₃	CH ₂ CH ₂ OEt	CH ₂ CH ₂ OEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OPr-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OPr-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OBu-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OCH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OCH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OCH ₂ CH ₂ SEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OCH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OC(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OC(O)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OC(O)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OC(O)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OC(O)NHPh
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ OPh
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ O(Ph-2-Cl)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ O(Ph-3-Cl)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ O(Ph-4-Cl)
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)OH
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)OCH ₃ (R)
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)OCH ₃ (S)
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)OC(O)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)OC(O)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)OC(O)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Et)OH
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Et)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(OCH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH(OEt) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CF(CF ₃)OCF ₂ CF ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃) ₂ OSi(CH ₃) ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OH
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OCH ₃ (R)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OCH ₃ (S)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OEt
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)CH ₃

3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)CF ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NH ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)N(Et) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHPr-n
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHPr-i
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)N(Pr-i) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHPr-c
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NH ₂ CH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHCH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHCH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHCH ₂ CH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHCH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHCH ₂ (D-47a)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHCH ₂ (D-48a)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHCH ₂ (D-49a)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)NHPh
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)N(CH ₃)Ph
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)(T-28)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)(T-34)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)(T-35)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(O)(T-36)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OP(O)(OEt) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OP(S)(OCH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OP(S)(OEt) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(S)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(S)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OC(S)NH ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ OPh
3,5-Cl ₂	CF ₃	H	CH(Et)CH ₂ OH
3,5-Cl ₂	CF ₃	H	CH(Et)CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH(Ph)CH ₂ OH
3,5-Cl ₂	CF ₃	H	CH(Ph)CH ₂ OH(R)
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ OH
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ OH
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ OC(O)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ CHOC(O)NHPr-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ OC(O)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (T-13)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-14)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-15)

3,5-Cl ₂	CF ₃	H	CH ₂ (T-16)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-4a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-4b)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-5a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-5c)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-10a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (E-10a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (E-10a)
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (E-10a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (E-10a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-10b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-11a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-11b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-11c)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-23a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-24a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-25a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-32a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-32b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ (E-10a)
3,5-Cl ₂	CF ₃	H	E-4a
3,5-Cl ₂	CF ₃	H	E-4b
3,5-Cl ₂	CF ₃	H	E-5a
3,5-Cl ₂	CF ₃	H	E-5b
3,5-Cl ₂	CF ₃	H	E-5c
3,5-Cl ₂	CF ₃	H	E-24a
3,5-Cl ₂	CF ₃	H	E-25a
3,5-Cl ₂	CF ₃	H	E-25b
3,5-Cl ₂	CF ₃	H	E-34a
3,5-Cl ₂	CF ₃	-CH ₂ OCH ₂ C(CH ₃) ₂ -	
3,5-Cl ₂	CF ₃	-CH(Et)OCH ₂ CH ₂ -	
3,5-Cl ₂	CF ₃	-CH ₂ CH ₂ OCH ₂ CH ₂ -	
3,5-Cl ₂	CF ₃	-CH ₂ CH(CH ₃)OCH(CH ₃)CH ₂ -	
3,5-Cl ₂	CF ₃	H	CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CF ₃)SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CF ₃)SEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	Et	CH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)Et
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ Et
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SPr-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)Pr-n

3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ Pr-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SPr-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)Pr-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ Pr-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SBu-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SBu-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SBu-s
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SBu-t
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)Bu-t
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ Bu-t
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SHex-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SHex-c
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)CH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ CH ₂ OH
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ CH ₂ OEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)CH ₂ CH ₂ OEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₂ CH ₂ OEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ CH ₂ OC(O)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ Si(CH ₃) ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ C(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ CH ₂ C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)CH ₂ CH ₂ C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₂ CH ₂ C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ C(O)N(Et) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)CH ₂ C(O)N(Et) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₂ C(O)N(Et) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)CH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ (Ph-4-Cl)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SCH ₂ (Ph-2,4-Cl ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SC(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SC(O)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SC(O)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SC(O)N(Et) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SC(S)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SC(S)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SC(S)NH ₂

3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SPh
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)Ph
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(D-21a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ (D-21a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(D-47a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)(D-47a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ (D-47a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(D-50a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)(D-50a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ (D-50a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(D-50c)Br
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ S(O)(D-50c)Br
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ (D-50c)Br
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SSCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SS(Ph-2-NO ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ N(Et) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHPr-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHPr-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ N(Pr-i) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHPr-c
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHBu-t
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHCH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHCH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHCH ₂ CH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHCH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHCH ₂ (D-47a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHCH ₂ (D-48a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHCH ₂ (D-49a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ NHPh
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ N(CH ₃)Ph
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ (T-28)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ (T-34)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ (T-35)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ (T-36)
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)SCH ₃ (R)
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)SCH ₃ (S)
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)SEt

3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)SEt(R)
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)SEt(S)
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)S(O)Et
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ Et
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Et)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Et)S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Et)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Pr-n)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Pr-n)S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Pr-n)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Pr-i)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Pr-i)S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Pr-i)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Ph)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Ph)S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(Ph)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(SEt) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SH
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SCH ₃ (R)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SCH ₃ (S)
3,5-Cl ₂	CF ₃	CH ₃	CH(CH ₃)CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	Et	CH(CH ₃)CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SEt
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SEt(R)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SEt(S)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ S(O)Et
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ Et
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SPr-n
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ S(O)Pr-n
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ Pr-n
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SPr-i
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ S(O)Pr-i
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ Pr-i
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SBu-t
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ S(O)Bu-t
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ Bu-t
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SCH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ S(O)CH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH(CH ₂ SCH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH(Ph)CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(Ph)CH ₂ S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH(Ph)CH ₂ SO ₂ CH ₃

3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH(CH ₃)SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH(CH ₃)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ S(O)CH ₃
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ S(O)CH ₃ (-)
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ S(O)CH ₃ (+)
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH(CH ₃)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH(CH ₃)S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH(CH ₃)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)CH ₂ S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)CH ₂ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)CH ₂ SEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)CH ₂ S(O)Et
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)CH ₂ SO ₂ Et
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ CH ₂ S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ CH ₂ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH(Et)CH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₂ OH)CH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ CH ₂ SEt
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(CH ₂) ₃ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(CH ₂) ₃ S(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(CH ₂) ₃ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ (CH ₂) ₃ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(CH ₂) ₄ SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(CH ₂) ₄ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-6a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-7a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-7b)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-7c)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-7d)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-12a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-12b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-14a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-14b)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-14c)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-18a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-18b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-26a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-27a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-28a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-35a)

3,5-Cl ₂	CF ₃	H	CH ₂ (E-35b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-43a)
3,5-Cl ₂	CF ₃	H	CH ₂ (E-43b)CH ₃
3,5-Cl ₂	CF ₃	H	E-6a
3,5-Cl ₂	CF ₃	H	E-7a
3,5-Cl ₂	CF ₃	H	E-7b
3,5-Cl ₂	CF ₃	H	E-7c
3,5-Cl ₂	CF ₃	H	E-27a
3,5-Cl ₂	CF ₃	H	E-28a
3,5-Cl ₂	CF ₃	-CH ₂ SCH ₂ CH ₂ -	
3,5-Cl ₂	CF ₃	-C(CH ₃) ₂ SCH ₂ CH ₂ -	
3,5-Cl ₂	CF ₃	-CH ₂ CH ₂ SCH ₂ CH ₂ -	
3,5-Cl ₂	CF ₃	H	CH ₂ NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ NHC(O)OEt
3,5-Cl ₂	CF ₃	H	CH ₂ NHC(O)OPr-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ N(CH ₃)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ N(CH ₃)C(O)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)Et
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)Pr-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)Pr-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)Pr-c
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)Bu-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)Bu-i
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)Bu-s
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)Bu-t
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)CF ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)Ph
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)(D-17a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)(D-17b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)(D-21a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)(D-22a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)(D-23a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)(D-47a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)(D-48a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)(D-49a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)OEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)OPr-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)OBu-t
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(O)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHC(S)NH ₂ Et
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHSO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHSO ₂ Et
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHSO ₂ Ph

3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHSO ₂ N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHP(S)(OCH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ NHP(S)(OEt) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ N(CH ₃)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ N(CH ₃)SO ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ N(CH ₃)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)NHC(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃) ₂ NHC(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃) ₂ NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ NHC(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ NHC(O)CF ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ NHC(O)OBu-t
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ NHC(O)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ NHC(O)Ph
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ N(CH ₃)OCH ₃
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ NHC(O)OBu-t
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ N(CH ₃)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH(Et)NHC(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH(Et)NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃) ₂ CH ₂ N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃) ₂ CH ₂ NHC(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃) ₂ CH ₂ NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(OH)CH ₂ NHC(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(OH)CH ₂ NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-8a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-8a)CH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-8a)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-8b)H
3,5-Cl ₂	CF ₃	H	CH ₂ (E-8b)CH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ (E-9a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-9a)Et
3,5-Cl ₂	CF ₃	H	CH ₂ (E-9a)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-9a)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-9b)H
3,5-Cl ₂	CF ₃	H	CH ₂ (E-29a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-29a)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-29b)H
3,5-Cl ₂	CF ₃	H	CH ₂ (E-30a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-30a)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-30b)H

3,5-Cl ₂	CF ₃	H	CH ₂ (E-30c)H
3,5-Cl ₂	CF ₃	H	CH ₂ (E-31a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-31a)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-31a)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ (E-9a)CH ₃
3,5-Cl ₂	CF ₃	H	(E-8a)C(O)OEt
3,5-Cl ₂	CF ₃	H	(E-9a)CHO
3,5-Cl ₂	CF ₃	H	(E-9a)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	(E-9a)C(O)CF ₃
3,5-Cl ₂	CF ₃	H	(E-9a)C(O)Bu-t
3,5-Cl ₂	CF ₃	H	(E-9a)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	(E-9a)C(O)OEt
3,5-Cl ₂	CF ₃	H	(E-9b)H
3,5-Cl ₂	CF ₃	H	(E-9b)CH ₂ C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	(E-30a)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	(E-30a)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	(E-30b)H
3,5-Cl ₂	CF ₃	H	(E-30b)CH ₂ C(O)NH ₂
3,5-Cl ₂	CF ₃	H	(E-30b)OCH ₂ Ph
3,5-Cl ₂	CF ₃	H	(E-30c)OCH ₂ Ph
3,5-Cl ₂	CF ₃	H	(E-31a)CH ₃
3,5-Cl ₂	CF ₃	H	(E-31a)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	(E-31a)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	(E-31b)H
3,5-Cl ₂	CF ₃	H	(E-31b)CH ₂ C(O)OEt
3,5-Cl ₂	CF ₃	-CH ₂ CH ₂ N(CHO)CH ₂ CH ₂ -	
3,5-Cl ₂	CF ₃	H	CH ₂ (E-16a)H
3,5-Cl ₂	CF ₃	H	CH ₂ (E-16a)Pr-n
3,5-Cl ₂	CF ₃	H	CH ₂ (E-16a)C(O)OEt
3,5-Cl ₂	CF ₃	H	CH ₂ (E-17a)H
3,5-Cl ₂	CF ₃	H	CH ₂ (E-17a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-21a)CH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ (E-21b)H
3,5-Cl ₂	CF ₃	H	CH ₂ (E-22a)Ph
3,5-Cl ₂	CF ₃	H	CH ₂ (E-22b)H
3,5-Cl ₂	CF ₃	H	CH ₂ (E-40a)H
3,5-Cl ₂	CF ₃	H	CH ₂ (E-41a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (E-42a)H
3,5-Cl ₂	CF ₃	H	CH ₂ (E-42b)H
3,5-Cl ₂	CF ₃	H	CH ₂ Si(CH ₃) ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ Si(CH ₃)(OEt) ₂
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CHO
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (T-19)
3,5-Cl ₂	CF ₃	H	CH ₂ (M-2a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (M-3a)CH ₃

3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOH
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOPr-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₂ Pr-c
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₂ CH ₂ OEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₂ CH ₂ SEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₂ CN
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	CH ₂ CH=NOCH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOH
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOEt
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOPr-n
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₂ Pr-c
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₂ CH ₂ OEt
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₂ CH ₂ SEt
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₂ CN
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ C(Ph)=NOCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH=NOCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(CH ₃)=NOCH ₃
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH=NOH
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH=NOCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH=NOCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)C(CH ₃)=NOH
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)C(CH ₃)=NOCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)C(CH ₃)=NOEt
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ CH=NOCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ CH=NOEt
3,5-Cl ₂	CF ₃	H	CH ₂ (T-20)
3,5-Cl ₂	CF ₃	H	CH ₂ (M-5a)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (M-5a)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (M-5a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (M-5a)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (M-5a)CH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (M-5a)CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (M-14a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (M-15a)CH ₃

3,5-Cl ₂	CF ₃	H	CH ₂ (M-16a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CN
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CN
3,5-Cl ₂	CF ₃	H	CH(CF ₃)CN
3,5-Cl ₂	CF ₃	H	CH(OCH ₃)CN
3,5-Cl ₂	CF ₃	H	CH(OEt)CN
3,5-Cl ₂	CF ₃	H	CH(OPr-n)CN
3,5-Cl ₂	CF ₃	H	CH(OPr-i)CN
3,5-Cl ₂	CF ₃	H	CH(OPr-c)CN
3,5-Cl ₂	CF ₃	H	CH(OCH ₂ CF ₃)CN
3,5-Cl ₂	CF ₃	H	CH(OCH ₂ CH=CH ₂)CN
3,5-Cl ₂	CF ₃	H	CH(OCH ₂ C≡CH)CN
3,5-Cl ₂	CF ₃	H	CH(SET)CN
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CN
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)OEt
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)OCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)OCH ₃ (D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)OCH ₃ (L)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)OEt
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)OEt(D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)OCH ₂ CF ₃ (D)
3,5-Cl ₂	CF ₃	H	CH(OCH ₃)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH(Ph)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH(Ph)C(O)OCH ₃ (R)
3,5-Cl ₂	CF ₃	H	CH(Ph)C(O)OCH ₃ (S)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ C(O)OEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)C(O)OEt
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ C(O)OEt
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NH ₂ t
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(CH ₃)Et
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(Et) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHPr-n
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(CH ₃)Pr-n
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(Pr-n) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHPr-i
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(CH ₃)Pr-i
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHPr-c
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHBu-n
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHBu-i
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHBu-s

3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHBu-c
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHBu-t
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(CH ₃)CH ₂ CH ₂ F
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(CH ₃)CH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Br
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(CH ₃)CH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CN
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(CH ₃)CH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(CH ₂ CH=CH ₂) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CCl=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)N(CH ₃)CH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ (D-22a)
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ (D-47a)
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHOPr-n
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHNHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHN(CH ₃)Ph
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)NHPh
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)(T-28)
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)(T-30)
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)(T-32)
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)(T-34)
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)(T-35)
3,5-Cl ₂	CF ₃	H	CH ₂ C(O)(T-36)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NH ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₃ (D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₃ (L)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)N(CH ₃) ₂ (D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NH ₂ t(D)

3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHPr-n(D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHPr-i(D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHPr-c(D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ F
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ F(D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl(D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CF ₃ (D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH=CH ₂ (D)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ C≡CH(D)
3,5-Cl ₂	CF ₃	H	CH(Et)C(O)NH ₂ Et
3,5-Cl ₂	CF ₃	H	CH(Et)C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH(Et)C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH(Pr-n)C(O)NH ₂ Et
3,5-Cl ₂	CF ₃	H	CH(Pr-i)C(O)NH ₂ Et
3,5-Cl ₂	CF ₃	H	CH(Pr-i)C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	CH(Pr-i)C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₂ OCH ₃)C(O)NH ₂ Et
3,5-Cl ₂	CF ₃	H	CH(CH ₂ SCH ₃)C(O)NH ₂ Et
3,5-Cl ₂	CF ₃	H	CH(Ph)C(O)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH(Ph)C(O)NHCH ₃ (D)
3,5-Cl ₂	CF ₃	H	CH(Ph)C(O)NHCH ₃ (L)
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)C(O)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)C(O)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)C(O)NH ₂ Et
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)C(O)N(Et) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH(CH ₃)C(O)N(CH ₃)Ph
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ C(O)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(OEt)=NCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (T-21)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-24)
3,5-Cl ₂	CF ₃	H	CH ₂ (M-8a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (M-9a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(S)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(SCH ₃)=NCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (T-22)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-25)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-23)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-26)
3,5-Cl ₂	CF ₃	H	CH ₂ (M-10a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(=NOH)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(=NOCH ₃)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH=CH ₂

3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	CH ₂ CH=CH ₂	CH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH=CHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=CH ₂
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ C(CH ₃)=CH ₂
3,5-Cl ₂	CF ₃	Et	CH ₂ C(CH ₃)=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(Et)=CH ₂
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=CHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH=C(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(Et)=CHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH=CHEt
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=CHEt
3,5-Cl ₂	CF ₃	H	CH ₂ CH=CHPr-n
3,5-Cl ₂	CF ₃	H	CH ₂ CH=CHBu-n
3,5-Cl ₂	CF ₃	H	CH ₂ (T-17)
3,5-Cl ₂	CF ₃	H	CH ₂ (T-18)
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=CHCH(CH ₃)CH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH=C(CH ₃)CH ₂ CH ₂ CH=C(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (T-8)
3,5-Cl ₂	CF ₃	H	CH ₂ C(F)=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH=CHCl
3,5-Cl ₂	CF ₃	H	CH ₂ C(Cl)=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH=CHBr
3,5-Cl ₂	CF ₃	H	CH ₂ C(Br)=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ CH=CCl ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(Cl)=CHCl
3,5-Cl ₂	CF ₃	H	CH ₂ C(Br)=CHBr
3,5-Cl ₂	CF ₃	H	CH ₂ C(Cl)=CCl ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=CHBr
3,5-Cl ₂	CF ₃	H	CH ₂ CH=C(Cl)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH=C(Br)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ CH=C(Cl)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(OCH ₃)=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(OCH ₂ OCH ₃)=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C[CH ₂ Si(CH ₃) ₃]=CH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ C(Br)=CHOCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=CHOEt
3,5-Cl ₂	CF ₃	H	CH ₂ C(CH ₃)=CHPh
3,5-Cl ₂	CF ₃	H	CH ₂ C≡CH
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ C≡CH
3,5-Cl ₂	CF ₃	Et	CH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	CH ₂ C≡CCl

3,5-Cl ₂	CF ₃	H	CH ₂ C≡CBr
3,5-Cl ₂	CF ₃	H	CH ₂ C≡Cl
3,5-Cl ₂	CF ₃	H	CH ₂ C≡CPh
3,5-Cl ₂	CF ₃	H	CH ₂ C≡C(1-Naph)
3,5-Cl ₂	CF ₃	H	CH ₂ C≡C(D-3a)
3,5-Cl ₂	CF ₃	H	CH ₂ C≡C(D-4a)
3,5-Cl ₂	CF ₃	H	CH ₂ C≡C(D-47a)
3,5-Cl ₂	CF ₃	H	CH ₂ C≡C(D-48a)
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ C≡CH
3,5-Cl ₂	CF ₃	H	CH ₂ Ph
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ Ph
3,5-Cl ₂	CF ₃	Et	CH ₂ Ph
3,5-Cl ₂	CF ₃	OH	CH ₂ Ph
3,5-Cl ₂	CF ₃	OCH ₃	CH ₂ Ph
3,5-Cl ₂	CF ₃	OC(O)CH ₃	CH ₂ Ph
3,5-Cl ₂	CF ₃	OC(O)OCH ₃	CH ₂ Ph
3,5-Cl ₂	CF ₃	OSO ₂ CH ₃	CH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-F)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-F)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-F)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-Cl)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-Cl)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-Cl)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-Br)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-Br)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-Br)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-I)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-I)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-CH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-CH ₂ SCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3-CH ₂ S(O)CH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-CH ₂ SO ₂ CH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-CH ₂ SCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-CH ₂ S(O)CH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-CH ₂ SO ₂ CH ₃)
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ (Ph-2-OH)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-OCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-OCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-OCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-OEt)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-OCHF ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-OCHF ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-OCHF ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-OCF ₃)

3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-OCF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-OCF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3-OC(O)NHCH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-OC(O)NHCH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-OSO ₂ CH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-OSO ₂ CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-SCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2-S(O)CH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-SO ₂ CH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-SCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-S(O)CH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-SO ₂ CH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-SEt)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-S(O)Et]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-SO ₂ Et)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-SCHF ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2-S(O)CHF ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-SO ₂ CHF ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-SCHF ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3-S(O)CHF ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-SO ₂ CHF ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-SCF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2-S(O)CF ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-SO ₂ CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-SCF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3-S(O)CF ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-SO ₂ CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-SCF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-S(O)CF ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-SO ₂ CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-SO ₂ OCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-SO ₂ NH ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-SO ₂ NHCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-SO ₂ N(CH ₃) ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2-NHC(O)CH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3-NHC(O)CH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-NHC(O)CH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2-NHC(O)CF ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3-NHC(O)CF ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-NHC(O)CF ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2-NHC(O)NHCH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3-NHC(O)NHCH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-NHC(O)NHCH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-NHSO ₂ CH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-NHSO ₂ CH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-NHSO ₂ CH ₃)

3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-NHSO ₂ CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-NHSO ₂ CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-NHSO ₂ CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2-N(CH ₃) ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-N(CH ₃) ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-NO ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-NO ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-NO ₂)
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ (Ph-4-NO ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-CN)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-CN)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-CN)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2-C(O)OCH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3-C(O)OCH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-C(O)OCH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2-C(O)NH ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3-C(O)NH ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-C(O)NH ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2-C(S)NH ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3-C(S)NH ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-C(S)NH ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-CH=NOCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-4-CH=NOCH ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-4-C(CH ₃)=NOCH ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,4-F ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,5-F ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,6-F ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3,4-F ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3,5-F ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-F-4-Cl)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-Cl-4-F)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-F-6-Cl)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-F-4-Cl)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-Cl-4-F)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,3-Cl ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,4-Cl ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,5-Cl ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,6-Cl ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3,4-Cl ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3,5-Cl ₂)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-F-4-Br)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-F-5-Br)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-Br-4-F)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-F-3-CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-F-4-CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-CF ₃ -4-F)

3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-F-5-CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-CF ₃ -5-F)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2-F-6-CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-CF ₃ -4-F)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-F-5-CF ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3,4-(OH) ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-OCH ₃ -4-OH)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2,3-(OCH ₃) ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2,4-(OCH ₃) ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2,6-(OCH ₃) ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3,4-(OCH ₃) ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3,5-(OCH ₃) ₂]
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3-OCH ₂ O-4)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,3,4-F ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,3,5-F ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,3,6-F ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-2,4,5-F ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ (Ph-3,4,5-F ₃)
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-2,4,6-(OCH ₃) ₃]
3,5-Cl ₂	CF ₃	H	CH ₂ [Ph-3,4,5-(OCH ₃) ₃]
3,5-Cl ₂	CF ₃	H	CH(CH ₃)Ph
3,5-Cl ₂	CF ₃	H	CH(CH ₃)Ph(R)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)Ph(S)
3,5-Cl ₂	CF ₃	H	CH(Et)Ph
3,5-Cl ₂	CF ₃	H	CH(Et)Ph(R)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)Ph
3,5-Cl ₂	CF ₃	H	CH(CF ₃)Ph(R)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)Ph(S)
3,5-Cl ₂	CF ₃	H	CH(CH ₂ OH)Ph(R)
3,5-Cl ₂	CF ₃	H	CH(CH ₂ OH)Ph(S)
3,5-Cl ₂	CF ₃	H	CH(CH ₂ OCH ₃)Ph
3,5-Cl ₂	CF ₃	H	CH(CH ₂ OCH ₃)Ph(R)
3,5-Cl ₂	CF ₃	H	CH(CH ₂ OCH ₃)Ph(S)
3,5-Cl ₂	CF ₃	H	CH(OCH ₃)Ph
3,5-Cl ₂	CF ₃	H	CH(OEt)Ph
3,5-Cl ₂	CF ₃	H	CH(CN)Ph
3,5-Cl ₂	CF ₃	H	CH(CN)Ph(R)
3,5-Cl ₂	CF ₃	H	CH(CN)Ph(S)
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ Ph
3,5-Cl ₂	CF ₃	H	C(CH ₃) ₂ CH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ CH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH(CH ₃)CH ₂ CH ₂ Ph
3,5-Cl ₂	CF ₃	H	CH ₂ (1-Naph)
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ (1-Naph)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-1a)
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ (D-1a)

3,5-Cl ₂	CF ₃	H	CH ₂ (D-1b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-1c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-1c)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-1c)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-1c)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-1c)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-1c)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-1c)NO ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-1a)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-1a)(R)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-1a)
3,5-Cl ₂	CF ₃	H	CH(CN)(D-1a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-2a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-2b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3c)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3c)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3c)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3c)NO ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3d)F
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3d)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3d)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3d)I
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3d)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3d)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3d)NO ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3d)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3d)SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-3d)CN
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-3a)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-3a)
3,5-Cl ₂	CF ₃	H	CH(CN)(D-3a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-4a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-4b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-4b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-4b)NO ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-4b)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-6a)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-6a)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-6b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-6b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-8a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-8b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-8b)Br

3,5-Cl ₂	CF ₃	H	CH ₂ (D-8b)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-8a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-10a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-10b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-10b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-10b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-10b)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-10b)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-10b)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-11a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-11b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-11b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-11b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-13a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-13b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-14a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-14b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-14c)Cl
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-14a)
3,5-Cl ₂	CF ₃	H	CH(CN)(D-14a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-15a)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-15a)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-15a)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CN)(D-15a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-15b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-15c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-16a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-16a)CHF ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-16a)CF ₂ Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-16b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-16b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-16c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-17b)Cl

3,5-Cl ₂	CF ₃	H	CH ₂ (D-17b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-17b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-17b)CF ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-17a)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-17a)CH ₃ (R)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH(CH ₃)(D-17a)CH ₃
3,5-Cl ₂	CF ₃	CH ₂ CN	CH(CH ₃)(D-17a)CH ₃
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH(CH ₃)(D-17a)CH ₃
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH(CH ₃)(D-17a)CH ₃
3,5-Cl ₂	CF ₃	C(O)Et	CH(CH ₃)(D-17a)CH ₃
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-17a)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-17b)Cl
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-17b)Cl(R)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH(CH ₃)(D-17b)Cl
3,5-Cl ₂	CF ₃	CH ₂ CN	CH(CH ₃)(D-17b)Cl
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH(CH ₃)(D-17b)Cl
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH(CH ₃)(D-17b)Cl
3,5-Cl ₂	CF ₃	C(O)Et	CH(CH ₃)(D-17b)Cl
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-17b)Cl
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-17a)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-17b)Cl
3,5-Cl ₂	CF ₃	H	CH(CN)(D-17a)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CN)(D-17b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-18a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-18b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-18c)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-18a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-19a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-19b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-19b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-19b)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-19a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-20a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-20b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-20b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-20b)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-20a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-21a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-21a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-21a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-21a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-21a)
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-21a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-21a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-21b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-21b)CH ₃

3,5-Cl ₂	CF ₃	H	CH ₂ (D-21c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-21c)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-21c)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-21c)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-21c)NO ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-21a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	Et	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	c-Pr	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₂ CF ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₂ OEt	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₂ CH ₂ Cl	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₂ SCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₂ CH=CH ₂	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)Pr-n	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)Pr-i	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)Pr-c	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)Bu-t	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)OEt	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)OCH ₂ CH ₂ Cl	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(O)SCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(S)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	C(S)SCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	OH	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	OC(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	OC(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	OSO ₂ CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	SCCl ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	SN(Bu-n) ₂	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	S(T-35)	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	SN(Pr-i)CH ₂ CH ₂ C(O)OEt	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	SN(CH ₂ Ph)CH ₂ CH ₂ C(O)OEt	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	SN(CH ₃)C(O)OBu-n	CH ₂ (D-22a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)Br

3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)Et
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)Pr-i
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)CF ₂ Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)CF ₂ Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)CH ₂ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)CH ₂ CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)NHCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-22b)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-22a)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-22a)(R)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH(CH ₃)(D-22a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH(CH ₃)(D-22a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH(CH ₃)(D-22a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH(CH ₃)(D-22a)
3,5-Cl ₂	CF ₃	C(O)Et	CH(CH ₃)(D-22a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-22a)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-22a)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-22a)(R)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-22a)(S)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH(CF ₃)(D-22a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH(CF ₃)(D-22a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH(CF ₃)(D-22a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH(CF ₃)(D-22a)
3,5-Cl ₂	CF ₃	C(O)Et	CH(CF ₃)(D-22a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH(CF ₃)(D-22a)
3,5-Cl ₂	CF ₃	H	CH(CN)(D-22a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-23a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-23b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-23b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-23b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-23c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-23c)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-23c)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-24a)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-24a)
3,5-Cl ₂	CF ₃	H	CH(CN)(D-24a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-25a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-25b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-25b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-25b)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-25c)Cl

3,5-Cl ₂	CF ₃	H	CH ₂ (D-25c)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-25c)NO ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-26a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-27a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-27b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-27b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-27b)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-27b)NO ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-28a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-28a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-28a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-28a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-28a)
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-28a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-28a)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-28a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-29a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-29b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-30a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-30b)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-31a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-31b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-31b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-31b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-31b)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-32a)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-33a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-33b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-34a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-34a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-34a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-34a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-34a)
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-34a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-34a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-34b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-34b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-34b)CH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-34a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-35a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-35a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-35a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-35a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-35a)
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-35a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-35a)

3,5-Cl ₂	CF ₃	H	CH ₂ (D-35b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-35b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-35b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-35b)SCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-35a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-36a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-36b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-37a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-37b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-38a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-38a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-38a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-38a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-38a)
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-38a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-38a)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-38a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH(CF ₃)(D-38a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH(CF ₃)(D-38a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH(CF ₃)(D-38a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH(CF ₃)(D-38a)
3,5-Cl ₂	CF ₃	C(O)Et	CH(CF ₃)(D-38a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH(CF ₃)(D-38a)
3,5-Cl ₂	CF ₃	H	CH(CN)(D-38a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-39b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-39b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-40a)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-40b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-40b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-42b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-42b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	Et	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	n-Pr	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	i-Pr	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	c-Pr	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	n-Bu	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ CF ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH(CH ₃)CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₂ CH ₂ Cl	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₂ Ph	CH ₂ (D-47a)

3,5-Cl ₂	CF ₃	CH ₂ SCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ SO ₂ CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ SCF ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ SPh	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ CHO	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ C(O)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ C(O)OPr-n	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ C(O)OBu-t	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ CH=CH ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ Ph	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	CH ₂ Si(CH ₃) ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)Pr-n	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)Pr-i	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)Pr-c	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)Bu-t	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)CH=CH ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)OPr-n	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)OPr-i	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)OPr-c	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)OCH ₂ CH ₂ Cl	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)SCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(O)SEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(S)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(S)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(S)SCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	C(S)SEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	Ph	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	OH	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	OCH ₂ Ph	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	OC(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	OC(O)CF ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	OC(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	OC(O)NHCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	OSO ₂ CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	OSO ₂ CF ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SCH ₃	CH ₂ (D-47a)

3,5-Cl ₂	CF ₃	SCCl ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SPh	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Et) ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Pr-i) ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Bu-n) ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	S(T-35)	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(CH ₃)CH ₂ CH ₂ C(O)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Et)CH ₂ CH ₂ C(O)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Pr-i)CH ₂ CH ₂ C(O)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(CH ₂ Ph)CH ₂ CH ₂ C(O)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(CH ₃)C(O)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(CH ₃)C(O)OPr-n	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(CH ₃)C(O)OBu-n	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(CH ₃)C(O)OHex-n	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Et)C(O)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Et)C(O)OPr-n	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Et)C(O)OBu-n	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Pr-i)C(O)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Pr-i)C(O)OPr-n	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SN(Pr-i)C(O)OBu-n	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SO ₂ CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	SO ₂ Et	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NH ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHPr-i	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHCH ₂ C≡CH	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	N(CH ₃) ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHCHO	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHC(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHC(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHC(O)CF ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHC(O)Ph	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHC(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHC(O)OEt	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHC(O)OBu-t	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHC(O)NHCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHC(O)NHPh	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	N(CH ₃)C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	N[C(O)CH ₃] ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHPh	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHSO ₂ CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHSO ₂ NH ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHSO ₂ NHCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHSO ₂ NHPh	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	NHSO ₂ Ph	CH ₂ (D-47a)

3,5-Cl ₂	CF ₃	N=CHCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	N=C(CH ₃) ₂	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	N=CHPh	CH ₂ (D-47a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47b)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47b)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47c)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47c)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47c)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47c)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47c)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47d)F
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47d)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47d)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47d)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47d)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47d)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47d)NO ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47d)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47e)F
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47e)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47e)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47e)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47e)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47e)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47e)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47f)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-47g)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-47a)(R)
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-47a)(S)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH(CH ₃)(D-47a)(R)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH(CH ₃)(D-47a)(R)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH(CH ₃)(D-47a)(R)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH(CH ₃)(D-47a)(R)
3,5-Cl ₂	CF ₃	C(O)Et	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	C(O)Et	CH(CH ₃)(D-47a)(R)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)(R)

3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-47a)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-47a)(R)
3,5-Cl ₂	CF ₃	H	CH(CF ₃)(D-47a)(S)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH(CF ₃)(D-47a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH(CF ₃)(D-47a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH(CF ₃)(D-47a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH(CF ₃)(D-47a)
3,5-Cl ₂	CF ₃	C(O)Et	CH(CF ₃)(D-47a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH(CF ₃)(D-47a)
3,5-Cl ₂	CF ₃	H	CH(CN)(D-47a)
3,5-Cl ₂	CF ₃	H	CH(CN)(D-47a)(R)
3,5-Cl ₂	CF ₃	H	CH(CN)(D-47a)(S)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48b)F
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48b)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48b)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48b)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48c)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48c)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48c)CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48d)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48d)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48d)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48d)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48e)F
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48e)Cl
3,5-Cl ₂	CF ₃	CH ₃	CH ₂ (D-48e)Cl
3,5-Cl ₂	CF ₃	Et	CH ₂ (D-48e)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48e)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48e)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48e)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48e)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48e)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48e)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48f)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-48g)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-49a)
3,5-Cl ₂	CF ₃	c-Pr	CH ₂ (D-49a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-49b)F
3,5-Cl ₂	CF ₃	Et	CH ₂ (D-49b)F
3,5-Cl ₂	CF ₃	H	CH ₂ (D-49b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-49b)Br

3,5-Cl ₂	CF ₃	H	CH ₂ (D-49b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-49b)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-49c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-49c)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-49c)NO ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-49c)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-49d)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-50a)
3,5-Cl ₂	CF ₃	CH ₂ CN	CH ₂ (D-50a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-50a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	CH ₂ (D-50a)
3,5-Cl ₂	CF ₃	C(O)Et	CH ₂ (D-50a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-50a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50b)CF ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50b)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50c)F
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50c)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50c)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50c)NO ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50c)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-50c)C(O)NH ₂
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-50a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51b)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51b)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51b)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51c)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51c)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51c)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51c)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51d)F
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51d)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-51d)CN
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-51a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-52a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-52b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-52b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-52b)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-52b)SCH ₃

3,5-Cl ₂	CF ₃	H	CH ₂ (D-52c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-52c)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53b)Br
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53b)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53b)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53b)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53b)C(O)NH ₂
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53c)F
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53c)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53c)CH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53c)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53c)CN
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53d)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53d)OCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53d)SCH ₃
3,5-Cl ₂	CF ₃	H	CH ₂ (D-53d)CN
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-53a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-54a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-54b)Cl
3,5-Cl ₂	CF ₃	H	CH ₂ (D-54b)OCH ₃
3,5-Cl ₂	CF ₃	H	CH(CH ₃)(D-54a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-55a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-56a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-57a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-58a)
3,5-Cl ₂	CF ₃	H	CH ₂ (D-59a)
3,5-Cl ₂	CF ₃	H	CH ₂ CH ₂ (D-48a)
3,5-Cl ₂	CF ₃	H	OCH ₃
3,5-Cl ₂	CF ₃	H	OCH ₂ CH=CHCl
3,5-Cl ₂	CF ₃	H	OCH ₂ Ph
3,5-Cl ₂	CF ₃	H	N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	N(Et) ₂
3,5-Cl ₂	CF ₃	H	N(Pr-n) ₂
3,5-Cl ₂	CF ₃	H	N(CH ₃)Bu-n
3,5-Cl ₂	CF ₃	H	N(Bu-n) ₂
3,5-Cl ₂	CF ₃	H	N(Bu-i) ₂
3,5-Cl ₂	CF ₃	H	T-27
3,5-Cl ₂	CF ₃	H	T-28
3,5-Cl ₂	CF ₃	H	T-29
3,5-Cl ₂	CF ₃	H	T-34
3,5-Cl ₂	CF ₃	H	T-38
3,5-Cl ₂	CF ₃	H	NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	N(CH ₃)CH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	T-35

3,5-Cl ₂	CF ₃	H	T-37
3,5-Cl ₂	CF ₃	H	N(CH ₂ CH=CH ₂) ₂
3,5-Cl ₂	CF ₃	H	NHCHO
3,5-Cl ₂	CF ₃	H	N(CH ₃)CHO
3,5-Cl ₂	CF ₃	H	N(Et)CHO
3,5-Cl ₂	CF ₃	H	N(Bu-n)CHO
3,5-Cl ₂	CF ₃	H	N(Ph)CHO
3,5-Cl ₂	CF ₃	H	NHC(O)CH ₃
3,5-Cl ₂	CF ₃	H	N(CH ₃)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	N(Ph)C(O)CH ₃
3,5-Cl ₂	CF ₃	H	N(Ph)C(O)Et
3,5-Cl ₂	CF ₃	H	N(CH ₂ Ph)C(O)CH ₂ OPh
3,5-Cl ₂	CF ₃	H	NHC(O)Ph
3,5-Cl ₂	CF ₃	H	NHC(O)OCH ₃
3,5-Cl ₂	CF ₃	H	N(CH ₃)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	N(Ph)C(O)OCH ₃
3,5-Cl ₂	CF ₃	H	NHC(O)OPh
3,5-Cl ₂	CF ₃	H	NHC(O)OCH ₂ Ph
3,5-Cl ₂	CF ₃	H	N(Ph)C(O)SCH ₃
3,5-Cl ₂	CF ₃	H	N(Ph)C(S)OCH ₃
3,5-Cl ₂	CF ₃	H	N(CH ₃)C(S)SCH ₃
3,5-Cl ₂	CF ₃	H	N(Ph)C(S)SCH ₃
3,5-Cl ₂	CF ₃	H	N(CH ₃)C(S)NH ₂
3,5-Cl ₂	CF ₃	H	N(CH ₃)C(S)NHCH ₃
3,5-Cl ₂	CF ₃	H	NHC(S)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	N(CH ₃)C(S)NHPh
3,5-Cl ₂	CF ₃	H	N(Ph)C(S)NHPh
3,5-Cl ₂	CF ₃	H	T-31
3,5-Cl ₂	CF ₃	H	T-33
3,5-Cl ₂	CF ₃	H	NHPh
3,5-Cl ₂	CF ₃	H	N(CH ₃)Ph
3,5-Cl ₂	CF ₃	CH ₃	N(CH ₃)Ph
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	N(CH ₃)Ph
3,5-Cl ₂	CF ₃	CH ₂ CN	N(CH ₃)Ph
3,5-Cl ₂	CF ₃	CH ₂ CH=CH ₂	N(CH ₃)Ph
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	N(CH ₃)Ph
3,5-Cl ₂	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3,5-Cl ₂	CF ₃	C(O)Et	N(CH ₃)Ph
3,5-Cl ₂	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,5-Cl ₂	CF ₃	H	N(CH ₂ OCH ₃)Ph
3,5-Cl ₂	CF ₃	H	N(CH ₂ OEt)Ph
3,5-Cl ₂	CF ₃	H	N(CH ₂ SCH ₃)Ph
3,5-Cl ₂	CF ₃	H	N(CH ₂ CN)Ph
3,5-Cl ₂	CF ₃	H	N(CH ₂ CH=CH ₂)Ph
3,5-Cl ₂	CF ₃	H	N(CH ₂ C≡CH)Ph
3,5-Cl ₂	CF ₃	H	N(CH ₂ Ph)Ph

3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-2-F)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-3-F)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-F)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-2-Cl)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-3-Cl)
3,5-Cl ₂	CF ₃	H	NH(Ph-4-Cl)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-Cl)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-Br)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-2-CH ₃)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-3-CH ₃)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-CH ₃)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-CF ₃)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-OCH ₃)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-OCHF ₂)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-OCF ₃)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-SCH ₃)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-SO ₂ CH ₃)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-SCF ₃)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-SO ₂ NH ₂)
3,5-Cl ₂	CF ₃	H	N(CH ₃)[Ph-4-N(CH ₃) ₂]
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-2-NO ₂)
3,5-Cl ₂	CF ₃	H	NH(Ph-3-NO ₂)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-3-NO ₂)
3,5-Cl ₂	CF ₃	H	NH(Ph-4-NO ₂)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-NO ₂)
3,5-Cl ₂	CF ₃	H	NH(Ph-4-CN)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-4-CN)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-2,4-F ₂)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-2,5-F ₂)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-2,6-F ₂)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-3,4-F ₂)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(Ph-3,5-F ₂)
3,5-Cl ₂	CF ₃	H	NH(D-3a)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(D-3a)
3,5-Cl ₂	CF ₃	H	NH(D-4a)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(D-4a)
3,5-Cl ₂	CF ₃	H	NH(D-21a)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(D-21a)
3,5-Cl ₂	CF ₃	H	N(Et)(D-21a)
3,5-Cl ₂	CF ₃	H	NH(D-47a)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	N(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	CH ₂ CN	N(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	N(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	C(O)Et	N(CH ₃)(D-47a)

3,5-Cl ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-Cl ₂	CF ₃	H	N(Et)(D-47a)
3,5-Cl ₂	CF ₃	H	NH(D-47b)Cl
3,5-Cl ₂	CF ₃	H	NH(D-47d)F
3,5-Cl ₂	CF ₃	H	NH(D-47d)Cl
3,5-Cl ₂	CF ₃	H	N(CH ₃)(D-47d)Cl
3,5-Cl ₂	CF ₃	H	NH(D-47d)CF ₃
3,5-Cl ₂	CF ₃	H	NH(D-47d)NO ₂
3,5-Cl ₂	CF ₃	H	NH(D-47e)Cl
3,5-Cl ₂	CF ₃	H	NH(D-47e)OCH ₃
3,5-Cl ₂	CF ₃	H	NH(D-47f)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(D-47f)
3,5-Cl ₂	CF ₃	H	NH(D-50a)
3,5-Cl ₂	CF ₃	CH ₃	NH(D-50a)
3,5-Cl ₂	CF ₃	Et	NH(D-50a)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₃	CH ₂ CN	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₃	CH ₂ C≡CH	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₃	H	N(Et)(D-50a)
3,5-Cl ₂	CF ₃	H	NH(D-50b)CF ₃
3,5-Cl ₂	CF ₃	H	NH(D-51a)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(D-51a)
3,5-Cl ₂	CF ₃	H	NH(D-53a)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(D-53a)
3,5-Cl ₂	CF ₃	H	NH(D-53b)CH ₃
3,5-Cl ₂	CF ₃	H	NH(D-53b)OCH ₃
3,5-Cl ₂	CF ₃	H	NH(D-53c)CH ₃
3,5-Cl ₂	CF ₃	H	NH(D-54a)
3,5-Cl ₂	CF ₃	H	N(CH ₃)(D-54a)
3,5-Cl ₂	CF ₃	H	NH(D-54b)Cl
3,5-Cl ₂	CF ₃	H	NH(D-54b)CH ₃
3,5-Cl ₂	CF ₃	H	NH(D-54b)OCH ₃
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₃
3,5-Cl ₂	CF ₃	H	C(O)N(CH ₃) ₂
3,5-Cl ₂	CF ₃	H	C(O)NHEt
3,5-Cl ₂	CF ₃	H	C(O)N(CH ₃)Et
3,5-Cl ₂	CF ₃	H	C(O)N(Et) ₂
3,5-Cl ₂	CF ₃	H	C(O)NHPr-n
3,5-Cl ₂	CF ₃	H	C(O)N(CH ₃)Pr-n
3,5-Cl ₂	CF ₃	H	C(O)N(Pr-n) ₂
3,5-Cl ₂	CF ₃	H	C(O)NHPr-i
3,5-Cl ₂	CF ₃	H	C(O)N(CH ₃)Pr-i

3,5-Cl ₂	CF ₃	H	C(O)NHPr-c
3,5-Cl ₂	CF ₃	H	C(O)NHBu-n
3,5-Cl ₂	CF ₃	H	C(O)NHBu-i
3,5-Cl ₂	CF ₃	H	C(O)NHBu-s
3,5-Cl ₂	CF ₃	H	C(O)NHBu-c
3,5-Cl ₂	CF ₃	H	C(O)NHBu-t
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CH ₂ F
3,5-Cl ₂	CF ₃	H	C(O)N(CH ₃)CH ₂ CH ₂ F
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	C(O)N(CH ₃)CH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CH ₂ Br
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	C(O)N(CH ₃)CH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CH ₂ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CN
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	C(O)N(CH ₃)CH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	C(O)N(CH ₂ CH=CH ₂) ₂
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ CCl=CH ₂
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	C(O)N(CH ₃)CH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ Ph
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ (D-22a)
3,5-Cl ₂	CF ₃	H	C(O)NHCH ₂ (D-47a)
3,5-Cl ₂	CF ₃	H	C(O)NHPh
3,5-Cl ₂	CF ₃	H	C(O)(T-28)
3,5-Cl ₂	CF ₃	H	C(O)(T-30)
3,5-Cl ₂	CF ₃	H	C(O)(T-32)
3,5-Cl ₂	CF ₃	H	C(O)(T-34)
3,5-Cl ₂	CF ₃	H	C(O)(T-35)
3,5-Cl ₂	CF ₃	H	C(O)(T-36)
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₃
3,5-Cl ₂	CF ₃	H	C(S)NHEt
3,5-Cl ₂	CF ₃	H	C(S)NHPr-n
3,5-Cl ₂	CF ₃	H	C(S)NHPr-i
3,5-Cl ₂	CF ₃	H	C(S)NHPr-c
3,5-Cl ₂	CF ₃	H	C(S)NHBu-n
3,5-Cl ₂	CF ₃	H	C(S)NHBu-i
3,5-Cl ₂	CF ₃	H	C(S)NHBu-s
3,5-Cl ₂	CF ₃	H	C(S)NHBu-c
3,5-Cl ₂	CF ₃	H	C(S)NHBu-t
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CH ₂ F
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CH ₂ Cl

3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CH ₂ Br
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CH ₂ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CN
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CH=CH ₂
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ CCl=CH ₂
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ C≡CH
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ Ph
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ (D-22a)
3,5-Cl ₂	CF ₃	H	C(S)NHCH ₂ (D-47a)
3,5-Cl ₂	CF ₃	H	C(S)NHPh
3,5-Cl ₂	CF ₃	H	Ph-4-F
3,5-Cl ₂	CF ₃	H	Ph-4-Cl
3,5-Cl ₂	CF ₃	H	Ph-4-CH ₂ SCH ₃
3,5-Cl ₂	CF ₃	H	Ph-4-CH ₂ S(O)CH ₃
3,5-Cl ₂	CF ₃	H	Ph-4-CH ₂ SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	Ph-4-OCH ₃
3,5-Cl ₂	CF ₃	H	Ph-4-OCHF ₂
3,5-Cl ₂	CF ₃	H	Ph-4-OSO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	Ph-4-SCH ₃
3,5-Cl ₂	CF ₃	H	Ph-4-S(O)CH ₃
3,5-Cl ₂	CF ₃	H	Ph-4-SO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	Ph-4-SO ₂ NH ₂
3,5-Cl ₂	CF ₃	H	Ph-4-NHC(O)CH ₃
3,5-Cl ₂	CF ₃	H	Ph-4-NHSO ₂ CH ₃
3,5-Cl ₂	CF ₃	H	Ph-4-NO ₂
3,5-Cl ₂	CF ₃	H	Ph-2-CN
3,5-Cl ₂	CF ₃	H	Ph-3-CN
3,5-Cl ₂	CF ₃	H	Ph-4-CN
3,5-Cl ₂	CF ₃	H	Ph-4-C(O)NH ₂
3,5-Cl ₂	CF ₃	H	Ph-4-C(S)NH ₂
3,5-Cl ₂	CF ₃	H	D-8a
3,5-Cl ₂	CF ₃	H	(D-8b)CH ₃
3,5-Cl ₂	CF ₃	H	D-9a
3,5-Cl ₂	CF ₃	H	(D-10b)CH ₃
3,5-Cl ₂	CF ₃	H	(D-11b)CH ₃
3,5-Cl ₂	CF ₃	H	(D-12b)Cl
3,5-Cl ₂	CF ₃	H	(D-13b)CH ₃
3,5-Cl ₂	CF ₃	H	(D-15a)CH ₃
3,5-Cl ₂	CF ₃	H	(D-16b)CH ₃
3,5-Cl ₂	CF ₃	H	(D-17a)CH ₃
3,5-Cl ₂	CF ₃	H	D-21a
3,5-Cl ₂	CF ₃	H	(D-21b)CH ₃

3,5-Cl ₂	CF ₃	H	(D-21c)Cl
3,5-Cl ₂	CF ₃	H	(D-21c)CH ₃
3,5-Cl ₂	CF ₃	H	(D-21c)NO ₂
3,5-Cl ₂	CF ₃	H	D-22a
3,5-Cl ₂	CF ₃	H	D-23a
3,5-Cl ₂	CF ₃	H	(D-26a)CH ₃
3,5-Cl ₂	CF ₃	H	(D-27a)CH ₃
3,5-Cl ₂	CF ₃	H	D-29a
3,5-Cl ₂	CF ₃	H	(D-30b)CH ₃
3,5-Cl ₂	CF ₃	H	(D-31b)Cl
3,5-Cl ₂	CF ₃	H	(D-31b)CH ₃
3,5-Cl ₂	CF ₃	H	(D-32a)CH ₃
3,5-Cl ₂	CF ₃	H	D-33a
3,5-Cl ₂	CF ₃	H	(D-33b)CH ₃
3,5-Cl ₂	CF ₃	H	D-34a
3,5-Cl ₂	CF ₃	H	(D-34b)CH ₃
3,5-Cl ₂	CF ₃	H	D-35a
3,5-Cl ₂	CF ₃	H	(D-35b)CH ₃
3,5-Cl ₂	CF ₃	H	D-36a
3,5-Cl ₂	CF ₃	H	(D-36b)CH ₃
3,5-Cl ₂	CF ₃	H	D-37a
3,5-Cl ₂	CF ₃	H	(D-39a)CH ₃
3,5-Cl ₂	CF ₃	H	(D-40a)CH ₃
3,5-Cl ₂	CF ₃	H	(D-42a)CH ₃
3,5-Cl ₂	CF ₃	H	(D-45b)CH ₃
3,5-Cl ₂	CF ₃	H	D-47a
3,5-Cl ₂	CF ₃	H	D-48a
3,5-Cl ₂	CF ₃	H	D-49a
3,5-Cl ₂	CF ₃	H	D-50a
3,5-Cl ₂	CF ₃	H	D-51a
3,5-Cl ₂	CF ₃	H	D-52a
3,5-Cl ₂	CF ₃	H	D-53a
3,5-Cl ₂	CF ₃	H	D-54a
3,5-Cl ₂	CF ₃	H	D-55a
3,5-Cl ₂	CF ₃	H	D-56a
3,5-Cl ₂	CF ₃	H	D-58a
3,5-Cl ₂	CF ₂ Cl	H	Et
3,5-Cl ₂	CF ₂ Cl	Et	Et
3,5-Cl ₂	CF ₂ Cl	H	c-Pr
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ Pr-c
3,5-Cl ₂	CF ₂ Cl	H	c-Bu
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ Cl	CH ₂ OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ Cl	CH ₂ CN	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ Cl	CH ₂ C≡CH	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃

3,5-Cl ₂	CF ₂ Cl	C(O)Et	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Cl	C(O)Pr-c	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Cl	C(O)Bu-t	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₂ CH ₂ OCH ₃		CH ₂ CF ₃
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₂ CH=CH ₂		CH ₂ CF ₃
3,5-Cl ₂	CF ₂ Cl	C(O)SCH ₃	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Cl	C(S)OCH ₃	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Cl	C(S)SCH ₃	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CF ₂ CF ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CH ₂ OCH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH(CH ₃)CH ₂ OCH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CH(OCH ₃) ₂	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (E-4a)	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (E-5a)	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (E-10a)	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CH ₂ SCH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CH ₂ S(O)CH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CH ₂ SO ₂ CH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CH(CH ₃)SCH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CH(CH ₃)S(O)CH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CH(CH ₃)SO ₂ CH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH(CH ₃)CH ₂ SCH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH(CH ₃)CH ₂ S(O)CH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH(CH ₃)CH ₂ SO ₂ CH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(O)CH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CH=NOCH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(CH ₃)=NOCH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CN	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(O)NHCH ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(O)N(CH ₃) ₂	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(O)NH ₂ t	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ F	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH=CH ₂	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ C≡CH	
3,5-Cl ₂	CF ₂ Cl	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C(S)NH ₂ t	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CH=CH ₂	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CCl=CH ₂	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ CCl=CHCl	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ C≡CH	
3,5-Cl ₂	CF ₂ Cl	H	CH(CH ₃)Ph(R)	
3,5-Cl ₂	CF ₂ Cl	H	CH(CF ₃)Ph	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (Ph-4-F)	

3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (Ph-4-OCH ₃)
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (Ph-4-NO ₂)
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (Ph-4-CN)
3,5-Cl ₂	CF ₂ Cl	H	CH(CH ₃)(D-1a)(R)
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ Cl	CH ₂ OCH ₃	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ Cl	CH ₂ CN	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ Cl	CH ₂ C≡CH	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ Cl	C(O)Et	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ Cl	CH ₂ OCH ₃	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ Cl	CH ₂ CN	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ Cl	CH ₂ C≡CH	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ Cl	C(O)Et	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-19a)
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-21a)
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	CH ₂ OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	CH ₂ CN	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	CH ₂ C≡CH	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	C(O)Pr-c	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	C(O)Bu-t	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	C(O)SCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	C(S)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	C(S)SCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Cl	H	CH(CH ₃)(D-22a)
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-28a)
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-34a)
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-35a)
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-38a)
3,5-Cl ₂	CF ₂ Cl	H	CH(CF ₃)(D-38a)
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Cl	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Cl	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)

3,5-Cl ₂	CF ₂ Cl	C(O)Pr-c	CH ₂ (D-47a)	
3,5-Cl ₂	CF ₂ Cl	C(O)Bu-t	CH ₂ (D-47a)	
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-47a)	
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₂ CH ₂ OCH ₃		CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₂ CH=CH ₂		CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Cl	C(O)SCH ₃	CH ₂ (D-47a)	
3,5-Cl ₂	CF ₂ Cl	C(S)OCH ₃	CH ₂ (D-47a)	
3,5-Cl ₂	CF ₂ Cl	C(S)SCH ₃	CH ₂ (D-47a)	
3,5-Cl ₂	CF ₂ Cl	H	CH(CH ₃)(D-47a)	
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₃	CH(CH ₃)(D-47a)	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-50a)	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-51a)	
3,5-Cl ₂	CF ₂ Cl	H	CH ₂ (D-53a)	
3,5-Cl ₂	CF ₂ Cl	H	NHNHCH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Cl	H	N(CH ₃)Ph	
3,5-Cl ₂	CF ₂ Cl	C(O)CH ₃	N(CH ₃)Ph	
3,5-Cl ₂	CF ₂ Cl	C(O)Et	N(CH ₃)Ph	
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)Ph	
3,5-Cl ₂	CF ₂ Cl	H	N(CH ₂ C≡CH)Ph	
3,5-Cl ₂	CF ₂ Cl	H	N(CH ₃)(D-47a)	
3,5-Cl ₂	CF ₂ Cl	C(O)CH ₃	N(CH ₃)(D-47a)	
3,5-Cl ₂	CF ₂ Cl	C(O)Et	N(CH ₃)(D-47a)	
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-47a)	
3,5-Cl ₂	CF ₂ Cl	H	NH(D-50a)	
3,5-Cl ₂	CF ₂ Cl	CH ₃	NH(D-50a)	
3,5-Cl ₂	CF ₂ Cl	H	N(CH ₃)(D-50a)	
3,5-Cl ₂	CF ₂ Cl	C(O)CH ₃	N(CH ₃)(D-50a)	
3,5-Cl ₂	CF ₂ Cl	C(O)Et	N(CH ₃)(D-50a)	
3,5-Cl ₂	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-50a)	
3,5-Cl ₂	CF ₂ Cl	H	(D-13b)CH ₃	
3,5-Cl ₂	CF ₂ Cl	H	(D-15a)CH ₃	
3,5-Cl ₂	CF ₂ Cl	H	D-21a	
3,5-Cl ₂	CF ₂ Cl	H	D-47a	
3,5-Cl ₂	CF ₂ Cl	H	D-50a	
3,5-Cl ₂	CF ₂ Cl	H	D-51a	
3,5-Cl ₂	CF ₂ Br	H	CH ₂ Pr-c	
3,5-Cl ₂	CF ₂ Br	H	c-Bu	
3,5-Cl ₂	CF ₂ Br	H	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Br	C(O)CH ₃	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Br	C(O)Et	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Br	C(O)OCH ₃	CH ₂ CF ₃	
3,5-Cl ₂	CF ₂ Br	H	CH ₂ CH ₂ OCH ₃	
3,5-Cl ₂	CF ₂ Br	H	CH ₂ (E-10a)	
3,5-Cl ₂	CF ₂ Br	H	CH(CH ₃)CH ₂ SO ₂ CH ₃	
3,5-Cl ₂	CF ₂ Br	H	CH ₂ CH=NOCH ₃	
3,5-Cl ₂	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl	

3,5-Cl ₂	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₂ Br	H	CH(CH ₃)Ph(R)
3,5-Cl ₂	CF ₂ Br	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ Br	H	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ Br	H	CH ₂ (D-21a)
3,5-Cl ₂	CF ₂ Br	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Br	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Br	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Br	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ Br	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Br	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Br	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Br	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Br	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Br	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Br	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ Br	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₂ Br	H	N(CH ₃)Ph
3,5-Cl ₂	CF ₂ Br	C(O)OCH ₃	N(CH ₃)Ph
3,5-Cl ₂	CF ₂ Br	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-Cl ₂	CF ₂ Br	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ Br	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ Br	H	(D-13b)CH ₃
3,5-Cl ₂	CF ₂ Br	H	(D-15a)CH ₃
3,5-Cl ₂	CF ₂ I	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CFCI ₂	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CFCIBr	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CFBr ₂	H	CH ₂ (D-22a)
3,5-Cl ₂	CCl ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CHF ₂	H	c-Bu
3,5-Cl ₂	CF ₂ CHF ₂	H	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ CHF ₂	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ CHF ₂	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ CHF ₂	C(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ CHF ₂	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₂ CHF ₂	H	CH ₂ (E-10a)
3,5-Cl ₂	CF ₂ CHF ₂	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₂ CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₂ CHF ₂	H	CH(CH ₃)Ph(R)
3,5-Cl ₂	CF ₂ CHF ₂	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ CHF ₂	H	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ CHF ₂	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CHF ₂	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CHF ₂	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CHF ₂	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CHF ₂	H	CH ₂ (D-47a)

3,5-Cl ₂	CF ₂ CHF ₂	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CHF ₂	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CHF ₂	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CHF ₂	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CHF ₂	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₂ CHF ₂	H	N(CH ₃)Ph
3,5-Cl ₂	CF ₂ CHF ₂	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ CHF ₂	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ CF ₃	H	c-Bu
3,5-Cl ₂	CF ₂ CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ CF ₃	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ CF ₃	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₂ CF ₃	H	CH ₂ (E-10a)
3,5-Cl ₂	CF ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₂ CF ₃	H	CH(CH ₃)Ph(R)
3,5-Cl ₂	CF ₂ CF ₃	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ CF ₃	H	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CF ₃	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₂ CF ₃	H	N(CH ₃)Ph
3,5-Cl ₂	CF ₂ CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CFCICF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CFCICF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₂ CF ₂ Br	H	CH ₂ (D-22a)
3,5-Cl ₂	CFBrCF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CHFCF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	CH ₂ CN	CH ₂ (D-47a)

3,5-Cl ₂	CF ₂ CF ₂ CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	H	CH(CH ₃)Ph(R)
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	H	N(CH ₃)Ph
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF(CF ₃) ₂	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ CFCICF ₂ Cl	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CFBrCF ₂ Cl	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CF ₂ CF ₂ CHF ₂		C(O)Et CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CF ₂ CF ₂ CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF(CF ₃)CF ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₂ CF ₂ CF ₂ CF ₂ Cl	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ CF ₂ CF ₂ CF ₂ CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	T-3	H	c-Bu
3,5-Cl ₂	T-3	H	CH ₂ CF ₃
3,5-Cl ₂	T-3	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	T-3	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂	T-3	C(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	T-3	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	T-3	H	CH ₂ (E-10a)
3,5-Cl ₂	T-3	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	T-3	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	T-3	H	CH(CH ₃)Ph(R)
3,5-Cl ₂	T-3	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	T-3	H	CH ₂ (D-17b)Cl
3,5-Cl ₂	T-3	H	CH ₂ (D-22a)
3,5-Cl ₂	T-3	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	T-3	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂	T-3	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	T-3	H	CH ₂ (D-47a)
3,5-Cl ₂	T-3	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	T-3	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	T-3	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	T-3	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	T-3	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	T-3	H	N(CH ₃)Ph
3,5-Cl ₂	T-3	H	N(CH ₃)(D-50a)
3,5-Cl ₂	T-3	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	T-4	H	CH ₂ CF ₃
3,5-Cl ₂	T-4	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	T-4	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	T-4	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	T-4	H	CH ₂ (D-22a)
3,5-Cl ₂	T-4	H	CH ₂ (D-47a)
3,5-Cl ₂	T-4	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	T-4	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	T-4	H	CH(CH ₃)Ph(R)

3,5-Cl ₂	T-4	H	N(CH ₃)Ph
3,5-Cl ₂	T-4	H	N(CH ₃)(D-50a)
3,5-Cl ₂	T-5	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CH ₂ OCH ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CH ₂ OEt	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CH ₂ OCH ₂ CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂	CH ₂ OCH(CF ₃) ₂	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ OCH ₃	H	c-Bu
3,5-Cl ₂	CF ₂ OCH ₃	H	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ OCH ₃	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ OCH ₃	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ OCH ₃	C(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ OCH ₃	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂	CF ₂ OCH ₃	H	CH ₂ (E-10a)
3,5-Cl ₂	CF ₂ OCH ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂	CF ₂ OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₂ OCH ₃	H	CH(CH ₃)Ph(R)
3,5-Cl ₂	CF ₂ OCH ₃	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂	CF ₂ OCH ₃	H	CH ₂ (D-17b)Cl
3,5-Cl ₂	CF ₂ OCH ₃	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ OCH ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ OCH ₃	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ OCH ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ OCH ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ OCH ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ OCH ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ OCH ₃	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ OCH ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ OCH ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂	CF ₂ OCH ₃	H	N(CH ₃)Ph
3,5-Cl ₂	CF ₂ OCH ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ OCH ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ OCF ₂ CF ₂ CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ OCF ₂ CF ₂ OCF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF(CF ₃)OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF(CF ₃)OCF ₂ CF ₂ CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂	CH ₂ SCH ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	CH ₂ SO ₂ CH ₃	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CH ₂ SEt	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CH ₂ SCF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CH ₂ SPh	H	CH ₂ (D-22a)
3,5-Cl ₂	CH ₂ CH ₂ SCH ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	CH ₂ CH ₂ SCF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ SCH ₃	H	CH ₂ CF ₃
3,5-Cl ₂	CF ₂ SCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₂ SCH ₃	H	CH ₂ (D-22a)

3,5-Cl ₂	CF ₂ SCH ₃	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ SEt	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ SPr-n	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₂ SPr-i	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ SCH ₂ Ph	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ SPh	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ CN	H	N(CH ₃)(D-50a)
3,5-Cl ₂	CF ₂ C(O)OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	CF ₂ C(O)OEt	H	CH ₂ (D-22a)
3,5-Cl ₂	CF ₂ C(O)NH ₂	H	CH ₂ (D-47a)
3,5-Cl ₂	CF ₂ SO ₂ N(CH ₃) ₂	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂	CN	H	N(CH ₃)(D-50a)
3,5-Cl ₂	C(O)OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	C(O)NH ₂	H	CH ₂ (D-22a)
3,5-Cl ₂	C(S)NH ₂	H	CH ₂ (D-47a)
3,5-Cl ₂	C(CH ₃)=NOCH ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂	Ph	H	N(CH ₃)(D-50a)
3,5-Cl ₂	Ph-2-F	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	Ph-3-F	H	CH ₂ (D-22a)
3,5-Cl ₂	Ph-4-F	H	CH ₂ (D-47a)
3,5-Cl ₂	Ph-2-Cl	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂	Ph-3-Cl	H	N(CH ₃)(D-50a)
3,5-Cl ₂	Ph-4-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂	OCH ₃	H	CH ₂ (D-22a)
3,5-Cl ₂	OEt	H	CH ₂ (D-47a)
3,5-Cl ₂	OCH ₂ CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-4-F	CF ₃	H	CH ₂ Pr-c
3-Br-4-F	CF ₃	H	c-Bu
3-Br-4-F	CF ₃	H	CH ₂ CF ₃
3-Br-4-F	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Br-4-F	CF ₃	C(O)Et	CH ₂ CF ₃
3-Br-4-F	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Br-4-F	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Br-4-F	CF ₃	H	CH ₂ (E-10a)
3-Br-4-F	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-Br-4-F	CF ₃	H	CH ₂ CH=NOCH ₃
3-Br-4-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-4-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-4-F	CF ₃	H	CH(CH ₃)Ph(R)
3-Br-4-F	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Br-4-F	CF ₃	H	CH ₂ (D-17b)Cl
3-Br-4-F	CF ₃	H	CH ₂ (D-21a)
3-Br-4-F	CF ₃	H	CH ₂ (D-22a)
3-Br-4-F	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Br-4-F	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Br-4-F	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)

3-Br-4-F	CF ₃	H	CH ₂ (D-47a)
3-Br-4-F	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-Br-4-F	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Br-4-F	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-Br-4-F	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-4-F	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Br-4-F	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-4-F	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Br-4-F	CF ₃	H	N(CH ₃)Ph
3-Br-4-F	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-Br-4-F	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-Br-4-F	CF ₃	H	N(CH ₃)(D-50a)
3-Br-4-F	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Br-4-F	CF ₃	H	(D-13b)CH ₃
3-Br-4-F	CF ₃	H	(D-15a)CH ₃
2-F-4-Br	CF ₃	H	N(CH ₃)(D-50a)
3-F-4-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2-F-5-Br	CF ₃	H	CH ₂ (D-22a)
3-F-5-Br	CHF ₂	H	CH ₂ (D-47a)
3-F-5-Br	CHCl ₂	C(O)Et	CH ₂ (D-47a)
3-F-5-Br	CF ₃	H	Et
3-F-5-Br	CF ₃	Et	Et
3-F-5-Br	CF ₃	H	CH ₂ Pr-c
3-F-5-Br	CF ₃	H	c-Bu
3-F-5-Br	CF ₃	H	CH ₂ CF ₃
3-F-5-Br	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-F-5-Br	CF ₃	C(O)Et	CH ₂ CF ₃
3-F-5-Br	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-F-5-Br	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-F-5-Br	CF ₃	H	CH ₂ CH(OCH ₃) ₂
3-F-5-Br	CF ₃	H	CH ₂ (E-4a)
3-F-5-Br	CF ₃	H	CH ₂ (E-5a)
3-F-5-Br	CF ₃	H	CH ₂ (E-10a)
3-F-5-Br	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3-F-5-Br	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3-F-5-Br	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-F-5-Br	CF ₃	H	CH ₂ CH=NOCH ₃
3-F-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3-F-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-F-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3-F-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3-F-5-Br	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CF ₃
3-F-5-Br	CF ₃	H	CH ₂ CH=CH ₂
3-F-5-Br	CF ₃	H	CH ₂ CCl=CH ₂
3-F-5-Br	CF ₃	H	CH ₂ C≡CH

3-F-5-Br	CF ₃	H	CH(CH ₃)Ph(R)
3-F-5-Br	CF ₃	H	CH(CF ₃)Ph
3-F-5-Br	CF ₃	H	CH ₂ (D-17a)CH ₃
3-F-5-Br	CF ₃	H	CH ₂ (D-17b)Cl
3-F-5-Br	CF ₃	H	CH ₂ (D-21a)
3-F-5-Br	CF ₃	H	CH ₂ (D-22a)
3-F-5-Br	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-F-5-Br	CF ₃	C(O)Et	CH ₂ (D-22a)
3-F-5-Br	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-F-5-Br	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3-F-5-Br	CF ₃	H	CH ₂ (D-28a)
3-F-5-Br	CF ₃	H	CH ₂ (D-34a)
3-F-5-Br	CF ₃	H	CH ₂ (D-35a)
3-F-5-Br	CF ₃	H	CH ₂ (D-38a)
3-F-5-Br	CF ₃	H	CH ₂ (D-47a)
3-F-5-Br	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-F-5-Br	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-F-5-Br	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-F-5-Br	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-F-5-Br	CF ₃	C(O)Et	CH ₂ (D-47a)
3-F-5-Br	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-F-5-Br	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3-F-5-Br	CF ₃	H	CH(CH ₃)(D-47a)
3-F-5-Br	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-F-5-Br	CF ₃	H	CH ₂ (D-50a)
3-F-5-Br	CF ₃	H	CH ₂ (D-51a)
3-F-5-Br	CF ₃	H	CH ₂ (D-53a)
3-F-5-Br	CF ₃	H	N(CH ₃)Ph
3-F-5-Br	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3-F-5-Br	CF ₃	C(O)Et	N(CH ₃)Ph
3-F-5-Br	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-F-5-Br	CF ₃	H	N(CH ₃)(D-47a)
3-F-5-Br	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3-F-5-Br	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3-F-5-Br	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-F-5-Br	CF ₃	H	NH(D-50a)
3-F-5-Br	CF ₃	H	N(CH ₃)(D-50a)
3-F-5-Br	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3-F-5-Br	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3-F-5-Br	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-F-5-Br	CF ₃	H	(D-13b)CH ₃
3-F-5-Br	CF ₃	H	(D-15a)CH ₃
3-F-5-Br	CF ₃	H	D-21a
3-F-5-Br	CF ₃	H	D-50a
3-F-5-Br	CF ₂ Cl	H	CH ₂ CF ₃
3-F-5-Br	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃

3-F-5-Br	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-F-5-Br	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-Br	CF ₂ Cl	H	CH ₂ (D-22a)
3-F-5-Br	CF ₂ Cl	H	CH ₂ (D-47a)
3-F-5-Br	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3-F-5-Br	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3-F-5-Br	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3-F-5-Br	CF ₂ Cl	H	N(CH ₃)Ph
3-F-5-Br	CF ₂ Cl	H	N(CH ₃)(D-50a)
3-F-5-Br	CF ₂ Br	H	CH ₂ CF ₃
3-F-5-Br	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-Br	CF ₂ Br	H	CH ₂ (D-22a)
3-F-5-Br	CF ₂ Br	H	CH ₂ (D-47a)
3-F-5-Br	CF ₂ CHF ₂	H	N(CH ₃)(D-50a)
3-F-5-Br	CF ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-Br	CF ₂ OCH ₃	H	CH ₂ (D-22a)
3-Cl-5-Br	CHF ₂	H	CH ₂ CF ₃
3-Cl-5-Br	CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-Br	CHF ₂	H	CH ₂ (D-22a)
3-Cl-5-Br	CHF ₂	H	CH ₂ (D-47a)
3-Cl-5-Br	CHFCI	H	CH ₂ (D-47a)
3-Cl-5-Br	CHCl ₂	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-Br	CHFBBr	H	N(CH ₃)(D-50a)
3-Cl-5-Br	CF ₃	H	Et
3-Cl-5-Br	CF ₃	Et	Et
3-Cl-5-Br	CF ₃	H	c-Pr
3-Cl-5-Br	CF ₃	H	CH ₂ Pr-c
3-Cl-5-Br	CF ₃	H	c-Bu
3-Cl-5-Br	CF ₃	H	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	CH ₂ OCH ₃	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	CH ₂ CN	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	CH ₂ C≡CH	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	C(O)Et	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	C(O)Pr-c	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	C(O)Bu-t	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	C(O)SCH ₃	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	C(S)OCH ₃	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	C(S)SCH ₃	CH ₂ CF ₃
3-Cl-5-Br	CF ₃	H	CH ₂ CF ₂ CF ₃
3-Cl-5-Br	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Cl-5-Br	CF ₃	H	CH(CH ₃)CH ₂ OCH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ CH(OCH ₃) ₂

3-Cl-5-Br	CF ₃	H	CH ₂ (E-4a)
3-Cl-5-Br	CF ₃	H	CH ₂ (E-5a)
3-Cl-5-Br	CF ₃	H	CH ₂ (E-10a)
3-Cl-5-Br	CF ₃	H	CH ₂ CH ₂ SCH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ CH ₂ S(O)CH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ CH(CH ₃)SCH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ CH(CH ₃)S(O)CH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3-Cl-5-Br	CF ₃	H	CH(CH ₃)CH ₂ SCH ₃
3-Cl-5-Br	CF ₃	H	CH(CH ₃)CH ₂ S(O)CH ₃
3-Cl-5-Br	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ C(O)CH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ CH=NOCH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ CN
3-Cl-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ C(O)N(CH ₃) ₂
3-Cl-5-Br	CF ₃	H	CH ₂ C(O)NH ₂
3-Cl-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3-Cl-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3-Cl-5-Br	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3-Cl-5-Br	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-Br	CF ₃	H	CH ₂ C(S)NH ₂
3-Cl-5-Br	CF ₃	H	CH ₂ CH=CH ₂
3-Cl-5-Br	CF ₃	H	CH ₂ CCl=CH ₂
3-Cl-5-Br	CF ₃	H	CH ₂ CCl=CHCl
3-Cl-5-Br	CF ₃	H	CH ₂ C≡CH
3-Cl-5-Br	CF ₃	H	CH(CH ₃)Ph(R)
3-Cl-5-Br	CF ₃	H	CH(CF ₃)Ph
3-Cl-5-Br	CF ₃	H	CH ₂ (Ph-4-F)
3-Cl-5-Br	CF ₃	H	CH ₂ (Ph-4-OCH ₃)
3-Cl-5-Br	CF ₃	H	CH ₂ (Ph-4-NO ₂)
3-Cl-5-Br	CF ₃	H	CH ₂ (Ph-4-CN)
3-Cl-5-Br	CF ₃	H	CH(CH ₃)(D-1a)(R)
3-Cl-5-Br	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Cl-5-Br	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17a)CH ₃
3-Cl-5-Br	CF ₃	CH ₂ CN	CH ₂ (D-17a)CH ₃
3-Cl-5-Br	CF ₃	CH ₂ C≡CH	CH ₂ (D-17a)CH ₃
3-Cl-5-Br	CF ₃	C(O)CH ₃	CH ₂ (D-17a)CH ₃
3-Cl-5-Br	CF ₃	C(O)Et	CH ₂ (D-17a)CH ₃
3-Cl-5-Br	CF ₃	C(O)OCH ₃	CH ₂ (D-17a)CH ₃
3-Cl-5-Br	CF ₃	H	CH ₂ (D-17b)Cl
3-Cl-5-Br	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17b)Cl

3-Cl-5-Br	CF ₃	CH ₂ CN	CH ₂ (D-17b)Cl	
3-Cl-5-Br	CF ₃	CH ₂ C≡CH	CH ₂ (D-17b)Cl	
3-Cl-5-Br	CF ₃	C(O)CH ₃	CH ₂ (D-17b)Cl	
3-Cl-5-Br	CF ₃	C(O)Et	CH ₂ (D-17b)Cl	
3-Cl-5-Br	CF ₃	C(O)OCH ₃	CH ₂ (D-17b)Cl	
3-Cl-5-Br	CF ₃	H	CH ₂ (D-19a)	
3-Cl-5-Br	CF ₃	H	CH ₂ (D-21a)	
3-Cl-5-Br	CF ₃	H	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	CH ₂ OCH ₃	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	CH ₂ CN	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	CH ₂ C≡CH	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	C(O)CH ₃	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	C(O)Et	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	C(O)Pr-c	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	C(O)Bu-t	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	C(O)SCH ₃	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	C(S)OCH ₃	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	C(S)SCH ₃	CH ₂ (D-22a)	
3-Cl-5-Br	CF ₃	H	CH(CH ₃)(D-22a)	
3-Cl-5-Br	CF ₃	H	CH ₂ (D-28a)	
3-Cl-5-Br	CF ₃	H	CH ₂ (D-34a)	
3-Cl-5-Br	CF ₃	H	CH ₂ (D-35a)	
3-Cl-5-Br	CF ₃	H	CH ₂ (D-38a)	
3-Cl-5-Br	CF ₃	H	CH(CF ₃)(D-38a)	
3-Cl-5-Br	CF ₃	H	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	CH ₂ CN	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(O)CH ₃	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(O)Et	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(O)Pr-c	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(O)Bu-t	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(O)CH ₂ OCH ₃	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(O)CH ₂ SCH ₃	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(O)SCH ₃	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(S)OCH ₃	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	C(S)SCH ₃	CH ₂ (D-47a)	
3-Cl-5-Br	CF ₃	H	CH(CH ₃)(D-47a)	

3-Cl-5-Br	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Cl-5-Br	CF ₃	H	CH ₂ (D-50a)
3-Cl-5-Br	CF ₃	H	CH ₂ (D-51a)
3-Cl-5-Br	CF ₃	H	CH ₂ (D-53a)
3-Cl-5-Br	CF ₃	H	NHNHCH ₂ CF ₃
3-Cl-5-Br	CF ₃	H	N(CH ₃)Ph
3-Cl-5-Br	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3-Cl-5-Br	CF ₃	C(O)Et	N(CH ₃)Ph
3-Cl-5-Br	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-Cl-5-Br	CF ₃	H	N(CH ₂ C≡CH)Ph
3-Cl-5-Br	CF ₃	H	N(CH ₃)(D-47a)
3-Cl-5-Br	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3-Cl-5-Br	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3-Cl-5-Br	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-Cl-5-Br	CF ₃	H	NH(D-50a)
3-Cl-5-Br	CF ₃	CH ₃	NH(D-50a)
3-Cl-5-Br	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-Br	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3-Cl-5-Br	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3-Cl-5-Br	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Cl-5-Br	CF ₃	H	(D-13b)CH ₃
3-Cl-5-Br	CF ₃	H	(D-15a)CH ₃
3-Cl-5-Br	CF ₃	H	D-21a
3-Cl-5-Br	CF ₃	H	D-47a
3-Cl-5-Br	CF ₃	H	D-50a
3-Cl-5-Br	CF ₃	H	D-51a
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ Pr-c
3-Cl-5-Br	CF ₂ Cl	H	c-Bu
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ CF ₃
3-Cl-5-Br	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃
3-Cl-5-Br	CF ₂ Cl	C(O)Et	CH ₂ CF ₃
3-Cl-5-Br	CF ₂ Cl	C(O)OCH ₃	CH ₂ CF ₃
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ CH ₂ OCH ₃
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ (E-10a)
3-Cl-5-Br	CF ₂ Cl	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ CH=NOCH ₃
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-Br	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ (D-17a)CH ₃
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ (D-17b)Cl
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ (D-21a)
3-Cl-5-Br	CF ₂ Cl	H	CH ₂ (D-22a)
3-Cl-5-Br	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-22a)
3-Cl-5-Br	CF ₂ Cl	C(O)Et	CH ₂ (D-22a)
3-Cl-5-Br	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-22a)

3-Cl-5-Br	CF ₂ Cl	H	CH ₂ (D-47a)
3-Cl-5-Br	CF ₂ Cl	CH ₂ OCH ₃	CH ₂ (D-47a)
3-Cl-5-Br	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-Br	CF ₂ Cl	CH ₂ C≡CH	CH ₂ (D-47a)
3-Cl-5-Br	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-5-Br	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3-Cl-5-Br	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-Br	CF ₂ Cl	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Cl-5-Br	CF ₂ Cl	H	N(CH ₃)Ph
3-Cl-5-Br	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)Ph
3-Cl-5-Br	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-47a)
3-Cl-5-Br	CF ₂ Cl	H	N(CH ₃)(D-50a)
3-Cl-5-Br	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Cl-5-Br	CF ₂ Cl	H	(D-13b)CH ₃
3-Cl-5-Br	CF ₂ Cl	H	(D-15a)CH ₃
3-Cl-5-Br	CF ₂ Br	H	CH ₂ CF ₃
3-Cl-5-Br	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-Br	CF ₂ Br	H	CH ₂ (D-22a)
3-Cl-5-Br	CF ₂ Br	H	CH ₂ (D-47a)
3-Cl-5-Br	CF ₂ CHF ₂	H	CH ₂ CF ₃
3-Cl-5-Br	CF ₂ CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-Br	CF ₂ CHF ₂	H	CH ₂ (D-22a)
3-Cl-5-Br	CF ₂ CHF ₂	H	CH ₂ (D-47a)
3-Cl-5-Br	CF ₂ CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-Br	CF ₂ OCH ₃	H	N(CH ₃)(D-50a)
3-Cl-5-Br	CF ₂ SCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4-Br ₂	CF ₃	H	c-Bu
3,4-Br ₂	CF ₃	H	CH ₂ CF ₃
3,4-Br ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,4-Br ₂	CF ₃	C(O)Et	CH ₂ CF ₃
3,4-Br ₂	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,4-Br ₂	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,4-Br ₂	CF ₃	H	CH ₂ (E-10a)
3,4-Br ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,4-Br ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4-Br ₂	CF ₃	H	CH(CH ₃)Ph(R)
3,4-Br ₂	CF ₃	H	CH ₂ (D-17a)CH ₃
3,4-Br ₂	CF ₃	H	CH ₂ (D-17b)Cl
3,4-Br ₂	CF ₃	H	CH ₂ (D-22a)
3,4-Br ₂	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,4-Br ₂	CF ₃	C(O)Et	CH ₂ (D-22a)
3,4-Br ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,4-Br ₂	CF ₃	H	CH ₂ (D-47a)
3,4-Br ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,4-Br ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,4-Br ₂	CF ₃	C(O)Et	CH ₂ (D-47a)

3,4-Br ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)	
3,4-Br ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)	
3,4-Br ₂	CF ₃	H	N(CH ₃)Ph	
3,4-Br ₂	CF ₃	H	N(CH ₃)(D-50a)	
3,4-Br ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)	
3,5-Br ₂	CHF ₂	H	CH ₂ CF ₃	
3,5-Br ₂	CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃	
3,5-Br ₂	CHF ₂	H	CH ₂ (D-22a)	
3,5-Br ₂	CHF ₂	H	CH ₂ (D-47a)	
3,5-Br ₂	CHFCI	H	CH ₂ (D-22a)	
3,5-Br ₂	CHCl ₂	H	CH ₂ (D-47a)	
3,5-Br ₂	CHFCBr	C(O)CH ₃	CH ₂ (D-47a)	
3,5-Br ₂	CF ₃	H	Et	
3,5-Br ₂	CF ₃	Et	Et	
3,5-Br ₂	CF ₃	H	c-Pr	
3,5-Br ₂	CF ₃	H	CH ₂ Pr-c	
3,5-Br ₂	CF ₃	H	c-Bu	
3,5-Br ₂	CF ₃	H	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	CH ₂ OCH ₃	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	CH ₂ CN	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	CH ₂ C≡CH	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	C(O)Et	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	C(O)Pr-c	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	C(O)Bu-t	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	C(O)OCH ₃	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃		CH ₂ CF ₃
3,5-Br ₂	CF ₃	C(O)OCH ₂ CH=CH ₂		CH ₂ CF ₃
3,5-Br ₂	CF ₃	C(O)SCH ₃	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	C(S)OCH ₃	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	C(S)SCH ₃	CH ₂ CF ₃	
3,5-Br ₂	CF ₃	H	CH ₂ CF ₂ CF ₃	
3,5-Br ₂	CF ₃	H	CH ₂ CH ₂ OCH ₃	
3,5-Br ₂	CF ₃	H	CH(CH ₃)CH ₂ OCH ₃	
3,5-Br ₂	CF ₃	H	CH ₂ CH(OCH ₃) ₂	
3,5-Br ₂	CF ₃	H	CH ₂ (E-4a)	
3,5-Br ₂	CF ₃	H	CH ₂ (E-5a)	
3,5-Br ₂	CF ₃	H	CH ₂ (E-10a)	
3,5-Br ₂	CF ₃	H	CH ₂ CH ₂ SCH ₃	
3,5-Br ₂	CF ₃	H	CH ₂ CH ₂ S(O)CH ₃	
3,5-Br ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃	
3,5-Br ₂	CF ₃	H	CH ₂ CH(CH ₃)SCH ₃	
3,5-Br ₂	CF ₃	H	CH ₂ CH(CH ₃)S(O)CH ₃	
3,5-Br ₂	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃	
3,5-Br ₂	CF ₃	H	CH(CH ₃)CH ₂ SCH ₃	
3,5-Br ₂	CF ₃	H	CH(CH ₃)CH ₂ S(O)CH ₃	

3,5-Br ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3,5-Br ₂	CF ₃	H	CH ₂ C(O)CH ₃
3,5-Br ₂	CF ₃	H	CH ₂ CH=NOCH ₃
3,5-Br ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₃
3,5-Br ₂	CF ₃	H	CH ₂ CN
3,5-Br ₂	CF ₃	H	CH ₂ C(O)NHCH ₃
3,5-Br ₂	CF ₃	H	CH ₂ C(O)N(CH ₃) ₂
3,5-Br ₂	CF ₃	H	CH ₂ C(O)NH ₂
3,5-Br ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3,5-Br ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Br ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3,5-Br ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3,5-Br ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl
3,5-Br ₂	CF ₃	H	CH ₂ C(S)NH ₂
3,5-Br ₂	CF ₃	H	CH ₂ CH=CH ₂
3,5-Br ₂	CF ₃	H	CH ₂ CCl=CH ₂
3,5-Br ₂	CF ₃	H	CH ₂ CCl=CHCl
3,5-Br ₂	CF ₃	H	CH ₂ C≡CH
3,5-Br ₂	CF ₃	H	CH(CH ₃)Ph(R)
3,5-Br ₂	CF ₃	H	CH(CF ₃)Ph
3,5-Br ₂	CF ₃	H	CH ₂ (Ph-4-F)
3,5-Br ₂	CF ₃	H	CH ₂ (Ph-4-OCH ₃)
3,5-Br ₂	CF ₃	H	CH ₂ (Ph-4-NO ₂)
3,5-Br ₂	CF ₃	H	CH ₂ (Ph-4-CN)
3,5-Br ₂	CF ₃	H	CH(CH ₃)(D-1a)(R)
3,5-Br ₂	CF ₃	H	CH ₂ (D-17a)CH ₃
3,5-Br ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17a)CH ₃
3,5-Br ₂	CF ₃	CH ₂ CN	CH ₂ (D-17a)CH ₃
3,5-Br ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-17a)CH ₃
3,5-Br ₂	CF ₃	C(O)CH ₃	CH ₂ (D-17a)CH ₃
3,5-Br ₂	CF ₃	C(O)Et	CH ₂ (D-17a)CH ₃
3,5-Br ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-17a)CH ₃
3,5-Br ₂	CF ₃	H	CH ₂ (D-17b)Cl
3,5-Br ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17b)Cl
3,5-Br ₂	CF ₃	CH ₂ CN	CH ₂ (D-17b)Cl
3,5-Br ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-17b)Cl
3,5-Br ₂	CF ₃	C(O)CH ₃	CH ₂ (D-17b)Cl
3,5-Br ₂	CF ₃	C(O)Et	CH ₂ (D-17b)Cl
3,5-Br ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-17b)Cl
3,5-Br ₂	CF ₃	H	CH ₂ (D-19a)
3,5-Br ₂	CF ₃	H	CH ₂ (D-21a)
3,5-Br ₂	CF ₃	H	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	CH ₂ CN	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-22a)

3,5-Br ₂	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	C(O)Et	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	C(O)Pr-c	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	C(O)Bu-t	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	C(O)SCH ₃	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	C(S)OCH ₃	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	C(S)SCH ₃	CH ₂ (D-22a)
3,5-Br ₂	CF ₃	H	CH(CH ₃)(D-22a)
3,5-Br ₂	CF ₃	H	CH ₂ (D-28a)
3,5-Br ₂	CF ₃	H	CH ₂ (D-34a)
3,5-Br ₂	CF ₃	H	CH ₂ (D-35a)
3,5-Br ₂	CF ₃	H	CH ₂ (D-38a)
3,5-Br ₂	CF ₃	H	CH(CF ₃)(D-38a)
3,5-Br ₂	CF ₃	H	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(O)Pr-c	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(O)Bu-t	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(O)CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(O)CH ₂ SCH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(O)SCH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(S)OCH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	C(S)SCH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₃	H	CH(CH ₃)(D-47a)
3,5-Br ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Br ₂	CF ₃	H	CH ₂ (D-50a)
3,5-Br ₂	CF ₃	H	CH ₂ (D-51a)
3,5-Br ₂	CF ₃	H	CH ₂ (D-53a)
3,5-Br ₂	CF ₃	H	NHNHCH ₂ CF ₃
3,5-Br ₂	CF ₃	H	N(CH ₃)Ph
3,5-Br ₂	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3,5-Br ₂	CF ₃	C(O)Et	N(CH ₃)Ph
3,5-Br ₂	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,5-Br ₂	CF ₃	H	N(CH ₂ C≡CH)Ph
3,5-Br ₂	CF ₃	H	N(CH ₃)(D-47a)
3,5-Br ₂	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3,5-Br ₂	CF ₃	C(O)Et	N(CH ₃)(D-47a)

3,5-Br ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-Br ₂	CF ₃	H	NH(D-50a)
3,5-Br ₂	CF ₃	CH ₃	NH(D-50a)
3,5-Br ₂	CF ₃	H	N(CH ₃)(D-50a)
3,5-Br ₂	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3,5-Br ₂	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3,5-Br ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Br ₂	CF ₃	H	(D-13b)CH ₃
3,5-Br ₂	CF ₃	H	(D-15a)CH ₃
3,5-Br ₂	CF ₃	H	D-21a
3,5-Br ₂	CF ₃	H	D-47a
3,5-Br ₂	CF ₃	H	D-50a
3,5-Br ₂	CF ₃	H	D-51a
3,5-Br ₂	CF ₂ Cl	H	CH ₂ Pr-c
3,5-Br ₂	CF ₂ Cl	H	c-Bu
3,5-Br ₂	CF ₂ Cl	H	CH ₂ CF ₃
3,5-Br ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃
3,5-Br ₂	CF ₂ Cl	C(O)Et	CH ₂ CF ₃
3,5-Br ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ CF ₃
3,5-Br ₂	CF ₂ Cl	H	CH ₂ CH ₂ OCH ₃
3,5-Br ₂	CF ₂ Cl	H	CH ₂ (E-10a)
3,5-Br ₂	CF ₂ Cl	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3,5-Br ₂	CF ₂ Cl	H	CH ₂ CH=NOCH ₃
3,5-Br ₂	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Br ₂	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3,5-Br ₂	CF ₂ Cl	H	CH ₂ (D-17a)CH ₃
3,5-Br ₂	CF ₂ Cl	H	CH ₂ (D-17b)Cl
3,5-Br ₂	CF ₂ Cl	H	CH ₂ (D-21a)
3,5-Br ₂	CF ₂ Cl	H	CH ₂ (D-22a)
3,5-Br ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-22a)
3,5-Br ₂	CF ₂ Cl	C(O)Et	CH ₂ (D-22a)
3,5-Br ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Br ₂	CF ₂ Cl	H	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ Cl	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ Cl	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ Cl	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Br ₂	CF ₂ Cl	H	N(CH ₃)Ph
3,5-Br ₂	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)Ph
3,5-Br ₂	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-Br ₂	CF ₂ Cl	H	N(CH ₃)(D-50a)
3,5-Br ₂	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-50a)

3,5-Br ₂	CF ₂ Cl	H	(D-13b)CH ₃
3,5-Br ₂	CF ₂ Cl	H	(D-15a)CH ₃
3,5-Br ₂	CF ₂ Br	H	CH ₂ CF ₃
3,5-Br ₂	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂	CF ₂ Br	H	CH ₂ (D-22a)
3,5-Br ₂	CF ₂ Br	H	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ CHF ₂	H	CH ₂ CF ₃
3,5-Br ₂	CF ₂ CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂	CF ₂ CHF ₂	H	CH ₂ (D-22a)
3,5-Br ₂	CF ₂ CHF ₂	H	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ CF ₃	H	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ OCH ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Br ₂	CF ₂ SCH ₃	H	N(CH ₃)(D-50a)
3-F-5-I	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-I	CF ₃	H	CH ₂ (D-22a)
3,5-I ₂	CF ₃	H	CH ₂ (D-47a)
3-CH ₃ -4-F	CF ₃	C(O)Et	CH ₂ (D-47a)
3-F-4-CH ₃	CF ₃	H	N(CH ₃)(D-50a)
2-F-5-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-CH ₃	CF ₃	H	CH ₂ CF ₃
3-F-5-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-CH ₃	CF ₃	H	CH ₂ (D-22a)
3-F-5-CH ₃	CF ₃	H	CH ₂ (D-47a)
3-CH ₃ -4-Cl	CF ₃	H	CH ₂ (D-22a)
3-Cl-4-CH ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-CH ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-5-CH ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Cl-5-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-CH ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-CH ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-CH ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-CH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-5-CH ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-Cl-5-CH ₃	CF ₃	H	N(CH ₃)Ph
3-Cl-5-CH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -4-Br	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-CH ₃	CF ₃	H	CH ₂ CF ₃
3-Br-5-CH ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Br-5-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-CH ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-CH ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-CH ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Br-5-CH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Br-5-CH ₃	CF ₃	H	CH(CH ₃)Ph(R)

3-Br-5-CH ₃	CF ₃	H	N(CH ₃)Ph
3-Br-5-CH ₃	CF ₃	H	N(CH ₃)(D-50a)
2,4-(CH ₃) ₂	CF ₃	H	N(CH ₃)(D-50a)
2,6-(CH ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4-(CH ₃) ₂	CF ₃	H	CH ₂ (D-22a)
3,5-(CH ₃) ₂	CF ₃	H	CH ₂ CF ₃
3,5-(CH ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-(CH ₃) ₂	CF ₃	H	CH ₂ (D-22a)
3,5-(CH ₃) ₂	CF ₃	H	CH ₂ (D-47a)
3-Br-5-Et	CF ₃	H	CH ₂ (D-47a)
3-CH ₃ -5-Et	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-(Et) ₂	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-Pr-i	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-Pr-i	CF ₃	H	CH ₂ (D-22a)
3-CH ₃ -5-Pr-i	CF ₃	H	CH ₂ (D-47a)
3,5-(Pr-i) ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CH ₃ -5-Bu-n	CF ₃	H	N(CH ₃)(D-50a)
3,5-(Bu-s) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-Bu-t	CF ₃	H	CH ₂ (D-22a)
3-Br-5-Bu-t	CF ₃	H	CH ₂ (D-47a)
3-CH ₃ -5-Bu-t	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-(Bu-t) ₂	CF ₃	H	N(CH ₃)(D-50a)
2-CF ₃ -4-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2-CF ₃ -5-F	CF ₃	H	CH ₂ (D-22a)
2-F-3-CF ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -4-F	CF ₃	H	CH ₂ Pr-c
3-CF ₃ -4-F	CF ₃	H	c-Bu
3-CF ₃ -4-F	CF ₃	H	CH ₂ CF ₃
3-CF ₃ -4-F	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CF ₃ -4-F	CF ₃	C(O)Et	CH ₂ CF ₃
3-CF ₃ -4-F	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CF ₃ -4-F	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CF ₃ -4-F	CF ₃	H	CH ₂ (E-10a)
3-CF ₃ -4-F	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-CF ₃ -4-F	CF ₃	H	CH ₂ CH=NOCH ₃
3-CF ₃ -4-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF ₃ -4-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃ -4-F	CF ₃	H	CH(CH ₃)Ph(R)
3-CF ₃ -4-F	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CF ₃ -4-F	CF ₃	H	CH ₂ (D-17b)Cl
3-CF ₃ -4-F	CF ₃	H	CH ₂ (D-21a)
3-CF ₃ -4-F	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -4-F	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CF ₃ -4-F	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CF ₃ -4-F	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CF ₃ -4-F	CF ₃	H	CH ₂ (D-47a)

3-CF ₃ -4-F	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-CF ₃ -4-F	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CF ₃ -4-F	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-CF ₃ -4-F	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF ₃ -4-F	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF ₃ -4-F	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₃ -4-F	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CF ₃ -4-F	CF ₃	H	N(CH ₃)Ph
3-CF ₃ -4-F	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-CF ₃ -4-F	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-CF ₃ -4-F	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₃ -4-F	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-CF ₃ -4-F	CF ₃	H	(D-13b)CH ₃
3-CF ₃ -4-F	CF ₃	H	(D-15a)CH ₃
2-F-4-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-F-4-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
2-F-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-CF ₃	CHF ₂	H	CH ₂ (D-22a)
3-F-5-CF ₃	CHCl ₂	H	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₃	H	Et
3-F-5-CF ₃	CF ₃	Et	Et
3-F-5-CF ₃	CF ₃	H	CH ₂ Pr-c
3-F-5-CF ₃	CF ₃	H	c-Bu
3-F-5-CF ₃	CF ₃	H	CH ₂ CF ₃
3-F-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-F-5-CF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-F-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-F-5-CF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-F-5-CF ₃	CF ₃	H	CH ₂ CH(OCH ₃) ₂
3-F-5-CF ₃	CF ₃	H	CH ₂ (E-4a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (E-5a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (E-10a)
3-F-5-CF ₃	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3-F-5-CF ₃	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3-F-5-CF ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-F-5-CF ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3-F-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3-F-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-F-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3-F-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3-F-5-CF ₃	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CF ₃
3-F-5-CF ₃	CF ₃	H	CH ₂ CH=CH ₂
3-F-5-CF ₃	CF ₃	H	CH ₂ CCl=CH ₂
3-F-5-CF ₃	CF ₃	H	CH ₂ C≡CH
3-F-5-CF ₃	CF ₃	H	CH(CH ₃)Ph(R)

3-F-5-CF ₃	CF ₃	H	CH(CF ₃)Ph
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-21a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-22a)
3-F-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-F-5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-F-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-F-5-CF ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-28a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-34a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-35a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-38a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₃	H	CH(CH ₃)(D-47a)
3-F-5-CF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-50a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-51a)
3-F-5-CF ₃	CF ₃	H	CH ₂ (D-53a)
3-F-5-CF ₃	CF ₃	H	N(CH ₃)Ph
3-F-5-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3-F-5-CF ₃	CF ₃	C(O)Et	N(CH ₃)Ph
3-F-5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-F-5-CF ₃	CF ₃	H	N(CH ₃)(D-47a)
3-F-5-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3-F-5-CF ₃	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3-F-5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-F-5-CF ₃	CF ₃	H	NH(D-50a)
3-F-5-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-F-5-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3-F-5-CF ₃	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3-F-5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-F-5-CF ₃	CF ₃	H	(D-13b)CH ₃
3-F-5-CF ₃	CF ₃	H	(D-15a)CH ₃
3-F-5-CF ₃	CF ₃	H	D-21a
3-F-5-CF ₃	CF ₃	H	D-50a
3-F-5-CF ₃	CF ₂ Cl	H	CH ₂ CF ₃
3-F-5-CF ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃
3-F-5-CF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl

3-F-5-CF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-CF ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3-F-5-CF ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3-F-5-CF ₃	CF ₂ Cl	H	N(CH ₃)Ph
3-F-5-CF ₃	CF ₂ Cl	H	N(CH ₃)(D-50a)
3-F-5-CF ₃	CF ₂ Br	H	CH ₂ CF ₃
3-F-5-CF ₃	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-CF ₃	CF ₂ Br	H	CH ₂ (D-22a)
3-F-5-CF ₃	CF ₂ Br	H	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₂ CHF ₂	CH ₂ CN	CH ₂ (D-47a)
3-F-5-CF ₃	CF ₂ CF ₃	H	N(CH ₃)(D-50a)
3-F-5-CF ₃	CF ₂ OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2-F-6-CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ Pr-c
3-CF ₃ -4-Cl	CF ₃	H	c-Bu
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ CF ₃
3-CF ₃ -4-Cl	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CF ₃ -4-Cl	CF ₃	C(O)Et	CH ₂ CF ₃
3-CF ₃ -4-Cl	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ (E-10a)
3-CF ₃ -4-Cl	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ CH=NOCH ₃
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃ -4-Cl	CF ₃	H	CH(CH ₃)Ph(R)
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ (D-17b)Cl
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ (D-21a)
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -4-Cl	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CF ₃ -4-Cl	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CF ₃ -4-Cl	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CF ₃ -4-Cl	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -4-Cl	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-CF ₃ -4-Cl	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CF ₃ -4-Cl	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-CF ₃ -4-Cl	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF ₃ -4-Cl	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF ₃ -4-Cl	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₃ -4-Cl	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CF ₃ -4-Cl	CF ₃	H	N(CH ₃)Ph
3-CF ₃ -4-Cl	CF ₃	C(O)OCH ₃	N(CH ₃)Ph

3-CF ₃ -4-Cl	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-CF ₃ -4-Cl	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₃ -4-Cl	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-CF ₃ -4-Cl	CF ₃	H	(D-13b)CH ₃
3-CF ₃ -4-Cl	CF ₃	H	(D-15a)CH ₃
2-Cl-4-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
2-Cl-5-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-CF ₃	CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-CF ₃	CHFCI	H	CH ₂ (D-22a)
3-Cl-5-CF ₃	CHCl ₂	H	CH ₂ (D-47a)
3-Cl-5-CF ₃	CHFBBr	C(O)Et	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	H	Et
3-Cl-5-CF ₃	CF ₃	Et	Et
3-Cl-5-CF ₃	CF ₃	H	c-Pr
3-Cl-5-CF ₃	CF ₃	H	CH ₂ Pr-c
3-Cl-5-CF ₃	CF ₃	H	c-Bu
3-Cl-5-CF ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	C(O)Pr-c	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	C(O)Bu-t	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	C(O)SCH ₃	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	C(S)OCH ₃	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	C(S)SCH ₃	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Cl-5-CF ₃	CF ₃	H	CH(CH ₃)CH ₂ OCH ₃
3-Cl-5-CF ₃	CF ₃	H	CH ₂ CH(OCH ₃) ₂
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (E-4a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (E-5a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (E-10a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3-Cl-5-CF ₃	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3-Cl-5-CF ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-Cl-5-CF ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₃
3-Cl-5-CF ₃	CF ₃	H	CH ₂ CN
3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₃
3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(O)N(CH ₃) ₂
3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(O)NH ₂ t
3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂

3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3-Cl-5-CF ₃	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(S)NH ₂
3-Cl-5-CF ₃	CF ₃	H	CH ₂ CH=CH ₂
3-Cl-5-CF ₃	CF ₃	H	CH ₂ CCl=CH ₂
3-Cl-5-CF ₃	CF ₃	H	CH ₂ CCl=CHCl
3-Cl-5-CF ₃	CF ₃	H	CH ₂ C≡CH
3-Cl-5-CF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-Cl-5-CF ₃	CF ₃	H	CH(CF ₃)Ph
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (Ph-4-F)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (Ph-4-OCH ₃)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (Ph-4-NO ₂)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (Ph-4-CN)
3-Cl-5-CF ₃	CF ₃	H	CH(CH ₃)(D-1a)(R)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Cl-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17a)CH ₃
3-Cl-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-17a)CH ₃
3-Cl-5-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-17a)CH ₃
3-Cl-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-17a)CH ₃
3-Cl-5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-17a)CH ₃
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-17a)CH ₃
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-Cl-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17b)Cl
3-Cl-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-17b)Cl
3-Cl-5-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-17b)Cl
3-Cl-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-17b)Cl
3-Cl-5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-17b)Cl
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-17b)Cl
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-19a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-21a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	C(O)Pr-c	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	C(O)Bu-t	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	C(O)SCH ₃	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	C(S)OCH ₃	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	C(S)SCH ₃	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₃	H	CH(CH ₃)(D-22a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-28a)

3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-34a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-35a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-38a)
3-Cl-5-CF ₃	CF ₃	H	CH(CF ₃)(D-38a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)Pr-c	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)Bu-t	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)SCH ₃	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	C(S)OCH ₃	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	C(S)SCH ₃	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₃	H	CH(CH ₃)(D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-50a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-51a)
3-Cl-5-CF ₃	CF ₃	H	CH ₂ (D-53a)
3-Cl-5-CF ₃	CF ₃	H	N(CH ₃)Ph
3-Cl-5-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3-Cl-5-CF ₃	CF ₃	C(O)Et	N(CH ₃)Ph
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-Cl-5-CF ₃	CF ₃	H	N(CH ₂ C≡CH)Ph
3-Cl-5-CF ₃	CF ₃	H	N(CH ₃)(D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-Cl-5-CF ₃	CF ₃	H	NH(D-50a)
3-Cl-5-CF ₃	CF ₃	CH ₃	NH(D-50a)
3-Cl-5-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3-Cl-5-CF ₃	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3-Cl-5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Cl-5-CF ₃	CF ₃	H	(D-13b)CH ₃
3-Cl-5-CF ₃	CF ₃	H	(D-15a)CH ₃
3-Cl-5-CF ₃	CF ₃	H	D-21a
3-Cl-5-CF ₃	CF ₃	H	D-50a
3-Cl-5-CF ₃	CF ₃	H	D-51a
3-Cl-5-CF ₃	CF ₂ Cl	H	c-Bu
3-Cl-5-CF ₃	CF ₂ Cl	H	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃

3-Cl-5-CF ₃	CF ₂ Cl	C(O)Et	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₂ Cl	C(O)OCH ₃	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₂ Cl	H	CH ₂ CH ₂ OCH ₃
3-Cl-5-CF ₃	CF ₂ Cl	H	CH ₂ (E-10a)
3-Cl-5-CF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-CF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-CF ₃	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3-Cl-5-CF ₃	CF ₂ Cl	H	CH ₂ (D-17a)CH ₃
3-Cl-5-CF ₃	CF ₂ Cl	H	CH ₂ (D-17b)Cl
3-Cl-5-CF ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₂ Cl	C(O)Et	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₂ Cl	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Cl-5-CF ₃	CF ₂ Cl	H	N(CH ₃)Ph
3-Cl-5-CF ₃	CF ₂ Cl	H	N(CH ₃)(D-50a)
3-Cl-5-CF ₃	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Cl-5-CF ₃	CF ₂ Br	H	CH ₂ CF ₃
3-Cl-5-CF ₃	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-CF ₃	CF ₂ Br	H	CH ₂ (D-22a)
3-Cl-5-CF ₃	CF ₂ Br	H	CH ₂ (D-47a)
3-Cl-5-CF ₃	CF ₂ CHF ₂	H	N(CH ₃)(D-50a)
3-Cl-5-CF ₃	CF ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-CF ₃	CF ₂ OCH ₃	H	CH ₂ (D-22a)
3-Br-5-CF ₃	CHF ₂	H	CH ₂ (D-47a)
3-Br-5-CF ₃	CHFCI	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-5-CF ₃	CHCl ₂	H	N(CH ₃)(D-50a)
3-Br-5-CF ₃	CHFBr	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	H	Et
3-Br-5-CF ₃	CF ₃	Et	Et
3-Br-5-CF ₃	CF ₃	H	c-Pr
3-Br-5-CF ₃	CF ₃	H	CH ₂ Pr-c
3-Br-5-CF ₃	CF ₃	H	c-Bu
3-Br-5-CF ₃	CF ₃	H	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	C(O)Pr-c	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	C(O)Bu-t	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃

3-Br-5-CF ₃	CF ₃	C(O)SCH ₃	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	C(S)OCH ₃	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	C(S)SCH ₃	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Br-5-CF ₃	CF ₃	H	CH(CH ₃)CH ₂ OCH ₃
3-Br-5-CF ₃	CF ₃	H	CH ₂ CH(OCH ₃) ₂
3-Br-5-CF ₃	CF ₃	H	CH ₂ (E-4a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (E-5a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (E-10a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3-Br-5-CF ₃	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3-Br-5-CF ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-Br-5-CF ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3-Br-5-CF ₃	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₃
3-Br-5-CF ₃	CF ₃	H	CH ₂ CN
3-Br-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₃
3-Br-5-CF ₃	CF ₃	H	CH ₂ C(O)N(CH ₃) ₂
3-Br-5-CF ₃	CF ₃	H	CH ₂ C(O)NH ₂
3-Br-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3-Br-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3-Br-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3-Br-5-CF ₃	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl
3-Br-5-CF ₃	CF ₃	H	CH ₂ C(S)NH ₂
3-Br-5-CF ₃	CF ₃	H	CH ₂ CH=CH ₂
3-Br-5-CF ₃	CF ₃	H	CH ₂ CCl=CH ₂
3-Br-5-CF ₃	CF ₃	H	CH ₂ CCl=CHCl
3-Br-5-CF ₃	CF ₃	H	CH ₂ C≡CH
3-Br-5-CF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-Br-5-CF ₃	CF ₃	H	CH(CF ₃)Ph
3-Br-5-CF ₃	CF ₃	H	CH ₂ (Ph-4-F)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (Ph-4-OCH ₃)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (Ph-4-NO ₂)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (Ph-4-CN)
3-Br-5-CF ₃	CF ₃	H	CH(CH ₃)(D-1a)(R)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Br-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17a)CH ₃
3-Br-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-17a)CH ₃
3-Br-5-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-17a)CH ₃
3-Br-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-17a)CH ₃
3-Br-5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-17a)CH ₃
3-Br-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-17a)CH ₃
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-Br-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17b)Cl
3-Br-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-17b)Cl

3-Br-5-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-17b)Cl
3-Br-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-17b)Cl
3-Br-5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-17b)Cl
3-Br-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-17b)Cl
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-19a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-21a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	C(O)Pr-c	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	C(O)Bu-t	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	C(O)SCH ₃	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	C(S)OCH ₃	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	C(S)SCH ₃	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₃	H	CH(CH ₃)(D-22a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-28a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-34a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-35a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-38a)
3-Br-5-CF ₃	CF ₃	H	CH(CF ₃)(D-38a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	C(O)Pr-c	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	C(O)Bu-t	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	C(O)SCH ₃	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	C(S)OCH ₃	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	C(S)SCH ₃	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₃	H	CH(CH ₃)(D-47a)
3-Br-5-CF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-50a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-51a)
3-Br-5-CF ₃	CF ₃	H	CH ₂ (D-53a)
3-Br-5-CF ₃	CF ₃	H	N(CH ₃)Ph

3-Br-5-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3-Br-5-CF ₃	CF ₃	C(O)Et	N(CH ₃)Ph
3-Br-5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-Br-5-CF ₃	CF ₃	H	N(CH ₂ C≡CH)Ph
3-Br-5-CF ₃	CF ₃	H	N(CH ₃)(D-47a)
3-Br-5-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3-Br-5-CF ₃	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3-Br-5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-Br-5-CF ₃	CF ₃	H	NH(D-50a)
3-Br-5-CF ₃	CF ₃	CH ₃	NH(D-50a)
3-Br-5-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-CF ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3-Br-5-CF ₃	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3-Br-5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Br-5-CF ₃	CF ₃	H	(D-13b)CH ₃
3-Br-5-CF ₃	CF ₃	H	(D-15a)CH ₃
3-Br-5-CF ₃	CF ₃	H	D-21a
3-Br-5-CF ₃	CF ₃	H	D-50a
3-Br-5-CF ₃	CF ₃	H	D-51a
3-Br-5-CF ₃	CF ₂ Cl	H	c-Bu
3-Br-5-CF ₃	CF ₂ Cl	H	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₂ Cl	C(O)Et	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₂ Cl	C(O)OCH ₃	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₂ Cl	H	CH ₂ CH ₂ OCH ₃
3-Br-5-CF ₃	CF ₂ Cl	H	CH ₂ (E-10a)
3-Br-5-CF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-CF ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-CF ₃	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3-Br-5-CF ₃	CF ₂ Cl	H	CH ₂ (D-17a)CH ₃
3-Br-5-CF ₃	CF ₂ Cl	H	CH ₂ (D-17b)Cl
3-Br-5-CF ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₂ Cl	C(O)Et	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₂ Cl	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Br-5-CF ₃	CF ₂ Cl	H	N(CH ₃)Ph
3-Br-5-CF ₃	CF ₂ Cl	H	N(CH ₃)(D-50a)
3-Br-5-CF ₃	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Br-5-CF ₃	CF ₂ Br	H	CH ₂ CF ₃
3-Br-5-CF ₃	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃

3-Br-5-CF ₃	CF ₂ Br	H	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₂ Br	H	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₂ CHF ₂	H	CH ₂ (D-22a)
3-Br-5-CF ₃	CF ₂ CF ₃	H	CH ₂ (D-47a)
3-Br-5-CF ₃	CF ₂ OCH ₃	CH ₂ CN	CH ₂ (D-47a)
3-CH ₃ -5-CF ₃	CF ₃	H	c-Bu
3-CH ₃ -5-CF ₃	CF ₃	H	CH ₂ CF ₃
3-CH ₃ -5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CH ₃ -5-CF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-CH ₃ -5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CH ₃ -5-CF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CH ₃ -5-CF ₃	CF ₃	H	CH ₂ (E-10a)
3-CH ₃ -5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CH ₃ -5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₃ -5-CF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-CH ₃ -5-CF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CH ₃ -5-CF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-CH ₃ -5-CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CH ₃ -5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CH ₃ -5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CH ₃ -5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CH ₃ -5-CF ₃	CF ₃	H	CH ₂ (D-47a)
3-CH ₃ -5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CH ₃ -5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CH ₃ -5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CH ₃ -5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CH ₃ -5-CF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CH ₃ -5-CF ₃	CF ₃	H	N(CH ₃)Ph
3-CH ₃ -5-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Et-5-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Pr-i-5-CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Bu-t-5-CF ₃	CF ₃	H	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CHF ₂	H	CH ₂ CF ₃
3,5-(CF ₃) ₂	CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-(CF ₃) ₂	CHF ₂	H	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CHF ₂	H	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CHFCI	C(O)Et	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CHCl ₂	H	N(CH ₃)(D-50a)
3,5-(CF ₃) ₂	CHFCBr	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₃	H	Et
3,5-(CF ₃) ₂	CF ₃	Et	Et
3,5-(CF ₃) ₂	CF ₃	H	c-Pr
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ Pr-c
3,5-(CF ₃) ₂	CF ₃	H	c-Bu
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CF ₃

3,5-(CF ₃) ₂	CF ₃	CH ₂ OCH ₃	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	CH ₂ CN	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	CH ₂ C≡CH	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	C(O)Et	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	C(O)Pr-c	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	C(O)Bu-t	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₃	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃		CH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₂ CH=CH ₂		CH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₃	C(O)SCH ₃	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	C(S)OCH ₃	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	C(S)SCH ₃	CH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CF ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CH ₂ OCH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH(CH ₃)CH ₂ OCH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CH(OCH ₃) ₂	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (E-4a)	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (E-5a)	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (E-10a)	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CH ₂ SCH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CH ₂ S(O)CH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CH(CH ₃)SCH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CH(CH ₃)S(O)CH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH(CH ₃)CH ₂ SCH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH(CH ₃)CH ₂ S(O)CH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(O)CH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CH=NOCH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CN	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(O)N(CH ₃) ₂	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHet	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH	
3,5-(CF ₃) ₂	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C(S)NHet	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CH=CH ₂	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CCl=CH ₂	
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ CCl=CHCl	

3,5-(CF ₃) ₂	CF ₃	H	CH ₂ C≡CH
3,5-(CF ₃) ₂	CF ₃	H	CH(CH ₃)Ph(R)
3,5-(CF ₃) ₂	CF ₃	H	CH(CF ₃)Ph
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (Ph-4-F)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (Ph-4-OCH ₃)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (Ph-4-NO ₂)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (Ph-4-CN)
3,5-(CF ₃) ₂	CF ₃	H	CH(CH ₃)(D-1a)(R)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-17a)CH ₃
3,5-(CF ₃) ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17a)CH ₃
3,5-(CF ₃) ₂	CF ₃	CH ₂ CN	CH ₂ (D-17a)CH ₃
3,5-(CF ₃) ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-17a)CH ₃
3,5-(CF ₃) ₂	CF ₃	C(O)CH ₃	CH ₂ (D-17a)CH ₃
3,5-(CF ₃) ₂	CF ₃	C(O)Et	CH ₂ (D-17a)CH ₃
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-17a)CH ₃
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-17b)Cl
3,5-(CF ₃) ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17b)Cl
3,5-(CF ₃) ₂	CF ₃	CH ₂ CN	CH ₂ (D-17b)Cl
3,5-(CF ₃) ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-17b)Cl
3,5-(CF ₃) ₂	CF ₃	C(O)CH ₃	CH ₂ (D-17b)Cl
3,5-(CF ₃) ₂	CF ₃	C(O)Et	CH ₂ (D-17b)Cl
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-17b)Cl
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-19a)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-21a)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	CH ₂ CN	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	C(O)Et	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	C(O)Pr-c	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	C(O)Bu-t	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	C(O)SCH ₃	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	C(S)OCH ₃	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	C(S)SCH ₃	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₃	H	CH(CH ₃)(D-22a)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-28a)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-34a)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-35a)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-38a)
3,5-(CF ₃) ₂	CF ₃	H	CH(CF ₃)(D-38a)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)

3,5-(CF ₃) ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)Pr-c	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)Bu-t	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)SCH ₃	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	C(S)OCH ₃	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	C(S)SCH ₃	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₃	H	CH(CH ₃)(D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-50a)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-51a)
3,5-(CF ₃) ₂	CF ₃	H	CH ₂ (D-53a)
3,5-(CF ₃) ₂	CF ₃	H	NHNHCH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₃	H	N(CH ₃)Ph
3,5-(CF ₃) ₂	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3,5-(CF ₃) ₂	CF ₃	C(O)Et	N(CH ₃)Ph
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,5-(CF ₃) ₂	CF ₃	H	N(CH ₂ C≡CH)Ph
3,5-(CF ₃) ₂	CF ₃	H	N(CH ₃)(D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-(CF ₃) ₂	CF ₃	H	NH(D-50a)
3,5-(CF ₃) ₂	CF ₃	CH ₃	NH(D-50a)
3,5-(CF ₃) ₂	CF ₃	H	N(CH ₃)(D-50a)
3,5-(CF ₃) ₂	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3,5-(CF ₃) ₂	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3,5-(CF ₃) ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-(CF ₃) ₂	CF ₃	H	(D-13b)CH ₃
3,5-(CF ₃) ₂	CF ₃	H	(D-15a)CH ₃
3,5-(CF ₃) ₂	CF ₃	H	D-21a
3,5-(CF ₃) ₂	CF ₃	H	D-47a
3,5-(CF ₃) ₂	CF ₃	H	D-50a
3,5-(CF ₃) ₂	CF ₃	H	D-51a
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ Pr-c
3,5-(CF ₃) ₂	CF ₂ Cl	H	c-Bu
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)Et	CH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ CH ₂ OCH ₃

3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ (E-10a)
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ CH=NOCH ₃
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ (D-17a)CH ₃
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ (D-17b)Cl
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ (D-21a)
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)Et	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₂ Cl	H	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₂ Cl	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₂ Cl	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-(CF ₃) ₂	CF ₂ Cl	H	N(CH ₃)Ph
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)Ph
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-(CF ₃) ₂	CF ₂ Cl	H	N(CH ₃)(D-50a)
3,5-(CF ₃) ₂	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-(CF ₃) ₂	CF ₂ Cl	H	(D-13b)CH ₃
3,5-(CF ₃) ₂	CF ₂ Cl	H	(D-15a)CH ₃
3,5-(CF ₃) ₂	CF ₂ Br	H	CH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₂ Br	H	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₂ Br	H	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₂ CHF ₂	H	CH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₂ CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-(CF ₃) ₂	CF ₂ CHF ₂	H	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₂ CHF ₂	H	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₂ CF ₃	H	CH ₂ (D-22a)
3,5-(CF ₃) ₂	CF ₂ OCH ₃	H	CH ₂ (D-47a)
3,5-(CF ₃) ₂	CF ₂ SCH ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-CF ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-5-CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-CF ₂ CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-CF ₂ CF ₃	CF ₃	H	N(CH ₃)(D-50a)

3-Br-5-CF ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-Br-5-CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-CF ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-CF ₂ CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-CF ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-CH ₃ -5-CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₃ -5-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CH ₃ -5-CF ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-CF ₂ CF ₂ CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-5-CF ₂ CF ₂ CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-Br-5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-CF ₂ CF ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-5-CF ₂ CF ₂ CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-CH ₃ -5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₃ -5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CH ₃ -5-CF ₂ CF ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-CF(CF ₃) ₂	CF ₃	H	CH ₂ CF ₃
3-Cl-5-CF(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-CF(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-CF(CF ₃) ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-CF(CF ₃) ₂	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-CF(CF ₃) ₂	CF ₃	H	CH ₂ CF ₃
3-Br-5-CF(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-CF(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-22a)
3-Br-5-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-47a)
3-Br-5-CF(CF ₃) ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-CF(CF ₃) ₂	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-CF(CF ₃) ₂	CF ₃	H	CH ₂ CF ₃
3-CH ₃ -5-CF(CF ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₃ -5-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-22a)

3-CH ₃ -5-CF(CF ₃) ₂	CF ₃	H	CH ₂ (D-47a)
3-CH ₃ -5-CH ₂ OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-CH ₂ OCH ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃ -5-CH ₂ SCH ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -5-CH ₂ S(O)CH ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -5-CH ₂ SO ₂ CH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ CF ₃
3-Cl-5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (D-47a)
3-Br-5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ CF ₃
3-Br-5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (D-22a)
3-Br-5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (D-47a)
3-CH ₃ -5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ CF ₃
3-CH ₃ -5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₃ -5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (D-22a)
3-CH ₃ -5-C(CF ₃) ₂ OH	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ CF ₃
3-Br-5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-CH ₃ -5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ CF ₃
3-CH ₃ -5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₃ -5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (D-22a)
3-CH ₃ -5-C(CF ₃) ₂ OCH ₃	CF ₃	H	CH ₂ (D-47a)
3,5-(CH ₂ OCH ₃) ₂	CF ₃	H	N(CH ₃)(D-50a)
3,5-[C(CF ₃) ₂ OH] ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-[C(CF ₃) ₂ OCH ₃] ₂	CF ₃	H	CH ₂ (D-22a)
3-OCH ₃ -4-F	CF ₃	H	CH ₂ (D-47a)
2-F-4-OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
2-F-5-OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-4-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-OCH ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-OCH ₃	CF ₃	H	CH ₂ CF ₃
3-Br-5-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-OCH ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-OCH ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Br-5-OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-OCH ₃	CF ₃	H	CH ₂ (D-47a)

3-CF ₃ -5-OCH ₃	CF ₃	H	CH ₂ CF ₃
3-CF ₃ -5-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF ₃ -5-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃ -5-OCH ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -5-OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -5-OCH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF ₃ -5-OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₂ OCH ₃ -5-OCH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CH ₂ SCH ₃ -5-OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-OCH ₃ -4-OH	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2,3-(OCH ₃) ₂	CF ₃	H	CH ₂ (D-22a)
2,4-(OCH ₃) ₂	CF ₃	H	CH ₂ (D-47a)
2,6-(OCH ₃) ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,4-(OCH ₃) ₂	CF ₃	H	N(CH ₃)(D-50a)
3,5-(OCH ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OEt-4-Cl	CF ₃	H	CH ₂ (D-22a)
3,5-(OEt) ₂	CF ₃	H	CH ₂ (D-47a)
3,5-(OPr-n) ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-OCH ₂ O-4	CF ₃	H	N(CH ₃)(D-50a)
3-OCH ₂ CH ₂ O-4	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-4-OCHF ₂	CF ₃	H	CH ₂ (D-22a)
3-Cl-4-OCHF ₂	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ Pr-c
3-Cl-5-OCHF ₂	CF ₃	H	c-Bu
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ CF ₃
3-Cl-5-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Cl-5-OCHF ₂	CF ₃	C(O)Et	CH ₂ CF ₃
3-Cl-5-OCHF ₂	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ (E-10a)
3-Cl-5-OCHF ₂	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ CH=NOCH ₃
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-OCHF ₂	CF ₃	H	CH(CH ₃)Ph(R)
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ (D-17b)Cl
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ (D-21a)
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Cl-5-OCHF ₂	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Cl-5-OCHF ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Cl-5-OCHF ₂	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-OCHF ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-Cl-5-OCHF ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-OCHF ₂	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)

3-Cl-5-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-5-OCHF ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-5-OCHF ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-OCHF ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Cl-5-OCHF ₂	CF ₃	H	N(CH ₃)Ph
3-Cl-5-OCHF ₂	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-Cl-5-OCHF ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-Cl-5-OCHF ₂	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-OCHF ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Cl-5-OCHF ₂	CF ₃	H	(D-13b)CH ₃
3-Cl-5-OCHF ₂	CF ₃	H	(D-15a)CH ₃
3-Br-4-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-OCHF ₂	CF ₃	H	c-Bu
3-Br-5-OCHF ₂	CF ₃	H	CH ₂ CF ₃
3-Br-5-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Br-5-OCHF ₂	CF ₃	C(O)Et	CH ₂ CF ₃
3-Br-5-OCHF ₂	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Br-5-OCHF ₂	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Br-5-OCHF ₂	CF ₃	H	CH ₂ (E-10a)
3-Br-5-OCHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-OCHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-OCHF ₂	CF ₃	H	CH(CH ₃)Ph(R)
3-Br-5-OCHF ₂	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Br-5-OCHF ₂	CF ₃	H	CH ₂ (D-17b)Cl
3-Br-5-OCHF ₂	CF ₃	H	CH ₂ (D-22a)
3-Br-5-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Br-5-OCHF ₂	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Br-5-OCHF ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Br-5-OCHF ₂	CF ₃	H	CH ₂ (D-47a)
3-Br-5-OCHF ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Br-5-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-OCHF ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Br-5-OCHF ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-5-OCHF ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Br-5-OCHF ₂	CF ₃	H	N(CH ₃)Ph
3-Br-5-OCHF ₂	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-OCHF ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Br-5-OCHF ₂	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-OCHF ₂	CF ₃	H	c-Bu
3-CF ₃ -5-OCHF ₂	CF ₃	H	CH ₂ CF ₃
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)Et	CH ₂ CF ₃
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CF ₃ -5-OCHF ₂	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CF ₃ -5-OCHF ₂	CF ₃	H	CH ₂ (E-10a)
3-CF ₃ -5-OCHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl

3-CF ₃ -5-OCHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃ -5-OCHF ₂	CF ₃	H	CH(CH ₃)Ph(R)
3-CF ₃ -5-OCHF ₂	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CF ₃ -5-OCHF ₂	CF ₃	H	CH ₂ (D-17b)Cl
3-CF ₃ -5-OCHF ₂	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CF ₃ -5-OCHF ₂	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -5-OCHF ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CF ₃ -5-OCHF ₂	CF ₃	H	N(CH ₃)Ph
3-CF ₃ -5-OCHF ₂	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₃ -5-OCHF ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-(OCHF ₂) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-4-OCF ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-4-OCF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ Pr-c
3-Cl-5-OCF ₃	CF ₃	H	c-Bu
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-5-OCF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Cl-5-OCF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-Cl-5-OCF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ (E-10a)
3-Cl-5-OCF ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-OCF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ (D-21a)
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-OCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Cl-5-OCF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Cl-5-OCF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Cl-5-OCF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-OCF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-Cl-5-OCF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-OCF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-Cl-5-OCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-5-OCF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)

3-Cl-5-OCF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-OCF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Cl-5-OCF ₃	CF ₃	H	N(CH ₃)Ph
3-Cl-5-OCF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-Cl-5-OCF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-Cl-5-OCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-OCF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Cl-5-OCF ₃	CF ₃	H	(D-13b)CH ₃
3-Cl-5-OCF ₃	CF ₃	H	(D-15a)CH ₃
3-Br-4-OCF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Br-5-OCF ₃	CF ₃	H	c-Bu
3-Br-5-OCF ₃	CF ₃	H	CH ₂ CF ₃
3-Br-5-OCF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Br-5-OCF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-Br-5-OCF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Br-5-OCF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Br-5-OCF ₃	CF ₃	H	CH ₂ (E-10a)
3-Br-5-OCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-OCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-OCF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-Br-5-OCF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Br-5-OCF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-Br-5-OCF ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-OCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Br-5-OCF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Br-5-OCF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Br-5-OCF ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-OCF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Br-5-OCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-OCF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Br-5-OCF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-5-OCF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Br-5-OCF ₃	CF ₃	H	N(CH ₃)Ph
3-Br-5-OCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-OCF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Br-5-OCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-OCF ₃	CF ₃	H	c-Bu
3-CF ₃ -5-OCF ₃	CF ₃	H	CH ₂ CF ₃
3-CF ₃ -5-OCF ₃	CF ₃	H	CH ₂ CF ₃
3-CF ₃ -5-OCF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CF ₃ -5-OCF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-CF ₃ -5-OCF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CF ₃ -5-OCF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CF ₃ -5-OCF ₃	CF ₃	H	CH ₂ (E-10a)
3-CF ₃ -5-OCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF ₃ -5-OCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃ -5-OCF ₃	CF ₃	H	CH(CH ₃)Ph(R)

3-CF ₃ -5-OCF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CF ₃ -5-OCF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-CF ₃ -5-OCF ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -5-OCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CF ₃ -5-OCF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CF ₃ -5-OCF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CF ₃ -5-OCF ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -5-OCF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CF ₃ -5-OCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF ₃ -5-OCF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF ₃ -5-OCF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₃ -5-OCF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CF ₃ -5-OCF ₃	CF ₃	H	N(CH ₃)Ph
3-CF ₃ -5-OCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₃ -5-OCF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-F-5-OCF ₂ Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-OCF ₂ Br	CF ₃	H	CH ₂ (D-22a)
3-CH ₃ -5-OCF ₂ Br	CF ₃	H	CH ₂ (D-47a)
3-F-5-OCF ₂ CHF ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-OCF ₂ CHF ₂	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-OCF ₂ CHF ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-OCF ₂ CHFCI	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-OCF ₂ CHFCI	CF ₃	H	CH ₂ (D-47a)
3-Br-5-OCF ₂ CHFCI	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-F-5-OCF ₂ CHFCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-OCF ₂ CHFCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₃ -5-OCF ₂ CHFCF ₃	CF ₃	H	CH ₂ (D-22a)
3-F-5-OCF ₂ CHFOCF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-OCF ₂ CHFOCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CH ₃ -5-OCF ₂ CHFOCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₂ OCF ₂ O-4	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OCF ₂ O-4	CF ₃	H	CH ₂ (D-22a)
3-OCF ₂ CF ₂ O-4	CF ₃	H	CH ₂ (D-47a)
3-OPh-4-F	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-5-SCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-S(O)CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-SO ₂ CH ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-SCH ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-S(O)CH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-5-SO ₂ CH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ Pr-c
3-Cl-5-SCF ₃	CF ₃	H	c-Bu
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-5-SCF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Cl-5-SCF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-Cl-5-SCF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃

3-Cl-5-SCF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ (E-10a)
3-Cl-5-SCF ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-SCF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ (D-21a)
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-SCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Cl-5-SCF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Cl-5-SCF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Cl-5-SCF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-SCF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3-Cl-5-SCF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-SCF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3-Cl-5-SCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-5-SCF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-5-SCF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-SCF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Cl-5-SCF ₃	CF ₃	H	N(CH ₃)Ph
3-Cl-5-SCF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3-Cl-5-SCF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3-Cl-5-SCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-SCF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Cl-5-SCF ₃	CF ₃	H	(D-13b)CH ₃
3-Cl-5-SCF ₃	CF ₃	H	(D-15a)CH ₃
3-Cl-5-S(O)CF ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-5-S(O)CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-S(O)CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-S(O)CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-S(O)CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-S(O)CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-S(O)CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-SO ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-5-SO ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-SO ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-SO ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-SO ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-SO ₂ CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-5-SO ₂ CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-SCF ₃	CF ₃	H	c-Bu
3-Br-5-SCF ₃	CF ₃	H	CH ₂ CF ₃
3-Br-5-SCF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃

3-Br-5-SCF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3-Br-5-SCF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Br-5-SCF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Br-5-SCF ₃	CF ₃	H	CH ₂ (E-10a)
3-Br-5-SCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-SCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-SCF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3-Br-5-SCF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Br-5-SCF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3-Br-5-SCF ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-SCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Br-5-SCF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Br-5-SCF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Br-5-SCF ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-SCF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Br-5-SCF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-SCF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Br-5-SCF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-5-SCF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Br-5-SCF ₃	CF ₃	H	N(CH ₃)Ph
3-Br-5-SCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-SCF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Br-5-S(O)CF ₃	CF ₃	H	CH ₂ CF ₃
3-Br-5-S(O)CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-S(O)CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-S(O)CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-S(O)CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-S(O)CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Br-5-S(O)CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-SO ₂ CF ₃	CF ₃	H	CH ₂ CF ₃
3-Br-5-SO ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-SO ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-SO ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Br-5-SO ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Br-5-SO ₂ CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-5-SO ₂ CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-SCF ₂ CHFCl	CF ₃	H	CH ₂ CF ₃
3-Cl-5-SCF ₂ CHFCl	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-SCF ₂ CHFCl	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-SCF ₂ CHFCl	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-SCF ₂ CHFCl	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-SCF ₂ CHFCl	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-SCF ₂ CHFCl	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-S(O)CF ₂ CHFCl	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-SO ₂ CF ₂ CHFCl	CF ₃	H	CH ₂ (D-22a)
3-Br-5-SCF ₂ CHFCl	CF ₃	H	CH ₂ CF ₃

3-Br-5-SCF ₂ CHFCI	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-SCF ₂ CHFCI	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-SCF ₂ CHFCI	CF ₃	H	CH ₂ (D-22a)
3-Br-5-SCF ₂ CHFCI	CF ₃	H	CH ₂ (D-47a)
3-Br-5-SCF ₂ CHFCI	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-SCF ₂ CHFCI	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-S(O)CF ₂ CHFCI	CF ₃	H	CH ₂ (D-47a)
3-Br-5-SO ₂ CF ₂ CHFCI	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-5-SPh	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-S(O)Ph	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-SO ₂ Ph	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-SO ₂ OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-CH ₃ -5-SO ₂ OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-SO ₂ NH ₂	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-SO ₂ NH ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-SO ₂ NHCH ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-SO ₂ N(CH ₃) ₂	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-NHC(O)CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-N(CH ₃)C(O)CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-N(Et)C(O)CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-N(CH ₃)C(O)CF ₂ Cl	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-N(Et)C(O)CF ₂ Cl	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-N(CH ₃)C(O)CF ₂ Br	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-5-N(Et)C(O)CF ₂ Br	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-N(CH ₃)SO ₂ CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-N(Et)SO ₂ CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -5-NHC(O)CH ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -5-NHC(O)CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF ₃ -5-N(CH ₃)C(O)CH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₃ -5-N(Et)C(O)CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃ -5-N(CH ₃)C(O)CF ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -5-N(Et)C(O)CF ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -5-N(CH ₃)C(O)CF ₂ Cl	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₃ -5-N(Et)C(O)CF ₂ Cl	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₃ -5-N(CH ₃)C(O)CF ₂ Br	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃ -5-N(Et)C(O)CF ₂ Br	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -5-N(CH ₃)SO ₂ CF ₃	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -5-N(Et)SO ₂ CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-NO ₂ -4-F	CF ₃	H	N(CH ₃)(D-50a)
2-F-5-NO ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-NO ₂	CF ₃	H	CH ₂ (D-22a)
3-NO ₂ -4-Cl	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-NO ₂	CF ₃	H	c-Bu
3-Cl-5-NO ₂	CF ₃	H	CH ₂ CF ₃
3-Cl-5-NO ₂	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Cl-5-NO ₂	CF ₃	C(O)Et	CH ₂ CF ₃

3-Cl-5-NO ₂	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Cl-5-NO ₂	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Cl-5-NO ₂	CF ₃	H	CH ₂ (E-10a)
3-Cl-5-NO ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-NO ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-NO ₂	CF ₃	H	CH(CH ₃)Ph(R)
3-Cl-5-NO ₂	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Cl-5-NO ₂	CF ₃	H	CH ₂ (D-17b)Cl
3-Cl-5-NO ₂	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-NO ₂	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Cl-5-NO ₂	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Cl-5-NO ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Cl-5-NO ₂	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-NO ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-NO ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-5-NO ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-5-NO ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-NO ₂	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Cl-5-NO ₂	CF ₃	H	N(CH ₃)Ph
3-Cl-5-NO ₂	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-NO ₂	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-CH ₃ -5-NO ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF ₃ -4-NO ₂	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₃ -5-NO ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-(NO ₂) ₂	CF ₃	H	CH ₂ (D-22a)
3-NO ₂ -5-NHC(O)CH ₃	CF ₃	H	CH ₂ (D-47a)
3-CN-4-F	CF ₃	C(O)Et	CH ₂ (D-47a)
3-F-4-CN	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-4-CN	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CH ₃ -4-CN	CF ₃	H	CH ₂ (D-22a)
3-F-5-CN	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-CN	CF ₃	H	c-Bu
3-Cl-5-CN	CF ₃	H	CH ₂ CF ₃
3-Cl-5-CN	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Cl-5-CN	CF ₃	C(O)Et	CH ₂ CF ₃
3-Cl-5-CN	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Cl-5-CN	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Cl-5-CN	CF ₃	H	CH ₂ (E-10a)
3-Cl-5-CN	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Cl-5-CN	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-CN	CF ₃	H	CH(CH ₃)Ph(R)
3-Cl-5-CN	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Cl-5-CN	CF ₃	H	CH ₂ (D-17b)Cl
3-Cl-5-CN	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-CN	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Cl-5-CN	CF ₃	C(O)Et	CH ₂ (D-22a)

3-Cl-5-CN	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Cl-5-CN	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-CN	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-CN	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Cl-5-CN	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Cl-5-CN	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Cl-5-CN	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Cl-5-CN	CF ₃	H	N(CH ₃)Ph
3-Cl-5-CN	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-CN	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Br-5-CN	CF ₃	H	c-Bu
3-Br-5-CN	CF ₃	H	CH ₂ CF ₃
3-Br-5-CN	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-Br-5-CN	CF ₃	C(O)Et	CH ₂ CF ₃
3-Br-5-CN	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-Br-5-CN	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-Br-5-CN	CF ₃	H	CH ₂ (E-10a)
3-Br-5-CN	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-Br-5-CN	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-CN	CF ₃	H	CH(CH ₃)Ph(R)
3-Br-5-CN	CF ₃	H	CH ₂ (D-17a)CH ₃
3-Br-5-CN	CF ₃	H	CH ₂ (D-17b)Cl
3-Br-5-CN	CF ₃	H	CH ₂ (D-22a)
3-Br-5-CN	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-Br-5-CN	CF ₃	C(O)Et	CH ₂ (D-22a)
3-Br-5-CN	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-Br-5-CN	CF ₃	H	CH ₂ (D-47a)
3-Br-5-CN	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Br-5-CN	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-CN	CF ₃	C(O)Et	CH ₂ (D-47a)
3-Br-5-CN	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-Br-5-CN	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-Br-5-CN	CF ₃	H	N(CH ₃)Ph
3-Br-5-CN	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-CN	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-Br-5-CN	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CH ₃ -5-CN	CF ₃	H	c-Bu
3-CF ₃ -5-CN	CF ₃	H	CH ₂ CF ₃
3-CF ₃ -5-CN	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3-CF ₃ -5-CN	CF ₃	C(O)Et	CH ₂ CF ₃
3-CF ₃ -5-CN	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3-CF ₃ -5-CN	CF ₃	H	CH ₂ CH ₂ OCH ₃
3-CF ₃ -5-CN	CF ₃	H	CH ₂ (E-10a)
3-CF ₃ -5-CN	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3-CF ₃ -5-CN	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃ -5-CN	CF ₃	H	CH(CH ₃)Ph(R)

3-CF ₃ -5-CN	CF ₃	H	CH ₂ (D-17a)CH ₃
3-CF ₃ -5-CN	CF ₃	H	CH ₂ (D-17b)Cl
3-CF ₃ -5-CN	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -5-CN	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3-CF ₃ -5-CN	CF ₃	C(O)Et	CH ₂ (D-22a)
3-CF ₃ -5-CN	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3-CF ₃ -5-CN	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -5-CN	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-CF ₃ -5-CN	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-CF ₃ -5-CN	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CF ₃ -5-CN	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₃ -5-CN	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3-CF ₃ -5-CN	CF ₃	H	N(CH ₃)Ph
3-CF ₃ -5-CN	CF ₃	H	N(CH ₃)(D-50a)
3-CF ₃ -5-CN	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3-NO ₂ -5-CN	CF ₃	H	N(CH ₃)(D-50a)
3,5-(CN) ₂	CF ₃	H	CH ₂ CF ₃
3,5-(CN) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-(CN) ₂	CF ₃	H	CH ₂ (D-22a)
3,5-(CN) ₂	CF ₃	H	CH ₂ (D-47a)
3-F-5-C(O)OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-C(O)NH ₂	CF ₃	H	CH ₂ (D-22a)
3-F-5-C(O)NHCH ₃	CF ₃	H	CH ₂ (D-47a)
3-F-5-C(O)N(CH ₃) ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-Cl-5-C(O)OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-C(O)NH ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-C(O)NHCH ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-C(O)N(CH ₃) ₂	CF ₃	H	CH ₂ (D-47a)
3-Br-5-C(O)OCH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3-Br-5-C(O)NH ₂	CF ₃	H	N(CH ₃)(D-50a)
3-Br-5-C(O)NHCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Br-5-C(O)N(CH ₃) ₂	CF ₃	H	CH ₂ (D-22a)
3-CH ₃ -5-C(O)OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-CH ₃ -5-C(O)NH ₂	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CH ₃ -5-C(O)NHCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-CH ₃ -5-C(O)N(CH ₃) ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-CF ₃ -5-C(O)OCH ₃	CF ₃	H	CH ₂ (D-22a)
3-CF ₃ -5-C(O)NH ₂	CF ₃	H	CH ₂ (D-47a)
3-CF ₃ -5-C(O)NHCH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3-CF ₃ -5-C(O)N(CH ₃) ₂	CF ₃	H	N(CH ₃)(D-50a)
3-OCH ₃ -5-C(O)OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-OCH ₃ -5-C(O)NH ₂	CF ₃	H	CH ₂ (D-22a)
3-OCH ₃ -5-C(O)NHCH ₃	CF ₃	H	CH ₂ (D-47a)
3-OCH ₃ -5-C(O)N(CH ₃) ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3-NO ₂ -5-C(O)OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-NO ₂ -5-C(O)NH ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃

3-NO ₂ -5-C(O)NHCH ₃	CF ₃	H	CH ₂ (D-22a)
3-NO ₂ -5-C(O)N(CH ₃) ₂	CF ₃	H	CH ₂ (D-47a)
3,5-[C(O)OCH ₃] ₂	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-[C(O)NH ₂] ₂	CF ₃	H	N(CH ₃)(D-50a)
3,5-[C(O)NHCH ₃] ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-[C(O)N(CH ₃) ₂] ₂	CF ₃	H	CH ₂ (D-22a)
3-CH ₃ -5-Ph	CF ₃	H	CH ₂ (D-47a)
2-CH=CHCH=CH-3	CF ₃	C(O)Et	CH ₂ (D-47a)
3-CH=CHCH=CH-4	CF ₃	H	N(CH ₃)(D-50a)
2,3,4-F ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
2,3,5-F ₃	CF ₃	H	CH ₂ (D-22a)
2,3,6-F ₃	CF ₃	H	CH ₂ (D-47a)
2,4,5-F ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
2,4,6-F ₃	CF ₃	H	N(CH ₃)(D-50a)
3,4,5-F ₃	CF ₃	H	c-Bu
3,4,5-F ₃	CF ₃	H	CH ₂ CF ₃
3,4,5-F ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,4,5-F ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3,4,5-F ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,4,5-F ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,4,5-F ₃	CF ₃	H	CH ₂ (E-10a)
3,4,5-F ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,4,5-F ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4,5-F ₃	CF ₃	H	CH(CH ₃)Ph(R)
3,4,5-F ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3,4,5-F ₃	CF ₃	H	CH ₂ (D-17b)Cl
3,4,5-F ₃	CF ₃	H	CH ₂ (D-22a)
3,4,5-F ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,4,5-F ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3,4,5-F ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,4,5-F ₃	CF ₃	H	CH ₂ (D-47a)
3,4,5-F ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,4,5-F ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,4,5-F ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3,4,5-F ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,4,5-F ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,4,5-F ₃	CF ₃	H	N(CH ₃)Ph
3,4,5-F ₃	CF ₃	H	N(CH ₃)(D-50a)
3,4,5-F ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
2,6-F ₂ -3-Cl	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ Pr-c
3,5-Cl ₂ -4-F	CF ₃	H	c-Bu
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂ -4-F	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂ -4-F	CF ₃	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂ -4-F	CF ₃	C(O)OCH ₃	CH ₂ CF ₃

3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ (E-10a)
3,5-Cl ₂ -4-F	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ CH=NOCH ₃
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-F	CF ₃	H	CH(CH ₃)Ph(R)
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ (D-17b)Cl
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ (D-21a)
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-F	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂ -4-F	CF ₃	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂ -4-F	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂ -4-F	CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-F	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-F	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂ -4-F	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Cl ₂ -4-F	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-F	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂ -4-F	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-F	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂ -4-F	CF ₃	H	N(CH ₃)Ph
3,5-Cl ₂ -4-F	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,5-Cl ₂ -4-F	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-Cl ₂ -4-F	CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-F	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-F	CF ₃	H	(D-13b)CH ₃
3,5-Cl ₂ -4-F	CF ₃	H	(D-15a)CH ₃
3,5-Cl ₂ -4-F	CF ₂ Cl	H	CH ₂ CF ₃
3,5-Cl ₂ -4-F	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂ -4-F	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-F	CF ₂ Cl	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-F	CF ₂ Cl	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-F	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-F	CF ₂ Cl	H	N(CH ₃)(D-50a)
3,4,5-Cl ₃	CHF ₂	H	CH ₂ CF ₃
3,4,5-Cl ₃	CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4,5-Cl ₃	CHF ₂	H	CH ₂ (D-22a)
3,4,5-Cl ₃	CHF ₂	H	CH ₂ (D-47a)
3,4,5-Cl ₃	CHCl ₂	H	CH ₂ (D-22a)
3,4,5-Cl ₃	CHCl ₂	H	CH ₂ (D-47a)
3,4,5-Cl ₃	CHBr	CH ₂ CN	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	H	Et
3,4,5-Cl ₃	CF ₃	Et	Et
3,4,5-Cl ₃	CF ₃	H	c-Pr

3,4,5-Cl ₃	CF ₃	H	CH ₂ Pr-c
3,4,5-Cl ₃	CF ₃	H	c-Bu
3,4,5-Cl ₃	CF ₃	H	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	CH ₂ OCH ₃	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	CH ₂ CN	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	CH ₂ C≡CH	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	C(O)Pr-c	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	C(O)Bu-t	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	C(O)SCH ₃	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	C(S)OCH ₃	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	C(S)SCH ₃	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ CF ₂ CF ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,4,5-Cl ₃	CF ₃	H	CH(CH ₃)CH ₂ OCH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ CH(OCH ₃) ₂
3,4,5-Cl ₃	CF ₃	H	CH ₂ (E-4a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (E-5a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (E-10a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ CH ₂ SCH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ CH ₂ S(O)CH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ CH ₂ SO ₂ CH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ CH(CH ₃)SCH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ CH(CH ₃)S(O)CH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ CH(CH ₃)SO ₂ CH ₃
3,4,5-Cl ₃	CF ₃	H	CH(CH ₃)CH ₂ SCH ₃
3,4,5-Cl ₃	CF ₃	H	CH(CH ₃)CH ₂ S(O)CH ₃
3,4,5-Cl ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ C(O)CH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ C(CH ₃)=NOCH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ CN
3,4,5-Cl ₃	CF ₃	H	CH ₂ C(O)NHCH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ C(O)N(CH ₃) ₂
3,4,5-Cl ₃	CF ₃	H	CH ₂ C(O)NH ₂ Et
3,4,5-Cl ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ F
3,4,5-Cl ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,4,5-Cl ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH=CH ₂
3,4,5-Cl ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ C≡CH
3,4,5-Cl ₃	CF ₃	H	CH(CH ₃)C(O)NHCH ₂ CH ₂ C

I

3,4,5-Cl ₃	CF ₃	H	CH ₂ C(S)NHEt
3,4,5-Cl ₃	CF ₃	H	CH ₂ CH=CH ₂
3,4,5-Cl ₃	CF ₃	H	CH ₂ CCl=CH ₂
3,4,5-Cl ₃	CF ₃	H	CH ₂ CCl=CHCl
3,4,5-Cl ₃	CF ₃	H	CH ₂ C≡CH
3,4,5-Cl ₃	CF ₃	H	CH(CH ₃)Ph(R)
3,4,5-Cl ₃	CF ₃	H	CH(CF ₃)Ph
3,4,5-Cl ₃	CF ₃	H	CH ₂ (Ph-4-F)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (Ph-4-OCH ₃)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (Ph-4-NO ₂)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (Ph-4-CN)
3,4,5-Cl ₃	CF ₃	H	CH(CH ₃)(D-1a)(R)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3,4,5-Cl ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17a)CH ₃
3,4,5-Cl ₃	CF ₃	CH ₂ CN	CH ₂ (D-17a)CH ₃
3,4,5-Cl ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-17a)CH ₃
3,4,5-Cl ₃	CF ₃	C(O)CH ₃	CH ₂ (D-17a)CH ₃
3,4,5-Cl ₃	CF ₃	C(O)Et	CH ₂ (D-17a)CH ₃
3,4,5-Cl ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-17a)CH ₃
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-17b)Cl
3,4,5-Cl ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-17b)Cl
3,4,5-Cl ₃	CF ₃	CH ₂ CN	CH ₂ (D-17b)Cl
3,4,5-Cl ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-17b)Cl
3,4,5-Cl ₃	CF ₃	C(O)CH ₃	CH ₂ (D-17b)Cl
3,4,5-Cl ₃	CF ₃	C(O)Et	CH ₂ (D-17b)Cl
3,4,5-Cl ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-17b)Cl
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-19a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-21a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	CH ₂ CN	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	C(O)Pr-c	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	C(O)Bu-t	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	C(O)SCH ₃	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	C(S)OCH ₃	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	C(S)SCH ₃	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₃	H	CH(CH ₃)(D-22a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-28a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-34a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-35a)

3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-38a)
3,4,5-Cl ₃	CF ₃	H	CH(CF ₃)(D-38a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	C(O)Pr-c	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	C(O)Bu-t	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	C(O)SCH ₃	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	C(S)OCH ₃	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	C(S)SCH ₃	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₃	H	CH(CH ₃)(D-47a)
3,4,5-Cl ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-50a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-51a)
3,4,5-Cl ₃	CF ₃	H	CH ₂ (D-53a)
3,4,5-Cl ₃	CF ₃	H	NHNHCH ₂ CF ₃
3,4,5-Cl ₃	CF ₃	H	N(CH ₃)Ph
3,4,5-Cl ₃	CF ₃	C(O)CH ₃	N(CH ₃)Ph
3,4,5-Cl ₃	CF ₃	C(O)Et	N(CH ₃)Ph
3,4,5-Cl ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,4,5-Cl ₃	CF ₃	H	N(CH ₂ C≡CH)Ph
3,4,5-Cl ₃	CF ₃	H	N(CH ₃)(D-47a)
3,4,5-Cl ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-47a)
3,4,5-Cl ₃	CF ₃	C(O)Et	N(CH ₃)(D-47a)
3,4,5-Cl ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,4,5-Cl ₃	CF ₃	H	NH(D-50a)
3,4,5-Cl ₃	CF ₃	CH ₃	NH(D-50a)
3,4,5-Cl ₃	CF ₃	H	N(CH ₃)(D-50a)
3,4,5-Cl ₃	CF ₃	C(O)CH ₃	N(CH ₃)(D-50a)
3,4,5-Cl ₃	CF ₃	C(O)Et	N(CH ₃)(D-50a)
3,4,5-Cl ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,4,5-Cl ₃	CF ₃	H	(D-13b)CH ₃
3,4,5-Cl ₃	CF ₃	H	(D-15a)CH ₃
3,4,5-Cl ₃	CF ₃	H	D-21a
3,4,5-Cl ₃	CF ₃	H	D-47a
3,4,5-Cl ₃	CF ₃	H	D-50a
3,4,5-Cl ₃	CF ₃	H	D-51a
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ Pr-c
3,4,5-Cl ₃	CF ₂ Cl	H	c-Bu
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ CF ₃

3,4,5-Cl ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₂ Cl	C(O)Et	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₂ Cl	C(O)OCH ₃	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ CH ₂ OCH ₃
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ (E-10a)
3,4,5-Cl ₃	CF ₂ Cl	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ CH=NOCH ₃
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4,5-Cl ₃	CF ₂ Cl	H	CH(CH ₃)Ph(R)
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ (D-17a)CH ₃
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ (D-17b)Cl
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ (D-21a)
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₂ Cl	C(O)Et	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₂ Cl	CH ₂ OCH ₃	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₂ Cl	CH ₂ CN	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₂ Cl	CH ₂ C≡CH	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₂ Cl	C(O)CH ₃	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₂ Cl	C(O)Et	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₂ Cl	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,4,5-Cl ₃	CF ₂ Cl	H	N(CH ₃)Ph
3,4,5-Cl ₃	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)Ph
3,4,5-Cl ₃	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-47a)
3,4,5-Cl ₃	CF ₂ Cl	H	N(CH ₃)(D-50a)
3,4,5-Cl ₃	CF ₂ Cl	C(O)OCH ₃	N(CH ₃)(D-50a)
3,4,5-Cl ₃	CF ₂ Cl	H	(D-13b)CH ₃
3,4,5-Cl ₃	CF ₂ Cl	H	(D-15a)CH ₃
3,4,5-Cl ₃	CF ₂ Br	H	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4,5-Cl ₃	CF ₂ Br	H	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₂ Br	H	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₂ CHF ₂	H	CH ₂ CF ₃
3,4,5-Cl ₃	CF ₂ CHF ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4,5-Cl ₃	CF ₂ CHF ₂	H	CH ₂ (D-22a)
3,4,5-Cl ₃	CF ₂ CHF ₂	H	CH ₂ (D-47a)
3,4,5-Cl ₃	CF ₂ CF ₃	H	N(CH ₃)(D-50a)
3,4,5-Cl ₃	CF ₂ OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4,5-Cl ₃	CF ₂ SCH ₃	H	CH ₂ (D-22a)
3,5-Br ₂ -4-F	CF ₃	H	CH ₂ Pr-c
3,5-Br ₂ -4-F	CF ₃	H	CH ₂ CF ₃
3,5-Br ₂ -4-F	CF ₃	C(O)CH ₃	CH ₂ CF ₃

3,5-Br ₂ -4-F	CF ₃	C(O)Et	CH ₂ CF ₃
3,5-Br ₂ -4-F	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,5-Br ₂ -4-F	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,5-Br ₂ -4-F	CF ₃	H	CH ₂ (E-10a)
3,5-Br ₂ -4-F	CF ₃	H	CH ₂ CH=NOCH ₃
3,5-Br ₂ -4-F	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂ -4-F	CF ₃	H	CH(CH ₃)Ph(R)
3,5-Br ₂ -4-F	CF ₃	H	CH ₂ (D-17b)Cl
3,5-Br ₂ -4-F	CF ₃	H	CH ₂ (D-22a)
3,5-Br ₂ -4-F	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-Br ₂ -4-F	CF ₃	C(O)Et	CH ₂ (D-22a)
3,5-Br ₂ -4-F	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Br ₂ -4-F	CF ₃	H	CH ₂ (D-47a)
3,5-Br ₂ -4-F	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Br ₂ -4-F	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Br ₂ -4-F	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Br ₂ -4-F	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Br ₂ -4-F	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-Br ₂ -4-F	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Br ₂ -4-F	CF ₃	H	N(CH ₃)Ph
3,5-Br ₂ -4-F	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,5-Br ₂ -4-F	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-Br ₂ -4-F	CF ₃	H	N(CH ₃)(D-50a)
3,5-Br ₂ -4-F	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Br ₂ -4-F	CF ₂ Cl	H	CH ₂ CF ₃
3,5-Br ₂ -4-F	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂ -4-F	CF ₂ Cl	H	CH ₂ (D-22a)
3,5-Br ₂ -4-F	CF ₂ Cl	H	CH ₂ (D-47a)
3,5-Br ₂ -4-F	CF ₂ Cl	H	N(CH ₃)(D-50a)
3,4,5-Br ₃	CF ₃	H	CH ₂ CF ₃
3,4,5-Br ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4,5-Br ₃	CF ₃	H	CH ₂ (D-22a)
3,4,5-Br ₃	CF ₃	H	CH ₂ (D-47a)
3,4,5-Br ₃	CF ₃	H	N(CH ₃)(D-50a)
2,6-F ₂ -3-CH ₃	CF ₃	H	CH ₂ (D-47a)
2,3-F ₂ -4-CH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-F ₂ -4-CH ₃	CF ₃	H	CH ₂ CF ₃
3,5-F ₂ -4-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-F ₂ -4-CH ₃	CF ₃	H	CH ₂ (D-22a)
3,5-F ₂ -4-CH ₃	CF ₃	H	CH ₂ (D-47a)
3,5-F ₂ -4-CH ₃	CF ₃	H	N(CH ₃)(D-50a)
2,3-F ₂ -4-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ Pr-c
3,4-F ₂ -5-CF ₃	CF ₃	H	c-Bu
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ CF ₃
3,4-F ₂ -5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃

3,4-F ₂ -5-CF ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3,4-F ₂ -5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ (E-10a)
3,4-F ₂ -5-CF ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,4-F ₂ -5-CF ₃	CF ₃	H	CH(CH ₃)Ph(R)
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ (D-17b)Cl
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ (D-21a)
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ (D-22a)
3,4-F ₂ -5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,4-F ₂ -5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3,4-F ₂ -5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,4-F ₂ -5-CF ₃	CF ₃	H	CH ₂ (D-47a)
3,4-F ₂ -5-CF ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,4-F ₂ -5-CF ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,4-F ₂ -5-CF ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,4-F ₂ -5-CF ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,4-F ₂ -5-CF ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3,4-F ₂ -5-CF ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,4-F ₂ -5-CF ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,4-F ₂ -5-CF ₃	CF ₃	H	N(CH ₃)Ph
3,4-F ₂ -5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,4-F ₂ -5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,4-F ₂ -5-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
3,4-F ₂ -5-CF ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,4-F ₂ -5-CF ₃	CF ₃	H	(D-13b)CH ₃
3,4-F ₂ -5-CF ₃	CF ₃	H	(D-15a)CH ₃
2-F-3-Cl-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-4-F-5-CF ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-4-F-5-CF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-4-F-5-CF ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-4-F-5-CF ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-4-F-5-CF ₃	CF ₃	H	N(CH ₃)(D-50a)
2,4-Cl ₂ -6-CH ₃	CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ Pr-c
3,5-Cl ₂ -4-CH ₃	CF ₃	H	c-Bu
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ (E-10a)

3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH(CH ₃)CH ₂ SO ₂ CH ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH(CH ₃)Ph(R)
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ (D-17a)CH ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ (D-17b)Cl
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ (D-21a)
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂ -4-CH ₃	CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₃	H	N(CH ₃)Ph
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-CH ₃	CF ₃	H	(D-13b)CH ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	H	(D-15a)CH ₃
3,5-Cl ₂ -4-CH ₃	CF ₂ Cl	H	CH ₂ CF ₃
3,5-Cl ₂ -4-CH ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
3,5-Cl ₂ -4-CH ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-CH ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-CH ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₂ Cl	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-CH ₃	CF ₂ Cl	H	N(CH ₃)(D-50a)
3,5-Br ₂ -4-CH ₃	CF ₃	H	CH ₂ Pr-c
3,5-Br ₂ -4-CH ₃	CF ₃	H	CH ₂ CF ₃
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,5-Br ₂ -4-CH ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,5-Br ₂ -4-CH ₃	CF ₃	H	CH ₂ (E-10a)
3,5-Br ₂ -4-CH ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3,5-Br ₂ -4-CH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂ -4-CH ₃	CF ₃	H	CH(CH ₃)Ph(R)
3,5-Br ₂ -4-CH ₃	CF ₃	H	CH ₂ (D-17b)Cl
3,5-Br ₂ -4-CH ₃	CF ₃	H	CH ₂ (D-22a)

3,5-Br ₂ -4-CH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Br ₂ -4-CH ₃	CF ₃	H	CH ₂ (D-47a)
3,5-Br ₂ -4-CH ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Br ₂ -4-CH ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Br ₂ -4-CH ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Br ₂ -4-CH ₃	CF ₃	H	N(CH ₃)Ph
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-Br ₂ -4-CH ₃	CF ₃	H	N(CH ₃)(D-50a)
3,5-Br ₂ -4-CH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Br ₂ -4-CH ₃	CF ₂ Cl	H	CH ₂ CF ₃
3,5-Br ₂ -4-CH ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂ -4-CH ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3,5-Br ₂ -4-CH ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3,5-Br ₂ -4-CH ₃	CF ₂ Cl	H	N(CH ₃)(D-50a)
3,5-F ₂ -4-OCH ₃	CF ₃	H	CH ₂ CF ₃
3,5-F ₂ -4-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-F ₂ -4-OCH ₃	CF ₃	H	CH ₂ (D-22a)
3,5-F ₂ -4-OCH ₃	CF ₃	H	CH ₂ (D-47a)
3,5-F ₂ -4-OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3,5-F ₂ -4-OCF ₃	CF ₃	H	CH ₂ CF ₃
3,5-F ₂ -4-OCF ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-F ₂ -4-OCF ₃	CF ₃	H	CH ₂ (D-22a)
3,5-F ₂ -4-OCF ₃	CF ₃	H	CH ₂ (D-47a)
3,5-F ₂ -4-OCF ₃	CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-OH	CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂ -4-OH	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-OH	CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-OH	CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-OH	CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	CH ₂ Pr-c
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	CH ₂ (E-10a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	CH(CH ₃)Ph(R)
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	CH ₂ (D-17b)Cl




3,5-Cl ₂ -4-OCH ₃	CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	N(CH ₃)Ph
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-OCH ₃	CF ₂ Cl	H	CH ₂ CF ₃
3,5-Cl ₂ -4-OCH ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-OCH ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-OCH ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-OCH ₃	CF ₂ Cl	H	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-OEt	CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂ -4-OEt	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-OEt	CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-OEt	CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-OEt	CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-OPr-n	CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-OCH ₂ CH=CH ₂	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Cl ₂ -4-OCH ₂ C≡CH	CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-OTMS	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-OSi(CH ₃) ₂ Bu-t	CF ₃	H	CH ₂ (D-22a)
3-F-5-Br-4-OCH ₃	CF ₃	H	CH ₂ CF ₃
3-F-5-Br-4-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-F-5-Br-4-OCH ₃	CF ₃	H	CH ₂ (D-22a)
3-F-5-Br-4-OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-F-5-Br-4-OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3-Cl-5-Br-4-OCH ₃	CF ₃	H	CH ₂ CF ₃
3-Cl-5-Br-4-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3-Cl-5-Br-4-OCH ₃	CF ₃	H	CH ₂ (D-22a)
3-Cl-5-Br-4-OCH ₃	CF ₃	H	CH ₂ (D-47a)
3-Cl-5-Br-4-OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3,5-Br ₂ -4-OH	CF ₃	H	CH ₂ CF ₃
3,5-Br ₂ -4-OH	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂ -4-OH	CF ₃	H	CH ₂ (D-22a)
3,5-Br ₂ -4-OH	CF ₃	H	CH ₂ (D-47a)
3,5-Br ₂ -4-OH	CF ₃	H	N(CH ₃)(D-50a)

3,5-Br ₂ -4-OCH ₃	CF ₃	H	CH ₂ Pr-c
3,5-Br ₂ -4-OCH ₃	CF ₃	H	CH ₂ CF ₃
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)CH ₃	CH ₂ CF ₃
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)Et	CH ₂ CF ₃
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ CF ₃
3,5-Br ₂ -4-OCH ₃	CF ₃	H	CH ₂ CH ₂ OCH ₃
3,5-Br ₂ -4-OCH ₃	CF ₃	H	CH ₂ (E-10a)
3,5-Br ₂ -4-OCH ₃	CF ₃	H	CH ₂ CH=NOCH ₃
3,5-Br ₂ -4-OCH ₃	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂ -4-OCH ₃	CF ₃	H	CH(CH ₃)Ph(R)
3,5-Br ₂ -4-OCH ₃	CF ₃	H	CH ₂ (D-17b)Cl
3,5-Br ₂ -4-OCH ₃	CF ₃	H	CH ₂ (D-22a)
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-22a)
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)Et	CH ₂ (D-22a)
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
3,5-Br ₂ -4-OCH ₃	CF ₃	H	CH ₂ (D-47a)
3,5-Br ₂ -4-OCH ₃	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)
3,5-Br ₂ -4-OCH ₃	CF ₃	CH ₂ CN	CH ₂ (D-47a)
3,5-Br ₂ -4-OCH ₃	CF ₃	CH ₂ C≡CH	CH ₂ (D-47a)
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)CH ₃	CH ₂ (D-47a)
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)Et	CH ₂ (D-47a)
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Br ₂ -4-OCH ₃	CF ₃	H	N(CH ₃)Ph
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)Ph
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-47a)
3,5-Br ₂ -4-OCH ₃	CF ₃	H	N(CH ₃)(D-50a)
3,5-Br ₂ -4-OCH ₃	CF ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
3,5-Br ₂ -4-OCH ₃	CF ₂ Cl	H	CH ₂ CF ₃
3,5-Br ₂ -4-OCH ₃	CF ₂ Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂ -4-OCH ₃	CF ₂ Cl	H	CH ₂ (D-22a)
3,5-Br ₂ -4-OCH ₃	CF ₂ Cl	H	CH ₂ (D-47a)
3,5-Br ₂ -4-OCH ₃	CF ₂ Cl	H	N(CH ₃)(D-50a)
3,5-Br ₂ -4-OEt	CF ₃	H	CH ₂ CF ₃
3,5-Br ₂ -4-OEt	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂ -4-OEt	CF ₃	H	CH ₂ (D-22a)
3,5-Br ₂ -4-OEt	CF ₃	H	CH ₂ (D-47a)
3,5-Br ₂ -4-OEt	CF ₃	H	N(CH ₃)(D-50a)
3,5-I ₂ -4-OH	CF ₃	H	CH ₂ CF ₃
3,5-I ₂ -4-OH	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-I ₂ -4-OH	CF ₃	H	CH ₂ (D-22a)
3,5-I ₂ -4-OH	CF ₃	H	CH ₂ (D-47a)
3,5-I ₂ -4-OH	CF ₃	H	N(CH ₃)(D-50a)
2,4,6-(OCH ₃) ₃	CF ₃	H	CH ₂ (D-47a)
3,4,5-(OCH ₃) ₃	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)
3,5-Cl ₂ -4-NH ₂	CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂ -4-NH ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃


3,5-Cl ₂ -4-NH ₂	CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-NH ₂	CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-NH ₂	CF ₃	H	N(CH ₃)(D-50a)
3,5-Br ₂ -4-NH ₂	CF ₃	H	CH ₂ CF ₃
3,5-Br ₂ -4-NH ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂ -4-NH ₂	CF ₃	H	CH ₂ (D-22a)
3,5-Br ₂ -4-NH ₂	CF ₃	H	CH ₂ (D-47a)
3,5-Br ₂ -4-NH ₂	CF ₃	H	N(CH ₃)(D-50a)
3,5-I ₂ -4-NH ₂	CF ₃	H	CH ₂ CF ₃
3,5-I ₂ -4-NH ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-I ₂ -4-NH ₂	CF ₃	H	CH ₂ (D-22a)
3,5-I ₂ -4-NH ₂	CF ₃	H	CH ₂ (D-47a)
3,5-I ₂ -4-NH ₂	CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-NO ₂	CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂ -4-NO ₂	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-NO ₂	CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-NO ₂	CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-NO ₂	CF ₃	H	N(CH ₃)(D-50a)
3,5-F ₂ -4-CN	CF ₃	H	CH ₂ CF ₃
3,5-F ₂ -4-CN	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-F ₂ -4-CN	CF ₃	H	CH ₂ (D-22a)
3,5-F ₂ -4-CN	CF ₃	H	CH ₂ (D-47a)
3,5-F ₂ -4-CN	CF ₃	H	N(CH ₃)(D-50a)
3,5-Cl ₂ -4-CN	CF ₃	H	CH ₂ CF ₃
3,5-Cl ₂ -4-CN	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Cl ₂ -4-CN	CF ₃	H	CH ₂ (D-22a)
3,5-Cl ₂ -4-CN	CF ₃	H	CH ₂ (D-47a)
3,5-Cl ₂ -4-CN	CF ₃	H	N(CH ₃)(D-50a)
3,5-Br ₂ -4-CN	CF ₃	H	CH ₂ CF ₃
3,5-Br ₂ -4-CN	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
3,5-Br ₂ -4-CN	CF ₃	H	CH ₂ (D-22a)
3,5-Br ₂ -4-CN	CF ₃	H	CH ₂ (D-47a)
3,5-Br ₂ -4-CN	CF ₃	H	N(CH ₃)(D-50a)
2,3,5,6-F ₄	CF ₃	H	N(CH ₃)(D-50a)
2,3,4,5,6-F ₅	CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃

Table 3
















In the table, the number showing the substitution position of substituents (X)_m and (Y)_n corresponds to the position number indicated in the following structural formulae. The indication “-” means no-substitution.



or



In addition, substituent G in the formulae [2]-1 to [2]-4 is the structure shown by the following G-1 to G-22, respectively.



G	(X) _m	(Y) _n	R ²	R ¹
G-1	3-CF ₃	2-Pr-i	H	CH ₂ CF ₃

G-1	3-CF ₃	2-OEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-CF ₃	2-OPr-i	H	CH ₂ (D-22a)
G-1	3-CF ₃	2-OSO ₂ CH ₃	H	CH ₂ (D-47a)
G-1	3-CF ₃	2-SEt	H	N(CH ₃)(D-50a)
G-1	3-CF ₃	2-SPr-i	H	CH ₂ CF ₃
G-1	3-CF ₃	2-NHCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-CF ₃	2-NHEt	H	CH ₂ (D-22a)
G-1	3-CF ₃	2-NHPr-i	H	CH ₂ (D-47a)
G-1	3-CF ₂ CF ₃	2-Pr-i	H	N(CH ₃)(D-50a)
G-1	3-CF ₂ CF ₃	2-OEt	H	CH ₂ CF ₃
G-1	3-CF ₂ CF ₃	2-OPr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-CF ₂ CF ₃	2-OSO ₂ CH ₃	H	CH ₂ (D-22a)
G-1	3-CF ₂ CF ₃	2-SEt	H	CH ₂ (D-47a)
G-1	3-CF ₂ CF ₃	2-SPr-i	H	N(CH ₃)(D-50a)
G-1	3-CF ₂ CF ₃	2-NHCH ₃	H	CH ₂ CF ₃
G-1	3-CF ₂ CF ₃	2-NHEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-CF ₂ CF ₃	2-NHPr-i	H	CH ₂ (D-22a)
G-1	3-SF ₅	2-Pr-i	H	CH ₂ (D-47a)
G-1	3-SF ₅	2-OEt	H	N(CH ₃)(D-50a)
G-1	3-SF ₅	2-OPr-i	H	CH ₂ CF ₃
G-1	3-SF ₅	2-OSO ₂ CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-SF ₅	2-SEt	H	CH ₂ (D-22a)
G-1	3-SF ₅	2-SPr-i	H	CH ₂ (D-47a)
G-1	3-SF ₅	2-NHCH ₃	H	N(CH ₃)(D-50a)
G-1	3-SF ₅	2-NHEt	H	CH ₂ CF ₃
G-1	3-SF ₅	2-NHPr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-F-5-Cl	2-Pr-i	H	CH ₂ (D-22a)
G-1	3-F-5-Cl	2-OEt	H	CH ₂ (D-47a)
G-1	3-F-5-Cl	2-OPr-i	H	N(CH ₃)(D-50a)
G-1	3-F-5-Cl	2-OSO ₂ CH ₃	H	CH ₂ CF ₃
G-1	3-F-5-Cl	2-SEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-F-5-Cl	2-SPr-i	H	CH ₂ (D-22a)
G-1	3-F-5-Cl	2-NHCH ₃	H	CH ₂ (D-47a)
G-1	3-F-5-Cl	2-NHEt	H	N(CH ₃)(D-50a)
G-1	3-F-5-Cl	2-NHPr-i	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	3-F	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	3-Cl	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	3-Br	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	3-CH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	3-Et	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-Pr-n	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-Pr-i	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-Pr-i	C(O)CH ₃	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-Pr-i	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
G-1	3,5-Cl ₂	2-Pr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-Pr-i	H	CH ₂ (D-22a)

G-1	3,5-Cl ₂	2-Pr-i	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-Pr-i	CH ₂ CN	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-Pr-i	C(O)Et	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-Pr-i	H	CH(CH ₃)Ph(R)
G-1	3,5-Cl ₂	2-Pr-i	H	N(CH ₃)Ph
G-1	3,5-Cl ₂	2-Pr-i	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-Bu-n	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-Bu-s	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-Bu-t	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CF ₂ CF ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ OH	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ OCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ OCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CH ₂ OCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₂ OCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₂ OEt	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CH ₂ OPr-n	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₂ OPr-i	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₂ OPr-c	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ OCH ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ CH ₂ OCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CH ₂ SCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ SCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ SCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CH ₂ SCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₂ SCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₂ S(O)CH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₂ SO ₂ CH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₂ SCF ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ SCF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ SCF ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CH ₂ SCF ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₂ SCF ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₂ S(O)CF ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ SO ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₂ Ph	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CH ₂ (D-14a)	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₂ (D-24a)	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₂ (D-38a)	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	3-OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-OEt	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-OEt	C(O)CH ₃	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-OEt	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
G-1	3,5-Cl ₂	2-OEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-OEt	H	CH ₂ (D-22a)

G-1	3,5-Cl ₂	2-OEt	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OEt	CH ₂ CN	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OEt	C(O)Et	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OEt	H	CH(CH ₃)Ph(R)
G-1	3,5-Cl ₂	2-OEt	H	N(CH ₃)Ph
G-1	3,5-Cl ₂	2-OEt	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-OPr-n	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-OPr-i	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-OPr-i	C(O)CH ₃	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-OPr-i	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
G-1	3,5-Cl ₂	2-OPr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-OPr-i	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-OPr-i	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OPr-i	CH ₂ CN	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OPr-i	C(O)Et	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OPr-i	H	CH(CH ₃)Ph(R)
G-1	3,5-Cl ₂	2-OPr-i	H	N(CH ₃)Ph
G-1	3,5-Cl ₂	2-OPr-i	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-OBu-n	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OPen-n	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-Ohex-n	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-OCF ₂ Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-OCF ₂ CHF ₂	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-OCF ₂ CHFCI	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OCF ₂ CHFCF ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-OCF ₂ CHFOCF ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	C(O)CH ₃	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	CH ₂ CN	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	C(O)Et	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	H	CH(CH ₃)Ph(R)
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	H	N(CH ₃)Ph
G-1	3,5-Cl ₂	2-OSO ₂ CH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-OSO ₂ Et	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-OSO ₂ Pr-i	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-OSO ₂ CF ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OPh	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-S(O)CH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-SO ₂ CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-SEt	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-SEt	C(O)CH ₃	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-SEt	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl

G-1	3,5-Cl ₂	2-SEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-SEt	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-SEt	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-SEt	CH ₂ CN	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-SEt	C(O)Et	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-SEt	H	CH(CH ₃)Ph(R)
G-1	3,5-Cl ₂	2-SEt	H	N(CH ₃)Ph
G-1	3,5-Cl ₂	2-SEt	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-S(O)Et	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-SO ₂ Et	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-SPr-n	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-S(O)Pr-n	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-SO ₂ Pr-n	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-SPr-i	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-SPr-i	C(O)CH ₃	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-SPr-i	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
G-1	3,5-Cl ₂	2-SPr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-SPr-i	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-SPr-i	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-SPr-i	CH ₂ CN	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-SPr-i	C(O)Et	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-SPr-i	H	CH(CH ₃)Ph(R)
G-1	3,5-Cl ₂	2-SPr-i	H	N(CH ₃)Ph
G-1	3,5-Cl ₂	2-SPr-i	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-S(O)Pr-i	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-SO ₂ Pr-i	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-S(O)CHF ₂	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-SO ₂ CHF ₂	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-S(O)CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-SO ₂ CF ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-SCF ₂ Br	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-S(O)CF ₂ Br	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-SO ₂ CF ₂ Br	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-SCF ₂ CHFCI	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-S(O)CF ₂ CHFCI	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-SO ₂ CF ₂ CHFCI	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-SPh	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-S(O)Ph	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-SO ₂ Ph	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHCH ₃	H	c-Bu
G-1	3,5-Cl ₂	2-NHCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)CH ₃	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)Et	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)OCH ₃	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHCH ₃	H	CH ₂ CH ₂ OCH ₃
G-1	3,5-Cl ₂	2-NHCH ₃	H	CH ₂ (E-10a)

G-1	3,5-Cl ₂	2-NHCH ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
G-1	3,5-Cl ₂	2-NHCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHCH ₃	H	CH(CH ₃)Ph(R)
G-1	3,5-Cl ₂	2-NHCH ₃	H	CH ₂ (D-17a)CH ₃
G-1	3,5-Cl ₂	2-NHCH ₃	H	CH ₂ (D-17b)Cl
G-1	3,5-Cl ₂	2-NHCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)CH ₃	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)Et	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)OCH ₃	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHCH ₃	CH ₂ CN	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)CH ₃	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)Et	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)OCH ₃	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
G-1	3,5-Cl ₂	2-NHCH ₃	H	N(CH ₃)Ph
G-1	3,5-Cl ₂	2-NHCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHCH ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHEt	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHEt	C(O)CH ₃	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHEt	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
G-1	3,5-Cl ₂	2-NHEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHEt	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHEt	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHEt	CH ₂ CN	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHEt	C(O)Et	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHEt	H	CH(CH ₃)Ph(R)
G-1	3,5-Cl ₂	2-NHEt	H	N(CH ₃)Ph
G-1	3,5-Cl ₂	2-NHEt	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHPr-n	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHPr-n	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHPr-n	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHPr-n	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHPr-n	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHPr-i	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHPr-i	C(O)CH ₃	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHPr-i	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
G-1	3,5-Cl ₂	2-NHPr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHPr-i	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHPr-i	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHPr-i	CH ₂ CN	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHPr-i	C(O)Et	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHPr-i	H	CH(CH ₃)Ph(R)
G-1	3,5-Cl ₂	2-NHPr-i	H	N(CH ₃)Ph
G-1	3,5-Cl ₂	2-NHPr-i	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-N(CH ₃) ₂	H	CH ₂ CF ₃

G-1	3,5-Cl ₂	2-N(CH ₃) ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃) ₂	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N(CH ₃) ₂	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N(CH ₃) ₂	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-N(CH ₃)Et	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N(Et) ₂	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHCHO	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHCHO	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHCHO	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHCHO	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHCHO	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHC(O)CH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(O)CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(O)CH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHC(O)CH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHC(O)CH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHC(O)Et	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHC(O)Pr-n	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(O)Pr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(O)Pr-c	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHC(O)Bu-t	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHC(O)CF ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(O)CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(O)CF ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHC(O)CF ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHC(O)CF ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHC(O)OCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(O)OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(O)OCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHC(O)OCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHC(O)OCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHC(O)OEt	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHC(O)SCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(O)SCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(O)SCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHC(O)SCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHC(O)SCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHC(O)SEt	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(S)OCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(S)OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(S)OCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHC(S)OCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHC(S)OCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHC(S)OEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(S)SCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHC(S)SCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃

G-1	3,5-Cl ₂	2-NHC(S)SCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHC(S)SCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHC(S)SCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHC(S)SEt	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHSO ₂ CH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHSO ₂ CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHSO ₂ CH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHSO ₂ CH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHSO ₂ CH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHSO ₂ CF ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHSO ₂ CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-NHSO ₂ CF ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-NHSO ₂ CF ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-NHSO ₂ CF ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-N(CH ₃)CHO	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)CHO	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)CHO	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N(CH ₃)CHO	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N(CH ₃)CHO	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)CH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)Et	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)Pr-n	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)Pr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)Pr-c	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)Bu-t	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)CF ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)OCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)OEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)SCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N(CH ₃)C(O)SEt	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N(CH ₃)C(S)OCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-N(CH ₃)C(S)OEt	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)C(S)SCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)C(S)SEt	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N(CH ₃)SO ₂ CH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N(CH ₃)SO ₂ CF ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-N(Et)CHO	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(Et)C(O)CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(Et)C(O)Et	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N(Et)C(O)Pr-n	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N(Et)C(O)Pr-i	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-N(Et)C(O)Pr-c	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(Et)C(O)Bu-t	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(Et)C(O)CF ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N(Et)C(O)OCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N(Et)C(O)OEt	H	N(CH ₃)(D-50a)

G-1	3,5-Cl ₂	2-N(Et)C(O)SCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(Et)C(O)SEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(Et)C(S)OCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N(Et)C(S)OEt	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N(Et)C(S)SCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-N(Et)C(S)SEt	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)SO ₂ CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)SO ₂ CF ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N=CHOCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N=C(CH ₃)OCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-N=C(CH ₃)OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N=C(CH ₃)OCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-N=C(CH ₃)OCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-N=C(CH ₃)OCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-(D-5a)	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-NHCH ₂ -		CH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(CH ₃)CH ₂ -		CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-N(Et)CH ₂ -		CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-C(O)OCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-C(O)NH ₂	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-(T-21)	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-C(S)NH ₂	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-C(S)NH ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-C(S)NH ₂	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-C(S)NH ₂	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-C(S)NH ₂	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-(T-22)	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-Ph	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-(D-14a)	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-(D-24a)	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-(D-38a)	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-(D-43a)	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-(D-43b)CH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-(D-44a)	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-(D-45a)	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-(D-45b)CH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-(D-46a)	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-(D-46b)CH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2,3-F ₂	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-F-3-Cl	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-F-3-Br	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-F-3-CN	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-F-3-OCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2,5-F ₂	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-F-5-Cl	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-F-5-Br	H	CH ₂ CF ₃

G-1	3,5-Cl ₂	2-F-5-CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-F-5-CF ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-F-5-OCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2,6-F ₂	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-F-6-Cl	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-F-6-Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-F-6-CF ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-F-6-NO ₂	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-Cl-3-F	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2,3-Cl ₂	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-Cl-3-CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-Cl-3-OCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-Cl-3-CN	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-Cl-5-F	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2,5-Cl ₂	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-Cl-5-Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-Cl-5-CH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-Cl-5-CF ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-Cl-5-OCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2,6-Cl ₂	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-Cl-6-Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-Cl-6-CH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-Cl-6-CF ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-Cl-6-OCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-Br-3-F	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-Br-3-OCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-Br-5-F	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-Br-5-Cl	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2,5-Br ₂	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-Br-5-CH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-Br-5-CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-Br-5-OCH ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2,6-Br ₂	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₃ -3-F	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₃ -3-F	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₃ -3-F	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CH ₃ -3-F	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₃ -3-F	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₃ -3-Cl	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₃ -3-Br	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2,3-(CH ₃) ₂	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₃ -3-CF ₃	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CH ₃ -3-OCH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₃ -3-CN	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₃ -5-F	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₃ -5-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃

G-1	3,5-Cl ₂	2-CH ₃ -5-Br	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2,5-(CH ₃) ₂	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₃ -5-CF ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₃ -5-OCH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₃ -6-F	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₃ -6-F	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-CH ₃ -6-F	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CH ₃ -6-F	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₃ -6-F	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CH ₃ -6-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2,6-(CH ₃) ₂	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CH ₃ -6-CF ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CH ₃ -6-OCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-CF ₃ -5-F	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CF ₃ -5-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-CF ₃ -5-Br	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-CF ₃ -5-CH ₃	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-CF ₃ -6-OCH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-OCH ₃ -3-F	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-OCH ₃ -3-Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Cl ₂	2-OCH ₃ -5-F	H	CH ₂ (D-22a)
G-1	3,5-Cl ₂	2-OCH ₃ -5-Cl	H	CH ₂ (D-47a)
G-1	3,5-Cl ₂	2-OCH ₃ -5-Br	H	N(CH ₃)(D-50a)
G-1	3,5-Cl ₂	2-OCH ₃ -5-CH ₃	H	CH ₂ CF ₃
G-1	3,5-Cl ₂	2-CN-3-F	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-F-5-Br	2-Pr-i	H	CH ₂ (D-22a)
G-1	3-F-5-Br	2-OEt	H	CH ₂ (D-47a)
G-1	3-F-5-Br	2-OPr-i	H	N(CH ₃)(D-50a)
G-1	3-F-5-Br	2-OSO ₂ CH ₃	H	CH ₂ CF ₃
G-1	3-F-5-Br	2-SEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-F-5-Br	2-SPr-i	H	CH ₂ (D-22a)
G-1	3-F-5-Br	2-NHCH ₃	H	CH ₂ (D-47a)
G-1	3-F-5-Br	2-NHEt	H	N(CH ₃)(D-50a)
G-1	3-F-5-Br	2-NHPr-i	H	CH ₂ CF ₃
G-1	3-Cl-5-Br	2-Pr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-Cl-5-Br	2-OEt	H	CH ₂ (D-22a)
G-1	3-Cl-5-Br	2-OPr-i	H	CH ₂ (D-47a)
G-1	3-Cl-5-Br	2-OSO ₂ CH ₃	H	N(CH ₃)(D-50a)
G-1	3-Cl-5-Br	2-SEt	H	CH ₂ CF ₃
G-1	3-Cl-5-Br	2-SPr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-Cl-5-Br	2-NHCH ₃	H	CH ₂ (D-22a)
G-1	3-Cl-5-Br	2-NHEt	H	CH ₂ (D-47a)
G-1	3-Cl-5-Br	2-NHPr-i	H	N(CH ₃)(D-50a)
G-1	3,5-Br ₂	2-Pr-i	H	CH ₂ CF ₃
G-1	3,5-Br ₂	2-OEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Br ₂	2-OPr-i	H	CH ₂ (D-22a)

G-1	3,5-Br ₂	2-OSO ₂ CH ₃	H	CH ₂ (D-47a)
G-1	3,5-Br ₂	2-SEt	H	N(CH ₃)(D-50a)
G-1	3,5-Br ₂	2-SPr-i	H	CH ₂ CF ₃
G-1	3,5-Br ₂	2-NHCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-Br ₂	2-NHEt	H	CH ₂ (D-22a)
G-1	3,5-Br ₂	2-NHPr-i	H	CH ₂ (D-47a)
G-1	3-F-5-CF ₃	2-Pr-i	H	N(CH ₃)(D-50a)
G-1	3-F-5-CF ₃	2-OEt	H	CH ₂ CF ₃
G-1	3-F-5-CF ₃	2-OPr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-F-5-CF ₃	2-OSO ₂ CH ₃	H	CH ₂ (D-22a)
G-1	3-F-5-CF ₃	2-SEt	H	CH ₂ (D-47a)
G-1	3-F-5-CF ₃	2-SPr-i	H	N(CH ₃)(D-50a)
G-1	3-F-5-CF ₃	2-NHCH ₃	H	CH ₂ CF ₃
G-1	3-F-5-CF ₃	2-NHEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-F-5-CF ₃	2-NHPr-i	H	CH ₂ (D-22a)
G-1	3-Cl-5-CF ₃	2-Pr-i	H	CH ₂ (D-47a)
G-1	3-Cl-5-CF ₃	2-OEt	H	N(CH ₃)(D-50a)
G-1	3-Cl-5-CF ₃	2-OPr-i	H	CH ₂ CF ₃
G-1	3-Cl-5-CF ₃	2-OSO ₂ CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-Cl-5-CF ₃	2-SEt	H	CH ₂ (D-22a)
G-1	3-Cl-5-CF ₃	2-SPr-i	H	CH ₂ (D-47a)
G-1	3-Cl-5-CF ₃	2-NHCH ₃	H	N(CH ₃)(D-50a)
G-1	3-Cl-5-CF ₃	2-NHEt	H	CH ₂ CF ₃
G-1	3-Cl-5-CF ₃	2-NHPr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-Br-5-CF ₃	2-Pr-i	H	CH ₂ (D-22a)
G-1	3-Br-5-CF ₃	2-OEt	H	CH ₂ (D-47a)
G-1	3-Br-5-CF ₃	2-OPr-i	H	N(CH ₃)(D-50a)
G-1	3-Br-5-CF ₃	2-OSO ₂ CH ₃	H	CH ₂ CF ₃
G-1	3-Br-5-CF ₃	2-SEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3-Br-5-CF ₃	2-SPr-i	H	CH ₂ (D-22a)
G-1	3-Br-5-CF ₃	2-NHCH ₃	H	CH ₂ (D-47a)
G-1	3-Br-5-CF ₃	2-NHEt	H	N(CH ₃)(D-50a)
G-1	3-Br-5-CF ₃	2-NHPr-i	H	CH ₂ CF ₃
G-1	3,5-(CF ₃) ₂	2-Pr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-(CF ₃) ₂	2-OEt	H	CH ₂ (D-22a)
G-1	3,5-(CF ₃) ₂	2-OPr-i	H	CH ₂ (D-47a)
G-1	3,5-(CF ₃) ₂	2-OSO ₂ CH ₃	H	N(CH ₃)(D-50a)
G-1	3,5-(CF ₃) ₂	2-SEt	H	CH ₂ CF ₃
G-1	3,5-(CF ₃) ₂	2-SPr-i	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,5-(CF ₃) ₂	2-NHCH ₃	H	CH ₂ (D-22a)
G-1	3,5-(CF ₃) ₂	2-NHEt	H	CH ₂ (D-47a)
G-1	3,5-(CF ₃) ₂	2-NHPr-i	H	N(CH ₃)(D-50a)
G-1	3,4,5-Cl ₃	2-Pr-i	H	CH ₂ CF ₃
G-1	3,4,5-Cl ₃	2-OEt	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,4,5-Cl ₃	2-OPr-i	H	CH ₂ (D-22a)
G-1	3,4,5-Cl ₃	2-OSO ₂ CH ₃	H	CH ₂ (D-47a)

G-1	3,4,5-Cl ₃	2-SEt	H	N(CH ₃)(D-50a)
G-1	3,4,5-Cl ₃	2-SPr-i	H	CH ₂ CF ₃
G-1	3,4,5-Cl ₃	2-NHCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-1	3,4,5-Cl ₃	2-NHEt	H	CH ₂ (D-22a)
G-1	3,4,5-Cl ₃	2-NHPr-i	H	CH ₂ (D-47a)
G-2	4-Cl	2-CH ₃	H	N(CH ₃)(D-50a)
G-2	4-Br	2-CH ₃	H	CH ₂ CF ₃
G-2	4-CF ₃	2-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
G-2	4-CF ₃	2-Br	H	CH ₂ (D-22a)
G-2	4-CF ₃	2-I	H	CH ₂ (D-47a)
G-2	4-CF ₃	2-CH ₃	H	N(CH ₃)(D-50a)
G-2	4-CF ₃	2-Et	H	CH ₂ CF ₃
G-2	4-CF ₃	2-CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-2	4-CF ₃ -6-CH ₃	2-Cl	H	CH ₂ (D-22a)
G-2	4-CF ₃ -6-CH ₃	2-Br	H	CH ₂ (D-47a)
G-2	4-CF ₃ -6-CH ₃	2-I	H	N(CH ₃)(D-50a)
G-2	4-CF ₃ -6-CH ₃	2-CH ₃	H	CH ₂ CF ₃
G-2	4-CF ₃ -6-CH ₃	2-Et	H	CH ₂ C(O)NHCH ₂ CF ₃
G-2	4-CF ₃ -6-CH ₃	2-CF ₃	H	CH ₂ (D-22a)
G-3	5-Cl	2-CH ₃	H	CH ₂ (D-47a)
G-3	5-CF ₃	2-Cl	H	N(CH ₃)(D-50a)
G-3	5-CF ₃	2-Br	H	CH ₂ CF ₃
G-3	5-CF ₃	2-I	H	CH ₂ C(O)NHCH ₂ CF ₃
G-3	5-CF ₃	2-CH ₃	H	CH ₂ (D-22a)
G-3	5-CF ₃	2-Et	H	CH ₂ (D-47a)
G-3	5-CF ₃	2-CF ₃	H	N(CH ₃)(D-50a)
G-3	5-CF ₃ -6-Cl	2-CH ₃	H	CH ₂ CF ₃
G-3	5-NO ₂ -6-Cl	2-CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-4	2-Cl	2-CH ₃	H	CH ₂ (D-22a)
G-4	2-Br	2-CH ₃	H	CH ₂ (D-47a)
G-4	2,6-Cl ₂	—	H	N(CH ₃)(D-50a)
G-4	2,6-Cl ₂	2-F	H	CH ₂ CF ₃
G-4	2,6-Cl ₂	2-Cl	H	CH ₂ CF ₃
G-4	2,6-Cl ₂	2-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
G-4	2,6-Cl ₂	2-Cl	H	CH ₂ (D-22a)
G-4	2,6-Cl ₂	2-Cl	H	CH ₂ (D-47a)
G-4	2,6-Cl ₂	2-Cl	H	N(CH ₃)(D-50a)
G-4	2,6-Cl ₂	2-Br	H	CH ₂ CF ₃
G-4	2,6-Cl ₂	2-Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-4	2,6-Cl ₂	2-Br	H	CH ₂ (D-22a)
G-4	2,6-Cl ₂	2-Br	H	CH ₂ (D-47a)
G-4	2,6-Cl ₂	2-Br	H	N(CH ₃)(D-50a)
G-4	2,6-Cl ₂	2-I	H	CH ₂ CF ₃
G-4	2,6-Cl ₂	2-I	H	CH ₂ C(O)NHCH ₂ CF ₃
G-4	2,6-Cl ₂	2-I	H	CH ₂ (D-22a)
G-4	2,6-Cl ₂	2-I	H	CH ₂ (D-47a)

G-4	2,6-Cl ₂	2-I	H	N(CH ₃)(D-50a)
G-4	2,6-Cl ₂	2-CH ₃	H	CH ₂ Pr-c
G-4	2,6-Cl ₂	2-CH ₃	H	c-Bu
G-4	2,6-Cl ₂	2-CH ₃	H	CH ₂ CF ₃
G-4	2,6-Cl ₂	2-CH ₃	C(O)CH ₃	CH ₂ CF ₃
G-4	2,6-Cl ₂	2-CH ₃	C(O)Et	CH ₂ CF ₃
G-4	2,6-Cl ₂	2-CH ₃	C(O)OCH ₃	CH ₂ CF ₃
G-4	2,6-Cl ₂	2-CH ₃	H	CH ₂ CH ₂ OCH ₃
G-4	2,6-Cl ₂	2-CH ₃	H	CH ₂ (E-10a)
G-4	2,6-Cl ₂	2-CH ₃	H	CH ₂ C(O)NHCH ₂ CH ₂ Cl
G-4	2,6-Cl ₂	2-CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-4	2,6-Cl ₂	2-CH ₃	H	CH(CH ₃)Ph(R)
G-4	2,6-Cl ₂	2-CH ₃	H	CH ₂ (D-17a)CH ₃
G-4	2,6-Cl ₂	2-CH ₃	H	CH ₂ (D-17b)Cl
G-4	2,6-Cl ₂	2-CH ₃	H	CH ₂ (D-22a)
G-4	2,6-Cl ₂	2-CH ₃	C(O)CH ₃	CH ₂ (D-22a)
G-4	2,6-Cl ₂	2-CH ₃	C(O)Et	CH ₂ (D-22a)
G-4	2,6-Cl ₂	2-CH ₃	C(O)OCH ₃	CH ₂ (D-22a)
G-4	2,6-Cl ₂	2-CH ₃	H	CH ₂ (D-47a)
G-4	2,6-Cl ₂	2-CH ₃	CH ₂ CN	CH ₂ (D-47a)
G-4	2,6-Cl ₂	2-CH ₃	C(O)CH ₃	CH ₂ (D-47a)
G-4	2,6-Cl ₂	2-CH ₃	C(O)Et	CH ₂ (D-47a)
G-4	2,6-Cl ₂	2-CH ₃	C(O)OCH ₃	CH ₂ (D-47a)
G-4	2,6-Cl ₂	2-CH ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)
G-4	2,6-Cl ₂	2-CH ₃	H	N(CH ₃)Ph
G-4	2,6-Cl ₂	2-CH ₃	H	N(CH ₃)(D-50a)
G-4	2,6-Cl ₂	2-CH ₃	C(O)OCH ₃	N(CH ₃)(D-50a)
G-4	2,6-Cl ₂	2-Et	H	CH ₂ C(O)NHCH ₂ CF ₃
G-4	2,6-Cl ₂	2-CF ₃	H	CH ₂ CF ₃
G-4	2,6-Cl ₂	2-CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-4	2,6-Cl ₂	2-CF ₃	H	CH ₂ (D-22a)
G-4	2,6-Cl ₂	2-CF ₃	H	CH ₂ (D-47a)
G-4	2,6-Cl ₂	2-CF ₃	H	N(CH ₃)(D-50a)
G-4	2,6-Cl ₂	2-OCH ₃	H	CH ₂ (D-22a)
G-4	2,6-Cl ₂	2-OCHF ₂	H	CH ₂ (D-47a)
G-4	2,6-Cl ₂	2-OCF ₃	H	N(CH ₃)(D-50a)
G-4	2,6-Cl ₂	2-SCH ₃	H	CH ₂ CF ₃
G-4	2,6-Cl ₂	2-SCF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-4	2,6-Cl ₂	2-NO ₂	H	CH ₂ (D-22a)
G-4	2,6-Cl ₂	2-NHCH ₃	H	CH ₂ (D-47a)
G-4	2,6-Cl ₂	2-NHEt	H	N(CH ₃)(D-50a)
G-5	2-CF ₃	2-Cl	H	CH ₂ CF ₃
G-5	2-CF ₃	2-Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-5	2-CF ₃	2-I	H	CH ₂ (D-22a)
G-5	2-CF ₃	2-CH ₃	H	CH ₂ (D-47a)
G-5	2-CF ₃	2-Et	H	N(CH ₃)(D-50a)











G-5	2-CF ₃	2-CF ₃	H	CH ₂ CF ₃
G-5	6-CF ₃	2-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
G-5	6-CF ₃	2-Br	H	CH ₂ (D-22a)
G-5	6-CF ₃	2-I	H	CH ₂ (D-47a)
G-5	6-CF ₃	2-CH ₃	H	N(CH ₃)(D-50a)
G-5	6-CF ₃	2-Et	H	CH ₂ CF ₃
G-5	6-CF ₃	2-CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-5	2,6-Cl ₂	2-Cl	H	CH ₂ (D-22a)
G-5	2,6-Cl ₂	2-Br	H	CH ₂ (D-47a)
G-5	2,6-Cl ₂	2-I	H	N(CH ₃)(D-50a)
G-5	2,6-Cl ₂	2-CH ₃	H	CH ₂ CF ₃
G-5	2,6-Cl ₂	2-Et	H	CH ₂ C(O)NHCH ₂ CF ₃
G-5	2,6-Cl ₂	2-CF ₃	H	CH ₂ (D-22a)
G-5	2-CH ₃ -6-Cl	2-CH ₃	H	CH ₂ (D-47a)
G-5	2-Cl-6-CF ₃	2-Cl	H	N(CH ₃)(D-50a)
G-5	2-Cl-6-CF ₃	2-Br	H	CH ₂ CF ₃
G-5	2-Cl-6-CF ₃	2-I	H	CH ₂ C(O)NHCH ₂ CF ₃
G-5	2-Cl-6-CF ₃	2-CH ₃	H	CH ₂ (D-22a)
G-5	2-Cl-6-CF ₃	2-Et	H	CH ₂ (D-47a)
G-5	2-Cl-6-CF ₃	2-CF ₃	H	N(CH ₃)(D-50a)
G-5	2-Br-6-CF ₃	2-Cl	H	CH ₂ CF ₃
G-5	2-Br-6-CF ₃	2-Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-5	2-Br-6-CF ₃	2-I	H	CH ₂ (D-22a)
G-5	2-Br-6-CF ₃	2-CH ₃	H	CH ₂ (D-47a)
G-5	2-Br-6-CF ₃	2-Et	H	N(CH ₃)(D-50a)
G-5	2-Br-6-CF ₃	2-CF ₃	H	CH ₂ CF ₃
G-5	2-CH ₃ -6-CF ₃	2-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
G-5	2-CH ₃ -6-CF ₃	2-Br	H	CH ₂ (D-22a)
G-5	2-CH ₃ -6-CF ₃	2-I	H	CH ₂ (D-47a)
G-5	2-CH ₃ -6-CF ₃	2-CH ₃	H	N(CH ₃)(D-50a)
G-5	2-CH ₃ -6-CF ₃	2-Et	H	CH ₂ CF ₃
G-5	2-CH ₃ -6-CF ₃	2-CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-5	2,6-(CF ₃) ₂	2-Cl	H	CH ₂ (D-22a)
G-5	2,6-(CF ₃) ₂	2-Br	H	CH ₂ (D-47a)
G-5	2,6-(CF ₃) ₂	2-I	H	N(CH ₃)(D-50a)
G-5	2,6-(CF ₃) ₂	2-CH ₃	H	CH ₂ CF ₃
G-5	2,6-(CF ₃) ₂	2-Et	H	CH ₂ C(O)NHCH ₂ CF ₃
G-5	2,6-(CF ₃) ₂	2-CF ₃	H	CH ₂ (D-22a)
G-5	2-SCH ₃ -6-Cl	2-CH ₃	H	CH ₂ (D-47a)
G-5	2-SCH ₃ -6-CF ₃	2-CH ₃	H	N(CH ₃)(D-50a)
G-11	5-CF ₃	2-Cl	H	CH ₂ CF ₃
G-11	5-CF ₃	2-Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-11	5-CF ₃	2-I	H	CH ₂ (D-22a)
G-11	5-CF ₃	2-CH ₃	H	CH ₂ (D-47a)
G-11	5-CF ₃	2-Et	H	N(CH ₃)(D-50a)
G-11	5-CF ₃	2-CF ₃	H	CH ₂ CF ₃











G-12	4-CF ₃	2-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
G-12	4-CF ₃	2-Br	H	CH ₂ (D-22a)
G-12	4-CF ₃	2-I	H	CH ₂ (D-47a)
G-12	4-CF ₃	2-CH ₃	H	N(CH ₃)(D-50a)
G-12	4-CF ₃	2-Et	H	CH ₂ CF ₃
G-12	4-CF ₃	2-CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-13	5-CF ₃	2-F	H	CH ₂ (D-22a)
G-13	5-CF ₃	2-Cl	H	CH ₂ (D-47a)
G-13	5-CF ₃	2-Br	H	N(CH ₃)(D-50a)
G-13	5-CF ₃	2-I	H	CH ₂ CF ₃
G-13	5-CF ₃	2-CH ₃	H	CH ₂ CF ₃
G-13	5-CF ₃	2-CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-13	5-CF ₃	2-CH ₃	H	CH ₂ (D-22a)
G-13	5-CF ₃	2-CH ₃	H	CH ₂ (D-47a)
G-13	5-CF ₃	2-CH ₃	H	N(CH ₃)(D-50a)
G-13	5-CF ₃	2-Et	H	CH ₂ C(O)NHCH ₂ CF ₃
G-13	5-CF ₃	2-CF ₃	H	CH ₂ (D-22a)
G-13	5-CF ₃	2-SCH ₃	H	CH ₂ (D-47a)
G-13	5-CF ₃	2-NHCH ₃	H	N(CH ₃)(D-50a)
G-14	4-CF ₃	2-F	H	CH ₂ CF ₃
G-14	4-CF ₃	2-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
G-14	4-CF ₃	2-Br	H	CH ₂ (D-22a)
G-14	4-CF ₃	2-I	H	CH ₂ (D-47a)
G-14	4-CF ₃	2-CH ₃	H	CH ₂ CF ₃
G-14	4-CF ₃	2-CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-14	4-CF ₃	2-CH ₃	H	CH ₂ (D-22a)
G-14	4-CF ₃	2-CH ₃	H	CH ₂ (D-47a)
G-14	4-CF ₃	2-CH ₃	H	N(CH ₃)(D-50a)
G-14	4-CF ₃	2-Et	H	N(CH ₃)(D-50a)
G-14	4-CF ₃	2-CF ₃	H	CH ₂ CF ₃
G-14	4-CF ₃	2-SCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-14	4-CF ₃	2-NHCH ₃	H	CH ₂ (D-22a)
G-16	3-CF ₃	2-Cl	H	CH ₂ (D-47a)
G-16	3-CF ₃	2-Br	H	N(CH ₃)(D-50a)
G-16	3-CF ₃	2-I	H	CH ₂ CF ₃
G-16	3-CF ₃	2-CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-16	3-CF ₃	2-Et	H	CH ₂ (D-22a)
G-16	3-CF ₃	2-CF ₃	H	CH ₂ (D-47a)
G-17a	5-CF ₃	2-F	H	N(CH ₃)(D-50a)
G-17a	5-CF ₃	2-Cl	H	CH ₂ CF ₃
G-17a	5-CF ₃	2-Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-17a	5-CF ₃	2-I	H	CH ₂ (D-22a)
G-17a	5-CF ₃	2-CH ₃	H	CH ₂ CF ₃
G-17a	5-CF ₃	2-CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-17a	5-CF ₃	2-CH ₃	H	CH ₂ (D-22a)
G-17a	5-CF ₃	2-CH ₃	H	CH ₂ (D-47a)









G-17a	5-CF ₃	2-CH ₃	H	N(CH ₃)(D-50a)
G-17a	5-CF ₃	2-Et	H	CH ₂ (D-47a)
G-17a	5-CF ₃	2-CF ₃	H	N(CH ₃)(D-50a)
G-17a	5-CF ₃	2-SCH ₃	H	CH ₂ CF ₃
G-17a	5-CF ₃	2-NHCH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-19a	3-CF ₃	2-Cl	H	CH ₂ (D-22a)
G-19a	3-CF ₃	2-Br	H	CH ₂ (D-47a)
G-19a	3-CF ₃	2-I	H	N(CH ₃)(D-50a)
G-19a	3-CF ₃	2-CH ₃	H	CH ₂ CF ₃
G-19a	3-CF ₃	2-Et	H	CH ₂ C(O)NHCH ₂ CF ₃
G-19a	3-CF ₃	2-CF ₃	H	CH ₂ (D-22a)
G-20	4-CF ₃	2-Cl	H	CH ₂ (D-47a)
G-20	4-CF ₃	2-Br	H	N(CH ₃)(D-50a)
G-20	4-CF ₃	2-I	H	CH ₂ CF ₃
G-20	4-CF ₃	2-CH ₃	H	CH ₂ C(O)NHCH ₂ CF ₃
G-20	4-CF ₃	2-Et	H	CH ₂ (D-22a)
G-20	4-CF ₃	2-CF ₃	H	CH ₂ (D-47a)
G-20	5-CF ₃	2-Cl	H	N(CH ₃)(D-50a)
G-20	5-CF ₃	2-Br	H	CH ₂ CF ₃
G-20	5-CF ₃	2-I	H	CH ₂ C(O)NHCH ₂ CF ₃
G-20	5-CF ₃	2-CH ₃	H	CH ₂ (D-22a)
G-20	5-CF ₃	2-Et	H	CH ₂ (D-47a)
G-20	5-CF ₃	2-CF ₃	H	N(CH ₃)(D-50a)
G-21	2-CF ₃	2-Cl	H	CH ₂ CF ₃
G-21	2-CF ₃	2-Br	H	CH ₂ C(O)NHCH ₂ CF ₃
G-21	2-CF ₃	2-I	H	CH ₂ (D-22a)
G-21	2-CF ₃	2-CH ₃	H	CH ₂ (D-47a)
G-21	2-CF ₃	2-Et	H	N(CH ₃)(D-50a)
G-21	2-CF ₃	2-CF ₃	H	CH ₂ CF ₃
G-22	2-Cl	2-Cl	H	CH ₂ C(O)NHCH ₂ CF ₃
G-22	2-Cl	2-Br	H	CH ₂ (D-22a)
G-22	2-Cl	2-I	H	CH ₂ (D-47a)
G-22	2-Cl	2-CH ₃	H	N(CH ₃)(D-50a)
G-22	2-Cl	2-Et	H	CH ₂ CF ₃
G-22	2-Cl	2-CF ₃	H	CH ₂ C(O)NHCH ₂ CF ₃

Table 4

In the table, the number showing the substitution position of substituents (X)_m and (Y)_n corresponds to the position number indicated in the following structural formulae. The indication "-" means no-substitution.







(X) _m	R ³	(Y) _n
3-F	CF ₃	CH ₃
3-Cl	CF ₃	CH ₃
3-Br	CF ₃	CH ₃
3-I	CF ₃	CH ₃
3-CF ₃	CHF ₂	CH ₃
3-CF ₃	CF ₃	F

(X) _m	R ³	(Y) _n
3-Cl-5-Br	CF ₃	SCH ₃
3-Cl-5-Br	CF ₃	SCHF ₂
3-Cl-5-Br	CF ₃	SCF ₃
3-Cl-5-Br	CF ₃	NO ₂
3-Cl-5-Br	CF ₃	N(CH ₃) ₂
3-Cl-5-Br	CF ₃	CN

3-CF ₃	CF ₃	Cl	3-Cl-5-Br	CF ₂ Cl	F
3-CF ₃	CF ₃	Br	3-Cl-5-Br	CF ₂ Cl	Cl
3-CF ₃	CF ₃	I	3-Cl-5-Br	CF ₂ Cl	Br
3-CF ₃	CF ₃	CH ₃	3-Cl-5-Br	CF ₂ Cl	I
3-CF ₃	CF ₃	Et	3-Cl-5-Br	CF ₂ Cl	CH ₃
3-CF ₃	CF ₃	CF ₃	3-Cl-5-Br	CF ₂ Cl	Et
3-CF ₃	CF ₃	SCH ₃	3-Cl-5-Br	CF ₂ Cl	CF ₃
3-CF ₃	CF ₃	NO ₂	3-Cl-5-Br	CF ₂ Cl	SCH ₃
3-CF ₃	CF ₂ Cl	Cl	3-Cl-5-Br	CF ₂ Cl	NO ₂
3-CF ₃	CF ₂ Cl	Br	3-Cl-5-Br	CF ₂ Br	CH ₃
3-CF ₃	CF ₂ Cl	I	3-Cl-5-Br	CF ₂ CHF ₂	CH ₃
3-CF ₃	CF ₂ Cl	CH ₃	3-Cl-5-Br	CF ₂ CF ₃	CH ₃
3-CF ₃	CF ₂ Cl	Et	3,4-Br ₂	CF ₃	CH ₃
3-CF ₃	CF ₂ Cl	CF ₃	3,5-Br ₂	CHF ₂	CH ₃
3-CF ₃	CF ₂ Br	CH ₃	3,5-Br ₂	CHFCI	CH ₃
3-CF ₃	CF ₂ CHF ₂	CH ₃	3,5-Br ₂	CHCl ₂	CH ₃
3-CF ₂ CF ₃	CF ₃	F	3,5-Br ₂	CHFBBr	CH ₃
3-CF ₂ CF ₃	CF ₃	Cl	3,5-Br ₂	CF ₃	—
3-CF ₂ CF ₃	CF ₃	Br	3,5-Br ₂	CF ₃	F
3-CF ₂ CF ₃	CF ₃	I	3,5-Br ₂	CF ₃	Cl
3-CF ₂ CF ₃	CF ₃	CH ₃	3,5-Br ₂	CF ₃	Br
3-CF ₂ CF ₃	CF ₃	Et	3,5-Br ₂	CF ₃	I
3-CF ₂ CF ₃	CF ₃	CF ₃	3,5-Br ₂	CF ₃	CH ₃
3-CF ₂ CF ₃	CF ₃	SCH ₃	3,5-Br ₂	CF ₃	Et
3-CF ₂ CF ₃	CF ₃	NO ₂	3,5-Br ₂	CF ₃	CF ₃
3-CF ₂ CF ₃	CF ₂ Cl	Cl	3,5-Br ₂	CF ₃	OCH ₃
3-CF ₂ CF ₃	CF ₂ Cl	Br	3,5-Br ₂	CF ₃	OCHF ₂
3-CF ₂ CF ₃	CF ₂ Cl	I	3,5-Br ₂	CF ₃	OCF ₃
3-CF ₂ CF ₃	CF ₂ Cl	CH ₃	3,5-Br ₂	CF ₃	OSO ₂ CH ₃
3-CF ₂ CF ₃	CF ₂ Cl	Et	3,5-Br ₂	CF ₃	SCH ₃
3-CF ₂ CF ₃	CF ₂ Cl	CF ₃	3,5-Br ₂	CF ₃	SCHF ₂
3-CF ₂ CF ₂ CF ₃	CF ₃	CH ₃	3,5-Br ₂	CF ₃	SCF ₃
3-CF(CF ₃) ₂	CF ₃	CH ₃	3,5-Br ₂	CF ₃	NO ₂
3-CF ₂ CF ₂ CF ₂ CF ₃	CF ₃	CH ₃	3,5-Br ₂	CF ₃	N(CH ₃) ₂
3-C(CF ₃) ₂ OH	CF ₃	CH ₃	3,5-Br ₂	CF ₃	CN
3-C(CF ₃) ₂ OCH ₃	CF ₃	CH ₃	3,5-Br ₂	CF ₂ Cl	F
3-OCHF ₂	CF ₃	CH ₃	3,5-Br ₂	CF ₂ Cl	Cl
3-OCF ₃	CF ₃	CH ₃	3,5-Br ₂	CF ₂ Cl	Br
3-OCF ₂ Br	CF ₃	CH ₃	3,5-Br ₂	CF ₂ Cl	I
3-OCF ₂ CHF ₂	CF ₃	CH ₃	3,5-Br ₂	CF ₂ Cl	CH ₃
3-OCF ₂ CHFCI	CF ₃	CH ₃	3,5-Br ₂	CF ₂ Cl	Et
3-OCF ₂ CHFCF ₃	CF ₃	CH ₃	3,5-Br ₂	CF ₂ Cl	CF ₃
3-OCF ₂ CHFOCF ₃	CF ₃	CH ₃	3,5-Br ₂	CF ₂ Cl	SCH ₃
3-SCHF ₂	CF ₃	CH ₃	3,5-Br ₂	CF ₂ Cl	NO ₂
3-SO ₂ CHF ₂	CF ₃	CH ₃	3,5-Br ₂	CF ₂ Br	CH ₃
3-SCF ₃	CF ₃	CH ₃	3,5-Br ₂	CF ₂ CHF ₂	CH ₃

3-S(O)CF ₃	CF ₃	CH ₃	3,5-Br ₂	CF ₂ CF ₃	CH ₃
3-SO ₂ CF ₃	CF ₃	CH ₃	3-Cl-5-CH ₃	CF ₃	CH ₃
3-SCF ₂ Cl	CF ₃	CH ₃	3-Br-5-CH ₃	CF ₃	CH ₃
3-S(O)CF ₂ Cl	CF ₃	CH ₃	3-CF ₃ -4-F	CF ₃	CH ₃
3-SO ₂ CF ₂ Cl	CF ₃	CH ₃	3-F-5-CF ₃	CHF ₂	CH ₃
3-SCF ₂ Br	CF ₃	CH ₃	3-F-5-CF ₃	CF ₃	F
3-SO ₂ CF ₂ Br	CF ₃	CH ₃	3-F-5-CF ₃	CF ₃	Cl
3-SF ₅	CHF ₂	CH ₃	3-F-5-CF ₃	CF ₃	Br
3-SF ₅	CF ₃	F	3-F-5-CF ₃	CF ₃	I
3-SF ₅	CF ₃	Cl	3-F-5-CF ₃	CF ₃	CH ₃
3-SF ₅	CF ₃	Br	3-F-5-CF ₃	CF ₃	Et
3-SF ₅	CF ₃	I	3-F-5-CF ₃	CF ₃	CF ₃
3-SF ₅	CF ₃	CH ₃	3-F-5-CF ₃	CF ₃	SCH ₃
3-SF ₅	CF ₃	Et	3-F-5-CF ₃	CF ₃	NO ₂
3-SF ₅	CF ₃	CF ₃	3-F-5-CF ₃	CF ₂ Cl	Cl
3-SF ₅	CF ₃	SCH ₃	3-F-5-CF ₃	CF ₂ Cl	Br
3-SF ₅	CF ₃	NO ₂	3-F-5-CF ₃	CF ₂ Cl	I
3-SF ₅	CF ₂ Cl	Cl	3-F-5-CF ₃	CF ₂ Cl	CH ₃
3-SF ₅	CF ₂ Cl	Br	3-F-5-CF ₃	CF ₂ Cl	Et
3-SF ₅	CF ₂ Cl	I	3-F-5-CF ₃	CF ₂ Cl	CF ₃
3-SF ₅	CF ₂ Cl	CH ₃	3-F-5-CF ₃	CF ₂ Br	CH ₃
3-SF ₅	CF ₂ Cl	Et	3-F-5-CF ₃	CF ₂ CHF ₂	CH ₃
3-SF ₅	CF ₂ Cl	CF ₃	3-CF ₃ -4-Cl	CF ₃	CH ₃
3-SF ₅	CF ₂ Br	CH ₃	3-Cl-5-CF ₃	CHF ₂	CH ₃
3-SF ₅	CF ₂ CHF ₂	CH ₃	3-Cl-5-CF ₃	CHCl ₂	CH ₃
3,5-F ₂	CF ₃	CH ₃	3-Cl-5-CF ₃	CF ₃	—
3-Cl-4-F	CF ₃	CH ₃	3-Cl-5-CF ₃	CF ₃	F
3-F-5-Cl	CHF ₂	CH ₃	3-Cl-5-CF ₃	CF ₃	Cl
3-F-5-Cl	CF ₃	F	3-Cl-5-CF ₃	CF ₃	Br
3-F-5-Cl	CF ₃	Cl	3-Cl-5-CF ₃	CF ₃	I
3-F-5-Cl	CF ₃	Br	3-Cl-5-CF ₃	CF ₃	CH ₃
3-F-5-Cl	CF ₃	I	3-Cl-5-CF ₃	CF ₃	Et
3-F-5-Cl	CF ₃	CH ₃	3-Cl-5-CF ₃	CF ₃	CF ₃
3-F-5-Cl	CF ₃	Et	3-Cl-5-CF ₃	CF ₃	OCH ₃
3-F-5-Cl	CF ₃	CF ₃	3-Cl-5-CF ₃	CF ₃	OCHF ₂
3-F-5-Cl	CF ₃	SCH ₃	3-Cl-5-CF ₃	CF ₃	OCF ₃
3-F-5-Cl	CF ₃	NO ₂	3-Cl-5-CF ₃	CF ₃	OSO ₂ CH ₃
3-F-5-Cl	CF ₂ Cl	Cl	3-Cl-5-CF ₃	CF ₃	SCH ₃
3-F-5-Cl	CF ₂ Cl	Br	3-Cl-5-CF ₃	CF ₃	SCHF ₂
3-F-5-Cl	CF ₂ Cl	I	3-Cl-5-CF ₃	CF ₃	SCF ₃
3-F-5-Cl	CF ₂ Cl	CH ₃	3-Cl-5-CF ₃	CF ₃	NO ₂
3-F-5-Cl	CF ₂ Cl	Et	3-Cl-5-CF ₃	CF ₃	N(CH ₃) ₂
3-F-5-Cl	CF ₂ Cl	CF ₃	3-Cl-5-CF ₃	CF ₃	CN
3-F-5-Cl	CF ₂ Br	CH ₃	3-Cl-5-CF ₃	CF ₂ Cl	Cl
3-F-5-Cl	CF ₂ CHF ₂	CH ₃	3-Cl-5-CF ₃	CF ₂ Cl	Br
3,4-Cl ₂	CF ₃	CH ₃	3-Cl-5-CF ₃	CF ₂ Cl	I


3,5-Cl ₂	CHF ₂	Cl	3-Cl-5-CF ₃	CF ₂ Cl	CH ₃
3,5-Cl ₂	CHF ₂	Br	3-Cl-5-CF ₃	CF ₂ Cl	Et
3,5-Cl ₂	CHF ₂	I	3-Cl-5-CF ₃	CF ₂ Cl	CF ₃
3,5-Cl ₂	CHF ₂	CH ₃	3-Cl-5-CF ₃	CF ₂ Br	CH ₃
3,5-Cl ₂	CHF ₂	Et	3-Cl-5-CF ₃	CF ₂ CHF ₂	CH ₃
3,5-Cl ₂	CHF ₂	CF ₃	3-Cl-5-CF ₃	CF ₂ CF ₃	CH ₃
3,5-Cl ₂	CHFCI	Cl	3-Br-5-CF ₃	CHF ₂	CH ₃
3,5-Cl ₂	CHFCI	Br	3-Br-5-CF ₃	CHCl ₂	CH ₃
3,5-Cl ₂	CHFCI	I	3-Br-5-CF ₃	CF ₃	—
3,5-Cl ₂	CHFCI	CH ₃	3-Br-5-CF ₃	CF ₃	F
3,5-Cl ₂	CHFCI	Et	3-Br-5-CF ₃	CF ₃	Cl
3,5-Cl ₂	CHFCI	CF ₃	3-Br-5-CF ₃	CF ₃	Br
3,5-Cl ₂	CHFBr	Cl	3-Br-5-CF ₃	CF ₃	I
3,5-Cl ₂	CHFBr	Br	3-Br-5-CF ₃	CF ₃	CH ₃
3,5-Cl ₂	CHFBr	I	3-Br-5-CF ₃	CF ₃	Et
3,5-Cl ₂	CHFBr	CH ₃	3-Br-5-CF ₃	CF ₃	CF ₃
3,5-Cl ₂	CHFBr	Et	3-Br-5-CF ₃	CF ₃	OCH ₃
3,5-Cl ₂	CHFBr	CF ₃	3-Br-5-CF ₃	CF ₃	OCHF ₂
3,5-Cl ₂	CHCl ₂	CH ₃	3-Br-5-CF ₃	CF ₃	OCF ₃
3,5-Cl ₂	CF ₃	—	3-Br-5-CF ₃	CF ₃	OSO ₂ CH ₃
3,5-Cl ₂	CF ₃	F	3-Br-5-CF ₃	CF ₃	SCH ₃
3,5-Cl ₂	CF ₃	Cl	3-Br-5-CF ₃	CF ₃	SCHF ₂
3,5-Cl ₂	CF ₃	Br	3-Br-5-CF ₃	CF ₃	SCF ₃
3,5-Cl ₂	CF ₃	I	3-Br-5-CF ₃	CF ₃	NO ₂
3,5-Cl ₂	CF ₃	CH ₃	3-Br-5-CF ₃	CF ₃	N(CH ₃) ₂
3,5-Cl ₂	CF ₃	Et	3-Br-5-CF ₃	CF ₃	CN
3,5-Cl ₂	CF ₃	i-Pr	3-Br-5-CF ₃	CF ₂ Cl	Cl
3,5-Cl ₂	CF ₃	CF ₃	3-Br-5-CF ₃	CF ₂ Cl	Br
3,5-Cl ₂	CF ₃	CF ₂ CF ₃	3-Br-5-CF ₃	CF ₂ Cl	I
3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	3-Br-5-CF ₃	CF ₂ Cl	CH ₃
3,5-Cl ₂	CF ₃	CH ₂ OCH ₂ CF ₃	3-Br-5-CF ₃	CF ₂ Cl	Et
3,5-Cl ₂	CF ₃	CH ₂ SCH ₃	3-Br-5-CF ₃	CF ₂ Cl	CF ₃
3,5-Cl ₂	CF ₃	CH ₂ S(O)CH ₃	3-Br-5-CF ₃	CF ₂ Br	CH ₃
3,5-Cl ₂	CF ₃	CH ₂ SO ₂ CH ₃	3-Br-5-CF ₃	CF ₂ CHF ₂	CH ₃
3,5-Cl ₂	CF ₃	CH ₂ SCF ₃	3-Br-5-CF ₃	CF ₂ CF ₃	CH ₃
3,5-Cl ₂	CF ₃	CH ₂ S(O)CF ₃	3-CH ₃ -5-CF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₃	CH ₂ SO ₂ CF ₃	3,5-(CF ₃) ₂	CHF ₂	CH ₃
3,5-Cl ₂	CF ₃	OCH ₃	3,5-(CF ₃) ₂	CHFCI	CH ₃
3,5-Cl ₂	CF ₃	OEt	3,5-(CF ₃) ₂	CHCl ₂	CH ₃
3,5-Cl ₂	CF ₃	OPr-i	3,5-(CF ₃) ₂	CHFBr	CH ₃
3,5-Cl ₂	CF ₃	OCHF ₂	3,5-(CF ₃) ₂	CF ₃	—
3,5-Cl ₂	CF ₃	OCF ₃	3,5-(CF ₃) ₂	CF ₃	F
3,5-Cl ₂	CF ₃	OCF ₂ Br	3,5-(CF ₃) ₂	CF ₃	Cl
3,5-Cl ₂	CF ₃	OCF ₂ CHF ₂	3,5-(CF ₃) ₂	CF ₃	Br
3,5-Cl ₂	CF ₃	OCF ₂ CHFCF ₃	3,5-(CF ₃) ₂	CF ₃	I
3,5-Cl ₂	CF ₃	OSO ₂ CH ₃	3,5-(CF ₃) ₂	CF ₃	CH ₃

3,5-Cl ₂	CF ₃	OSO ₂ Et	3,5-(CF ₃) ₂	CF ₃	Et
3,5-Cl ₂	CF ₃	OSO ₂ CF ₃	3,5-(CF ₃) ₂	CF ₃	CF ₃
3,5-Cl ₂	CF ₃	SCH ₃	3,5-(CF ₃) ₂	CF ₃	OCH ₃
3,5-Cl ₂	CF ₃	S(O)CH ₃	3,5-(CF ₃) ₂	CF ₃	OCHF ₂
3,5-Cl ₂	CF ₃	SO ₂ CH ₃	3,5-(CF ₃) ₂	CF ₃	OCF ₃
3,5-Cl ₂	CF ₃	SEt	3,5-(CF ₃) ₂	CF ₃	OSO ₂ CH ₃
3,5-Cl ₂	CF ₃	SP <i>r</i> -i	3,5-(CF ₃) ₂	CF ₃	SCH ₃
3,5-Cl ₂	CF ₃	SCHF ₂	3,5-(CF ₃) ₂	CF ₃	SCHF ₂
3,5-Cl ₂	CF ₃	SCF ₃	3,5-(CF ₃) ₂	CF ₃	SCF ₃
3,5-Cl ₂	CF ₃	S(O)CF ₃	3,5-(CF ₃) ₂	CF ₃	NO ₂
3,5-Cl ₂	CF ₃	SO ₂ CF ₃	3,5-(CF ₃) ₂	CF ₃	N(CH ₃) ₂
3,5-Cl ₂	CF ₃	SCF ₂ Br	3,5-(CF ₃) ₂	CF ₃	CN
3,5-Cl ₂	CF ₃	NO ₂	3,5-(CF ₃) ₂	CF ₂ Cl	F
3,5-Cl ₂	CF ₃	N(CH ₃) ₂	3,5-(CF ₃) ₂	CF ₂ Cl	Cl
3,5-Cl ₂	CF ₃	CN	3,5-(CF ₃) ₂	CF ₂ Cl	Br
3,5-Cl ₂	CF ₃	C(O)OCH ₃	3,5-(CF ₃) ₂	CF ₂ Cl	I
3,5-Cl ₂	CF ₃	C(O)NH ₂	3,5-(CF ₃) ₂	CF ₂ Cl	CH ₃
3,5-Cl ₂	CF ₃	T-21	3,5-(CF ₃) ₂	CF ₂ Cl	Et
3,5-Cl ₂	CF ₃	C(S)NH ₂	3,5-(CF ₃) ₂	CF ₂ Cl	CF ₃
3,5-Cl ₂	CF ₃	T-22	3,5-(CF ₃) ₂	CF ₂ Cl	SCH ₃
3,5-Cl ₂	CF ₂ Cl	—	3,5-(CF ₃) ₂	CF ₂ Cl	NO ₂
3,5-Cl ₂	CF ₂ Cl	F	3,5-(CF ₃) ₂	CF ₂ Br	CH ₃
3,5-Cl ₂	CF ₂ Cl	Cl	3,5-(CF ₃) ₂	CF ₂ CHF ₂	CH ₃
3,5-Cl ₂	CF ₂ Cl	Br	3,5-(CF ₃) ₂	CF ₂ CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	I	3-Cl-5-CF ₂ CF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	CH ₃	3-Br-5-CF ₂ CF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	Et	3-CH ₃ -5-CF ₂ CF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	CF ₃	3-Cl-5-OCH ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	OCH ₃	3-Br-5-OCH ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	OCHF ₂	3-CF ₃ -5-OCH ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	OCF ₃	3-Cl-5-OCHF ₂	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	OSO ₂ CH ₃	3-Br-5-OCHF ₂	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	SCH ₃	3-CF ₃ -5-OCHF ₂	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	SCHF ₂	3-Cl-5-OCF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	SCF ₃	3-Br-5-OCF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	NO ₂	3-CF ₃ -5-OCF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	N(CH ₃) ₂	3-Cl-5-OCF ₂ Br	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Cl	CN	3-Cl-5-OCF ₂ CHF ₂	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Br	Cl	3-CF ₂ OCF ₂ O-4	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Br	Br	3-OCF ₂ O-4	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Br	I	3-OCF ₂ CF ₂ O-4	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Br	CH ₃	3-Cl-5-SCH ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Br	Et	3-Cl-5-S(O)CH ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ Br	CF ₃	3-Cl-5-SO ₂ CH ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ I	CH ₃	3-Br-5-SCH ₃	CF ₃	CH ₃
3,5-Cl ₂	CFCl ₂	CH ₃	3-Br-5-S(O)CH ₃	CF ₃	CH ₃

3,5-Cl ₂	CFCIBr	CH ₃	3-Br-5-SO ₂ CH ₃	CF ₃	CH ₃
3,5-Cl ₂	CFBr ₂	CH ₃	3-Cl-5-SCF ₃	CF ₃	CH ₃
3,5-Cl ₂	CCl ₃	CH ₃	3-Cl-5-S(O)CF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CHF ₂	Cl	3-Cl-5-SO ₂ CF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CHF ₂	Br	3-Br-5-SCF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CHF ₂	I	3-Br-5-S(O)CF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CHF ₂	CH ₃	3-Br-5-SO ₂ CF ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CHF ₂	Et	3-Cl-5-NO ₂	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CHF ₂	CF ₃	3-CF ₃ -5-NO ₂	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CF ₃	CH ₃	3-Cl-5-CN	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CF ₂ Cl	CH ₃	3-Br-5-CN	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CF ₂ Br	CH ₃	3-CF ₃ -5-CN	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CHFCF ₃	CH ₃	3,4,5-F ₃	CF ₃	CH ₃
3,5-Cl ₂	CF ₂ CF ₂ CF ₃	CH ₃	3,4,5-Cl ₃	CHF ₂	CH ₃
3,5-Cl ₂	T-3	CH ₃	3,4,5-Cl ₃	CHFCI	CH ₃
3,5-Cl ₂	T-4	CH ₃	3,4,5-Cl ₃	CHCl ₂	CH ₃
3,5-Cl ₂	T-5	CH ₃	3,4,5-Cl ₃	CHFBr	CH ₃
3-Br-4-F	CF ₃	CH ₃	3,4,5-Cl ₃	CF ₃	—
3-F-5-Br	CHF ₂	CH ₃	3,4,5-Cl ₃	CF ₃	F
3-F-5-Br	CF ₃	F	3,4,5-Cl ₃	CF ₃	Cl
3-F-5-Br	CF ₃	Cl	3,4,5-Cl ₃	CF ₃	Br
3-F-5-Br	CF ₃	Br	3,4,5-Cl ₃	CF ₃	I
3-F-5-Br	CF ₃	I	3,4,5-Cl ₃	CF ₃	CH ₃
3-F-5-Br	CF ₃	CH ₃	3,4,5-Cl ₃	CF ₃	Et
3-F-5-Br	CF ₃	Et	3,4,5-Cl ₃	CF ₃	CF ₃
3-F-5-Br	CF ₃	CF ₃	3,4,5-Cl ₃	CF ₃	OCH ₃
3-F-5-Br	CF ₃	SCH ₃	3,4,5-Cl ₃	CF ₃	OCHF ₂
3-F-5-Br	CF ₃	NO ₂	3,4,5-Cl ₃	CF ₃	OCF ₃
3-F-5-Br	CF ₂ Cl	Cl	3,4,5-Cl ₃	CF ₃	OSO ₂ CH ₃
3-F-5-Br	CF ₂ Cl	Br	3,4,5-Cl ₃	CF ₃	SCH ₃
3-F-5-Br	CF ₂ Cl	I	3,4,5-Cl ₃	CF ₃	SCHF ₂
3-F-5-Br	CF ₂ Cl	CH ₃	3,4,5-Cl ₃	CF ₃	SCF ₃
3-F-5-Br	CF ₂ Cl	Et	3,4,5-Cl ₃	CF ₃	NO ₂
3-F-5-Br	CF ₂ Cl	CF ₃	3,4,5-Cl ₃	CF ₃	N(CH ₃) ₂
3-F-5-Br	CF ₂ Br	CH ₃	3,4,5-Cl ₃	CF ₃	CN
3-F-5-Br	CF ₂ CHF ₂	CH ₃	3,4,5-Cl ₃	CF ₂ Cl	F
3-Cl-5-Br	CHF ₂	CH ₃	3,4,5-Cl ₃	CF ₂ Cl	Cl
3-Cl-5-Br	CHFCI	CH ₃	3,4,5-Cl ₃	CF ₂ Cl	Br
3-Cl-5-Br	CHCl ₂	CH ₃	3,4,5-Cl ₃	CF ₂ Cl	I
3-Cl-5-Br	CHFBr	CH ₃	3,4,5-Cl ₃	CF ₂ Cl	CH ₃
3-Cl-5-Br	CF ₃	—	3,4,5-Cl ₃	CF ₂ Cl	Et
3-Cl-5-Br	CF ₃	F	3,4,5-Cl ₃	CF ₂ Cl	CF ₃
3-Cl-5-Br	CF ₃	Cl	3,4,5-Cl ₃	CF ₂ Cl	SCH ₃
3-Cl-5-Br	CF ₃	Br	3,4,5-Cl ₃	CF ₂ Cl	NO ₂
3-Cl-5-Br	CF ₃	I	3,4,5-Cl ₃	CF ₂ Br	CH ₃
3-Cl-5-Br	CF ₃	CH ₃	3,4,5-Cl ₃	CF ₂ CHF ₂	CH ₃


3-Cl-5-Br	CF ₃	Et	3,4,5-Cl ₃	CF ₂ CF ₃	CH ₃
3-Cl-5-Br	CF ₃	CF ₃	3,4-F ₂ -5-CF ₃	CF ₃	CH ₃
3-Cl-5-Br	CF ₃	OCH ₃	3,5-Cl ₂ -4-OH	CF ₃	CH ₃
3-Cl-5-Br	CF ₃	OCHF ₂	3,5-Br ₂ -4-OH	CF ₃	CH ₃
3-Cl-5-Br	CF ₃	OCF ₃	3,5-Cl ₂ -4-NH ₂	CF ₃	CH ₃
3-Cl-5-Br	CF ₃	OSO ₂ CH ₃	3,5-Br ₂ -4-NH ₂	CF ₃	CH ₃
3,5-Cl ₂ -4-F	CF ₃	Cl	3,5-Br ₂ -4-CH ₃	CF ₃	CH ₃
3,5-Cl ₂ -4-F	CF ₃	Br	3,5-Br ₂ -4-CH ₃	CF ₃	Et
3,5-Cl ₂ -4-F	CF ₃	I	3,5-Br ₂ -4-CH ₃	CF ₃	CF ₃
3,5-Cl ₂ -4-F	CF ₃	CH ₃	3,5-Br ₂ -4-CH ₃	CF ₂ Cl	CH ₃
3,5-Cl ₂ -4-F	CF ₃	Et	3,5-F ₂ -4-OCH ₃	CF ₃	CH ₃
3,5-Cl ₂ -4-F	CF ₃	CF ₃	3,5-F ₂ -4-OCF ₃	CF ₃	CH ₃
3,5-Cl ₂ -4-F	CF ₂ Cl	CH ₃	3,5-Cl ₂ -4-OCH ₃	CF ₃	Cl
3,5-Br ₂ -4-F	CF ₃	Cl	3,5-Cl ₂ -4-OCH ₃	CF ₃	Br
3,5-Br ₂ -4-F	CF ₃	Br	3,5-Cl ₂ -4-OCH ₃	CF ₃	I
3,5-Br ₂ -4-F	CF ₃	I	3,5-Cl ₂ -4-OCH ₃	CF ₃	CH ₃
3,5-Br ₂ -4-F	CF ₃	CH ₃	3,5-Cl ₂ -4-OCH ₃	CF ₃	Et
3,5-Br ₂ -4-F	CF ₃	Et	3,5-Cl ₂ -4-OCH ₃	CF ₃	CF ₃
3,5-Br ₂ -4-F	CF ₃	CF ₃	3,5-Cl ₂ -4-OCH ₃	CF ₂ Cl	CH ₃
3,5-Br ₂ -4-F	CF ₂ Cl	CH ₃	3,5-Cl ₂ -4-OEt	CF ₃	CH ₃
3,4,5-Br ₃	CF ₃	CH ₃	3-F-5-Br-4-OCH ₃	CF ₃	CH ₃
3,5-F ₂ -4-CH ₃	CF ₃	CH ₃	3-Cl-5-Br-4-OCH ₃	CF ₃	CH ₃
3-Cl-4-F-5-CF ₃	CF ₃	CH ₃	3,5-Br ₂ -4-OCH ₃	CF ₃	Cl
3-Cl-4-F-5-CF ₃	CF ₂ Cl	CH ₃	3,5-Br ₂ -4-OCH ₃	CF ₃	Br
3,5-Cl ₂ -4-CH ₃	CF ₃	Cl	3,5-Br ₂ -4-OCH ₃	CF ₃	I
3,5-Cl ₂ -4-CH ₃	CF ₃	Br	3,5-Br ₂ -4-OCH ₃	CF ₃	CH ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	I	3,5-Br ₂ -4-OCH ₃	CF ₃	Et
3,5-Cl ₂ -4-CH ₃	CF ₃	CH ₃	3,5-Br ₂ -4-OCH ₃	CF ₃	CF ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	Et	3,5-Br ₂ -4-OCH ₃	CF ₂ Cl	CH ₃
3,5-Cl ₂ -4-CH ₃	CF ₃	CF ₃	3,5-Br ₂ -4-OEt	CF ₃	CH ₃
3,5-Cl ₂ -4-CH ₃	CF ₂ Cl	CH ₃	3,5-Cl ₂ -4-NO ₂	CF ₃	CH ₃
3,5-Br ₂ -4-CH ₃	CF ₃	Cl	3,5-F ₂ -4-CN	CF ₃	CH ₃
3,5-Br ₂ -4-CH ₃	CF ₃	Br	3,5-Cl ₂ -4-CN	CF ₃	CH ₃
3,5-Br ₂ -4-CH ₃	CF ₃	I	3,5-Br ₂ -4-CN	CF ₃	CH ₃

Table 5




[4] - 1

,




[4] - 2

,




[4] - 3

,




[4] - 4

,




[4] - 5

,




[4] - 6

,











[4] - 7


,



[4] - 8


,






[4] - 17

,




[4] - 18

,




[4] - 19

,




[4] - 20

,




[4] - 21

,




[4] - 22

,










[4] - 23

,




[4] - 24

,



or



R ²	R ¹
H	Et
Et	Et
H	c-Pr
H	i-Bu
H	CH ₂ Pr-c

R ²	R ¹
CH ₂ C≡CH	CH ₂ (D-17b)Cl
C(O)CH ₃	CH ₂ (D-17b)Cl
C(O)Et	CH ₂ (D-17b)Cl
C(O)OCH ₃	CH ₂ (D-17b)Cl
H	CH ₂ (D-18a)


H	c-Bu	H	CH ₂ (D-19a)
H	c-Pen	H	CH ₂ (D-20a)
H	CH ₂ CH ₂ Cl	H	CH ₂ (D-21a)
H	CH ₂ CF ₃	H	CH ₂ (D-21b)CF ₃
CH ₂ OCH ₃	CH ₂ CF ₃	H	CH ₂ (D-22a)
CH ₂ CN	CH ₂ CF ₃	CH ₂ OCH ₃	CH ₂ (D-22a)
CH ₂ C≡CH	CH ₂ CF ₃	CH ₂ CN	CH ₂ (D-22a)
C(O)CH ₃	CH ₂ CF ₃	CH ₂ C≡CH	CH ₂ (D-22a)
C(O)Et	CH ₂ CF ₃	C(O)CH ₃	CH ₂ (D-22a)
C(O)Pr-c	CH ₂ CF ₃	C(O)Et	CH ₂ (D-22a)
C(O)Bu-t	CH ₂ CF ₃	C(O)Pr-c	CH ₂ (D-22a)
C(O)OCH ₃	CH ₂ CF ₃	C(O)Bu-t	CH ₂ (D-22a)
C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ CF ₃	C(O)OCH ₃	CH ₂ (D-22a)
C(O)OCH ₂ CH=CH ₂	CH ₂ CF ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-22a)
C(O)SCH ₃	CH ₂ CF ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-22a)
C(S)OCH ₃	CH ₂ CF ₃	C(O)SCH ₃	CH ₂ (D-22a)
C(S)SCH ₃	CH ₂ CF ₃	C(S)OCH ₃	CH ₂ (D-22a)
H	CH ₂ CF ₂ CF ₃	C(S)SCH ₃	CH ₂ (D-22a)
H	CH ₂ CF ₂ CF ₂ CF ₃	H	CH(CH ₃)(D-22a)
H	CH ₂ CH ₂ OCH ₃	H	CH ₂ (D-28a)
H	CH ₂ CH ₂ OEt	H	CH ₂ (D-29a)
H	CH ₂ CH ₂ OCH ₂ CH ₂ Cl	H	CH ₂ (D-29b)CH ₃
H	CH(CH ₃)CH ₂ OCH ₃	H	CH ₂ (D-30a)
H	CH(CH ₃)CH ₂ OC(O)NH ₂ Et	H	CH ₂ (D-34a)
H	CH ₂ CH(OCH ₃) ₂	H	CH ₂ (D-34b)CH ₃
H	CH ₂ (E-4a)	H	CH ₂ (D-35a)
H	CH ₂ (E-5a)	H	CH ₂ (D-36b)CH ₃
H	CH ₂ (E-10a)	H	CH ₂ (D-37a)
H	CH ₂ (E-10b)CH ₃	H	CH ₂ (D-38a)
H	CH ₂ (E-32a)	H	CH(CF ₃)(D-38a)
H	CH ₂ CH ₂ SO ₂ CH ₃	C(O)OCH ₃	CH(CF ₃)(D-38a)
H	CH ₂ CH ₂ SO ₂ Et	H	CH(CN)(D-38a)
H	CH ₂ CH(CH ₃)SO ₂ CH ₃	H	CH ₂ (D-47a)
H	CH(CH ₃)CH ₂ SO ₂ CH ₃	CH ₃	CH ₂ (D-47a)
H	CH ₂ C(O)CH ₃	Et	CH ₂ (D-47a)
H	CH ₂ C(CH ₃)=NOCH ₃	n-Pr	CH ₂ (D-47a)
H	CH ₂ CN	i-Pr	CH ₂ (D-47a)
CH ₂ CN	CH ₂ CN	c-Pr	CH ₂ (D-47a)
H	CH ₂ C(O)OCH ₃	CH ₂ CF ₃	CH ₂ (D-47a)
H	CH ₂ C(O)OEt	CH ₂ OCH ₃	CH ₂ (D-47a)
H	CH ₂ C(O)OCH ₂ CF ₃	CH ₂ OEt	CH ₂ (D-47a)
H	CH(CH ₃)C(O)OCH ₃ (R)	CH ₂ CN	CH ₂ (D-47a)
H	CH(CH ₃)C(O)OCH ₂ CF ₃	CH ₂ CH=CH ₂	CH ₂ (D-47a)
H	CH ₂ C(O)NH ₂	CH ₂ C≡CH	CH ₂ (D-47a)
H	CH ₂ C(O)NHCH ₃	C(O)CH ₃	CH ₂ (D-47a)
H	CH ₂ C(O)N(CH ₃) ₂	C(O)Et	CH ₂ (D-47a)

H	CH ₂ C(O)NHEt	C(O)Pr-n	CH ₂ (D-47a)
H	CH ₂ C(O)NHPr-n	C(O)Pr-i	CH ₂ (D-47a)
H	CH ₂ C(O)NHPr-i	C(O)Pr-c	CH ₂ (D-47a)
H	CH ₂ C(O)NHCH ₂ CH ₂ F	C(O)Bu-t	CH ₂ (D-47a)
H	CH ₂ C(O)NHCH ₂ CH ₂ Cl	C(O)CH ₂ OCH ₃	CH ₂ (D-47a)
H	CH ₂ C(O)NHCH ₂ CF ₃	C(O)CH=CH ₂	CH ₂ (D-47a)
H	CH ₂ C(O)NHCH ₂ CH ₂ OCH ₃	C(O)OCH ₃	CH ₂ (D-47a)
H	CH ₂ C(O)NHCH ₂ CH=CH ₂	C(O)OEt	CH ₂ (D-47a)
H	CH ₂ C(O)N(CH ₃)CH ₂ CH=CH ₂	C(O)OPr-i	CH ₂ (D-47a)
H	CH ₂ C(O)N(CH ₂ CH=CH ₂) ₂	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)
H	CH ₂ C(O)NHCH ₂ C≡CH	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)
H	CH ₂ C(O)NHCH ₂ Ph	C(O)SCH ₃	CH ₂ (D-47a)
H	CH ₂ C(O)NHOEt	C(S)OCH ₃	CH ₂ (D-47a)
H	CH ₂ C(O)NHPh	C(S)SCH ₃	CH ₂ (D-47a)
H	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl	H	CH ₂ (D-47c)Cl
H	CH(CH ₃)C(O)NHCH ₂ CF ₃	H	CH(CH ₃)(D-47a)
H	CH ₂ CH=CH ₂	C(O)OCH ₃	CH(CH ₃)(D-47a)
H	CH ₂ C(Cl)=CH ₂	H	CH(CN)(D-47a)
H	CH ₂ C(Cl)=CHCl	H	CH ₂ (D-48e)Cl
H	CH ₂ C≡CH	Et	CH ₂ (D-48e)Cl
H	CH ₂ Ph	H	CH ₂ (D-49a)
H	CH(CH ₃)Ph	c-Pr	CH ₂ (D-49a)
H	CH(CH ₃)Ph(R)	H	CH ₂ (D-50a)
H	CH(CF ₃)Ph	C(O)CH ₃	CH ₂ (D-50a)
H	CH(CN)Ph	C(O)Et	CH ₂ (D-50a)
H	CH ₂ (Ph-4-F)	C(O)OCH ₃	CH ₂ (D-50a)
H	CH ₂ (Ph-4-OCH ₃)	H	CH ₂ (D-51a)
H	CH ₂ (Ph-4-NO ₂)	C(O)CH ₃	CH ₂ (D-51a)
H	CH ₂ (Ph-4-CN)	C(O)Et	CH ₂ (D-51a)
H	CH ₂ (Ph-2,5-F ₂)	C(O)OCH ₃	CH ₂ (D-51a)
H	CH ₂ (D-1a)	H	CH ₂ (D-53a)
H	CH(CH ₃)(D-1a)(R)	H	CH ₂ (D-53b)CH ₃
H	CH(CN)(D-1a)	H	N(Ph)C(O)CH ₃
H	CH ₂ (D-3a)	H	NHC(O)Pr-n
H	CH ₂ (D-8b)CH ₃	H	NHC(O)Ph
H	CH ₂ (D-11a)	H	N(CH ₃)C(O)Ph
H	CH(CF ₃)(D-14a)	H	NHC(O)OCH ₃
H	CH(CN)(D-14a)	H	N(CH ₃)C(O)OCH ₃
H	CH ₂ (D-15a)CH ₃	H	N(Ph)C(O)OCH ₃
H	CH ₂ (D-16b)Cl	H	NHC(O)OEt
H	CH ₂ (D-16c)Cl	H	N(CH ₃)C(O)OEt
H	CH ₂ (D-17a)CH ₃	H	D-8a
CH ₂ OCH ₃	CH ₂ (D-17a)CH ₃	H	(D-13b)CH ₃
CH ₂ CN	CH ₂ (D-17a)CH ₃	H	(D-15a)CH ₃
CH ₂ C≡CH	CH ₂ (D-17a)CH ₃	H	D-21a
C(O)CH ₃	CH ₂ (D-17a)CH ₃	H	D-35a

C(O)Et	CH ₂ (D-17a)CH ₃	H	D-47a
C(O)OCH ₃	CH ₂ (D-17a)CH ₃	H	D-48a
H	CH ₂ (D-17b)Cl	H	D-49a
CH ₂ OCH ₃	CH ₂ (D-17b)Cl	H	D-50a
CH ₂ CN	CH ₂ (D-17b)Cl	H	D-51a

Table 6

In the table, the number showing the substitution position of substituents (X²)_{m1} corresponds to the position number indicated in the following structural formulae. The indication "-" means no-substitution.



[5] - 1

X ¹	(X ²) _{m1}	R ³	X ¹	(X ²) _{m1}	R ³
F	—	CF ₂ Cl	Br	4-OCH ₃ -5-Br	CF ₂ Cl
F	5-F	CF ₂ Cl	Br	4-OEt-5-Br	CF ₃
F	4,5-F ₂	CF ₃	Br	4-NH ₂ -5-Br	CF ₃
F	4-CH ₃ -5-F	CF ₃	Br	4-CN-5-Br	CF ₃
F	4-OCH ₃ -5-F	CF ₃	I	—	CF ₃
F	4-OCF ₃ -5-F	CF ₃	I	—	CF ₂ Cl
F	4-CN-5-F	CF ₃	CF ₃	—	CHF ₂
Cl	—	CF ₂ Cl	CF ₃	—	CF ₂ Cl
Cl	4-F	CF ₃	CF ₃	—	CF ₂ Br
Cl	5-F	CHF ₂	CF ₃	—	CF ₂ CHF ₂
Cl	5-F	CF ₃	CF ₃	4-F	CF ₃
Cl	5-F	CF ₂ Cl	CF ₃	5-F	CHF ₂
Cl	5-F	CF ₂ Br	CF ₃	5-F	CF ₃
Cl	5-F	CF ₂ CHF ₂	CF ₃	5-F	CF ₂ Cl
Cl	5-F	CF ₂ CF ₃	CF ₃	5-F	CF ₂ Br
Cl	4-Cl	CF ₃	CF ₃	5-F	CF ₂ CHF ₂
Cl	5-Cl	CHF ₂	CF ₃	5-F	CF ₂ CF ₃
Cl	5-Cl	CHFCI	CF ₃	4-Cl	CF ₃
Cl	5-Cl	CHFCBr	CF ₃	5-Cl	CHF ₂
Cl	5-Cl	CHCl ₂	CF ₃	5-Cl	CHCl ₂
Cl	5-Cl	CF ₃	CF ₃	5-Cl	CF ₃
Cl	5-Cl	CF ₂ Cl	CF ₃	5-Cl	CF ₂ Cl
Cl	5-Cl	CF ₂ Br	CF ₃	5-Cl	CF ₂ Br

Cl	5-Cl	CF ₂ I	CF ₃	5-Cl	CF ₂ CHF ₂
Cl	5-Cl	CFCI ₂	CF ₃	5-Cl	CF ₂ CF ₃
Cl	5-Cl	CFCIBr	CF ₃	5-Br	CHF ₂
Cl	5-Cl	CFBr ₂	CF ₃	5-Br	CHCl ₂
Cl	5-Cl	CCl ₃	CF ₃	5-Br	CF ₃
Cl	5-Cl	CF ₂ CHF ₂	CF ₃	5-Br	CF ₂ Cl
Cl	5-Cl	CF ₂ CF ₃	CF ₃	5-Br	CF ₂ Br
Cl	5-Cl	CF ₂ CF ₂ Cl	CF ₃	5-Br	CF ₂ CHF ₂
Cl	5-Cl	CF ₂ CF ₂ Br	CF ₃	5-Br	CF ₂ CF ₃
Cl	5-Cl	CF ₂ CHF ₂ CF ₃	CF ₃	5-CH ₃	CF ₃
Cl	5-Cl	CF ₂ CF ₂ CF ₃	CF ₃	5-CF ₃	CHF ₂
Cl	5-Cl	T-3	CF ₃	5-CF ₃	CHFCI
Cl	5-Cl	T-4	CF ₃	5-CF ₃	CHCl ₂
Cl	5-Cl	T-5	CF ₃	5-CF ₃	CHFBr
Cl	5-CH ₃	CF ₃	CF ₃	5-CF ₃	CF ₂ Cl
Cl	5-OCH ₃	CF ₃	CF ₃	5-CF ₃	CF ₂ Br
Cl	5-SCH ₃	CF ₃	CF ₃	5-CF ₃	CF ₂ CHF ₂
Cl	5-S(O)CH ₃	CF ₃	CF ₃	5-CF ₃	CF ₂ CF ₃
Cl	5-SO ₂ CH ₃	CF ₃	CF ₃	5-OCH ₃	CF ₃
Cl	5-NO ₂	CF ₃	CF ₃	5-NO ₂	CF ₃
Cl	5-CN	CF ₃	CF ₃	5-CN	CF ₃
Cl	4-F-5-Cl	CF ₃	CF ₃	4,5-F ₂	CF ₃
Cl	4-F-5-Cl	CF ₂ Cl	CF ₂ CF ₃	—	CF ₃
Cl	4,5-Cl ₂	CHF ₂	CF ₂ CF ₃	—	CF ₂ Cl
Cl	4,5-Cl ₂	CHFCI	CF ₂ CF ₃	5-Cl	CF ₃
Cl	4,5-Cl ₂	CHCl ₂	CF ₂ CF ₃	5-Br	CF ₃
Cl	4,5-Cl ₂	CHFBr	CF ₂ CF ₃	5-CH ₃	CF ₃
Cl	4,5-Cl ₂	CF ₃	CF ₂ CF ₂ CF ₃	—	CF ₃
Cl	4,5-Cl ₂	CF ₂ Cl	CF ₂ CF ₂ CF ₃	5-Cl	CF ₃
Cl	4,5-Cl ₂	CF ₂ Br	CF ₂ CF ₂ CF ₃	5-Br	CF ₃
Cl	4,5-Cl ₂	CF ₂ CHF ₂	CF ₂ CF ₂ CF ₃	5-CH ₃	CF ₃
Cl	4,5-Cl ₂	CF ₂ CF ₃	CF(CF ₃) ₂	—	CF ₃
Cl	4-F-5-CF ₃	CF ₃	CF(CF ₃) ₂	5-Cl	CF ₃
Cl	4-F-5-CF ₃	CF ₂ Cl	CF(CF ₃) ₂	5-Br	CF ₃
Cl	4-CH ₃ -5-Cl	CF ₃	CF(CF ₃) ₂	5-CH ₃	CF ₃
Cl	4-CH ₃ -5-Cl	CF ₂ Cl	C(CF ₃) ₂ OH	—	CF ₃
Cl	4-OH-5-Cl	CF ₃	C(CF ₃) ₂ OH	5-Cl	CF ₃
Cl	4-OCH ₃ -5-Cl	CF ₃	C(CF ₃) ₂ OH	5-Br	CF ₃
Cl	4-OCH ₃ -5-Cl	CF ₂ Cl	C(CF ₃) ₂ OH	5-CH ₃	CF ₃
Cl	4-OEt-5-Cl	CF ₃	C(CF ₃) ₂ OCH ₃	—	CF ₃
Cl	4-NO ₂ -5-Cl	CF ₃	C(CF ₃) ₂ OCH ₃	5-Cl	CF ₃
Cl	4-NH ₂ -5-Cl	CF ₃	C(CF ₃) ₂ OCH ₃	5-Br	CF ₃
Cl	4-CN-5-Cl	CF ₃	C(CF ₃) ₂ OCH ₃	5-CH ₃	CF ₃
Br	—	CF ₃	-CF ₂ OCF ₂ O-4	—	CF ₃
Br	—	CF ₂ Cl	OCHF ₂	—	CF ₃
Br	4-F	CF ₃	OCHF ₂	5-Cl	CF ₃

Br	5-F	CHF ₂	OCHF ₂	5-Br	CF ₃
Br	5-F	CF ₃	OCHF ₂	5-CF ₃	CF ₃
Br	5-F	CF ₂ Cl	OCF ₃	—	CF ₃
Br	5-F	CF ₂ Br	OCF ₃	5-Cl	CF ₃
Br	5-F	CF ₂ CHF ₂	OCF ₃	5-Br	CF ₃
Br	5-F	CF ₂ CF ₃	OCF ₃	5-CF ₃	CF ₃
Br	5-Cl	CHF ₂	OCF ₂ Br	—	CF ₃
Br	5-Cl	CHFCI	OCF ₂ Br	5-Cl	CF ₃
Br	5-Cl	CHCl ₂	OCF ₂ CHF ₂	—	CF ₃
Br	5-Cl	CHFBr	OCF ₂ CHF ₂	5-Cl	CF ₃
Br	5-Cl	CF ₃	OCF ₂ CHFCI	—	CF ₃
Br	5-Cl	CF ₂ Cl	OCF ₂ CHFCI	5-Cl	CF ₃
Br	5-Cl	CF ₂ Br	OCF ₂ CHFCI	5-Br	CF ₃
Br	5-Cl	CF ₂ CHF ₂	OCF ₂ CHFCF ₃	—	CF ₃
Br	5-Cl	CF ₂ CF ₃	OCF ₂ CHFCF ₃	5-Cl	CF ₃
Br	4-Br	CF ₃	OCF ₂ CHFOCF ₃	—	CF ₃
Br	5-Br	CHF ₂	OCF ₂ CHFOCF ₃	5-Cl	CF ₃
Br	5-Br	CHFCI	-OCF ₂ O-4		CF ₃
Br	5-Br	CHCl ₂	-OCF ₂ CF ₂ O-4		CF ₃
Br	5-Br	CHFBr	SCHF ₂	—	CF ₃
Br	5-Br	CF ₃	SO ₂ CHF ₂	—	CF ₃
Br	5-Br	CF ₂ Cl	SCF ₃	—	CF ₃
Br	5-Br	CF ₂ Br	SCF ₃	5-Cl	CF ₃
Br	5-Br	CF ₂ CHF ₂	SCF ₃	5-Br	CF ₃
Br	5-Br	CF ₂ CF ₃	S(O)CF ₃	—	CF ₃
Br	5-CH ₃	CF ₃	S(O)CF ₃	5-Cl	CF ₃
Br	5-OCH ₃	CF ₃	S(O)CF ₃	5-Br	CF ₃
Br	5-SCH ₃	CF ₃	SO ₂ CF ₃	—	CF ₃
Br	5-S(O)CH ₃	CF ₃	SO ₂ CF ₃	5-Cl	CF ₃
Br	5-SO ₂ CH ₃	CF ₃	SO ₂ CF ₃	5-Br	CF ₃
Br	5-CN	CF ₃	SCF ₂ Cl	—	CF ₃
Br	4-F-5-Br	CF ₃	S(O)CF ₂ Cl	—	CF ₃
Br	4-F-5-Br	CF ₂ Cl	SO ₂ CF ₂ Cl	—	CF ₃
Br	4,5-Br ₂	CF ₃	SCF ₂ Br	—	CF ₃
Br	4-CH ₃ -5-Br	CF ₃	SO ₂ CF ₂ Br	—	CF ₃
Br	4-CH ₃ -5-Br	CF ₂ Cl	SF ₅	—	CHF ₂
Br	4-OH-5-Br	CF ₃	SF ₅	—	CF ₃
Br	4-OCH ₃ -5-F	CF ₃	SF ₅	—	CF ₂ Cl
Br	4-OCH ₃ -5-Cl	CF ₃	SF ₅	—	CF ₂ Br
Br	4-OCH ₃ -5-Br	CF ₃	SF ₅	—	CF ₂ CHF ₂

[0154] The compounds of the present invention can effectively control in a low concentration so-called agricultural insects injuring agricultural and horticultural crops and trees, so-called domestic animal pests parasitizing domestic animals and

domestic fowls, so-called hygienic pests having an adverse affect on human being's environment such as houses, insects as so-called stored grain insects injuring grains and the like stored in storehouses, and any pests of acarids, crustaceans, mollusks and nematodes generating in the similar scenes.

[0155] The insects, acarids, crustaceans, mollusks and nematodos that the compounds of the present invention can control concretely include for example the followings:

Lepidoptera insects, such as *Adoxophyes honmai*, *Adoxophyes orana faciat*, *Archips breviplicatus*, *Archips fuscocupreanus*, *Grapholita molesta*, *Homona magnanima*, *Leguminivora glycinivorella*, *Matsumuraesia phaseoli*, *Pandemis heparana*, *Bucculatrix pyrivorella*, *Lyonetia clerkella*, *Lyonetia prunifoliella malinella*, *Caloptilia theivora*, *Phyllonorycter ringoniella*, *Phyllocnistis citrella*, *Acrolepiopsis sapporensis*, *Acrolepiopsis suzukiella*, *Plutella xylostella*, *Stathmopoda masinissa*, *Helcystogramma triannulella*, *Pectinophora gossypiella*, *Carposina sasakii*, *Cydia pomonella*, *Chilo suppressalis*, *Cnaphalocrocis medinalis*, *Conogethes punctiferalis*, *Diaphania indica*, *Etiella zinckenella*, *Glyphodes pyloalis*, *Hellula undalis*, *Ostrinia furnacalis*, *Ostrinia scapularis*, *Ostrinia nubilalis*, *Parapediasia teterella*, *Parnara guttata*, *Pieris brassicae*, *Pieris rapae crucivora*, *Ascotis selenaria*, *Pseudoplusia includens*, *Euproctis pseudoconspersa*, *Lymantria dispar*, *Orgyia thyellina*, *Hyphantria cunea*, *Lemyra imparilis*, *Adris tyrannus*, *Aedia leucomelas*, *Agrotis ipsilon*, *Agrotis segetum*, *Autographa nigrisigna*, *Ctenoplusia agnata*, *Helicoverpa armigera*, *Helicoverpa assulta*, *Helicoverpa zea*, *Heliothis virescens*, *Mamestra brassicae*, *Mythimna separata*, *Naranga aenescens*, *Spodoptera eridania*, *Spodoptera exigua*, *Spodoptera frugiperda*, *Spodoptera littoralis*, *Spodoptera litura*, *Spodoptera depravata*, *Trichoplusia ni*, *Endopiza viteana*, *Manduca quinquemaculata*, *Manduca sexta*, or the like;

Thysanoptera insects, such as *Frankliniella intonsa*, *Frankliniella occidentalis*, *Heliothrips haemorrhoidalis*, *Scirtothrips dorsalis*, *Thrips palmi*, *Thrips tabaci*, *Ponticulothrips diospyrosi*, or the like;

Hemiptera insects, such as *Dolycoris baccarum*, *Eurydema rugosum*, *Eysarcoris aeneus*, *Eysarcoris lewisi*, *Eysarcoris ventralis*, *Glaucias subpunctatus*, *Halyomorpha halys*, *Nezara antennata*, *Nezara viridula*, *Piezodorus hybneri*, *Plautia crossota*, *Scotinophora lurida*, *Cletus punctiger*, *Leptocorisa chinensis*, *Riptortus clavatus*, *Rhopalus msculatus*, *Cavelerius saccharivorus*, *Togo hemipterus*, *Dysdercus cingulatus*, *Stephanitis pyrioides*, *Halticus insularis*, *Lygus lineolaris*,

Stenodema sibiricum, *Stenotus rubrovittatus*, *Trigonotylus caelestialium*, *Arboridia apicalis*, *Balclutha saltuella*, *Epiacanthus stramineus*, *Empoasca fabae*, *Empoasca nipponica*, *Empoasca onukii*, *Empoasca sakaii*, *Macrosteles striifrons*, *Nephotettix cincticeps*, *Psuedatomoscelis seriatus*, *Laodelphax striatella*, *Nilaparvata lugens*, *Sogatella furcifera*, *Diaphorina citri*, *Psylla pyrisuga*, *Aleurocanthus spiniferus*, *Bemisia argentifolii*, *Bemisia tabaci*, *Dialeurodes citri*, *Trialeurodes vaporariorum*, *Viteus vitifolii*, *Aphis gossypii*, *Aphis spiraecola*, *Myzus persicae*, *Toxoptera aurantii*, *Drosicha corpulenta*, *Icerya purchasi*, *Phenacoccus solani*, *Planococcus citri*, *Planococcus kuraunhae*, *Pseudococcus comstocki*, *Ceroplastes ceriferus*, *Ceroplastes rubens*, *Aonidiella aurantii*, *Comstockaspis perniciosa*, *Fiorinia theae*, *Pseudaonidia paeoniae*, *Pseudaulacaspis pentagona*, *Pseudaulacaspis prunicola*, *Unaspis euonymi*, *Unaspis yanonensis*, *Cimex lectularius*, or the like;

Coleoptera insects, such as *Anomala cuprea*, *Anomala rufocuprea*, *Gametis jucunda*, *Heptophylla picea*, *Popillia japonica*, *Lepinotarsa decemlineata*, *Melanotus fortnumi*, *Melanotus tamsuyensis*, *Lasioderma serricorne*, *Epuraea domina*, *Epilachna varivestis*, *Epilachna vigintioctopunctata*, *Tenebrio molitor*, *Tribolium castaneum*, *Anoplophora malasiaca*, *Monochamus alternatus*, *Psacothaea hilaris*, *Xylotrechus pyrrhoderus*, *Callosobruchus chinensis*, *Aulacophora femoralis*, *Chaetocnema concinna*, *Diabrotica undecimpunctata*, *Diabrotica virgifera*, *Diabrotica barberi*, *Oulema oryzae*, *Phyllotreta striolata*, *Psylliodes angusticollis*, *Rhynchites heros*, *Cylas formicarius*, *Anthonomus grandis*, *Echinocnemus squameus*, *Euscepes postfasciatus*, *Hypera postica*, *Lissohoptrus oryzophilus*, *Otiorhynchus sulcatus*, *Sitophilus granarius*, *Sitophilus zeamais*, *Sphenophorus venatus vestitus*, *Paederus fuscipes*, or the like;

Diptera insects, such as *Asphondylia yushimai*, *Sitodiplosis mosellana*, *Bactrocera cucurbitae*, *Bactrocera dorsalis*, *Ceratitis capitata*, *Hydrellia griseola*, *Drosophila suzukii*, *Agromyza oryzae*, *Chromatomyia horticola*, *Liriomyza bryoniae*, *Liriomyza chinensis*, *Liriomyza sativae*, *Liriomyza trifolii*, *Delia platura*, *Pegomya cunicularia*, *Rhagoletis pomonella*, *Mayetiola destructor*, *Musca domestica*, *Stomoxys calcitrans*, *Melophagus ovinus*, *Hypoderma bovis*, *Hypoderma lineatum*, *Oestrus ovis*, *Glossina palpalis*, *Glossina morsitans*, *Prosimulium yezoensis*, *Tabanus trigonus*, *Telmatoscopus albipunctatus*, *Leptoconops nipponensis*, *Culex pipiens pallens*, *Aedes aegypti*, *Aedes albopictus*, *Anopheles hyrakanus sinesis*, or the like;

Hymenoptera insects, such as *Apethymus kuri*, *Athalia rosae*, *Arge pagana*, *Neodiprion sertifer*, *Dryocosmus kuriphilus*, *Eciton burchelli*, *Eciton schmitti*,

Camponotus japonicus, *Vespa mandarina*, *Myrmecia* spp., *Solenopsis* spp.,
Monomorium pharaonis, or the like;
Orthoptera insects, such as *Teleogryllus emma*, *Gryllotalpa orientalis*, *Locusta migratoria*, *Oxya yezoensis*, *Schistocerca gregaria*, or the like;
Collembola insects, such as *Onychiurus folsomi*, *Onychiurus sibiricus*, *Bourletiella hortensis*, or the like;
Dictyoptera insect, such as *Periplaneta fuliginosa*, *Periplaneta japonica*, *Blattella germanica*, or the like;
Isoptera insects, such as *Coptotermes formosanus*, *Reticulitermes speratus*,
Odontotermes formosanus, or the like;
Siphonaptera insects, such as *Ctenocephalidae felis*, *Ctenocephalides canis*,
Echidnophaga gallinacea, *Pulex irritans*, *Xenopsylla cheopis*, or the like;
Mallophaga insects, such as *Menacanthus stramineus*, *Bovicola bovis*, or the like;
Anoplura insects, such as *Haematopinus eurysternus*, *Haematopinus suis*,
Linognathus vituli, *Solenopotes capillatus*, or the like;
Tarsonemid mites, such as *Phytonemus pallidus*, *Polyphagotarsonemus latus*,
Tarsonemus bilobatus, or the like;
Eupodid mites, such as *Penthaleus erythrocephalus*, *Penthaleus major*, or the like;
Spider mites, such as *Oligonychus shinkajii*, *Panonychus citri*, *Panonychus mori*,
Panonychus ulmi, *Tetranychus kanzawai*, *Tetranychus urticae*, or the like;
Eriophyid mites, such as *Acaphylla theavagrans*, *Aceria tulipae*, *Aculops lycopersici*,
Aculops pelekassi, *Aculus schlechtendali*, *Eriophyes chibaensis*, *Phyllocoptruta oleivora*, or the like;
Acarid mites, such as *Rhizoglyphus robini*, *Tyrophagus putrescentiae*, *Tyrophagus similis*, or the like;
Bee brood mites, such as *Varroa jacobsoni*, or the like;
Ixodides, such as *Boophilus microplus*, *Rhipicephalus sanguineus*, *Haemaphysalis longicornis*,
Haemaphysalis flava, *Haemaphysalis campanulata*, *Ixodes ovatus*,
Ixodes persulcatus, *Amblyomma* spp., *Dermacentor* spp., or the like;
Cheyletidae, such as *Cheyletiella yasguri*, *Cheyletiella blakei*, or the like;
Demodicidae, such as *Demodex canis*, *Demodex cati*, or the like;
Psoroptidae, such as *Psoroptes ovis*, or the like;
Sarcoptidae, such as *Sarcoptes scabiei*, *Notoedres cati*, *Knemidocoptes* spp., or the like;
Crustacea, such as *Armadillidium vulgare*, or the like;

Gastropoda, such as *Pomacea canaliculata*, *Achatina fulica*, *Meghimatium bilineatum*, *Limax Valentiana*, *Acusta despecta sieboldiana*, *Euhadra peliomphala*, or the like;

Nematodes, such as *Prathylenchus coffeae*, *Prathylenchus penetrans*, *Prathylenchus vulnus*, *Globodera rostochiensis*, *Heterodera glycines*, *Meloidogyne hapla*, *Meloidogyne incognita*, *Aphelenchoides besseyi*, *Bursaphelenchus xylophilus*, or the like. But the present invention is not limited thereto.

[0156] The endo-parasites of domestic animals, domestic fowls, pets and the like that the compounds of the present invention can control concretely include for example the followings:

Nematodes, such as *Haemonchus*, *Trichostrongylus*, *Ostertagia*, *Nematodirus*, *Cooperia*, *Ascaris*, *Bunostomum*, *Oesophagostomum*, *Chabertia*, *Trichuris*, *Strongylus*, *Trichonema*, *Dictyocaulus*, *Capillaria*, *Heterakis*, *Toxocara*, *Ascaridia*, *Oxyuris*, *Ancylostoma*, *Uncinaria*, *Toxascaris*, *Parascaris*, or the like;
Filariidae in nematodes, such as *Wuchereria*, *Brugia*, *Onchoceca*, *Dirofilaria*, *Loa*, or the like;

Dracunculidae in nematodes, such as *Deacunculus*, or the like;

Cestoda, such as *Dipylidium caninum*, *Taenia taeniaeformis*, *Taenia solium*, *Taenia saginata*, *Hymenolepis diminuta*, *Moniezia benedeni*, *Diphylobothrium latum*, *Diphylobothrium erinacei*, *Echinococcus granulosus*, *Echinococcus multilocularis*, or the like;

Trematoda, such as *Fasciola hepatica*, *F.gigantica*, *Paragonimus westermanii*, *Fasciolopsis bruski*, *Eurytrema pancreaticum*, *E.coelomaticum*, *Clonorchis sinensis*, *Schistosoma japonicum*, *Schistosoma haematobium*, *Schistosoma mansoni*, or the like;

Eimeria spp., such as *Eimeria tenella*, *Eimeria acervulina*, *Eimeria brunetti*, *Eimeria maxima*, *Eimeria necatrix*, *Eimeria bovis*, *Eimeria ovinoidalis*, or the like;

Trypanosoma *cruzi*, *Leishmania* spp., *Plasmodium* spp., *Babesia* spp., *Trichomonadidae* spp., *Histomonas* spp., *Giardia* spp., *Toxoplasma* spp., *Entamoeba histolytica*, *Theileria* spp., or the like. But the present invention is not limited thereto.

[0157] Further, the compounds of the present invention are effective for pests acquiring high resistance against existing insecticides such as organic phosphorus compounds, carbamate compounds or pyrethroid compounds, etc.

[0158] That is, the compounds of the present invention can effectively control

pests that belong to insects such as Collembola, Dictyoptera, Orthoptera, Isoptera, Thysanoptera, Hemiptera, Lepidoptera, Coleoptera, Hymenoptera, Diptera, Isoptera and Anoplura, Acarina, Gastropoda and Nematoda, in a low concentration. On the other hand, the compounds of the present invention have an extremely useful characteristic that they have little adverse affect on mammals, fishes, crustaceans and useful insects (beneficial insect such as honeybee, bumblebee or the like, or , natural enemies such as *Aphytis lingnanensis*, *Aphidius colemani*, *Orius strigicollis*, *Amblyseius californicus*, or the like).

[0159] When the compounds of the present invention are used, they can be generally mixed with a suitable solid carrier or liquid carrier, optionally along with surfactant, penetrating agent, spreading agent, thickner, anti-freezing agent, binder, anti-caking agent, disintegrating agent, anti-foaming agent, preservative, stabilizer, and the like, and can be formulated into any desired forms for practical use, such as soluble concentrates, emulsifiable concentrates, wettable powders, water soluble powders, water dispersible granules, water soluble granules, suspension concentrates, concentrated emulsions, suspoemulsions, microemulsions, dustable powders, granules, tablets and emulsifiable gels. From the viewpoint of an elimination or reduction of labor and an improvement of safety, the formulations in any desired forms described above may be included into a water-soluble bag made of water-soluble capsule or water-soluble film.

[0160] The solid carrier includes, for example, natural minerals such as quartz, calcite, sepiolite, dolomite, chalk, kaolinite, pyrofilite, celicite, halocite, methahalocite, kibushi clay, gairome clay, pottery stone, zeaklite, allophane, white sand, mica, talc, bentonite, activated earth, acid china clay, pumice, attapulgit, zeolite and diatomaceous earth, etc., calcined products of natural minerals such as calcined clay, perlite, white sand balloon (loam balloon), vermiculite, attapulgit clay and calcined diatomaceous earth, etc., inorganic salts such as magnesium carbonate, calcium carbonate, sodium carbonate, sodium hydrogen carbonate, ammonium sulfate, sodium sulfate, magnesium sulfate, diammonium hydrogen phosphate, ammonium dihydrogen phosphate and potassium chloride, etc., saccharides such as glucose, fructose, sucrose and lactose, etc., polysaccharides such as starch, powder cellulose and dextrin, etc., organic materials such as urea, urea derivatives, benzoic acid and a salt of benzoic acid, etc., plants such as wood powder, cork powder, corn head stem, walnut shell and tobacco stem, etc., fly ash, white carbon (e.g., hydrated synthetic silica, anhydrous synthetic silica and hydrated

synthetic silicate, etc.) and fertilizers, etc.

[0161] As the liquid carrier, there may be mentioned, for example, aromatic hydrocarbons such as xylene, alkyl(C_9 or C_{10} , etc.)benzene, phenylxylylethane and alkyl(C_1 or C_3 , etc.)naphthalene, etc., aliphatic hydrocarbons such as machine oil, normal paraffin, isoparaffin and naphthene, etc., a mixture of aromatic hydrocarbons and aliphatic hydrocarbons such as kerosene, etc., alcohols such as ethanol, isopropanol, cyclohexanol, phenoxyethanol and benzylalcohol, etc., polyvalent alcohols such as ethylene glycol, propyleneglycol, diethylene glycol, hexylene glycol, polyethylene glycol and polypropyleneglycol, etc., ethers such as propyl cellosolve, butyl cellosolve, phenyl cellosolve, propyleneglycol monomethyl ether, propyleneglycol monoethyl ether, propyleneglycol monopropyl ether, propyleneglycol monobutyl ether and propyleneglycol monophenyl ether, etc., ketones such as acetophenone, cyclohexanone and γ -butyrolactone, etc., esters such as aliphatic acid methyl ester, dialkyl succinate, dialkyl glutamate, dialkyl adipate and dialkyl phthalate, etc., acid amides such as N-alkyl(C_1 , C_8 or C_{12} , etc.)pyrrolidone, etc., oil and fats such as soybean oil, linseed oil, rapeseed oil, coconut oil, cottonseed oil and castor oil, etc., dimethylsulfoxide and water.

[0162] These solid and liquid carriers may be used alone or in combination of two or more kinds in combination.

[0163] As the surfactant, there may be mentioned, for example, nonionic surfactants such as polyoxyethylene alkyl ether, polyoxyethylene alkyl (mono- or di-)phenyl ether, polyoxyethylene (mono-, di- or tri-)styrylphenyl ether, polyoxyethylene polyoxypropylene block copolymer, polyoxyethylene fatty acid (mono- or di-)ester, sorbitan fatty acid ester, polyoxyethylene sorbitan fatty acid ester, castor oil-ethylene oxide adducts, acetylene glycol, acetylene alcohol, ethylene oxide adducts of acetylene glycol, ethylene oxide adducts of acetylene alcohol and alkyl glycoside, etc., anionic surfactants such as alkyl sulfate, alkylbenzenesulfonate, lignine sulfonate, alkylsulfosuccinate, naphthalene sulfonate, alkyl naphthalene sulfonate, formalin condensate salt of naphthalene sulfonic acid, formalin condensate salt of alkyl naphthalene sulfonic acid, polyoxyethylene alkyl ether sulfate or phosphate, polyoxyethylene (mono- or di-)alkylphenyl ether sulfate or phosphate, polyoxyethylene (mono-, di- or tri-)styrylphenyl ether sulfate or phosphate, polycarboxylate (e.g., polyacrylates, polymaleates and copolymer materials of maleic acid and olefin, etc.) and polystyrenesulfonate, etc., cationic surfactants such as alkylamine salt and alkyl quaternary ammonium salt, etc., amphoteric surfactants

such as amino acid type and betaine type, etc., silicone type surfactants and fluorine type surfactants.

[0164] A content of these surfactants is not specifically limited, and it is desirably in the range of 0.05 to 20 parts by weight in general based on 100 parts by weight of the preparation according to the present invention. Also, these surfactants may be used alone or in combination of two or more kinds in combination.

[0165] A dose of the compound of the present invention to be applied may vary depending on the place to be applied, time to be applied, method to be applied, crops to cultivate, etc., and in general, it is suitable in an amount of about 0.005 to 50 kg or so per a hectare (ha) as an amount of the effective ingredient.

[0166] On the other hand, when the compound of the present invention is used for controlling ecto- or endo-parasites of mammals and birds as domestic animals and pets, the effective amount of the compound of the present invention together with additives for formulations can be administered through oral administration, parenteral administration such as injection (intramuscular, subcutaneous, intravenous, intraperitoneal) or the like; transdermal administration such as dipping, spray, bathing, washing, pouring-on and spotting-on, and dusting, or the like; transnasal administration. The compound of the present invention can be also administered through a formed product by use of a strip, a plate, a band, a collar, an ear mark, a limb band, a label apparatus, or the like. In administration, the compound of the present invention can be formed in an arbitrary dosage form that is suited for the administration route.

[0167] The arbitrary dosage form includes solid preparations such as a dustable powder, a granule, wettable powder, a pellete, a tablet, a bolus, a capsule, a formed product containing an active compound; liquid formulations such as an injectable liquid formulation, an oral liquid formulation, a liquid formulation used on skin or in body cavity; solution preparations such as a pour-on agent, a spot-on agent, a flowable agent, an emulsifiable concentrate; semi-solid preparations such as an ointment, gel or the like.

The solid preparations can be mainly used through oral administration or transdermal administration by diluting with water or the like, or by environmental treatment. The solid preparations can be prepared by mixing the active compound with suitable excipients and optionally auxiliary substances and converting to a desired form. The suitable excipients include for example inorganic substances such as carbonates, hydrogen carbonates, phosphates,

aluminum oxide, silica, clay or the like, organic substances such as sugar, cellulose, milled cereal, starch or the like.

[0168] The injectable liquid formulation can be administered intravenously, intramuscularly and subcutaneously. The injectable liquid formulation can be prepared by dissolving an active compound in a suitable solvent and optionally by adding an additive such as a solubilizing agent, an acid, a base, a buffering salt, an antioxidant, and a protective agent or the like. Suitable solvent is for example water, ethanol, butanol, benzyl alcohol, glycerin, propylene glycol, polyethylene glycol, N-methylpyrrolidone, and a mixture thereof, a physiologically permissible vegetable oil, a synthetic oil suitable for injection, or the like. The solubilizing agent includes polyvinyl pyrrolidone, polyoxyethylated castor oil and polyoxyethylated sorbitan ester, or the like. The protective agent includes benzyl alcohol, trichlorobutanol, p-hydroxybenzoic acid ester and n-butanol or the like.

[0169] The oral liquid formulation can be administered directly or after dilution. It can be prepared similarly to the injectable liquid formulation.

[0170] The flowable agent and the emulsifiable concentrate can be administered directly or after dilution through transdermal administration or environmental treatment.

[0171] The liquid formulation used on skin can be administered by pouring on, spreading, rubbing, atomizing, spraying, or dipping (dipping, bathing or washing). These liquid can be prepared similarly to the injectable liquid formulation.

[0172] The pour-on agent and the spot-on agent are poured or atomized on the limited spot on the skin, thereby the active compound can be penetrated into the skin and act in the whole body. The pour-on agent and the spot-on agent can be prepared by dissolving, suspending or emulsifying an active ingredient in a suitable skin-fitted solvent or solvent mixture. If required, an auxiliary substance such as a surfactant, a colorant, an absorption promoting agent, an antioxidant, a light stabilizer and an adhesive, etc. may be added.

[0173] Suitable solvent includes water, alkanol, glycol, polyethylene glycol, polypropylene glycol, glycerin, benzyl alcohol, phenylethanol, phenoxyethanol, ethyl acetate, butyl acetate, benzyl benzoate, dipropylene glycol monomethyl ether, diethylene glycol monobutyl ether, acetone, methyl ethyl ketone, aromatic and/or aliphatic hydrocarbon, vegetable or synthetic oil, DMF, liquid paraffin, light-duty liquid paraffin, silicone, dimethylacetamide, N-methylpyrrolidone or 2,2-dimethyl-4-oxy-methylene-1,3-dioxolane. The absorption promoting agent includes DMSO,

isopropyl myristate, dipropylene glycol pelargonate, silicone oil, aliphatic ester, triglyceride and fatty alcohol. The antioxidant includes sulfite, metabisulfite, ascorbic acid, butylhydroxytoluene, butylhydroxyanisole and tocopherol.

[0174] The emusifiable concentrate can be administered orally, subcutaneously or injectably. The emusifiable concentrate can be prepared by dissolving an active ingredient in a hydrophobic phase or a hydrophilic phase, and then homogenating the resulting solution with a suitable emulsifying agent optionally with further an auxiliary substance such as a colorant, an absorption promoting agent, a protective agent, an antioxidant, a light screen and a thickening agent.

[0175] The hydrophobic phase (oil) includes paraffin oil, silicone oil, sesame-seed oil, oil of almonds, castor oil, synthetic triglyceride, ethyl stearate, di-n-butyl adipate, hexyl laurate, dipropylene glycol pelargonate, ester of branched short chain length aliphatic acid with saturated aliphatic acid of chain length C16 to C18, isopropyl myristate, isopropyl palmitate, capryl/caprylic acid ester of saturated fatty alcohol of chain length C12 to C18, isopropyl stearate, oleyl oleate, decyl oleate, ethyl oleate, ethyl lactate, wax-like fatty acid ester, dibutyl phthalate, diisopropyl adipate, isotridecyl alcohol, 2-octyldodecanol, cetylstearyl alcohol, oleyl alcohol.

[0176] The hydrophilic phase includes water, propylene glycol, glycerin, sorbitol.

[0177] The emulsifying agent includes non-ionic surfactants such as polyoxyethylated castor oil, polyoxyethylated sorbitan mono-olefinate, sorbitan monostearate, glycerin monostearate, polyoxyethyl stearate, alkylphenol polyglycol ether; amphoteric surfactants such as di-sodium N-lauryl β -iminodipropionate, lecithin or the like; anionic surfactants such as sodium lauryl sulfate, fatty alcohol sulfuric acid ether, monoethanol amine salt of mono/dialkylpolyglycol orthophosphate or the like; cationic surfactants such as cetyl chloride trimethylammonium or the like.

[0178] The other auxiliary substance includes carbocymethylcellulose, methylcellulose, polyacrylate, arginate, gelatin, gum arabic, polyvinyl pyrrolidone, polyvinyl alcohol, methylvinyl ether, copolymer of maleic anhydride, polyethylene glycol, wax, colloidal silica.

[0179] The semi-solid preparation can be administered by coating or spreading on the skin, or by introducing in body cavity. The gel can be prepared by adding a thickener in an amount enough to provide a clear substance having a viscosity of ointment in a solution prepared for the injectable liquid formulation as mentioned above.

[0180] Next, formulation examples of the preparation in case where the

compound of the present invention is used are shown below. Provided that formulation examples of the present invention are not limited only thereto. In the interim, in the following Formulation Examples, "part(s)" mean part(s) by weight.

(Wettable powder)

Compound of the present invention	0.1 to 80 parts
Solid carrier	5 to 98.9 parts
Surfactant	1 to 10 parts
Others	0 to 5 parts

As other components, there may be mentioned, for example, a non-caking agent, a decomposition preventing agent, and the like.

(Emulsifiable concentrate)

Compound of the present invention	0.1 to 30 parts
Liquid carrier	45 to 95 parts
Surfactant	4.9 to 15 parts
Others	0 to 10 parts

As other components, there may be mentioned, for example, a spreading agent, a decomposition preventing agent, and the like.

(Suspension concentrate)

Compound of the present invention	0.1 to 70 parts
Liquid carrier	15 to 98.89 parts
Surfactant	1 to 12 parts
Others	0.01 to 30 parts

As other components, there may be mentioned, for example, an antifreezing agent, a thickening agent, and the like.

(Water dispersible granule)

Compound of the present invention	0.1 to 90 parts
Solid carrier	0 to 98.9 parts
Surfactant	1 to 20 parts
Others	0 to 10 parts

As other components, there may be mentioned, for example, a binder, a decomposition preventing agent, and the like.

(Soluble concentrate)

Compound of the present invention	0.01 to 70 parts
Liquid carrier	20 to 99.99 parts
Others	0 to 10 parts

As other components, there may be mentioned, for example, an antifreezing agent, a spreading agent, and the like.

(Granule)

Compound of the present invention	0.01 to 80 parts
Solid carrier	10 to 99.99 parts
Others	0 to 10 parts

As other components, there may be mentioned, for example, a binder, a decomposition preventing agent, and the like.

(Dustable powder)

Compound of the present invention	0.01 to 30 parts
Solid carrier	65 to 99.99 parts
Others	0 to 5 parts

As other components, there may be mentioned, for example, a drift preventing agent, a decomposition preventing agent, and the like.

[0181] Next, formulation examples using the compound of the present invention as an effective ingredient are described in more detail, but the present invention is not limited thereto. In the interim, in the following Formulation Examples, "part(s)" mean part(s) by weight.

(Formulation Example 1) Wettable powder

Compound of the present invention No. 5-075	20 parts
Pyrophyllite	74 parts
Solpol 5039	4 parts

(A mixture of a nonionic surfactant and an anionic surfactant: available from TOHO Chemical Industry Co., LTD, Tradename)

CARPREX #80D	2 parts

(Synthetic hydrated silicic acid: available from Shionogi & Co., Ltd., Tradename)

The above materials are uniformly mixed and pulverized to make wettable powder.

(Formulation Example 2) Emulsion

Compound of the present invention No. 5-075	5 parts
Xylene	75 parts
N-methylpyrrolidone	15 parts
Solpol 2680	5 parts

(A mixture of a nonionic surfactant and an anionic surfactant: available from TOHO Chemical Industry Co., LTD, Tradename)

The above materials are uniformly mixed to make emulsifiable concentrate.

(Formulation Example 3) Suspension concentrate

Compound of the present invention No. 5-075	25 parts
Agrisol S-710	10 parts
(a nonionic surfactant: available from KAO CORPORATION, Tradename)	
Lunox 1000C	0.5 part
(an anionic surfactant: available from TOHO Chemical Industry Co., LTD, Tradename)	
Xanthan gum	0.2 part
Water	64.3 parts

The above materials are uniformly mixed, and then, wet pulverized to make suspension concentrate.

(Formulation Example 4) Water dispersible granule

Compound of the present invention No. 5-075	75 parts
HITENOL NE-15	5 parts
(an anionic surfactant: available from DAI-ICHI KOGYO SEIYAKU CO., LTD., Tradename)	
VANILLEX N	10 parts
(an anionic surfactant: available from Nippon Paper Chemicals Co., Ltd., Tradename)	
CARPREX #80D	10 parts

(Synthetic hydrated silicic acid: available from Shionogi & Co., Ltd., Tradename)

The above materials are uniformly mixed and pulverized, and then, a small amount of water is added to the mixture and the resulting mixture is mixed under stirring, granulated by an extrusion granulator, and dried to make water dispersible granule.

(Formulation Example 5) Granule

Compound of the present invention No. 5-075	5 parts
Bentonite	50 parts
Talc	45 parts

The above materials are uniformly mixed and pulverized, and then, a small amount of water is added to the mixture and the resulting mixture is mixed under stirring, granulated by an extrusion granulator, and dried to make granule.

(Formulation Example 6) Dustable powder

Compound of the present invention No. 5-075	3 parts
CARPREX #80D	0.5 parts
(Synthetic hydrated silicic acid: available from Shionogi & Co., Ltd., Tradename)	

Kaolinite	95 parts

Diisopropyl phosphate	1.5 parts

The above materials are uniformly mixed and pulverized to make dustable powder. When the formulation is used, it is sprayed by diluting with water in 1- to 1000-fold concentration, or directly without dilution.

(Formulation Example 7) Wettable powder preparation

Compound of the present invention No. 5-086	25 parts
Sodium diisobutyl naphthalenesulfonate	1 part
Calcium n-dodecyl benzenesulfonate	10 parts
Alkylaryl polyglycol ether	12 parts
Sodium salt of naphthalenesulfonic acid formalin condensate	3 parts
Emulsion type silicone	1 part
Silicon dioxide	3 parts
Kaoline	45 parts

(Formulation Example 8) Water-soluble concentrate preparation

Compound of the present invention No. 5-086	20 parts
Polyoxyethylene lauryl ether	3 parts
Sodium dioctylsulfosuccinate	3.5 parts
Dimethylsulfoxide	37 parts
2-Propanol	36.5 parts

(Formulation Example 9) Liquid formulation for atomization

Compound of the present invention No. 5-086	2 parts
Dimethylsulfoxide	10 parts
2-Propanol	35 parts
Acetone	53 parts

(Formulation Example 10) Liquid formulation for transdermal administration

Compound of the present invention No. 5-086	5 parts
Hexylene glycol	50 parts
Isopropanol	45 parts

(Formulation Example 11) Liquid formulation for transdermal administration

Compound of the present invention No. 5-086	5 parts
Propylene glycol monomethyl ether	50 parts
Dipropylene glycol	45 parts

(Formulation Example 12) Liquid formulation for transdermal administration (pouring-on)

Compound of the present invention No. 5-086	2 parts
Light-duty liquid paraffin	98 parts
(Formulation Example 13) Liquid formulation for transdermal administration (pouring-on)	
Compound of the present invention No. 5-086	2 parts
Light-duty liquid paraffin	58 parts
Olive oil	30 parts
ODO-H	9 parts
Shinetsu silicone	1 part

[0182] Also, when the compound of the present invention is used as an agricultural chemicals, it may be mixed with other kinds of herbicides, various kinds of insecticides, acaricides, nematocides, fungicides, vegetable growth regulators, synergists, fertilizers, soil improvers, etc., and applied, at the time of preparing the formulation or at the time of spreading, if necessary.

[0183] In particular, by mixing with the other agricultural chemicals or plant hormones and applying the mixture, it can be expected that a cost is reduced due to reduction in a dose to be applied, enlargement in insecticidal spectrum or higher prevention and extinction effect of noxious organisms due to synergistic effect by mixing agricultural chemicals. At this time, it is possible to use the compound with a plural number of the conventionally known agricultural chemicals in combination simultaneously. As the kinds of the agricultural chemicals to be used in admixture with the compound of the present invention, there may be mentioned, for example, the compounds described in Farm Chemicals Handbook, 1999 ed. and the like. Specific examples of the general names can be enumerated below, but the invention is not necessarily limited only thereto.

Fungicides: acibenzolar-S-methyl, acylaminobenzamide, amobam, ampropyfos, anilazine, azaconazole, azoxystrobin, benalaxyl, benodanil, benomyl, benthiazole, benzamacril, binapacryl, biphenyl, bitertanol, bethoxazine, bordeaux mixture, blasticidin-S, bromoconazole, bupirimate, buthiobate, calcium polysulfide, captafol, captan, copper oxychloride, carpropamid, carbendazim, carboxin, CGA-279202 (test name), chinomethionat, chlobenthiazole, chlorfenazol, chloroneb, chlorothalonil, chlozolate, cufraneb, cymoxanil, cyproconazol, cyprodinil, cyprofuram, dazomet, debacarb, dichlorophen, diclobutrazol, dichlofluanid, diclomedeine, dicloran, diethofencarb, diclocymet, difenoconazole, diflumetorim, dimethirimol, dimethomorph, diniconazole, diniconazole-M, dinocap, diphenylamine, dipyrithione,

ditalimfos, dithianon, dodemorph, dodine, drazoxolon, edifenphos, epoxiconazole, etaconazole, ethirimol, etridiazole, famoxadone, fenarimol, febuconazole, fenamidone, fendazosulam, fenfuram, fenhexamid, fencpiclonil, fenpropidin, fenpropimorph, fentin, ferbam, ferimzone, fluazinam, fludioxonil, fluoroimide, fluquinconazole, flusilazole, flusulfamide, flutolanil, flutriafol, folpet, fosetyl-aluminium, fuberidazole, furalaxyl, furametpyr, guazatine, hexachlorobenzene, hexaconazole, hymexazol, imazalil, imibenconazole, iminoctadine, ipconazole, iprobenfos, iprodione, isoprothiolane, iprovalicarb, kasugamycin, kresoxim-methyl, mancopper, mancozeb, maneb, mepanipyrim, mepronil, metalaxyl, metconazole, methasulfocarb, metiram, metominostrobin, myclobutanil, MTF-753 (test name), nabam, nickel bis(dimethyldithiocarbamate), nitrothal-isopropyl, nuarimol, NNF-9425 (test name), octhilinone, ofurace, oxadixyl, oxycarboxin, oxpoconazole fumarate, pefurzoate, penconazole, pencycuron, phthalide, piperalin, polyoxins, potassium hydrogen carbonate, probenazole, prochloraz, procymidone, propamocarb hydrochloride, propiconazole, propineb, pyrazophos, pyrifenoxy, pyrimethanil, pyroquilon, quinomethionate, quinoxifen, quintozone, RH 7281 (test name), sodium hydrogen carbonate, sodium hypochlorite, sulfur, spiroxamine, tebuconazole, tecnazene, tetraconazole, thiabendazole, thiadiazin/milne, thifluzamide, thiophanate-methyl, thiram, tolclofos-methyl, tolylfluanid, triadimefon, toriadimenol, triazoxide, tricyclazole, tridemorph, triflumizole, triforine, triticonazole, validamycin, vinclozolin, zinc sulfate, zineb, ziram, and shiitake mushroom hyphae extract, etc.;

Bactericides: streptomycin, tecloftalam, oxytetracycline, and oxolinic acid, etc.;

Nematocides: aldoxycarb, cadusafos, fosthiazate, fosthietan, oxamyl, and fenamiphos, etc.;

Acaricides: acequinocyl, amitraz, bifenazate, bromopropylate, chinomethionat, chlorobezilate, clofentezine, cyhexatine, dicofol, dienochlor, etoxazole, fenazaquin, fenbutatin oxide, fenpropathrin, fenproximate, halfenprox, hexythiazox, milbemectin, propargite, pyridaben, pyrimidifen, and tebufenpyrad, etc.;

Insecticides: abamectin, acephate, acetamiprid, aldicarb, allethrin, azinphos-methyl, bendiocarb, benfuracarb, bensultap, bifenthrin, buprofezin, butocarboxim, carbaryl, carbofuran, carbosulfan, cartap, chlorfenapyr, chlorpyrifos, chlorfenvinphos, chlorfluazuron, clothianidin, chromafenozide, chlorpyrifos-methyl, cycloprothrin, cyfluthrin, beta-cyfluthrin, cypermethrin, cyromazine, cyhalothrin, lambda-cyhalothrin, deltamethrin, diafenthiuron, diazinon, diacloden, diflubenzuron, dimethylvinphos, diofenolan, disulfoton, dimethoate, emamectin-benzoate, EPN,

esfenvalerate, ethiofencarb, ethiprole, etofenprox, etrimfos, fenitrothion, fenobucarb, fenoxycarb, fenpropathrin, fenvalerate, fipronil, fluacrypyrim, flucythrinate, flufenoxuron, flufenprox, tau-fluvalinate, fonophos, formetanate, formothion, furathiocarb, halofenozide, hexaflumuron, hydramethylnon, imidacloprid, isofenphos, indoxacarb, isoprocarb, isoxathion, lufenuron, malathion, metaldehyde, methamidophos, methidathion, methacrifos, metalcarb, methomyl, methoprene, methoxychlor, methoxyfenozide, monocrotophos, muscalure, nidinotefuran, nitenpyram, omethoate, oxydemeton-methyl, oxamyl, parathion, parathion-methyl, permethrin, phenthoate, phoxim, phorate, phosalone, phosmet, phosphamidon, pirimicarb, pirimiphos-methyl, profenofos, protrifenbute, pymetrozine, pyraclofos, pyriproxyfen, rotenone, sulprofos, silafluofen, spinosad, sulfotep, tebfenozide, teflubenzuron, tefluthorin, terbufos, tetrachlorvinphos, thiacloprid, thiocyclam, thiodicarb, thiamethoxam, thiofanox, thiometon, tolfenpyrad, tralomethrin, trichlorfon, triazuron, triflumuron, and vamidothion, etc.

Examples

[0184] Hereinafter, the present invention will be explained in more detail by specifically referring to Synthetic Examples and Test Examples of the compound of the present invention as working examples to which the present invention is not limited.

(Synthetic Examples)

Synthetic Example 1

Production of the compound of the present invention by use of L-COS (parallel liquid-phase synthesis system of MORITEX Corporation)

[0185] In 15 bials of L-COS in which stirrers were placed, 1.5 mmol of each n-propylamine, i-propylamine, s-butylamine, t-butylamine, n-pentylamine, 2,2-dimethylpropylamine, n-hexylamine, cyclohexylamine, benzylamine, 4-trifluoromethylbenzylamine, 1-phenylethylamine, 2-phenylethylamine, 2-(4-phenoxyphenyl)ethylamine, 3-phenylpropylamine and trans-2-phenylcyclopropylamine was weighed, each bial was covered and placed in a reaction vessel of L-COS. With stirring at room temperature, in each bial, 5 ml of a solution of 4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid in N,N-dimethylformamide-chloroform (1:3) (0.2 mmol/ml), 1 ml of a solution of 4-(dimethylamino) pyridine in chloroform (0.25 mmol/ml), and then 1.5 ml of a solution of 1-ethyl-3-(3-dimethylaminopropyl) carbodiimide hydrochloride in

chloroform (1.0 mmol/ml) were added in that order, and continued to stir at the same temperature for 16 hours. After the completion of the reaction, 3 ml of cold water was added in each bials, and the organic phases were collected, and subjected to purification with medium-pressure preparative liquid chromatography (Yamazen Corporation, medium pressure preparative system; YFLC-Wprep) that was eluted with ethyl acetate-hexane (1:3 to 1:1 gradient), and the aimed product was obtained as white to yellow solid. In addition, the product was confirmed with LC-MS (Waters LC-MS system, detector: ZMD, analysis condition: 254nm, 80%CH₃CN-20%H₂O-0.1%HCOOH, ionization: positive electrospray).

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-n-propylbenzoic acid amide; 0.26 g, [M⁺+H]=444.94.

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-i-propylbenzoic acid amide; 0.23 g, [M⁺+H]=444.94.

N-s-butyl-4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]benzoic acid amide; 0.20 g, [M⁺+H]=458.93.

N-t-butyl-4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]benzoic acid amide; 0.21 g, [M⁺+H]=458.92.

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-n-pentylbenzoic acid amide; 0.31 g, [M⁺+H]=473.02.

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2-dimethylpropyl) benzoic acid amide; 0.27 g, [M⁺+H]=472.94.

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-n-hexylbenzoic acid amide; 0.26 g, [M⁺+H]=486.96.

N-cyclohexyl-4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]benzoic acid amide; 0.26 g, [M⁺+H]=484.93.

N-benzyl-4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]benzoic acid amide; 0.34 g, [M⁺+H]=492.86.

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(4-trifluoromethylbenzyl) benzoic acid amide; 0.34 g, [M⁺+H]=560.97.

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(1-phenylethyl) benzoic acid amide; 0.26 g, [M⁺+H]=506.88.

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2-phenylethyl) benzoic acid amide; 0.37 g, [M⁺+H]=507.01.

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-[2-(4-phenoxyphenyl)ethyl] benzoic acid amide; 0.36 g, [M⁺+H]=598.95.

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(3-phenylpropyl) benzoic acid amide; 0.31 g, $[M^+ + H] = 520.97$.

4-[5-(3,4-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(trans-2-phenylcyclopropyl) benzoic acid amide; 0.21 g, $[M^+ + H] = 518.88$.

Synthetic Example 2

Production of the compound of the present invention by use of L-COS (parallel liquid-phase synthesis system of MORITEX Corporation)

[0186] Ten (10) bials of L-COS in which stirrers were placed were assigned a number of 1 to 10, respectively. 1.0 mmol of 3-chloro-4-fluorophenyl boric acid was weighed in the bials of Nos. 1 and 6, 1.0 mmol of 3,5-bis(trifluoromethyl)phenyl boric acid was weighed in the bials of Nos. 2 and 7, 1.0 mmol of 3-trifluoromethylphenyl boric acid was weighed in the bials of Nos. 3 and 8, 1.0 mmol of 3-trifluoromethoxyphenyl boric acid was weighed in the bials of Nos. 4 and 9, and 1.0 mmol of 2-naphthyl boric acid was weighed in the bials of Nos. 5 and 10. Then, 0.05 mmol of dichlorobis(triphenylphosphine) palladium (II) was added in each bial, the bial was filled with nitrogen and covered, and placed in a reaction vessel of L-COS. With stirring at room temperature, in each bial, 3 ml of a solution of 2-bromo-3,3,3-trifluoropropene in 1,2-dimethoxyethane (0.5 mmol/ml), 1.5 ml of water, and then 1 ml of a solution of triethylamine in 1,2-dimethoxyethane (6.0 mmol/ml) were added in that order, and stirred at 75°C for 3.5 hours. Then, the bials were cooled to 0°C, 1.5 ml of a solution of N-benzyl-4-(chlorohydroxyiminomethyl) benzoic acid amide in 1,2-dimethoxyethane (0.7 mmol/ml) was added in the bials of Nos. 1 to 5, and 1.5 ml of a solution of 4-chlorohydroxyiminomethyl-N-(2,2,2-trifluoroethyl) benzoic acid amide in 1,2-dimethoxyethane (0.7 mmol/ml) was added in the bials of Nos. 6 to 10, and the bials were continued to stir at room temperature for 16 hours. After the completion of the reaction, the organic phase was collected, aqueous phase was extracted with 5 ml of chloroform, the chloroform was added to the organic phase, and the solvent was distilled off under reduced pressure. The residue was subjected to purification with medium-pressure preparative liquid chromatography (Yamazen Corporation, medium pressure preparative system; YFLC-Wprep) that was eluted with ethyl acetate-hexane (1:3 to 1:1 gradient), and the aimed product was obtained as white to yellow solid. In addition, the product was confirmed with LC-MS (Waters LC-MS system, detector: ZMD, analysis condition: 254nm, 80%CH₃CN-20%H₂O-0.1%HCOOH, ionization: positive electrospray).

N-benzyl-4-[5-(3-chloro-4-fluorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid amide; 0.28 g, $[M^+ + H] = 476.80$.

N-benzyl-4-[5-[3,5-bis(trifluoromethyl)phenyl]-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid amide; 0.25 g, $[M^+ + H] = 560.76$.

N-benzyl-4-[5-(3-trifluoromethylphenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid amide; 0.26 g, $[M^+ + H] = 492.82$.

N-benzyl-4-[5-(3-trifluoromethoxyphenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid amide; 0.25 g, $[M^+ + H] = 508.80$.

N-benzyl-4-[5-(2-naphthyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid amide; 0.09 g, $[M^+ + H] = 474.86$.

4-[5-(3-chloro-4-fluorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide; 0.29 g, $[M^+ + H] = 468.76$.

4-[5-[3,5-bis(trifluoromethyl)phenyl]-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide; 0.29 g, $[M^+ + H] = 552.72$.

4-[5-(3-trifluoromethylphenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide; 0.18 g, $[M^+ + H] = 484.78$.

4-[5-(3-trifluoromethoxyphenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide; 0.27 g, $[M^+ + H] = 500.76$.

4-[5-(2-naphthyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide; 0.14 g, $[M^+ + H] = 466.83$.

Synthetic Example 3

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 3-060)

Step 1: Production of 3,5-dichloro-1-(1-trifluoromethylethenyl)benzene

[0187] In a solution of 25.0 g of 3,5-dichlorophenyl boric acid in 200 ml of tetrahydrofuran and 100 ml of water, 27.5 g of 2-bromo-3,3,3-trifluoropropene, 38.0 g of potassium carbonate and 1.84 g of dichlorobis(triphenylphosphine) palladium (II) were added, and stirred under reflux with heat for 3 hours. After the completion of the reaction and cooling to room temperature, 500 ml of ice water was added, and extracted with ethyl acetate (500 ml x 1). The organic phase was washed with water, dried over anhydrous sodium sulfate, the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with hexane, and 25.7 g of the aimed product was obtained as colorless oily substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ 7.41 (t, J=2.0Hz, 1H), 7.3-7.35 (m, 2H), 6.05 (q, J=3.2Hz, 1H), 5.82 (q, J=3.2Hz, 1H).

Step 2: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid methyl ester

[0188] In a solution of 2.70 g of 4-(hydroxyiminomethyl)methyl benzoic acid methyl ester in 15 ml of N,N-dimethylformamide, 2.04 g of N-chlorosuccinic acid imide was added, and stirred at 40°C for 40 minutes. Then, the reaction mixture was cooled to 0°C, 3.40 g of 3,5-dichloro-1-(1-trifluoromethylethenyl) benzene and 1.72 g of triethylamine were added, continued to stir at room temperature for 18 hours. After the completion of the reaction, the reaction mixture was poured into 100 ml of ice water, extracted with ethyl acetate (50 ml x 2), the organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residual solid was subjected to purification with medium-pressure preparative liquid chromatography (Yamazen Corporation, medium pressure preparative system; YFLC-Wprep) that was eluted with ethyl acetate-hexane (1:1 to 1:3 gradient), and 4.05 g of the aimed product was obtained as white crystal.

Melting point 94.0 to 96.0°C

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ 8.10 (d, J=8.4Hz, 2H), 7.74 (d, J=8.4Hz, 2H), 7.43 (s, 2H), 7.26 (s, 1H), 4.12 (d, J=17.3Hz, 1H), 3.94 (s, 3H), 3.74 (d, J=17.3Hz, 1H).

Step 3: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid

[0189] In a solution of 3.99 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid methyl ester in 50 ml of methanol, a solution of 2.00 g of potassium hydroxide in 25 ml of water was added, stirred at room temperature for 3 days and then at 40°C for 5 hours. After the completion of the reaction, the reaction mixture was cooled with ice, and poured in 200 ml of water, and adjusted to pH 1-2 with concentrated hydrochloric acid, and then extracted with ethyl acetate (50 ml x 2), the organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure to obtain 3.87 g of the aimed product as pale yellow crystal.

Melting point 237.0 to 240.0°C

¹H NMR (CDCl₃-DMSO-d₆, Me₄Si, 300MHz) δ 8.09 (d, J=8.4Hz, 2H), 7.76 (d, J=8.4Hz, 2H), 7.54 (s, 2H), 7.44 (s, 1H), 4.18 (d, J=17.7Hz, 1H), 3.86 (d, J=17.7Hz, 1H).

Step 4: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0190] In a suspension of 1.00 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid in 10 ml of benzene, 0.44 g of thionyl chloride and a catalytic amount (2 to 3 drops) of N,N-dimethylformamide were added, and stirred under reflux with heat for 2.5 hours. After the completion of the reaction, the solvent was distilled off under reduced pressure to obtain 1.81 g of crude 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid chloride as pale yellow oily substance.

In a solution of 0.29 g of 2,2,2-trifluoroethylamine and 0.37 g of triethylamine in 20 ml of chloroform, 1.81 g of the crude 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid chloride dissolved in 10 ml of chloroform was added dropwise with cooling with ice and with stirring. After the completion of addition dropwise, the mixture was continued to stir at room temperature further for 30 minutes. After the completion of the reaction, the reaction mixture was poured in 100 ml of water, and extracted with chloroform (20 ml x 3), the organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and passed through a glass filter packed with silica gel, and then the solvent was distilled off under reduced pressure. The residual solid was washed with hexane to obtain 1.05 g of the aimed product as white crystal.

Melting point 94.0 to 96.0°C

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ 7.86 (d, J=8.4Hz, 2H), 7.76 (d, J=8.4Hz, 2H), 7.51 (s, 2H), 7.44 (s, 1H), 6.47 (t, J=6.3Hz, 1H), 4.14 (qd, J=18.5, 6.3Hz, 2H), 4.11 (d, J=17.4Hz, 1H), 3.73 (d, J=17.4Hz, 1H).

Synthetic Example 4

N-Benzyl-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-fluoro benzoic acid amide (Compound of the present invention No. 5-039)

Step 1: Production of 3-(4-bromomethyl-3-fluorophenyl)-5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole

[0191] In a solution of 1.50 g of 5-(3,5-dichlorophenyl)-3-(3-fluoro-4-methylphenyl)-5-trifluoromethyl-4,5-dihydroisoxazole synthesized from 3-fluoro-4-

methylphenylaldoxime and 3,5-dichloro-1-(1-trifluoromethylethenyl) benzene similarly to Step 2 of Synthetic Example 3 in 50 ml of 1,2-dichloroethane, 0.68 g of N-bromosuccinic acid imide and a catalytic amount of azobisisobutyronitrile were added, and stirred under nitrogen atmosphere and under reflux with heat for 1 hour. After the completion of the reaction, the reaction mixture was left and cooled to room temperature, poured in 50 ml of water, extracted with chloroform (50 ml x 1). The organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure to obtain crude aimed product as pale yellow oily substance. The resulting product was used as such without purification for the next step.

^1H NMR (CDCl_3 , Me_4Si , 400MHz) δ 7.45-7.6 (m, 6H), 4.51 (s, 2H), 4.05 (d, $J=17.2\text{Hz}$, 1H), 3.67 (d, $J=17.2\text{Hz}$, 1H).

Step 2: Production of 3-(4-acetoxymethyl-3-fluorophenyl)-5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole

[0192] In a solution of crude 3-(4-bromomethyl-3-fluorophenyl)-5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole in 30 ml of acetic acid, 1.50 g of potassium acetate was added, and stirred under reflux with heat for 1.5 hour. After the completion of the reaction, the reaction mixture was left and cooled to room temperature, and neutralized by pouring in 100 ml of saturated sodium hydrogen carbonate aqueous solution. The organic phase was collected, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure to obtain 1.50 g of crude aimed product as pale yellow oily substance. The resulting product was used as such without purification for the next step.

^1H NMR (CDCl_3 , Me_4Si , 400MHz) δ 7.2-7.55 (m, 6H), 5.20 (s, 2H), 4.05 (d, $J=17.2\text{Hz}$, 1H), 3.67 (d, $J=17.2\text{Hz}$, 1H), 2.14 (s, 3H).

Step 3: Production of 5-(3,5-dichlorophenyl)-3-(3-fluoro-4-hydroxymethylphenyl)-5-trifluoromethyl-4,5-dihydroisoxazole

[0193] In a solution of 1.50 g of crude 3-(4-acetoxymethyl-3-fluorophenyl)-5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole in 10 ml of ethanol, 2.00 g of sodium hydroxide dissolved in 20 ml of water was added, and stirred under reflux with heat for 4.5 hours. After the completion of the reaction, the reaction mixture was cooled with ice, and adjusted to pH 2-3 by carefully adding concentrated hydrochloric acid, and extracted with ethyl acetate (50 ml x 1). The organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over

anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluated with ethyl acetate-hexane (1:2) to obtain 0.95 g of the aimed product as pale yellow resinous substance.

^1H NMR (CDCl_3 , Me_4Si , 400MHz) δ 7.5-7.6 (m, 3H), 7.4-7.45 (m, 3H), 4.81 (s, 2H), 4.06 (d, $J=17.2\text{Hz}$, 1H), 3.68 (d, $J=17.2\text{Hz}$, 1H), 1.87 (bs, 1H).

Step 4: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-fluoro benzoic acid

[0194] In a solution of 0.95 g of 5-(3,5-dichlorophenyl)-3-(3-fluoro-4-hydroxymethylphenyl)-5-trifluoromethyl-4,5-dihydroisoxazole in 25 ml of acetone, Johnes' Reagent prepared from 1.50 g of chromic acid, 1.2 ml of concentrated sulfuric acid and 7 ml of water was added dropwise under cooling with ice and with stirring, after the completion of the addition dropwise, continued to stir at room temperature for further 1.5 hour. After the completion of the reaction, the reaction mixture was poured in 50 ml of water and extracted with diethyl ether (50 ml x 1). The organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residual solid was washed with hexane to obtain 0.67 g of the aimed product as beige crystal.

Melting point 172.0 to 174.0°C

^1H NMR (CDCl_3 , Me_4Si , 300MHz) δ 8.05-8.15 (m, 1H), 7.45-7.55 (m, 5H), 4.08 (d, $J=17.3\text{Hz}$, 1H), 3.71 (d, $J=17.3\text{Hz}$, 1H).

Step 5: Production of N-benzyl-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-fluoro benzoic acid amide

[0195] In a solution of 0.15 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-fluoro benzoic acid in 10 ml of dichloromethane, 0.3 ml of oxalyl chloride and 2 drops of N,N-dimethylformamide were added at room temperature, and stirred at the same temperature for 10 minutes. After the completion of the reaction, the solvent was distilled off under reduced pressure, the remaining white solid was dissolved in 10 ml of chloroform, and 0.3 ml of benzylamine and then 0.3 ml of triethylamine were added under cooling with ice, after the completion of the addition, continued to stir at room temperature for further 20 minutes. After the completion of the reaction, 40 ml of water was poured in the reaction mixture, and extracted with ethyl acetate (50 ml x 1). The organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over

anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:2) to obtain 0.14 g of the aimed product as white crystal.

Melting point 172.0 to 176.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ 8.20 (t, J=8.0Hz, 1H), 7.25-7.55 (m, 10H), 7.05 (t, J=5.6Hz, 1H), 4.68 (d, J=5.6Hz, 2H), 4.07 (d, J=17.6Hz, 1H), 3.70 (d, J=17.6Hz, 1H).

Synthetic Example 5

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-nitro-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 5-339)

Step 1: Production of 4-bromo-3-nitrobenzaldoxime

[0196] In a solution of 5.0 g of 4-bromo-3-nitrobenzaldehyde in 50 ml of methanol, 3.6 ml of 50% hydroxyamine aqueous solution was added with stirring at room temperature, and continued to stir at the same temperature for 18 hours. After the completion of the reaction, 60 ml of water was added in the reaction mixture, and precipitated solid was filtered off, washed with water and then dried to obtain 5.0 g of the aimed product as yellow crystal.

¹H NMR (CDCl₃-DMSO-d₆, Me₄Si, 400MHz) δ 11.18 (s, 1H), 8.09 (s, 1H), 8.07 (d, J=2.0Hz, 1H), 7.73 (d, J=8.4Hz, 1H), 7.62 (dd, J=8.4, 2.0Hz, 1H).

Step 2: Production of 3-(4-bromo-3-nitrophenyl)-5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole

[0197] In a solution of 1.27 g of 4-bromo-3-nitrobenzaldoxime in 16 ml of N,N-dimethylformamide, 0.74 g of N-chlorosuccinic acid imide was added, and stirred at 35°C for 90 minutes. Then, the reaction mixture was cooled with ice, 1.20 g of 3,5-dichloro-1-(1-trifluoromethylethenyl) benzene synthesized in Step 1 of Synthetic Example 3 and 0.60 g of triethylamine were added, continued to stir at room temperature for 18 hours. After the completion of the reaction, the reaction mixture was poured in 50 ml of ice water, extracted with ethyl acetate (50 ml x 2), the organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residual solid was subjected to purification with medium-pressure preparative liquid chromatography (Yamazen Corporation, medium pressure preparative system; YFLC-Wprep) that was eluted with ethyl acetate-hexane (1:2 to 1:4 gradient), and 1.10 g of the aimed product was obtained as yellow crystal.

Melting point 179.0 to 181.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ 8.06 (d, J=2.0Hz, 1H), 7.84 (d, J=8.4Hz, 1H), 7.78 (dd, J=8.4, 2.0Hz, 1H), 7.45-7.55 (m, 2H), 7.45 (t, J=1.8Hz, 1H), 4.09 (d, J=17.2Hz, 1H), 3.72 (d, J=17.4Hz, 1H).

Step 3: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-nitrobenzoic acid ethyl ester

[0198] In a solution of 2.0 g of 3-(4-bromo-3-nitrophenyl)-5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole in 30 ml of ethanol in an autoclave, 0.40 g of sodium acetate, 88.0 mg of 1,1'-bis(diphenylphosphino) ferrocene and 18.0 mg of palladium (II) acetate were added, and stirred under 0.9 MPa carbon monoxide atmosphere at 100°C for 3 hours. After the completion of the reaction, the reaction mixture was left and cooled to room temperature, and the solvent was distilled off under reduced pressure, and the residue was dissolved in 100 ml of ethyl acetate, washed with water, dried over anhydrous sodium sulfate and the solvent was distilled off under reduced pressure. The residual solid was subjected to purification with medium-pressure preparative liquid chromatography (Yamazen Corporation, medium pressure preparative system; YFLC-Wprep) that was eluted with ethyl acetate-hexane (1:2 to 1:4 gradient), and 0.66 g of the aimed product was obtained as pale yellow crystal.

Melting point 160.0 to 162.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ 8.13 (d, J=1.6Hz, 1H), 7.99 (dd, J=8.1, 1.6Hz, 1H), 7.83 (d, J=8.1Hz, 1H), 7.45-7.55 (m, 2H), 7.45 (t, J=1.8Hz, 1H), 4.41 (q, J=7.1Hz, 2H), 4.11 (d, J=17.2Hz, 1H), 3.74 (d, J=17.8Hz, 1H), 1.37 (t, J=7.1Hz, 3H).

Step 4: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-nitro-N-(2-pyridylmethyl) benzoic acid amide

[0199] In a solution of 0.36 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-nitrobenzoic acid ethyl ester in 8 ml of ethanol, a solution of 0.40 g of potassium hydroxide in 2 ml of water was added, and stirred at room temperature for 3 hours. After the completion of the reaction, the reaction mixture was poured in 15 ml of water, adjusted to pH 4 with concentrated hydrochloric acid, then extracted with ethyl acetate (20 ml x 2), the organic phase was washed with water, and then dehydrated with saturated sodium chloride aqueous solution and dried over over anhydrous sodium sulfate and the solvent was distilled off under reduced pressure to obtain 0.40 g of crude 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-nitro benzoic acid as pale yellow oily

substance. The substance was dissolved in 10 ml of chloroform, and 0.24 g of 2-picolyamine, 0.01 g of 4-(N,N-dimethylamino)pyridine and 0.35 g of 1-[3-(diethylamino)propyl]-3-ethylcarbodiimide hydrochloride were added, and stirred at room temperature for 18 hours. After the completion of the reaction, the solvent was distilled off under reduced pressure. The residue was subjected to purification with medium-pressure preparative liquid chromatography (Yamazen Corporation, medium pressure preparative system; YFLC-Wprep) that was eluted with ethyl acetate-hexane (1:1 to 1:0 gradient), and 0.14 g of the aimed product was obtained as colorless resinous substance.

¹H NMR (CDCl₃-DMSO-d₆, Me₄Si, 300MHz) δ 8.50 (d, J=4.8Hz, 1H), 8.25 (d, J=1.7Hz, 1H), 8.03 (dd, J=8.1, 1.6Hz, 1H), 7.72 (td, J=7.7, 1.6Hz, 1H), 7.68 (d, J=8.1Hz, 1H), 7.51 (d, J=1.5Hz, 2H), 7.45 (t, J=1.8Hz, 1H), 7.43 (bs, 1H), 7.36 (d, J=7.9Hz, 1H), 7.23 (dd, J=6.8, 5.3Hz, 1H), 4.76 (d, J=4.8Hz, 2H), 4.13 (d, J=17.4Hz, 1H), 3.76 (d, J=17.4Hz, 1H).

Synthetic Example 6

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methoxy-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-317)

Step 1: Production of 4-hydroxyiminomethyl-2-methoxyphenyl trifluoromethane sulfonate

[0200] In a solution of 3.0 g of 4-hydroxy-3-methoxybenzaldehyde and 2.4 g of triethylamine in 50 ml of dichloromethane, 5.8 g of trifluoromethane sulfonic acid anhydride was added dropwise under cooling with ice and with stirring, after the completion of the addition dropwise, continued to stir at the same temperature for 30 minutes. After the completion of the reaction, the reaction mixture was washed with 50 ml of water and then with 30 ml of saturated sodium hydrogen carbonate aqueous solution, and dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, and then the solvent was distilled off under reduced pressure. The residue was dissolved in a mixture of 30 ml of ethanol and 15 ml of water, 1.4 g of hydroxyamine hydrochloride and 1.7 g of sodium acetate were added with stirring at room temperature, and continued to stir at the same temperature for further 1 hour. After the completion of the reaction, the solvent was distilled off under reduced pressure, extracted with ethyl acetate (40 ml x 2), the organic phase was washed with water (30 ml x 1), and then dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium

sulfate, and then the solvent was distilled off under reduced pressure to obtain 5.25 g of the aimed product as brown oily substance.

Refractive index $n_D^{20.2^\circ\text{C}} = 1.5082$

^1H NMR (CDCl_3 -DMSO- d_6 , Me_4Si , 300MHz) δ 8.47 (bs, 1H), 8.11 (s, 1H), 7.32 (s, 1H), 7.24 (d, $J=8.1\text{Hz}$, 1H), 7.10 (d, $J=8.1\text{Hz}$, 1H), 3.94 (s, 3H).

Step 2: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methoxyphenyl trifluoromethane sulfonate

[0201] In a solution of 2.0 g of 4-hydroxyiminomethyl-2-methoxyphenyl trifluoromethane sulfonate in 30 ml of N,N-dimethylformamide, 0.9 g of N-chlorosuccinic acid imide was added, and stirred at 40 to 50°C for 30 minutes. Then, the reaction mixture was left and cooled to room temperature, 1.5 g of 3,5-dichloro-1-(1-trifluoromethylethenyl) benzene synthesized in Step 1 of Synthetic Example 3 and 0.7 g of triethylamine were added, and stirred at room temperature for 90 minutes. After the completion of the reaction, the reaction mixture was poured in 100 ml of ice water, extracted with ethyl acetate (50 ml x 2), the organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:7), and 1.4 g of the aimed product was obtained as colorless resinous substance.

^1H NMR (CDCl_3 , Me_4Si , 300MHz) δ 7.50 (s, 2H), 7.44 (s, 1H), 7.25-7.3 (m, 2H), 7.11 (d, $J=8.4\text{Hz}$, 1H), 4.08 (d, $J=17.1\text{Hz}$, 1H), 3.97 (s, 3H), 3.69 (d, $J=17.1\text{Hz}$, 1H).

Step 3: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methoxy benzoic acid ethyl ester

[0202] In a solution of 1.50 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methoxyphenyl trifluoromethane sulfonate in 25 ml of ethanol in an autoclave, 0.27 g of sodium acetate, 31.0 mg of 1,1'-bis(diphenylphosphino) ferrocene and 7.0 mg of palladium (II) acetate were added, and stirred under 0.96 Mpa carbon monoxide atmosphere at 100°C for 2 hours. After the completion of the reaction, the reaction mixture was left and cooled to room temperature, and the reaction mixture was poured in 100 ml of ice water, extracted with ethyl acetate (40 ml x 2). The organic phases together were dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:5),

and 1.20 g of the aimed product was obtained as white crystal.

Melting point 142.0-144.0°C

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ 7.82 (d, J=7.8Hz, 1H), 7.51 (s, 2H), 7.4-7.45 (m, 2H), 7.10 (d, J=7.8Hz, 1H), 4.37 (q, J=7.2Hz, 2H), 4.10 (d, J=17.4Hz, 1H), 3.95 (s, 3H), 3.71 (d, J=17.4Hz, 1H), 1.39 (t, J=7.2Hz, 3H).

Step 4: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methoxy benzoic acid

[0203] In a solution of 1.07 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methoxy benzoic acid ethyl ester in 30 ml of ethanol, a solution of 1.0 g of sodium hydroxide in 30 ml of water was added, stirred at 85°C for 1 hour. After the completion of the reaction, the solvent was distilled off under reduced pressure. The residue was adjusted to pH 2 to 3 with concentrated hydrochloric acid, and extracted with ethyl acetate (30 ml x 2). The organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, and then the solvent was distilled off under reduced pressure to obtain 1.0 g of the aimed product as pale yellow resinous substance. ¹H NMR (CDCl₃, Me₄Si, 300MHz) δ 10.67 (bs, 1H), 8.24 (d, J=7.8Hz, 1H), 7.57 (s, 1H), 7.51 (s, 2H), 7.45 (s, 1H), 7.22 (d, J=7.8Hz, 1H), 4.05-4.15 (m, 4H), 3.74 (d, J=17.4Hz, 1H).

Step 5: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methoxy-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0204] In a suspension of 0.25 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methoxy benzoic acid in 15 ml of dichloromethane, 0.09 g of oxalyl chloride and 1 drop of N,N-dimethylformamide were added, and stirred at room temperature for 1 hour. After the completion of the reaction, the solvent was distilled off under reduced pressure, the residue was dissolved in 15 ml of dichloromethane, and 0.09 g of triethylamine was added under cooling with ice, then 0.07 g of 2,2,2-trifluoroethylamine was added dropwise. After the completion of addition dropwise, the mixture was continued to stir at the same temperature for further 2 hours. Thereafter, the reaction mixture was diluted with 60 ml of chloroform, washed with 50 ml of water, then dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:2) to obtain 0.25 g of the aimed product as colorless resinous substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ8.2-8.3 (m, 2H), 7.51 (s, 3H), 7.43 (s, 1H), 7.17 (d, J=7.8Hz, 1H), 4.05-4.2 (m, 3H), 4.05 (s, 3H), 3.74 (d, J=17.4Hz, 1H).

Synthetic Example 7

4-[5-(4-Fluoro-3-methylphenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 3-141)

Step 1: Production of 4-formyl-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0205] In a suspension of 1.00 g of 4-formyl benzoic acid in 15 ml of benzene, 0.87 g of thionyl chloride and 2 drops of N,N-dimethylformamide were added, and stirred under reflux with heat for 2 hours. After the completion of the reaction, the reaction mixture was left and cooled to room temperature, and the solvent was distilled off under reduced pressure to obtain 1.14 g of crude 4-formyl benzoic acid chloride as white crystal. In a solution of 0.66 g of 2,2,2-trifluoroethylamine and 0.81 g of triethylamine in 6 ml of chloroform, the solution of 1.14 g of the crude 4-formyl benzoic acid chloride in 6 ml of chloroform was added dropwise under cooling with ice and with stirring, after the completion of the addition dropwise, continued to stir at room temperature for further 18 hours. After the completion of the reaction, the reaction mixture was added in 30 ml of water, extracted with chloroform (20 ml x 3). The organic phase was washed with water, dried over anhydrous sodium sulfate, the solvent was distilled off under reduced pressure, the residual solid was washed with hexane to obtain 1.32 g of the aimed product as white crystal.

Melting point 83.0 to 84.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ10.09 (s, 1H), 7.96 (bs, 4H), 6.80 (bs, 1H), 4.05-4.25 (m, 2H).

Step 2: Production of 4-hydroxyiminomethyl-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0206] In a solution of 4.11 g of 4-formyl-N-(2,2,2-trifluoroethyl) benzoic acid amide in 30 ml of ethanol and 10 ml of water, 1.99 g of hydroxylamine hydrochloride and 2.51 g of anhydrous sodium acetate were added, stirred at room temperature for 3.5 hours. After the completion of the reaction, the reaction mixture was poured in 100 ml of water, and then extracted with ethyl acetate (30 ml x 3), the organic phase was washed with 50 ml of saturated sodium hydrogen carbonate aqueous solution, then dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residual solid was washed with hexane to obtain 3.92 g of

the aimed product as white crystal.

Melting point 153.0 to 154.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ10.89 (s, 1H), 8.08 (s, 1H), 8.03 (bs, 1H), 7.84 (d, J=8.2Hz, 2H), 7.60 (d, J=8.2Hz, 2H), 3.95-4.1 (m, 2H).

Step 3: Production of 4-chlorohydroxyiminomethyl-(2,2,2-trifluoroethyl) benzoic acid amide

[0207] In a solution of 3.80 g of 4-hydroxyiminomethyl-N-(2,2,2-trifluoroethyl) benzoic acid amide in 50 ml of tetrahydrofuran, 20 ml of 3N hydrochloric acid was added, 14 ml of 8% sodium hypochlorite aqueous solution was added dropwise with stirring under ice cooling over 10 minutes, after the completion of addition dropwise, continued to stir at the same temperature for further 15 minutes. After the completion of the reaction, the reaction mixture was poured in 200 ml of water, extracted with ethyl acetate (30 ml x 3), the organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and the solvent was distilled off under reduced pressure. The residual solid was washed with hexane to obtain 4.15 g of the product as white crystal.

Melting point 158.0 to 160.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ12.03 (s, 1H), 8.05 (t, J=6.0Hz, 1H), 7.93 (bs, 4H), 3.95-4.15 (m, 2H).

Step 4: Production of 4-[5-(4-fluoro-3-methylphenyl)-5-trifluoromethyl-4,5-dihydrooxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0208] In a solution of 0.21 g of 4-fluoro-3-methylphenyl boric acid and 0.23 g of 2-bromo-3,3,3-trifluoropropene in 6 ml of 1,2-dimethoxyethane and 2 ml of water, 0.24 g of sodium carbonate and 0.05 g of dichlorobis(triphenylphosphine) palladium (II) were added, stirred at 75°C for 3 hours. Then, the reaction mixture was left and cooled to room temperature, then a solution of 0.25 g of 4-chlorohydroxyiminomethyl-N-(2,2,2-trifluoroethyl) benzoic acid amide in 4 ml of 1,2-dimethoxyethane was added, continued to stir at the same temperature for further 18 hours. After the completion of the reaction, the reaction mixture was poured in 50 ml of water, extracted with ethyl acetate (10 ml x 3), the organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and the solvent was distilled off under reduced pressure. The residual solid was purified with silica gel column chromatography that was eluted with chloroform to obtain 0.24 g of the product as white crystal.

Melting point 151.0 to 152.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ7.86 (d, J=8.4Hz, 2H), 7.76 (d, J=8.4Hz, 2H), 7.35-7.5 (m, 2H), 7.0-7.15 (m, 1H), 6.39 (t, J=6.3Hz, 1H), 4.05-4.25 (m, 2H), 4.09 (d, J=17.3Hz, 1H), 3.74 (d, J=17.3Hz, 1H), 2.32 (d, J=1.7Hz, 3H).

Synthetic Example 8

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-075)

Step 1: Production of 4-bromo-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0209] In a solution of 5.00 g of 4-bromo-2-methyl benzoic acid and 3.45 g of 2,2,2-trifluoroethylamine in 30 ml of N,N-dimethylformamide, 5.79 g of 1-[3-(diethylamino)propyl]-3-ethylcarbodiimide hydrochloride was added with stirring at room temperature, and stirred at the same temperature for 1.5 hour. After the completion of the reaction, 80 ml of water was added, and precipitated crystal was filtered off, washed with water and dried to obtain 4.00 g of the aimed product as white crystal.

Melting point 124.0 to 125.5°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ7.40 (s, 1H), 7.36 (d, J=8.4Hz, 1H), 7.22 (d, J=8.4Hz, 1H), 6.15 (bs, 1H), 4.0-4.15 (m, 2H), 2.39 (s, 3H).

Step 2: Production of 4-formyl-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0210] In a solution of 1.00 g of 4-bromo-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide in 15 ml of tetrahydrofuran under nitrogen atmosphere, 4.7 ml of n-butyl lithium (1.58M hexane solution) was added dropwise at -70°C with stirring, and then 0.4 ml of N,N-dimethylformamide were added dropwise. After stirring at the same temperature for 30 minutes, 10 ml of 1N hydrochloric acid and then 30 ml of water were added, and extracted with ethyl acetate (30 ml x 2). The organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, the solvent was distilled off under reduced pressure to obtain 0.80 g of the aimed product as pale yellow crystal.

Melting point 99.0 to 104.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ10.00 (s, 1H), 7.7-7.75 (m, 2H), 7.50 (d, J=7.5Hz, 1H), 6.27 (bs, 1H), 4.05-4.2 (m, 2H), 2.49 (s, 3H).

Step 3: Production of 4-hydroxyiminomethyl-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0211] In a solution of 0.8 g of 4-formyl-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide in 10 ml of ethanol and 5 ml of water, 0.3 g of hydroxylamine

hydrochloride and 0.4 g of anhydrous sodium acetate were added with stirring at room temperature, and stirred at the same temperature for 30 minutes. After the completion of the reaction, the solvent was distilled off under reduced pressure, and precipitated crystal was filtered off, washed with water and dried to obtain 0.5 g of the aimed product as white crystal.

Melting point 190.5 to 194.0°C

¹H NMR (CDCl₃-DMSO-d₆, Me₄Si, 400MHz) δ10.98 (s, 1H), 8.43 (bs, 1H), 8.07 (s, 1H), 7.35-7.55 (m, 3H), 3.95-4.1 (m, 2H), 2.43 (s, 3H).

Step 4: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-

4,5-dihydroisoxazol-3-yl]-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0212] In a solution of 0.40 g of 4-hydroxyiminomethyl-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide in 15 ml of N,N-dimethylformamide, 0.21 g of N-chlorosuccinic acid imide was added, and stirred at 50°C for 30 minutes. Then, the reaction mixture was left and cooled to room temperature, 0.34 g of 3,5-dichloro-1-(1-trifluoromethylethenyl) benzene synthesized in Step 1 of Synthetic Example 3 and 0.16 g of triethylamine were added, and stirred at room temperature for 18 hours. After the completion of the reaction, the reaction mixture was poured in 50 ml of ice water, extracted with ethyl acetate (50 ml x 1), the organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:2), and 0.45 g of the aimed product was obtained as white crystal. Melting point 155.5 to 157.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ7.4-7.55 (m, 6H), 6.13 (bs, 1H), 4.05-4.2 (m, 3H), 3.71 (d, J=17.4Hz, 1H), 2.45 (s, 3H).

Synthetic Example 9

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 5-234)

Step 1: Production of 4-bromo-2-methyl-N-(2-pyridylmethyl) benzoic acid amide

[0213] In a solution of 3.0 g of 4-bromo-2-methyl benzoic acid in 30 ml of dichloromethane, 2.7 g of oxalyl chloride and 3 drops of N,N-dimethylformamide were added under cooling with ice with stirring, and stirred at room temperature for 1 hour. After the completion of the reaction, the solvent was distilled off under reduced pressure, the residue was dissolved in 30 ml of dichloromethane, 2.1 g of triethylamine and 2.0 g of 2-picolylamine were added under cooling with ice with

stirring, and continued to stir at room temperature for 3 hours. After the completion of the reaction, 50 ml of water was added in the reaction mixture, extracted with chloroform (50 ml x 2), the organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residual solid was washed with diisopropylether to obtain 3.7 g of the aimed product as yellow crystal.

Melting point 86.0 to 87.5°C

^1H NMR (CDCl_3 , Me_4Si , 300MHz) δ 8.52 (d, $J=4.8\text{Hz}$, 1H), 7.69 (td, $J=7.8$, 1.8Hz, 1H), 7.15-7.4 (m, 6H), 4.73 (d, $J=4.8\text{Hz}$, 2H), 2.45 (s, 3H).

Step 2: Production of 4-formyl-2-methyl-N-(2-pyridylmethyl) benzoic acid amide

[0214] In a solution of 2.0 g of 4-bromo-2-methyl-N-(2-pyridylmethyl) benzoic acid amide in 20 ml of N,N-dimethylformamide in an autoclave, 0.67 g of sodium formate and 0.10 g of dichlorobis(triphenylphosphine) palladium (II) were added, and stirred under 1.05 MPa carbon monoxide atmosphere at 110°C for 3 hours. After the completion of the reaction, the reaction mixture was left and cooled to room temperature, and poured in 100 ml of water, and extracted with ethyl acetate (50 ml x 2). The organic phases together were dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluated with ethyl acetate-hexane (9:1), and 0.50 g of the aimed product was obtained as pale yellow crystal.

Melting point 79.5 to 83.0°C

^1H NMR (CDCl_3 , Me_4Si , 300MHz) δ 10.02 (s, 1H), 8.54 (d, $J=5.1\text{Hz}$, 1H), 7.6-7.8 (m, 4H), 7.15-7.4 (m, 3H), 4.77 (d, $J=4.8\text{Hz}$, 2H), 2.55 (s, 3H).

Step 3: Production of 4-hydroxyiminomethyl-2-methyl-N-(2-pyridylmethyl) benzoic acid amide

[0215] In a solution of 0.50 g of 4-formyl-2-methyl-N-(2-pyridylmethyl) benzoic acid amide in 10 ml of ethanol and 5 ml of water, 0.18 g of hydroxyamine hydrochloride was added with stirring at room temperature, and stirred at the same temperature for 12 hours. After the completion of the reaction, solid was filtered off, ethanol was distilled off under reduced pressure, and 30 ml of saturated sodium hydrogen carbonate aqueous solution was added in the remaining aqueous solution. The precipitated crystal was filtered off, washed with water and dried to obtain 0.45 g of the aimed product as pale yellow crystal.

Melting point 159.5 to 161.0°C

¹H NMR (CDCl₃-DMSO-d₆, Me₄Si, 300MHz) δ 11.89 (bs, 1H), 8.56 (d, J=4.2Hz, 1H), 8.03 (s, 1H), 7.90 (bs, 1H), 7.77 (t, J=7.8Hz, 1H), 7.47 (d, J=7.5Hz, 1H), 7.0-7.35 (m, 4H), 4.76 (d, J=6.0Hz, 2H), 2.36 (s, 3H).

Step 4: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-(2-pyridylmethyl) benzoic acid amide

[0216] In a solution of 0.45 g of 4-hydroxyiminomethyl-2-methyl-N-(2-pyridylmethyl) benzoic acid amide in 10 ml of N,N-dimethylformamide, 0.25 g of N-chlorosuccinic acid imide was added, and stirred at 70°C for 1 hour. Then, the reaction mixture was left and cooled to room temperature, 0.41 g of 3,5-dichloro-1-(1-trifluoromethylethenyl) benzene synthesized in Step 1 of Synthetic Example 3 and 0.25 g of potassium hydrogen carbonate were added, and stirred at room temperature for 3 hours. After the completion of the reaction, the reaction mixture was poured in 50 ml of ice water, extracted with ethyl acetate (60 ml x 1), the organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (3:1), and 0.30 g of the aimed product was obtained as white crystal.

Melting point 131.0 to 135.5°C

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ 8.53 (d, J=5.0Hz, 1H), 7.65-7.75 (m, 1H), 7.2-7.55 (m, 9H), 4.75 (d, J=4.9Hz, 2H), 4.09 (d, J=17.3Hz, 1H), 3.71 (d, J=17.3Hz, 1H), 2.50 (s, 3H).

Synthetic Example 10

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2-pyridylmethyl)-2-trifluoromethyl benzoic acid amide (Compound of the present invention No. 5-315)

Step 1: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-iodo benzoic acid methyl ester

[0217] In a solution of 0.60 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-iodo benzoic acid synthesized similarly to Steps 1 to 4 of Synthetic Example 4 in 10 ml of methanol, 2 drops of concentrated sulfuric acid was added, and stirred under reflux with heat for 20 hours. After the completion of the reaction, the solvent was distilled off under reduced pressure, the residue was neutralized with 10 ml of saturated sodium hydrogen carbonate aqueous solution,

then extracted with ethyl acetate (10 ml x 2). The organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:4), and 0.56 g of the aimed product was obtained as colorless oily substance.

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ8.22 (d, J=1.5Hz, 1H), 7.85 (d, J=8.2Hz, 1H), 7.75-7.8 (m, 1H), 7.5-7.55 (m, 2H), 7.4-7.45 (m, 1H), 4.07 (d, J=17.7Hz, 1H), 3.95 (s, 3H), 3.69 (d, J=17.2Hz, 1H).

Step 2: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-trifluoromethyl benzoic acid methyl ester

[0218] In a solution of 0.51 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-iodo benzoic acid methyl ester in 5 ml of N,N-dimethylformamide, 0.18 g of copper (I) iodide, 0.06 g of potassium fluoride and 0.27 g of chlorodifluoro acetic acid methyl ester were added, and stirred at 120°C for 5 hours. After the completion of the reaction, the reaction mixture was left and cooled to room temperature, 50 ml of water was added and extracted with ethyl acetate (50 ml x 2). The organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:4), and 0.45 g of the aimed product was obtained as pale yellow oily substance. ¹H NMR (CDCl₃, Me₄Si, 400MHz) δ8.00 (d, J=1.1Hz, 1H), 7.85-7.95 (m, 2H), 7.5-7.55 (m, 2H), 7.4-7.45 (m, 1H), 4.12 (d, J=7.1Hz, 1H), 3.96 (s, 3H), 3.94 (d, J=7.8Hz, 1H).

Step 3: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-trifluoromethyl benzoic acid

[0219] In a solution of 0.40 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-trifluoromethyl benzoic acid methyl ester in 5 ml of methanol, a solution of 0.10 g of sodium hydroxide in 2 ml of water was added, and stirred at room temperature for 18 hours. After the completion of the reaction, 10 ml of water was added in the reaction mixture, washed with 5 ml of toluene, aqueous phase was collected, adjusted to pH 1 to 2 with concentrated hydrochloric acid and then extracted with ethyl acetate (20 ml x 2). The organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over

anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure to obtain 0.34 g of the aimed product as pale yellow resinous substance. The resulting product was used as such without purification for the next step.

Step 4: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-

4,5-dihydroisoxazol-3-yl]-N-(2-pyridylmethyl)-2-trifluoromethyl benzoic acid amide

[0220] In a solution of 0.15 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-trifluoromethyl benzoic acid in 3 ml of dichloromethane, 0.06 g of oxalyl chloride and 1 drop of N,N-dimethylformamide were added under cooling with ice with stirring, and stirred at room temperature for 2 hours. After the completion of the reaction, the solvent was distilled off under reduced pressure, the residue was dissolved in 3 ml of dichloromethane, and a solution of 0.05 g of 2-picolylamine and 0.06 g of triethylamine in 1 ml of dichloromethane was added dropwise, after the completion of the addition dropwise, continued to stir at room temperature for 3 hours. After the completion of the reaction, 5 ml of water was added in the reaction mixture, extracted with chloroform (5 ml x 2). The organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:3), and 0.05 g of the aimed product was obtained as white crystal.

Melting point 69.0 to 70.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ8.5-8.55 (m, 1H), 7.95 (bs, 1H), 7.91 (d, J=1.9Hz, 1H), 7.65-7.8 (m, 2H), 7.5-7.55 (m, 2H), 7.35-7.45 (m, 3H), 7.26 (t, J=4.9Hz, 1H), 4.77 (d, J=4.9Hz, 2H), 4.11 (d, J=17.4Hz, 1H), 3.73 (d, J=17.2Hz, 1H).

Synthetic Example 11

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-phenyl-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 5-344)

Step 1: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-phenyl benzoic acid methyl ester

[0221] In a solution of 0.70 g of 2-bromo-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid methyl ester synthesized similarly to Step 1 of Synthetic Example 10 in 20 ml of tetrahydrofuran and 10 ml of water, 0.18 g of phenyl boric acid, 0.39 g of potassium carbonate and 0.05 g of dichlorobis(triphenylphosphine) palladium (II) were added, and stirred under reflux with heat for 1.5 hour. After the completion of the reaction, the solvent was distilled

off under reduced pressure, the residue was poured in 30 ml of water, then extracted with ethyl acetate (50 ml x 1). The organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluated with ethyl acetate, and 0.78 g of the aimed product was obtained as brown resinous substance.

^1H NMR (CDCl_3 , Me_4Si , 400MHz) δ 7.89 (d, $J=8.4\text{Hz}$, 1H), 7.74 (dd, $J=8.0$, 1.8Hz, 1H), 7.62 (d, $J=1.4\text{Hz}$, 1H), 7.51 (d, $J=1.8\text{Hz}$, 2H), 7.35-7.45 (m, 4H), 7.25-7.35 (m, 2H), 4.11 (d, $J=16.8\text{Hz}$, 1H), 3.73 (d, $J=16.8\text{Hz}$, 1H), 3.65 (s, 3H).

Step 2: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-phenyl benzoic acid

[0222] In a solution of 0.78 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-phenyl benzoic acid methyl ester in 15 ml of ethanol, a solution of 0.30 g of sodium hydroxide in 15 ml of water was added, and stirred at 60°C for 3 hours. After the completion of the reaction, ethanol was distilled off under reduced pressure, adjusted to pH 1 to 2 with 12N hydrochloric acid, and then extracted with ethyl acetate (50 ml x 1). The organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure to obtain 0.70 g of the aimed product as brown glass substance. The resulting product was used as such without purification for the next step.

Step 3: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-phenyl-N-(2-pyridylmethyl) benzoic acid amide

[0223] In a solution of 0.3 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-phenyl benzoic acid in 10 ml of chloroform, 0.3 ml of oxalyl chloride and a catalytic amount (2 to 3 drops) of N,N-dimethylformamide were added with stirring at room temperature, and stirred at the same temperature for 10 minutes. After the completion of the reaction, the solvent was distilled off under reduced pressure, the residue was dissolved in 10 ml of chloroform, and under cooling with ice with stirring 0.3 ml of 2-picolylamine and then 0.3 ml of triethylamine were added, and continued to stir at room temperature for 20 minutes. After the completion of the reaction, the reaction mixture was poured in 40 ml of water, extracted with ethyl acetate (50 ml x 1). The organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over

anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluated with ethyl acetate-hexane (2:1), and 0.2 g of the aimed product was obtained as white crystal.

Melting point 194.0 to 198.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ8.3-8.35 (m, 1H), 7.25-7.8 (m, 12H), 7.1-7.15 (m, 1H), 7.40 (d, J=7.8Hz, 1H), 6.65-6.7 (m, 1H), 4.47 (d, J=5.0Hz, 2H), 4.12 (d, J=17.0Hz, 1H), 3.74 (d, J=17.0Hz, 1H).

Synthetic Example 12

2-Amino-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-329)

Step 1: Production of 2-amino-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid ethyl ester

[0224] In a solution of 0.60 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-nitro benzoic acid ethyl ester synthesized in Steps 1 to 3 of Shynthetic Example 5 in 6 ml of ethyl acetate, 2.0 ml of water, 0.6 ml of acetic acid and 0.46 g of reduced iron were added, and stirred at 75°C for 2 hours. After the completion of the reaction, the organic phase was collected, and the aqueous phase was extracted with ethyl acetate (10 ml x 2). The organic phases together were washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure to obtain 0.60 g of crude aimed product as brown oily substance. The resulting product was used as such without purification for the next step.

Step 2: Production of 2-amino-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid

[0225] In a solution of 0.6 g of crude 2-amino-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid ethyl ester in 7 ml of ethanol, a solution of 0.5 g of potassium hydroxide in 2.0 ml of water was added, and stirred at room temperature for 18 hours. After the completion of the reaction, 20 ml of ice water was added in the reaction mixture, adjusted to pH 2 to 3 with concentrated hydrochloric acid, and then extracted with ethyl acetate (20 ml x 2). The organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure to obtain 0.6 g of crude aimed product as yellow oily

substance. The resulting product was used as such without purification for the next step.

Step 3: Production of 2-amino-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0226] In a solution of 0.60 g of crude 2-amino-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl] benzoic acid in 6 ml of chloroform, 0.20 g of 2,2,2-trifluoroethylamine, 0.02 g of 4-(N,N-dimethylamino) pyridine and 0.33 g of 1-[3-(diethylamino)propyl]-3-ethylcarbodiimide hydrochloride were added, and stirred at room temperature for 20 hours. After the completion of the reaction, the reaction mixture was subjected to purification with medium-pressure preparative liquid chromatography (Yamazen Corporation, medium pressure preparative system; YFLC-Wprep) that was eluted with ethyl acetate-hexane (1:4), and 0.14 g of the aimed product was obtained as pale yellow crystal.

Melting point 78.0 to 79.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ7.50 (d, J=1.8Hz, 2H), 7.43 (t, J=1.8Hz, 1H), 7.39 (d, J=8.6Hz, 1H), 6.95-7.0 (m, 2H), 6.29 (t, J=7.0Hz, 1H), 5.68 (bs, 2H), 4.05-4.15 (m, 2H), 4.04 (d, J=17.2Hz, 1H), 3.67 (d, J=17.2Hz, 1H).

Synthetic Example 13

4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylthio-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 5-323)

[0227] In a solution of 0.92 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-fluoro-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 5-041) synthesized similarly to Synthetic Example 4 in 12 ml of dimethylsulfoxide, 0.12 g of sodium methane thiolate was added with stirring at room temperature, and stirred at 100°C for 90 minutes. After the completion of the reaction, the reaction mixture was poured in 30 ml of water, and extracted with ethyl acetate (20 ml x 3). The organic phase was washed with 30 ml of water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with chloroform, and 0.89 g of the aimed product was obtained as colorless oily substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ8.51 (d, J=4.8Hz, 1H), 7.6-7.75 (m, 4H), 7.52 (bs, 2H), 7.42 (bs, 1H), 7.37 (bs, 1H), 7.34 (bs, 1H), 7.20 (dd, J=6.9, 1.8Hz, 1H), 4.74 (d, J=4.8Hz, 2H), 4.10 (d, J=17.1Hz, 1H), 3.75 (d, J=17.1Hz, 1H), 2.47 (s, 3H).

Synthetic Example 14

4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylsulfinyl-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-324)

[0228] In a solution of 0.38 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylthio-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-322) synthesized similarly to Synthetic Example 13 in 6 ml of 1,2-dichloroethane, 0.10 g of N-chlorosuccinic acid imide was added with stirring at room temperature, and stirred at the same temperature for 11 hours. After the completion of the reaction, the reaction mixture was poured in 30 ml of water, and extracted with ethyl acetate (20 ml x 3). The organic phase was washed with 30 ml of saturated sodium hydrogen carbonate, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:2), and 0.17 g of the aimed product was obtained as colorless oily substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ8.16 (t, J=8.1Hz, 1H), 7.6-7.8 (m, 3H), 7.55 (d, J=8.1Hz, 1H), 7.51 (d, J=8.1Hz, 1H), 7.15 and 7.11 (t, J=6.3Hz, 1H), 4.18 (qd, J=18.5, 6.3Hz, 2H), 4.15 (d, J=17.7Hz, 1H), 3.80 (d, J=17.7Hz, 1H), 2.79 and 2.78 (s, 3H).

Synthetic Example 15

4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylsulfonyl-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-326)

[0229] In a solution of 0.25 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylthio-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-322) synthesized similarly to Synthetic Example 13 in 6 ml of dichloromethane, 0.17 g of 3-chloroperbenzoic acid was added with stirring at room temperature, and stirred at the same temperature for 3 days. After the completion of the reaction, the reaction mixture was poured in 30 ml of sodium thiosulfate aqueous solution, and extracted with chloroform (10 ml x 3). The organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography

that was eluted with chloroform, and 0.20 g of the aimed product was obtained as colorless oily substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ8.16 (t, J=8.4Hz, 1H), 8.05 (bs, 1H), 8.00 (s, 1H), 7.92 (s, 1H), 7.55 (d, J=8.4Hz, 1H), 7.52 (d, J=8.4Hz, 1H), 7.06 and 7.02 (t, J=6.4Hz, 1H), 4.17 (d, J=17.4Hz, 1H), 4.16 (qd, J=18.5, 6.3Hz, 2H), 3.79 (d, J=17.4Hz, 1H), 2.12 (s, 3H).

Synthetic Example 16

2-Cyano-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 5-341)

[0230] In a solution of 0.19 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-iodo-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 5-065) synthesized similarly to Synthetic Example 4 in 10 ml of dimethylacetamide, 36.0 mg of zinc cyanide, 4.8 mg of zinc, 11.0 mg of tris(dibenzylideneacetone) dipalladium and 13.5 mg of 1,1'-

bis(diphenylphosphino)ferrocene were added, and stirred under nitrogen atmosphere at 80 to 120°C for 5 hours. After the completion of the reaction, 30 ml of ammonia water and 20 ml of water were added in the reaction mixture, and extracted with ethyl acetate (50 ml x 1). The organic phase was washed with 30 ml of water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethylacetate-hexane (2:1), and 0.05 g of the aimed product was obtained as brown resinous substance.

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ8.5-8.6 (m, 1H), 8.12 (bs, 1H), 7.9-8.0 (m, 2H), 7.15-7.7 (m, 7H), 5.13 (bs, 2H), 4.14 (d, J=17.4Hz, 1H), 3.78 (d, J=17.4Hz, 1H).

Synthetic Example 17

2-Acetylamino-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-333)

[0231] In a solution of 0.05 g of 2-amino-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-329) synthesized in Synthetic Example 12 and 0.15 ml of triethylamine in 2 ml of chloroform, 0.10 ml of acetic anhydride was added under cooling with ice with stirring, and stirred at room temperature for 20 hours. After the completion of the reaction, the reaction mixture was subjected to

purification with medium-pressure preparative liquid chromatography (Yamazen Corporation, medium pressure preparative system; YFLC-Wprep) that was eluted with ethyl acetate-hexane (1:8 to 1:1 gradient), and 0.45 g of the aimed product was obtained as pale yellow resinous substance.

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ10.90 (bs, 1H), 8.77 (d, J=1.3Hz, 1H), 7.57 (dd, J=8.4, 1.5Hz, 1H), 7.53 (d, J=8.4Hz, 1H), 7.50 (d, J=1.7Hz, 2H), 7.45 (t, J=1.8Hz, 1H), 6.82 (bs, 1H), 4.1-4.2 (m, 2H), 4.11 (d, J=17.0Hz, 1H), 3.73 (d, J=17.0Hz, 1H), 2.22 (s, 3H).

Synthetic Example 18

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylamino-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-331) and 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-dimethylamino-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-334)

[0232] In a solution of 0.25 g of 2-amino-4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-329) synthesized in Synthetic Example 12 and 0.06 g of 36% formaldehyde aqueous solution in 7 ml of 1,2-dichloroethane, 1.00 g of sodium triacetoxy borohydride was added with stirring at room temperature in three portions at 1 hour-interval, and continued to stir at the same temperature for further 2 hours. After the completion of the reaction, the reaction mixture was poured to 5 ml of ice water, the organic phase was collected, and the solvent was distilled under reduced pressure. The residue was subjected to purification with medium-pressure preparative liquid chromatography (Yamazen Corporation, medium pressure preparative system; YFLC-Wprep) that was eluted with ethyl acetate-hexane (0:1 to 1:3 gradient), and 0.13 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylamino-N-(2,2,2-trifluoroethyl) benzoic acid amide was obtained as pale yellow crystal, and 0.13 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-dimethylamino-N-(2,2,2-trifluoroethyl) benzoic acid amide was obtained as pale yellow resinous substance.

4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylamino-N-(2,2,2-trifluoroethyl) benzoic acid amide;

Melting point 156.0 to 158.0°C

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ7.57 (bs, 1H), 7.52 (d, J=1.6Hz, 2H), 7.43 (t,

J=1.8Hz, 1H), 7.38 (d, J=8.2Hz, 1H), 6.92 (d, J=1.6Hz, 1H), 6.84 (dd, J=8.2, 1.6Hz, 1H), 6.31 (t, J=6.4Hz, 1H), 4.0-4.15 (m, 2H), 4.08 (d, J=17.2Hz, 1H), 3.70 (d, J=17.2Hz, 1H), 2.91 (s, 3H).

4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-dimethylamino-N-(2,2,2-trifluoroethyl) benzoic acid amide;

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ10.29 (t, J=6.2Hz, 1H), 8.22 (d, J=8.1Hz, 1H), 7.73 (d, J=1.7Hz, 1H), 7.52 (d, J=1.7Hz, 2H), 7.44 (t, J=1.8Hz, 1H), 7.33 (dd, J=8.1, 1.6Hz, 1H), 4.13 (qd, J=9.2, 6.2Hz, 2H), 4.10 (d, J=17.2Hz, 1H), 3.72 (d, J=17.2Hz, 1H), 2.78 (s, 6H).

Synthetic Example 19

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2-methoxyiminoethyl)-2-methyl benzoic acid amide (Compound of the present invention No. 5-113)

[0233] In a solution of 152 mg of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-N-(2,2-dimethoxyethyl)-2-methyl benzoic acid amide (Compound of the present invention No. 5-083) synthesized similarly to Synthetic Example 5 in 14 ml of methanol-water (6:1) mixed solvent, 38 mg of methoxyamine hydrochloride was added, and stirred under reflux with heat for 8 hours. After the completion of the reaction, the reaction mixture was left and cooled to room temperature, diluted by adding 80 ml of ethyl acetate, washed with water (30 ml x 2), and dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethylacetate-hexane (1:1), and 102 mg of the aimed product was obtained as colorless resinous substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ7.45-7.55 (m, 6H), 7.45-7.55 and 6.83 (t, J=4.5Hz, 1H), 7.4-7.45 (m, 1H), 6.28 and 6.16 (t, J=4.7Hz, 1H), 4.27 and 4.22 (t, J=4.7Hz, 2H), 4.08 (d, J=17.1Hz, 1H), 3.92 and 3.85 (s, 3H), 3.70 (d, J=17.4Hz, 1H), 2.50 and 2.48 (s, 3H).

Synthetic Example 20

N-[4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylbenzoyl] glycine (Compound of the present invention No. 5-127)

[0234] In a solution of 2.6 g of methyl N-[4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylbenzoyl] glycine (Compound of the present invention No. 5-128) synthesized similarly to Synthetic Example 5 in 10 ml of

methanol, a solution of 1.0 g of potassium hydroxide in 10 ml of water was added with stirring at room temperature, and stirred at the same temperature for further 1 hour. After the completion of the reaction, 10 ml of 12N hydrochloric acid was added and extracted with ethyl acetate (50 ml x 1), the organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure to obtain 2.4 g of the aimed product as pale yellow resinous substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ7.4-7.55 (m, 6H), 6.35-6.85 (m, 2H), 4.23 (d, J=5.7Hz, 2H), 4.08 (d, J=17.1Hz, 1H), 3.71 (d, J=17.1Hz, 1H), 2.44 (s, 3H).

Synthetic Example 21

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-[N-(2,2,2-trifluoroethyl) carbamoylmethyl] benzoic acid amide (Compound of the present invention No. 5-151)

[0235] In a solution of 1.00 g of N-[4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylbenzoyl] glycine (Compound of the present invention No. 5-127) synthesized in Synthetic Example 20 in 30 ml of dichloromethane, 0.65 g of 1-[3-(diethylamino)propyl]-3-ethylcarbodiimide hydrochloride was added, and stirred at room temperature for 15 minutes, then 0.40 g of 2,2,2-trifluoroethylamine and 0.40 g of 4-(N,N-dimethylamino)pyridine were added and stirred at the same temperature for further 2 hours. After the completion of the reaction, the solvent was distilled off under reduced pressure, the residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:3), and then crystallized from hexane to obtain 0.48 g of the aimed product as white crystal.

Melting point 173.5 to 175.5°C

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ7.35-7.55 (m, 7H), 7.03 (t, J=5.1Hz, 1H), 4.21 (d, J=5.1Hz, 2H), 4.09 (d, J=17.4Hz, 1H), 3.85-4.0 (m, 2H), 3.71 (d, J=17.4Hz, 1H), 2.43 (s, 3H).

Synthetic Example 22

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N- (N-phenylcarbamoylmethyl) benzoic acid amide (Compound of the present invention No. 5-169)

[0236] In a solution of 0.40 g of N-[4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylbenzoyl] glycine (Compound of the present

invention No. 5-127) synthesized in Synthetic Example 20 and 0.08 g of pyridine in 10 ml of dichloromethane, 0.12 g of pivaloyl chloride was added, and stirred at room temperature for 2 hours, then 0.50 g of aniline and 3 ml of triethylamine were added and stirred at the same temperature for further 1 hour. After the completion of the reaction, 20 ml of water was added in the reaction mixture and extracted with ethyl acetate (50 ml x 1), the organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (2:1) to obtain 0.12 g of the aimed product as white crystal.

Melting point 181.0 to 183.0°C

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ8.54 (bs, 1H), 7.5-7.55 (m, 7H), 7.44 (t, J=2.0Hz, 1H), 7.31 (t, J=8.0Hz, 2H), 7.1-7.2 (m, 1H), 6.95 (bs, 1H), 4.34 (d, J=5.0Hz, 2H), 4.19 (d, J=17.2Hz, 1H), 3.70 (d, J=17.2Hz, 1H), 2.49 (s, 3H).

Synthetic Example 23

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-methyl-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 6-020)

[0237] In a solution of 0.35 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 5-234) synthesized similarly to Synthetic Example 5 in 20 ml of N,N-dimethylformamide, 0.04 g of 55% oily sodium hydride was added under cooling with ice with stirring, and stirred at the same temperature for 30 minutes. Then, 0.12 g of methyl iodide was added and thereafter the temperature was raised to room temperature, and continued to stir at the same temperature for further 2 hours. After the completion of the reaction, the reaction mixture was diluted with 80 ml of ethyl acetate, washed with water (50 ml x 2), dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with high performance liquid chromatography that was eluted with acetonitrile-water (85:15) to obtain 0.25 g of the aimed product as colorless resinous substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ8.5-8.6 (m, 1H), 7.6-7.75 (m, 1H), 7.05-7.55 (m, 8H), 4.43 and 4.89 (bs, 2H), 4.06 and 4.09 (d, J=17.4 and 17.1Hz, 1H), 3.68 and 3.71 (d, J=17.4 and 17.1Hz, 1H), 2.85 and 3.13 (s, 3H), 2.35 and 2.38 (s, 3H).

Synthetic Example 24

7-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-1-methyl-3-(2-pyridylmethyl)-1,2,3,4-tetrahydroquinazolin-4-one (Compound of the present invention No. 6-071)

[0238] In a solution of 0.06 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylamino-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 5-332) synthesized similarly to Synthetic Example 18 in 5 ml of dichloromethane, 0.03 g of chloromethylether was added, and stirred at the same temperature for 15 hours. After the completion of the reaction, the solvent was distilled off under reduced pressure, and the residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (3:1) to obtain 0.04 g of the aimed product as colorless oily substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ 8.5-8.6 (m, 1H), 8.04 (d, J=7.8Hz, 1H), 7.6-7.75 (m, 1H), 7.4-7.55 (m, 4H), 7.15-7.3 (m, 1H), 7.10 (bs, 1H), 6.95-7.05 (m, 1H), 4.86 (s, 2H), 4.06 (s, 2H), 4.09 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.90 (s, 3H).

Synthetic Example 25

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid thioamide (Compound of the present invention No. 7-007)

[0239] A solution of 0.50 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-075) synthesized in Synthetic Example 8 and 0.41 g of Lawesson's Reagent (2,4-bis(4-methoxyphenyl)-1,3,2,4-dithiadiphosphetan-2,4-disulfide) in 15 ml of toluene was stirred under reflux with heat for 20 hours. After the completion of the reaction, the reaction mixture was left and cooled to room temperature, and the reaction mixture was diluted with 60 ml of ethyl acetate, washed with water (50 ml x 1), then dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (3:1) to obtain 0.40 g of the aimed product as yellow resinous substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ 7.2-7.5 (m, 7H), 4.55-4.7 (m, 2H), 4.06 (d, J=17.1Hz, 1H), 3.68 (d, J=17.1Hz, 1H), 2.38 (s, 3H).

Synthetic Example 26

4-[5-(3-Bromodifluoromethoxyphenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-

methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-014)

Step 1: Production of 3-bromodifluoromethoxy-1-iodobenzene

[0240] In a suspension of 0.87 g of 55% oily sodium hydride in 20 ml of N,N-dimethylformamide, a solution of 4.00 g of 3-iodophenol in 10 ml of N,N-dimethylformamide was added dropwise with stirring under ice cooling, after the completion of the addition dropwise, stirred at room temperature for 30 minutes. The reaction mixture was added dropwise in a solution of 11.40 g of dibromodifluoromethane in 20 ml of N,N-dimethylformamide under cooling with ice with stirring, after the completion of the addition dropwise, continued to stir at room temperature for 2 hours. After the completion of the reaction, 50 ml of water was added in the reaction mixture, extracted with ethyl acetate (100 ml x 1), the organic phase was washed with water, then dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with hexane to obtain 2.10 g of the aimed product as colorless oily substance.

^1H NMR (CDCl_3 , Me_4Si , 300MHz) δ 7.65-7.7 (m, 1H), 7.55-7.65 (m, 1H), 7.2-7.3 (m, 1H), 7.15 (t, $J=9.0\text{Hz}$, 1H).

Step 2: Production of 3-bromodifluoromethoxy-1-(1-trifluoromethylethenyl) benzene

[0241] In 10 ml of a solution of 1-trifluoromethylethenyl zinc bromide prepared according to the method described in documents in 1M tetrahydrofuran, 1.0 g of 3-bromodifluoromethoxy-1-iodobenzene and 0.05 g of dichlorobis(triphenylphosphine) palladium (II) were added, and stirred under reflux with heat for 2 hours. After the completion of the reaction, the reaction mixture was poured in 20 ml of diluted hydrochloric acid, extracted with ethyl acetate (50 ml x 1). The organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was dissolved in hexane, and high polar impurities were excluded by treating with silica gel to obtain 0.77 g of crude aimed product as colorless oily substance. The resulting product was used as such without purification for the next step.

Step 3: Production of 4-[5-(3-bromodifluoromethoxyphenyl)5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0242] In a solution of 0.3 g of 4-chlorohydroxyiminomethyl-2-methyl-N-(2,2,2-

trifluoroethyl) benzoic acid amide synthesized similarly to Steps 1 to 3 of Synthetic Example 7 and 0.2 g of crude 3-bromodifluoromethoxy-1-(1-trifluoromethylethenyl) benzene in 10 ml of 1,2-dimethoxyethane, 0.4 g of potassium hydrogen carbonate was added, and stirred at room temperature for 18 hours. After the completion of the reaction, the reaction mixture was poured in 20 ml of water, extracted with ethyl acetate (50 ml x 1). The organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:1) to obtain 0.29 g of the aimed product as colorless glass substance.

¹H NMR (CDCl₃, Me₄Si, 400MHz) δ7.5-7.6 (m, 5H), 7.41 (d, J=7.8Hz, 1H), 7.3-7.5 (m, 1H), 6.16 (t, J=6.6Hz, 1H), 4.05-4.15 (m, 3H), 3.74 (d, J=17.2Hz, 1H), 2.45 (s, 3H).

Synthetic Example 27

4-[5-Chlorodifluoromethyl-5-(3,5-dichlorophenyl)-4,5-dihydroisoxazol-3-yl]-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide (Compound of the present invention No. 5-355)

Step 1: Production of 2,3',5'-trichloro-2,2-difluoroacetophenone

[0243] In a solution of 5.0 g of 3,5-dichloro-1-iodobenzene in 50 ml of t-butylmethylether, 12.2 ml of n-butyl lithium (1.58M hexane solution) was added dropwise at -78°C with stirring, after the completion of the addition dropwise, stirred at the same temperature for 30 minutes. 6.6 g of chlorodifluoroacetic acid methyl ester was added dropwise at -78°C with stirring in the reaction mixture, after the completion of the addition dropwise, continued to stir at 0°C for further 30 minutes. After the completion of the reaction, the reaction mixture was poured in 100 ml of saturated ammonium chloride aqueous solution, extracted with ethyl acetate (100 ml x 1). The organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous magnesium sulfate, and then the solvent was distilled off under reduced pressure to obtain 4.6 g of crude aimed product as pale yellow oily substance. The resulting product was used as such without purification for the next step.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ7.97 (s, 2H), 7.68 (s, 1H).

Step 2: Production of 3,5-dichloro-1-[1-(chlorodifluoromethyl)ethenyl] benzene

[0244] in a solution of 2.89 g of methyltriphenylphosphonium bromide in 15 ml of tetrahydrofuran, 0.91 g of potassium t-butoxide was added, and stirred at room

temperature for 1 hour. Then, a solution of 2.00 g of 2,3',5'-trichloro-2,2-difluoroacetophenone in 5 ml of tetrahydrofuran was added dropwise in the reaction mixture under cooling with ice with stirring, after the completion of the addition dropwise, continued to stir at room temperature for 1 hour. After the completion of the reaction, the reaction mixture was poured in 50 ml of ice water, extracted with ethyl acetate (50 ml x 1), the organic phase was dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with hexane to obtain 1.50 g of the aimed product as yellow oily substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ7.40 (s, 1H), 7.35 (s, 2H), 5.99 (s, 1H), 5.65 (s, 1H).

Step 3: Production of 4-[5-chlorodifluoromethyl-5-(3,5-dichlorophenyl)-4,5-dihydroisoxazol-3-yl]-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide

[0245] In a solution of 0.25 g of 4-chlorohydroxyiminomethyl-2-methyl-N-(2,2,2-trifluoroethyl) benzoic acid amide synthesized similarly to Steps 1 to 3 of Synthetic Example 7 and 0.26 g of 3,5-dichloro-1-[1-(chlorodifluoromethyl)ethenyl] benzene in 3 ml of 1,2-dimethoxyethane, 0.43 g of potassium hydrogen carbonate and a small amount of water were added, and stirred at room temperature for 15 hours. After the completion of the reaction, the reaction mixture was filtered and thereby solid substance was excluded, and the filtrate was concentrated under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (2:3) to obtain 0.28 g of the aimed product as yellow oily substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ7.35-7.65 (m, 6H), 6.06 (t, J=6.1Hz, 1H), 4.0-4.25 (m, 3H), 3.72 (d, J=17.1Hz, 1H), 2.47 (s, 3H).

Synthetic Example 28

4-[5-(3,5-Dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-methoxycarbonyl-N-(2-pyridylmethyl) benzoic acid amide (Compound of the present invention No. 6-043)

Step 1: Production of 5-(3,5-dichlorophenyl)-3-(3-methyl-4-nitrophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole

[0246] In a solution of 1.31 g of 3,5-dichloro-1-(1-trifluoromethylethenyl) benzene synthesized in Step 1 of Synthetic Example 3 and 1.17 g of α-chloro-3-methyl-4-nitrobenzaloxime in 10 ml of tetrahydrofuran, 1.15 g of potassium hydrogen

carbonate and 1.50 g of water were added, and stirred at room temperature for 18 hours. After the completion of the reaction, tetrahydrofuran was removed from the reaction mixture, 3 ml of water was added, and stirred under cooling with ice for further 30 minutes. Precipitated crystal was filtered off, washed with 5 ml of water and then 5 ml of diisopropyl ether to obtain 1.29 g of the aimed product as white crystal.

Melting point 135.0 to 136.0°C

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ8.03 (d, J=7.5Hz, 1H), 7.6-7.75 (m, 2H), 7.51 (bs, 2H), 7.44 (t, J=1.8Hz, 1H), 4.11 (d, J=17.4Hz, 1H), 3.73 (d, J=17.4Hz, 1H), 2.64 (s, 3H).

Step 2: Production of 3-(4-amino-3-methylphenyl)-5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole

[0247] In a solution of 1.23 g of 5-(3,5-dichlorophenyl)-3-(3-methyl-4-nitrophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole in 10 ml of ethyl acetate, 5.0 ml of water, 5.0 ml of acetic acid and 0.66 g of reduced iron were added and stirred at 100°C for 2 hours. After the completion of the reaction, the reaction mixture was filtered through Celite, 20 ml of water was added in the filtrate, extracted with ethyl acetate (20 ml x 2). The organic phases together were washed with 10 ml of saturated sodium hydrogen carbonate aqueous solution, and then with 10 ml of water, thereafter dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure to obtain 1.05 g of crude aimed product as red-brown oily substance. The resulting product was used as such without purification for the next step.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ7.52 (s, 2H), 7.35-7.5 (m, 2H), 7.31 (dd, J=8.0, 2.0Hz, 1H), 6.65 (d, J=8.4Hz, 1H), 4.05 (d, J=17.1Hz, 1H), 3.93 (bs, 2H), 3.64 (d, J=17.1Hz, 1H), 2.17 (s, 3H).

Step 3: Production of 3-(4-bromo-3-methylphenyl)-5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole

[0248] in a solution of 0.50 g of 3-(4-amino-3-methylphenyl)-5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole in 1.0 ml of 1,4-dioxane and 2.0 ml of water, 1.0 ml of 47% hydrobromic acid was added, and stirred under reflux with heat for 1 hour. Then, the reaction mixture was cooled with ice, and a solution of 0.10 g of sodium nitrite in 1.0 ml of water was slowly added dropwise with stirring at a temperature of 5°C or less, after the completion of the addition dropwise,

continued to stir at the same temperature for further 1 hour. The diazo mixture was slowly added dropwise in a mixture of 1.0 ml of 47% hydrobromic acid and 0.28 g of copper (I) bromide at 60°C with stirring, after the completion of the addition dropwise, continued to stir at 60°C for further 2 hours. After the completion of the reaction, 10 ml of water was added in the reaction mixture, extracted with ethyl acetate (20 ml x 2), the organic phases together were washed with water, then dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate, and then the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:10) to obtain 0.43 g of the aimed product as pale yellow crystal.

Melting point 105.0 to 108.0°C

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ7.59 (d, J=8.4Hz, 1H), 7.45-7.55 (m, 3H), 7.42 (t, J=1.8Hz, 1H), 7.33 (dd, J=8.4, 2.1Hz, 1H), 4.07 (d, J=17.1Hz, 1H), 3.68 (d, J=17.1Hz, 1H), 2.43 (s, 3H).

Step 4: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methylbenzoic acid ethyl ester

[0249] In a solution of 15.0 g of 3-(4-bromo-3-methylphenyl)-5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazole in 60 ml of ethanol in an autoclave, 3.26 g of sodium acetate, 0.37 g of 1,1'-bis(diphenylphosphino) ferrocene and 0.08 g of palladium (II) acetate were added, and stirred under 2.0 MPa carbon monoxide atmosphere at 110°C for 3 hours. After the completion of the reaction, the reaction mixture was left and cooled to room temperature, 200 ml of water was added and extracted with ethyl acetate (200 ml x 2), the organic phase was washed with water, dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate and the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:8) to obtain 10.8 g of the aimed product as colorless clear liquid.

Refractive index $n_D^{21.4^\circ\text{C}} = 1.5474$

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ7.95 (d, J=8.4Hz, 1H), 7.45-7.65 (m, 4H), 7.43 (t, J=1.8Hz, 1H), 4.37 (q, J=7.2Hz, 2H), 4.10 (d, J=17.4Hz, 1H), 3.71 (d, J=17.1Hz, 1H), 2.62 (s, 3H), 1.40 (t, J=7.2Hz, 3H).

Step 5: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl benzoic acid

[0250] In a solution of 10.79 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-

4,5-dihydroisoxazol-3-yl]-2-methylbenzoic acid ethyl ester in 50 ml of ethanol and 10 ml of water, a solution of 2.0 g of sodium hydroxide in 10 ml of water was slowly added with stirring at room temperature. Then, the reaction mixture was stirred at 80°C for 2 hours, after the completion of the reaction, ethanol was distilled off under reduced pressure. The residue was adjusted to pH 1-2 with concentrated hydrochloric acid with stirring at 50°C, then continued to stir at the same temperature for 1 hour and then at 5°C for 1 hour. Presipitated crystal was filtered off, washed with water and dried to obtain 9.36 g of the aimed product as white crystal.

Melting point 146.0 to 148.5°C


























¹H NMR (CDCl₃, Me₄Si, 300MHz) δ8.12 (d, J=8.7Hz, 1H), 7.5-7.7 (m, 2H), 7.52 (d, J=1.5Hz, 2H), 7.43 (d, J=1.5Hz, 1H), 4.11 (d, J=16.8Hz, 1H), 3.73 (d, J=17.4Hz, 1H), 2.69 (s, 3H).

























Step 6: Production of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl-N-methoxycarbonyl-N-(2-pyridylmethyl) benzoic acid amide

























[0251] In a solution of 1.00 g of 4-[5-(3,5-dichlorophenyl)-5-trifluoromethyl-4,5-dihydroisoxazol-3-yl]-2-methyl benzoic acid in 30 ml of toluene, 0.43 g of thionyl chloride and 3 drops of N,N-dimethylformamide were added, and stirred at 90°C for 1 hour. After the completion of the reaction, the solvent was distilled off under reduced pressure, and the residue was dissolved in 5 ml of tetrahydrofuran. In a solution of 0.40 g of N-(2-pyridylmethyl) carbamic acid methyl ester in 5 ml of tetrahydrofuran, 0.27 g of t-butoxy potassium was added at room temperature with stirring, and stirred at the same temperature for 3 minutes. Then, the above-mentioned solution of acid chloride in tetrahydrofuran was added dropwise in the reaction mixture, after the completion of the addition dropwise, continued to stir at the same temperature for further 1 hour. After the completion of the reaction, the reaction mixture was diluted with 60 ml of ethyl acetate, washed with 50 ml of water, then dehydrated with saturated sodium chloride aqueous solution and dried over anhydrous sodium sulfate and the solvent was distilled off under reduced pressure. The residue was purified with silica gel column chromatography that was eluted with ethyl acetate-hexane (1:2 to 1:1) to obtain 0.75 g of the aimed product as yellow resinous substance.

¹H NMR (CDCl₃, Me₄Si, 300MHz) δ8.56 (d, J=4.8Hz, 1H), 7.65-7.7 (m, 1H), 7.5-7.55 (m, 4H), 7.35-7.45 (m, 2H), 7.15-7.3 (m, 2H), 5.21 (s, 2H), 4.09 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 3.58 (s, 3H), 2.40 (s, 3H).













[0252] The compounds of the present invention can be produced according to the above-mentioned production methods and working examples. The examples of the compounds produced similarly to Synthetic Examples 1 to 28 are shown in Tables 7 to 20 to which the present invention is not limited. In the meantime, in Tables, the indication "Et" means ethyl, hereinafter similarly thereto, "n-Pr" and "Pr-n" mean normal propyl, "i-Pr" and "Pr-i" mean isopropyl, "c-Pr" and "Pr-c" mean cyclopropyl, "n-Bu" and "Bu-n" mean normal butyl, "s-Bu" and "Bu-s" mean secondary butyl, "i-Bu" and "Bu-i" mean isobutyl, "t-Bu" and "Bu-t" mean tertiary butyl, "c-Bu" and "Bu-c" mean cyclobutyl, c-Pen" and "Pen-c" mean cyclopentyl, "n-Hex" and "Hex-n" mean normal hexyl, "c-Hex" and "Hex-c" mean cyclohexyl, "Ph" means phenyl, "TMS" means trimethylsilyl, and in Tables, aromatic heterocyclic rings of D-1a to D-54b are the following structures, respectively









in Tables, saturated heterocyclic rings of E-4a to E-43a are the following structures, respectively,



In Tables, partially saturated heterocyclic ring of M-5a is the following structure




In Tables, T-4 to T-43 are the following structures, respectively



In addition, in Tables, the number showing the substitution position of substituents (X)_m and (Y)_n correspond to the position number indicated in the following structural formulae. The indication "-" means no-substitution.

Further, in Tables, the indication of "Mw" shows the calculated value of molecular weight, the indication of "M+H" shows the measured value of molecular ion peak, and "*1", "*2" or "*3" means "resinous", "oily" or "decomposition", respectively.

Table 7



No.	(X) _m	R ³	R ¹	Mw	M ⁺ +H
1-001	—	C(O)OCH ₃	CH ₂ CF ₃	406.36	407.00
1-002	—	C(O)OCH ₃	CH ₂ Ph	414.46	415.07
1-003	2-F	C(O)OCH ₃	CH ₂ CF ₃	424.35	424.99
1-004	2-Cl	C(O)OCH ₃	CH ₂ CF ₃	440.81	440.94
1-005	3-Br	CF ₃	CH ₂ Ph	503.31	502.75
1-006	4-Br	CF ₃	CH ₂ CF ₃	495.21	494.68
1-007	4-Br	CF ₃	CH ₂ Ph	503.31	502.74
1-008	3-CH ₃	CF ₃	CH ₂ CF ₃	430.34	430.91
1-009	3-CH ₃	CF ₃	CH ₂ Ph	438.44	438.95
1-010	4-CH ₃	CF ₃	CH ₂ CF ₃	430.34	430.92
1-011	4-CH ₃	CF ₃	CH ₂ Ph	438.44	438.91
1-012	4-Bu-t	CF ₃	CH ₂ CF ₃	472.42	472.94
1-013	4-Bu-t	CF ₃	CH ₂ Ph	480.52	480.99
1-014	2-CF ₃	C(O)OCH ₃	CH ₂ CF ₃	474.36	474.87
1-015	3-CF ₃	CF ₃	CH ₂ CF ₃	484.32	484.78
1-016	3-CF ₃	CF ₃	CH ₂ Ph	492.41	492.82
1-017	4-CF ₃	CF ₃	CH ₂ CF ₃	484.32	484.80
1-018	4-CF ₃	CF ₃	CH ₂ Ph	492.41	492.85
1-019	2-OCH ₃	C(O)OCH ₃	CH ₂ CF ₃	436.39	436.99
1-020	3-OCH ₃	CF ₃	CH ₂ CF ₃	446.34	446.89
1-021	3-OCH ₃	CF ₃	CH ₂ Ph	454.44	454.94
1-022	4-OCH ₃	CF ₃	CH ₂ CF ₃	446.34	446.89
1-023	4-OCH ₃	CF ₃	CH ₂ Ph	454.44	454.91
1-024	4-OCH ₃	C(O)OCH ₃	CH ₂ CF ₃	436.39	437.00
1-025	3-OCF ₃	CF ₃	CH ₂ CF ₃	500.31	500.76
1-026	3-OCF ₃	CF ₃	CH ₂ Ph	508.41	508.80
1-027	4-OCF ₃	CF ₃	CH ₂ CF ₃	500.31	500.76
1-028	4-OCF ₃	CF ₃	CH ₂ Ph	508.41	508.82
1-029	4-OPh	CF ₃	CH ₂ CF ₃	508.41	508.85
1-030	4-OPh	CF ₃	CH ₂ Ph	516.51	516.88
1-031	4-SCH ₃	CF ₃	CH ₂ CF ₃	462.41	462.84
1-032	4-SCH ₃	CF ₃	CH ₂ Ph	470.51	470.88
1-033	4-SO ₂ CH ₃	CF ₃	CH ₂ CF ₃	494.41	494.86
1-034	3-NHC(O)CH ₃	CF ₃	CH ₂ CF ₃	473.37	473.90
1-035	3-NHC(O)CH ₃	CF ₃	CH ₂ Ph	481.47	481.93
1-036	4-NHC(O)CH ₃	CF ₃	CH ₂ CF ₃	473.37	473.81

1-037	4-NHC(O)CH ₃	CF ₃	CH ₂ Ph	481.47	481.94
1-038	4-N(CH ₃) ₂	CF ₃	CH ₂ CF ₃	459.38	459.90
1-039	4-N(CH ₃) ₂	CF ₃	CH ₂ Ph	467.48	467.94
1-040	3-NO ₂	CF ₃	CH ₂ CF ₃	461.31	461.82
1-041	3-NO ₂	CF ₃	CH ₂ Ph	469.41	469.86
1-042	3-TMS	CF ₃	CH ₂ CF ₃	488.50	488.87
1-043	3-CN	CF ₃	CH ₂ Ph	449.42	449.89
1-044	4-CN	CF ₃	CH ₂ Ph	449.42	449.89
1-045	3-CHO	CF ₃	CH ₂ CF ₃	444.33	444.89
1-046	3-C(O)CH ₃	CF ₃	CH ₂ CF ₃	458.35	458.82
1-047	3-C(O)CH ₃	CF ₃	CH ₂ Ph	466.45	466.81
1-048	4-C(O)CH ₃	CF ₃	CH ₂ CF ₃	458.35	458.80
1-049	4-C(O)CH ₃	CF ₃	CH ₂ Ph	466.45	466.86
1-050	3-C(O)OEt	CF ₃	CH ₂ CF ₃	488.38	488.89
1-051	3-C(O)OEt	CF ₃	CH ₂ Ph	496.48	496.92
1-052	4-Ph	CF ₃	CH ₂ CF ₃	492.41	492.81
1-053	3,4-F ₂	CF ₃	CH ₂ Pr-c	424.36	424.91
1-054	3,4-F ₂	CF ₃	CH ₂ Ph	460.40	460.87
1-055	3,5-F ₂	CF ₃	CH ₂ CF ₃	452.30	452.84
1-056	3,5-F ₂	CF ₃	CH ₂ Ph	460.40	460.89
1-057	3-Cl-4-F	CF ₃	CH ₂ CF ₃	468.75	468.76
1-058	3-Cl-4-F	CF ₃	CH ₂ Ph	476.85	476.80
1-059	2,5-Cl ₂	CF ₃	CH ₂ CF ₃	485.21	484.79
1-060	2,5-Cl ₂	CF ₃	CH ₂ Ph	493.30	492.82
1-061	2,5-Cl ₂	CF ₃	CH ₂ (D-47a)	494.29	493.84
1-062	3,4-Cl ₂	CF ₃	Et	431.24	430.93
1-063	3,4-Cl ₂	CF ₃	n-Pr	445.27	444.94
1-064	3,4-Cl ₂	CF ₃	i-Pr	445.27	444.94
1-065	3,4-Cl ₂	CF ₃	n-Bu	459.29	458.97
1-066	3,4-Cl ₂	CF ₃	CH ₂ Pr-c	457.28	456.94
1-067	3,4-Cl ₂	CF ₃	s-Bu	459.29	458.93
1-068	3,4-Cl ₂	CF ₃	t-Bu	459.29	458.92
1-069	3,4-Cl ₂	CF ₃	c-Bu	457.27	456.79
1-070	3,4-Cl ₂	CF ₃	n-Pen	473.32	473.02
1-071	3,4-Cl ₂	CF ₃	CH ₂ Bu-s	473.32	472.82
1-072	3,4-Cl ₂	CF ₃	CH ₂ Bu-t	473.32	472.94
1-073	3,4-Cl ₂	CF ₃	CH(CH ₃)Pr-n	473.32	472.94
1-074	3,4-Cl ₂	CF ₃	c-Pen	471.31	470.99
1-075	3,4-Cl ₂	CF ₃	n-Hex	487.35	486.96
1-076	3,4-Cl ₂	CF ₃	c-Hex	485.33	484.93
1-077	3,4-Cl ₂	CF ₃	CH ₂ Hex-c	499.35	498.88
1-078	3,4-Cl ₂	CF ₃	CH ₂ (T-39)	539.42	538.88
1-079	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ Cl	465.69	464.73
1-080	3,4-Cl ₂	CF ₃	CH ₂ CF ₃	485.21	484.85
1-081	3,4-Cl ₂	CF ₃	CH ₂ CF ₂ CF ₂ CF ₃	585.23	584.65
1-082	3,4-Cl ₂	CF ₃	CH ₂ CH(CH ₃)OH(R)	461.26	460.78


1-083	3,4-Cl ₂	CF ₃	CH ₂ CH(CH ₃)OH(S)	461.26	460.82
1-084	3,4-Cl ₂	CF ₃	CH ₂ CH(CH ₃)OC(O)NHEt(S)	532.34	531.78
1-085	3,4-Cl ₂	CF ₃	CH(CH ₃)CH ₂ OCH ₃	475.29	474.94
1-086	3,4-Cl ₂	CF ₃	CH ₂ CH(Et)OH	475.29	474.82
1-087	3,4-Cl ₂	CF ₃	CH(Et)CH ₂ OCH ₃	489.32	488.95
1-088	3,4-Cl ₂	CF ₃	CH ₂ CH(OCH ₃) ₂	491.29	490.80
1-089	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ CH ₂ OH	461.27	460.97
1-090	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ CH ₂ OCH ₃	475.29	474.98
1-091	3,4-Cl ₂	CF ₃	CH ₂ (T-13)	515.35	514.80
1-092	3,4-Cl ₂	CF ₃	CH ₂ (E-11c)	517.33	516.79
1-093	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ SCH ₃	477.33	476.75
1-094	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ SBu-t	519.41	518.96
1-095	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ CH ₂ SCH ₃	491.35	490.92
1-096	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ NHC(O)OBu-t	546.37	545.75
1-097	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ CH ₂ Si(OCH ₃) ₃	565.44	564.77
1-098	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ CH ₂ Si(CH ₃)(OEt) ₂	577.49	576.79
1-099	3,4-Cl ₂	CF ₃	CH ₂ C(O)OCH ₃	475.25	474.89
1-100	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ C(O)OCH ₃	489.28	488.80
1-101	3,4-Cl ₂	CF ₃	CH ₂ C(O)NH ₂	460.24	459.74
1-102	3,4-Cl ₂	CF ₃	CH ₂ CH=CH ₂	443.25	442.81
1-103	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ (T-17)	511.36	510.76
1-104	3,4-Cl ₂	CF ₃	CH ₂ C≡CH	441.24	440.91
1-105	3,4-Cl ₂	CF ₃	CH ₂ Ph	493.31	492.86
1-106	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2-F)	511.30	510.80
1-107	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3-F)	511.30	510.81
1-108	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2-Cl)	527.75	526.74
1-109	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3-Cl)	527.75	526.75
1-110	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2-CH ₃)	507.33	506.78
1-111	3,4-Cl ₂	CF ₃	CH ₂ (Ph-4-CH ₃)	507.33	506.73
1-112	3,4-Cl ₂	CF ₃	CH ₂ (Ph-4-Bu-t)	549.41	548.77
1-113	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2-CF ₃)	561.30	560.72
1-114	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3-CF ₃)	561.30	560.69
1-115	3,4-Cl ₂	CF ₃	CH ₂ (Ph-4-CF ₃)	561.30	560.97
1-116	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2-OCH ₃)	523.33	522.77
1-117	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3-OCH ₃)	523.33	522.74
1-118	3,4-Cl ₂	CF ₃	CH ₂ (Ph-4-OCH ₃)	523.33	522.68
1-119	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3-OCF ₃)	577.30	576.69
1-120	3,4-Cl ₂	CF ₃	CH ₂ (Ph-4-SO ₂ CH ₃)	571.40	570.71
1-121	3,4-Cl ₂	CF ₃	CH ₂ [Ph-4-N(CH ₃) ₂]	536.37	535.81
1-122	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3-NO ₂)	538.30	537.64
1-123	3,4-Cl ₂	CF ₃	CH ₂ (Ph-4-NO ₂)	538.30	537.66
1-124	3,4-Cl ₂	CF ₃	CH ₂ [Ph-4-C(O)OCH ₃]	551.34	550.74
1-125	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2,5-F ₂)	529.29	528.72
1-126	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2,6-F ₂)	529.29	528.81
1-127	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3,5-F ₂)	529.29	528.73
1-128	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3-Cl-4-F)	545.74	544.67

1-129	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2,3-Cl ₂)	562.20	560.72
1-130	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2,4-Cl ₂)	562.20	560.72
1-131	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2,5-Cl ₂)	562.20	560.72
1-132	3,4-Cl ₂	CF ₃	CH ₂ (Ph-2,6-Cl ₂)	562.20	560.73
1-133	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3,5-Cl ₂)	562.20	560.64
1-134	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3-CF ₃ -4-F)	579.29	578.70
1-135	3,4-Cl ₂	CF ₃	CH ₂ [Ph-3,4-(OCH ₃) ₂]	553.36	552.76
1-136	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3-OCH ₂ O-4)	537.31	536.73
1-137	3,4-Cl ₂	CF ₃	CH ₂ (1-Naph)	543.36	542.80
1-138	3,4-Cl ₂	CF ₃	CH(CH ₃)Ph	507.34	506.88
1-139	3,4-Cl ₂	CF ₃	CH(CH ₃)(Ph-3-Cl)	541.78	540.70
1-140	3,4-Cl ₂	CF ₃	C(CH ₃) ₂ Ph	521.37	520.99
1-141	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ Ph	507.34	507.01
1-142	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ (Ph-4-OPh)	599.44	598.95
1-143	3,4-Cl ₂	CF ₃	CH ₂ CH(CH ₃)Ph	521.37	520.93
1-144	3,4-Cl ₂	CF ₃	CH ₂ CHPh ₂	583.43	582.79
1-145	3,4-Cl ₂	CF ₃	CH(CH ₃)CH ₂ (Ph-4-Cl)	555.81	554.78
1-146	3,4-Cl ₂	CF ₃	T-9	519.35	518.88
1-147	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ CH ₂ Ph	521.37	520.97
1-148	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ SCH ₂ Ph	553.43	552.75
1-149	3,4-Cl ₂	CF ₃	CH ₂ C(O)(Ph-4-OCH ₃)	551.34	550.66
1-150	3,4-Cl ₂	CF ₃	CH ₂ (D-1c)CH ₃	497.29	496.80
1-151	3,4-Cl ₂	CF ₃	CH ₂ (D-3a)	499.33	498.70
1-152	3,4-Cl ₂	CF ₃	CH ₂ (D-3b)CH ₃	513.36	512.74
1-153	3,4-Cl ₂	CF ₃	CH ₂ (D-47a)	494.29	493.84
1-154	3,4-Cl ₂	CF ₃	CH ₂ (D-47f)	596.74	595.79
1-155	3,4-Cl ₂	CF ₃	CH ₂ (D-48a)	494.29	493.84
1-156	3,4-Cl ₂	CF ₃	CH ₂ (D-49a)	494.29	493.86
1-157	3,4-Cl ₂	CF ₃	CH ₂ (D-53b)CH ₃	509.31	508.78
1-158	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ (D-3a)	513.36	512.71
1-159	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ (D-47a)	508.32	507.76
1-160	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ (D-48a)	508.32	507.77
1-161	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ CH ₂ (D-24a)	511.32	510.84
1-162	3,4-Cl ₂	CF ₃	T-21	472.24	471.77
1-163	3,4-Cl ₂	CF ₃	T-22	488.31	487.72
1-164	3,4-Cl ₂	CF ₃	(D-8b)CH ₃	484.25	483.75
1-165	3,4-Cl ₂	CF ₃	D-11c	581.35	580.66
1-166	3,4-Cl ₂	CF ₃	D-21a	486.29	485.70
1-167	3,4-Cl ₂	CF ₃	(D-21b)CH ₃	500.32	499.70
1-168	3,4-Cl ₂	CF ₃	(D-21c)CH ₃	500.32	499.70
1-169	3,4-Cl ₂	CF ₃	(D-21c)NO ₂	531.29	530.60
1-170	3,4-Cl ₂	CF ₃	D-25d	533.33	532.73
1-171	3,4-Cl ₂	CF ₃	D-48a	480.27	479.76
1-172	3,4-Cl ₂	CF ₃	D-49a	480.27	479.76
1-173	3,4-Cl ₂	CF ₃	OPr-n	461.27	460.94
1-174	3,4-Cl ₂	CF ₃	N(CH ₃) ₂	446.26	445.92

1-175	3,5-Cl ₂	CF ₃	CH ₂ Pr-c	457.27	456.83
1-176	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ CF ₃	499.23	498.79
1-177	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ OEt	475.29	474.86
1-178	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ OCH ₂ CH ₂ OH	491.29	490.78
1-179	3,5-Cl ₂	CF ₃	CH ₂ CH(CH ₃)OH	461.27	460.88
1-180	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ CH ₂ OEt	489.31	488.90
1-181	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ CH ₂ OPr-i	503.34	502.86
1-182	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ SEt	491.35	490.99
1-183	3,5-Cl ₂	CF ₃	CH ₂ (Ph-3-Br)	572.20	570.68
1-184	3,5-Cl ₂	CF ₃	CH ₂ (Ph-3-OCH ₃)	523.33	522.80
1-185	3,5-Cl ₂	CF ₃	CH ₂ (Ph-4-OCH ₃)	523.33	522.74
1-186	3,5-Cl ₂	CF ₃	CH ₂ (Ph-4-OCF ₃)	577.30	576.75
1-187	3,5-Cl ₂	CF ₃	CH ₂ (Ph-4-SO ₂ NH ₂)	572.38	571.78
1-188	3,5-Cl ₂	CF ₃	CH ₂ (Ph-3-NO ₂)	538.30	537.76
1-189	3,5-Cl ₂	CF ₃	CH ₂ (Ph-4-NO ₂)	538.30	537.76
1-190	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ (Ph-3-Cl)	541.78	540.71
1-191	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ (Ph-4-OCH ₃)	537.36	536.79
1-192	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ (Ph-3,4-Cl ₂)	576.22	574.60
1-193	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ [Ph-3,4-(OCH ₃) ₂]	567.38	566.77
1-194	3,5-Cl ₂	CF ₃	CH ₂ CH ₂ OPh	523.33	522.85
1-195	3,5-Cl ₂	CF ₃	Ph-4-OCH ₃	509.30	508.75
1-196	3,5-Cl ₂	CF ₃	(D-21b)CH ₂ C(O)OEt	572.38	571.70
1-197	3,5-Cl ₂	CF ₃	(D-21c)Br	565.19	563.59
1-198	3,5-Cl ₂	CF ₃	(D-21c)SO ₂ (Ph-4-NO ₂)	671.45	670.55
1-199	3,5-Cl ₂	CF ₃	D-21d	514.35	513.72
1-200	3,5-Cl ₂	CF ₃	D-21e	536.35	535.70
1-201	3,5-Cl ₂	CF ₃	D-21f	570.80	569.68
1-202	3,5-Cl ₂	CF ₃	D-21g	570.80	569.68
1-203	3,5-Cl ₂	CF ₃	D-21h	566.38	565.71
1-204	3,5-Cl ₂	CF ₃	D-21i	566.38	565.76
1-205	3,5-Cl ₂	CF ₃	D-21j	581.35	580.69
1-206	3,5-Cl ₂	CF ₃	NHPh	494.29	493.81
1-207	3,5-Br ₂	CF ₃	CH ₂ CF ₃	574.11	572.49
1-208	3,5-Br ₂	CF ₃	CH ₂ Ph	582.21	580.61
1-209	3-CH ₃ -4-F	CF ₃	CH ₂ Ph	456.43	456.87
1-210	3,4-(CH ₃) ₂	CF ₃	CH ₂ CF ₃	444.37	444.89
1-211	3,4-(CH ₃) ₂	CF ₃	CH ₂ Ph	452.47	452.94
1-212	3,5-(CH ₃) ₂	CF ₃	CH ₂ CF ₃	444.37	444.86
1-213	3,5-(CH ₃) ₂	CF ₃	CH ₂ Ph	452.47	452.95
1-214	3,5-(CF ₃) ₂	CF ₃	CH ₂ CF ₃	552.31	552.72
1-215	3,5-(CF ₃) ₂	CF ₃	CH ₂ Ph	560.41	560.76
1-216	3-OEt-4-Cl	CF ₃	CH ₂ CF ₃	494.81	494.76
1-217	3-OEt-4-Cl	CF ₃	CH ₂ Ph	502.91	502.81
1-218	3,4-(OCH ₃) ₂	CF ₃	CH ₂ CF ₃	476.37	476.83
1-219	3,4-(OCH ₃) ₂	CF ₃	CH ₂ Ph	484.47	484.90
1-220	3-OCH ₂ O-4	CF ₃	CH ₂ Pr-c	432.39	432.89

1-221	3-OCH ₂ O-4	CF ₃	CH ₂ Ph	468.42	468.86
1-222	3,5-(CHO) ₂	CF ₃	CH ₂ CF ₃	472.34	472.92
1-223	3-CH=CHCH=CH-4	CF ₃	CH ₂ CF ₃	466.38	466.83
1-224	3-CH=CHCH=CH-4	CF ₃	CH ₂ Ph	474.47	474.86
1-225	3,4,5-F ₃	CF ₃	CH ₂ CF ₃	470.29	470.77
1-226	3,4,5-F ₃	CF ₃	CH ₂ Ph	478.39	478.82

Table 8




No.	(X) _m	(Y) _n	R ²	R ¹	Mw	M ⁺ +H
2-001	3,4-F ₂	—	CH ₃	CH ₂ Ph	474.42	474.88
2-002	3,4-Cl ₂	—	CH ₃	CH ₃	431.24	430.91
2-003	3,4-Cl ₂	—	Et	Et	459.29	458.94
2-004	3,4-Cl ₂	—	CH ₃	n-Bu	473.32	472.97
2-005	3,4-Cl ₂	—	CH ₃	i-Bu	473.32	472.89
2-006	3,4-Cl ₂	—	-CH ₂ CH ₂ CH ₂ CH ₂ -		457.28	456.85
2-007	3,4-Cl ₂	—	-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ -		471.31	470.84
2-008	3,4-Cl ₂	—	-CH ₂ CH ₂ CH ₂ CH ₂ CH(CH ₃)-		485.33	484.83
2-009	3,4-Cl ₂	—	-CH ₂ CH ₂ CH ₂ CH(CH ₃)CH ₂ -		485.33	484.82
2-010	3,4-Cl ₂	—	-CH ₂ CH(CH ₃)CH ₂ CH(CH ₃)CH ₂ -		499.35	498.82
2-011	3,4-Cl ₂	—	-CH ₂ CH ₂ OCH ₂ CH ₂ -		473.28	472.75
2-012	3,4-Cl ₂	—	-CH ₂ CH(CH ₃)OCH(CH ₃)CH ₂ -		501.33	500.77
2-013	3,4-Cl ₂	—	-CH ₂ CH ₂ SCH ₂ CH ₂ -		489.34	488.74
2-014	3,4-Cl ₂	—	-CH ₂ CH ₂ N(CHO)CH ₂ CH ₂ -		500.30	499.76
2-015	3,4-Cl ₂	—	CH ₃	CH ₂ CH=CH ₂	457.27	456.87
2-016	3,4-Cl ₂	—	CH ₂ CH=CH ₂	CH ₂ CH=CH ₂	483.31	482.85
2-017	3,4-Cl ₂	—	CH ₃	CH ₂ C≡CH	455.26	454.86
2-018	3,4-Cl ₂	—	CH ₃	CH ₂ Ph	507.34	506.93
2-019	3,4-Cl ₂	—	Et	CH ₂ (D-48e)Cl	556.79	555.73
2-020	3,5-Cl ₂	—	Et	Et	459.29	458.85
2-021	3,5-Cl ₂	—	CH ₃	CH ₂ Ph	507.33	506.79
2-022	3,5-Cl ₂	—	Et	CH ₂ Ph	521.36	520.79
2-023	3,5-Cl ₂	—	CH ₂ Ph	CH ₂ Ph	583.43	582.79
2-024	3,5-Cl ₂	2-CH ₃	H	CH ₂ CH ₂ OH	461.26	460.99
2-025	3,5-Cl ₂	2-CH ₃	H	CH ₂ CH ₂ OPr-n	503.34	502.99
2-026	3,5-Cl ₂	2-CH ₃	H	CH ₂ CH ₂ OPr-i	503.34	502.98
2-027	3,5-Cl ₂	2-CH ₃	H	CH ₂ CH ₂ OCH ₂ CH ₂ OH	505.31	504.95
2-028	3,5-Cl ₂	2-CH ₃	H	CH ₂ CH ₂ OPh	537.36	536.94
2-029	3,5-Cl ₂	2-CH ₃	H	CH(CH ₃)CH ₂ OCH ₃	489.31	488.98

2-030	3,5-Cl ₂	2-CH ₃	H	CH ₂ CH ₂ N(CH ₃) ₂	488.33	487.98
2-031	3,5-Cl ₂	2-CH ₃	H	CH(Ph)C(O)OCH ₃ (R)	565.37	564.84
2-032	3,5-Cl ₂	2-CH ₃	H	CH(Ph)C(O)OCH ₃ (S)	565.37	564.92
2-033	3,5-Cl ₂	2-CH ₃	H	CH ₂ CH ₂ C(O)OCH ₃	503.30	502.91
2-034	3,5-Cl ₂	2-CH ₃	H	CH ₂ (Ph-4-OCH ₃)	537.36	536.98
2-035	3,5-Cl ₂	2-CH ₃	H	CH ₂ (Ph-4-CN)	532.34	531.94
2-036	3,5-Cl ₂	2-CH ₃	H	CH ₂ CH ₂ (D-47a)	522.35	521.94
2-037	3,5-Cl ₂	2-CH ₃	H	T-29b	562.32	559.80*
2-038	3,5-Cl ₂	2-CH ₃	H	NHCH ₂ C(O)OEt	518.31	517.93
2-039	3,5-Cl ₂	2-CH ₃	H	NHCHO	460.23	457.86*
2-040	3,5-Cl ₂	2-CH ₃	H	NHC(O)CH ₂ (D-3a)	556.38	553.71*
2-041	3,5-Cl ₂	2-CH ₃	H	N(CH ₃)C(S)NH ₂	505.34	504.82
2-042	3,5-Cl ₂	2-CH ₃	H	N(CH ₃)C(S)NHCH ₃	519.37	518.88
2-043	3,5-Cl ₂	2-CH ₃	H	T-40	530.37	529.98
2-044	3,5-Cl ₂	2-CH ₃	H	NH(Ph-2-F)	526.31	525.92
2-045	3,5-Cl ₂	2-CH ₃	H	NH(Ph-3-F)	526.31	525.92
2-046	3,5-Cl ₂	2-CH ₃	H	NH(Ph-4-F)	526.31	523.89*
2-047	3,5-Cl ₂	2-CH ₃	H	NH(Ph-4-Br)	587.22	585.91
2-048	3,5-Cl ₂	2-CH ₃	H	NH(Ph-4-CH ₃)	522.35	521.93
2-049	3,5-Cl ₂	2-CH ₃	H	NH(Ph-4-Pr-i)	550.40	549.94
2-050	3,5-Cl ₂	2-CH ₃	H	NH(Ph-4-OCF ₃)	592.32	591.97
2-051	3,5-Cl ₂	2-CH ₃	H	NH(Ph-4-CN)	533.33	533.01
2-052	3,5-Cl ₂	2-CH ₃	H	N(CH ₃)(D-47d)CF ₃	591.33	590.99
2-053	3,5-Cl ₂	2-CH ₃	H	N=CHC(CH ₃)=CHPh	560.39	559.95
2-054	3,5-Cl ₂	2-CH ₃	H	D-47a	494.29	493.94
2-055	3,5-Cl ₂	2-CH ₃	H	D-49a	494.29	493.97
2-056	3-OCH ₂ O-4	—	CH ₃	CH ₂ Ph	482.45	482.86

In Table above, the indication of "*" shows the measured value of molecular ion peak of M+H measured with negative mode.

Table 9



No.	(X) _m	R ³	R ¹	m.p. (°C)
3-001	—	CF ₃	CH ₂ CF ₃	172.0-173.0
3-002	3-Cl	CF ₃	CH ₂ CF ₃	157.0-158.0
3-003	3-Cl	CF ₃	CH ₂ Ph	168.0-169.0
3-004	4-Cl	CF ₃	CH ₂ CF ₃	190.0-191.0
3-005	4-Cl	CF ₃	CH ₂ Ph	212.0-214.0


3-006	3-Br	CF ₃	CH ₂ CF ₃	132.0-135.0
3-007	3-OCF ₃	CF ₃	CH ₂ (D-47a)	145.0-147.0
3-008	3-OCH ₂ Ph	CF ₃	CH ₂ CF ₃	146.0-149.0
3-009	3-OCH ₂ (Ph-2-Cl)	CF ₃	CH ₂ CF ₃	158.0-159.0
3-010	3-OCH ₂ (Ph-2-Cl)	CF ₃	CH ₂ (D-47a)	*1
3-011	3-SEt	CF ₃	CH ₂ CF ₃	105.0-106.0
3-012	3-CN	CF ₃	CH ₂ CF ₃	93.0-96.0
3-013	4-CN	CF ₃	CH ₂ CF ₃	149.0-151.0
3-014	3-CH=NOH	CF ₃	CH ₂ CF ₃	168.0-169.0
3-015	3-CH=NOCH ₃	CF ₃	CH ₂ CF ₃	*1
3-016	4-C(CH ₃)=NOCH ₃ (E)	CF ₃	CH ₂ CF ₃	160.0-162.0
3-017	4-C(CH ₃)=NOCH ₃ (Z)	CF ₃	CH ₂ CF ₃	*1
3-018	3,4-F ₂	CF ₃	CH ₂ CF ₃	150.0-152.0
3-019	2,4-Cl ₂	CF ₃	CH ₂ CF ₃	149.0-151.0
3-020	3,4-Cl ₂	H	CH ₂ CF ₃	161.0-162.0
3-021	3,4-Cl ₂	H	CH ₂ Ph	147.0-148.0
3-022	3,4-Cl ₂	CH ₃	CH ₂ Pr-c	157.0-158.0
3-023	3,4-Cl ₂	CH ₃	CH ₂ CF ₃	120.0-122.0
3-024	3,4-Cl ₂	CH ₃	CH ₂ Ph	153.0-155.0
3-025	3,4-Cl ₂	CF ₃	CH ₃	139.0-140.0
3-026	3,4-Cl ₂	CF ₃	c-Pr	193.0-194.0
3-027	3,4-Cl ₂	CF ₃	i-Bu	158.0-159.0
3-028	3,4-Cl ₂	CF ₃	CH ₂ Bu-c	177.0-179.0
3-029	3,4-Cl ₂	CF ₃	CH ₂ CH(Et)Bu-n	125.0-127.0
3-030	3,4-Cl ₂	CF ₃	CH ₂ CF ₂ CF ₃	171.0-173.0
3-031	3,4-Cl ₂	CF ₃	CH ₂ (E-4a)	136.0-138.0
3-032	3,4-Cl ₂	CF ₃	CH(CH ₃)CH ₂ SCH ₃	145.0-147.0
3-033	3,4-Cl ₂	CF ₃	C(CH ₃) ₂ CH ₂ SCH ₃	150.0-152.0
3-034	3,4-Cl ₂	CF ₃	C(CH ₃) ₂ CH ₂ S(O)CH ₃	*1
3-035	3,4-Cl ₂	CF ₃	C(CH ₃) ₂ CH ₂ SO ₂ CH ₃	161.0-163.0
3-036	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ CH ₂ C(O)OEt	105.0-107.0
3-037	3,4-Cl ₂	CF ₃	CH ₂ (Ph-4-F)	155.0-156.0
3-038	3,4-Cl ₂	CF ₃	CH ₂ (Ph-4-Cl)	191.0-193.0
3-039	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3-CH ₃)	198.0-200.0
3-040	3,4-Cl ₂	CF ₃	CH ₂ (Ph-3,4-Cl ₂)	161.0-162.0
3-041	3,4-Cl ₂	CF ₃	CH ₂ CH(Ph)OH	211.0-213.0
3-042	3,4-Cl ₂	CF ₃	CH ₂ C(O)(Ph-4-Br)	193.0-195.0
3-043	3,4-Cl ₂	CF ₃	CH ₂ (D-1a)	179.0-180.0
3-044	3,4-Cl ₂	CF ₃	CH ₂ (D-48e)Cl	154.0-157.0
3-045	3,4-Cl ₂	CF ₃	CH ₂ (D-50d)	183.0-186.0
3-046	3,4-Cl ₂	CF ₃	CH ₂ CH ₂ (D-49a)	113.0-116.0
3-047	3,4-Cl ₂	CF ₃	NHPh	160.0-162.0
3-048	3,4-Cl ₂	CF ₃	Ph	208.0-210.0
3-049	3,4-Cl ₂	CF ₃	Ph-2-CH ₃ -4-Cl	237.0-238.0
3-050	3,4-Cl ₂	CF ₃	D-35a	238.0-241.0
3-051	3,4-Cl ₂	CF ₃	D-47a	167.0-169.0

3-052	3,4-Cl ₂	CN	CH ₂ CF ₃	162.0-164.0
3-053	3,4-Cl ₂	Ph	CH ₂ Pr-c	153.0-154.0
3-054	3,4-Cl ₂	Ph	CH ₂ CF ₃	157.0-158.0
3-055	3,4-Cl ₂	Ph	CH ₂ Ph	173.0-175.0
3-056	3,5-Cl ₂	c-Pr	CH ₂ CF ₃	144.0-145.0
3-057	3,5-Cl ₂	CF ₃	H	256.0-258.0
3-058	3,5-Cl ₂	CF ₃	i-Bu	167.0-170.0
3-059	3,5-Cl ₂	CF ₃	CH ₂ Cl	*1
3-060	3,5-Cl ₂	CF ₃	CH ₂ CF ₃	94.0-96.0
3-061	3,5-Cl ₂	CF ₃	CH ₂ (T-4)	84.0-87.0
3-062	3,5-Cl ₂	CF ₃	CH ₂ OH	254.0-260.0
3-063	3,5-Cl ₂	CF ₃	CH ₂ CH(OCH ₃) ₂	198.0-200.0
3-064	3,5-Cl ₂	CF ₃	CH ₂ CH(OEt) ₂	*1
3-065	3,5-Cl ₂	CF ₃	CH ₂ CH(CH ₃)OC(O)NH ₂	127.0-129.0
3-066	3,5-Cl ₂	CF ₃	CH ₂ CH(CH ₃)OC(O)NH(Ph-4-F)	162.0-165.0
3-067	3,5-Cl ₂	CF ₃	CH ₂ CH(OH)CH ₂ OH	*1
3-068	3,5-Cl ₂	CF ₃	CH ₂ (E-4a)	123.5-126.0
3-069	3,5-Cl ₂	CF ₃	CH ₂ (E-5a)	*1
3-070	3,5-Cl ₂	CF ₃	CH ₂ (E-10a)	152.0-153.0
3-071	3,5-Cl ₂	CF ₃	CH ₂ (E-10b)CH ₃	151.0-153.0
3-072	3,5-Cl ₂	CF ₃	CH ₂ (E-32a)	*1
3-073	3,5-Cl ₂	CF ₃	C(CH ₃) ₂ CH ₂ SCH ₃	91.0-92.0
3-074	3,5-Cl ₂	CF ₃	C(CH ₃) ₂ CH ₂ SO ₂ CH ₃	*1
3-075	3,5-Cl ₂	CF ₃	CH ₂ (E-18a)	124.0-126.0
3-076	3,5-Cl ₂	CF ₃	CH ₂ (E-18c)	253.0-255.0
3-077	3,5-Cl ₂	CF ₃	CH ₂ CHO	*1
3-078	3,5-Cl ₂	CF ₃	CH ₂ CH=NOH	*1
3-079	3,5-Cl ₂	CF ₃	CH ₂ CH=NOCH ₃	*1
3-080	3,5-Cl ₂	CF ₃	CH ₂ C(CH ₃)=NOCH ₃	71.0-75.0
3-081	3,5-Cl ₂	CF ₃	CH ₂ CN	145.0-151.0
3-082	3,5-Cl ₂	CF ₃	CH ₂ C(O)OH	*1
3-083	3,5-Cl ₂	CF ₃	CH ₂ C(O)OCH ₃	*1
3-084	3,5-Cl ₂	CF ₃	CH ₂ C(O)NH ₂	100.0-107.0
3-085	3,5-Cl ₂	CF ₃	CH ₂ C(O)NHCH ₂ CH ₂ Cl	161.5-165.0
3-086	3,5-Cl ₂	CF ₃	CH ₂ C(O)NHCH ₂ CF ₃	108.0-114.0
3-087	3,5-Cl ₂	CF ₃	CH ₂ C(S)NH ₂	*1
3-088	3,5-Cl ₂	CF ₃	CH ₂ C(=NOH)NH ₂ · HCl	140.0-144.5
3-089	3,5-Cl ₂	CF ₃	CH ₂ CH=CH ₂	*1
3-090	3,5-Cl ₂	CF ₃	CH ₂ C(CH ₃)=CH ₂	133.0-136.0
3-091	3,5-Cl ₂	CF ₃	CH ₂ CCl=CH ₂	121.0-123.0
3-092	3,5-Cl ₂	CF ₃	CH ₂ CH=CCl ₂	118.0-120.0
3-093	3,5-Cl ₂	CF ₃	CH ₂ CCl=CHCl	153.0-154.0
3-094	3,5-Cl ₂	CF ₃	CH ₂ C≡CH	144.0-146.0
3-095	3,5-Cl ₂	CF ₃	CH ₂ Ph	174.0-177.0
3-096	3,5-Cl ₂	CF ₃	CH ₂ (Ph-4-Br)	203.0-205.0
3-097	3,5-Cl ₂	CF ₃	CH ₂ (Ph-4-SCH ₃)	182.0-184.0

3-098	3,5-Cl ₂	CF ₃	CH ₂ [Ph-4-S(O)CH ₃]	170.0-174.0
3-099	3,5-Cl ₂	CF ₃	CH ₂ (Ph-4-SO ₂ CH ₃)	214.0-216.0
3-100	3,5-Cl ₂	CF ₃	CH ₂ (Ph-2-NO ₂)	165.0-167.0
3-101	3,5-Cl ₂	CF ₃	CH ₂ (D-1a)	178.5-181.0
3-102	3,5-Cl ₂	CF ₃	CH ₂ (D-3a)	201.0-202.0
3-103	3,5-Cl ₂	CF ₃	CH ₂ (D-3d)Cl	144.0-146.0
3-104	3,5-Cl ₂	CF ₃	CH ₂ (D-10b)Cl	87.0-95.0
3-105	3,5-Cl ₂	CF ₃	CH ₂ (D-15a)CH ₃	154.0-155.0
3-106	3,5-Cl ₂	CF ₃	CH ₂ (D-16b)Cl	224.0-225.0
3-107	3,5-Cl ₂	CF ₃	CH ₂ (D-16c)Cl	*1
3-108	3,5-Cl ₂	CF ₃	CH ₂ (D-16d)	*1
3-109	3,5-Cl ₂	CF ₃	CH ₂ (D-17a)CH ₃	59.0-61.0
3-110	3,5-Cl ₂	CF ₃	CH ₂ (D-17b)Cl	*1
3-111	3,5-Cl ₂	CF ₃	CH ₂ (D-21a)	178.0-179.0
3-112	3,5-Cl ₂	CF ₃	CH ₂ (D-22a)	156.0-158.0
3-113	3,5-Cl ₂	CF ₃	CH ₂ (D-22b)Cl	94.0-96.0
3-114	3,5-Cl ₂	CF ₃	CH ₂ (D-22b)CH ₃	*1
3-115	3,5-Cl ₂	CF ₃	CH ₂ (D-23a)	191.0-193.0
3-116	3,5-Cl ₂	CF ₃	CH ₂ (D-23b)Cl	165.0-167.0
3-117	3,5-Cl ₂	CF ₃	CH ₂ (D-24b)	218.0-220.0
3-118	3,5-Cl ₂	CF ₃	CH ₂ (D-24c)	*1
3-119	3,5-Cl ₂	CF ₃	CH ₂ (D-25a)CH ₃	*1
3-120	3,5-Cl ₂	CF ₃	CH ₂ (D-27a)CH ₃	*1
3-121	3,5-Cl ₂	CF ₃	CH ₂ (D-29b)CH ₃	*1
3-122	3,5-Cl ₂	CF ₃	CH ₂ (D-34a)	*1
3-123	3,5-Cl ₂	CF ₃	CH ₂ (D-35a)	157.5-161.0
3-124	3,5-Cl ₂	CF ₃	CH ₂ (D-38a)	224.5-226.0
3-125	3,5-Cl ₂	CF ₃	CH ₂ (D-47a)	150.0-151.0
3-126	3,5-Cl ₂	CF ₃	CH ₂ (D-47c)Cl	124.0-126.0
3-127	3,5-Cl ₂	CF ₃	CH ₂ (D-47e)CH ₃	*2
3-128	3,5-Cl ₂	CF ₃	CH ₂ (D-47i)	121.0-124.0
3-129	3,5-Cl ₂	CF ₃	CH ₂ (D-48e)Cl	159.5-163.0
3-130	3,5-Cl ₂	CF ₃	CH ₂ (D-50d)	250.0-255.0
3-131	3,5-Cl ₂	CF ₃	CH ₂ (D-53b)CH ₃	*1
3-132	3,5-Cl ₂	CF ₃	CH(CH ₃)Ph	137.5-141.0
3-133	3,5-Cl ₂	CF ₃	C(O)(D-47a)	*1
3-134	3,5-Cl ₂	CF ₃	OCH ₃	*1
3-135	3,5-Cl ₂	CF ₃	NH(D-47a)	*1
3-136	3,5-Cl ₂	CF ₃	NH(D-50a)	202.0-204.0
3-137	3,5-Cl ₂	CF ₃	NH(D-50b)CF ₃	146.0-149.0
3-138	3,5-Cl ₂	CF ₃	NH(D-54b)Cl	124.0-130.0
3-139	3,5-Cl ₂	CF ₃	N(CH ₃)Ph	174.0-178.0
3-140	3,5-Cl ₂	CF ₃	D-21a	268.0-273.0
3-141	3-CH ₃ -4-F	CF ₃	CH ₂ CF ₃	151.0-152.0
3-142	3-Cl-5-CH ₃	CF ₃	CH ₂ CF ₃	74.0-76.0
3-143	3-Cl-5-CH ₃	CF ₃	CH ₂ (D-47a)	*1


3-144	3-Cl-4-OCH ₃	CF ₃	CH ₂ CF ₃	135.0-138.0
3-145	3-CF ₃ -5-OCH ₃	CF ₃	CH ₂ CF ₃	161.0-162.0
3-146	3-OCH ₂ O-4	CF ₃	CH ₂ CF ₃	149.0-151.0
3-147	2-F-3-CH ₃ -5-Cl	CF ₃	CH ₂ CF ₃	*1
3-148	3,5-Cl ₂	CF ₃	CH ₂ (D-34b)CH ₃	143.0-144.5

Table 10



No.	(X) _m	R ³	R ²	R ¹	m.p. (°C)
4-001	3,4-Cl ₂	CF ₃	-CH ₂ CH ₂ CH(CH ₃)CH ₂ CH ₂ -		132.0-134.0
4-002	3,4-Cl ₂	CF ₃	-CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ CH ₂ -		160.0-163.0
4-003	3,5-Cl ₂	CF ₃	CH ₂ OCH ₃	CH ₂ (D-47a)	*1
4-004	3,5-Cl ₂	CF ₃	CH ₂ OEt	CH ₂ (D-47a)	*1
4-005	3,5-Cl ₂	CF ₃	CH ₂ SO ₂ CH ₃	CH ₂ (D-47a)	*1
4-006	3,5-Cl ₂	CF ₃	CH ₂ CH=CH ₂	CH ₂ (D-47a)	*1
4-007	3,5-Cl ₂	CF ₃	CH(CH=CH ₂)CH ₂ CH=CH ₂	CH ₂ (D-47a)	*1
4-008	3,5-Cl ₂	CF ₃	CH ₂ Ph	CH ₂ (D-47a)	*1
4-009	3,5-Cl ₂	CF ₃	C(O)OCH ₃	CH ₂ (D-47a)	*1
4-010	3,5-Cl ₂	CF ₃	Et	CH ₂ (D-48e)Cl	*1
4-011	3,5-Cl ₂	CF ₃	CH ₃	OCH ₃	*1

Table 11



No.	(X) _m	R ³	(Y) _n	R ¹	m.p. (°C)
5-001	3-Cl	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-002	3-Br	CF ₃	2-CH ₃	CH ₂ CF ₃	158.5-161.0
5-003	3-Br	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-004	3-I	CF ₃	2-CH ₃	CH ₂ CF ₃	168.0-172.5
5-005	3-I	CF ₃	2-CH ₃	CH ₂ (D-47a)	135.5-138.0
5-006	4-I	CF ₃	2-CH ₃	CH ₂ CF ₃	134.0-135.0

5-007	4-I	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-008	3-CF ₃	CF ₃	2-CH ₃	CH ₂ CF ₃	135.5-137.5
5-009	3-CF ₃	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-010	3-(T-4)	CF ₃	2-CH ₃	CH ₂ CF ₃	*2
5-011	3-(T-4)	CF ₃	2-CH ₃	CH ₂ (D-47a)	*2
5-012	3-OCF ₃	CF ₃	2-CH ₃	CH ₂ CF ₃	*2
5-013	3-OCF ₃	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-014	3-OCF ₂ Br	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-015	3-OCF ₂ Br	CF ₃	2-CH ₃	CH ₂ (D-47a)	*2
5-016	3-OCF ₂ CHFOCF ₂ CF ₂ CF ₃	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-017	3-OCF ₂ CHFOCF ₂ CF ₂ CF ₃	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-018	3-OCH ₂ (Ph-2-Cl)	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-019	3-O(D-47f)	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-020	3-O(D-47f)	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-021	3-SEt	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-022	3-SCF ₃	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-023	3-SCF ₃	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-024	3-N(CH ₃)C(O)CF ₃	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-025	3-N(CH ₃)C(O)CF ₃	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-026	3-N(CH ₃)SO ₂ CF ₃	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-027	3-N(CH ₃)SO ₂ CF ₃	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-028	3-Ph	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-029	3,5-F ₂	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-030	3,5-Cl ₂	CH ₃	2-CH ₃	CH ₂ CF ₃	*1
5-031	3,5-Cl ₂	i-Pr	2-CH ₃	CH ₂ CF ₃	*1
5-032	3,5-Cl ₂	c-Pr	2-CH ₃	CH ₂ CF ₃	157.0-158.0
5-033	3,5-Cl ₂	c-Pr	2-CH ₃	CH ₂ (D-47a)	*1
5-034	3,5-Cl ₂	CH ₂ Cl	2-CH ₃	CH ₂ CF ₃	117.0-119.0
5-035	3,5-Cl ₂	CH ₂ Cl	2-CH ₃	CH ₂ (D-47a)	*1
5-036	3,5-Cl ₂	CHF ₂	2-CH ₃	CH ₂ CF ₃	94.0-97.5
5-037	3,5-Cl ₂	CHF ₂	2-CH ₃	CH ₂ (D-47a)	*1
5-038	3,5-Cl ₂	CF ₃	2-F	CH ₂ CF ₃	*1
5-039	3,5-Cl ₂	CF ₃	2-F	CH ₂ Ph	172.0-176.0
5-040	3,5-Cl ₂	CF ₃	2-F	CH ₂ (D-22a)	*1
5-041	3,5-Cl ₂	CF ₃	2-F	CH ₂ (D-47a)	126.0-129.0
5-042	3,5-Cl ₂	CF ₃	3-F	CH ₂ CF ₃	*1
5-043	3,5-Cl ₂	CF ₃	3-F	CH ₂ Ph	178.0-181.0
5-044	3,5-Cl ₂	CF ₃	3-F	CH ₂ (D-47a)	125.0-127.0
5-045	3,5-Cl ₂	CF ₃	2-Cl	CH ₂ Pr-c	132.0-134.0
5-046	3,5-Cl ₂	CF ₃	2-Cl	CH ₂ CF ₃	124.0-125.0
5-047	3,5-Cl ₂	CF ₃	2-Cl	CH ₂ Ph	57.0-58.0
5-048	3,5-Cl ₂	CF ₃	2-Cl	CH ₂ (Ph-4-NO ₂)	*1
5-049	3,5-Cl ₂	CF ₃	2-Cl	CH ₂ (D-21a)	*1
5-050	3,5-Cl ₂	CF ₃	2-Cl	CH ₂ (D-22a)	*1
5-051	3,5-Cl ₂	CF ₃	2-Cl	CH ₂ (D-22b)Cl	*2
5-052	3,5-Cl ₂	CF ₃	2-Cl	CH ₂ (D-28a)	*1

5-053	3,5-Cl ₂	CF ₃	2-Cl	CH ₂ (D-47a)	*1
5-054	3,5-Cl ₂	CF ₃	3-Cl	CH ₂ CF ₃	149.0-150.0
5-055	3,5-Cl ₂	CF ₃	3-Cl	CH ₂ Ph	119.0-121.0
5-056	3,5-Cl ₂	CF ₃	3-Cl	CH ₂ (D-47a)	*1
5-057	3,5-Cl ₂	CF ₃	2-Br	CH ₂ CF ₃	145.0-147.0
5-058	3,5-Cl ₂	CF ₃	2-Br	CH ₂ (D-47a)	*1
5-059	3,5-Cl ₂	CF ₃	2-I	CH ₂ CF ₃	128.0-130.0
5-060	3,5-Cl ₂	CF ₃	2-I	CH ₂ CH ₂ OEt	*1
5-061	3,5-Cl ₂	CF ₃	2-I	CH ₂ CH(OCH ₃) ₂	*1
5-062	3,5-Cl ₂	CF ₃	2-I	CH ₂ C(O)NHCH ₃	*1
5-063	3,5-Cl ₂	CF ₃	2-I	CH ₂ C(O)NHCH ₂ CH ₂ Cl	68.0-70.0
5-064	3,5-Cl ₂	CF ₃	2-I	CH ₂ CH=CH ₂	97.0-100.0
5-065	3,5-Cl ₂	CF ₃	2-I	CH ₂ (D-47a)	*1
5-066	3,5-Cl ₂	CF ₃	2-CH ₃	H	*1
5-067	3,5-Cl ₂	CF ₃	2-CH ₃	Et	129.5-133.0
5-068	3,5-Cl ₂	CF ₃	2-CH ₃	c-Pr	84.0-86.0
5-069	3,5-Cl ₂	CF ₃	2-CH ₃	i-Bu	138.0-140.0
5-070	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ Pr-c	*1
5-071	3,5-Cl ₂	CF ₃	2-CH ₃	c-Bu	139.0-141.0
5-072	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ Bu-c	*1
5-073	3,5-Cl ₂	CF ₃	2-CH ₃	c-Pen	155.0-158.0
5-074	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ Cl	161.5-164.5
5-075	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CF ₃	155.5-157.0
5-075(+)	99%e.e.		[α] _D ^{23.0} +74.38°	(EtOH, c=0.621)	*1
5-075(-)	99%e.e.		[α] _D ^{22.8} -70.98°	(EtOH, c=0.648)	*1
5-076	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ OCH ₃	115.0-117.0
5-077	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ OEt	*1
5-078	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ OCH ₂ CH ₂ Cl	140.0-142.0
5-079	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ OC(O)CH ₃	*2
5-080	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ OC(O)NH ₂ Et	*2
5-081	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH(CH ₃)OH	67.0-70.0
5-082	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH(CH ₃)OCH ₃	179.0-181.0
5-083	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH(OCH ₃) ₂	*1
5-084	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH(OEt) ₂	*2
5-085	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)CH ₂ OC(O)NH ₂ Et	*1
5-086	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (E-4a)	*1
5-087	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (E-5a)	*2
5-088	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (E-10a)	158.5-160.5
5-089	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (E-10b)CH ₃	153.0-154.0
5-090	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (E-32a)	*1
5-091	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ SCH ₃	121.0-127.0
5-092	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ S(O)CH ₃	*1
5-093	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ SEt	106.0-109.0
5-094	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ SO ₂ Et	*1
5-095	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ SCH ₂ Ph	*1
5-096	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ SO ₂ CH ₂ Ph	*1

5-097	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ SCH ₂ (D-1a)	*1
5-098	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ SO ₂ CH ₂ (D-1a)	*1
5-099	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH(CH ₃)SCH ₃	*1
5-100	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH(CH ₃)S(O)CH ₃	*1
5-101	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH(CH ₃)SO ₂ CH ₃	*1
5-102	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)CH ₂ SCH ₃	*1
5-103	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)CH ₂ SO ₂ CH ₃	*1
5-104	3,5-Cl ₂	CF ₃	2-CH ₃	C(CH ₃) ₂ CH ₂ SCH ₃	*1
5-105	3,5-Cl ₂	CF ₃	2-CH ₃	C(CH ₃) ₂ CH ₂ SO ₂ CH ₃	167.0-169.0
5-106	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (E-18a)	204.0-206.0
5-107	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (E-18c)	249.0-251.0
5-108	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (E-43a)	199.0-201.0
5-109	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ NHC(O)CF ₃	81.0-84.0
5-110	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ NHC(O)CH ₂ CF ₃	143.0-146.0
5-111	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)CH ₃	155.0-160.0
5-112	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH=NOH	*1
5-113	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH=NOCH ₃	*2
5-114	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH=NOCH ₂ Pr-c	*1
5-115	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH=NOCH ₂ (Ph-4-Cl)	*2
5-116	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH=NOCH ₂ CH ₂ -TMS	*1
5-117	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(CH ₃)=NOCH ₃	101.0-105.0
5-118	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (M-5a)CH ₃	*1
5-119	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CN	186.5-189.0
5-120	3,5-Cl ₂	CF ₃	2-CH ₃	CH(OCH ₂ CF ₃)CN	*1
5-121	3,5-Cl ₂	CF ₃	2-CH ₃	CH(Ph)CN	165.5-167.0
5-122	3,5-Cl ₂	CF ₃	2-CH ₃	CH(D-1a)CN	*1
5-123	3,5-Cl ₂	CF ₃	2-CH ₃	CH(D-3a)CN	*1
5-124	3,5-Cl ₂	CF ₃	2-CH ₃	CH(D-14a)CN	192.0-194.5
5-125	3,5-Cl ₂	CF ₃	2-CH ₃	CH(D-38a)CN	185.0-189.5
5-126	3,5-Cl ₂	CF ₃	2-CH ₃	CH(D-47a)CN	*1
5-127	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)OH	*1
5-128	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)OCH ₃	*2
5-129	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)OCH ₂ CF ₃	157.0-158.0
5-130	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)OCH ₃ (D)	*1
5-131	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)OEt(L)	*1
5-132	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)OCH ₂ CF ₃	*1
5-133	3,5-Cl ₂	CF ₃	2-CH ₃	CH(OH)C(O)OCH ₃	*1
5-134	3,5-Cl ₂	CF ₃	2-CH ₃	CH(OCH ₃)C(O)OCH ₃	*1
5-135	3,5-Cl ₂	CF ₃	2-CH ₃	CH(D-14a)C(O)OCH ₃	93.5-97.0
5-136	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ C(O)OEt	*1
5-137	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NH ₂	87.0-91.0
5-138	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₃	*1
5-139	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)N(CH ₃) ₂	*1
5-140	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHEt	137.5-141.0
5-141	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHPr-n	*1
5-142	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHPr-i	152.0-155.0

5-143	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHBu-i	*1
5-144	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHBu-c	174.0-177.0
5-145	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHBu-t	*1
5-146	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ Bu-t	*1
5-147	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH ₂ F	*1
5-148	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH ₂ Cl	109.0-112.0
5-149	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)N(CH ₃)CH ₂ CH ₂ Cl	*2
5-150	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH ₂ Br	*1
5-151	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CF ₃	173.5-175.5
5-152	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH ₂ CH ₂ Cl	*1
5-153	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ (T-4)	*1
5-154	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH ₂ OH	*1
5-155	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)N(CH ₃)CH ₂ CH ₂ OH	*1
5-156	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH ₂ OCH ₃	146.0-149.0
5-157	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH ₂ OEt	*1
5-158	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH ₂ SCH ₃	138.0-143.0
5-159	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH ₂ SO ₂ CH ₃	*1
5-160	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH=CH ₂	76.0-79.0
5-161	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)N(CH ₃)CH ₂ CH=CH ₂	*1
5-162	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)N(CH ₂ CH=CH ₂) ₂	*1
5-163	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CCl=CH ₂	*1
5-164	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH=CCl ₂	188.0-192.0
5-165	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ C≡CH	*1
5-166	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ Ph	187.0-191.0
5-167	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ (D-22a)	*1
5-168	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ (D-47a)	*1
5-169	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHPh	181.0-183.0
5-170	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)(T-32)	118.0-121.0
5-171	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)(T-35)	*1
5-172	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHNHCH ₂ CF ₃	118.0-120.0
5-173	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHN(CH ₃)Ph	*1
5-174	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl	146.0-149.0
5-175	3,5-Cl ₂	CF ₃	2-CH ₃	CH(Ph)C(O)NHCH ₃ (R)	118.0-121.0
5-176	3,5-Cl ₂	CF ₃	2-CH ₃	CH(Ph)C(O)NHCH ₃ (S)	*1
5-177	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ C(O)NHCH ₂ CH ₂ Cl	153.0-157.0
5-178	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (T-21)	*1
5-179	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(S)NH ₂	*1
5-180	3,5-Cl ₂	CF ₃	2-CH ₃	CH(Ph)C(S)NH ₂	*1
5-181	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ -TMS	*1
5-182	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH=CH ₂	*1
5-183	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CCl=CH ₂	*1
5-184	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH=CCl ₂	*1
5-185	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CCl=CHCl	*1
5-186	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C≡CH	*1
5-187	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ Ph	142.0-144.5
5-188	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)Ph	121.5-123.5

5-189	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)Ph(R)	*1
5-189(+)		99% d.e.	[α] _D ²⁹ +59.13°	(EtOH, c=0.262)	*1
5-189(-)		99% d.e.	[α] _D ^{23.0} -86.72°	(EtOH, c=0.250)	*1
5-190	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)Ph(S)	*1
5-190(+)		99% d.e.	[α] _D ^{23.0} +89.06°	(EtOH, c=0.466)	*1
5-190(-)		99% d.e.	[α] _D ^{23.0} -117.66°	(EtOH, c=0.322)	*1
5-191	3,5-Cl ₂	CF ₃	2-CH ₃	CH(Et)Ph	*1
5-192	3,5-Cl ₂	CF ₃	2-CH ₃	C(CH ₃) ₂ Ph	91.0-93.5
5-193	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CF ₃)Ph	175.5-180.0
5-194	3,5-Cl ₂	CF ₃	2-CH ₃	CH(OEt)Ph	*2
5-195	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (Ph-2-F)	151.0-153.0
5-196	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (Ph-3-F)	134.0-136.0
5-197	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (Ph-4-F)	153.0-155.0
5-198	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (Ph-2-Cl)	147.0-149.0
5-199	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (Ph-3-Cl)	160.0-162.0
5-200	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (Ph-4-Cl)	164.0-166.0
5-201	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (Ph-3-NO ₂)	198.0-200.0
5-202	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (Ph-4-NO ₂)	204.0-206.0
5-203	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (Ph-2,5-F ₂)	153.0-155.0
5-204	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (Ph-3,5-F ₂)	146.0-149.0
5-205	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-1a)	*1
5-206	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-3a)	147.0-148.5
5-207	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-3d)Cl	*1
5-208	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-8b)CH ₃	*1
5-209	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-10b)Cl	*1
5-210	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-15a)CH ₃	147.0-148.0
5-211	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-16b)Cl	237.0-238.0
5-212	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-16c)Cl	*1
5-213	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-16d)	*1
5-214	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-17a)CH ₃	76.0-77.0
5-215	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-17b)Cl	157.0-158.0
5-216	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-21a)	*1
5-217	3,5-Cl ₂	CF ₃	2-CH ₃	CH(Ph)(D-21a)	*1
5-218	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-21b)CF ₃	*1
5-219	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-22a)	135.0-136.5
5-219(+)		97% e.e.	[α] _D ²⁶ +56.54°	(EtOH, c=0.384)	*1
5-219(-)		99% e.e.	[α] _D ²⁴ -58.65°	(EtOH, c=0.393)	*1
5-220	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-22b)Cl	*1
5-221	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-22b)CH ₃	*1
5-222	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-23a)	*1
5-223	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-23b)Cl	*1
5-224	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-25a)CH ₃	*1
5-225	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-27a)CH ₃	*1
5-226	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-28a)	*1
5-227	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-29b)CH ₃	*1
5-228	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-30a)	120.0-123.5

5-229	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-31a)	122.0-125.0
5-230	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-34a)	*1
5-231	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-34b)CH ₃	*1
5-232	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-35a)	*1
5-233	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-38a)	*1
5-234	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-47a)	131.0-135.5
5-235	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)(D-47a)	*1
5-236	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-47c)Cl	164.0-166.0
5-237	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-47c)NO ₂	129.0-131.0
5-238	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-47e)Cl	*1
5-239	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-47h)	*1
5-240	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-48a)	*1
5-241	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-48e)Cl	200.5-202.0
5-242	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-49a)	*1
5-243	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-50a)	*1
5-244	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-50d)	58.0-65.0
5-245	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-51a)	*1
5-246	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-53a)	*1
5-247	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-53b)CH ₃	*1
5-248	3,5-Cl ₂	CF ₃	2-CH ₃	NH ₂	87.0-89.0
5-249	3,5-Cl ₂	CF ₃	2-CH ₃	N(CH ₃) ₂	79.0-84.0
5-250	3,5-Cl ₂	CF ₃	2-CH ₃	NHBUt	71.0-76.0
5-251	3,5-Cl ₂	CF ₃	2-CH ₃	NHCH ₂ CF ₃	158.0-159.0
5-252	3,5-Cl ₂	CF ₃	2-CH ₃	NHCH ₂ CH ₂ OH	61.0-70.0
5-253	3,5-Cl ₂	CF ₃	2-CH ₃	T-29a	59.0-63.0
5-254	3,5-Cl ₂	CF ₃	2-CH ₃	T-35	95.0-105.0
5-255	3,5-Cl ₂	CF ₃	2-CH ₃	T-37	155.0-157.0
5-256	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)CH ₃	117.0-118.0
5-257	3,5-Cl ₂	CF ₃	2-CH ₃	N(Ph)C(O)CH ₃	89.0-99.0
5-258	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)Pr-n	109.0-111.0
5-259	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)CH ₂ CH ₂ Cl	109.0-110.0
5-260	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)CH ₂ CN	121.0-125.0
5-261	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)OCH ₃	86.0-93.0
5-262	3,5-Cl ₂	CF ₃	2-CH ₃	N(CH ₃)C(O)OCH ₃	131.0-132.0
5-263	3,5-Cl ₂	CF ₃	2-CH ₃	N(Ph)C(O)OCH ₃	98.0-106.0
5-264	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)OEt	75.0-84.0
5-265	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)OBu-t	*1
5-266	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)OCH ₂ Ph	155.0-156.0
5-267	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)NHPh	212.0-214.0
5-268	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)Ph	213.0-214.0
5-269	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)(D-1a)	230.0-232.0
5-270	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)(D-47a)	116.0-117.0
5-271	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(S)NHCH ₃	143.0-145.0
5-272	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(S)N(CH ₃) ₂	179.0-182.0
5-273	3,5-Cl ₂	CF ₃	2-CH ₃	NHPh	88.0-96.0
5-274	3,5-Cl ₂	CF ₃	2-CH ₃	N(CH ₃)Ph	158.0-160.0

5-275	3,5-Cl ₂	CF ₃	2-CH ₃	N(CH ₂ CH=CH ₂)Ph	78.0-86.0
5-276	3,5-Cl ₂	CF ₃	2-CH ₃	N(CH ₂ Ph)Ph	58.0-60.0
5-277	3,5-Cl ₂	CF ₃	2-CH ₃	NH(Ph-2-Cl)	*1
5-278	3,5-Cl ₂	CF ₃	2-CH ₃	NH(Ph-3-Cl)	*1
5-279	3,5-Cl ₂	CF ₃	2-CH ₃	NH(Ph-4-Cl)	*1
5-280	3,5-Cl ₂	CF ₃	2-CH ₃	NH(Ph-4-CF ₃)	*1
5-281	3,5-Cl ₂	CF ₃	2-CH ₃	NH(Ph-2-NO ₂)	89.0-95.0
5-282	3,5-Cl ₂	CF ₃	2-CH ₃	NH(Ph-3-NO ₂)	104.0-109.0
5-283	3,5-Cl ₂	CF ₃	2-CH ₃	NH(Ph-4-NO ₂)	120.0-126.0
5-284	3,5-Cl ₂	CF ₃	2-CH ₃	N(CH ₃)(D-21a)	181.0-185.0
5-285	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-47a)	213.0-217.0
5-286	3,5-Cl ₂	CF ₃	2-CH ₃	N(CH ₃)(D-47a)	202.0-203.0
5-287	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-47b)Cl	102.0-103.0
5-288	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-47d)Cl	91.0-92.0
5-289	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-47e)Cl	89.0-90.0
5-290	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-47f)	137.0-140.0
5-291	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-50a)	209.0-211.0
5-292	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-50b)CF ₃	95.0-100.0
5-293	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-50d)	91.0-98.0
5-294	3,5-Cl ₂	CF ₃	2-CH ₃	N(CH ₃)(D-50a)	194.0-196.0
5-295	3,5-Cl ₂	CF ₃	2-CH ₃	N(Et)(D-50a)	60.0-67.0
5-296	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-51b)SCH ₃	*1
5-297	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-51b)S(O)CH ₃	156.0-162.0
5-298	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-51b)SO ₂ CH ₃	147.0-151.0
5-299	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-51c)Cl	*1
5-300	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-53a)	111.0-112.0
5-301	3,5-Cl ₂	CF ₃	2-CH ₃	NH(D-54b)Cl	*1
5-302	3,5-Cl ₂	CF ₃	2-CH ₃	N=C(CH ₃)Ph	134.0-135.0
5-303	3,5-Cl ₂	CF ₃	2-CH ₃	N=CH(D-47a)	*1
5-304	3,5-Cl ₂	CF ₃	2-CH ₃	T-41	146.0-148.0
5-305	3,5-Cl ₂	CF ₃	2-CH ₃	D-8a	127.5-129.0
5-306	3,5-Cl ₂	CF ₃	2-CH ₃	(D-13b)CH ₃	271.0-275.0
5-307	3,5-Cl ₂	CF ₃	2-CH ₃	D-21a	281.0-284.0
5-308	3,5-Cl ₂	CF ₃	2-CH ₃	D-48a	188.0-190.0
5-309	3,5-Cl ₂	CF ₃	2-CH ₃	D-50a	98.0-100.0
5-310	3,5-Cl ₂	CF ₃	2-CH ₃	D-51a	90.0-91.0
5-311	3,5-Cl ₂	CF ₃	3-CH ₃	CH ₂ CF ₃	*1
5-312	3,5-Cl ₂	CF ₃	2-Et	CH ₂ CF ₃	*1
5-313	3,5-Cl ₂	CF ₃	2-Et	CH ₂ (D-47a)	*1
5-314	3,5-Cl ₂	CF ₃	2-CF ₃	CH ₂ CF ₃	70.0-72.0
5-315	3,5-Cl ₂	CF ₃	2-CF ₃	CH ₂ (D-47a)	69.0-70.0
5-316	3,5-Cl ₂	CF ₃	2-CH ₂ OH	CH ₂ CF ₃	*1
5-317	3,5-Cl ₂	CF ₃	2-OCH ₃	CH ₂ CF ₃	*1
5-318	3,5-Cl ₂	CF ₃	2-OCH ₃	CH ₂ Ph	*1
5-319	3,5-Cl ₂	CF ₃	2-OCH ₃	CH ₂ (D-47a)	173.5-176.0
5-320	3,5-Cl ₂	CF ₃	2-OCF ₃	CH ₂ CF ₃	*2


5-321	3,5-Cl ₂	CF ₃	2-OCF ₃	CH ₂ (D-47a)	145.0-148.5
5-322	3,5-Cl ₂	CF ₃	2-SCH ₃	CH ₂ CF ₃	*2
5-323	3,5-Cl ₂	CF ₃	2-SCH ₃	CH ₂ (D-47a)	*2
5-324	3,5-Cl ₂	CF ₃	2-S(O)CH ₃	CH ₂ CF ₃	*2
5-325	3,5-Cl ₂	CF ₃	2-S(O)CH ₃	CH ₂ (D-47a)	*1
5-326	3,5-Cl ₂	CF ₃	2-SO ₂ CH ₃	CH ₂ CF ₃	*1
5-327	3,5-Cl ₂	CF ₃	2-SO ₂ CH ₃	CH ₂ (D-47h)	120.0-121.0
5-328	3,5-Cl ₂	CF ₃	2-S(O)CH ₂ Cl	CH ₂ CF ₃	*2
5-329	3,5-Cl ₂	CF ₃	2-NH ₂	CH ₂ CF ₃	78.0-79.0
5-330	3,5-Cl ₂	CF ₃	2-NH ₂	CH ₂ (D-47a)	*2
5-331	3,5-Cl ₂	CF ₃	2-NHCH ₃	CH ₂ CF ₃	156.0-158.0
5-332	3,5-Cl ₂	CF ₃	2-NHCH ₃	CH ₂ (D-47a)	*1
5-333	3,5-Cl ₂	CF ₃	2-NHC(O)CH ₃	CH ₂ CF ₃	*2
5-334	3,5-Cl ₂	CF ₃	2-N(CH ₃) ₂	CH ₂ CF ₃	*2
5-335	3,5-Cl ₂	CF ₃	2-N(CH ₃) ₂	CH ₂ (D-47a)	*1
5-336	3,5-Cl ₂	CF ₃	2-N(CH ₃)CHO	CH ₂ (D-47a)	*1
5-337	3,5-Cl ₂	CF ₃	2-N(CH ₃)C(O)CH ₃	CH ₂ (D-47a)	*1
5-338	3,5-Cl ₂	CF ₃	2-NO ₂	CH ₂ CF ₃	180.0-181.0
5-339	3,5-Cl ₂	CF ₃	2-NO ₂	CH ₂ (D-47a)	*2
5-340	3,5-Cl ₂	CF ₃	2-CN	CH ₂ CF ₃	*1
5-341	3,5-Cl ₂	CF ₃	2-CN	CH ₂ (D-47a)	*1
5-342	3,5-Cl ₂	CF ₃	2-C≡C-TMS	CH ₂ CF ₃	*1
5-343	3,5-Cl ₂	CF ₃	2-Ph	CH ₂ CF ₃	*1
5-344	3,5-Cl ₂	CF ₃	2-Ph	CH ₂ (D-47a)	194.0-198.0
5-345	3,5-Cl ₂	CF ₃	2-(D-38a)	CH ₂ (D-47a)	*2
5-346	3,5-Cl ₂	CF ₃	2,3-F ₂	CH ₂ CF ₃	*1
5-347	3,5-Cl ₂	CF ₃	2,3-F ₂	CH ₂ Ph	*1
5-348	3,5-Cl ₂	CF ₃	2,3-F ₂	CH ₂ (D-47a)	*1
5-349	3,5-Cl ₂	CF ₃	2,6-F ₂	CH ₂ CF ₃	140.0-141.0
5-350	3,5-Cl ₂	CF ₃	2,6-Cl ₂	CH ₂ (D-47a)	131.0-132.0
5-351	3,5-Cl ₂	CF ₃	2,6-(CH ₃) ₂	CH ₂ CF ₃	125.0-129.0
5-352	3,5-Cl ₂	CF ₃	2,6-(CH ₃) ₂	CH ₂ (D-47a)	*1
5-353	3,5-Cl ₂	CF ₂ Cl	2-Cl	CH ₂ (D-22a)	*1
5-354	3,5-Cl ₂	CF ₂ Cl	2-Cl	CH ₂ (D-47a)	*1
5-355	3,5-Cl ₂	CF ₂ Cl	2-CH ₃	CH ₂ CF ₃	*1
5-356	3,5-Cl ₂	CF ₂ Cl	2-CH ₃	CH ₂ CH ₂ OEt	*1
5-357	3,5-Cl ₂	CF ₂ Cl	2-CH ₃	CH ₂ CH(OCH ₃)	*1
5-358	3,5-Cl ₂	CF ₂ Cl	2-CH ₃	CH ₂ CH=CH ₂	*1
5-359	3,5-Cl ₂	CF ₂ Cl	2-CH ₃	CH ₂ (D-22a)	*1
5-360	3,5-Cl ₂	CF ₂ Cl	2-CH ₃	CH ₂ (D-47a)	*1
5-361	3,5-Cl ₂	CF ₂ CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-362	3,5-Cl ₂	CF ₂ CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-363	3,5-Cl ₂	CF ₂ CF ₃	2-CH ₃	C(O)(D-47a)	*1
5-364	3,5-Cl ₂	CH ₂ OCH ₂ CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-365	3,5-Cl ₂	CH ₂ OCH ₂ CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-366	3,5-Cl ₂	CF ₂ SCH ₃	2-CH ₃	CH ₂ CF ₃	*2

5-367	3,5-Cl ₂	CF ₂ SCH ₃	2-CH ₃	CH ₂ (D-47a)	51.0-52.0
5-368	3,5-Cl ₂	CH ₂ -TMS	2-CH ₃	CH ₂ CF ₃	*1
5-369	3,5-Cl ₂	CH ₂ -TMS	2-CH ₃	CH ₂ (D-47a)	*1
5-370	3,5-Cl ₂	TMS	2-CH ₃	CH ₂ CF ₃	*1
5-371	3,5-Cl ₂	TMS	2-CH ₃	CH ₂ (D-47a)	*1
5-372	3,5-Cl ₂	D-47a	2-CH ₃	CH ₂ CF ₃	*1
5-373	3,5-Cl ₂	D-47a	2-CH ₃	CH ₂ (D-47a)	*1
5-374	3-Cl-5-Br	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-375	3-Cl-5-Br	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-376	3,5-Br ₂	CF ₃	2-Cl	CH ₂ (D-22a)	63.0-64.0
5-377	3,5-Br ₂	CF ₃	2-Cl	CH ₂ (D-47a)	*2
5-378	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-379	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ OCH ₃	*2
5-380	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ OEt	*2
5-381	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ CH(OCH ₃) ₂	*2
5-382	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ C(O)OCH ₃	*2
5-383	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CH ₂ Cl	69.0-70.0
5-384	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHCH ₂ CF ₃	173.0-175.0
5-385	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ CH=CH ₂	*2
5-386	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ (D-22a)	*1
5-387	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-388	3-Cl-5-CH ₃	CF ₃	2-CH ₃	CH ₂ (D-47a)	*2
5-389	3,5-(CF ₃) ₂	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-390	3,5-(CF ₃) ₂	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-391	3-F-5-SCH ₃	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-392	3-Cl-5-SCH ₃	CF ₃	2-SCH ₃	CH ₂ (D-47a)	*2
5-393	3-CF ₃ -5-OCH ₃	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-394	3,5-(SCH ₃) ₂	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-395	3-CF ₃ -5-CN	CF ₃	2-CH ₃	CH ₂ CF ₃	72.0-73.0
5-396	3-CF ₃ -5-CN	CF ₃	2-CH ₃	CH ₂ (D-47a)	63.0-64.0
5-397	3,4,5-Cl ₃	CF ₃	2-CH ₃	CH ₂ CF ₃	194.0-197.0
5-398	3,4,5-Cl ₃	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-399	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ CF ₃	*1
5-400	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CF ₃)OH	*1
5-401	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CF ₃)OCH ₃	*1
5-402	3,5-Cl ₂	CF ₃	2-CH ₃	E-5b	197.0-199.0
5-403	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ (T-28)	*1
5-404	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ (T-34)	*1
5-405	3,5-Cl ₂	CF ₃	2-CH ₃	(E-9b)CH ₂ CF ₃	*2
5-406	3,5-Cl ₂	CF ₃	2-CH ₃	(E-17a)H	*1
5-407	3,5-Cl ₂	CF ₃	2-CH ₃	CH[C(O)OCH ₃] ₂	*2
5-408	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHOEt	141.0-145.0
5-409	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)NHOCH ₂ CH=CH ₂	*1
5-410	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)NH ₂ t	*1
5-411	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)NHPr-i	172.0-174.0
5-412	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)NHCH ₂ CF ₃	161.0-163.0

5-413	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)NHCH ₂ CH=CH ₂	175.0-178.0
5-414	3,5-Cl ₂	CF ₃	2-CH ₃	T-42	*2
5-415	3,5-Cl ₂	CF ₃	2-CH ₃	T-43	*2
5-416	3,5-Cl ₂	CF ₃	2-CH ₃	CH[C(O)NHCH ₃] ₂	146.0-149.0
5-417	3,5-Cl ₂	CF ₃	2-CH ₃	CH(OCH ₃)Ph	*1
5-418	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)(D-1a)	142.0-144.0
5-419	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-6c)CH ₃	155.0-157.0
5-420	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CF ₃)(D-6c)H	*1
5-421	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-11a)	*1
5-422	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CF ₃)(D-14a)	114.0-118.0
5-423	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)(D-21a)	*2
5-424	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CF ₃)(D-24a)	*1
5-425	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ (D-26a)CH ₃	*1
5-426	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)(D-38a)	*1
5-427	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CF ₃)(D-38a)	*1
5-428	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₂ CF ₃	*1
5-429	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)NHCH ₂ CF ₃	81.5-83.0
5-430	3,5-Cl ₂	CF ₃	2-CH ₃	C(S)NHCH ₂ CF ₃	137.5-140.0
5-431	3,5-Cl ₂	CF ₃	2-CH ₃	C(D-49a)=C(CN) ₂	122.0-124.0
5-432	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)NHCH ₂ CH ₂ Cl	105.0-108.0
5-433	3,5-Cl ₂	CF ₃	2-CH ₃	N(CH ₂ C≡CH)Ph	76.0-84.0
5-434	3,5-Cl ₂	CF ₃	2-CH ₃	Ph-4-CN	*1
5-435	3,5-Cl ₂	CF ₃	2-CH ₃	Ph-4-C(O)OH	248.0-251.0
5-436	3,5-Cl ₂	CF ₃	2-CH ₃	Ph-4-C(O)OEt	230.0-232.0
5-437	3,5-Cl ₂	CF ₃	2-CH ₃	Ph-4-C(O)NHCH ₂ CH ₂ Cl	188.0-195.0
5-438	3,5-Cl ₂	CF ₃	2-CH ₃	Ph-4-C(O)NHCH ₂ CF ₃	110.0-120.0
5-439	3,5-Cl ₂	CF ₃	2-CH ₃	(D-8b)CH ₃	163.0-165.0
5-440	3,5-Cl ₂	CF ₃	2-CH ₃	(D-15a)CH ₃	96.0-110.0
5-441	3,5-Cl ₂	CF ₃	2-CH ₃	(D-17a)CH ₃	95.0-101.0
5-442	3,5-Cl ₂	CF ₃	2-CH ₃	(D-17b)Cl	100.0-108.0
5-443	3,5-Cl ₂	CF ₃	2-CH ₃	(D-21b)CH ₃	110.0-114.0
5-444	3,5-Cl ₂	CF ₃	2-CH ₃	(D-21c)Cl	288.0-292.0
5-445	3,5-Cl ₂	CF ₃	2-CH ₃	(D-21c)CH ₃	271.0-273.0
5-446	3,5-Cl ₂	CF ₃	2-CH ₃	D-35a	117.0-126.0
5-447	3,5-Cl ₂	CF ₃	2-CH ₃	(D-35b)CH ₃	227.0-230.0
5-448	3,5-Cl ₂	CF ₃	2-CH ₃	(D-39c)SCH ₃	188.0-190.0
5-449	3,5-Cl ₂	CF ₃	2-CH ₃	(D-42a)H	109.0-112.0
5-450	3,5-Cl ₂	CH(OEt) ₂	2-CH ₃	CH ₂ (D-47a)	*1
5-451	3,5-Br ₂	CF ₃	2-CH ₃	CH ₂ C(O)OH	102.0-106.0
5-452	3-CF ₃ -5-NO ₂	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-453	3-CF ₃ -5-NO ₂	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-454	3,5-Cl ₂ -4-NH ₂	CF ₃	2-CH ₃	CH ₂ CF ₃	153.0-154.0
5-455	3,5-Cl ₂ -4-NH ₂	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-456	3,5-Cl ₂ -4-NHC(O)OBu-t	CF ₃	2-CH ₃	CH ₂ CF ₃	*1
5-457	3,5-Cl ₂ -4-NHC(O)OBu-t	CF ₃	2-CH ₃	CH ₂ (D-47a)	*1
5-458	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CHF ₂	*1

5-459	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl(D)	162.0-164.0
5-460	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)NHCH ₂ CH ₂ Cl(L)	149.0-151.0
5-461	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)NHCH ₂ CF ₃ (D)	188.0-190.0
5-462	3,5-Cl ₂	CF ₃	2-CH ₃	CH(CH ₃)C(O)NHCH ₂ CF ₃ (L)	181.0-183.0

Table 12




No.	(X) _m	R ³	(Y) _n	R ²	R ¹	m.p. (°C)
6-001	3,5-Cl ₂	CF ₃	2-Cl	Et	Et	*1
6-002	3,5-Cl ₂	CF ₃	2-CH ₃	NH ₂	CH ₃	138.0-139.0
6-003	3,5-Cl ₂	CF ₃	2-CH ₃	Et	Et	*1
6-004	3,5-Cl ₂	CF ₃	2-CH ₃	NH ₂	Et	76.0-78.0
6-005	3,5-Cl ₂	CF ₃	2-CH ₃	NHC(O)CH ₃	Et	*1
6-006	3,5-Cl ₂	CF ₃	2-CH ₃	N=C(CH ₃) ₂	Et	*1
6-007	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CN	n-Bu	*1
6-008	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CN	CH ₂ CN	*1
6-009	3,5-Cl ₂	CF ₃	2-CH ₃	OH	CH ₂ Ph	175.0-177.0
6-010	3,5-Cl ₂	CF ₃	2-CH ₃	OCH ₃	CH ₂ Ph	*1
6-011	3,5-Cl ₂	CF ₃	2-CH ₃	OC(O)CH ₃	CH ₂ Ph	*1
6-012	3,5-Cl ₂	CF ₃	2-CH ₃	OC(O)OCH ₃	CH ₂ Ph	*1
6-013	3,5-Cl ₂	CF ₃	2-CH ₃	OSO ₂ CH ₃	CH ₂ Ph	*1
6-014	3,5-Cl ₂	CF ₃	2-CH ₃	NH ₂	CH ₂ Ph	135.0-136.0
6-015	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CN	CH ₂ (D-22a)	*1
6-016	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C≡CH	CH ₂ (D-22a)	*1
6-017	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)CH ₃	CH ₂ (D-22a)	*1
6-018	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)Et	CH ₂ (D-22a)	*1
6-019	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₃	CH ₂ (D-22a)	*1
6-020	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₃	CH ₂ (D-47a)	*1
6-021	3,5-Cl ₂	CF ₃	2-CH ₃	Et	CH ₂ (D-47a)	*1
6-022	3,5-Cl ₂	CF ₃	2-CH ₃	n-Pr	CH ₂ (D-47a)	*1
6-023	3,5-Cl ₂	CF ₃	2-CH ₃	i-Pr	CH ₂ (D-47a)	*1
6-024	3,5-Cl ₂	CF ₃	2-CH ₃	c-Pr	CH ₂ (D-47a)	*1
6-025	3,5-Cl ₂	CF ₃	2-CH ₃	t-Bu	CH ₂ (D-47a)	*1
6-026	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CF ₃	CH ₂ (D-47a)	*1
6-027	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ OCH ₃	CH ₂ (D-47a)	*1
6-028	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)	*1
6-029	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ SCH ₃	CH ₂ (D-47a)	*1
6-030	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C(O)OCH ₃	CH ₂ (D-47a)	*1
6-031	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CN	CH ₂ (D-47a)	*1

6-032	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH=CH ₂	CH ₂ (D-47a)	*1
6-033	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C≡CH	CH ₂ (D-47a)	*1
6-034	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)CH ₃	CH ₂ (D-47a)	*1
6-035	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)Et	CH ₂ (D-47a)	*1
6-036	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)Pr-n	CH ₂ (D-47a)	*1
6-037	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)Pr-i	CH ₂ (D-47a)	*1
6-038	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)Pr-c	CH ₂ (D-47a)	*1
6-039	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)Bu-t	CH ₂ (D-47a)	*1
6-040	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)CH ₂ OCH ₃	CH ₂ (D-47a)	53.0-55.0
6-041	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)CH=CH ₂	CH ₂ (D-47a)	*1
6-042	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)Ph	CH ₂ (D-47a)	*1
6-043	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₃	CH ₂ (D-47a)	*1
6-044	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OEt	CH ₂ (D-47a)	*1
6-045	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OPr-i	CH ₂ (D-47a)	*1
6-046	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OBu-i	CH ₂ (D-47a)	*1
6-047	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₂ CH ₂ Cl	CH ₂ (D-47a)	*1
6-048	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₂ CH ₂ OCH ₃	CH ₂ (D-47a)	*1
6-049	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₂ CH=CH ₂	CH ₂ (D-47a)	*1
6-050	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)SCH ₃	CH ₂ (D-47a)	*1
6-051	3,5-Cl ₂	CF ₃	2-CH ₃	SO ₂ CH ₃	CH ₂ (D-47a)	*1
6-052	3,5-Cl ₂	CF ₃	2-CH ₃	NH ₂	CH ₂ (D-47a)	126.0-130.0
6-053	3,5-Cl ₂	CF ₃	2-CH ₃	N(CH ₃) ₂	CH ₂ (D-47a)	*1
6-054	3,5-Cl ₂	CF ₃	2-CH ₃	Et	CH ₂ (D-48e)Cl	*1
6-055	3,5-Cl ₂	CF ₃	2-CH ₃	c-Pr	CH ₂ (D-49a)	*1
6-056	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)Et	CH ₂ (D-50a)	*1
6-057	3,5-Cl ₂	CF ₃	2-CH ₃	-CH ₂ CH ₂ SCH ₂ CH ₂ -		209.5-211.5
6-058	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₃	N(CH ₃)Ph	153.0-154.0
6-059	3,5-Cl ₂	CF ₃	2-CH ₃	Et	N(CH ₃)Ph	78.0-79.0
6-060	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ OCH ₃	N(CH ₃)Ph	72.0-73.0
6-061	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CH=CH ₂	N(CH ₃)Ph	76.0-77.0
6-062	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ C≡CH	N(CH ₃)Ph	83.0-84.0
6-063	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ CN	N(CH ₃)Ph	69.0-70.0
6-064	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)CH ₃	N(CH ₃)Ph	82.0-83.0
6-065	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₃	N(CH ₃)Ph	70.0-71.0
6-066	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₃	NH(D-50a)	107.0-109.0
6-067	3,5-Cl ₂	CF ₃	2-CH ₃	Et	NH(D-50a)	185.0-187.0
6-068	3,5-Cl ₂	CF ₃	2-CH ₂ -		H	234.0-236.0
6-069	3,5-Cl ₂	CF ₃	2-CH ₂ -		CH ₃	*1
6-070	3,5-Cl ₂	CF ₃	2-CH ₂ -		CH ₂ (D-47a)	*1
6-071	3,5-Cl ₂	CF ₃	2-N(CH ₃)CH ₂ -		CH ₂ (D-47a)	*1
6-072	3,5-Cl ₂	CF ₃	2-N=CH-		H	249.0-251.0
6-073	3,5-Cl ₂	CF ₃	2-N=CH-		CH ₂ (D-47a)	*1
6-074	3,5-Cl ₂	CF ₂ Cl	2-CH ₃	C(O)CH ₃	CH ₂ CF ₃	*1
6-075	3,5-Br ₂	CF ₃	2-CH ₃	C(O)CH ₃	CH ₂ CF ₃	*1
6-076	3,5-Br ₂	CF ₃	2-CH ₃	C(O)CH ₃	CH ₂ (D-47a)	*1
6-077	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₃	CH ₂ CF ₃	*2

6-078	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ OCH ₃	CH ₂ (D-22a)	*1
6-079	3,5-Cl ₂	CF ₃	2-CH ₃	CH ₂ OEt	CH ₂ (D-47a)	*1
6-080	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₃	CH(CH ₃)(D-47a)	*2
6-080(+)*		98%e.e.		[α] _D ²⁴ +35.40° (CHCl ₃ , c=0.397)		*2
6-080(-)*		99%e.e.		[α] _D ²² -37.20° (CHCl ₃ , c=0.473)		*2
6-081	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)CH ₃	N(CH ₃)(D-47a)	*1
6-082	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₃	N(CH ₃)(D-47a)	*1
6-083	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)CH ₃	N(CH ₃)(D-50a)	*2
6-084	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₃	N(CH ₃)(D-50a)	*1
6-085	3,5-Cl ₂	CF ₃	2-CH ₃	-CH ₂ CH ₂ CH ₂ C(O)-		*1
6-086	3,5-Cl ₂	CF ₃	2-CH ₃	-C(O)CH ₂ CH ₂ C(O)-		*1
6-087	3,5-Cl ₂	CF ₃	2-CH ₃	-CH ₂ CH ₂ N(Ph)CH ₂ CH ₂ -		84.0-88.0
6-088	3,5-Cl ₂	CF ₃	2-CH ₃	-CH ₂ CH ₂ N(D-47a)CH ₂ CH ₂ -		87.0-92.0
6-089	3,5-Cl ₂	CF ₃	2-C(=CH ₂)-	CH ₂ CF ₃		141.0-144.0
6-090	3,5-Cl ₂	CF ₃	2-CH ₃	-CH ₂ CH ₂ CH ₂ CH[C(O)NHCH ₂ CF ₃]-		*1


In Table above, the indications of "(+)*" and "(-)*" show optically active forms of only 1-(2-pyridyl) ethylamine moiety.

Table 13




No.	(X) _m	R ³	(Y) _n	R ²	R ¹	m.p. (°C)
7-001	3,5-Cl ₂	CF ₃	—	H	H	227.0-232.0
7-002	3,5-Cl ₂	CF ₃	—	H	CH ₂ CF ₃	*1
7-003	3,5-Cl ₂	CF ₃	—	H	CH ₂ (D-22a)	*1
7-004	3,5-Cl ₂	CF ₃	—	H	CH ₂ (D-47a)	165.0-167.0
7-005	3,5-Cl ₂	CF ₃	2-F	H	CH ₂ (D-22a)	171.0-173.0
7-006	3,5-Cl ₂	CF ₃	2-Cl	H	CH ₂ (D-22a)	90.0-92.0
7-007	3,5-Cl ₂	CF ₃	2-CH ₃	H	CH ₂ CF ₃	*1
7-008	3,5-Cl ₂	CF ₃	2-CH ₃	H	CH ₂ (D-22a)	*1
7-009	3,5-Cl ₂	CF ₃	2-CH ₃	H	CH ₂ (D-47a)	*1
7-010	3,5-Cl ₂	CF ₃	2-CH ₃	H	N(CH ₃)Ph	100.0-111.0

Table 14




No.	(X) _m	R ³	(Y) _n	R ^{1a}	R ^{2a}	m.p. (°C)
8-001	3,5-Cl ₂	CF ₃	—	-N(CH ₃)CH=CHS-		*1
8-002	3,5-Cl ₂	CF ₃	2-CH ₃	-N(CH ₃)CH=CHS-		*1
8-003	3,5-Cl ₂	CF ₃	2-CH ₃	-N(Pr-n)CH=CHS-		*1
8-004	3,5-Cl ₂	CF ₃	2-CH ₃	-N(CH ₃)N=CHCH ₂ S-		*1


Table 15




Substituent G in the above-mentioned formula is the structure of G-3, G-6, G-18 or G-20 mentioned below.




G - 3



G - 6




G - 18



G - 20


No.	G	(X) _m	R ³	(Y) _n	R ²	R ¹	m.p. (°C)
9-001	G-3	6-F	CF ₃	—	H	CH ₂ CF ₃	175.0-177.0
9-002	G-3	6-Cl	CF ₃	—	H	CH ₂ CF ₃	192.0-195.0
9-003	G-3	5-Br	CF ₃	2-CH ₃	H	CH ₂ CF ₃	*1
9-004	G-3	6-OCH ₃	CF ₃	—	H	CH ₂ CF ₃	150.0-152.0
9-005	G-6	4,6-Cl ₂	CF ₃	—	H	CH ₂ CF ₃	140.0-142.0
9-006	G-6	4,6-Cl ₂	CF ₃	2-CH ₃	H	CH ₂ CF ₃	131.0-134.0
9-007	G-18	—	CF ₃	—	H	CH ₂ CF ₃	156.0-157.0
9-008	G-20	4-CF ₃	CF ₃	2-CH ₃	H	CH ₂ CF ₃	*1
9-009	G-20	4-CF ₃	CF ₃	2-CH ₃	H	CH ₂ (D-47a)	*1

Table 16



No.	(X) _m	A ¹	A ²	A ³	(Y) _n	R ¹	m.p. (°C)
10-001	3,5-Cl ₂	N	C	C	—	CH ₂ CF ₃	*1
10-002	3,5-Cl ₂	N	C	C	—	CH ₂ (D-47a)	*1
10-003	3,5-Cl ₂	N(O)	C	C	—	CH ₂ CF ₃	*1
10-004	3,5-Cl ₂	C	N	C	—	CH ₂ CF ₃	*1
10-005	3,5-Cl ₂	C	N	C	—	CH ₂ (D-47a)	*1

Table 17




No.	(X) _m	R ³	(Y) _n	R	m.p. (°C)
11-001	3-Cl	CF ₃	—	C(O)OH	220.0-225.0
11-002	3-Cl	CF ₃	—	C(O)OCH ₃	100.0-101.0
11-003	4-Cl	CF ₃	—	C(O)OH	255.0-257.0
11-004	4-Cl	CF ₃	—	C(O)OCH ₃	*1
11-005	3-I	CF ₃	2-CH ₃	C(O)OH	169.0-172.0
11-006	3-I	CF ₃	2-CH ₃	C(O)OCH ₃	*1
11-007	3-NO ₂	CF ₃	2-CH ₃	C(O)OCH ₃	*1
11-008	3,4-F ₂	CF ₃	—	C(O)OH	246.0-248.0
11-009	3,4-F ₂	CF ₃	—	C(O)OCH ₃	132.0-133.0
11-010	2,4-Cl ₂	CF ₃	—	C(O)OH	104.0-106.0
11-011	2,4-Cl ₂	CF ₃	—	C(O)OCH ₃	103.0-106.0
11-012	2,5-Cl ₂	CF ₃	—	C(O)OH	97.0-100.0
11-013	2,5-Cl ₂	CF ₃	—	C(O)OCH ₃	163.0-165.0
11-014	3,4-Cl ₂	H	—	C(O)OCH ₃	115.0-117.0
11-015	3,4-Cl ₂	CH ₃	—	C(O)OCH ₃	98.0-100.0
11-016	3,4-Cl ₂	CF ₃	—	C(O)OH	215.0-217.0
11-017	3,4-Cl ₂	CF ₃	—	C(O)OCH ₃	95.0-97.0
11-018	3,4-Cl ₂	CF ₃	—	C(O)OBu ^t	94.0-95.0
11-019	3,4-Cl ₂	CF ₃	—	C(O)OCH ₂ Ph	94.0-95.0
11-020	3,4-Cl ₂	Ph	—	C(O)OCH ₃	143.0-145.0
11-021	3,5-Cl ₂	CF ₃	—	CH ₂ OH	108.0-110.0

11-022	3,5-Cl ₂	CF ₃	—	OH	153.0-155.5
11-023	3,5-Cl ₂	CF ₃	—	OCH ₃	93.0-96.5
11-024	3,5-Cl ₂	CF ₃	—	NO ₂	161.0-162.0
11-025	3,5-Cl ₂	CF ₃	—	NH ₂	98.0-99.0
11-026	3,5-Cl ₂	CF ₃	—	CN	140.0-142.0
11-027	3,5-Cl ₂	CF ₃	—	C(O)OH	237.0-240.0
11-028	3,5-Cl ₂	CF ₃	—	C(O)OCH ₃	94.0-96.0
11-029	3,5-Cl ₂	CF ₃	2-F	CH ₂ Br	*2
11-030	3,5-Cl ₂	CF ₃	2-F	CH ₂ OC(O)CH ₃	*2
11-031	3,5-Cl ₂	CF ₃	2-F	CH ₂ OH	*1
11-032	3,5-Cl ₂	CF ₃	2-F	C(O)OH	172.0-174.0
11-033	3,5-Cl ₂	CF ₃	3-F	Br	136.0-138.0
11-034	3,5-Cl ₂	CF ₃	3-F	C(O)OH	*1
11-035	3,5-Cl ₂	CF ₃	3-F	C(O)OEt	94.0-96.0
11-036	3,5-Cl ₂	CF ₃	2-Cl	OSO ₂ CF ₃	154.0-157.5
11-037	3,5-Cl ₂	CF ₃	2-Cl	C(O)OH	150.0-151.0
11-038	3,5-Cl ₂	CF ₃	2-Cl	C(O)OCH ₃	*2
11-039	3,5-Cl ₂	CF ₃	3-Cl	Br	*2
11-040	3,5-Cl ₂	CF ₃	3-Cl	C(O)OH	187.0-188.0
11-041	3,5-Cl ₂	CF ₃	3-Cl	C(O)OEt	*1
11-042	3,5-Cl ₂	CF ₃	2-Br	C(O)OCH ₃	83.0-86.0
11-043	3,5-Cl ₂	CF ₃	2-I	CH ₃	130.0-132.0
11-044	3,5-Cl ₂	CF ₃	2-I	CH ₂ Br	*1
11-045	3,5-Cl ₂	CF ₃	2-I	CH ₂ OC(O)CH ₃	*1
11-046	3,5-Cl ₂	CF ₃	2-I	CH ₂ OH	*1
11-047	3,5-Cl ₂	CF ₃	2-I	C(O)OH	*1
11-048	3,5-Cl ₂	CF ₃	2-I	C(O)OCH ₃	*2
11-049	3,5-Cl ₂	CF ₃	2-CH ₃	NO ₂	135.0-136.0
11-050	3,5-Cl ₂	CF ₃	2-CH ₃	NH ₂	*1
11-051	3,5-Cl ₂	CF ₃	2-CH ₃	F	67.0-68.0
11-052	3,5-Cl ₂	CF ₃	2-CH ₃	Br	105.0-108.0
11-053	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OH	146.0-148.5
11-054	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₃	96.0-99.5
11-055	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OEt	n _D ^{21.4°C} 1.5474
11-056	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)OCH ₂ (D-47a)	*2
11-057	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)(D-14a)	*1
11-058	3,5-Cl ₂	CF ₃	2-CH ₃	C(O)(D-38a)	58.0-59.0
11-059	3,5-Cl ₂	CF ₃	2-Et	C(O)OCH ₃	*2
11-060	3,5-Cl ₂	CF ₃	2-CH ₂ Br	C(O)OCH ₃	*2
11-061	3,5-Cl ₂	CF ₃	2-CF ₃	F	*1
11-062	3,5-Cl ₂	CF ₃	2-CF ₃	CN	*1
11-063	3,5-Cl ₂	CF ₃	2-CF ₃	C(O)OCH ₃	*2
11-064	3,5-Cl ₂	CF ₃	2-OH	NO ₂	110.0-113.0
11-065	3,5-Cl ₂	CF ₃	2-OH	NH ₂	178.0-181.0
11-066	3,5-Cl ₂	CF ₃	2-OCH ₃	OSO ₂ CF ₃	*1
11-067	3,5-Cl ₂	CF ₃	2-OCH ₃	C(O)OH	*1

11-068	3,5-Cl ₂	CF ₃	2-OCH ₃	C(O)OEt	142.0-144.0
11-069	3,5-Cl ₂	CF ₃	2-OCF ₃	NH ₂	81.5-84.0
11-070	3,5-Cl ₂	CF ₃	2-OCF ₃	I	*1
11-071	3,5-Cl ₂	CF ₃	2-OCF ₃	C(O)OCH ₃	*1
11-072	3,5-Cl ₂	CF ₃	2-SCH ₃	C(O)OH	151.0-152.0
11-073	3,5-Cl ₂	CF ₃	2-SCH ₃	C(O)OCH ₃	*2
11-074	3,5-Cl ₂	CF ₃	2-NO ₂	Br	179.0-181.0
11-075	3,5-Cl ₂	CF ₃	2-NO ₂	C(O)OEt	160.0-162.0
11-076	3,5-Cl ₂	CF ₃	2-NH ₂	Br	*2
11-077	3,5-Cl ₂	CF ₃	2-NH ₂	C(O)OH	*2
11-078	3,5-Cl ₂	CF ₃	2-NH ₂	C(O)OEt	*2
11-079	3,5-Cl ₂	CF ₃	2-Ph	C(O)OH	*1
11-080	3,5-Cl ₂	CF ₃	2-Ph	C(O)OCH ₃	*1
11-081	3,5-Cl ₂	CF ₃	2,3-F ₂	CH ₃	*1
11-082	3,5-Cl ₂	CF ₃	2,3-F ₂	CH ₂ Br	*1
11-083	3,5-Cl ₂	CF ₃	2,3-F ₂	CH ₂ OH	*1
11-084	3,5-Cl ₂	CF ₃	2,6-Cl ₂	C(O)OEt	*2
11-085	3,5-Cl ₂	CF ₃	2-Cl-6-CH ₃	NH ₂	*1
11-086	3,5-Cl ₂	CF ₃	2,6-(CH ₃) ₂	OH	209.0-214.0
11-087	3,5-Cl ₂	CF ₃	2,6-(CH ₃) ₂	OSO ₂ CF ₃	n _D ^{21.6°C} 1.5194
11-088	3,5-Cl ₂	CF ₃	2,6-(CH ₃) ₂	C(O)OH	128.5-130.5
11-089	3,5-Cl ₂	CF ₃	2,6-(CH ₃) ₂	C(O)OCH ₃	135.0-138.0
11-090	3,5-Cl ₂	CF ₂ Cl	2-Cl	C(O)OH	100.0-104.5
11-091	3,5-Cl ₂	CF ₂ Cl	2-CH ₃	C(O)OH	76.0-80.0
11-092	3,5-Cl ₂	CF ₂ Cl	2-CH ₃	C(O)OEt	*1
11-093	3,5-Br ₂	CF ₃	2-Cl	C(O)OH	144.5-147.0
11-094	3,5-Br ₂	CF ₃	2-CH ₃	C(O)OH	135.0-138.5
11-095	3,5-Br ₂	CF ₃	2-CH ₃	C(O)OEt	*1
11-096	3-OCH ₂ O-4	CF ₃	—	C(O)OH	208.0-210.0
11-097	3-OCH ₂ O-4	CF ₃	—	C(O)OCH ₃	172.0-173.0


Table 18



No.	(X) _m	R ³	A ¹	A ²	(Y) _n	R	m.p. (°C)
12-001	3,5-Cl ₂	CF ₃	N	C	—	Cl	139.0-140.0
12-002	3,5-Cl ₂	CF ₃	N	C	—	Br	147.0-148.0
12-003	3,5-Cl ₂	CF ₃	N	C	—	C(O)OH	118.0-120.0
12-004	3,5-Cl ₂	CF ₃	N	C	—	C(O)OEt	154.0-155.0
12-005	3,5-Cl ₂	CF ₃	C	N	—	C(O)OH	195.5-198.5


12-006 3,5-Cl₂ CF₃ C N — C(O)OCH₃ 147.0-151.5

Table 19



No.	A ¹	(Y) _n	R ²	R ¹	J	m.p. (°C)
13-001	C	—	H	CH ₂ CF ₃	H	153.0-154.0
13-002	C	—	H	CH ₂ CF ₃	Cl	158.0-160.0
13-003	C	—	H	CH ₂ Ph	H	191.0-192.0
13-004	C	—	H	CH ₂ Ph	Cl	131.0-133.0
13-005	C	—	H	CH ₂ (D-47a)	H	166.0-168.0
13-006	C	2-CH ₃	H	CH ₂ CF ₃	H	190.5-194.0
13-007	C	2-CH ₃	H	CH ₂ CF ₃	Cl	134.0-137.0
13-008	C	2-CH ₃	H	CH ₂ (D-47a)	H	163.0-164.0
13-009	C	2-CH ₃	H	CH ₂ (D-47a)	Cl	174.0-176.0
13-010	C	3-CH ₃	H	CH ₂ CF ₃	H	163.0-168.0

Table 20



No.	X ¹	(X ²) _{m1}	R ³	n _D /b.p. (°C)
14-001	Cl	5-Cl	Pr-i	n _D ^{20.6°C} 1.5472
14-002	Cl	5-Cl	CHF ₂	n _D ^{20.6°C} 1.5370
14-003	Cl	5-Cl	CF ₃	64.0-66.0/2mmHg
14-004	Cl	5-Cl	CF ₂ Cl	*2
14-005	Cl	5-Cl	CF ₂ CF ₃	*2
14-006	Cl	5-Cl	CH ₂ OCH ₂ CF ₃	*2
14-007	Cl	5-Cl	CH ₂ TMS	*2
14-008	Cl	5-Cl	L-47a	*2
14-009	Cl	5-Br	CF ₃	*2
14-010	Cl	5-CH ₃	CF ₃	*2
14-011	Cl	5-CH ₃ -6-F	CF ₃	n _D ^{20.6°C} 1.4895
14-012	Cl	4,5-Cl ₂	CF ₃	*1

14-013	Cl	4-NHC(O)OBu-t-5-Cl	CF ₃	67.0-68.0
14-014	Br	—	CF ₃	n _D ^{20.7°C} 1.5258
14-015	Br	5-Br	CF ₃	*2
14-016	CF ₃	—	CF ₃	n _D ^{20.6°C} 1.4228
14-017	CF ₃	5-NO ₂	CF ₃	n _D ^{20.6°C} 1.4553
14-018	T-4	—	CF ₃	*2
14-019	OCF ₂ CHFOCF ₂ CF ₂ CF ₃	—	CF ₃	*2
14-020	OCH ₂ Ph	—	CF ₃	*2
14-021	OCH ₂ (Ph-2-Cl)	—	CF ₃	*2
14-022	O(D-47f)	—	CF ₃	*2
14-023	SCF ₃	—	CF ₃	*2
14-024	NO ₂	—	CF ₃	*2

Among the compounds of the present invention, ¹H NMR data of the compounds that the measured value of molecular ion peak, melting point or refractive index is not shown are shown in Table 21.

In the meantime, the indication of “(A)” in the table shows a condition in which tetramethylsilane is used as standard substance in chloroform-d solvent and measurement is carried out at 300MHz (CDCl₃, Me₄Si, 300MHz), hereinafter, the indication “(B)” shows the measurement condition of (CDCl₃, Me₄Si, 400MHz), the indication of “(C)” shows the measurement condition of (CDCl₃-DMSO-d₆, Me₄Si, 300MHz), and the indication of “(D)” shows the measurement condition of (CDCl₃-DMSO-d₆, Me₄Si, 400MHz).

Table 21

No.	¹ H NMR
3-010	(A) δ 8.55-8.6 (m, 1H), 7.15-8.05 (m, 15H), 6.95-7.1 (m, 1H), 5.20 (s, 2H), 4.76 (d, J=4.4Hz, 2H), 4.10 (d, J=17.2Hz, 1H), 3.78 (d, J=17.2Hz, 1H).
3-034	(A) δ 7.2-7.5 (m, 7H), 4.55-4.7 (m, 2H), 4.06 (d, J=17.1Hz, 1H), 3.67 (d, J=17.1Hz, 1H), 2.38 (s, 3H).
3-059	(B) δ 7.9-7.95 (m, 2H), 7.8-7.9 (m, 1H), 7.7-7.8 (m, 2H), 7.51 (s, 2H), 7.4-7.45 (m, 1H), 5.02 (d, J=7.0Hz, 2H), 4.12 (d, J=17.0Hz, 1H), 3.73 (d, J=17.0Hz, 1H).
3-064	(A) δ 7.84 (d, J=8.4Hz, 2H), 7.74 (d, J=8.4Hz, 2H), 7.51 (bs, 2H), 7.43 (bs, 1H), 6.42 (bs, 1H), 4.63 (t, J=5.1Hz, 1H), 4.11 (d, J=17.4Hz, 1H), 3.65-3.85 (m, 3H), 3.5-3.65 (m, 4H), 1.24 (t, J=6.8Hz, 6H).
3-067	(A) δ 7.6-7.8 (m, 3H), 7.54 (d, J=7.8Hz, 2H), 7.44 (bs, 2H), 7.38 (bs, 1H), 3.4-4.25 (m, 7H), 4.04 (d, J=17.7Hz, 1H), 3.69 (d, J=17.4Hz, 1H).
3-069	(A) δ 7.82 (d, J=8.7Hz, 2H), 7.71 (d, J=8.7Hz, 2H), 7.51 (bs, 2H), 7.42 (bs, 1H), 6.71 (bs, 1H), 4.11 (d, J=17.4Hz, 1H), 3.6-3.95 (m, 4H), 3.74 (d, J=17.1Hz, 1H), 3.48 (t, J=6.3Hz, 2H), 2.55-2.7 (m, 1H), 2.0-2.15 (m,

- 1H), 1.6-1.75 (m, 1H).
- 3-072 (A) δ 7.85 (d, J=8.4Hz, 2H), 7.73 (d, J=8.4Hz, 2H), 7.51 (bs, 2H), 7.4-7.5 (m, 1H), 6.44 (bs, 1H), 4.75 (t, J=4.8Hz, 1H), 4.1-4.2 (m, 2H), 4.10 (d, J=17.4Hz, 1H), 3.75-3.9 and 3.6-3.65 (m, 2H), 3.72 (d, J=17.4Hz, 1H), 3.6-3.65 (m, 2H), 2.0-2.15 (m, 1H), 1.35-1.45 (m, 1H).
- 3-074 (A) δ 7.82 (d, J=8.4Hz, 2H), 7.72 (d, J=8.4Hz, 2H), 7.51 (bs, 2H), 7.4-7.45 (m, 1H), 6.53 (bs, 1H), 4.09 (d, J=17.4Hz, 1H), 3.72 (s, 2H), 3.71 (d, J=17.4Hz, 1H), 2.92 (s, 3H), 1.72 (s, 6H).
- 3-077 (A) δ 9.79 (s, 1H), 7.89 (d, J=8.4Hz, 2H), 7.76 (d, J=8.4Hz, 2H), 7.61 (bs, 2H), 7.51 (bs, 1H), 6.91 (bs, 1H), 4.46 (d, J=4.5Hz, 2H), 4.11 (d, J=17.4Hz, 1H), 3.72 (d, J=17.1Hz, 1H).
- 3-078 (A) δ 9.27 (bs, 1H), 7.85 (d, J=8.5Hz, 2H), 7.74 (d, J=8.7Hz, 2H), 7.60 and 6.93 (t, J=4.4Hz, 1H), 7.51 (bs, 2H), 7.44 (bs, 1H), 6.71 (bs, 1H), 4.37 and 4.26 (d, J=4.7Hz, 2H), 4.11 (d, J=16.8Hz, 1H), 3.72 (d, J=17.4 Hz, 1H).
- 3-079 (A) δ 7.8-7.9 (m, 2H), 7.7-7.8 (m, 2H), 7.45-7.55 (m, 2H), 7.45-7.55 and 6.82 (t, J=4.4Hz, 1H), 7.43 (t, J=2.0Hz, 1H), 6.71 and 6.60 (bs, 1H), 4.31 and 4.24 (t, J=4.5Hz, 2H), 4.11 (d, J=17.4Hz, 1H), 3.94 and 3.88 (s, 3H), 3.72 (d, J=17.4Hz, 1H).
- 3-082 (A) δ 7.90 (d, J=8.7Hz, 2H), 7.73 (d, J=8.7Hz, 2H), 7.52 (s, 2H), 7.43 (s, 1H), 7.10 (t, J=4.8Hz, 1H), 4.21 (d, J=4.8Hz, 2H), 4.12 (d, J=17.4Hz, 1H), 3.74 (d, J=17.4Hz, 1H).
- 3-083 (A) δ 7.87 (d, J=8.1Hz, 2H), 7.74 (d, J=8.1Hz, 2H), 7.52 (s, 2H), 7.43 (s, 1H), 6.73 (bs, 1H), 4.26 (d, J=5.1Hz, 2H), 4.11 (d, J=17.4Hz, 1H), 3.82 (s, 3H), 3.73 (d, J=17.4Hz, 1H).
- 3-087 (A) δ 8.52 (bs, 1H), 7.97 (bs, 1H), 7.88 (d, J=8.4Hz, 2H), 7.7-7.8 (m, 3H), 7.51 (s, 2H), 7.43 (s, 1H), 4.45 (d, J=4.8Hz, 2H), 4.11 (d, J=17.4 Hz, 1H), 3.74 (d, J=17.4Hz, 1H).
- 3-089 (A) δ 7.84 (d, J=8.5Hz, 2H), 7.73 (d, J=8.5Hz, 2H), 7.51 (bs, 2H), 7.43 (bs, 1H), 6.18 (bs, 1H), 5.85-6.05 (m, 1H), 5.2-5.35 (m, 2H), 4.05-4.15 (m, 3H), 3.72 (d, J=17.4Hz, 1H).
- 3-107 (A) δ 7.82 (d, J=8.1Hz, 2H), 7.72 (d, J=8.4Hz, 2H), 7.55 (s, 1H), 7.51 (bs, 2H), 7.43 (bs, 1H), 6.27 (bs, 1H), 4.48 (d, J=5.1Hz, 2H), 4.10 (d, J=17.1Hz, 1H), 3.79 (s, 3H), 3.71 (d, J=17.4Hz, 1H).
- 3-108 (A) δ 7.82 (d, J=8.1Hz, 2H), 7.72 (d, J=8.4Hz, 2H), 7.51 (bs, 2H), 7.4-7.45 (m, 1H), 6.34 (bs, 1H), 4.48 (d, J=5.4Hz, 2H), 4.10 (d, J=17.1Hz, 1H), 3.81 (s, 3H), 3.71 (d, J=17.4Hz, 1H).
- 3-110 (A) δ 7.82 (d, J=8.1Hz, 2H), 7.74 (d, J=8.7Hz, 2H), 7.51 (bs, 2H), 7.43 (bs, 1H), 6.36 (bs, 1H), 6.17 (s, 1H), 4.65 (d, J=5.7Hz, 2H), 4.08 (d, J=17.1Hz, 1H), 3.85 (s, 3H), 3.69 (d, J=17.4Hz, 1H).
- 3-114 (A) δ 7.86 (d, J=8.1Hz, 2H), 7.71 (d, J=8.4Hz, 2H), 7.51 (bs, 2H), 7.4-7.45 (m, 2H), 7.08 (s, 1H), 6.98 (bs, 1H), 4.68 (d, J=5.4Hz, 2H), 4.07 (d, J=17.4Hz, 1H), 3.68 (d, J=17.4Hz, 1H), 2.72 (s, 3H).
- 3-118 (D) δ 7.95-8.0 (m, 2H), 7.75-7.8 (m, 2H), 7.35-7.55 (m, 4H), 5.45-5.5 (m, 2H), 4.15-4.2 (m, 1H), 3.8-3.85 (m, 1H), 2.57 (s, 3H).
- 3-119 (B) δ 8.55-8.65 (m, 1H), 7.91 (d, J=8.2Hz, 2H), 7.65 (d, J=8.2Hz, 2H),

- 7.50 (s, 2H), 7.42 (s, 1H), 6.91 (s, 1H), 6.86 (s, 1H), 4.67 (d, J=5.3 Hz, 2H), 4.08 (d, J=17.0Hz, 1H), 3.77 (s, 3H), 3.70 (d, J=17.0Hz, 1H).
- 3-120 (B) δ 7.35-8.0 (m, 8H), 6.95 (m, 2H), 6.6-6.75 (m, 2H), 4.08 (d, J=17.0 Hz, 1H), 3.70 (d, J=17.0Hz, 1H), 3.63 (s, 3H).
- 3-121 (B) δ 8.1-8.2 (m, 1H), 7.65-7.9 (m, 3H), 7.4-7.6 (m, 3H), 7.1-7.2 (m, 1H), 4.86 (d, J=5.8Hz, 2H), 4.05-4.15 (m, 1H), 3.65-3.8 (m, 1H), 2.72 (s, 3H).
- 3-122 (A) δ 8.43 (s, 1H), 7.88 (d, J=8.1Hz, 2H), 7.72 (d, J=8.1Hz, 2H), 7.51 (s, 2H), 7.44 (s, 1H), 7.30 (t, J=5.4Hz, 1H), 4.93 (d, J=5.4Hz, 2H), 4.10 (d, J=17.1Hz, 1H), 3.72 (d, J=17.1Hz, 1H).
- 3-127 (B) δ 7.93 (d, J=8.2Hz, 2H), 7.82 (t, J=4.8Hz, 1H), 7.74 (d, J=8.2Hz, 2H), 7.58 (t, J=7.7Hz, 1H), 7.5-7.55 (m, 2H), 7.43 (t, J=1.8Hz, 1H), 7.16 (d, J=7.7Hz, 1H), 7.09 (d, J=7.7Hz, 1H), 4.71 (d, J=4.8Hz, 2H), 3.93 (d, J=17.2Hz, 1H), 3.74 (d, J=17.4Hz, 1H), 2.57 (s, 3H).
- 3-131 (A) δ 8.55 (s, 1H), 8.40 (s, 1H), 7.91 (d, J=8.2Hz, 2H), 7.72 (d, J=8.2Hz, 2H), 7.53 (s, 3H), 7.42 (s, 1H), 4.7-4.8 (m, 2H), 4.13 (d, J=17.0Hz, 1H), 3.74 (d, J=17.0Hz, 1H), 2.57 (s, 3H).
- 3-134 (A) δ 9.64 (bs, 1H), 7.81 (d, J=8.1Hz, 2H), 7.69 (d, J=8.1Hz, 2H), 7.50 (s, 2H), 7.43 (s, 1H), 4.10 (d, J=17.4Hz, 1H), 3.86 (s, 3H), 3.73 (d, J=17.4Hz, 1H).
- 3-135 (A) δ 8.19 (d, J=4.2Hz, 1H), 7.95 (d, J=8.4Hz, 2H), 7.76 (d, J=8.4Hz, 2H), 7.5-7.6 (m, 4H), 7.44 (s, 1H), 7.10 (bs, 1H), 6.84 (t, J=8.4Hz, 1H), 6.78 (d, J=8.4Hz, 1H), 4.11 (d, J=17.4Hz, 1H), 3.73 (d, J=17.4Hz, 1H).
- 3-143 (A) δ 8.57 (d, J=5.1Hz, 1H), 8.21 (bs, 1H), 7.85-8.05 (m, 2H), 7.6-7.8 (m, 3H), 7.15-7.45 (m, 5H), 4.72 (d, J=5.1Hz, 2H), 4.10 (d, J=17.4Hz, 1H), 3.76 (d, J=17.4Hz, 1H), 2.38 (s, 3H).
- 3-147 (A) δ 7.86 (d, J=8.5Hz, 2H), 7.77 (d, J=8.5Hz, 2H), 7.55-7.65 (m, 1H), 7.2-7.3 (m, 1H), 4.05-4.25 (m, 3H), 3.86 (d, J=17.0Hz, 1H), 2.30 (s, 3H).
- 4-003 (A) δ 8.5-8.7 (m, 1H), 7.35-7.9 (m, 9H), 7.1-7.3 (m, 1H), 4.5-5.1 (m, 4H), 4.0-4.2 (m, 1H), 3.6-3.8 (m, 1H), 3.15-3.55 (m, 3H).
- 4-004 (A) δ 8.55-8.65 (m, 1H), 7.35-7.8 (m, 9H), 7.1-7.3 (m, 1H), 4.6-5.15 (m, 4H), 3.3-4.2 (m, 4H), 1.1-1.35 (m, 3H).
- 4-005 (A) δ 8.2-8.3 (m, 1H), 7.15-7.8 (m, 10H), 4.75-5.35 (m, 4H), 4.08 (d, J=17.0Hz, 1H), 3.70 (d, J=17.0Hz, 1H), 3.04 and 2.84 (bs, 3H).
- 4-006 (B) δ 8.5-8.6 (m, 1H), 7.1-7.75 (m, 10H), 5.65-5.95 (m, 1H), 5.1-5.3 (m, 2H), 4.85 and 4.53 (s, 2H), 3.6-4.2 (m, 4H).
- 4-007 (B) δ 8.5-8.7 (m, 1H), 6.95-7.75 (m, 10H), 5.65-6.1 (m, 2H), 5.1-5.45 (m, 4H), 4.4-4.9 (m, 4H), 3.75-4.2 (m, 3H).
- 4-008 (A) δ 8.50 (bs, 1H), 7.0-7.75 (m, 15H), 4.35-4.9 (m, 4H), 4.05 (d, J=17.0 Hz, 1H), 3.68 (d, J=17.0Hz, 1H).
- 4-009 (A) δ 8.5-8.55 (m, 1H), 7.65-7.75 (m, 5H), 7.51 (s, 2H), 7.42 (s, 1H), 7.25-7.3 (m, 1H), 7.15-7.25 (m, 1H), 5.17 (s, 2H), 4.10 (d, J=17.0Hz, 1H), 3.71 (d, J=17.0Hz, 1H), 3.60 (s, 3H).
- 4-010 (A) δ 8.37 (bs, 1H), 7.65-7.8 (m, 3H), 7.3-7.55 (m, 6H), 4.4-4.9 (m, 2H), 4.10 (d, J=17.0Hz, 1H), 3.70 (d, J=17.0Hz, 1H), 3.1-3.65 (m, 2H), 1.12 (bs, 3H).

- 4-011 (B) δ 7.7-7.8 (m, 4H), 7.52 (s, 2H), 7.43 (s, 1H), 4.10 (d, J=17.0Hz, 1H), 3.72 (d, J=17.0Hz, 1H), 3.53 (s, 3H), 3.37 (s, 3H).
- 5-001 (A) δ 8.51 (d, J=4.8Hz, 1H), 7.69 (t, J=5.1Hz, 1H), 7.62 (s, 1H), 7.45-7.55 (m, 2H), 7.25-7.4 (m, 4H), 7.22 (dd, J=6.9, 2.5Hz, 1H), 4.73 (d, J=5.1Hz, 2H), 4.09 (d, J=16.8Hz, 1H), 3.73 (d, J=16.8Hz, 1H), 2.48 (s, 3H).
- 5-003 (A) δ 8.51 (d, J=4.8Hz, 1H), 7.77 (s, 1H), 7.68 (t, J=4.5Hz, 1H), 7.45-7.6 (m, 5H), 7.25-7.35 (m, 3H), 7.22 (dd, J=7.5, 1.8Hz, 1H), 4.73 (d, J=4.5Hz, 2H), 4.09 (d, J=17.4Hz, 1H), 3.73 (d, J=17.4Hz, 1H), 2.49 (s, 3H).
- 5-007 (A) δ 8.52 (d, J=4.2Hz, 1H), 7.78 (d, J=9.3Hz, 2H), 7.67 (t, J=5.1Hz, 1H), 7.51 (bs, 3H), 7.3-7.4 (m, 4H), 7.15-7.25 (m, 1H), 4.73 (d, J=5.1Hz, 2H), 4.07 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.48 (s, 3H).
- 5-009 (A) δ 8.51 (d, J=4.5Hz, 1H), 7.89 (bs, 1H), 7.82 (d, J=7.8Hz, 1H), 7.65-7.75 (m, 2H), 7.60 (t, J=7.8Hz, 1H), 7.5-7.55 (m, 3H), 7.33 (bs, 1H), 7.32 (d, J=7.8Hz, 1H), 7.21 (dd, J=7.2, 1.5Hz, 1H), 4.73 (d, J=5.1Hz, 2H), 4.15 (d, J=17.4Hz, 1H), 3.77 (d, J=17.4Hz, 1H), 2.49 (s, 3H).
- 5-010 (A) δ 7.25-7.6 (m, 7H), 6.37 (bs, 1H), 4.0-4.15 (m, 2H), 4.11 (d, J=17.4Hz, 1H), 3.77 and 3.75 (d, J=17.4Hz, 1H), 2.95 (dd, J=10.2, 8.7Hz, 1H), 2.41 (s, 3H), 2.03 (dd, J=10.2, 3.3Hz, 1H), 1.90 (dd, J=8.7, 3.3Hz, 1H).
- 5-011 (A) δ 8.51 (d, J=4.2Hz, 1H), 7.69 (t, J=4.8Hz, 1H), 7.15-7.6 (m, 10H), 4.72 (d, J=4.8Hz, 2H), 4.10 (d, J=17.1Hz, 1H), 3.77 (dd, J=17.1, 3.0Hz, 1H), 2.95 (dd, J=10.2, 8.4Hz, 1H), 2.48 (s, 3H), 2.02 (dd, J=10.2, 3.0Hz, 1H), 1.89 (dd, J=8.4, 3.0Hz, 1H).
- 5-012 (A) δ 7.25-7.5 (m, 7H), 7.16 (bs, 1H), 4.0-4.2 (m, 3H), 3.75 (d, J=17.2Hz, 1H), 2.42 (s, 3H).
- 5-013 (A) δ 8.5-8.6 (m, 1H), 7.65-7.8 (m, 1H), 7.15-7.6 (m, 10H), 4.72 (d, J=5.2Hz, 2H), 4.12 (d, J=17.3Hz, 1H), 3.74 (d, J=17.3Hz, 1H), 2.46 (s, 3H).
- 5-015 (B) δ 8.5-8.55 (m, 1H), 7.72 (td, J=6.8, 4.8Hz, 1H), 7.45-7.6 (m, 5H), 7.2-7.4 (m, 5H), 4.75 (d, J=4.8Hz, 2H), 4.11 (d, J=17.2Hz, 1H), 3.74 (d, J=17.2Hz, 1H), 2.50 (s, 3H).
- 5-016 (A) δ 7.35-7.6 (m, 6H), 7.2-7.3 (m, 1H), 6.10 (d, J=53.4Hz, 1H), 6.06 (bs, 1H), 4.0-4.2 (m, 3H), 3.72 (d, J=16.8Hz, 1H), 2.47 (s, 3H).
- 5-017 (A) δ 8.54 (d, J=4.8Hz, 1H), 7.65-7.75 (m, 1H), 7.35-7.6 (m, 6H), 7.2-7.35 (m, 4H), 6.10 (d, J=53.1Hz, 1H), 4.75 (d, J=5.1Hz, 2H), 4.11 (d, J=17.4Hz, 1H), 3.73 (d, J=17.4Hz, 1H), 2.50 (s, 3H).
- 5-018 (A) δ 8.45-8.55 (m, 1H), 7.15-7.75 (m, 14H), 6.95-7.05 (m, 1H), 5.19 (s, 2H), 4.74 (d, J=4.4Hz, 2H), 4.07 (d, J=16.8Hz, 1H), 3.75 (d, J=16.8Hz, 1H), 2.49 (s, 3H).
- 5-019 (A) δ 8.24 (s, 1H), 8.00 (s, 1H), 7.2-7.6 (m, 6H), 7.2-7.3 (m, 1H), 6.44 (t, J=6.5Hz, 1H), 3.95-4.15 (m, 2H), 4.09 (d, J=17.1Hz, 1H), 3.78 (d, J=17.1Hz, 1H), 2.40 (s, 3H).
- 5-020 (A) δ 8.52 (d, J=4.8Hz, 1H), 8.25 (s, 1H), 8.00 (s, 1H), 7.45-7.75 (m, 7H), 7.15-7.35 (m, 4H), 4.74 (d, J=4.8Hz, 2H), 4.10 (d, J=17.4Hz, 1H), 3.78 (d, J=17.4Hz, 1H), 2.49 (s, 3H).
- 5-021 (A) δ 8.51 (d, J=4.5Hz, 1H), 7.69 (t, J=5.1Hz, 1H), 7.5-7.6 (m, 4H), 7.25-7.4 (m, 5H), 7.21 (dd, J=7.2, 1.5Hz, 1H), 4.73 (d, J=5.1Hz, 2H), 4.08 (d, J=17.4Hz, 1H), 3.74 (d, J=17.4Hz, 1H), 2.98 (q, J=7.2Hz, 2H), 2.48

- (s, 3H), 1.33 (t, J=7.2Hz, 3H).
- 5-022 (A) δ 7.89 (s, 1H), 7.7-7.8 (m, 2H), 7.5-7.6 (m, 3H), 7.45 (d, J=8.0Hz, 1H), 6.06 (t, J=6.2Hz, 1H), 4.0-4.2 (m, 3H), 3.73 (d, J=16.6Hz, 1H), 2.47 (s, 3H).
- 5-023 (A) δ 8.55 (d, J=4.7Hz, 1H), 7.90 (s, 1H), 7.65-7.8 (m, 3H), 7.5-7.6 (m, 4H), 7.3-7.45 (m, 2H), 7.2-7.3 (m, 1H), 4.74 (d, J=5.0Hz, 2H), 4.12 (d, J=17.1Hz, 1H), 3.73 (d, J=17.1Hz, 1H), 2.49 (s, 3H).
- 5-024 (B) δ 7.65 (d, J=8.1Hz, 1H), 7.45-7.6 (m, 4H), 7.40 (d, J=7.9Hz, 1H), 7.34 (d, J=7.7Hz, 1H), 6.35 (bs, 1H), 4.0-4.15 (m, 3H), 3.73 (d, J=17.2Hz, 1H), 3.37 (s, 3H), 2.43 (s, 3H).
- 5-025 (B) δ 8.5-8.55 (m, 1H), 7.71 (td, J=7.7, 1.6Hz, 1H), 7.3-7.7 (m, 7H), 7.28 (d, J=4.6Hz, 1H), 7.26 (t, J=4.8Hz, 1H), 7.23 (dd, J=7.5, 5.9Hz, 1H), 4.75 (d, J=4.8Hz, 2H), 4.12 (d, J=17.2Hz, 1H), 3.73 (d, J=17.2Hz, 1H), 3.39 (s, 3H), 2.50 (s, 3H).
- 5-026 (B) δ 7.4-7.65 (m, 6H), 7.36 (d, J=7.9Hz, 1H), 6.34 (t, J=6.1Hz, 1H), 4.11 (d, J=17.2Hz, 1H), 4.08 (qd, J=9.6, 6.6Hz, 2H), 3.73 (d, J=17.4Hz, 1H), 3.50 (d, J=0.9Hz, 3H), 2.41 (s, 3H).
- 5-027 (B) δ 8.53 (ddd, J=4.9, 1.6, 0.9Hz, 1H), 7.70 (td, J=7.7, 1.8Hz, 1H), 7.6-7.65 (m, 2H), 7.5-7.55 (m, 4H), 7.44 (ddd, J=7.9, 2.0, 1.3Hz, 1H), 7.33 (d, J=7.7Hz, 1H), 7.26 (t, J=4.8Hz, 1H), 7.22 (ddd, J=7.5, 4.8, 1.1Hz, 1H), 4.75 (d, J=4.8Hz, 2H), 4.12 (d, J=17.2Hz, 1H), 3.74 (d, J=17.2Hz, 1H), 3.51 (s, 3H), 2.49 (s, 3H).
- 5-028 (B) δ 8.5-8.55 (m, 1H), 7.83 (bs, 1H), 7.2-7.75 (m, 15H), 4.76 (d, J=4.8Hz, 2H), 4.13 (dd, J=17.2, 1.8Hz, 1H), 3.82 (d, J=17.2Hz, 1H), 2.51 (s, 3H).
- 5-029 (A) δ 8.51 (d, J=4.5Hz, 1H), 7.69 (t, J=5.1Hz, 1H), 7.51 (bs, 2H), 7.50 (bs, 1H), 7.15-7.4 (m, 5H), 6.8-6.95 (m, 1H), 4.74 (d, J=4.8Hz, 2H), 4.07 (d, J=17.4Hz, 1H), 3.72 (d, J=17.4Hz, 1H), 2.48 (s, 3H).
- 5-030 (A) δ 7.2-7.45 (m, 6H), 6.49 (bs, 1H), 4.0-4.15 (m, 2H), 3.46 (s, 2H), 2.40 (s, 3H), 1.79 (s, 3H).
- 5-031 (A) δ 7.25-7.5 (m, 6H), 6.50 (bs, 1H), 4.0-4.15 (m, 2H), 3.60 (d, J=16.8Hz, 1H), 3.39 (d, J=16.8Hz, 1H), 2.38 (s, 3H), 2.15-2.3 (m, 1H), 0.98 (d, J=6.6Hz, 3H), 0.90 (d, J=6.9Hz, 3H).
- 5-033 (A) δ 8.51 (d, J=4.8Hz, 1H), 7.69 (t, J=4.5Hz, 1H), 7.45-7.5 (m, 3H), 7.41 (bs, 2H), 7.15-7.4 (m, 4H), 4.73 (d, J=4.5Hz, 2H), 3.57 (d, J=16.8Hz, 1H), 3.47 (d, J=16.8Hz, 1H), 2.48 (s, 3H), 1.35-1.5 (m, 1H), 0.45-0.7 (m, 4H).
- 5-035 (B) δ 8.5-8.55 (m, 1H), 7.72 (td, J=7.6, 1.8Hz, 1H), 7.5-7.55 (m, 4H), 7.43 (d, J=1.8Hz, 2H), 7.35-7.4 (m, 2H), 7.2-7.25 (m, 1H), 4.76 (d, J=4.8Hz, 2H), 3.93 (d, J=16.8Hz, 1H), 3.85 (dd, J=18.6, 11.8Hz, 2H), 3.53 (d, J=16.8Hz, 1H), 2.50 (s, 3H).
- 5-037 (A) δ 8.53 (d, J=5.0Hz, 1H), 7.65-7.75 (m, 1H), 7.15-7.6 (m, 9H), 5.89 (t, J=55.2Hz, 1H), 4.74 (d, J=4.7Hz, 2H), 4.00 (d, J=17.0Hz, 1H), 3.55 (d, J=17.0Hz, 1H), 2.50 (s, 3H).
- 5-038 (B) δ 8.17 (t, J=7.0Hz, 1H), 7.45-7.6 (m, 4H), 7.44 (t, J=1.8Hz, 1H), 7.0-7.1 (m, 1H), 4.05-4.25 (m, 3H), 3.73 (d, J=17.4Hz, 1H).

- 5-040 (A) δ 8.82 (s, 1H), 8.19 (t, J=7.8Hz, 1H), 7.4-7.6 (m, 6H), 7.31 (s, 1H), 4.84 (d, J=5.4Hz, 2H), 4.08 (d, J=17.4Hz, 1H), 3.69 (d, J=17.1Hz, 1H).
- 5-042 (B) δ 8.03 (m, 1H), 7.64 (d, J=1.1Hz, 1H), 7.58 (d, J=0.8Hz, 1H), 7.50 (s, 2H), 7.43 (bs, 1H), 6.39 (bs, 1H), 4.18 (d, J=16.0Hz, 1H), 4.1-4.2 (m, 2H), 3.80 (d, J=16.0Hz, 1H).
- 5-048 (A) δ 8.22 (d, J=8.7Hz, 2H), 7.81 (d, J=7.8Hz, 1H), 7.74 (d, J=1.2Hz, 1H), 7.63 (dd, J=8.4, 1.8Hz, 1H), 7.54 (d, J=8.7Hz, 2H), 7.50 (bs, 2H), 7.44 (d, J=2.1Hz, 1H), 6.72 (bs, 1H), 4.77 (d, J=6.3Hz, 2H), 4.04 (d, J=17.1Hz, 1H), 3.66 (d, J=17.1Hz, 1H).
- 5-049 (A) δ 7.81 (d, J=8.1Hz, 1H), 7.7-7.75 (m, 2H), 7.63 (dd, J=8.1, 1.8Hz, 1H), 7.50 (bs, 2H), 7.44 (bs, 1H), 7.34 (d, J=3.3Hz, 1H), 7.16 (bs, 1H), 5.00 (d, J=5.4Hz, 2H), 4.06 (d, J=17.1Hz, 1H), 3.69 (d, J=17.1Hz, 1H).
- 5-050 (A) δ 8.79 (s, 1H), 7.75 (dd, J=8.4, 3.0Hz, 1H), 7.70 (bs, 1H), 7.60 (bs, 1H), 7.50 (bs, 2H), 7.44 (bs, 1H), 7.33 (s, 1H), 7.01 (bs, 1H), 4.82 (d, J=5.1Hz, 2H), 4.07 (d, J=17.4Hz, 1H), 3.69 (d, J=17.1Hz, 1H).
- 5-051 (A) δ 7.7-7.8 (m, 2H), 7.61 (dd, J=8.1, 1.5Hz, 1H), 7.50 (bs, 2H), 7.44 (bs, 1H), 7.19 (s, 1H), 6.84 (bs, 1H), 4.69 (d, J=5.7Hz, 2H), 4.07 (d, J=17.4Hz, 1H), 3.69 (d, J=17.4Hz, 1H).
- 5-052 (B) δ 8.63 (s, 1H), 7.25-7.75 (m, 7H), 5.10 (d, J=5.8Hz, 2H), 4.07 (d, J=17.0Hz, 1H), 3.71 (d, J=17.0Hz, 1H).
- 5-053 (A) δ 8.54 (d, J=4.2Hz, 1H), 7.77 (d, J=7.8Hz, 1H), 7.6-7.8 (m, 3H), 7.62 (d, J=7.8Hz, 1H), 7.50 (bs, 2H), 7.44 (bs, 1H), 7.34 (d, J=7.5Hz, 1H), 7.23 (dd, J=7.5, 2.4Hz, 1H), 4.78 (d, J=4.5Hz, 2H), 4.08 (d, J=18.0Hz, 1H), 3.71 (d, J=18.0Hz, 1H).
- 5-056 (A) δ 8.55 (d, J=4.5Hz, 1H), 8.08 (t, J=4.5Hz, 1H), 7.96 (s, 1H), 7.78 (d, J=8.4Hz, 1H), 7.72 (d, J=8.4Hz, 1H), 7.69 (dd, J=4.5, 2.4Hz, 1H), 7.50 (bs, 2H), 7.43 (bs, 1H), 7.33 (d, J=7.2Hz, 1H), 7.23 (dd, J=7.2, 2.4Hz, 1H), 4.73 (d, J=4.5Hz, 2H), 4.28 (d, J=18.0Hz, 1H), 3.87 (d, J=18.0Hz, 1H).
- 5-058 (B) δ 8.54 (d, J=3.9Hz, 1H), 7.89 (bs, 1H), 7.74 (td, J=7.8, 1.8Hz, 1H), 7.6-7.7 (m, 1H), 7.50 (bs, 3H), 7.44 (t, J=1.8Hz, 1H), 7.38 (d, J=7.8Hz, 1H), 7.2-7.3 (bs, 1H), 4.79 (d, J=4.7Hz, 2H), 4.07 (d, J=17.2Hz, 1H), 3.70 (d, J=17.2Hz, 1H).
- 5-060 (B) δ 8.01 (bs, 1H), 7.65-7.75 (m, 2H), 7.50 (bs, 2H), 7.4-7.45 (m, 1H), 6.25-6.3 (m, 1H), 4.06 (d, J=17.2Hz, 1H), 3.55-3.75 (m, 3H), 3.45-3.6 (m, 4H), 1.20 (t, J=7.0Hz, 3H).
- 5-061 (B) δ 8.10 (bs, 1H), 7.69 (d, J=8.0Hz, 1H), 7.50 (bs, 2H), 7.4-7.45 (m, 2H), 6.09 (bs, 1H), 4.54 (t, J=5.2Hz, 1H), 4.06 (d, J=17.2Hz, 1H), 3.69 (d, J=17.2Hz, 1H), 3.60 (t, J=5.2Hz, 2H), 3.44 (s, 6H).
- 5-062 (B) δ 8.13 (bs, 1H), 7.71 (d, J=8.0Hz, 1H), 7.4-7.5 (m, 4H), 6.7-6.9 (br, 1H), 6.05-6.3 (br, 1H), 4.05-4.15 (m, 2H), 4.06 (d, J=17.2Hz, 1H), 3.69 (d, J=17.2Hz, 1H), 2.88 (bs, 3H).
- 5-065 (B) δ 8.5-8.55 (m, 1H), 8.13 (d, J=1.8Hz, 1H), 7.7-7.5 (m, 2H), 7.50 (d, J=1.8Hz, 2H), 7.44 (t, J=1.8Hz, 1H), 7.37 (d, J=8.0Hz, 1H), 7.2-7.3 (m, 3H), 4.78 (d, J=4.8Hz, 2H), 4.06 (d, J=17.2Hz, 1H), 3.68 (d, J=17.2Hz, 1H).

- 5-066 (B) δ 7.45-7.55 (m, 6H), 6.40 (bs, 1H), 6.00 (bs, 1H), 4.09 (d, J=17.0Hz, 1H), 3.71 (d, J=17.0Hz, 1H), 2.49 (s, 3H).
- 5-070 (A) δ 7.35-7.55 (m, 6H), 6.02 (bs, 1H), 4.09 (d, J=17.4Hz, 1H), 3.71 (d, J=17.4Hz, 1H), 3.25-3.35 (m, 2H), 2.45 (s, 3H), 1.0-1.15 (m, 1H), 0.55-0.65 (m, 2H), 0.25-0.35 (m, 2H).
- 5-072 (A) δ 7.35-7.55 (m, 6H), 5.78 (bs, 1H), 4.08 (d, J=17.0Hz, 1H), 3.69 (d, J=17.0Hz, 1H), 3.47 (t, J=7.1Hz, 2H), 2.45-2.65 (m, 1H), 2.44 (s, 3H), 1.65-2.2 (m, 6H).
- 5-077 (A) δ 7.4-7.5 (m, 6H), 6.19 (bs, 1H), 4.08 (d, J=16.8Hz, 1H), 3.5-3.75 (m, 7H), 2.47 (s, 3H), 1.20 (t, J=6.9Hz, 3H).
- 5-079 (B) δ 7.45-7.55 (m, 4H), 7.43 (t, J=1.8Hz, 1H), 7.39 (d, J=8.4Hz, 1H), 6.28 (bs, 1H), 4.27 (t, J=5.1Hz, 2H), 4.08 (d, J=17.2Hz, 1H), 3.65-3.75 (m, 3H), 2.44 (s, 3H), 2.08 (s, 3H).
- 5-080 (B) δ 7.45-7.55 (m, 4H), 7.35-7.45 (m, 2H), 6.48 (bs, 1H), 4.80 (bs, 1H), 4.28 (t, J=5.0Hz, 2H), 4.08 (d, J=17.2Hz, 1H), 3.70 (d, J=17.2Hz, 1H), 3.65-3.7 (m, 2H), 3.15-3.25 (m, 2H), 2.46 (s, 3H), 1.13 (t, J=7.2Hz, 3H).
- 5-083 (A) δ 7.4-7.55 (m, 6H), 5.95 (bs, 1H), 4.48 (t, J=5.4Hz, 1H), 4.05 (d, J=17.4Hz, 1H), 3.66 (d, J=17.4Hz, 1H), 3.59 (t, J=5.4Hz, 2H), 3.44 (s, 6H), 2.48 (s, 3H).
- 5-084 (A) δ 7.4-7.55 (m, 6H), 6.02 (bs, 1H), 4.63 (t, J=5.1Hz, 1H), 4.08 (d, J=16.8Hz, 1H), 3.5-3.8 (m, 7H), 2.48 (s, 3H), 1.22 (t, J=6.6Hz, 6H).
- 5-085 (B) δ 7.45-7.55 (m, 4H), 7.43 (t, J=1.8Hz, 1H), 7.39 (d, J=8.4Hz, 1H), 6.31 (d, J=8.1Hz, 1H), 4.81 (bs, 1H), 4.35-4.45 (m, 1H), 4.22 (dd, J=11.5, 6.8Hz, 1H), 4.10 (dd, J=11.5, 3.7Hz, 1H), 4.08 (d, J=17.2Hz, 1H), 3.70 (d, J=17.2Hz, 1H), 3.15-3.25 (m, 2H), 2.45 (s, 3H), 1.27 (d, J=7.1 Hz, 3H), 1.13 (t, J=7.2Hz, 3H).
- 5-086 (A) δ 7.35-7.6 (m, 6H), 6.24 (bs, 1H), 4.0-4.15 (m, 2H), 3.65-3.9 (m, 4H), 3.25-3.35 (m, 1H), 2.46 (s, 3H), 1.85-2.1 (m, 3H), 1.55-1.7 (m, 1H).
- 5-087 (A) δ 7.35-7.55 (m, 6H), 5.97 (bs, 1H), 4.08 (d, J=17.4Hz, 1H), 3.55-4.0 (m, 4H), 3.69 (d, J=17.1Hz, 1H), 3.45-3.5 (m, 2H), 2.55-2.65 (m, 1H), 2.47 (s, 3H), 2.05-2.15 (m, 1H), 1.6-1.75 (m, 1H).
- 5-090 (A) δ 7.4-7.55 (m, 6H), 6.14 (bs, 1H), 4.75 (t, J=4.5Hz, 1H), 4.1-4.2 (m, 2H), 4.08 (d, J=17.4Hz, 1H), 3.75-3.9 (m, 2H), 3.71 (d, J=17.4Hz, 1H), 3.5-3.65 (m, 2H), 2.47 (s, 3H), 2.0-2.15 (m, 1H), 1.3-1.45 (m, 1H).
- 5-092 (A) δ 7.35-7.6 (m, 6H), 7.05 (bs, 1H), 4.08 (d, J=17.1Hz, 1H), 3.9-4.05 (m, 2H), 3.70 (d, J=17.1Hz, 1H), 3.1-3.25 (m, 1H), 2.8-2.95 (m, 1H), 2.66 (s, 3H), 2.47 (s, 3H).
- 5-094 (A) δ 7.4-7.6 (m, 6H), 6.73 (bs, 1H), 4.08 (d, J=17.1Hz, 1H), 3.9-4.05 (m, 2H), 3.70 (d, J=17.1Hz, 1H), 3.28 (t, J=5.7Hz, 2H), 3.08 (q, J=7.5Hz, 2H), 2.47 (s, 3H), 1.43 (t, J=7.5Hz, 3H).
- 5-095 (A) δ 7.2-7.6 (m, 11H), 6.09 (bs, 1H), 4.08 (d, J=17.1Hz, 1H), 3.75 (s, 2H), 3.70 (d, J=17.1Hz, 1H), 3.5-3.6 (m, 2H), 2.68 (t, J=6.3Hz, 2H), 2.45 (s, 3H).
- 5-096 (A) δ 7.35-7.55 (m, 11H), 6.62 (t, J=6.0Hz, 1H), 4.30 (s, 2H), 4.07 (d, J=17.4Hz, 1H), 3.85-3.95 (m, 2H), 3.69 (d, J=17.4Hz, 1H), 3.1-3.2 (m,

- 2H), 2.41 (s, 3H).
- 5-097 (A) δ 7.35-7.55 (m, 6H), 7.32 (s, 1H), 6.30 (bs, 1H), 6.22 (d, J=2.7Hz, 1H), 6.13 (bs, 1H), 4.08 (d, J=17.4Hz, 1H), 3.77 (s, 2H), 3.70 (d, J=17.4Hz, 1H), 3.55-3.65 (m, 2H), 2.78 (t, J=6.3Hz, 2H), 2.47 (s, 3H).
- 5-098 (A) δ 7.4-7.55 (m, 7H), 6.55-6.6 (m, 2H), 6.45 (dd, J=3.0, 1.8Hz, 1H), 4.39 (s, 2H), 4.07 (d, J=17.4Hz, 1H), 3.85-3.95 (m, 2H), 3.69 (d, J=17.4Hz, 1H), 3.25-3.3 (m, 2H), 2.45 (s, 3H).
- 5-099 (A) δ 7.4-7.6 (m, 6H), 6.22 (t, J=5.4Hz, 1H), 4.08 (d, J=17.0Hz, 1H), 3.6-3.75 (m, 2H), 3.35-3.5 (m, 1H), 2.85-3.05 (m, 1H), 2.49 (s, 3H), 2.11 (s, 3H), 1.35 (d, J=6.9Hz, 3H).
- 5-100 (A) δ 7.4-7.6 (m, 6H), 7.15-7.25 and 6.9-7.0 (m, 1H), 3.9-4.2 (m, 2H), 3.6-3.85 (m, 2H), 2.85-3.2 (m, 1H), 2.68 and 2.56 (s, 3H), 2.49 (s, 3H), 1.32 (d, J=6.9Hz, 3H).
- 5-101 (A) δ 7.4-7.6 (m, 6H), 6.65 (t, J=5.8Hz, 1H), 4.08 (d, J=17.3Hz, 1H), 3.75-4.0 (m, 2H), 3.69 (d, J=17.3Hz, 1H), 3.25-3.45 (m, 1H), 2.94 (s, 3H), 2.49 (s, 3H), 1.50 (d, J=6.9Hz, 3H).
- 5-102 (A) δ 7.35-7.65 (m, 6H), 6.08 (bs, 1H), 4.3-4.45 (m, 1H), 4.09 (d, J=17.4Hz, 1H), 3.71 (d, J=17.4Hz, 1H), 2.71 (d, J=5.7Hz, 2H), 2.44 (s, 3H), 2.17 (s, 3H), 1.34 (d, J=6.6Hz, 3H).
- 5-103 (A) δ 7.4-7.6 (m, 6H), 6.46 (d, J=8.1Hz, 1H), 4.6-4.75 (m, 1H), 4.08 (d, J=17.1Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 3.42 (dd, J=14.4, 6.3Hz, 1H), 3.26 (dd, J=14.4, 5.1Hz, 1H), 3.03 (s, 3H), 2.45 (s, 3H), 1.53 (d, J=6.9Hz, 3H).
- 5-104 (A) δ 7.45-7.55 (m, 4H), 7.4-7.45 (m, 2H), 5.75 (bs, 1H), 4.07 (d, J=17.4Hz, 1H), 3.69 (d, J=17.4Hz, 1H), 3.07 (s, 2H), 2.48 (s, 3H), 2.18 (s, 3H), 1.51 (s, 6H).
- 5-112 (A) δ 7.45-7.65 (m, 6H), 7.43 and 6.93 (t, J=4.8Hz, 1H), 6.29 (bs, 1H), 4.33 and 4.25 (t, J=4.7Hz, 2H), 4.08 (d, J=17.1Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.48 (s, 3H).
- 5-114 (A) δ 7.4-7.6 (m, 6H), 7.43 and 6.85 (bs, 1H), 6.30 (bs, 1H), 4.25-4.35 and 4.2-4.25 (m, 2H), 4.08 (d, J=17.4Hz, 1H), 3.93 and 3.86 (d, J=7.2Hz, 2H), 3.70 (d, J=17.4Hz, 1H), 2.49 (s, 3H), 1.1-1.3 (m, 1H), 0.5-0.6 (m, 2H), 0.2-0.3 (m, 2H).
- 5-115 (A) δ 7.57 and 6.86 (t, J=4.4Hz, 1H), 7.25-7.55 (m, 10H), 6.26 (bs, 1H), 5.10 and 5.02 (s, 2H), 4.28 and 4.20 (t, J=5.3Hz, 2H), 4.08 (d, J=17.1Hz, 1H), 3.70 (d, J=17.1Hz, 1H), 2.44 (s, 3H).
- 5-116 (A) δ 7.4-7.5 (m, 6H), 7.39 and 6.79 (t, J=4.5Hz, 1H), 6.25 and 6.15 (bs, 1H), 4.0-4.3 (m, 4H), 4.05 (d, J=17.4Hz, 1H), 3.67 (d, J=17.4Hz, 1H), 2.46 and 2.45 (s, 3H), 0.9-1.25 (m, 2H), 0.01 (s, 9H).
- 5-118 (A) δ 7.45-7.55 (m, 4H), 7.35-7.45 (m, 2H), 6.19 (bs, 1H), 4.7-4.85 (m, 1H), 4.08 (d, J=17.4Hz, 1H), 3.7-3.8 (m, 1H), 3.70 (d, J=17.4Hz, 1H), 3.5-3.6 (m, 1H), 3.0-3.15 (m, 1H), 2.7-2.85 (m, 1H), 2.47 (s, 3H), 2.00 (s, 3H).
- 5-120 (A) δ 7.4-7.6 (m, 6H), 7.11 (d, J=9.6Hz, 1H), 6.30 (d, J=9.6Hz, 1H), 4.0-4.25 (m, 3H), 3.70 (d, J=17.0Hz, 1H), 2.50 (s, 3H).
- 5-122 (A) δ 7.4-7.6 (m, 7H), 6.61 (d, J=3.3Hz, 1H), 6.49 (d, J=8.4Hz, 1H), 6.44

- (dd, J=3.3, 2.1Hz, 1H), 6.33 (d, J=8.4Hz, 1H), 4.08 (d, J=17.3Hz, 1H), 3.70 (d, J=17.3Hz, 1H), 2.48 (s, 3H).
- 5-123 (A) δ 7.3-7.6 (m, 8H), 7.0-7.1 (m, 1H), 6.49 (d, J=8.8Hz, 1H), 6.42 (d, J=8.8Hz, 1H), 4.08 (d, J=17.0Hz, 1H), 3.69 (d, J=17.0Hz, 1H), 2.50 (s, 3H).
- 5-126 (A) δ 8.62 (d, J=5.0Hz, 1H), 7.85 (td, J=8.1, 2.1Hz, 1H), 7.35-7.65 (m, 9H), 6.15 (d, J=6.9Hz, 1H), 4.09 (d, J=17.0Hz, 1H), 3.71 (d, J=17.0Hz, 1H), 2.52 (s, 3H).
- 5-128 (A) δ 7.45-7.65 (m, 6H), 6.33 (bs, 1H), 4.23 (d, J=5.1Hz, 2H), 4.09 (d, J=17.4Hz, 1H), 3.81 (s, 3H), 3.70 (d, J=17.4Hz, 1H), 2.49 (s, 3H).
- 5-130 (B) δ 7.4-7.55 (m, 6H), 6.33 (d, J=6.6Hz, 1H), 4.75-4.85 (m, 1H), 4.08 (d, J=17.2Hz, 1H), 3.81 (s, 3H), 3.70 (d, J=17.2Hz, 1H), 2.49 (s, 3H), 1.55 (s, 3H).
- 5-131 (B) δ 7.4-7.55 (m, 6H), 6.34 (d, J=7.6Hz, 1H), 4.7-4.8 (m, 1H), 4.2-4.3 (m, 2H), 4.08 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.49 (s, 3H), 1.54 (t, J=7.0Hz, 3H), 1.32 (t, J=7.2Hz, 3H).
- 5-132 (A) δ 7.4-7.55 (m, 6H), 6.36 (bs, 1H), 4.75-4.9 (m, 1H), 4.6-4.75 (m, 1H), 4.4-4.55 (m, 1H), 4.18 (d, J=17.4Hz, 1H), 3.71 (d, J=17.4Hz, 1H), 2.45 (s, 3H), 1.57 (d, J=7.2Hz, 3H).
- 5-133 (A) δ 7.4-7.6 (m, 6H), 7.06 (d, J=6.6Hz, 1H), 5.76 (t, J=6.6Hz, 1H), 4.27 (d, J=6.6Hz, 1H), 4.08 (d, J=17.1Hz, 1H), 3.89 (s, 3H), 3.70 (d, J=17.1Hz, 1H), 2.49 (s, 3H).
- 5-134 (A) δ 7.4-7.6 (m, 6H), 6.79 (d, J=9.4Hz, 1H), 5.72 (d, J=9.4Hz, 1H), 4.09 (d, J=17.3Hz, 1H), 3.87 (s, 3H), 3.71 (d, J=17.3Hz, 1H), 3.59 (s, 3H), 2.51 (s, 3H).
- 5-136 (A) δ 7.35-7.55 (m, 6H), 6.44 (bs, 1H), 4.05-4.25 (m, 3H), 3.6-3.8 (m, 3H), 2.66 (t, J=6.0Hz, 2H), 2.46 (s, 3H), 1.27 (t, J=7.2Hz, 3H).
- 5-138 (A) δ 7.45-7.6 (m, 6H), 7.09 (bs, 1H), 6.69 (bs, 1H), 4.05-4.15 (m, 3H), 3.72 (d, J=17.4Hz, 1H), 2.83 (d, J=4.8Hz, 3H), 2.44 (s, 3H).
- 5-139 (A) δ 7.5-7.6 (m, 5H), 7.43 (s, 1H), 6.98 (bs, 1H), 4.23 (d, J=3.9Hz, 2H), 4.09 (d, J=17.1Hz, 1H), 3.71 (d, J=17.1Hz, 1H), 3.04 (s, 3H), 3.02 (s, 3H), 2.50 (s, 3H).
- 5-141 (B) δ 7.4-7.55 (m, 6H), 7.05-7.1 (m, 1H), 6.62 (bs, 1H), 4.05-4.15 (m, 3H), 3.72 (d, J=17.2Hz, 1H), 3.23 (dd, J=13.8, 7.2Hz, 2H), 2.45 (s, 3H), 1.5-1.6 (m, 2H), 0.91 (t, J=7.4Hz, 3H).
- 5-143 (B) δ 7.4-7.55 (m, 6H), 6.9-7.05 (m, 1H), 6.45-6.55 (m, 1H), 4.05-4.2 (m, 3H), 3.70 (d, J=17.2Hz, 1H), 3.1-3.15 (m, 2H), 2.45-2.5 (m, 4H), 0.9-1.0 (m, 6H).
- 5-145 (B) δ 7.4-7.55 (m, 6H), 6.78 (bs, 1H), 5.93 (bs, 1H), 4.0-4.15 (m, 3H), 3.70 (d, J=16.8Hz, 1H), 2.48 (s, 3H), 1.38 (s, 9H).
- 5-146 (B) δ 7.4-7.55 (m, 6H), 7.01 (bs, 1H), 6.53 (bs, 1H), 4.05-4.2 (m, 3H), 3.71 (d, J=17.4Hz, 1H), 3.05-3.1 (m, 2H), 2.46 (s, 3H), 0.91 (s, 9H).
- 5-147 (B) δ 7.4-7.55 (m, 6H), 6.89 (bs, 2H), 4.56 (t, J=5.0Hz, 1H), 4.44 (t, J=5.0Hz, 1H), 4.16 (d, J=5.0Hz, 2H), 4.19 (d, J=17.2Hz, 1H), 3.71 (d, J=17.2Hz, 1H), 3.5-3.7 (m, 2H), 2.46 (s, 3H).
- 5-149 (A) δ 7.45-7.6 (m, 5H), 7.42 (s, 1H), 7.27 (bs, 1H), 4.25-4.4 (m, 2H),

- 4.09 (d, J=17.4Hz, 1H), 3.6-3.8 (m, 5H), 3.17 (s, 3H), 2.49 (s, 3H).
- 5-150 (B) δ 7.4-7.55 (m, 6H), 6.8-7.2 (m, 2H), 4.16 (d, J=5.0Hz, 2H), 4.09 (d, J=17.2Hz, 1H), 3.5-3.75 (m, 3H), 3.48 (t, J=5.8Hz, 2H), 2.48 (s, 3H).
- 5-152 (A) δ 7.4-7.55 (m, 6H), 7.05 (bs, 1H), 6.90 (bs, 1H), 4.0-4.2 (m, 3H), 3.71 (d, J=17.0Hz, 1H), 3.5-3.6 (m, 2H), 3.4-3.5 (m, 2H), 2.45 (s, 3H), 1.9-2.1 (m, 2H).
- 5-153 (B) δ 7.4-7.55 (m, 6H), 6.7-7.05 (m, 2H), 4.15-4.2 (m, 2H), 4.09 (d, J=17.2Hz, 1H), 3.75-3.9 (m, 1H), 3.71 (d, J=17.2Hz, 1H), 3.05-3.2 (m, 1H), 2.47 (s, 3H), 1.49 (bs, 1H), 1.6-1.7 (m, 1H), 1.2-1.3 (m, 1H).
- 5-154 (A) δ 7.45-7.55 (m, 5H), 7.43 (s, 1H), 6.86 (bs, 1H), 6.77 (bs, 1H), 4.05-4.15 (m, 3H), 3.65-3.8 (m, 3H), 3.45-3.55 (m, 2H), 2.46 (s, 3H), 1.69 (bs, 1H).
- 5-155 (B) δ 7.5-7.55 (m, 5H), 7.43 (t, J=1.8Hz, 1H), 6.9-7.0 (m, 1H), 4.25-4.4 (m, 2H), 4.19 (d, J=17.4Hz, 1H), 3.8-3.9 (m, 2H), 3.70 (d, J=17.4Hz, 1H), 3.63 (t, J=5.2Hz, 1H), 3.49 (t, J=5.2Hz, 1H), 3.13 and 3.04 (s, 3H), 2.50 (s, 3H).
- 5-159 (B) δ 7.4-7.55 (m, 6H), 7.25-7.35 (m, 1H), 7.0-7.05 (m, 1H), 4.10 (d, J=17.2Hz, 1H), 4.06 (bs, 2H), 3.77 (bs, 2H), 3.73 (d, J=17.2Hz, 1H), 3.25 (t, J=5.6Hz, 2H), 2.96 (s, 3H), 2.42 (s, 3H).
- 5-161 (B) δ 7.4-7.55 (m, 6H), 6.96 (bs, 1H), 5.7-5.85 (m, 1H), 5.15-5.35 (m, 2H), 4.2-4.3 (m, 2H), 4.05-4.15 (m, 2H), 3.92 (bs, 1H), 3.71 (d, J=17.2 Hz, 1H), 3.01 and 2.99 (s, 3H), 2.50 (s, 3H).
- 5-162 (B) δ 7.45-7.55 (m, 5H), 7.4-7.45 (m, 1H), 6.97 (bs, 1H), 5.7-5.85 (m, 2H), 5.15-5.3 (m, 4H), 4.27 (d, J=4.0Hz, 2H), 4.10 (d, J=17.2Hz, 1H), 4.05 (d, J=5.8Hz, 2H), 3.91 (d, J=5.8Hz, 2H), 3.72 (d, J=17.2Hz, 1H), 2.50 (s, 3H).
- 5-163 (A) δ 7.4-7.6 (m, 6H), 6.9-7.2 (m, 2H), 5.38 (s, 1H), 5.30 (s, 1H), 4.0-4.3 (m, 5H), 3.70 (d, J=17.0Hz, 1H), 2.44 (s, 3H).
- 5-165 (B) δ 7.4-7.55 (m, 6H), 7.00 (bs, 2H), 4.05-4.2 (m, 5H), 3.72 (d, J=17.2 Hz, 1H), 2.54 (s, 3H), 2.22 (s, 1H).
- 5-167 (B) δ 8.78 (d, J=1.8Hz, 1H), 7.45-7.55 (m, 6H), 7.43 (t, J=1.8Hz, 1H), 6.65-6.8 (m, 2H), 4.65 (d, J=7.4Hz, 2H), 4.05-4.2 (m, 3H), 3.70 (d, J=17.2Hz, 1H), 2.46 (s, 3H).
- 5-168 (B) δ 8.52 (d, J=4.1Hz, 1H), 7.67 (td, J=7.8, 1.8Hz, 1H), 7.4-7.55 (m, 8H), 7.2-7.25 (m, 1H), 6.83 (bs, 1H), 4.59 (d, J=5.0Hz, 2H), 4.22 (d, J=5.0Hz, 2H), 4.08 (d, J=17.2Hz, 1H), 3.70 (d, J=17.2Hz, 1H), 2.47 (s, 3H).
- 5-171 (B) δ 7.45-7.55 (m, 6H), 6.94 (bs, 1H), 4.25 (d, J=3.8Hz, 2H), 4.08 (d, J=17.2Hz, 1H), 3.65-3.75 (m, 7H), 3.48 (t, J=4.4Hz, 2H), 2.50 (s, 3H).
- 5-173 (B) δ 7.2-7.6 (m, 7H), 6.6-7.1 (m, 6H), 4.0-4.6 (m, 3H), 3.70 (d, J=17.0 Hz, 1H), 3.33 (s, 3H), 2.49 (s, 3H).
- 5-176 (B) δ 7.3-7.55 (m, 12H), 6.37 (bs, 1H), 5.71 (d, J=7.0Hz, 1H), 4.08 (d, J=17.2Hz, 1H), 3.71 (d, J=17.2Hz, 1H), 2.75 (d, J=4.9Hz, 3H), 2.41 (s, 3H).
- 5-178 (A) δ 7.45-7.6 (m, 5H), 7.43 (s, 1H), 6.62 (bs, 1H), 4.37 (t, J=9.3Hz, 2H), 4.23 (d, J=4.5Hz, 2H), 4.09 (d, J=17.1Hz, 1H), 3.86 (t, J=9.3Hz,

- 2H), 3.71 (d, J=17.1Hz, 1H), 2.48 (s, 3H).
- 5-179 (A) δ 8.10 (bs, 1H), 7.4-7.65 (m, 7H), 7.06 (bs, 1H), 4.43 (d, J=5.1Hz, 2H), 4.09 (d, J=17.1Hz, 1H), 3.71 (d, J=17.1Hz, 1H), 2.49 (s, 3H).
- 5-180 (A) δ 7.65-7.8 (m, 2H), 7.1-7.6 (m, 12H), 6.03 (d, J=7.4Hz, 1H), 4.08 (d, J=17.0Hz, 1H), 3.70 (d, J=17.0Hz, 1H), 2.45 (s, 3H).
- 5-181 (A) δ 7.51 (bs, 4H), 7.4-7.45 (m, 1H), 7.38 (d, J=8.5Hz, 1H), 5.5-5.6 (m, 1H), 4.08 (d, J=17.1Hz, 1H), 3.69 (d, J=17.1Hz, 1H), 2.97 (d, J=6.1Hz, 2H), 2.46 (s, 3H), 0.13 (s, 9H).
- 5-182 (A) δ 7.51 (bs, 4H), 7.4-7.45 (m, 2H), 5.85-6.05 (m, 1H), 5.81 (bs, 1H), 5.15-5.35 (m, 2H), 4.05-4.15 (m, 3H), 3.69 (d, J=17.4Hz, 1H), 2.49 (s, 3H).
- 5-183 (A) δ 7.4-7.75 (m, 5H), 7.33 (d, J=7.8Hz, 1H), 4.04 (d, J=17.1Hz, 1H), 3.75 (m, 1H), 3.66 (d, J=17.4Hz, 1H), 3.37 (m, 1H), 3.08 (m, 2H), 1.25 (t, J=7.4Hz, 3H), 1.04 (t, J=7.2Hz, 3H).
- 5-184 (A) δ 7.51 (bs, 4H), 7.4-7.5 (m, 2H), 6.10 (t, J=6.9Hz, 1H), 5.95 (bs, 1H), 4.17 (t, J=6.6Hz, 2H), 4.08 (d, J=17.1Hz, 1H), 3.69 (d, J=17.4Hz, 1H), 2.48 (s, 3H).
- 5-185 (A) δ 7.4-7.55 (m, 6H), 6.58 and 6.34 (s, 1H), 6.10 and 5.99 (bs, 1H), 4.49 and 4.30 (d, J=6.0Hz, 2H), 4.08 (d, J=17.1Hz, 1H), 3.69 (d, J=17.1 Hz, 1H), 2.50 and 2.48 (s, 3H).
- 5-186 (A) δ 7.35-7.55 (m, 6H), 6.03 (bs, 1H), 4.27 (q, J=2.4Hz, 2H), 4.08 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.47 (s, 3H), 2.30 (t, J=2.4Hz, 1H).
- 5-191 (A) δ 7.2-7.6 (m, 11H), 6.09 (bs, 1H), 5.06 (q, J=7.5Hz, 1H), 4.06 (d, J=17.1Hz, 1H), 3.68 (d, J=17.1Hz, 1H), 2.40 (s, 3H), 1.85-2.0 (m, 2H), 0.97 (t, J=7.2Hz, 3H).
- 5-194 (B) δ 7.3-7.6 (m, 11H), 6.42 (d, J=9.6Hz, 1H), 6.26 (d, J=9.6Hz, 1H), 4.07 (d, J=17.2Hz, 1H), 3.85-3.95 (m, 1H), 3.7-3.8 (m, 1H), 3.69 (d, J=17.2Hz, 1H), 2.50 (s, 3H), 1.33 (t, J=7.2Hz, 3H).
- 5-205 (A) δ 7.35-7.55 (m, 7H), 6.25-6.35 (m, 2H), 6.10 (bs, 1H), 4.62 (d, J=5.4 Hz, 2H), 4.07 (d, J=17.1Hz, 1H), 3.69 (d, J=17.1Hz, 1H), 2.46 (s, 3H).
- 5-207 (A) δ 7.3-7.55 (m, 6H), 6.7-6.8 (m, 2H), 6.39 (bs, 1H), 4.64 (d, J=6.0Hz, 2H), 4.07 (d, J=17.4Hz, 1H), 3.69 (d, J=17.4Hz, 1H), 2.43 (s, 3H).
- 5-208 (A) δ 7.4-7.6 (m, 6H), 6.37 (bs, 1H), 6.04 (s, 1H), 4.66 (d, J=5.7Hz, 2H), 4.08 (d, J=17.4Hz, 1H), 3.69 (d, J=17.4Hz, 1H), 2.49 (s, 3H), 2.43 (s, 3H).
- 5-209 (A) δ 7.35-7.6 (m, 6H), 6.57 (t, J=6.0Hz, 1H), 6.31 (s, 1H), 4.70 (d, J=6.0Hz, 2H), 4.09 (d, J=17.4Hz, 1H), 3.71 (d, J=17.4Hz, 1H), 2.43 (s, 3H).
- 5-212 (A) δ 7.56 (s, 1H), 7.35-7.55 (m, 6H), 5.90 (bs, 1H), 4.46 (d, J=5.4Hz, 2H), 4.07 (d, J=17.1Hz, 1H), 3.85 (s, 3H), 3.68 (d, J=17.1Hz, 1H), 2.47 (s, 3H).
- 5-213 (A) δ 7.3-7.55 (m, 6H), 6.19 (bs, 1H), 4.43 (d, J=5.4Hz, 2H), 4.07 (d, J=17.4Hz, 1H), 3.78 (s, 3H), 3.72 (d, J=17.1Hz, 1H), 2.43 (s, 3H).
- 5-216 (A) δ 7.74 (d, J=3.3Hz, 1H), 7.45-7.55 (m, 5H), 7.43 (bs, 1H), 7.40 (d, J=3.3Hz, 1H), 6.66 (bs, 1H), 4.95 (d, J=5.4Hz, 2H), 4.08 (d, J=16.8Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.50 (s, 3H).

- 5-217 (A) δ 7.75 (d, J=3.3Hz, 1H), 7.3-7.6 (m, 13H), 6.59 (d, J=7.4Hz, 1H), 4.08 (d, J=17.3Hz, 1H), 3.69 (d, J=17.3Hz, 1H), 2.46 (s, 3H).
- 5-218 (A) δ 7.76 (s, 1H), 7.4-7.75 (m, 6H), 6.78 (bs, 1H), 4.93 (d, J=3.6Hz, 2H), 4.09 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.47 (s, 3H).
- 5-219 (A) δ 8.79 (s, 1H), 7.4-7.55 (m, 6H), 7.32 (s, 1H), 6.53 (bs, 1H), 4.77 (d, J=5.4Hz, 2H), 4.05 (d, J=17.4Hz, 1H), 3.66 (d, J=17.4Hz, 1H), 2.47 (s, 3H).
- 5-220 (A) δ 7.4-7.55 (m, 6H), 7.17 (s, 1H), 6.40 (bs, 1H), 4.64 (d, J=5.7Hz, 2H), 4.08 (d, J=17.1Hz, 1H), 3.73 (d, J=17.1Hz, 1H), 2.46 (s, 3H).
- 5-221 (A) δ 7.4-7.55 (m, 6H), 7.07 (s, 1H), 6.42 (bs, 1H), 4.66 (d, J=5.4Hz, 2H), 4.05 (d, J=17.4Hz, 1H), 3.66 (d, J=17.4Hz, 1H), 2.70 (s, 3H), 2.47 (s, 3H).
- 5-222 (A) δ 8.76 (s, 1H), 7.81 (s, 1H), 7.50 (bs, 4H), 7.35-7.45 (m, 2H), 6.36 (bs, 1H), 4.83 (d, J=6.0Hz, 2H), 4.07 (d, J=17.4Hz, 1H), 3.69 (d, J=17.1 Hz, 1H), 2.46 (s, 3H).
- 5-223 (A) δ 7.45-7.55 (m, 4H), 7.35-7.45 (m, 3H), 6.27 (t, J=6.0Hz, 1H), 4.71 (d, J=6.0Hz, 2H), 4.08 (d, J=17.4Hz, 1H), 3.69 (d, J=17.4Hz, 1H), 2.48 (s, 3H).
- 5-224 (B) δ 7.91 (bs, 1H), 7.4-7.55 (m, 6H), 6.84 (s, 1H), 6.79 (s, 1H), 4.66 (d, J=4.9Hz, 2H), 4.07 (d, J=17.0Hz, 1H), 3.80 (s, 3H), 3.77 (d, J=17.0 Hz, 1H), 2.45 (s, 3H).
- 5-225 (B) δ 7.25-7.55 (m, 7H), 6.9-7.0 (m, 1H), 6.84 (s, 1H), 4.57 (d, J=5.5Hz, 2H), 4.07 (d, J=17.0Hz, 1H), 3.70 (d, J=17.0Hz, 1H), 3.63 (s, 3H), 2.42 (s, 3H).
- 5-226 (B) δ 8.62 (s, 1H), 7.35-7.65 (m, 6H), 6.8-6.9 (m, 1H), 5.07 (d, J=6.1Hz, 2H), 4.06 (d, J=17.0Hz, 1H), 3.69 (d, J=17.0Hz, 1H), 2.42 (s, 3H).
- 5-227 (B) δ 7.45-7.55 (m, 5H), 7.35-7.4 (m, 1H), 6.9-6.95 (m, 1H), 4.80 (d, J=5.8Hz, 2H), 4.08 (d, J=17.0Hz, 1H), 3.71 (d, J=17.0Hz, 1H), 2.68 (s, 3H), 2.41 (s, 3H).
- 5-230 (A) δ 8.43 (s, 1H), 7.45-7.55 (m, 5H), 7.43 (s, 1H), 6.68 (t, J=5.7Hz, 1H), 4.90 (d, J=5.7Hz, 2H), 4.09 (d, J=17.1Hz, 1H), 3.71 (d, J=17.1Hz, 1H), 2.48 (s, 3H).
- 5-231 (A) δ 7.45-7.55 (m, 5H), 7.43 (s, 1H), 6.78 (t, J=5.7Hz, 1H), 4.80 (d, J=5.7Hz, 2H), 4.09 (d, J=17.1Hz, 1H), 3.72 (d, J=17.1Hz, 1H), 2.54 (s, 3H), 2.47 (s, 3H).
- 5-232 (A) δ 9.14 (s, 1H), 7.45-7.55 (m, 6H), 6.85 (t, J=5.7Hz, 1H), 5.09 (d, J=5.7Hz, 2H), 4.08 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.48 (s, 3H).
- 5-233 (B) δ 8.42 (s, 1H), 8.05-8.15 (m, 1H), 7.87 (s, 1H), 7.35-7.55 (m, 6H), 5.70 (d, J=6.4Hz, 2H), 4.08 (d, J=17.0Hz, 1H), 3.72 (d, J=17.0Hz, 1H), 2.32 (s, 3H).
- 5-235 (A) δ 8.52 (d, J=4.8Hz, 1H), 7.65-7.75 (m, 1H), 7.15-7.55 (m, 9H), 5.32 (dq, J=6.9Hz, 1H), 4.09 (d, J=16.8Hz, 1H), 3.70 (d, J=16.8Hz, 1H), 2.48 (s, 3H), 1.59 (d, J=6.9Hz, 3H).
- 5-238 (B) δ 7.66 (t, J=7.7Hz, 1H), 7.45-7.55 (m, 5H), 7.43 (t, J=1.8Hz, 1H), 7.25-7.35 (m, 2H), 7.02 (t, J=5.3Hz, 1H), 4.69 (d, J=5.3Hz, 2H), 4.10 (d, J=17.2Hz, 1H), 3.72 (d, J=17.4Hz, 1H), 2.47 (s, 3H).

- 5-239 (B) δ 8.2-8.3 (m, 1H), 7.55-7.65 (m, 2H), 7.45-7.55 (m, 3H), 7.4-7.5 (m, 3H), 7.25-7.4 (m, 2H), 4.79 (d, J=6.2Hz, 2H), 4.07 (d, J=17.2Hz, 1H), 3.69 (d, J=17.2Hz, 1H), 2.41 (s, 3H).
- 5-240 (A) δ 8.58 (d, J=1.8Hz, 1H), 8.53 (dd, J=4.8, 1.8Hz, 1H), 7.72 (d, J=7.8 Hz, 1H), 7.4-7.55 (m, 6H), 7.30 (dd, J=7.8, 4.8Hz, 1H), 6.40 (t, J=6.0 Hz, 1H), 4.63 (d, J=6.0Hz, 2H), 4.08 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4 Hz, 1H), 2.46 (s, 3H).
- 5-242 (A) δ 8.57 (d, J=6.0Hz, 2H), 7.4-7.55 (m, 6H), 7.26 (d, J=6.0Hz, 2H), 6.42 (t, J=6.0Hz, 1H), 4.64 (d, J=6.0Hz, 2H), 4.08 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.48 (s, 3H).
- 5-243 (A) δ 8.73 (d, J=5.4Hz, 2H), 7.5-7.6 (m, 5H), 7.43 (s, 1H), 7.24 (t, J=5.4Hz, 1H), 7.19 (bs, 1H), 4.89 (d, J=5.2Hz, 2H), 4.10 (d, J=17.0Hz, 1H), 3.72 (d, J=17.0Hz, 1H), 2.53 (s, 3H).
- 5-245 (A) δ 9.18 (bs, 1H), 8.73 (d, J=5.2Hz, 1H), 7.56 (s, 3H), 7.52 (bs, 2H), 7.4-7.45 (m, 1H), 7.35-7.4 (m, 1H), 7.04 (bs, 1H), 4.77 (d, J=4.8Hz, 2H), 4.10 (d, J=17.2Hz, 1H), 3.72 (d, J=17.2Hz, 1H), 2.52 (s, 3H).
- 5-246 (B) δ 8.69 (s, 1H), 8.53 (s, 2H), 7.5-7.55 (m, 5H), 7.4-7.45 (m, 1H), 6.95-7.0 (m, 1H), 4.81 (d, J=5.3Hz, 2H), 4.09 (d, J=17.0Hz, 1H), 3.71 (d, J=17.0Hz, 1H), 2.49 (s, 3H).
- 5-247 (B) δ 8.55-8.6 (m, 1H), 8.35-8.4 (m, 1H), 7.4-7.55 (m, 6H), 6.95-7.05 (m, 1H), 4.75-4.8 (m, 2H), 4.08 (d, J=17.0Hz, 1H), 3.72 (d, J=17.0Hz, 1H), 2.57 (s, 3H), 2.46 (s, 3H).
- 5-265 (B) δ 7.5-7.55 (m, 5H), 7.4-7.45 (m, 1H), 6.70 (bs, 1H), 4.08 (d, J=19.0 Hz, 1H), 3.70 (d, J=19.0Hz, 1H), 2.51 (s, 3H), 1.51 (s, 9H).
- 5-277 (C) δ 7.45-7.65 (m, 6H), 7.44 (s, 1H), 7.33 (d, J=7.8Hz, 1H), 7.21 (t, J=7.8Hz, 1H), 7.00 (d, J=7.8Hz, 1H), 6.89 (t, J=7.8Hz, 1H), 6.69 (s, 1H), 4.08 (d, J=17.4Hz, 1H), 3.61 (d, J=17.4Hz, 1H), 2.53 (s, 3H).
- 5-278 (C) δ 7.45-7.65 (m, 6H), 7.44 (s, 1H), 7.20 (t, J=8.4Hz, 1H), 6.85-6.95 (m, 2H), 6.81 (d, J=8.4Hz, 1H), 6.33 (s, 1H), 4.10 (d, J=17.1Hz, 1H), 3.71 (d, J=17.1Hz, 1H), 2.52 (s, 3H).
- 5-279 (A) δ 7.95 (s, 1H), 7.35-7.55 (m, 6H), 7.17 (d, J=8.4Hz, 2H), 6.79 (d, J=8.4Hz, 2H), 6.42 (bs, 1H), 4.09 (d, J=17.4Hz, 1H), 3.71 (d, J=17.4Hz, 1H), 2.43 (s, 3H).
- 5-280 (A) δ 7.4-7.65 (m, 10H), 6.98 (d, J=8.4Hz, 2H), 4.10 (d, J=17.3Hz, 1H), 3.72 (d, J=17.3Hz, 1H), 2.52 (s, 3H).
- 5-296 (A) δ 8.76 (bs, 1H), 8.12 (bs, 1H), 8.02 (d, J=5.4Hz, 1H), 7.35-7.5 (m, 6H), 6.26 (d, J=5.4Hz, 1H), 4.10 (d, J=17.4Hz, 1H), 3.73 (d, J=17.4Hz, 1H), 2.45 (s, 3H), 2.43 (s, 3H).
- 5-299 (C) δ 10.15 (bs, 1H), 9.37 (bs, 1H), 8.40 (s, 1H), 7.5-7.6 (m, 5H), 7.46 (s, 1H), 6.69 (s, 1H), 4.17 (d, J=17.4Hz, 1H), 3.86 (d, J=17.4Hz, 1H), 2.59 (s, 3H).
- 5-301 (A) δ 7.4-7.65 (m, 7H), 7.34 (d, J=9.3Hz, 1H), 7.01 (d, J=9.3Hz, 1H), 4.10 (d, J=17.4Hz, 1H), 4.13 (d, J=17.4Hz, 1H), 3.71 (d, J=17.4Hz, 1H), 2.52 (s, 3H).
- 5-303 (B) δ 10.38 (bs, 1H), 7.2-8.65 (m, 11H), 4.05-4.2 (m, 1H), 3.7-3.85 (m, 1H), 2.44 and 2.37 (s, 3H).

- 5-311 (A) δ 7.3-7.75 (m, 6H), 6.52 (t, $J=6.3\text{Hz}$, 1H), 4.05-4.2 (m, 3H), 3.77 (d, $J=17.4\text{Hz}$, 1H), 2.60 (s, 3H).
- 5-312 (A) δ 7.25-7.65 (m, 6H), 6.54 (t, $J=6.3\text{Hz}$, 1H), 3.9-4.15 (m, 2H), 4.10 (d, $J=17.7\text{Hz}$, 1H), 3.73 (d, $J=17.7\text{Hz}$, 1H), 2.74 (q, $J=7.2\text{Hz}$, 2H), 1.19 (t, $J=7.2\text{Hz}$, 3H).
- 5-313 (A) δ 8.50 (d, $J=4.8\text{Hz}$, 1H), 7.70 (t, $J=4.5\text{Hz}$, 1H), 7.5-7.6 (m, 3H), 7.49 (bs, 2H), 7.42 (bs, 1H), 7.15-7.35 (m, 3H), 4.73 (d, $J=4.5\text{Hz}$, 2H), 4.11 (d, $J=17.4\text{Hz}$, 1H), 3.73 (d, $J=17.4\text{Hz}$, 1H), 2.84 (q, $J=7.5\text{Hz}$, 2H), 1.23 (t, $J=7.5\text{Hz}$, 3H).
- 5-316 (B) δ 7.72 (bs, 3H), 7.51 (bs, 2H), 7.45 (t, $J=1.8\text{Hz}$, 1H), 7.15-7.25 (m, 1H), 4.71 (d, $J=6.0\text{Hz}$, 2H), 4.15-4.2 (m, 3H), 3.73 (d, $J=17.2\text{Hz}$, 1H), 3.34 (t, $J=6.0\text{Hz}$, 1H).
- 5-318 (A) δ 8.30 (d, $J=8.4\text{Hz}$, 1H), 8.18 (bs, 1H), 7.51 (s, 2H), 7.48 (s, 1H), 7.25-7.45 (m, 6H), 7.16 (d, $J=8.4\text{Hz}$, 1H), 4.68 (d, $J=5.7\text{Hz}$, 2H), 4.11 (d, $J=17.4\text{Hz}$, 1H), 3.97 (s, 3H), 3.73 (d, $J=17.4\text{Hz}$, 1H).
- 5-320 (B) δ 8.11 (d, $J=8.0\text{Hz}$, 1H), 7.70 (s, 1H), 7.64 (d, $J=8.0\text{Hz}$, 1H), 7.51 (s, 2H), 7.45 (s, 1H), 6.86 (t, $J=6.0\text{Hz}$, 1H), 4.0-4.25 (m, 3H), 3.71 (d, $J=17.6$, 1H).
- 5-322 (A) δ 8.14 (t, $J=7.8\text{Hz}$, 1H), 7.54 (d, $J=7.8\text{Hz}$, 1H), 7.50 (d, $J=7.8\text{Hz}$, 1H), 7.34 (s, 1H), 7.31 (s, 1H), 7.23 (s, 1H), 7.09 and 7.05 (t, $J=6.3\text{Hz}$, 1H), 4.18 (qd, $J=18.5$, 6.3Hz , 2H), 4.08 (d, $J=17.4\text{Hz}$, 1H), 3.74 (d, $J=17.4\text{Hz}$, 1H), 2.52 (s, 3H).
- 5-325 (A) δ 8.59 (bs, 1H), 8.32 (s, 1H), 8.11 (bs, 1H), 8.03 (d, $J=8.1\text{Hz}$, 1H), 7.85 (d, $J=8.1\text{Hz}$, 1H), 7.73 (t, $J=8.1\text{Hz}$, 1H), 7.51 (bs, 2H), 7.43 (bs, 1H), 7.2-7.4 (m, 2H), 4.73 (bs, 2H), 4.23 and 4.21 (d, $J=17.4\text{Hz}$, 1H), 3.86 and 3.85 (d, $J=17.4\text{Hz}$, 1H), 2.96 and 2.93 (s, 3H).
- 5-328 (A) δ 8.16 (t, $J=8.0\text{Hz}$, 1H), 7.6-7.8 (m, 3H), 7.56 (d, $J=8.0\text{Hz}$, 1H), 7.52 (d, $J=8.1\text{Hz}$, 1H), 7.08 and 7.03 (t, $J=6.5\text{Hz}$, 1H), 4.35-4.55 (m, 2H), 4.05-4.25 (m, 2H), 4.14 (d, $J=17.4\text{Hz}$, 1H), 3.79 (d, $J=17.4\text{Hz}$, 1H).
- 5-330 (B) δ 8.57 (d, $J=4.8\text{Hz}$, 1H), 7.71 (td, $J=7.7$, 1.8Hz , 1H), 7.62 (t, $J=4.6\text{Hz}$, 1H), 7.54 (d, $J=8.6\text{Hz}$, 1H), 7.50 (d, $J=1.6\text{Hz}$, 2H), 7.42 (t, $J=1.8\text{Hz}$, 1H), 7.33 (d, $J=7.9\text{Hz}$, 1H), 7.24 (dd, $J=7.5$, 5.0Hz , 1H), 6.9-7.0 (m, 2H), 5.73 (bs, 2H), 4.72 (d, $J=4.8\text{Hz}$, 2H), 4.04 (d, $J=17.2\text{Hz}$, 1H), 3.66 (d, $J=17.4\text{Hz}$, 1H).
- 5-332 (A) δ 8.57 (d, $J=4.2\text{Hz}$, 1H), 7.65-7.75 (m, 2H), 7.45-7.6 (m, 4H), 7.43 (bs, 1H), 7.33 (d, $J=7.8\text{Hz}$, 1H), 7.2-7.3 (m, 1H), 6.93 (bs, 1H), 6.85 (d, $J=7.8\text{Hz}$, 1H), 4.71 (d, $J=4.8\text{Hz}$, 2H), 4.09 (d, $J=17.1\text{Hz}$, 1H), 3.69 (d, $J=17.1\text{Hz}$, 1H), 2.90 (d, $J=3.6\text{Hz}$, 3H).
- 5-335 (A) δ 10.29 (bs, 1H), 8.56 (d, $J=6.0\text{Hz}$, 1H), 8.18 (d, $J=8.1\text{Hz}$, 1H), 7.15-7.75 (m, 8H), 4.79 (d, $J=5.4\text{Hz}$, 2H), 4.10 (d, $J=17.1\text{Hz}$, 1H), 3.71 (d, $J=17.1\text{Hz}$, 1H), 2.75 (s, 6H).
- 5-336 (A) δ 8.45-8.6 (m, 1H), 8.23 and 8.29 (s, 1H), 7.15-7.9 (m, 10H), 4.65-4.75 (m, 2H), 4.0-4.2 (m, 1H), 3.6-3.8 (m, 1H), 3.25 and 3.34 (s, 3H).
- 5-337 (A) δ 8.45-8.6 (m, 1H), 7.15-8.05 (m, 10H), 4.65-4.75 (m, 2H), 4.0-4.2 (m, 1H), 3.65-3.8 (m, 1H), 3.33 and 3.22 (s, 3H), 2.19 and 1.87 (s, 3H).
- 5-340 (B) δ 7.95-8.0 (m, 1H), 7.89 (dd, $J=8.0$, 2.6Hz , 1H), 7.79 (dd, $J=7.8$, 1.6

- Hz, 1H), 7.52 (bs, 2H), 7.44 (t, J=1.8Hz, 1H), 5.51 (s, 1H), 4.45-4.55 (m, 1H), 4.14 (dd, J=20.2, 7.6Hz, 1H), 3.9-4.05 (m, 1H), 3.77 (dd, J=17.4, 5.2Hz, 1H).
- 5-342 (B) δ 7.9-7.95 (bs, 2H), 7.53 (d, J=1.8Hz, 1H), 7.44 (dd, J=8.2, 1.8Hz, 1H), 7.21 (bs, 2H), 7.14 (t, J=1.8Hz, 1H), 3.75-3.9 (m, 3H), 0.30 (s, 9H).
- 5-343 (B) δ 7.25-7.8 (m, 11H), 5.65 (t, J=6.0Hz, 1H), 4.10 (d, J=17.2Hz, 1H), 3.7-3.85 (m, 3H).
- 5-345 (A) δ 8.47 (s, 1H), 8.43 (d, J=4.8Hz, 1H), 7.95 (s, 1H), 7.6-7.85 (m, 5H), 7.50 (bs, 2H), 7.43 (bs, 1H), 7.15-7.25 (m, 2H), 4.55 (d, J=5.4Hz, 2H), 4.13 (d, J=17.7Hz, 1H), 3.77 (d, J=17.7Hz, 1H).
- 5-346 (B) δ 7.91 (ddd, J=8.6, 6.8, 1.8Hz, 1H), 7.78 (ddd, J=8.6, 6.8, 1.8Hz, 1H), 7.49 (d, J=1.6Hz, 2H), 7.45 (t, J=2.0Hz, 1H), 6.84 (bs, 1H), 4.15-4.25 (m, 3H), 3.80 (bs, 1H).
- 5-347 (B) δ 7.85-7.95 (m, 1H), 7.7-7.8 (m, 1H), 7.25-7.5 (m, 8H), 6.90 (bs, 1H), 4.68 (d, J=5.4Hz, 2H), 4.16 (bs, 1H), 3.78 (bs, 1H).
- 5-348 (B) δ 8.59 (bs, 1H), 8.11 (bs, 1H), 7.89 (bs, 1H), 7.71 (bs, 2H), 7.2-7.5 (m, 5H), 4.80 (bs, 2H), 4.18 (d, J=17.8Hz, 1H), 3.80 (d, J=17.8Hz, 1H).
- 5-352 (A) δ 8.49 (d, J=4.5Hz, 1H), 7.65-7.75 (m, 1H), 7.51 (s, 2H), 7.42 (s, 1H), 7.3-7.4 (m, 3H), 7.22 (dd, J=7.5, 4.5Hz, 1H), 7.10 (bs, 1H), 4.76 (d, J=4.5Hz, 2H), 4.07 (d, J=17.4Hz, 1H), 3.69 (d, J=17.4Hz, 1H), 2.33 (s, 6H).
- 5-353 (A) δ 8.77 (d, J=2.4Hz, 1H), 7.73 (d, J=8.1Hz, 1H), 7.70 (s, 1H), 7.60 (d, J=8.1Hz, 1H), 7.52 (bs, 2H), 7.43 (bs, 1H), 7.33 (d, J=2.4Hz, 1H), 7.10 (t, J=5.4Hz, 1H), 4.81 (d, J=5.4Hz, 2H), 4.12 (d, J=17.4Hz, 1H), 3.72 (d, J=17.4Hz, 1H).
- 5-354 (A) δ 8.53 (d, J=4.5Hz, 1H), 7.55-7.8 (m, 5H), 7.53 (bs, 2H), 7.43 (bs, 1H), 7.2-7.4 (m, 2H), 4.77 (d, J=4.8Hz, 2H), 4.13 (d, J=17.4Hz, 1H), 3.74 (d, J=17.4Hz, 1H).
- 5-356 (A) δ 7.4-7.6 (m, 6H), 6.17 (bs, 1H), 4.12 (d, J=17.6Hz, 1H), 3.72 (d, J=17.6Hz, 1H), 3.55-3.7 (m, 4H), 3.53 (q, J=7.1Hz, 2H), 2.47 (s, 3H), 1.20 (t, J=7.1Hz, 3H).
- 5-357 (A) δ 7.4-7.6 (m, 6H), 5.97 (t, J=5.6Hz, 1H), 4.50 (t, J=5.6Hz, 1H), 4.12 (d, J=17.6Hz, 1H), 3.72 (d, J=17.6Hz, 1H), 3.60 (t, J=5.6Hz, 2H), 3.43 (s, 6H), 2.48 (s, 3H).
- 5-358 (A) δ 7.4-7.6 (m, 6H), 5.75-6.0 (m, 2H), 5.27 (d, J=17.1Hz, 1H), 5.21 (d, J=10.2Hz, 1H), 4.0-4.2 (m, 3H), 3.72 (d, J=17.3Hz, 1H), 2.48 (s, 3H).
- 5-359 (A) δ 8.79 (d, J=2.1Hz, 1H), 7.3-7.6 (m, 7H), 6.54 (t, J=5.4Hz, 1H), 4.77 (d, J=5.4Hz, 2H), 4.12 (d, J=17.6Hz, 1H), 3.72 (d, J=17.6Hz, 1H), 2.47 (s, 3H).
- 5-360 (A) δ 8.54 (d, J=5.0Hz, 1H), 7.65-7.8 (m, 1H), 7.15-7.6 (m, 9H), 4.74 (d, J=5.0Hz, 2H), 4.08 (d, J=17.6Hz, 1H), 3.72 (d, J=17.6Hz, 1H), 2.50 (s, 3H).
- 5-361 (B) δ 7.5-7.55 (m, 4H), 7.43 (d, J=5.0Hz, 1H), 7.42 (d, J=1.8Hz, 1H), 6.07 (t, J=6.4Hz, 1H), 4.27 (d, J=17.4Hz, 1H), 4.05-4.15 (m, 2H), 3.68 (dd, J=17.4, 1.8Hz, 1H), 2.46 (s, 3H).

- 5-362 (B) δ 8.5-8.55 (m, 1H), 7.71 (td, $J=7.6, 1.6\text{Hz}$, 1H), 7.5-7.55 (m, 4H), 7.42 (t, $J=1.6\text{Hz}$, 1H), 7.34 (d, $J=7.8\text{Hz}$, 1H), 7.2-7.3 (m, 3H), 4.75 (d, $J=4.8\text{Hz}$, 2H), 4.27 (d, $J=17.2\text{Hz}$, 1H), 3.68 (d, $J=17.2\text{Hz}$, 1H), 2.50 (s, 3H).
- 5-364 (A) δ 7.3-7.6 (m, 6H), 6.07 (t, $J=6.3\text{Hz}$, 1H), 3.8-4.25 (m, 7H), 3.41 (d, $J=16.8\text{Hz}$, 1H), 2.46 (s, 3H).
- 5-365 (A) δ 8.52 (d, $J=3.8\text{Hz}$, 1H), 7.65-7.75 (m, 1H), 7.15-7.6 (m, 9H), 4.75 (d, $J=4.6\text{Hz}$, 2H), 3.8-4.2 (m, 5H), 3.41 (d, $J=16.8\text{Hz}$, 1H), 2.50 (s, 3H).
- 5-366 (A) δ 7.3-7.55 (m, 6H), 6.83 (t, $J=6.5\text{Hz}$, 1H), 4.20 (d, $J=17.4\text{Hz}$, 1H), 4.0-4.15 (m, 2H), 3.62 (d, $J=17.4\text{Hz}$, 1H), 2.40 (s, 3H), 2.30 (s, 3H).
- 5-368 (B) δ 7.5-7.6 (m, 2H), 7.4-7.5 (m, 4H), 6.0-6.5 (m, 1H), 4.1-4.2 (m, 2H), 3.53 (d, $J=3.2\text{Hz}$, 2H), 2.50 (s, 3H), 1.64 (d, $J=3.2\text{Hz}$, 2H), 0.04 (s, 9H).
- 5-369 (B) δ 8.55-8.6 (m, 1H), 7.7-7.8 (m, 1H), 7.5-7.55 (m, 3H), 7.35-7.45 (m, 3H), 7.2-7.3 (m, 3H), 4.79 (d, $J=4.8\text{Hz}$, 2H), 3.53 (d, $J=3.2\text{Hz}$, 2H), 2.55 (s, 3H), 1.64 (d, $J=5.8\text{Hz}$, 2H), 0.04 (s, 9H).
- 5-370 (A) δ 7.47 (s, 1H), 7.45 (d, $J=7.8\text{Hz}$, 1H), 7.34 (d, $J=7.8\text{Hz}$, 1H), 7.15-7.3 (m, 3H), 6.28 (t, $J=6.5\text{Hz}$, 1H), 4.07 (qd, $J=18.5, 6.5\text{Hz}$, 2H), 3.61 (d, $J=16.2\text{Hz}$, 1H), 3.53 (d, $J=16.2\text{Hz}$, 1H), 2.40 (s, 3H), 0.11 (s, 9H).
- 5-371 (A) δ 8.50 (d, $J=5.1\text{Hz}$, 1H), 7.45-7.75 (m, 4H), 7.15-7.35 (m, 6H), 4.72 (d, $J=5.1\text{Hz}$, 2H), 3.63 (d, $J=16.2\text{Hz}$, 1H), 3.54 (d, $J=16.2\text{Hz}$, 1H), 2.48 (s, 3H), 0.11 (s, 9H).
- 5-372 (A) δ 8.60 (d, $J=4.7\text{Hz}$, 1H), 7.15-7.75 (m, 9H), 6.05 (t, $J=6.0\text{Hz}$, 1H), 4.77 (d, $J=16.8\text{Hz}$, 1H), 4.0-4.2 (m, 2H), 3.69 (d, $J=16.8\text{Hz}$, 1H), 2.45 (s, 3H).
- 5-373 (A) δ 8.60 (d, $J=4.9\text{Hz}$, 1H), 8.53 (d, $J=5.1\text{Hz}$, 1H), 7.15-7.8 (m, 13H), 4.7-4.85 (m, 3H), 3.69 (d, $J=16.7\text{Hz}$, 1H), 2.48 (s, 3H).
- 5-374 (A) δ 7.3-7.75 (m, 6H), 6.0-6.5 (br, 1H), 3.95-4.25 (m, 3H), 3.70 (d, $J=17.1\text{Hz}$, 1H), 2.42 (s, 3H).
- 5-375 (A) δ 8.55 (d, $J=4.8\text{Hz}$, 1H), 7.45-7.75 (m, 7H), 7.3-7.45 (m, 2H), 7.15-7.3 (m, 1H), 4.74 (d, $J=5.1\text{Hz}$, 2H), 4.09 (d, $J=17.4\text{Hz}$, 1H), 3.70 (d, $J=17.4\text{Hz}$, 1H), 2.49 (s, 3H).
- 5-377 (A) δ 8.53 (d, $J=4.5\text{Hz}$, 1H), 7.55-7.8 (m, 8H), 7.15-7.4 (m, 2H), 4.77 (d, $J=4.5\text{Hz}$, 2H), 4.08 (d, $J=17.4\text{Hz}$, 1H), 3.71 (d, $J=17.4\text{Hz}$, 1H).
- 5-378 (A) δ 7.65-7.8 (m, 3H), 7.4-7.6 (m, 3H), 6.04 (t, $J=6.3\text{Hz}$, 1H), 4.0-4.2 (m, 3H), 3.70 (d, $J=17.0\text{Hz}$, 1H), 2.47 (s, 3H).
- 5-379 (A) δ 7.73 (bs, 1H), 7.71 (bs, 2H), 7.51 (s, 1H), 7.49 (d, $J=8.7\text{Hz}$, 1H), 7.42 (d, $J=8.7\text{Hz}$, 1H), 6.2-6.3 (m, 1H), 4.08 (d, $J=17.4\text{Hz}$, 1H), 3.71 (d, $J=17.4\text{Hz}$, 1H), 3.5-3.65 (m, 4H), 3.38 (s, 3H), 2.45 (s, 3H).
- 5-380 (A) δ 7.74 (bs, 1H), 7.71 (bs, 2H), 7.51 (s, 1H), 7.50 (d, $J=8.4\text{Hz}$, 1H), 7.42 (d, $J=8.4\text{Hz}$, 1H), 6.2-6.3 (m, 1H), 4.08 (d, $J=17.4\text{Hz}$, 1H), 3.71 (d, $J=17.4\text{Hz}$, 1H), 3.55-3.65 (m, 4H), 3.53 (q, $J=7.2\text{Hz}$, 2H), 2.46 (s, 3H), 1.20 (t, $J=7.2\text{Hz}$, 3H).
- 5-381 (A) δ 7.73 (bs, 1H), 7.70 (bs, 2H), 7.51 (s, 1H), 7.50 (d, $J=8.4\text{Hz}$, 1H), 7.41 (d, $J=8.4\text{Hz}$, 1H), 6.06 (t, $J=5.4\text{Hz}$, 1H), 4.50 (t, $J=5.4\text{Hz}$, 1H), 4.08 (d, $J=16.8\text{Hz}$, 1H), 3.70 (d, $J=16.8\text{Hz}$, 1H), 3.59 (t, $J=5.4\text{Hz}$, 2H),

- 3.43 (s, 6H), 2.46 (s, 3H).
- 5-382 (A) δ 7.73 (bs, 1H), 7.71 (bs, 2H), 7.50 (s, 1H), 7.49 (d, J=8.7Hz, 1H), 7.45 (d, J=8.7Hz, 1H), 6.47 (t, J=5.4Hz, 1H), 4.20 (d, J=5.4Hz, 2H), 4.09 (d, J=17.4Hz, 1H), 3.80 (s, 3H), 3.72 (d, J=17.4Hz, 1H), 2.46 (s, 3H).
- 5-385 (A) δ 7.74 (bs, 1H), 7.70 (bs, 2H), 7.49 (s, 1H), 7.48 (d, J=8.7Hz, 1H), 7.39 (d, J=8.7Hz, 1H), 6.06 (t, J=5.4Hz, 1H), 5.92 (ddd, J=15.9, 10.2, 5.4Hz, 1H), 5.26 (d, J=15.9Hz, 1H), 5.19 (d, J=10.2Hz, 1H), 4.08 (d, J=17.4Hz, 1H), 4.05 (t, J=5.4Hz, 2H), 3.71 (d, J=17.4Hz, 1H), 2.45 (s, 3H).
- 5-386 (A) δ 8.76 (d, J=2.1Hz, 1H), 7.73 (bs, 1H), 7.70 (bs, 2H), 7.49 (s, 1H), 7.48 (d, J=8.1Hz, 1H), 7.42 (d, J=8.1Hz, 1H), 7.29 (d, J=2.1Hz, 1H), 6.75 (t, J=5.4Hz, 1H), 4.76 (d, J=5.4Hz, 2H), 4.08 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.44 (s, 3H).
- 5-387 (A) δ 8.53 (d, J=5.1Hz, 1H), 7.65-7.8 (m, 4H), 7.53 (s, 3H), 7.33 (d, J=8.1Hz, 1H), 7.15-7.3 (m, 2H), 4.75 (d, J=4.8Hz, 2H), 4.08 (d, J=17.1Hz, 1H), 3.70 (d, J=17.1Hz, 1H), 2.51 (s, 3H).
- 5-388 (A) δ 8.5-8.55 (m, 1H), 7.65-7.75 (m, 1H), 7.5-7.6 (m, 3H), 7.2-7.45 (m, 6H), 4.75 (d, J=4.8Hz, 2H), 4.07 (d, J=17.2Hz, 1H), 3.72 (d, J=17.2Hz, 1H), 2.51 (s, 3H), 2.39 (s, 3H).
- 5-389 (A) δ 8.09 (s, 2H), 7.98 (s, 1H), 7.45-7.55 (m, 2H), 7.38 (d, J=8.4Hz, 1H), 6.35 (bs, 1H), 4.21 (d, J=17.4Hz, 1H), 4.0-4.15 (m, 2H), 3.77 (d, J=17.4Hz, 1H), 2.42 (s, 3H).
- 5-390 (A) δ 8.53 (d, J=4.2Hz, 1H), 8.10 (s, 2H), 7.97 (s, 1H), 7.65-7.8 (m, 1H), 7.54 (bs, 3H), 7.2-7.35 (m, 3H), 4.75 (d, J=4.5Hz, 2H), 4.22 (d, J=17.1Hz, 1H), 3.77 (d, J=17.1Hz, 1H), 2.50 (s, 3H).
- 5-391 (A) δ 8.52 (d, J=5.1Hz, 1H), 7.72 (t, J=4.8Hz, 1H), 7.52 (bs, 3H), 7.15-7.35 (m, 4H), 7.07 (d, J=9.3Hz, 1H), 6.96 (d, J=9.3Hz, 1H), 4.73 (d, J=4.8Hz, 2H), 4.10 (d, J=17.4Hz, 1H), 3.72 (d, J=17.4Hz, 1H), 2.51 (s, 3H), 2.50 (s, 3H).
- 5-392 (A) δ 8.53 (d, J=4.8Hz, 1H), 7.6-7.75 (m, 4H), 7.3-7.4 (m, 4H), 7.15-7.35 (m, 2H), 4.77 (d, J=5.1Hz, 2H), 4.08 (d, J=17.1Hz, 1H), 3.72 (d, J=17.1Hz, 1H), 2.52 (s, 3H), 2.50 (s, 3H).
- 5-393 (A) δ 8.52 (d, J=4.5Hz, 1H), 7.70 (t, J=4.8Hz, 1H), 7.53 (bs, 1H), 7.52 (bs, 2H), 7.15-7.45 (m, 6H), 4.74 (d, J=4.8Hz, 2H), 4.12 (d, J=17.4Hz, 1H), 3.89 (s, 3H), 3.75 (d, J=17.4Hz, 1H), 2.50 (s, 3H).
- 5-394 (A) δ 8.52 (d, J=5.1Hz, 1H), 7.70 (t, J=4.8Hz, 1H), 7.52 (bs, 3H), 7.15-7.35 (m, 5H), 7.13 (bs, 1H), 4.74 (d, J=4.8Hz, 2H), 4.07 (d, J=17.4Hz, 1H), 3.73 (d, J=17.4Hz, 1H), 2.51 (s, 6H), 2.50 (s, 3H).
- 5-398 (A) δ 8.56 (d, J=4.5Hz, 1H), 7.72 (td, J=7.5, 1.5Hz, 1H), 7.65 (s, 2H), 7.45-7.6 (m, 4H), 7.39 (d, J=7.8Hz, 1H), 7.15-7.3 (m, 1H), 4.72 (d, J=5.1Hz, 2H), 4.10 (d, J=17.4Hz, 1H), 3.71 (d, J=17.4Hz, 1H), 2.46 (s, 3H).
- 5-399 (B) δ 7.35-7.55 (m, 6H), 6.12 (bs, 1H), 4.18 (d, J=17.2Hz, 1H), 3.65-3.75 (m, 3H), 2.4-2.55 (m, 5H).
- 5-400 (B) δ 7.4-7.6 (m, 6H), 6.87 (d, J=9.2Hz, 1H), 5.9-6.0 (m, 1H), 4.08 (dd, J=17.2Hz, 1H), 3.71 (d, J=17.2Hz, 1H), 2.48 (s, 3H).

- 5-401 (B) δ 7.4-7.6 (m, 6H), 6.27 (d, J=10.4Hz, 1H), 5.6-5.8 (m, 1H), 4.08 (d, J=17.6Hz, 1H), 3.71 (d, J=17.6Hz, 1H), 3.61 (s, 3H), 2.50 (s, 3H).
- 5-403 (A) δ 7.35-7.7 (m, 6H), 6.8 (s, 1H), 4.09 (d, J=17.4Hz, 1H), 3.73 (d, J=17.4Hz, 1H), 3.55 (q, J=5.4Hz, 2H), 2.74 (t, J=5.7Hz, 2H), 2.60 (bs, 4H), 2.45 (s, 3H), 1.79 (bs, 4H).
- 5-404 (A) δ 7.35-7.6 (m, 6H), 6.77 (s, 1H), 4.10 (d, J=17.4Hz, 1H), 3.73 (d, J=17.4Hz, 1H), 3.53 (q, J=5.7Hz, 2H), 2.57 (t, J=6.0Hz, 2H), 2.47 (bs, 7H), 1.55-1.65 (m, 4H), 1.35-1.5 (m, 2H).
- 5-405 (B) δ 7.45-7.55 (m, 5H), 7.43 (t, J=1.8Hz, 1H), 6.56 (d, J=5.7Hz, 1H), 4.58 (ddd, J=10.6, 8.4, 5.7Hz, 1H), 4.09 (d, J=17.2Hz, 1H), 3.95-4.05 (m, 1H), 3.8-3.9 (m, 1H), 3.71 (d, J=17.2Hz, 1H), 3.5-3.65 (m, 2H), 2.85-2.9 (m, 1H), 2.48 (s, 3H), 2.0-2.15 (m, 1H).
- 5-406 (B) δ 7.4-7.55 (m, 6H), 6.52 (t, J=6.0Hz, 1H), 5.35 (bs, 1H), 4.8-4.95 (m, 1H), 4.09 (d, J=17.4Hz, 1H), 3.6-3.95 (m, 3H), 3.75 (d, J=17.4Hz, 1H), 3.4-3.5 (m, 1H), 2.45 (s, 3H).
- 5-407 (B) δ 7.5-7.55 (m, 5H), 7.43 (t, J=1.8Hz, 1H), 6.84 (d, J=7.0Hz, 1H), 5.37 (d, J=7.1Hz, 1H), 4.09 (d, J=17.2Hz, 1H), 3.87 (s, 6H), 3.72 (d, J=17.2Hz, 1H), 2.49 (s, 3H).
- 5-409 (A) δ 9.80 and 8.65 (bs, 1H), 7.4-7.6 (m, 6H), 7.1 and 6.64 (bs, 1H), 5.94 (bs, 1H), 5.2-5.5 (m, 2H), 3.95-4.45 (m, 5H), 3.73 (d, J=17.0Hz, 1H), 2.42 (s, 3H).
- 5-410 (B) δ 7.4-7.55 (m, 6H), 6.72 (bs, 1H), 6.37 (bs, 1H), 4.65 (q, J=7.4Hz, 1H), 4.08 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 3.25-3.35 (m, 2H), 2.45 (s, 3H), 1.47 (d, J=7.4Hz, 3H), 1.16 (t, J=7.4Hz, 3H).
- 5-414 (B) δ 8.19 (t, J=6.0Hz, 1H), 7.45-7.55 (m, 5H), 7.43 (t, J=1.8Hz, 1H), 7.21 (d, J=7.5Hz, 1H), 4.93 (ddd, J=11.9, 7.5, 4.2Hz, 1H), 4.31 (bs, 1H), 4.09 (d, J=17.2Hz, 1H), 4.0-4.1 (m, 1H), 3.65-3.9 (m, 3H), 3.72 (d, J=17.2Hz, 1H), 2.47 (s, 3H), 2.15-2.25 (m, 1H), 1.8-1.9 (m, 1H).
- 5-415 (B) δ 7.67 (t, J=6.6Hz, 1H), 7.3-7.55 (m, 6H), 7.11 (d, J=8.1Hz, 1H), 4.9-5.0 (m, 1H), 4.3-4.45 (m, 2H), 4.09 (d, J=17.2Hz, 1H), 3.8-3.9 (m, 2H), 3.73 (d, J=17.2Hz, 1H), 3.03 (s, 3H), 2.33 (s, 3H), 2.2-2.4 (m, 2H).
- 5-417 (B) δ 7.3-7.6 (m, 11H), 6.32 (d, J=9.6Hz, 1H), 6.24 (d, J=9.6Hz, 1H), 4.07 (d, J=17.2Hz, 1H), 3.69 (d, J=17.2Hz, 1H), 3.59 (s, 3H), 2.51 (s, 3H).
- 5-420 (A) δ 8.77 (bs, 1H), 7.35-7.55 (m, 6H), 6.81 (s, 1H), 6.37 (d, J=9.3Hz, 1H), 6.31 (s, 1H), 6.15-6.25 (m, 1H), 5.9-6.05 (m, 1H), 4.07 (d, J=17.3Hz, 1H), 3.69 (d, J=17.3Hz, 1H), 2.43 (s, 3H).
- 5-421 (A) δ 8.69 (d, J=4.8Hz, 1H), 7.51 (s, 5H), 7.43 (s, 1H), 7.25 (d, J=4.8Hz, 1H), 6.86 (t, J=5.7Hz, 1H), 4.82 (d, J=5.7Hz, 2H), 4.09 (d, J=17.1Hz, 1H), 3.70 (d, J=17.1Hz, 1H), 2.50 (s, 3H).
- 5-423 (B) δ 7.72 (d, J=3.3Hz, 1H), 7.45-7.55 (m, 5H), 7.43 (t, J=1.8Hz, 1H), 7.31 (d, J=3.3Hz, 1H), 6.78 (d, J=7.7Hz, 1H), 5.55-5.65 (m, 1H), 4.08 (d, J=17.2Hz, 1H), 3.71 (d, J=17.2Hz, 1H), 2.47 (s, 3H), 1.72 (d, J=6.8Hz, 3H).
- 5-424 (A) δ 8.29 (d, J=9.6Hz, 1H), 7.4-7.6 (m, 7H), 7.12 (s, 1H), 7.01 (s, 1H), 6.7-6.85 (m, 1H), 4.08 (d, J=17.3Hz, 1H), 3.70 (d, J=17.3Hz, 1H), 2.38

- (s, 3H).
- 5-425 (B) δ 7.45-7.55 (m, 6H), 7.34 (bs, 1H), 6.89 (bs, 1H), 6.58 (t, J=4.8Hz, 1H), 4.52 (d, J=15.8Hz, 2H), 4.07 (d, J=17.2Hz, 1H), 3.69 (d, J=17.2Hz, 1H), 3.67 (s, 3H), 2.46 (s, 3H).
- 5-426 (B) δ 8.33 (s, 1H), 7.92 (s, 1H), 7.45-7.55 (m, 4H), 7.42 (t, J=1.8Hz, 1H), 7.25-7.35 (m, 2H), 6.45-6.55 (m, 1H), 4.07 (d, J=17.2Hz, 1H), 3.71 (d, J=17.2Hz, 1H), 2.29 (s, 3H), 1.87 (d, J=6.6Hz, 3H).
- 5-427 (A) δ 8.40 (s, 1H), 8.07 (s, 1H), 7.2-7.6 (m, 7H), 6.9-7.1 (m, 1H), 4.08 (d, J=16.5Hz, 1H), 3.70 (d, J=16.5Hz, 1H), 2.44 (s, 3H).
- 5-434 (A) δ 7.4-7.85 (m, 11H), 4.09 (d, J=17.2Hz, 1H), 3.72 (d, J=17.2Hz, 1H), 2.53 (s, 3H).
- 5-450 (A) δ 8.52 (d, J=4.5Hz, 1H), 7.69 (t, J=7.8Hz, 1H), 7.4-7.6 (m, 5H), 7.15-7.35 (m, 4H), 4.73 (d, J=4.8Hz, 2H), 4.49 (s, 1H), 3.99 (d, J=16.8Hz, 1H), 3.65-3.85 (m, 3H), 3.3-3.65 (m, 1H), 3.33 (d, J=16.8Hz, 1H), 2.48 (s, 3H), 1.20 (t, J=6.9Hz, 3H), 1.16 (t, J=6.9Hz, 3H).
- 5-452 (A) δ 8.68 (s, 1H), 8.59 (s, 1H), 8.25 (s, 1H), 7.4-7.6 (m, 3H), 6.06 (t, J=6.2Hz, 1H), 4.24 (d, J=17.1Hz, 1H), 4.0-4.2 (m, 2H), 3.79 (d, J=17.1Hz, 1H), 2.47 (s, 3H).
- 5-453 (A) δ 8.69 (s, 1H), 8.58 (s, 1H), 8.55 (d, J=4.9Hz, 1H), 8.26 (s, 1H), 7.71 (td, J=7.5, 1.5Hz, 1H), 7.2-7.55 (m, 6H), 4.74 (d, J=4.9Hz, 2H), 4.25 (d, J=17.3Hz, 1H), 3.79 (d, J=17.3Hz, 1H), 2.50 (s, 3H).
- 5-455 (B) δ 8.54 (ddd, J=4.9, 1.6, 0.9Hz, 1H), 7.70 (td, J=7.7, 1.8Hz, 1H), 7.5-7.55 (m, 3H), 7.43 (s, 2H), 7.33 (d, J=7.7Hz, 1H), 7.2-7.3 (m, 2H), 4.74 (d, J=4.9Hz, 2H), 4.63 (bs, 2H), 4.02 (d, J=17.2Hz, 1H), 3.69 (d, J=17.2Hz, 1H), 2.49 (s, 3H).
- 5-456 (B) δ 7.61 (s, 2H), 7.45-7.55 (m, 2H), 7.39 (d, J=7.9Hz, 1H), 6.28 (t, J=6.6Hz, 1H), 6.24 (bs, 1H), 4.0-4.15 (m, 2H), 4.07 (d, J=17.2Hz, 1H), 3.69 (d, J=17.2Hz, 1H), 2.43 (s, 3H), 1.50 (s, 9H).
- 5-457 (B) δ 8.5-8.55 (m, 1H), 7.71 (td, J=7.7, 1.7Hz, 1H), 7.62 (s, 2H), 7.45-7.55 (m, 3H), 7.34 (d, J=7.9Hz, 1H), 7.29 (t, J=4.8Hz, 1H), 7.2-7.25 (m, 1H), 6.37 (bs, 1H), 4.75 (d, J=5.0Hz, 2H), 4.07 (d, J=17.2Hz, 1H), 3.70 (d, J=17.2Hz, 1H), 2.50 (s, 3H), 1.50 (s, 9H).
- 6-001 (A) δ 7.4-7.55 (m, 6H), 6.06 (bs, 1H), 5.39 (d, J=28.6Hz, 2H), 4.24 (d, J=6.0Hz, 2H), 4.05 (d, J=17.0Hz, 1H), 3.67 (d, J=17.3Hz, 1H), 2.49 (s, 3H).
- 6-003 (A) δ 7.45-7.55 (m, 4H), 7.43 (s, 1H), 7.23 (d, J=7.8Hz, 1H), 4.09 (d, J=17.1Hz, 1H), 3.71 (d, J=17.1Hz, 1H), 3.43 (bs, 2H), 3.10 (bs, 2H), 2.32 (s, 3H), 1.26 (t, J=6.9Hz, 3H), 1.03 (t, J=6.9Hz, 3H).
- 6-005 (B) δ 7.98 (m, 1H), 7.2-7.6 (m, 6H), 4.09 (d, J=17.0Hz, 1H), 3.18 (bs, 1H), 3.71 (d, J=17.0Hz, 1H), 3.40 (bs, 1H), 2.43 and 2.33 (s, 3H), 2.12 and 1.66 (s, 3H), 1.23 and 1.08 (bs, 3H).
- 6-006 (B) δ 7.2-7.6 (m, 6H), 4.05-4.15 (m, 1H), 3.75-3.9 and 3.35-3.5 (m, 2H), 3.7 and 3.8 (m, 1H), 2.41 and 2.38 (s, 3H), 2.23 and 1.80 (s, 3H), 2.00 and 1.77 (s, 3H), 1.25-1.3 and 1.05-1.1 (m, 3H).
- 6-007 (B) δ 7.5-7.6 (m, 4H), 7.4-7.45 (m, 1H), 7.2-7.25 (m, 1H), 3.2-4.7 (m, 4H), 4.10 (d, J=17.0Hz, 1H), 3.72 (d, J=17.0Hz, 1H), 2.35 and 2.33 (s,

- 3H), 1.65-1.8 and 1.5-1.6 (m, 2H), 1.4-1.5 and 1.1-1.25 (m, 2H), 1.0-1.05 and 0.75-0.85 (m, 3H).
- 6-008 (B) δ 7.6-7.65 (m, 2H), 7.5-7.55 (m, 2H), 7.4-7.45 (m, 1H), 7.3-7.35 (m, 1H), 4.65 (bs, 2H), 4.19 (bs, 2H), 4.09 (d, J=17.0Hz, 1H), 3.71 (d, J=17.0Hz, 1H), 2.37 (s, 3H).
- 6-010 (B) δ 7.5-7.55 (m, 4H), 7.3-7.5 (m, 7H), 4.85 (bs, 2H), 4.08 (d, J=17.0Hz, 1H), 3.69 (d, J=17.0Hz, 1H), 3.35 (bs, 3H), 2.27 (s, 3H).
- 6-011 (B) δ 7.4-7.55 (m, 5H), 7.25-7.4 (m, 6H), 4.90 (bs, 2H), 4.07 (d, J=17.0Hz, 1H), 3.68 (d, J=17.0Hz, 1H), 2.40 (s, 3H), 1.88 (bs, 3H).
- 6-012 (B) δ 7.4-7.55 (m, 5H), 7.25-7.4 (m, 6H), 4.43 (bs, 2H), 4.07 (d, J=17.0Hz, 1H), 3.78 (bs, 3H), 3.68 (d, J=17.0Hz, 1H), 2.38 (s, 3H).
- 6-013 (B) δ 7.5-7.6 (m, 4H), 7.4-7.45 (m, 1H), 7.3-7.4 (m, 4H), 7.15-7.25 (m, 2H), 4.93 (bs, 2H), 4.08 (d, J=17.0Hz, 1H), 3.69 (d, J=17.0Hz, 1H), 3.05 (bs, 3H), 2.28 (s, 3H).
- 6-015 (A) δ 8.82 (s, 1H), 7.35-7.6 (m, 6H), 7.08 (s, 1H), 4.75-5.2 (m, 2H), 4.56 (bs, 2H), 4.08 (d, J=17.4Hz, 1H), 3.79 (d, J=17.4Hz, 1H), 2.36 and 2.29 (s, 3H).
- 6-016 (A) δ 8.80 and 8.77 (d, J=7.8Hz, 1H), 7.45-7.55 (m, 4H), 7.3-7.45 (m, 3H), 4.85-5.2 (m, 1H), 4.2-4.7 (m, 2H), 4.07 and 4.08 (d, J=17.4Hz, 1H), 3.75-4.0 (m, 1H), 3.69 (d, J=17.4Hz, 1H), 2.31 and 2.36 (s, 3H), 2.25-2.3 (m, 1H).
- 6-017 (B) δ 8.72 (s, 1H), 7.5-7.6 (m, 4H), 7.48 (s, 1H), 7.4-7.45 (m, 1H), 7.18 (s, 1H), 5.03 (s, 2H), 4.07 (d, J=17.0Hz, 1H), 3.68 (d, J=17.0Hz, 1H), 2.41 (s, 3H), 2.35 (s, 3H).
- 6-018 (A) δ 8.72 (s, 1H), 7.45-7.55 (m, 4H), 7.4-7.45 (m, 1H), 7.31 (d, J=7.8Hz, 1H), 7.20 (s, 1H), 5.04 (s, 2H), 4.07 (d, J=17.4Hz, 1H), 3.68 (d, J=17.4Hz, 1H), 2.75 (q, J=7.2Hz, 2H), 2.34 (s, 3H), 1.12 (t, J=7.2Hz, 3H).
- 6-019 (B) δ 8.80 (s, 1H), 7.55-7.6 (m, 4H), 7.42 (s, 1H), 7.25-7.3 (m, 2H), 5.26 (s, 2H), 4.07 (d, J=17.0Hz, 1H), 3.68 (d, J=17.0Hz, 1H), 3.62 (s, 3H), 2.33 (s, 3H).
- 6-021 (B) δ 8.5-8.6 (m, 1H), 7.65-7.75 (m, 1H), 7.4-7.6 (m, 5H), 7.1-7.35 (m, 3H), 3.0-5.3 (m, 4H), 4.0-4.15 (m, 1H), 3.65-3.8 (m, 1H), 2.37 and 2.34 (s, 3H), 1.25-1.35 and 1.0-1.1 (m, 3H).
- 6-022 (B) δ 8.55-8.6 (m, 1H), 7.65-7.75 (m, 1H), 7.05-7.55 (m, 8H), 4.3-5.3 (m, 2H), 4.0-4.15 (m, 1H), 2.9-4.1 (m, 2H), 3.65-3.75 (m, 1H), 2.37 and 2.32 (s, 3H), 1.65-1.75 and 1.45-1.55 (m, 2H), 0.95-1.0 and 0.65-0.75 (m, 3H).
- 6-023 (B) δ 8.55-8.6 and 8.45-8.5 (m, 1H), 7.4-7.7 (m, 7H), 7.25-7.35 (m, 1H), 7.1-7.2 (m, 1H), 4.90 (d, J=16.0Hz, 1H), 4.76 (d, J=16.0Hz, 1H), 4.0-4.15 (m, 1H), 3.6-3.85 (m, 2H), 2.42 and 2.34 (s, 3H), 1.23 and 1.06 (bs, 6H).
- 6-024 (B) δ 8.5-8.6 (m, 1H), 7.05-7.7 (m, 9H), 4.83 and 4.39 (s, 2H), 4.0-4.15 (m, 1H), 3.65-3.8 (m, 1H), 2.75-2.85 and 2.65-2.7 (m, 1H), 2.36 and 2.33 (s, 3H), 0.75-0.9 and 0.45-0.6 (m, 4H).
- 6-025 (B) δ 8.5-8.55 (m, 1H), 7.65-7.7 (m, 1H), 7.15-7.5 (m, 8H), 4.45 and 4.16 (bs, 2H), 4.02 (d, J=17.0Hz, 1H), 3.63 (d, J=17.0Hz, 1H), 2.38 (s, 3H),

- 1.54 (s, 9H).
- 6-026 (B) δ 8.55-8.6 (m, 1H), 7.2-7.75 (m, 8H), 6.92 (d, $J=7.7\text{Hz}$, 1H), 3.7-5.25 (br, 4H), 4.1-4.15 (m, 1H), 3.65-3.7 (m, 1H), 2.04 and 2.26 (s, 3H).
- 6-027 (A) δ 8.55 (bs, 1H), 6.95-7.75 (m, 9H), 5.07 and 4.93 (bs, 2H), 4.53 and 4.48 (bs, 2H), 4.09 and 4.05 (d, $J=17.1\text{Hz}$, 1H), 3.70 and 3.66 (d, $J=17.4\text{Hz}$, 1H), 3.47 and 3.14 (s, 3H), 2.38 and 2.33 (s, 3H).
- 6-028 (B) δ 8.5-8.6 (m, 1H), 7.6-7.75 (m, 1H), 7.05-7.55 (m, 8H), 3.25-5.2 (m, 8H), 3.37 and 3.17 (s, 3H), 2.28 and 2.34 (s, 3H).
- 6-029 (A) δ 8.5-8.6 (m, 1H), 6.95-7.75 (m, 9H), 4.98 (bs, 2H), 4.58 and 4.37 (bs, 2H), 4.09 and 4.05 (d, $J=17.2\text{Hz}$, 1H), 3.70 and 3.67 (d, $J=17.2\text{Hz}$, 1H), 2.38 and 2.31 (s, 3H), 2.29 and 1.99 (s, 3H).
- 6-030 (B) δ 8.5-8.65 (m, 1H), 7.15-7.8 (m, 8H), 7.0-7.05 (m, 1H), 3.5-5.3 (m, 6H), 3.77 and 3.65 (s, 3H), 2.45 and 2.32 (s, 3H).
- 6-031 (B) δ 8.5-8.65 (m, 1H), 7.2-7.8 (m, 8H), 6.9-7.0 (m, 1H), 4.0-5.2 (m, 5H), 3.6-3.8 (m, 1H), 2.35 (s, 3H).
- 6-032 (B) δ 8.5-8.65 (m, 1H), 7.0-7.8 (m, 9H), 5.8-6.0 and 5.55-5.75 (m, 1H), 3.6-5.55 (m, 8H), 2.37 and 2.34 (s, 3H).
- 6-033 (B) δ 8.5-8.65 (m, 1H), 7.05-7.75 (m, 9H), 3.5-5.3 (m, 6H), 2.37 (s, 3H), 2.28 (s, 1H).
- 6-034 (B) δ 8.45-8.5 (m, 1H), 7.6-7.65 (m, 1H), 7.4-7.55 (m, 6H), 7.15-7.2 (m, 2H), 4.98 (s, 2H), 4.06 (d, $J=17.0\text{Hz}$, 1H), 3.68 (d, $J=17.0\text{Hz}$, 1H), 2.41 (s, 3H), 2.39 (s, 3H).
- 6-035 (A) δ 8.45-8.55 (m, 1H), 7.6-7.7 (m, 1H), 7.35-7.55 (m, 6H), 7.1-7.25 (m, 2H), 4.99 (s, 2H), 4.06 (d, $J=19.0\text{Hz}$, 1H), 3.67 (d, $J=19.0\text{Hz}$, 1H), 2.74 (q, $J=8.2\text{Hz}$, 2H), 2.39 (s, 3H), 1.11 (t, $J=8.2\text{Hz}$, 3H).
- 6-036 (A) δ 8.49 (d, $J=4.8\text{Hz}$, 1H), 7.63 (td, $J=7.8, 1.8\text{Hz}$, 1H), 7.35-7.55 (m, 6H), 7.1-7.2 (m, 2H), 4.98 (s, 2H), 4.06 (d, $J=17.4\text{Hz}$, 1H), 3.67 (d, $J=17.4\text{Hz}$, 1H), 2.70 (t, $J=7.2\text{Hz}$, 2H), 1.64 (hex, $J=7.2\text{Hz}$, 2H), 1.55 (s, 3H), 0.89 (t, $J=7.2\text{Hz}$, 3H).
- 6-037 (A) δ 8.49 (d, $J=5.1\text{Hz}$, 1H), 7.63 (td, $J=7.8, 1.8\text{Hz}$, 1H), 7.35-7.55 (m, 6H), 7.1-7.25 (m, 2H), 4.99 (s, 2H), 4.06 (d, $J=17.4\text{Hz}$, 1H), 3.77 (d, $J=17.4\text{Hz}$, 1H), 3.1-3.3 (m, 1H), 2.42 (s, 3H), 1.13 (d, $J=6.6\text{Hz}$, 6H).
- 6-038 (A) δ 8.53 (d, $J=4.8\text{Hz}$, 1H), 7.64 (td, $J=7.8, 1.8\text{Hz}$, 1H), 7.45-7.55 (m, 5H), 7.4-7.45 (m, 1H), 7.15-7.3 (m, 2H), 5.16 (s, 2H), 4.08 (d, $J=17.4\text{Hz}$, 1H), 3.68 (d, $J=17.4\text{Hz}$, 1H), 2.45 (s, 3H), 1.9-2.0 (m, 1H), 0.95-1.05 (m, 2H), 0.7-0.8 (m, 2H).
- 6-039 (A) δ 8.50 (d, $J=5.2\text{Hz}$, 1H), 7.55-7.65 (m, 1H), 7.4-7.55 (m, 6H), 7.1-7.2 (m, 2H), 4.86 (s, 2H), 4.06 (d, $J=19.0\text{Hz}$, 1H), 3.68 (d, $J=19.0\text{Hz}$, 1H), 2.44 (s, 3H), 1.34 (s, 9H).
- 6-041 (B) δ 8.5-8.55 (m, 1H), 7.6-7.7 (m, 1H), 7.4-7.55 (m, 6H), 7.27 (s, 1H), 7.15-7.2 (m, 1H), 6.47 (dd, $J=16.0, 10.0\text{Hz}$, 1H), 6.30 (d, $J=16.0\text{Hz}$, 1H), 5.62 (d, $J=10.0\text{Hz}$, 1H), 5.10 (s, 2H), 4.07 (d, $J=17.0\text{Hz}$, 1H), 3.69 (d, $J=17.0\text{Hz}$, 1H), 2.44 (s, 3H).
- 6-042 (A) δ 8.54 (d, $J=0.9\text{Hz}$, 1H), 8.09 (d, $J=7.6\text{Hz}$, 1H), 7.15-7.75 (m, 13H), 5.32 (s, 2H), 3.95 (d, $J=19.0\text{Hz}$, 1H), 3.58 (d, $J=19.0\text{Hz}$, 1H), 2.34 (s, 3H).

- 6-043 (A) δ 8.56 (d, J=4.8Hz, 1H), 7.65-7.7 (m, 1H), 7.5-7.55 (m, 4H), 7.35-7.45 (m, 2H), 7.15-7.3 (m, 2H), 5.21 (s, 2H), 4.09 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 3.58 (s, 3H), 2.40 (s, 3H).
- 6-044 (A) δ 8.56 (d, J=3.9Hz, 1H), 7.65 (td, J=7.8, 1.8Hz, 1H), 7.35-7.55 (m, 6H), 7.15-7.3 (m, 2H), 5.21 (s, 2H), 4.09 (d, J=17.4Hz, 1H), 4.00 (q, J=7.2Hz, 2H), 3.69 (d, J=17.4Hz, 1H), 2.41 (s, 3H), 0.92 (t, J=7.2Hz, 3H).
- 6-045 (A) δ 8.55 (d, J=4.8Hz, 1H), 7.67 (td, J=7.8, 1.8Hz, 1H), 7.45-7.55 (m, 4H), 7.35-7.45 (m, 2H), 7.15-7.3 (m, 2H), 5.20 (s, 2H), 4.7-4.85 (m, 1H), 4.08 (d, J=17.4Hz, 1H), 3.69 (d, J=17.4Hz, 1H), 2.54 (s, 3H), 0.91 (d, J=6.3Hz, 6H).
- 6-046 (B) δ 8.5-8.6 (m, 1H), 7.65-7.7 (m, 1H), 7.5-7.55 (m, 4H), 7.4-7.45 (m, 2H), 7.25-7.3 (m, 1H), 7.15-7.2 (m, 1H), 5.23 (s, 2H), 4.17 (d, J=17.0Hz, 1H), 3.75 (d, J=6.8Hz, 1H), 3.69 (d, J=17.0Hz, 1H), 2.42 (s, 3H), 1.55-1.65 (m, 1H), 0.64 (d, J=6.8Hz, 6H).
- 6-047 (B) δ 8.5-8.6 (m, 1H), 7.65-7.7 (m, 1H), 7.5-7.55 (m, 4H), 7.4-7.45 (m, 2H), 7.25-7.3 (m, 1H), 7.15-7.25 (m, 1H), 5.23 (s, 2H), 4.15-4.25 (m, 2H), 4.08 (d, J=17.0Hz, 1H), 3.70 (d, J=17.0Hz, 1H), 3.3-3.4 (m, 2H), 2.42 (s, 3H).
- 6-048 (B) δ 8.55-8.6 (m, 1H), 7.65-7.7 (m, 1H), 7.5-7.55 (m, 4H), 7.4-7.5 (m, 2H), 7.25-7.3 (m, 1H), 7.15-7.25 (m, 1H), 5.23 (s, 2H), 4.05-4.15 (m, 3H), 3.69 (d, J=17.0Hz, 1H), 3.2-3.25 (m, 2H), 3.15 (s, 3H), 2.49 (s, 3H).
- 6-049 (B) δ 8.5-8.6 (m, 1H), 7.65-7.7 (m, 1H), 7.45-7.55 (m, 4H), 7.4-7.45 (m, 2H), 7.25-7.3 (m, 1H), 7.15-7.2 (m, 1H), 5.45-5.6 (m, 1H), 5.23 (s, 2H), 5.0-5.1 (m, 2H), 4.4-4.45 (m, 2H), 4.18 (d, J=17.0Hz, 1H), 3.69 (d, J=17.0Hz, 1H), 2.40 (s, 3H).
- 6-050 (B) δ 8.54 (d, J=4.8Hz, 1H), 7.6-7.7 (m, 1H), 7.35-7.55 (m, 6H), 7.15-7.25 (m, 2H), 5.13 (s, 2H), 4.07 (d, J=17.0Hz, 1H), 3.68 (d, J=17.0Hz, 1H), 2.40 (s, 3H), 2.27 (s, 3H).
- 6-051 (B) δ 8.55-8.6 (m, 1H), 7.6-7.65 (m, 1H), 7.45-7.5 (m, 5H), 7.35-7.4 (m, 1H), 7.2-7.25 (m, 1H), 7.0-7.05 (m, 1H), 4.96 (s, 2H), 4.05 (d, J=17.0Hz, 1H), 3.67 (d, J=17.0Hz, 1H), 3.43 (s, 3H), 2.37 (s, 3H).
- 6-053 (B) δ 8.65-8.7 (m, 1H), 7.65-7.8 (m, 2H), 7.5-7.55 (m, 2H), 7.3-7.45 (m, 5H), 5.17 (s, 2H), 4.05 (d, J=17.0Hz, 1H), 3.67 (d, J=17.0Hz, 1H), 3.50 (s, 6H), 2.46 (s, 3H).
- 6-054 (B) δ 8.4-8.45 (m, 1H), 7.8-7.85 (m, 1H), 7.2-7.6 (m, 7H), 4.2-5.3 (m, 2H), 4.05-4.15 (m, 1H), 3.65-3.75 (m, 1H), 3.05-3.15 (m, 2H), 2.34 and 2.29 (s, 3H), 1.25-1.3 and 1.0-1.1 (m, 3H).
- 6-055 (A) δ 8.6-8.65 (m, 2H), 7.5-7.55 (m, 4H), 7.43 (s, 1H), 7.25-7.3 (m, 3H), 4.76 (s, 2H), 4.11 (d, J=19.0Hz, 1H), 3.71 (d, J=19.0Hz, 1H), 2.45-2.5 (m, 1H), 2.34 (s, 3H), 1.2-1.3 (m, 4H).
- 6-056 (A) δ 8.6-8.75 (m, 2H), 7.4-7.6 (m, 6H), 7.15-7.25 (m, 1H), 5.12 (s, 2H), 4.06 (d, J=17.0Hz, 1H), 3.68 (d, J=17.0Hz, 1H), 2.69 (q, J=7.9Hz, 2H), 2.43 (s, 3H), 1.11 (t, J=7.9Hz, 3H).
- 6-069 (B) δ 7.8-7.9 (m, 2H), 7.67 (d, J=7.6Hz, 1H), 7.51 (bs, 2H), 7.4-7.45 (m, 1H), 4.42 (s, 2H), 4.13 (d, J=17.4Hz, 1H), 3.77 (d, J=17.4Hz, 1H), 3.22

- (s, 3H).
- 6-070 (A) δ 8.55 (d, J=4.4Hz, 1H), 7.92 (d, J=7.8Hz, 1H), 7.81 (s, 1H), 7.15-7.7 (m, 7H), 4.93 (s, 2H), 4.52 (s, 2H), 4.13 (d, J=17.0Hz, 1H), 3.76 (d, J=17.0Hz, 1H).
- 6-073 (A) δ 8.55 (d, J=4.7Hz, 1H), 8.37 (bs, 1H), 8.02 (d, J=8.5Hz, 1H), 7.91 (d, J=8.5Hz, 1H), 7.83 (bs, 1H), 7.69 (t, J=7.7Hz, 1H), 7.52 (bs, 2H), 7.4-7.5 (m, 2H), 7.15-7.3 (m, 1H), 5.27 (s, 2H), 4.15 (d, J=17.3Hz, 1H), 3.77 (d, J=17.3Hz, 1H).
- 6-074 (B) δ 7.5-7.7 (m, 4H), 7.43 (s, 1H), 7.35-7.4 (m, 1H), 4.50 (q, J=8.4Hz, 2H), 4.16 (d, J=17.0Hz, 1H), 3.75 (d, J=17.0Hz, 1H), 2.44 (s, 3H), 2.15 (s, 3H).
- 6-075 (B) δ 7.7-7.8 (m, 3H), 7.55-7.65 (m, 2H), 7.35-7.4 (m, 1H), 4.50 (q, J=8.6Hz, 2H), 4.10 (d, J=17.0Hz, 1H), 3.71 (d, J=17.0Hz, 1H), 2.44 (s, 3H), 2.16 (s, 3H).
- 6-076 (B) δ 8.45-8.5 (m, 2H), 7.7-7.75 (m, 2H), 7.6-7.65 (m, 1H), 7.69 (s, 1H), 7.4-7.45 (m, 2H), 7.15-7.2 (m, 2H), 4.97 (s, 2H), 4.06 (d, J=17.0Hz, 1H), 3.68 (d, J=17.0Hz, 1H), 2.41 (s, 3H), 2.40 (s, 3H).
- 6-077 (B) δ 7.5-7.6 (m, 4H), 7.43 (t, J=1.8Hz, 1H), 7.23 (d, J=7.9Hz, 1H), 4.62 (q, J=8.4Hz, 2H), 4.08 (d, J=17.2Hz, 1H), 3.70 (d, J=17.2Hz, 1H), 3.67 (s, 3H), 2.36 (s, 3H).
- 6-078 (A) δ 8.79 and 8.75 (d, J=1.8Hz, 1H), 7.3-7.55 (m, 7H), 4.85-5.2 (m, 2H), 4.53 and 4.50 (bs, 2H), 4.08 (d, J=17.1Hz, 1H), 3.69 (d, J=17.1Hz, 1H), 3.47 and 3.14 (s, 3H), 2.36 and 2.25 (s, 3H).
- 6-079 (A) δ 8.55 and 8.53 (d, J=4.8Hz, 1H), 7.69 and 7.59 (td, J=7.8, 1.8Hz, 1H), 7.25-7.55 (m, 8H), 4.8-5.25 (m, 2H), 4.57 and 4.49 (bs, 2H), 4.09 (d, J=17.1Hz, 1H), 3.70 (d, J=17.1Hz, 1H), 3.65 and 3.27 (q, J=6.9Hz, 2H), 2.37 and 2.34 (s, 3H), 1.26 and 1.08 (t, J=6.9Hz, 3H).
- 6-080 (B) δ 8.58 (ddd, J=4.9, 1.8, 0.9Hz, 1H), 7.70 (td, J=7.7, 1.8Hz, 1H), 7.35-7.55 (m, 7H), 7.18 (dd, J=7.5, 4.9Hz, 1H), 5.98 (q, J=7.1Hz, 1H), 4.08 (d, J=17.2Hz, 1H), 3.70 (d, J=17.2Hz, 1H), 3.42 (s, 3H), 2.43 (s, 3H), 1.90 (d, J=7.0Hz, 3H).
- 6-081 (A) δ 8.21 (d, J=4.2Hz, 1H), 7.3-7.6 (m, 7H), 6.80 (dd, J=8.1, 4.2Hz, 1H), 6.60 (d, J=8.7Hz, 1H), 4.05 (d, J=17.1Hz, 1H), 3.66 (d, J=17.1Hz, 1H), 3.34 (s, 3H), 2.45 (s, 3H), 2.42 (s, 3H).
- 6-082 (A) δ 8.22 (d, J=4.8Hz, 1H), 7.4-7.65 (m, 7H), 6.78 (dd, J=7.2, 4.8Hz, 1H), 6.63 (d, J=8.4Hz, 1H), 4.08 (d, J=16.8Hz, 1H), 3.70 (s, 3H), 3.69 (d, J=16.8Hz, 1H), 3.40 (s, 3H), 2.46 (s, 3H).
- 6-083 (A) δ 8.42 (s, 2H), 7.35-7.55 (m, 6H), 6.77 (t, J=5.1Hz, 1H), 4.06 (d, J=18.1Hz, 1H), 3.67 (d, J=18.1Hz, 1H), 3.43 (s, 3H), 2.44 (s, 3H), 2.43 (s, 3H).
- 6-084 (A) δ 8.46 (bs, 1H), 8.40 (bs, 1H), 7.45-7.6 (m, 5H), 7.43 (s, 1H), 6.74 (t, J=4.8Hz, 1H), 4.09 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 3.69 (s, 3H), 3.53 (s, 3H), 2.46 (s, 3H).
- 6-085 (B) δ 7.4-7.55 (m, 5H), 7.2-7.3 (m, 1H), 3.85-4.2 (m, 3H), 3.6-3.8 (m, 1H), 2.5-2.65 (m, 2H), 2.32 and 2.30 (s, 3H), 2.1-2.2 (m, 2H).
- 6-086 (A) δ 7.4-7.6 (m, 6H), 4.09 (d, J=17.2Hz, 1H), 3.71 (d, J=17.2Hz, 1H),

- 2.89 (s, 4H), 2.57 (s, 3H).
- 7-002 (A) δ 7.87 (bs, 1H), 7.78 (d, J=8.1Hz, 2H), 7.65 (d, J=8.1Hz, 2H), 7.50 (bs, 2H), 7.43 (bs, 1H), 4.55-4.7 (m, 2H), 4.09 (d, J=17.4Hz, 1H), 3.71 (d, J=17.4Hz, 1H).
- 7-003 (A) δ 8.85 (s, 1H), 8.49 (bs, 1H), 7.86 (d, J=8.4Hz, 2H), 7.67 (d, J=8.7 Hz, 2H), 7.51 (bs, 2H), 7.43 (d, J=1.8Hz, 1H), 7.40 (s, 1H), 5.13 (d, J=4.8Hz, 2H), 4.06 (d, J=17.4Hz, 1H), 3.67 (d, J=17.1Hz, 1H).
- 7-008 (A) δ 8.79 (s, 1H), 8.14 (bs, 1H), 7.35-7.5 (m, 7H), 5.11 (d, J=5.0Hz, 2H), 4.06 (d, J=17.4Hz, 1H), 3.67 (d, J=17.1Hz, 1H), 2.37 (s, 3H).
- 7-009 (A) δ 9.06 (bs, 1H), 8.50 (d, J=4.5Hz, 1H), 7.75 (t, J=7.2Hz, 1H), 7.2-7.6 (m, 8H), 5.04 (d, J=4.2Hz, 2H), 4.08 (d, J=17.4Hz, 1H), 3.70 (d, J=17.4Hz, 1H), 2.44 (s, 3H).
- 8-001 (A) δ 8.40 (d, J=8.2Hz, 2H), 7.74 (d, J=8.2Hz, 2H), 7.53 (s, 2H), 7.43 (s, 1H), 7.04 (d, J=4.7Hz, 1H), 6.74 (d, J=4.7Hz, 1H), 4.13 (d, J=17.3Hz, 1H), 3.89 (s, 3H), 3.74 (d, J=17.3Hz, 1H).
- 8-002 (A) δ 8.22 (d, J=8.0Hz, 2H), 7.56 (s, 1H), 7.53 (s, 2H), 7.43 (s, 1H), 7.03 (d, J=4.7Hz, 1H), 6.72 (d, J=4.7Hz, 1H), 4.12 (d, J=17.3Hz, 1H), 3.84 (s, 3H), 3.72 (d, J=17.3Hz, 1H), 2.74 (s, 3H).
- 8-003 (A) δ 8.19 (d, J=8.1Hz, 1H), 7.5-7.6 (m, 4H), 7.43 (s, 1H), 7.04 (d, J=4.8Hz, 1H), 6.71 (d, J=4.8Hz, 1H), 4.23 (t, J=7.2Hz, 2H), 4.12 (d, J=17.1Hz, 1H), 3.72 (d, J=17.1Hz, 1H), 2.73 (s, 3H), 1.91 (hex, J=7.2Hz, 2H), 0.99 (t, J=7.2Hz, 3H).
- 8-004 (A) δ 8.17 (d, J=8.1Hz, 1H), 7.45-7.65 (m, 4H), 7.41 (s, 1H), 7.36 (t, J=4.2Hz, 1H), 4.12 (d, J=17.4Hz, 1H), 3.79 (s, 3H), 3.74 (d, J=17.4Hz, 1H), 3.17 (d, J=4.2Hz, 2H), 2.69 (s, 3H).
- 9-003 (B) δ 8.75 (d, J=1.2Hz, 1H), 8.7-8.75 (m, 1H), 8.14 (t, J=1.8Hz, 1H), 7.5-7.6 (m, 2H), 7.45 (d, J=8.6Hz, 1H), 6.0-6.05 (m, 1H), 4.05-4.2 (m, 3H), 3.74 (d, J=17.2Hz, 1H), 2.48 (s, 3H).
- 9-008 (A) δ 7.97 (s, 1H), 7.45-7.55 (m, 2H), 7.35-7.4 (m, 1H), 6.44 (t, J=6.3Hz, 1H), 4.40 (d, J=17.6Hz, 1H), 4.0-4.15 (m, 3H), 2.42 (s, 3H).
- 9-009 (A) δ 8.51 (dd, J=5.1, 0.9Hz, 1H), 7.96 (s, 1H), 7.70 (td, J=7.5, 1.5Hz, 1H), 7.5-7.6 (m, 3H), 7.3-7.4 (m, 2H), 7.15-7.25 (m, 1H), 4.74 (d, J=4.8 Hz, 2H), 4.40 (d, J=17.6Hz, 1H), 4.09 (d, J=17.6Hz, 1H), 2.50 (s, 3H).
- 10-001 (A) δ 8.87 (d, J=2.1Hz, 1H), 8.25-8.3 (m, 2H), 8.14 (dd, J=8.1, 2.1Hz, 1H), 7.51 (bs, 2H), 7.45 (d, J=1.8Hz, 1H), 4.05-4.2 (m, 3H), 3.75 (d, J=17.4Hz, 1H).
- 10-002 (A) δ 8.94 (bs, 1H), 8.88 (bs, 1H), 8.61 (d, J=5.1Hz, 1H), 8.30 (d, J=7.8 Hz, 1H), 8.12 (dd, J=8.1, 2.1Hz, 1H), 7.68 (td, J=7.8, 1.8Hz, 1H), 7.51 (bs, 2H), 7.45 (t, J=1.8Hz, 1H), 7.34 (d, J=7.8Hz, 1H), 7.2-7.25 (m, 1H), 4.80 (d, J=5.4Hz, 2H), 4.12 (d, J=17.4Hz, 1H), 3.74 (d, J=17.4Hz, 1H).
- 10-003 (A) δ 8.53 (d, J=1.8Hz, 1H), 8.48 (d, J=8.4Hz, 1H), 7.74 (dd, J=8.4, 1.8 Hz, 1H), 7.47 (bs, 3H), 4.0-4.2 (m, 2H), 4.05 (d, J=17.4Hz, 1H), 3.68 (d, J=17.4Hz, 1H).
- 10-004 (A) δ 9.01 (s, 1H), 8.17 (d, J=8.4Hz, 1H), 8.10 (d, J=8.4Hz, 1H), 7.51 (s, 2H), 7.43 (s, 1H), 6.77 (t, J=6.3Hz, 1H), 4.26 (d, J=18.3Hz, 1H), 4.05-4.25 (m, 2H), 3.89 (d, J=18.3Hz, 1H).

- 10-005 (A) δ 9.09 (s, 1H), 8.57 (d, J=5.1Hz, 1H), 8.24 (d, J=8.4Hz, 1H), 8.12 (d, J=8.4Hz, 1H), 7.86 (bs, 1H), 7.65-7.75 (m, 1H), 7.52 (s, 2H), 7.43 (s, 1H), 7.2-7.35 (m, 2H), 4.78 (d, J=4.2Hz, 2H), 4.28 (d, J=18.3Hz, 1H), 3.90 (d, J=18.3Hz, 1H).
- 11-034 (A) δ 7.96 (t, J=7.0Hz, 1H), 7.88 (dd, J=8.2, 1.6Hz, 1H), 7.81 (dd, J=11.8, 1.4Hz, 1H), 7.51 (bs, 2H), 7.4-7.45 (m, 1H), 4.20 (dd, J=18.2, 1.4Hz, 1H), 3.82 (d, J=18.2Hz, 1H).
- 11-038 (A) δ 7.89 (d, J=8.1Hz, 1H), 7.72 (s, 1H), 7.64 (d, J=8.1Hz, 1H), 7.50 (s, 2H), 7.43 (s, 1H), 4.09 (d, J=17.1Hz, 1H), 3.95 (s, 3H), 3.71 (d, J=17.1Hz, 1H).
- 11-056 (A) δ 8.64 (d, J=4.5Hz, 1H), 8.06 (d, J=8.4Hz, 1H), 7.75 (td, J=7.7, 1.1Hz, 1H), 7.5-7.6 (m, 4H), 7.35-7.45 (m, 2H), 7.28 (t, J=6.2Hz, 1H), 5.48 (s, 2H), 4.11 (d, J=17.1Hz, 1H), 3.72 (d, J=17.1Hz, 1H), 2.65 (s, 3H).
- 11-057 (B) δ 8.4-8.45 (m, 1H), 7.75 (s, 1H), 7.5-7.65 (m, 5H), 7.44 (s, 1H), 6.55 (s, 1H), 4.12 (d, J=17.0Hz, 1H), 3.73 (d, J=17.0Hz, 1H), 2.37 (s, 3H).
- 11-059 (A) δ 7.90 (d, J=8.4Hz, 1H), 7.4-7.7 (m, 5H), 4.11 (d, J=17.4Hz, 1H), 3.91 (s, 3H), 3.72 (d, J=17.4Hz, 1H), 3.50 (q, J=7.5Hz, 2H), 1.25 (t, J=7.5Hz, 3H).
- 11-060 (A) δ 8.02 (d, J=6.3Hz, 1H), 7.75 (s, 1H), 7.67 (d, J=6.3Hz, 1H), 7.51 (s, 2H), 7.43 (s, 1H), 4.95 (s, 2H), 4.12 (d, J=17.4Hz, 1H), 3.97 (s, 3H), 3.74 (d, J=17.4Hz, 1H).
- 11-062 (B) δ 8.07 (t, J=0.8Hz, 1H), 7.99 (ddd, J=8.0, 1.6, 0.4Hz, 1H), 7.93 (dd, J=7.4, 0.6Hz, 1H), 7.48-7.52 (m, 2H), 7.46 (t, J=1.4Hz, 1H), 4.11 (d, J=16.8Hz, 1H), 3.74 (dd, J=17.4, 1.0Hz, 1H).
- 11-063 (B) δ 8.00 (s, 1H), 7.93 (d, J=8.1Hz, 1H), 7.87 (d, J=8.1Hz, 1H), 7.51 (s, 2H), 7.4-7.5 (m, 1H), 4.12 (d, J=16.7Hz, 1H), 3.96 (s, 3H), 3.74 (d, J=16.7Hz, 1H).
- 11-071 (B) δ 8.03 (d, J=8.0Hz, 1H), 7.6-7.7 (m, 2H), 7.51 (s, 2H), 7.4-7.5 (m, 1H), 4.09 (d, J=17.2Hz, 1H), 3.95 (s, 3H), 3.70 (d, J=17.2z, 1H).
- 11-073 (A) δ 7.95-8.05 (m, 1H), 7.4-7.5 (m, 2H), 7.2-7.35 (m, 3H), 4.06 (d, J=17.1Hz, 1H), 3.95 (s, 3H), 3.70 (d, J=17.1Hz, 1H), 2.52 (s, 3H).
- 11-092 (A) δ 7.94 (d, J=8.8Hz, 1H), 7.4-7.6 (m, 5H), 4.37 (q, J=7.1Hz, 2H), 4.15 (d, J=17.3Hz, 1H), 3.73 (d, J=17.3Hz, 1H), 2.62 (s, 3H), 1.40 (t, J=7.1Hz, 3H).
- 11-095 (A) δ 7.94 (d, J=8.8Hz, 1H), 7.5-7.8 (m, 5H), 4.37 (q, J=7.1Hz, 2H), 4.09 (d, J=17.3Hz, 1H), 3.70 (d, J=17.3Hz, 1H), 2.62 (s, 3H), 1.40 (t, J=7.1Hz, 3H).
- 14-004 (A) δ 7.40 (s, 1H), 7.35 (s, 2H), 5.99 (s, 1H), 5.65 (s, 1H).
- 14-005 (B) δ 7.2-7.45 (m, 3H), 6.10 (s, 1H), 5.92 (s, 1H).
- 14-006 (A) δ 7.40 (s, 2H), 7.33 (s, 1H), 5.63 (s, 1H), 5.45 (s, 1H), 4.47 (s, 2H), 3.84 (q, J=8.8Hz, 2H).
- 14-007 (B) δ 7.3-7.4 (m, 3H), 5.22 (s, 1H), 5.02 (s, 1H), 2.07 (s, 2H), 0.04 (s, 9H).
- 14-008 (A) δ 8.63 (d, J=5.1Hz, 1H), 7.69 (t, J=8.0Hz, 1H), 7.2-7.4 (m, 5H), 5.99 (s, 1H), 5.64 (s, 1H).

- 14-009 (A) δ 7.25-7.6 (m, 3H), 6.04 (s, 1H), 5.80 (s, 1H).
 14-010 (B) δ 7.24 (s, 1H), 7.20 (s, 1H), 7.14 (s, 1H), 5.97 (s, 1H), 5.77 (s, 1H), 2.36 (s, 3H).
 14-012 (B) δ 7.54 (s, 2H), 6.06 (s, 1H), 5.83 (s, 1H).
 14-015 (A) δ 7.70 (s, 1H), 7.52 (s, 2H), 6.04 (s, 1H), 5.80 (s, 1H).
 14-018 (A) δ 7.2-7.45 (m, 4H), 5.98 (s, 1H), 5.78 (s, 1H), 2.93 (dd, J=10.8, 7.8 Hz, 1H), 2.01 (dd, J=10.8, 7.8Hz, 1H), 1.87 (t, J=7.8Hz, 1H).
 14-019 (B) δ 7.35-7.45 (m, 2H), 7.2-7.3 (m, 2H), 6.09 (d, J=53.2Hz, 1H), 6.03 (s, 1H), 5.82 (s, 1H).
 14-020 (B) δ 7.2-7.5 (m, 6H), 6.95-7.1 (m, 3H), 5.93 (s, 1H), 5.77 (s, 1H), 5.17 (s, 2H).
 14-021 (A) δ 7.57 (d, J=2.7Hz, 1H), 7.2-7.55 (m, 4H), 6.9-7.15 (m, 3H), 5.96 (s, 1H), 5.78 (s, 1H), 5.19 (s, 2H).
 14-022 (A) δ 8.27 (s, 1H), 7.99 (s, 1H), 7.15-7.6 (m, 4H), 6.00 (s, 1H), 5.83 (s, 1H).
 14-023 (A) δ 7.74 (s, 1H), 7.69 (d, J=7.7Hz, 1H), 7.58 (d, J=7.7Hz, 1H), 7.46 (t, J=7.7Hz, 1H), 6.04 (s, 1H), 5.82 (s, 1H).
 14-024 (A) δ 8.34 (s, 1H), 8.25 (d, J=8.0Hz, 1H), 7.79 (d, J=8.0Hz, 1H), 7.60 (t, J=8.0Hz, 1H), 6.14 (s, 1H), 5.93 (s, 1H).
-

(Test Examples)

[0253] Next, usefulness of the compound of the present invention as a pesticide is specifically explained in the following Test Examples to which the present invention is not limited.

Test Example 1: Insecticidal test against cabbage moth

[0254] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm. To the chemical solution was dipped leaves of cabbage for about 10 seconds, and after air-drying, they were placed in a laboratory dish, then 5-cabbage moth (*Plutella xylostella*) in the stage of second instar larva per the dish were released therein, and the dish was covered with a lid and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the following calculation equation. Incidentally, the test was carried out with two districts.

$$\text{Rate of dead insects (\%)} = (\text{Number of dead insects} / \text{Number of released insects}) \times 100$$

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-005,1-006,1-015,1-016,1-025,1-031,1-040,1-041,1-053,1-055~1-058,1-062~1-074,1-076,1-077,1-079~1-096,1-098,1-101,1-102,1-104~1-110,1-113,1-114,1-116~1-140,1-145~1-147,1-149~1-157,1-159~1-161,1-166~1-168,1-171,1-172,1-174,1-175,1-176*,1-177*,1-178~1-184,1-185*,1-187,1-188*,1-189*,1-190,1-194,1-196,1-199,1-206*,1-207,1-209,1-212,1-214,1-215,1-225,1-226,2-001~2-005,2-011~2-021,2-022*,2-024~2-027,2-028**,2-029**,2-030,2-031,2-032*,2-033,2-034*,2-035**,2-036~2-041,2-042**,2-043,2-044**,2-045**,2-046**,2-047*,2-048*,2-049**,2-050*,2-051*,2-052*,2-053,2-054**,2-055*,3-002~3-004,3-006,3-007,3-012,3-018,3-023,3-025~3-028,3-030~3-035,3-037,3-038,3-040,3-043,3-044,3-046,3-047,3-050,3-055,3-058*,3-060,3-061*,3-062~3-067,3-068*,3-069,3-070*,3-071*,3-073~3-075,3-077~3-081,3-084,3-085*,3-086*,3-087~3-089,3-090*,3-091*,3-092*,3-093*,3-094~3-098,3-100*,3-102~3-104,3-105*,3-106~3-108,3-109*,3-110*,3-111*,3-112*,3-113*,3-114,3-115,3-116*,3-117,3-119~3-127,3-129,3-131,3-132*,3-133~3-136,3-138~3-141,3-143,3-146,3-148,4-002,4-003*,4-004*,4-005,4-006*,4-008~4-010,5-001*,5-002*,5-003*,5-004*,5-005*,5-006,5-007,5-008*,5-009*,5-010*,5-011*,5-012*,5-013*,5-014*,5-015*,5-016,5-017,5-019,5-022*,5-023*,5-029*,5-030~5-035,5-036*,5-037*,5-038*,5-039*,5-040*,5-041*,5-042,5-043,5-044*,5-045*,5-046*,5-047*,5-048*,5-049*,5-050*,5-051*,5-052*,5-053*,5-054~5-056,5-057*,5-058*,5-059*,5-060*,5-061*,5-062*,5-063*,5-064*,5-065*,5-066,5-067*,5-068*,5-069*,5-070*,5-071*,5-072*,5-073*,5-074*,5-075,5-075(+)*,5-075(-),5-076*,5-077*,5-078*,5-079~5-082,5-083*,5-084,5-085*,5-086*,5-087*,5-088*,5-089*,5-090**,5-091*,5-092*,5-093*,5-094*,5-095,5-097,5-098,5-099*,5-100*,5-101*,5-102*,5-103*,5-104*,5-105*,5-106~5-108,5-109*,5-110,5-111*,5-112*,5-113*,5-114*,5-115,5-116,5-117*,5-118*,5-119*,5-120**,5-121*,5-122*,5-123*,5-124**,5-125,5-126*,5-127,5-128*,5-129,5-130*,5-131~5-133,5-134*,5-135~5-137,5-138*,5-139*,5-140*,5-141*,5-142*,5-143,5-144*,5-145*,5-146,5-147*,5-148*,5-149,5-150,5-151*,5-152~5-155,5-156*,5-158,5-159,5-160*,5-161*,5-162*,5-163,5-164,5-165*,5-166*,5-167,5-168**,5-169*,5-170~5-172,5-173*,5-174**,5-175,5-176*,5-177,5-178,5-179*,5-180*,5-181*,5-182*,5-183*,5-184,5-185*,5-186*,5-187*,5-188*,5-189**,5-189(+)*,5-189(-),5-190(+)*,5-190(-),5-191*,5-192*,5-193*,5-194*,5-195**,5-196**,5-197**,5-198~5-200,5-201*,5-202*,5-203**,5-204,5-205*,5-206*,5-207,5-208**,5-209,5-210*,5-211*,5-212*,5-213*,5-214*,5-215*,5-216*,5-217**,5-218*,5-219*,5-219(+)

,5-219(-),5-220*,5-221*,5-222*,5-223*,5-224*,5-225*,5-226*,5-227*,5-228
 ,5-229,5-230*,5-231*,5-232*,5-233*,5-234*,5-235**,5-236*,5-237,5-238
 ,5-239,5-240*,5-241*,5-242*,5-243**,5-244,5-245*,5-246*,5-247*,5-248,5-249
 ,5-250,5-251,5-252,5-253,5-254*,5-255,5-256*,5-257*,5-258**,5-259*,5-
 260,5-261*,5-262**,5-263**,5-264*,5-265*,5-266,5-267*,5-268*,5-270,5-
 271,5-272*,5-273*,5-274*,5-275*,5-276*,5-277*,5-278*,5-279*,5-280,5-
 281,5-282*,5-283*,5-284*,5-285*,5-286*,5-287,5-288*,5-289*,5-290,5-291
 ,5-292,5-293,5-294,5-295*,5-296,5-298,5-299*,5-300*,5-301*,5-302,5-303
 *,5-304,5-305**,5-306*,5-307*,5-308**,5-309*,5-310**,5-311,5-312*,5-313
 ,5-314,5-315*,5-316,5-317*,5-318*,5-319*,5-320*,5-321,5-322,5-323*,5-324~
 5-326,5-328,5-329*,5-330*,5-331*,5-332*,5-333*,5-334*,5-335*,5-336*,5-
 337,5-338*,5-339*,5-340,5-341,5-342*,5-343*,5-344*,5-345,5-346*,5-347,5-349
 ,5-350~5-352,5-353,5-354*,5-355*,5-356*,5-357*,5-358*,5-359**,5-360
 ,5-361,5-362*,5-363,5-366,5-372,5-374*,5-375*,5-376**,5-377**,5-378*,5-379
 ,5-380,5-381**,5-383*,5-384*,5-385**,5-386**,5-387*,5-389*,5-390
 ,5-391,5-392,5-393*,5-395*,5-396**,5-397*,5-398*,5-399*,5-400*,5-401
 ,5-402,5-403~5-407,5-408*,5-409,5-410*,5-411*,5-412*,5-413*,5-414,5-415
 ,5-416,5-417,5-418*,5-419*,5-420*,5-421*,5-422*,5-423*,5-424*,5-425*,5-427
 ,5-430,5-431,5-432*,5-433*,5-434*,5-436,5-439*,5-440*,5-441*,5-442*,5-443
 ,5-444,5-445*,5-446*,5-447~5-449,5-452*,5-453*,5-454*,5-456,5-457,6-001
 ,6-002,6-003,6-004**,6-005,6-006**,6-007*,6-008*,6-009,6-010,6-011
 ,6-012,6-013,6-015**,6-016*,6-017*,6-018*,6-019*,6-020*,6-021*,6-022*
 ,6-023,6-024**,6-025,6-026*,6-027*,6-028*,6-029*,6-030,6-031*,6-032*,6-033
 ,6-034,6-035*,6-036*,6-037*,6-038*,6-039*,6-040*,6-041*,6-042*,6-043
 ,6-044,6-045*,6-046*,6-047*,6-048*,6-049*,6-050*,6-051*,6-052,6-053,6-054
 ,6-055,6-056*,6-057,6-058*,6-059*,6-060**,6-061,6-062**,6-063*,6-064*
 *,6-065**,6-066*,6-067**,6-071**,6-074*,6-075*,6-076*,6-078*,6-079*,6-080
 ,6-080(+),6-080(-)*,6-083*,6-084*,6-085~6-088,7-001,7-002*,7-003*,7-004
 ,7-005,7-006*,7-007*,7-008*,7-009*,7-010*,8-002*,8-003*,8-004,9-
 003,9-008,9-009,10-001,10-002*,10-003~10-005,11-006,11-018,11-024,11-025
 ,11-026,11-038,11-043,11-045,11-046,11-049*,11-050~11-052,11-054,11-058
 ~11-062,11-066,11-075,11-088,11-089,12-001,12-002.

In the interim, the indication of "*" shows that the insecticidal test was carried out by
 use of a chemical solution of a concentration of 100ppm, and the indication "***"
 shows that the insecticidal test was carried out by use of a chemical solution of a

concentration of 10ppm.

Test Example 2: Insecticidal test against common cutworm

[0255] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm. To the chemical solution was dipped leaves of cabbage for about 10 seconds, and after air-drying, they were placed in a laboratory dish, then 5-common cutworm (*Spodoptera litura*) in the stage of second instar larva per the dish were released therein, and the dish was covered with a lid and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-005,1-015,1-016,1-057,1-058,1-062,1-066,1-069,1-080,1-081,1-088,1-101,1-102,1-105~1-109,1-118,1-122,1-123,1-125,1-127,1-129,1-130,1-132,1-153,1-156,1-157,1-166~1-168,1-175,1-176,1-177*,1-182~1-184,1-185*,1-188*,1-189*,1-194,1-206*,1-207,1-212,1-214,1-215,1-225,2-002,2-003,2-013,2-019~2-021,2-022*,2-024~2-026,2-028,2-029,2-031,2-032,2-034~2-039,2-041,2-042,2-044~2-046,2-047*,2-048,2-049,2-050*,2-051*,2-052*,2-054~2-056,3-006,3-018,3-026,3-030,3-032~3-035,3-037,3-043,3-044,3-047,3-058,3-060~3-064,3-068*,3-069,3-070*,3-071*,3-072,3-078,3-079,3-081,3-083~3-086,3-089,3-090*,3-091*,3-093*,3-094,3-095,3-098,3-100*,3-102,3-103,3-105*,3-106,3-107,3-109,3-110*,3-111*,3-112*,3-113*,3-114,3-115,3-116*,3-117,3-121,3-123~3-126,3-129,3-131,3-132*,3-135,3-136,3-139,3-140,3-145,3-148,4-003*,4-004,4-006*,4-010,5-001*,5-002*,5-003*,5-004*,5-005*,5-006,5-007,5-008*,5-009*,5-010,5-011,5-012*,5-013*,5-014*,5-015*,5-016,5-017,5-019,5-022*,5-023*,5-029*,5-032,5-034,5-035,5-036*,5-037*,5-038*,5-039*,5-040*,5-041*,5-042,5-045*,5-046*,5-047*,5-048*,5-049*,5-050*,5-051*,5-052*,5-053*,5-054,5-057*,5-058*,5-059*,5-060~5-064,5-065*,5-066~5-068,5-069*,5-070*,5-071*,5-072*,5-073~5-075,5-075(+)*,5-076*,5-077*,5-078~5-081,5-083*,5-084,5-085,5-086*,5-087*,5-088*,5-089*,5-090,5-091*,5-092*,5-093*,5-094*,5-099~5-101,5-102*,5-103

,5-104,5-105*,5-106,5-109,5-111*,5-112,5-113*,5-114*,5-115,5-116,5-117
 ,5-118,5-119,5-120,5-121*,5-122~5-126,5-128*,5-130,5-132~5-134,5-
 136,5-137,5-138*,5-139*,5-140~5-147,5-148*,5-149,5-151~5-156,5-159~
 5-169,5-171~5-178,5-179*,5-180,5-181,5-182*,5-183*,5-184,5-185*,5-186
 ,5-187,5-188*,5-189,5-189(+),5-191*,5-192*,5-193~5-201,5-202*,5-
 203,5-204,5-205*,5-206*,5-207~5-209,5-210*,5-211*,5-212*,5-213*,5-214
 ,5-215,5-216*,5-217,5-218*,5-219*,5-219(+)*,5-219(-),5-220*,5-221,5-222
 ,5-223,5-224*,5-225,5-226*,5-227*,5-228,5-229,5-230*,5-231,5-232*,5-233
 ,5-234,5-235,5-236*,5-237*,5-239,5-240*,5-241*,5-242*,5-243~5-245,5-246
 ,5-247,5-249*,5-250,5-251,5-254*,5-256*,5-257~5-259,5-261*,5-262,5-
 263,5-264*,5-265*,5-267,5-268*,5-269,5-271,5-272*,5-273*,5-274*,5-275~
 5-277,5-278*,5-279*,5-280,5-282*,5-283*,5-284,5-285*,5-286*,5-288*,5-289
 ,5-291,5-292,5-294*,5-295*,5-296,5-298,5-299*,5-300,5-301*,5-302,5-
 303,5-305,5-306*,5-307*,5-308~5-311,5-312*,5-313*,5-314*,5-315*,5-316,5-317
 ,5-318,5-319*,5-320~5-322,5-323*,5-329*,5-330*,5-331*,5-332,5-333*,5-334
 ,5-335~5-337,5-338,5-339*,5-341,5-342,5-343*,5-344*,5-345,5-346,5-349
 ,5-351,5-353,5-354,5-355,5-356~5-359,5-360*,5-361*,5-362*,5-363,5-374
 ,5-375,5-376,5-377,5-378*,5-379~5-386,5-387*,5-389*,5-390*,5-392*,5-393
 ,5-395,5-396,5-397,5-398*,5-399*,5-400*,5-401*,5-402*,5-405~5-407,5-408
 ,5-409,5-410,5-411*,5-412*,5-413*,5-415*,5-417*,5-418*,5-419*,5-420*,5-421
 ,5-422,5-423*,5-424*,5-425*,5-427*,5-430*,5-432*,5-433*,5-434*,5-439
 ,5-440,5-441*,5-442*,5-443*,5-444*,5-446*,5-447,5-452*,5-453*,5-454*,6-001
 ,6-002,6-003,6-004~6-006,6-007*,6-008*,6-010,6-012,6-013,6-015,6-016,6-017
 ,6-018,6-019,6-020*,6-021*,6-022~6-025,6-026*,6-027*,6-028~6-030,6-031
 ,6-032,6-033*,6-034*,6-035*,6-036~6-038,6-039*,6-040,6-041,6-042*,6-043
 ,6-044,6-045,6-046,6-047*,6-048*,6-049*,6-050*,6-051*,6-053,6-054*,6-055
 ,6-056,6-058~6-067,6-071,6-074,6-075*,6-076*,6-078*,6-079*,6-080*,6-080(+)
 ,6-080(-),6-083*,6-084*,6-086,6-087,7-001,7-002*,7-003*,7-004*,7-005*,7-006
 ,7-007,7-008*,7-009*,7-010*,8-002*,8-003*,8-004,9-009,10-001~10-
 005,11-024,11-025*,11-026*,11-038,11-049*,11-052,11-055,11-061,11-
 062,11-066,11-070,12-001,12-002.

In the interim, the indication of “*” shows that the insecticidal test was carried out by use of a chemical solution of a concentration of 100ppm.

Test Example 3: Insecticidal test against beet armyworm

[0256] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 100 ppm. To the chemical solution was dipped leaves of cabbage for about 10 seconds, and after air-drying, they were placed in a laboratory dish, then 5-beet armyworm (*Spodoptera exigua*) in the stage of second instar larva per the dish were released therein, and the dish was covered with a lid and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-015,1-016,1-057,1-058,1-062~1-064,1-066,1-080,1-081,1-088,1-102,1-105,1-106,1-109,1-118,1-122,1-123,1-125,1-127,1-151,1-153,1-155~1-157,1-166,1-175,1-189,1-207,1-214,1-215,2-003,2-019,2-020,3-026,3-027,3-030,3-032,3-037,3-060,3-091,3-093,3-095,3-109,3-110,3-112,3-125,5-001~5-005,5-008,5-009,5-029,5-036,5-037,5-040,5-041,5-045,5-046,5-048,5-049,5-050,5-052,5-053,5-057~5-059,5-061~5-065,5-067~5-069,5-071,5-073~5-075,5-075(+),5-076,5-083,5-086~5-089,5-091,5-092,5-094,5-111,5-113,5-117~5-119,5-122,5-138~5-142,5-147,5-148,5-151,5-160,5-165,5-174,5-182,5-183,5-185~5-188,5-189(+),5-202,5-205,5-210~5-212,5-214~5-216,5-218,5-219,5-219(+),5-220,5-223,5-226,5-227,5-230,5-232~5-234,5-236,5-239,5-241,5-247,5-251,5-257,5-261,5-264,5-268,5-273~5-275,5-279,5-282,5-283,5-285,5-286,5-288,5-291,5-294,5-295,5-301,5-306,5-307,5-309,5-310,5-312~5-315,5-320,5-321,5-323,5-331~5-334,5-339,5-341,5-355~5-357,5-360~5-362,5-374,5-375,5-378,5-387,5-389,5-390,5-397,5-398,5-412,5-433,5-440,6-017~6-021,6-026,6-027,6-031,6-033~6-041,6-043~6-045,6-048,6-049,6-058,6-059,6-063~6-066,6-074~6-076,7-002,7-003,7-005~7-009,8-002,11-024,11-025,11-026.

Test Example 4: Insecticidal test against oriental tea tortix

[0257] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention

was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 100 ppm. To the chemical solution was dipped leaves of cabbage for about 10 seconds, and after air-drying, they were placed in a laboratory dish, then 5-oriental tea tortix (*Homona magnanima*) in the stage of second instar larva per the dish were released therein, and the dish was covered with a lid and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-015,1-016,1-057,1-058,1-062,1-080,1-105,1-107,1-0122,1-123,1-125,1-127,1-153,1-156,1-189,1-207,1-214,1-215,2-003,2-034,2-035,2-051,2-052,3-037,3-060,3-095,3-110,3-112,3-125,3-129,4-003,5-001,5-003~5-005,5-008,5-009,5-012,5-013,5-022,5-029,5-037,5-040,5-041,5-045~5-050,5-052,5-053,5-057~5-059,5-061~5-065,5-069~5-071,5-073,5-075,5-075(+),5-076,5-077,5-083,5-086~5-090,5-092~5-094,5-102,5-103,5-111,5-113,5-114,5-117,5-119,5-121,5-122,5-138~5-142,5-147,5-148,5-151,5-156,5-160,5-161,5-165,5-166,5-180,5-182,5-183,5-185,5-187,5-188,5-189(+),5-202,5-205,5-208,5-210~5-212,5-214~5-216,5-218,5-219,5-219(+),5-220,5-221,5-223,5-226~5-228,5-230,5-232~5-234,5-236,5-240~5-242,5-246,5-247,5-251,5-254,5-273~5-275,5-279,5-282,5-283,5-285,5-286,5-288,5-289,5-291,5-294,5-295,5-301,5-306,5-307,5-310,5-312,5-313,5-315,5-319,5-321,5-323,5-329,5-330,5-338,5-339,5-341,5-356,5-357,5-359,5-360,5-362,5-374,5-375,5-378,5-379,5-381,5-387~5-390,5-392,5-393,5-395~5-399,5-401,5-412,5-418,5-419,5-430,5-433,5-434,5-441,6-001,6-003,6-017,6-018,6-020,6-021,6-027,6-031,6-033~6-035,6-038~6-041,6-043,6-066,6-075,6-076,7-002~7-009,8-002,11-024,11-026.

Test Example 5: Insecticidal test against corn earworm

[0258] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 100 ppm. To the chemical solution was dipped leaves of cabbage for about 10 seconds, and after air-drying, they were placed in a laboratory dish, then 1-corn earworm (*Helicoverpa armigera*) in the stage of second instar larva

per the dish were released therein, and the dish was covered with a lid and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with twelve districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-066,1-153,1-156,1-207,1-214,1-215,2-034,2-035,2-042,2-055,3-027,3-030,3-032,3-086,3-095,3-109,3-110,3-112,5-008,5-009,5-022,5-040,5-046,5-047,5-049,5-050,5-052,5-053,5-057~5-059,5-061~5-063,5-065,5-068,5-070,5-071,5-075,5-075(+),5-076,5-077,5-083,5-086~5-089,5-099~5-101,5-109,5-113,5-117,5-120~5-122,5-126,5-138,5-139,5-141,5-142,5-147,5-148,5-151,5-156,5-160,5-165,5-169,5-177,5-180,5-185,5-189(+),5-193,5-208,5-210~5-212,5-214~5-219,5-219(+),5-223,5-227,5-228,5-230,5-231,5-233,5-234,5-236,5-241,5-245,5-246,5-249,5-251,5-254,5-261,5-264,5-269,5-273~5-275,5-279,5-284,5-286,5-291,5-294,5-295,5-306,5-307,5-309,5-310,5-312~5-315,5-319,5-323,5-331~5-336,5-338,5-339,5-341,5-353~5-355,5-357,5-359,5-360,5-374,5-375,5-378~5-381,5-383,5-384,5-387,5-389,5-390,5-393,5-395,5-397~5-400,5-408~5-413,5-415,5-420~5-424,5-427,5-433,5-434,5-440,5-443,5-446,5-452~5-454,6-003,6-004,6-016~6-019,6-021,6-023,6-024,6-026,6-027,6-031,6-033~6-041,6-043~6-045,6-048,6-049,6-056,6-066,6-074~6-076,6-078,6-079,6-080,6-080(+),6-080(-),6-083,6-084,7-002~7-009,8-002,11-024.

Test Example 6: Insecticidal test against peach fruit moth

[0259] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 100 ppm. To the chemical solution was dipped apple young fruits on which peach fruit moth (*Carpocina sasakii*) laid eggs (20-egg/fruit) for about 10 seconds, and after air-drying, they were placed in a laboratory dish, and the dish was covered with a lid and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 20 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more

among the compounds tested.

The compounds of the present invention: No.5-049,5-050,5-070,5-076,5-083,5-088,5-111,5-148,5-219,5-219(+),5-221,5-234,5-286,5-291,5-323,5-360,5-387,5-390,5-398,6-027,6-039,7-008.

Test Example 7: Insecticidal test against *Frankliniella occidentalis*

[0260] A wet filter paper was laid in a styrol cup having an inner diameter of 7 cm, a leaf of a common bean cut out so as to have the same diameter was laid thereon, and 10-*Frankliniella occidentalis* with first instar larva per leaf was inoculated thereon. A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm. The chemical solution was sprayed with a rotating spray tower in an amount of 2.5 ml per styrol cup, and the styrol cups were covered with lids and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 2 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-175,1-177~1-179,1-182,2-020,2-022,2-028*,2-029*,2-032,2-033,2-034*,2-035*,2-037*,2-038*,2-039*,2-040*,2-041*,2-042*,2-043*,2-044*,2-045*,2-046*,2-047,2-048*,2-049*,2-050~2-052,3-068,3-072*,3-080,3-084~3-086,3-090,3-093,3-105,3-107,3-109,3-110,3-112,3-114,3-122~3-125,3-132,3-135,3-136,4-004,4-006,5-001,5-003,5-009,5-013,5-022,5-023,5-029,5-037~5-041,5-044~5-053,5-057~5-075,5-075(+),5-076~5-078,5-081~5-089,5-090*,5-091~5-094,5-099~5-105,5-109,5-111~5-119,5-120*,5-121~5-123,5-124*,5-126~5-128,5-129*,5-130,5-131*,5-134,5-137~5-142,5-143*,5-144,5-145,5-146*,5-147,5-148,5-150,5-151,5-153*,5-154,5-156,5-158~5-160,5-161*,5-162,5-164~5-166,5-167*,5-168*,5-169,5-171,5-172*,5-178~5-188,5-189(+),5-190(+),5-191~5-194,5-201,5-202,5-205~5-207,5-208*,5-210~5-216,5-217*,5-218,5-219,5-219(+),5-219(-),5-220~5-234,5-236~5-242,5-244~5-247,5-249,5-251~5-254,5-255*,5-256,5-257,5-258*,5-259~5-261,5-264,5-265,5-269*,5-270,5-271*,5-272~5-283,5-284~5-289,5-291,5-292,5-294,5-295,5-297,5-299,5-300,5-301,5-302*,5-303,5-306,5-307,5-309,5-310*,5-311~5-315,5-318,5-319,5-321~5-323,5-329~5-336,

5-338,5-339,5-341~5-346,5-348,5-349,5-353~5-358,5-360~5-362,5-374,5-375,5-378,5-379*,5-380*,5-381*,5-383,5-384,5-385*,5-387~5-393,5-395,5-396*,5-397~5-401,5-403~5-406,5-408~5-413,5-415,5-417~5-419,5-421,5-422,5-425,5-427,5-430,5-432~5-434,5-439~5-443,5-445,5-446,5-449,5-452,5-453,6-001~6-003,6-004*,6-005*,6-006*,6-007~6-013,6-015*,6-016~6-021,6-022*,6-023,6-024*,6-025*,6-026~6-050,6-054~6-056,6-058,6-059,6-063,6-066,6-070,6-071*,6-074~6-076,6-078~6-080,6-080(+),6-080(-),6-083~6-086,7-001,7-003~7-010,8-002,8-003,10-002,10-005,11-024~11-026,11-043,11-045,11-054~11-056,11-059,11-070,11-089,12-002.

In the interim, the indication of "*" shows that the insecticidal test was carried out by use of a chemical solution of a concentration of 100ppm.

Test Example 8: Insecticidal test against Thrips palmi

[0261] A wet filter paper was laid in a styrol cup having an inner diameter of 7 cm, a leaf of a common bean cut out so as to have the same diameter was laid thereon, and 10-Thrips palmi in the stage of adult per leaf was inoculated thereon. A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 100 ppm. The chemical solution was sprayed with a rotating spray tower in an amount of 2.5 ml per styrol cup, and the styrol cups were covered with lids and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 2 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-179,1-196,2-022,2-024~2-026,2-028,2-029,2-033,2-035,2-039,2-044~2-048,2-050~2-052,3-079,3-085,3-086,3-091,3-110,3-112,3-124,3-131,3-148,4-003~4-005,4-010,5-001,5-003,5-006,5-008,5-012~5-015,5-022,5-023,5-029,5-036,5-037,5-040,5-045~5-053,5-057~5-063,5-065,5-067,5-068,5-070~5-075,5-075(+),5-076~5-079,5-081~5-084,5-086~5-093,5-099,5-102~5-104,5-111~5-114,5-117~5-121,5-124,5-128~5-130,5-137~5-148,5-151,5-153,5-156,5-160~5-162,5-165,5-166,5-179,5-180,5-182~5-186,5-188,5-189(+),5-193,5-202,5-205,5-206,5-208~5-210,5-214~5-216,5-218,5-219,5-219(+),5-2

20,5-224~5-226,5-228~5-230,5-232~5-234,5-236,5-238,5-239,5-242,5-246,5-247,5-251,5-256~5-258,5-261,5-264,5-269,5-273~5-276,5-278,5-279,5-280,5-282,5-283,5-285,5-286,5-288,5-289,5-291,5-294,5-295,5-299,5-303,5-306,5-309,5-310,5-312~5-314,5-319,5-322,5-323,5-329,5-330,5-332,5-334,5-335,5-338,5-339,5-346,5-349,5-353~5-362,5-374,5-375,5-378~5-381,5-383~5-385,5-387,5-389,5-390,5-395~5-401,5-408~5-413,5-415,5-418~5-424,5-427,5-430,5-432~5-434,5-439~5-443,5-446,5-452~5-454,6-001,6-003~6-008,6-015,6-017~6-024,6-026~6-035,6-037~6-041,6-043~6-045,6-047~6-049,6-054~6-056,6-058,6-059,6-063,6-066,6-070,6-073~6-076,6-078~6-080,6-080(+),6-080(-),6-083,6-084,7-003,7-005~7-009,8-002,10-002,11-025,11-026,11-054,11-056,11-059,12-002.

Test Example 9: Insecticidal test against *Eysarcoris lewisi*

[0262] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm. To the chemical solution was dipped leave sheaths of rice for about 10 seconds, and after air-drying, they were placed in a test tube, then 5-*Eysarcoris lewisi* in the stage of first instar larva per the test tube were released therein, and the test tube was covered with a sponge and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 2 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts. As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-015,1-050,1-051,1-175,1-209,2-029,2-034,2-035,2-042,2-044~2-052,2-054,2-055,3-047,3-068,3-070~3-072,3-086,3-090,3-093,3-106,3-109~3-112,3-114,3-125,3-131,5-001,5-003,5-005,5-008,5-009,5-013~5-015,5-017,5-022,5-023,5-026,5-029,5-037~5-041,5-045~5-053,5-058~5-065,5-067~5-069,5-071~5-075,5-075(+),5-076~5-078,5-081,5-083,5-084~5-094,5-099~5-105,5-111~5-114,5-116~5-122,5-124,5-126,5-128,5-130,5-134,5-137~5-142,5-144,5-145,5-147,5-148,5-150,5-151,5-154,5-156,5-158~5-162,5-165,5-166,5-168,5-169,5-171,5-173,5-174,5-179~5-189,5-189(+),5-191,5-195~5-197,5-203,5-205,5-206,5-208~5-210,5-212~5-216,5-218,5-219,5-219(+),5-220~5-230,5-232,5-233,5-235,5-236,5-238~5-247,5-249,5-251,5-254,5-256~5-262,5-264,5-265,5-273~5-279,5-283,5-285,5-286,5-288,5-289,5-291,5-294,5-295,5-299~5-301,

5-304~5-310,5-312~5-315,5-318~5-321,5-323,5-329,5-330,5-332,5-334,5-335,5-338,5-339,5-341~5-344,5-346,5-348,5-353~5-360,5-362,5-374~5-387,5-389,5-390,5-392,5-393,5-395~5-401,5-403~5-405,5-408~5-413,5-415,5-417~5-419,5-421,5-422,5-427,5-431~5-434,5-440,5-443,5-445,5-446,5-448,5-452,5-453,6-001,6-006~6-013,6-015~6-024,6-026~6-029,6-031~6-051,6-054~6-056,6-058~6-060,6-062~6-067,6-070,6-071,6-074~6-076,6-078,6-079,6-080,6-080(+),6-080(-),6-083~6-086,7-002~7-010,11-060.

Test Example 10: Insecticidal test against brown rice planthopper

[0263] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm. To the chemical solution was dipped leave sheaths of rice for about 10 seconds, and after air-drying, they were placed in a test tube, then 5-brown rice planthopper (*Nilaparvata lugens*) in the second instar larva per the test tube were released therein, and the test tube was covered with a sponge and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-005~1-007,1-017,1-061,1-154,1-175,1-185,1-188,1-189,2-018,2-020,2-025~2-027,2-029,2-033,2-034,2-036,2-044,2-046,2-051,2-052,2-054,3-013,3-068,3-070,3-072,3-075,3-109,3-112,3-125,5-001,5-003,5-009,5-013,5-015,5-023,5-029,5-040,5-041,5-049,5-050,5-053,5-058,5-060,5-061,5-063,5-065~5-068,5-070~5-074,5-075(+),5-076,5-077,5-080,5-081,5-083,5-084,5-086~5-088,5-090~5-094,5-099,5-102,5-106,5-111,5-113,5-117~5-120,5-130,5-138~5-148,5-151~5-156,5-160,5-161,5-163,5-170,5-173,5-174,5-182,5-186,5-189,5-189(+),5-195,5-197,5-203,5-205,5-208,5-210,5-212,5-214,5-216,5-219,5-219(+),5-220,5-226,5-230~5-232,5-234~5-236,5-239,5-240,5-242,5-243,5-245,5-246,5-251,5-254,5-257,5-258,5-261,5-262,5-264,5-265,5-273~5-275,5-279,5-280,5-285,5-286,5-288,5-294,5-295,5-305~5-310,5-313,5-315,5-323,5-330,5-335,5-339,5-341,5-344,5-353~5-360,5-374~5-377,5-379~5-388,5-390,5-392,5-393,5-396,5-398~5-401,5-405,5-410,5-412,5-413,5-419,5-421,5-422,5-427,5-432,5-433,5-440,5-

453,6-001,6-003,6-007,6-015~6-023,6-027~6-045,6-048~6-050,6-056,6-058~6-065,6-076,6-078,6-079,6-080,6-080(+),6-080(-),6-083,6-086,7-001~7-004,7-006,7-008,7-009,8-003,9-009,11-039,11-041,11-054.

Test Example 11: Insecticidal test against *Bemisia argentifolii*

[0264] A wet filter paper was laid in a styrol cup having an inner diameter of 7 cm, a leaf of a tomato cut out on which *Bemisia argentifolii* laid eggs (10-egg/leaf) was laid thereon. A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm. The chemical solution was sprayed with a rotating spray tower in an amount of 2.5 ml per styrol cup, and the styrol cups were covered with lids and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No. 1-011, 1-182, 2-024*, 2-025*, 2-026*, 2-028*, 2-029*, 2-033, 2-034*, 2-035*, 2-037*, 2-044*, 2-047, 2-050, 2-051, 3-068, 3-079, 3-090, 3-112, 3-125, 4-003, 4-006, 5-001, 5-003, 5-005, 5-007, 5-009, 5-011, 5-013~5-015, 5-021~5-023, 5-029, 5-035, 5-037~5-041, 5-045~5-053, 5-057~5-061, 5-063, 5-065, 5-067~5-075, 5-075(+), 5-076~5-078, 5-079*, 5-081, 5-084~5-089, 5-090*, 5-091~5-094, 5-099~5-104, 5-112~5-114, 5-117, 5-118, 5-120*, 5-122, 5-123, 5-126, 5-128, 5-130, 5-137~5-142, 5-143*, 5-144, 5-145, 5-146*, 5-148, 5-151, 5-153*, 5-154, 5-156, 5-158~5-160, 5-161*, 5-162, 5-164, 5-165, 5-167*, 5-171, 5-180, 5-182~5-188, 5-189(+), 5-191, 5-193, 5-201, 5-202, 5-205~5-207, 5-208*, 5-209~5-216, 5-218, 5-219, 5-219(+), 5-220~5-223, 5-225~5-234, 5-236, 5-238~5-242, 5-245~5-247, 5-249, 5-254, 5-258*, 5-261, 5-264, 5-273~5-275, 5-277~5-279, 5-281, 5-285~5-288, 5-291, 5-292, 5-294, 5-295, 5-297, 5-299, 5-301, 5-306, 5-309, 5-310*, 5-312~5-315, 5-318, 5-319, 5-321, 5-323, 5-330, 5-332, 5-335, 5-339, 5-341, 5-344, 5-345, 5-353~5-358, 5-359*, 5-360, 5-362, 5-374, 5-375, 5-378, 5-379*, 5-380*, 5-381*, 5-383, 5-384, 5-385*, 5-387~5-393, 5-396*, 5-397~5-401, 5-405, 5-409, 5-410, 5-412, 5-417, 5-418, 5-421, 5-422, 5-427, 5-430, 5-433, 5-434, 5-440, 5-446, 5-453, 6-001, 6-003, 6-009, 6-011~

6-013,6-016~6-018,6-020,6-021,6-022*,6-027,6-028,6-031~6-041,6-043,6-044,6-048~6-050,6-056,6-074~6-076,6-078,6-079,6-083,7-001,7-003~7-006,7-008~7-010,11-017,11-024,11-026,11-028,11-056.

In the interim, the indication of "*" shows that the insecticidal test was carried out by use of a chemical solution of a concentration of 100ppm.

Test Example 12: Insecticidal test against green peach aphid

[0265] A wet cotton wool was laid in a laboratory dish having an inner diameter of 3 cm, a leaf of a cabbage cut out so as to have the same diameter was laid thereon, and 4-green peach aphid (*Myzus persicae*) in the stage of no-wing adult was left. After 1 day, a 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm, and the chemical solution was sprayed with a rotating spray tower (2.5 mg/cm²), and the laboratory dish was covered with lids and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No. 1-006,1-063,1-067,1-069,1-153,1-158,1-163,1-166,1-167,1-171,1-175,1-207,1-209,1-215,2-005,2-015,2-017,2-024*,2-025*,2-026*,2-027,2-029*,2-034*,2-044*,2-046*,2-050,2-051,3-006,3-029,3-064,3-068,3-089,3-110,3-114,3-125,3-131,3-139,3-143,4-003,5-001,5-003,5-005,5-009,5-013,5-015,5-022,5-023,5-037~5-041,5-045~5-050,5-052,5-053,5-056,5-058~5-061,5-063,5-065~5-068,5-070~5-075,5-075(+),5-076,5-077,5-079*,5-081,5-083~5-086,5-090*,5-091~5-094,5-099,5-100,5-102,5-103,5-113,5-117,5-118,5-128,5-130,5-134,5-138~5-142,5-143*,5-144,5-145,5-146*,5-147,5-148,5-151,5-153*,5-154,5-156,5-158,5-160,5-161*,5-162,5-165,5-180~5-187,5-189(+),5-193,5-202,5-205,5-209,5-210,5-212,5-214~5-216,5-219,5-219(+),5-220~5-223,5-226,5-228,5-230,5-231,5-233,5-234,5-236,5-238,5-240,5-242,5-243*,5-245~5-247,5-251,5-254,5-256,5-258*,5-259,5-261,5-264,5-272~5-275,5-277~5-280,5-282,5-284~5-288,5-291,5-294,5-295,5-300,5-301,5-306,5-307,5-309,5-310*,5-313~5-315,5-320,5-321,5-323,5-330,5-334,5-335,5-339,5-341,5-343,5-344,5-348,5-352,5-

353~5-358,5-359*,5-360,5-362,5-364,5-374,5-375,5-378,5-379*,5-380*,5-383,5-384,5-385*,5-387,5-389,5-390,5-392,5-393,5-398,5-399,5-401,5-409,5-410,5-415,5-418,5-421,5-422,5-427,5-433,5-434,5-440~5-442,5-446,5-453,6-001,6-003,6-005*,6-007,6-009~6-012,6-015*,6-016~6-021,6-022*,6-027,6-028,6-030~6-033,6-035~6-044,6-048~6-050,6-054,6-056~6-059,6-063,6-066,6-074~6-076,6-078~6-080,6-083,6-084,6-086,7-003~7-007,7-009,9-004,10-002,11-005,11-006,11-026,12-004.

In the interim, the indication of "*" shows that the insecticidal test was carried out by use of a chemical solution of a concentration of 100ppm.

Test Example 13: Insecticidal test against Japanese mealybug

[0266] A wet filter paper was laid in a styrol cup having an inner diameter of 7 cm, a leaf of a common bean cut out so as to have the same diameter was laid thereon, and 10-Japanese mealybug (*Planococcus kraunhiae*) in the first instar larva per leaf was inoculated thereon. A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm. The chemical solution was sprayed with a rotating spray tower in an amount of 2.5 ml per styrol cup, and the styrol cups were covered with lids and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-011,1-177,1-182,2-020,2-028*,2-029*,2-033,2-034*,2-035*,2-037*,2-039*,2-040*,2-041*,2-042*,2-044*,2-045*,2-046*,2-047,2-048*,2-049*,2-050~2-052,2-055*,3-065,3-069,3-085,3-086,3-091~3-093,3-104,3-109,3-125,4-003,4-004,4-006,5-001,5-003,5-005,5-007,5-009,5-013~5-015,5-017,5-022,5-023,5-029,5-037,5-039~5-041,5-045~5-050,5-052,5-053,5-057~5-061,5-063~5-065,5-067~5-075,5-075(+),5-076~5-078,5-081,5-083~5-089,5-090*,5-091~5-094,5-098~5-105,5-109,5-111~5-114,5-116~5-118,5-121,5-123,5-126,5-128,5-129*,5-130,5-131*,5-138~5-142,5-143*,5-144,5-145,5-146*,5-147,5-148,5-151,5-153*,5-154,5-156,5-158~5-160,5-161*,5-162,5-164,5-165,5-166,5-167*,5-168*,5-171,5-172*,5-179~5-188,5-189(+),5-190(+),5-192~5-

194,5-201,5-202,5-205,5-206,5-208*,5-210~5-212,5-214~5-216,5-219,5-219(+),5-221,5-222,5-223,5-226~5-234,5-236~5-240,5-242,5-245~5-247,5-249,5-251,5-253,5-254,5-255*,5-256,5-257,5-258*,5-259,5-261,5-264,5-269*,5-271*,5-272~5-288,5-291,5-292,5-295~5-297,5-299~5-301,5-302*,5-303,5-306,5-307,5-309,5-310*,5-312~5-315,5-318,5-319,5-321,5-322,5-323,5-331,5-332,5-334~5-336,5-338,5-339,5-344,5-345,5-348,5-349,5-353~5-358,5-360~5-362,5-375,5-378,5-379*,5-380*,5-381*,5-383,5-384,5-385*,5-387,5-388,5-390,5-392,5-393,5-395,5-396*,5-397~5-399,5-401,5-406,5-407,5-410,5-412,5-417~5-419,5-422,5-427,5-430~5-434,5-439~5-443,5-445,5-446,5-452,5-453,6-001~6-003,6-005*,6-006*,6-007~6-013,6-015*,6-016~6-021,6-022*,6-023,6-024*,6-025*,6-026~6-050,6-054~6-056,6-058,6-059,6-063,6-066,6-074~6-076,6-078~6-080,6-080(+),6-083~6-085,7-003~7-010,8-003,9-003,10-002,11-024~11-026,11-043,11-045,11-056,11-058,11-059,11-089,12-006.

In the interim, the indication of "*" shows that the insecticidal test was carried out by use of a chemical solution of a concentration of 100ppm.

Test Example 14: Insecticidal test against cucurbit leaf beetle

[0267] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm. To the chemical solution was dipped leaves of cucumber for about 10 seconds, and after air-drying, they were placed in a laboratory dish, then 5-cucurbit leaf beetle (*Aulacophora femoralis*) in the stage of second instar larva per the dish were released therein, and the dish was covered with a lid and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-005,1-015,1-016,1-040,1-042,1-055~1-057,1-059,1-061~1-067,1-069~1-071,1-073,1-074,1-076,1-077,1-079~1-081,1-083~1-085,1-087,1-088,1-090,1-092~1-095,1-098,1-099,1-102,1-104~1-110,1-113,1-116,1-118,1-119,1-122~1-129,1-131,1-135,1-136,1-138,1-146,1-147,1-151~1-153,1-155~1-157,1-159,1-166,1-167,1-171,1-172,1-174~1-177,1-

179~1-185,1-187~1-189,1-194,1-199,1-206,1-207,1-210,1-212,1-214,1-215,1-220,1-225,2-001,2-004,2-006,2-011,2-013,2-019~2-022,2-025~2-029,2-031,2-032,2-034~2-055,3-002,3-003,3-006,3-011,3-018,3-025~3-028,3-031~3-035,3-037,3-044,3-046,3-047,3-050,3-058,3-061~3-065,3-068~3-072,3-074,3-076,3-078~3-081,3-084~3-087,3-089~3-095,3-097~3-116,3-118~3-125,3-127~3-132,3-134~3-136,3-138~3-143,3-145~3-148,4-003~4-007,4-009~4-011,5-001~5-015,5-017,5-021~5-023,5-028~5-042,5-044~5-075,5-075(+),5-075(-),5-076~5-081,5-083~5-095,5-097,5-099~5-107,5-109~5-130,5-132~5-135,5-137~5-156,5-158~5-189,5-189(+),5-190(+),5-191~5-219,5-219(+),5-219(-),5-220~5-236,5-238~5-296,5-298~5-326,5-329~5-339,5-341~5-350,5-352~5-363,5-365,5-369,5-371,5-374~5-403,5-405~5-413,5-415~5-419,5-421,5-422,5-425,5-427,5-430~5-434,5-436,5-439~5-447,5-449,5-452,5-453,6-001~6-013,6-015~6-024,6-026~6-051,6-053~6-067,6-070,6-071,6-074~6-076,6-078~6-080,6-080(+),6-080(-),6-083~6-086,7-001~7-010,8-001~8-004,9-003,9-009,10-002~10-005,11-005,11-015,11-017,11-020,11-023~11-026,11-038,11-043,11-045,11-046,11-052~11-054,11-056~11-060,11-066,11-067,11-072,11-076,12-006.

Test Example 15: Insecticidal test against serpentine leaf miner

[0268] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm. To the chemical solution was dipped leaves of common bean on which serpentine leaf miner (*Liriomyza trifolii*) laid eggs (10 eggs/leaf) for about 10 seconds, and after air-drying, they were placed on a wet filter paper laid in a styrol cup having an inner diameter of 7 cm, and the styrol cup was covered with a lid and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-175,1-177,2-029*,2-034*,2-035*,2-044*,2-045*,2-050,2-051,3-060,3-068,3-069,3-071,3-072*,3-085,3-086,3-093,3-105,3-109,3-112,3-125,3-148,5-001,5-003,5-005,5-007,5-009,5-015,5-022,5-023,5-036,5-037,5-040,5-041,5-045~5-053,5-058~5-061,5-063~5-065,5-067,5-068,5-

070~5-075,5-075(+),5-076,5-077,5-081,5-083,5-085~5-089,5-090*,5-091~5-094,5-099~5-105,5-113,5-117~5-119,5-120*,5-121~5-123,5-124*,5-126,5-129*,5-131*,5-133*,5-138~5-142,5-144,5-145,5-147,5-148,5-150,5-151,5-154,5-156,5-158,5-160,5-161*,5-162,5-164~5-166,5-168*,5-169,5-171,5-172*,5-178,5-180,5-182~5-188,5-189(+),5-201,5-202,5-208*,5-209,5-210,5-212,5-214~5-216,5-217*,5-219,5-219(+),5-221~5-223,5-226~5-234,5-236,5-238,5-239,5-241,5-245~5-247,5-251,5-256,5-257,5-258*,5-259,5-261,5-264,5-265,5-270,5-274,5-275,5-283,5-284,5-286,5-291,5-294,5-295,5-302*,5-303,5-306,5-309,5-310*,5-313~5-315,5-319,5-323,5-335,5-336,5-338,5-339,5-341,5-344,5-345,5-353~5-358,5-360,5-362,5-374,5-375,5-378,5-379*,5-380*,5-381*,5-383,5-384,5-385*,5-387,5-388,5-390,5-392,5-393,5-395,5-396*,5-397~5-401,5-408~5-413,5-415,5-417~5-419,5-421,5-422,5-425,5-427,5-430,5-432,5-433,5-439~5-441,5-443,5-445,5-446,5-452,5-453,6-001,6-004*,6-005*,6-006*,6-007,6-008,6-011~6-013,6-015*,6-016~6-021,6-022*,6-024*,6-025*,6-027,6-031,6-033~6-041,6-043,6-044,6-048~6-050,6-054~6-056,6-066,6-070,6-074~6-076,6-078,6-079,6-083,6-085,7-003,7-005~7-009.

In the interim, the indication of "*" shows that the insecticidal test was carried out by use of a chemical solution of a concentration of 100ppm.

Test Example 16: Insecticidal test against two-spotted spider mite

[0269] A wet filter paper was laid in a styrol cup having an inner diameter of 7 cm, a leaf of a common bean cut out so as to have the same diameter was laid thereon, and 10 larvae of two-spotted spider mite (*Tetranychus urticae*) per leaf was inoculated thereon. A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 500 ppm. The chemical solution was sprayed with a rotating spray tower in an amount of 2.5 ml per styrol cup, and the styrol cups were covered with lids and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-177,1-182,2-027,2-028*,2-029*,2-

034*, 2-035*, 2-036, 2-037*, 2-039*, 2-040*, 2-041*, 2-042*, 2-044*, 2-045*, 2-046*, 2-047, 2-048*, 2-049*, 2-050~2-052, 3-068, 3-084, 3-086, 3-109, 3-110, 3-112, 3-114, 3-124, 3-131, 5-001, 5-003, 5-005, 5-007~5-009, 5-011, 5-013, 5-015, 5-019, 5-021, 5-022, 5-023, 5-028, 5-029, 5-035~5-037, 5-040, 5-041, 5-045~5-053, 5-057~5-075, 5-075(+), 5-076~5-078, 5-080~5-089, 5-090*, 5-091~5-094, 5-098~5-105, 5-109, 5-112~5-114, 5-117~5-119, 5-121~5-123, 5-126, 5-128, 5-129*, 5-130, 5-132, 5-134, 5-136~5-142, 5-143*, 5-144, 5-145, 5-146*, 5-147, 5-148, 5-150~5-152, 5-153*, 5-154~5-156, 5-158~5-160, 5-161*, 5-162~5-166, 5-167*, 5-168*, 5-171, 5-172*, 5-177~5-180, 5-182~5-188, 5-189*, 5-189(+), 5-190(+), 5-191, 5-192, 5-196*, 5-197*, 5-199~5-202, 5-204~5-207, 5-208*, 5-209~5-212, 5-214~5-216, 5-218, 5-219, 5-219(+), 5-219(-), 5-220~5-234, 5-235*, 5-236, 5-238~5-242, 5-243*, 5-245~5-247, 5-249, 5-251, 5-254, 5-255*, 5-256, 5-257, 5-258*, 5-259, 5-261, 5-264, 5-265, 5-269*, 5-271*, 5-273~5-275, 5-277~5-279, 5-283~5-286, 5-288, 5-291, 5-292, 5-294, 5-295, 5-299~5-301, 5-306, 5-307, 5-312~5-316, 5-321, 5-323, 5-325, 5-330, 5-336, 5-338, 5-339, 5-341, 5-344, 5-345, 5-349, 5-353~5-358, 5-360, 5-362, 5-374, 5-375, 5-376*, 5-377*, 5-378, 5-379*, 5-380*, 5-381*, 5-383, 5-384, 5-385*, 5-386*, 5-387~5-395, 5-396*, 5-397~5-399, 5-401, 5-402, 5-405, 5-406, 5-408~5-413, 5-415, 5-417~5-419, 5-421, 5-422, 5-425, 5-427, 5-430, 5-432, 5-433, 5-440, 5-441, 5-443, 5-445, 5-452, 5-453, 6-001, 6-003, 6-007, 6-008, 6-011~6-013, 6-015*, 6-016~6-021, 6-023, 6-027, 6-030~6-044, 6-046~6-050, 6-054~6-056, 6-066, 6-074~6-076, 6-078, 6-079, 6-083~6-085, 7-003~7-010, 8-003, 10-002, 11-026, 12-002.

In the interim, the indication of "*" shows that the insecticidal test was carried out by use of a chemical solution of a concentration of 100ppm.

Test Example 17: Insecticidal test against pink citrus rust mite

[0270] A wet filter paper was laid in a styrol cup having an inner diameter of 7 cm, a leaf of a mandarin orange cut out so as to have the same diameter was laid thereon, and 10 larvae of pink citrus rust mite (*Aculops pelekassi*) per leaf was inoculated thereon. A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 100 ppm. The chemical solution was sprayed with a rotating spray tower in an amount of 2.5 ml per styrol cup, and the styrol cups were covered with lids and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 6 days was counted and a rate of dead insects was calculated by the

calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.1-177,3-093,3-112,5-001~5-003,5-005,5-008,5-009,5-022,5-023,5-036,5-037,5-040,5-041,5-046,5-047,5-049,5-050,5-053,5-057~5-059,5-061,5-063,5-065,5-066,5-069~5-071,5-074~5-077,5-081,5-083,5-084,5-086,5-088,5-111~5-113,5-121,5-137~5-140,5-148,5-151,5-174,5-182,5-183,5-185,5-187,5-188,5-202,5-205,5-206,5-215,5-216,5-219~5-221,5-225,5-226,5-233~5-235,5-241,5-247,5-274,5-285,5-291,5-294,5-295,5-301,5-313,5-323,5-331,5-334,5-338,5-339,5-355,5-360,5-374,5-378,5-387~5-390,5-393,5-397,5-398,6-003,6-017,6-020,6-021,6-027,6-031,6-033~6-035,6-043,6-049,6-054,6-064,6-070,6-076,7-003,7-007~7-009,10-002.

Test Example 18: Insecticidal test against broad mite

[0271] A wet filter paper was laid in a styrol cup having an inner diameter of 7 cm, a leaf of a common bean cut out so as to have the same diameter was laid thereon, and 10 adults of broad mite (*Polyphagotarsonemus latus*) per leaf was inoculated thereon. A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 100 ppm. The chemical solution was sprayed with a rotating spray tower in an amount of 2.5 ml per styrol cup, and the styrol cups were covered with lids and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 2 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.3-093,5-009,5-036,5-037,5-040,5-041,5-050,5-053,5-058,5-063,5-067,5-071,5-075~5-077,5-083,5-088,5-089,5-113,5-121,5-140,5-147,5-148,5-151,5-174,5-179,5-185,5-188,5-214,5-215,5-219,5-230,5-233~5-236,5-249,5-251,5-254,5-274,5-288,5-289,5-291,5-294,5-309,5-332,5-339,5-355,5-360,5-374,5-375,5-387,5-398,6-017,6-026,6-031,6-033~6-035,6-038,6-045,6-064,6-070,6-076,7-003,7-007~7-009.

Test Example 19: Insecticidal test against *Ctenocephalides felis*

[0272] After 400 μl of acetone solution in which 4 mg of the compound of the present invention was dissolved in 40 ml of acetone (concentration 100 ppm) was coated on the bottom face and side face of a laboratory dish having an inner diameter of 5.3 cm, acetone was vaporized to prepare a thin film of the compound of the present invention on the inner wall of the laboratory dish. As the surface area of the inner wall is 40 cm^2 , the treated dosage is 1 $\mu\text{g}/\text{cm}^2$. 10 adults of *Ctenocephalides felis* (male and female are mixed) were left in the laboratory dish, covered with lid and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 4 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with one district.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No.2-029*,2-052,5-002,5-003,5-005,5-007,5-008,5-012,5-013,5-023,5-029,5-037,5-058,5-071*,5-072,5-075*,5-076*,5-077,5-086,5-088*,5-093*,5-100*,5-101*,5-111*,5-117,5-121,5-130*,5-138,5-139,5-140*,5-142*,5-148*,5-160*,5-161*,5-165*,5-182*,5-184,5-187,5-188,5-192,5-205,5-206,5-209,5-214*,5-218,5-219*,5-223,5-229,5-230,5-232,5-234*,5-235*,5-236,5-238,5-240,5-241*,5-243*,5-245*,5-247,5-264,5-274,5-287,5-291,5-294,5-312,5-313,5-323,5-354*,5-356*,5-359*,5-360,5-362,5-378*,5-379*,5-383*,5-384*,5-387*,5-389*,5-390,5-393,6-020,6-026,6-033,6-034*,6-035*,6-043*,6-046~6-049,6-054,6-055,6-074,7-002*,7-004,7-008,7-009.

In the interim, the indication of "*" shows that the insecticidal test was carried out with a treated dosage of 0.1 $\mu\text{g}/\text{cm}^2$.

Test Example 20: Insecticidal test against American dog tick

[0273] After 400 μl of acetone solution in which 4 mg of the compound of the present invention was dissolved in 40 ml of acetone (concentration 100 ppm) was coated on the bottom face and side face of two laboratory dishes having an inner diameter of 5.3 cm, acetone was vaporized to prepare a thin film of the compound of the present invention on the inner wall of the laboratory dish. As the surface area of the inner wall is 40 cm^2 , the treated dosage is 1 $\mu\text{g}/\text{cm}^2$. 10-American dog tick (*Dermacentor variabilis*) (male and female are mixed) in the stage of protonymph

were left in the laboratory dishes, two laboratory dishes together were sealed with a tape so that ticks do not escape, and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 4 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with one district.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No. 2-029*, 2-052, 5-003, 5-005, 5-008, 5-023, 5-029, 5-037, 5-058, 5-063*, 5-071*, 5-072, 5-075*, 5-076*, 5-077, 5-086, 5-088*, 5-093*, 5-100*, 5-101*, 5-117, 5-121, 5-128, 5-130*, 5-138, 5-139, 5-140*, 5-142*, 5-148*, 5-160*, 5-161*, 5-165*, 5-182*, 5-184, 5-187, 5-188, 5-191, 5-192, 5-205, 5-206, 5-209, 5-214*, 5-219*, 5-223, 5-229, 5-230, 5-232, 5-233*, 5-234*, 5-235*, 5-236, 5-238, 5-240, 5-241*, 5-243*, 5-245*, 5-247, 5-264, 5-274, 5-287, 5-291, 5-294, 5-312, 5-313, 5-320, 5-321, 5-323, 5-354*, 5-356*, 5-359*, 5-360, 5-362, 5-378*, 5-379*, 5-383*, 5-384*, 5-386*, 5-387*, 5-390, 5-393, 6-020, 6-026, 6-033, 6-034*, 6-035*, 6-043*, 6-046~6-049, 6-054, 6-055, 6-074, 7-004, 7-008, 7-009, 11-056.

In the interim, the indication of "*" shows that the insecticidal test was carried out with a treated dosage of 0.1 µg/cm².

Test Example 21: Insecticidal test against German cockroach

[0274] A chemical solution having a concentration of 10 µg/µl was prepared by diluting the compound of the present invention with acetone. The chemical solution was coated on the abdominal region of male adults of German cockroach (*Blattella germanica*) in an amount of 1 µl per cockroach, and the treated cockroaches were contained at a thermostat chamber at 25°C. A number of dead insect(s) after 2 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with five districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No. 5-075.

Test Example 22: Insecticidal test against *Musca domestica*

[0275] A chemical solution having a concentration of 1 µg/µl was prepared by diluting the compound of the present invention with acetone. The chemical solution

was coated on the abdominal region of female adults of *Musca domestica* in an amount of 1 μ l per fly, and the treated flies were contained at a thermostat chamber at 25°C. A number of dead insect(s) after 2 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with ten districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No. 5-234.

Test Example 23: Insecticidal test against Eastern subterranean termite

[0276] A 10% emulsifiable concentrate (depending on the compounds, 10% wettable powder was applied for the test) of the compound of the present invention was diluted with water containing a spreading agent to prepare a chemical solution with a concentration of 10 ppm. 0.5 ml of the chemical solution was added dropwise in 10 g of sand and mixed. A filter paper and the sand treated with the chemical solution were placed in a laboratory dish in which 1% agar was laid. 10-Eastern subterranean termite (*Reticulitermes flavipes*) per dish was left and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 2 days was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.

The compounds of the present invention: No. 5-234.

Test Example 24: Insecticidal test against rust-red flour beetle

[0277] A chemical solution having a concentration of 0.1 mg/ml was prepared by diluting the compound of the present invention with acetone. After 10 ml of the chemical solution was added dropwise in 10 g of bran, 20 adults of rust-red flour beetle (*Tribolium castaneum*) were left therein, and contained at a thermostat chamber at 25°C. A number of dead insect(s) after 2 months was counted and a rate of dead insects was calculated by the calculation equation similar to that in Test Example 1. Incidentally, the test was carried out with two districts.

As a result, the following compounds showed an insecticidal rate of 80% or more among the compounds tested.


The compounds of the present invention: No. 5-234.

Industrial Applicability

[0278] The isoxazoline-substituted benzanilide compounds according to the present invention are extremely useful compounds showing an excellent pesticidal activity, particularly an insecticidal and acaricidal activity, and causing little adverse effect against non-targeted beings such as mammals, fishes and useful insects.

CLAIMS

1. An isoxazoline-substituted benzamide compound of formula (1) or a salt thereof:



wherein A¹, A² and A³ independently of one another are carbon atom or nitrogen atom,

G is benzene ring, nitrogen-containing 6-membered aromatic heterocyclic ring, furan ring, thiophene ring, or 5-membered aromatic heterocyclic ring containing two or more hetero atoms selected from oxygen atom, sulfur atom and nitrogen atom, W is oxygen atom or sulfur atom,

X is halogen atom, cyano, nitro, azido, -SCN, -SF₅, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, C₃-C₈cycloalkyl, C₃-C₈cycloalkyl arbitrarily substituted with R⁴, C₂-C₆alkenyl, C₂-C₆alkenyl arbitrarily substituted with R⁴, C₃-C₈cycloalkenyl, C₃-C₈halocycloalkenyl, C₂-C₆alkynyl, C₂-C₆alkynyl arbitrarily substituted with R⁴, -OH, -OR⁵, -OSO₂R⁵, -SH, -S(O)_rR⁵, -N=CHOR⁸, -N=C(R⁹)OR⁸, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -CH=NOR¹¹, -C(R⁹)=NOR¹¹, -S(O)₂OR⁹, -S(O)₂NHR¹⁰, -S(O)₂N(R¹⁰)R⁹, -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49, when m is 2, 3, 4 or 5, each X may be identical with or different from each other,

further, when two Xs are adjacent, the adjacent two Xs may form 5-membered or 6-membered ring together with carbon atoms to which the two Xs are bonded by forming -CH₂CH₂CH₂-, -CH₂CH₂O-, -CH₂OCH₂-, -OCH₂O-, -CH₂CH₂S-, -CH₂SCH₂-, -CH₂CH₂N(R¹⁵)-, -CH₂N(R¹⁵)CH₂-, -CH₂CH₂CH₂CH₂-, -CH₂CH₂CH₂O-, -CH₂CH₂OCH₂-, -CH₂OCH₂O-, -OCH₂CH₂O-, -OCH₂CH₂S-, -CH₂CH=CH-, -OCH=CH-, -SCH=CH-, -N(R¹⁵)CH=CH-, -OCH=N-, -SCH=N-, -N(R¹⁵)CH=N-, -N(R¹⁵)N=CH-, -CH=CHCH=CH-, -OCH₂CH=CH-, -N=CHCH=CH-, -N=CHCH=N- or -N=CHN=CH-, in this case, hydrogen atoms bonded to each carbon atom forming

the ring may be arbitrarily substituted with Z, further when the hydrogen atoms are substituted with two or more Zs at the same time, each Z may be identical with or different from each other,

Y is halogen atom, cyano, nitro, azido, -SCN, -SF₅, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, C₃-C₈cycloalkyl, C₃-C₈cycloalkyl arbitrarily substituted with R⁴, -OH, -OR⁵, -OSO₂R⁵, -SH, -S(O)₂R⁵, -NHR⁷, -N(R⁷)R⁶, -N=CHOR⁸, -N=C(R⁹)OR⁸, -C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49, when n is 2, 3 or 4, each Y may be identical with or different from each other,


further, when two Ys are adjacent, the adjacent two Ys may form 5-membered or 6-membered ring together with carbon atoms to which the two Ys are bonded by forming -CH₂CH₂CH₂-, -CH₂CH₂O-, -CH₂OCH₂-, -OCH₂O-, -CH₂CH₂S-, -CH₂SCH₂-, -SCH₂S-, -CH₂CH₂CH₂CH₂-, -CH₂CH₂CH₂O-, -CH₂CH₂OCH₂-, -CH₂OCH₂O-, -OCH₂CH₂O-, -OCH₂CH₂S-, -SCH₂CH₂S-, -OCH=N- or -SCH=N-, in this case, hydrogen atoms bonded to each carbon atom forming the ring may be arbitrarily substituted with Z, further when the hydrogen atoms are substituted with two or more Zs at the same time, each Z may be identical with or different from each other,

R¹ and R² independently of each other are hydrogen atom, cyano, C₁-C₁₂alkyl, C₁-C₁₂alkyl arbitrarily substituted with R¹⁶, C₃-C₁₂cycloalkyl, C₃-C₁₂cycloalkyl arbitrarily substituted with R¹⁶, C₃-C₁₂alkenyl, C₃-C₁₂alkenyl arbitrarily substituted with R¹⁶, C₃-C₁₂cycloalkenyl, C₃-C₁₂halocycloalkenyl, C₃-C₁₂alkynyl, C₃-C₁₂alkynyl arbitrarily substituted with R¹⁶, -SR⁹, -S(O)₂R⁹, -SN(R¹⁸)R¹⁷, -S(O)₂N(R¹⁰)R⁹, -OH, -OR¹⁹, -NHR²⁰, -N(R²⁰)R¹⁹, -N=CHR^{19b}, -N=C(R^{19b})R^{19a}, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)N(R¹⁰)R⁹, -C(=NR¹¹)OR⁹, -C(=NR¹¹)SR⁹, -C(=NR¹¹)N(R¹⁰)R⁹, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-6 to D-13, D-15 to D-23, D-25 to D-37, D-39, D-40, D-42, D-45 to D-60, E-3 to E-9, E-23 to E-28, E-30, E-31, E-34 or E-45, or R¹ and R² together form =C(R^{2a})R^{1a}, and further R¹ and R² together may form 3- to 8-membered ring together with the nitrogen atom bonding them by forming C₂-C₇ alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxy (C₁-C₆)alkyl, C₁-C₆alkoxy, formyl, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl or C₁-C₆alkoxycarbonyl, R^{1a} and R^{2a} independently of each other are C₁-C₁₂alkyl, C₁-C₁₂haloalkyl, C₃-C₁₂cycloalkyl, C₃-C₁₂alkenyl, C₃-C₁₂haloalkenyl, C₃-C₁₂alkynyl, C₃-C₁₂haloalkynyl, -SR⁹, -OR⁹, -N(R¹⁰)R⁹, phenyl, phenyl substituted with (Z)_{p1}, or R^{1a} and R^{2a} together


may form 5- or 6-membered ring together with the carbon atom bonding them by forming C₄ or C₅ alkylene chain or C₄ or C₅ alkenylene chain, in this case, the alkylene chain and the alkenylene chain may contain one to three oxygen atoms, sulfur atoms or nitrogen atoms, and may be arbitrarily substituted with halogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio or C₁-C₆haloalkylthio,

R³ is halogen atom, cyano, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, C₃-C₈cycloalkyl, C₃-C₈cycloalkyl arbitrarily substituted with R⁴, C₃-C₆alkenyl, C₂-C₆alkenyl arbitrarily substituted with R⁴, C₃-C₆alkynyl, C₂-C₆alkynyl arbitrarily substituted with R⁴, -OR⁵, -S(O)_rR⁵, -N(R¹⁰)R⁹, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -CH=NOR¹¹, -C(R⁹)=NOR¹¹, -Si(R¹³)(R¹⁴)R¹², -P(O)(OR²¹)₂, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,


D-1 to D-60 are aromatic heterocyclic rings of the following formulae, respectively




D-1




D-2




D-3




D-4




D-5




D-6




D-7




D-8




D-9




D-10




D-11




D-12




D-13




D-14




D-15




D-16




D-17




D-18




D-19




D-20




D-21




D-22




D-23




D-24




D-25




D-26




D-27




D-28




D-29




D-30




D-31




D-32




D-33




D-34




D-35




D-36




D-37




D-38




D-39




D-40




D-41




D-42




D-43




D-44



D-45




D-46



Z is halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄haloalkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄haloalkylthio C₁-C₄alkyl, C₁-C₄alkylsulfinyl C₁-C₄alkyl, C₁-C₄haloalkylsulfinyl C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-C₄haloalkylsulfonyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, -OH, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylsulfonyloxy, C₁-C₆haloalkylsulfonyloxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfinyl, C₁-C₆haloalkylsulfinyl, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, -NH₂, C₁-C₆alkylamino, di(C₁-C₆alkyl)amino, C₁-C₆alkoxycarbonyl, C₁-C₆haloalkoxycarbonyl, -C(O)NH₂, C₁-C₆alkylaminocarbonyl, di(C₁-C₆alkyl)aminocarbonyl, -C(S)NH₂, -S(O)₂NH₂, C₁-C₆alkylaminosulfonyl, di(C₁-C₆alkyl)aminosulfonyl, phenyl or phenyl arbitrarily substituted with halogen atom, when p₁, p₂, p₃ or p₄ is an integer of 2 or more, each Z may be identical with or different from each other,

further, when two Zs are adjacent, the adjacent two Zs may form 5-membered or 6-membered ring together with carbon atoms to which the two Zs are bonded by forming -CH₂CH₂CH₂-, -CH₂CH₂O-, -CH₂OCH₂-, -OCH₂O-, -CH₂CH₂S-, -CH₂SCH₂-, -CH₂CH₂CH₂CH₂-, -CH₂CH₂CH₂O-, -CH₂CH₂OCH₂-, -CH₂OCH₂O-, -OCH₂CH₂O-, -CH₂CH₂CH₂S-, -OCH₂CH₂S- or -CH=CH-CH=CH-, in this case, hydrogen atoms bonded to each carbon atom forming the ring may be arbitrarily substituted with halogen atom, C₁-C₄alkyl or C₁-C₄haloalkyl,

E-1 to E-49 are saturated heterocyclic rings of the following formulae, respectively




E-1

E-2

E-3

E-4

E-5




E-6

E-7

E-8

E-9

E-10




E-11

E-12

E-13

E-14

E-15




E-16

E-17

E-18

E-19

E-20




E-21

E-22

E-23

E-24

E-25




E-26

E-27

E-28

E-29

E-30



R^4 is halogen atom, cyano, C_3 - C_8 cycloalkyl, C_3 - C_8 halocycloalkyl, $-OH$, $-OR^5$, $-SH$, $-S(O)_2R^5$, $-N(R^{10})R^9$, $-N(R^{10})CHO$, $-N(R^{10})C(O)R^9$, $-N(R^{10})C(O)OR^9$, $-N(R^{10})C(O)SR^9$, $-N(R^{10})C(S)OR^9$, $-N(R^{10})C(S)SR^9$, $-N(R^{10})S(O)_2R^9$, $-C(O)OR^9$, $-C(O)N(R^{10})R^9$, $-Si(R^{13})(R^{14})R^{12}$, phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-60 or E-1 to E-49, R^5 is C_1 - C_6 alkyl, C_1 - C_6 alkyl arbitrarily substituted with R^{24} , C_3 - C_8 cycloalkyl, C_3 - C_8 cycloalkyl arbitrarily substituted with R^{24} , C_2 - C_6 alkenyl, C_2 - C_6 alkenyl arbitrarily substituted with R^{24} , C_3 - C_8 cycloalkenyl, C_3 - C_8 halocycloalkenyl, C_3 - C_6 alkynyl, C_3 - C_6 alkynyl arbitrarily substituted with R^{24} , phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-4, D-6 to D-13, D-15 to D-23, D-25 to D-35, D-39, D-40, D-42, D-45 to D-60, E-3 to E-9, E-23 to E-31, E-34 or E-45,

R^6 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl, C_1 - C_4 alkyl, C_1 - C_4 alkoxy C_1 - C_4 alkyl, C_1 - C_4 alkylthio C_1 - C_4 alkyl, phenylthio C_1 - C_4 alkyl, phenylthio C_1 - C_4 alkyl substituted with

(Z)_{p1}, cyano C₁-C₆alkyl, C₁-C₆alkoxycarbonyl C₁-C₄alkyl, C₁-C₆alkylaminocarbonyl C₁-C₄alkyl, di(C₁-C₆alkyl)aminocarbonyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₁-C₄alkyl substituted with any one of D-1 to D-60, C₁-C₄alkyl substituted with any one of E-1 to E-49, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -OH, C₁-C₆alkylcarbonyloxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, phenylthio, phenylthio substituted with (Z)_{p1}, -SN(R¹⁸)R¹⁷, -S(O)₂R⁹, -S(O)₂N(R¹⁰)R⁹, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -C(O)C(O)R⁹, -C(O)C(O)OR⁹, -P(O)(OR²¹)₂ or -P(S)(OR²¹)₂,

R⁷ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₈cycloalkyl C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₃-C₈cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl or C₁-C₆alkoxycarbonyl, or R⁷ together with R⁶ may form 3- to 7-membered ring with the bonding nitrogen atom by forming C₂-C₆alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom, C₁-C₆alkyl or C₁-C₆haloalkyl,

R⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆alkenyl, phenyl or phenyl substituted with (Z)_{p1}, R⁹ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆haloalkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, C₁-C₆haloalkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₁-C₄alkyl substituted with any one of D-1 to D-60, C₁-C₄alkyl substituted with any one of E-1 to E-49, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,

R¹⁰ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl, R¹⁰ together with R⁹ may form 3- to 7-membered ring with the atom bonding them by forming C₂-C₆alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom, C₁-C₆alkyl, C₁-C₆alkoxy, formyl, C₁-C₆alkylcarbonyl or C₁-C₆alkoxycarbonyl,

R¹¹ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl or phenyl that may be substituted with (Z)_{p1}, R¹¹ together with

R⁹ may form 5- to 7-membered ring with the atom bonding them by forming C₂-C₄alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom or C₁-C₆alkyl,

R¹² is C₁-C₆alkyl, C₁-C₆haloalkyl, phenyl or phenyl substituted with (Z)_{p1},


R¹³ and R¹⁴ independently of each other are C₁-C₆alkyl or C₁-C₆haloalkyl,

R¹⁵ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxycarbonyl C₁-C₄alkyl, C₁-C₆haloalkoxycarbonyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, C₁-C₆alkoxy, C₁-C₆alkoxycarbonyl, C₁-C₆haloalkoxycarbonyl, phenyl or phenyl substituted with (Z)_{p1},

further, in case where Z is present in an adjacent position of R¹⁵, the adjacent R¹⁵ and Z may form 6-membered ring together with the atom bonding them by forming -CH₂CH₂CH₂CH₂-, -CH=CH-CH=CH-, -N=CH-CH=CH-, -CH=N-CH=CH-, -CH=CH-N=CH- or -CH=CH-CH=N-, in this case, hydrogen atoms bonded to each carbon atom forming the ring may be arbitrarily substituted with halogen atom, C₁-C₄alkyl or C₁-C₄haloalkyl,

R¹⁶ is halogen atom, cyano, nitro, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, -OR²⁵, -N(R²⁶)R²⁵, -SH, -S(O)_rR²⁷, -SO₂NHR²⁹, -SO₂N(R²⁹)R²⁸, -CHO, -C(O)R²⁸, -C(O)OH, -C(O)OR²⁸, -C(O)SR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, -C(O)C(O)OR²⁸, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, -C(=NR³¹)OR³⁰, -C(=NR³¹)SR³⁰, -C(=NR³¹)N(R²⁹)R³⁰, -C(=NOR³¹)NHR²⁹, -C(=NOR³¹)N(R²⁹)R³⁰, -Si(R¹³)(R¹⁴)R¹², -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, -P(phenyl)₂, -P(O)(phenyl)₂, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60, E-1 to E-49 or M-1 to M-22,

M-1 to M-22 are partially saturated heterocyclic rings of the following formulae, respectively



R^{17} is C_1 - C_{12} alkyl, C_1 - C_{12} haloalkyl, C_1 - C_{12} alkoxy C_1 - C_{12} alkyl, cyano C_1 - C_{12} alkyl, C_1 - C_{12} alkoxycarbonyl C_1 - C_{12} alkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with $(Z)_{p1}$, C_3 - C_{12} alkenyl, C_3 - C_{12} haloalkenyl, C_3 - C_{12} alkynyl, C_3 - C_{12} haloalkynyl, C_1 - C_{12} alkylcarbonyl, C_1 - C_{12} alkoxycarbonyl, $-C(O)ON=C(CH_3)SCH_3$, $-C(O)ON=C(SCH_3)C(O)N(CH_3)_2$, phenyl or phenyl substituted with $(Z)_{p1}$,
 R^{18} is C_1 - C_{12} alkyl, C_1 - C_{12} haloalkyl, C_1 - C_{12} alkoxy C_1 - C_{12} alkyl, cyano C_1 - C_{12} alkyl,

C₁-C₁₂alkoxycarbonyl C₁-C₁₂alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₁₂alkenyl, C₃-C₁₂haloalkenyl, C₃-C₁₂alkynyl, C₃-C₁₂haloalkynyl, phenyl or phenyl substituted with (Z)_{p1}, or R¹⁸ together with R¹⁷ may form 5- to 8-membered ring with the nitrogen atom bonding them by forming C₄-C₇alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom, and may be arbitrarily substituted with C₁-C₄alkyl or C₁-C₄alkoxy,

R¹⁹ is hydrogen atom, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -CHO, -C(O)R²⁸, -C(O)OR²⁸, -C(O)SR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, -S(O)₂R²⁸, -S(O)₂NHR²⁹, -S(O)₂N(R²⁹)R²⁸, -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-13, D-15 to D-25, D-30 to D-37, D-39, D-40, D-42, D-45 to D-60, E-5, E-7, E-9, E-24, E-25, E-27, E-28, E-30 or E-31,

R^{19a} is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,

R^{19b} is hydrogen atom or C₁-C₆alkyl, or R^{19a} together with R^{19b} may form 4- to 6-membered ring with the carbon atom bonding them by forming C₃-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with C₁-C₆alkyl, formyl, C₁-C₆alkylcarbonyl or C₁-C₆alkoxycarbonyl,

R²⁰ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄haloalkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄haloalkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-C₄haloalkylsulfonyl C₁-C₄alkyl, cyano C₁-C₆alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, C₂-C₆alkenyl, C₂-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹, -C(S)SR⁹, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,

R²¹ is C₁-C₆alkyl or C₁-C₆haloalkyl,

R²² is halogen atom, cyano, C₁-C₆alkyl, C₁-C₆haloalkyl, hydroxy C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, C₁-C₆alkoxy, C₁-C₆alkylthio, C₁-C₆alkylamino, di(C₁-C₄alkyl)amino, C₁-C₆alkoxycarbonyl, phenyl or phenyl substituted with (Z)_{p1}, when q₁, q₂, q₃ or q₄ is an integer of 2 or more, each R²² may be identical with or different from each other, further in case where two R²²s are present on the same carbon atom, the two R²²s together may form oxo, thioxo, imino,

C_1 - C_6 alkylimino, C_1 - C_6 alkoxyimino or C_1 - C_6 alkylidene,
 R^{23} is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_6 alkyl substituted with R^{32} , C_3 - C_6 cycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 haloalkenyl, C_3 - C_6 alkynyl, -OH, benzyloxy, -CHO, -C(O) R^{33} , -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴) R^{33} , -C(S)NHR³⁴, -C(S)N(R³⁴) R^{33} , -S(O)₂ R^{33} , -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, phenyl, phenyl substituted with (Z)_{p1} or D-5, R^{24} is halogen atom, cyano, C_3 - C_8 cycloalkyl, C_3 - C_8 halocycloalkyl, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_1 - C_6 alkylthio, C_1 - C_6 haloalkylthio, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl, C_1 - C_6 alkylamino, di(C_1 - C_6 alkyl)amino, -CHO, C_1 - C_6 alkylcarbonyl, C_1 - C_6 haloalkylcarbonyl, C_1 - C_6 alkoxycarbonyl, C_1 - C_6 haloalkoxycarbonyl, -CH=NOR¹¹, -C(R⁹)=NOR¹¹, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49, R^{25} is hydrogen atom, C_1 - C_8 alkyl, C_1 - C_8 alkyl arbitrarily substituted with R^{32} , C_3 - C_8 cycloalkyl, C_3 - C_8 cycloalkyl arbitrarily substituted with R^{32} , C_3 - C_8 alkenyl, C_3 - C_8 alkenyl arbitrarily substituted with R^{32} , C_3 - C_8 alkynyl, C_3 - C_8 alkynyl arbitrarily substituted with R^{32} , -CHO, -C(O) R^{33} , -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴) R^{33} , -C(O)C(O) R^{33} , -C(O)C(O)OR³³, -C(S) R^{33} , -C(S)OR³³, -C(S)SR³³, -C(S)NHR³⁴, -C(S)N(R³⁴) R^{33} , -S(O)₂ R^{33} , -S(O)₂N(R³⁴) R^{33} , -Si(R¹³)(R¹⁴) R^{12} , -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-6 to D-13, D-15 to D-23, D-25 to D-37, D-39, D-40, D-42, D-45 to D-60, E-3 to E-9, E-23 to E-31, E-34 or E-45, R^{26} is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_4 alkoxy C_1 - C_4 alkyl, C_1 - C_4 alkylthio C_1 - C_4 alkyl, C_3 - C_6 cycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 alkynyl or C_1 - C_6 alkoxy, or R^{26} together with R^{25} may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C_2 - C_5 alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be substituted with halogen atom, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_6 alkoxy, phenyl, phenyl substituted with (Z)_{p1}, oxo or thioxo, R^{27} is C_1 - C_8 alkyl, C_1 - C_8 alkyl arbitrarily substituted with R^{32} , C_3 - C_8 cycloalkyl, C_3 - C_8 cycloalkyl arbitrarily substituted with R^{32} , C_3 - C_8 alkenyl, C_3 - C_8 alkenyl arbitrarily substituted with R^{32} , C_3 - C_8 alkynyl, C_3 - C_8 alkynyl arbitrarily substituted with R^{32} , -SH, C_1 - C_6 alkylthio, C_1 - C_6 haloalkylthio, phenylthio, phenylthio substituted with (Z)_{p1}, -CHO, -C(O) R^{33} , -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴) R^{33} , -C(O)C(O) R^{33} , -C(O)C(O)OR³³, -C(S) R^{33} , -C(S)OR³³, -C(S)SR³³, -C(S)NHR³⁴, -C(S)N(R³⁴) R^{33} , -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, phenyl, phenyl substituted with (Z)_{p1}, D-18, D-21, D-25, D-30 to D-35, D-47, D-50, D-51, E-3 to E-9, E-23 to E-31, E-34 or E-45, R^{28} is C_1 - C_6 alkyl, C_1 - C_6 alkyl arbitrarily substituted with R^{32} , C_3 - C_8 cycloalkyl, C_3 -

C_8 cycloalkyl arbitrarily substituted with R^{32} , C_2 - C_6 alkenyl C_3 - C_8 cycloalkyl, C_2 - C_6 haloalkenyl C_3 - C_8 cycloalkyl, C_2 - C_6 alkenyl, C_2 - C_6 alkenyl arbitrarily substituted with R^{32} , C_2 - C_8 alkynyl, C_2 - C_8 alkynyl arbitrarily substituted with R^{32} , phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-60 or E-1 to E-49,

R^{29} is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_6 alkyl arbitrarily substituted with R^{32} , C_3 - C_6 alkenyl, C_3 - C_6 haloalkenyl, C_3 - C_6 alkynyl, C_3 - C_6 haloalkynyl, phenyl or phenyl substituted with $(Z)_{p1}$, or R^{29} together with R^{28} may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C_2 - C_5 alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom, C_1 - C_6 alkyl, C_1 - C_6 alkoxy, formyl, C_1 - C_6 alkylcarbonyl, C_1 - C_6 alkoxycarbonyl, phenyl or phenyl substituted with $(Z)_{p1}$,

R^{30} is C_1 - C_8 alkyl, C_1 - C_8 alkyl arbitrarily substituted with R^{32} , C_3 - C_8 cycloalkyl, C_3 - C_8 alkenyl, C_3 - C_8 alkenyl arbitrarily substituted with R^{32} , C_3 - C_8 alkynyl, C_3 - C_8 alkynyl arbitrarily substituted with R^{32} ,

R^{31} is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl C_1 - C_4 alkyl, C_1 - C_6 alkoxy C_1 - C_4 alkyl, C_1 - C_6 haloalkoxy C_1 - C_4 alkyl, C_1 - C_6 alkylthio C_1 - C_4 alkyl, C_1 - C_6 haloalkylthio C_1 - C_4 alkyl, C_1 - C_6 alkylsulfonyl C_1 - C_4 alkyl, C_1 - C_6 haloalkylsulfonyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with $(Z)_{p1}$, C_3 - C_6 cycloalkyl, phenyl or phenyl substituted with $(Z)_{p1}$, or R^{31} together with R^{30} may form 5- to 7-membered ring with the atom bonding them by forming C_2 - C_4 alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom or C_1 - C_6 alkyl,

R^{32} is halogen atom, cyano, nitro, C_3 - C_8 cycloalkyl, C_3 - C_8 halocycloalkyl, -OH, -OR³³, -OC(O)R³³, -OC(O)OR³³, -OC(O)NHR³³, -OC(O)N(R³⁴)R³³, -OC(S)NHR³³, -OC(S)N(R³⁴)R³³, -SH, -S(O)_rR³³, -SC(O)R³³, -SC(O)OR³³, -SC(O)NHR³³, -SC(O)N(R³⁴)R³³, -SC(S)NHR³³, -SC(S)N(R³⁴)R³³, -NHR³⁴, -N(R³⁴)R³³, -N(R³⁴)CHO, -N(R³⁴)C(O)R³³, -N(R³⁴)C(O)OR³³, -N(R³⁴)C(O)NHR³³, -N(R³⁴)C(O)N(R³⁴)R³³, -N(R³⁴)C(S)NHR³³, -N(R³⁴)C(S)N(R³⁴)R³³, -CHO, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(O)C(O)OR³³, -CH=NOR¹¹, -C(R⁹)=NOR¹¹, -Si(R¹³)(R¹⁴)R¹², -P(O)(OR²¹)₂, -P(S)(OR²¹)₂, -P(phenyl)₂, -P(O)(phenyl)₂, phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-60 or E-1 to E-49,


R^{33} is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl C_1 - C_4 alkyl, C_3 - C_6 halocycloalkyl C_1 - C_4 alkyl, C_1 - C_4 alkoxy C_1 - C_4 alkyl, C_1 - C_4 haloalkoxy C_1 - C_4 alkyl, C_1 - C_4 alkylthio C_1 - C_4 alkyl, C_1 - C_4 haloalkylthio C_1 - C_4 alkyl, C_1 - C_4 alkylsulfonyl C_1 - C_4 alkyl, C_1 - C_4 haloalkylsulfonyl C_1 - C_4 alkyl, cyano C_1 - C_6 alkyl, C_1 - C_6 alkylcarbonyl C_1 - C_4 alkyl, C_1 -

C_6 haloalkylcarbonyl C_1 - C_4 alkyl, C_1 - C_6 alkoxycarbonyl C_1 - C_4 alkyl, di(C_1 - C_6 alkyl)aminocarbonyl C_1 - C_4 alkyl, tri(C_1 - C_4 alkyl)silyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl, phenyl C_1 - C_4 alkyl substituted with (Z)_{p1}, C_1 - C_4 alkyl substituted with any one of D-1 to D-60, C_1 - C_4 alkyl substituted with any one of E-1 to E-49, C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, C_2 - C_6 alkenyl C_3 - C_8 cycloalkyl, C_2 - C_6 haloalkenyl C_3 - C_8 cycloalkyl, C_2 - C_8 alkenyl, C_2 - C_8 haloalkenyl, C_3 - C_8 cycloalkenyl, C_3 - C_8 halocycloalkenyl, C_2 - C_8 alkynyl, C_2 - C_8 haloalkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49, R^{34} is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_8 cycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 alkynyl, C_1 - C_6 alkylcarbonyl, C_1 - C_6 haloalkylcarbonyl, C_1 - C_6 alkoxycarbonyl, C_1 - C_6 haloalkoxycarbonyl, phenoxycarbonyl, phenoxycarbonyl substituted with (Z)_{p1}, phenylcarbonyl, phenylcarbonyl substituted with (Z)_{p1}, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-6 to D-13, D-15 to D-23, D-25 to D-37, D-39, D-40, D-42, D-45 to D-60, E-3 to E-9, E-23 to E-31, E-34 or E-45, or R^{34} together with R^{33} may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C_2 - C_5 alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with halogen atom, C_1 - C_6 alkyl, C_1 - C_6 alkoxy, formyl, C_1 - C_6 alkylcarbonyl, C_1 - C_6 alkoxycarbonyl, phenyl or phenyl substituted with (Z)_{p1}, m is an integer of 0 to 5, n is an integer of 0 to 4, p1 is an integer of 1 to 5, p2 is an integer of 0 to 4, p3 is an integer of 0 to 3, p4 is an integer of 0 to 2, p5 is an integer of 0 or 1, q1 is an integer of 0 to 3, q2 is an integer of 0 to 5, q3 is an integer of 0 to 7, q4 is an integer of 0 to 9, r is an integer of 0 to 2, and t is an integer of 0 or 1.


2. The isoxazoline-substituted benzamide compound or the salt thereof according to claim 1, wherein

G is an aromatic 6-membered ring shown in any one of G-1 to G-10 or an aromatic


5-membered ring shown in any one of G-11 to G-25




G - 1




G - 2




G - 3




G - 4




G - 5




G - 6




G - 7




G - 8




G - 9




G - 10




G - 11




G - 12




G - 13




G - 14




G - 15




G - 16




G - 17




G - 18




G - 19




G - 20




G - 21




G - 22



G - 23



G - 24



G - 25

X is halogen atom, cyano, nitro, $-\text{SF}_5$, C_1 - C_6 alkyl, C_1 - C_6 alkyl arbitrarily substituted with R^4 , C_3 - C_8 cycloalkyl, C_3 - C_8 cycloalkyl arbitrarily substituted with R^4 , C_2 - C_6 alkenyl, C_2 - C_6 alkenyl arbitrarily substituted with R^4 , C_2 - C_6 alkynyl, C_2 - C_6 alkynyl arbitrarily substituted with R^4 , $-\text{OH}$, $-\text{OR}^5$, $-\text{OSO}_2\text{R}^5$, $-\text{S}(\text{O})_r\text{R}^5$, $-\text{C}(\text{O})\text{OR}^9$, $-\text{C}(\text{O})\text{SR}^9$,

-C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹,
 -CH=NOR¹¹, -C(R⁹)=NOR¹¹, -S(O)₂NHR¹⁰, -S(O)₂N(R¹⁰)R⁹,
 -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,
 when m is an integer of 2 or more, each X may be identical with or different from
 each other,

further, when two Xs are adjacent, the adjacent two Xs may form 5-membered or 6-
 membered ring together with carbon atoms to which the two Xs are bonded by
 forming -CH₂CH₂CH₂-, -CH₂CH₂O-, -CH₂OCH₂-, -OCH₂O-, -CH₂CH₂S-, -CH₂SCH₂-,
 -CH₂CH₂CH₂CH₂-, -CH₂CH₂CH₂O-, -CH₂CH₂OCH₂-, -CH₂OCH₂O-, -OCH₂CH₂O-,
 -OCH₂CH₂S- or -CH=CHCH=CH-, in this case, hydrogen atoms bonded to each
 carbon atom forming the ring may be arbitrarily substituted with halogen atom, C₁-
 C₄alkyl or C₁-C₄haloalkyl,

Y is halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴,
 -OR⁵, -OSO₂R⁵, -S(O)₂R⁵, -NHR⁷, -N(R⁷)R⁶, -N=CHOR⁸, -N=C(R⁹)OR⁸, -C(O)NHR¹⁰,
 -C(O)N(R¹⁰)R⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, phenyl, phenyl substituted with (Z)_{p1}, D-1
 to D-24, D-30 to D-38, D-43 to D-52 or D-53, when n is an integer of 2 or more, each
 Y may be identical with or different from each other,

further, when two Ys are adjacent, the adjacent two Ys may form 5-membered or 6-
 membered ring together with carbon atoms to which the two Ys are bonded by
 forming -CH₂CH₂CH₂-, -CH₂CH₂O-, -CH₂OCH₂-, -OCH₂O-, -CH₂CH₂CH₂CH₂-,
 -CH₂CH₂CH₂O-, -CH₂CH₂OCH₂-, -CH₂OCH₂O-, -OCH₂CH₂O-, -OCH=N- or -SCH=N-,
 in this case, hydrogen atoms bonded to each carbon atom forming the ring may be
 arbitrarily substituted with halogen atom, C₁-C₄alkyl or C₁-C₄haloalkyl,

R¹ is C₁-C₈alkyl, C₁-C₈alkyl arbitrarily substituted with R¹⁶, C₃-C₈cycloalkyl, C₃-
 C₈halocycloalkyl, C₃-C₈alkenyl, C₃-C₈haloalkenyl, phenyl C₃-C₆alkenyl, phenyl C₃-
 C₆alkenyl substituted with (Z)_{p1}, C₃-C₈alkynyl, C₃-C₈haloalkynyl, phenyl C₃-C₆alkynyl,
 phenyl C₃-C₆alkynyl substituted with (Z)_{p1}, C₁-C₈alkoxy, -N(R²⁰)R¹⁹, -N=CHR^{19b},
 -N=C(R^{19b})R^{19a}, -C(O)N(R¹⁰)R⁹, -C(S)N(R¹⁰)R⁹, -C(=NR¹¹)OR⁹, -C(=NR¹¹)SR⁹,
 -C(=NR¹¹)N(R¹⁰)R⁹, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-6 to D-13, D-
 15 to D-23, D-26, D-27, D-29 to D-37, D-39, D-40, D-42, D-45 to D-58, E-4 to E-9,
 E-23 to E-28, E-30, E-31, E-34 or E-45,

R² is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-
 C₄alkoxy C₁-C₄alkyl, C₁-C₄haloalkoxy C₁-C₄alkyl, benzyloxy C₁-C₄alkyl, C₁-C₄alkylthio
 C₁-C₄alkyl, C₁-C₄haloalkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-
 C₄haloalkylsulfonyl C₁-C₄alkyl, phenylthio C₁-C₄alkyl, phenylthio C₁-C₄alkyl

substituted with (Z)_{p1}, cyano C₁-C₆alkyl, nitro C₁-C₆alkyl, C₁-C₄alkylcarbonyl C₁-C₄alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, -SR⁹, -S(O)₂R⁹, -SN(R¹⁸)R¹⁷, -OH, -OR¹⁹, -NHR²⁰, -N(R²⁰)R¹⁹, -N=CHR^{19b}, -N=C(R^{19b})R^{19a}, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹, -C(S)SR⁹, phenyl, phenyl substituted with (Z)_{p1},

or R¹ and R² together form =C(R^{2a})R^{1a}, and further R¹ and R² together may form 3- to 7-membered ring together with the nitrogen atom bonding them by forming C₂ to C₆ alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be arbitrarily substituted with C₁-C₆alkyl, formyl, C₁-C₆alkylcarbonyl or C₁-C₆alkoxycarbonyl,

R^{1a} and R^{2a} together may form 5- or 6-membered ring together with the carbon atom bonding them by forming C₄ or C₅ alkylene chain or C₄ or C₅ alkenylene chain, in this case, the alkylene chain and the alkenylene chain may contain one to three oxygen atoms, sulfur atoms or nitrogen atoms, and may be arbitrarily substituted with halogen atom or C₁-C₆alkyl,

R³ is cyano, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -OR⁵, -S(O)₂R⁵, -N(R¹⁰)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(O)NHR¹⁰, -C(O)N(R¹⁰)R⁹, -C(S)OR⁹, -C(S)SR⁹, -C(S)NHR¹⁰, -C(S)N(R¹⁰)R⁹, -CH=NOR¹¹, -C(R⁹)=NOR¹¹, -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-13, D-15 to D-23, D-25 to D-37, D-39, D-40, D-42, D-45 to D-60 or E-4 to E-7, E-23 to E-27 or E-28,

R⁴ is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, -OH, -OR⁵, -S(O)₂R⁵, -N(R¹⁰)R⁹, -N(R¹⁰)C(O)R⁹, -N(R¹⁰)C(O)OR⁹, -N(R¹⁰)C(O)SR⁹, -N(R¹⁰)C(S)OR⁹, -N(R¹⁰)C(S)SR⁹, -N(R¹⁰)S(O)₂R⁹, -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-5, D-8 to D-38, D-41, D-43, D-44, D-47 to D-52 or D-53,

R⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₃haloalkoxy C₁-C₃haloalkyl, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₂-C₆alkenyl, C₂-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-7, D-9, D-15 to D-23, D-30 to D-35, D-47 to D-53, E-3 to E-9, E-23 to E-27 or E-28,

R⁶ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, -S(O)₂R⁹, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹ or -C(S)SR⁹,

R⁷ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,

R⁸ is C₁-C₆alkyl,

R⁹ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-6 to D-35, D-38, D-47 to D-54 or D-55,

R¹⁰ is hydrogen atom or C₁-C₆alkyl, or R¹⁰ together with R⁹ may form 5- to 7-membered ring with the nitrogen atom bonding them by forming C₄-C₆alkylene chain, in this case, the alkylene chain may contain oxygen atom or sulfur atom,

R¹¹ is C₁-C₆alkyl, C₁-C₆haloalkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, phenyl or phenyl substituted with (Z)_{p1}, or R¹¹ together with R⁹ may form 5- or 6-membered ring with the atom bonding them by forming C₂-C₃alkylene chain, in this case, the alkylene chain may be arbitrarily substituted with C₁-C₆alkyl,

R¹² is C₁-C₆alkyl, phenyl or phenyl substituted with (Z)_{p1},

R¹³ and R¹⁴ independently of each other are C₁-C₆alkyl,

R¹⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, phenyl or phenyl substituted with (Z)_{p1},

R¹⁶ is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, -OR²⁵, -N(R²⁶)R²⁵, -SH, -S(O)_rR²⁷, -SO₂NHR²⁹, -SO₂N(R²⁹)R²⁸, -CHO, -C(O)R²⁸, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(O)N(R²⁹)OR²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, -C(=NR³¹)OR³⁰, -C(=NR³¹)SR³⁰, -C(=NR³¹)N(R²⁹)R³⁰, -C(=NOR³¹)NHR²⁹, -C(=NOR³¹)N(R²⁹)R³⁰, -Si(R¹³)(R¹⁴)R¹², phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60, E-1 to E-49 or M-1 to M-22,

R¹⁷ is C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₆alkoxycarbonyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1} or C₁-C₆alkoxycarbonyl,

R¹⁸ is C₁-C₆alkyl, phenyl C₁-C₄alkyl or phenyl C₁-C₄alkyl substituted with (Z)_{p1}, or R¹⁸ together with R¹⁷ may form 5- or 6-membered ring with the nitrogen atom bonding them by forming C₄-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom, and may be arbitrarily substituted with methyl or methoxy,

R¹⁹ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, -CHO, -C(O)R²⁸, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, -S(O)₂R²⁸, -S(O)₂NHR²⁹, -S(O)₂N(R²⁹)R²⁸, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-13, D-15 to D-25, D-30 to D-37, D-39, D-40, D-42, D-45 to D-60, E-5, E-7, E-9, E-24, E-25,

E-27, E-28, E-30 or E-31,

R^{19a} is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-10, D-15 to D-23, D-47 to D-55, E-4 to E-7, E-23 to E-27 or E-28,

R^{19b} is hydrogen atom or C₁-C₆alkyl, or R^{19a} together with R^{19b} may form 5- or 6-membered ring with the carbon atom bonding them by forming C₄ or C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom, R²⁰ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, C₂-C₆alkenyl, C₃-C₆alkynyl, -CHO, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹, -C(S)SR⁹ or C₁-C₆alkylsulfonyl,

R²² is halogen atom, cyano, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxy, C₁-C₆alkoxycarbonyl, -C(O)NH₂ or -C(S)NH₂, when q₁, q₂, q₃ or q₄ is an integer of 2 or more, each R²² may be identical with or different from each other, further in case where two R²²s are present on the same carbon atom, the two R²²s together may form oxo, thioxo, imino, C₁-C₆alkylimino, C₁-C₆alkoxyimino or C₁-C₆alkylidene, R²³ is hydrogen atom, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R³², C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆alkynyl, -OH, benzyloxy, -CHO, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -S(O)₂R³³, phenyl, phenyl substituted with (Z)_{p1} or D-5,

R²⁵ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl, C₃-C₆alkynyl, -CHO, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)R³³, -C(S)OR³³, -C(S)SR³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, -S(O)₂R³³, -S(O)₂N(R³⁴)R³³, di(C₁-C₆alkyl)phosphoryl, di(C₁-C₆alkyl)thiophosphoryl, tri(C₁-C₄alkyl)silyl, phenyl or phenyl substituted with (Z)_{p1},

R²⁶ is hydrogen atom, C₁-C₆alkyl, C₃-C₆alkenyl, C₃-C₆alkynyl or C₁-C₆alkoxy, or R²⁶ together with R²⁵ may form 4- to 6-membered ring with the nitrogen atom bonding them by forming C₃-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may substituted with C₁-C₆alkyl, oxo or thioxo,

R²⁷ is C₁-C₆alkyl, C₁-C₆haloalkyl, hydroxy C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄alkylcarbonyl C₁-C₄alkyl, C₁-C₄alkoxycarbonyl C₁-C₄alkyl, di(C₁-C₄alkyl)aminocarbonyl C₁-C₄alkyl, tri(C₁-C₄alkyl)silyl C₁-C₄alkyl, phenyl

C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl, C₃-C₆alkynyl, C₁-C₆alkylcarbonyl, C₁-C₆alkylthio, phenylthio, phenylthio substituted with (Z)_{p1}, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, phenyl, phenyl substituted with (Z)_{p1}, D-21, D-35, D-47 or D-50,

R²⁸ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R³², C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,

R²⁹ is hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl, or R²⁹ together with R²⁸ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom, R³⁰ is C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, tri(C₁-C₆alkyl)silyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₈alkenyl, C₃-C₈haloalkenyl, C₃-C₈alkynyl or C₃-C₈haloalkynyl,

R³¹ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl or C₃-C₆cycloalkyl, or R³¹ together with R³⁰ may form 5- or 6-membered ring with the atom bonding them by forming C₂-C₃alkylene chain, in this case, the alkylene chain may be arbitrarily substituted with C₁-C₆alkyl,

R³² is halogen atom, cyano, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, -OR³³, -OC(O)R³³, -OC(O)NHR³³, -OC(O)N(R³⁴)R³³, -S(O)_rR³³, -SC(O)R³³, -SC(O)NHR³³, -SC(O)N(R³⁴)R³³, -N(R³⁴)CHO, -N(R³⁴)C(O)R³³, -N(R³⁴)C(O)OR³³, -C(O)OR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-60 or E-1 to E-49,

R³³ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄haloalkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄haloalkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, C₁-C₄haloalkylsulfonyl C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-13, D-15 to D-18, D-21, D-29 to D-37, D-47 to D-55, E-5, E-7, E-9, E-24, E-25, E-27, E-28, E-30, E-31 or E-34,

R³⁴ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl, or R³⁴ together with R³³ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom.

3. The isoxazoline-substituted benzamide compound or the salt thereof according to claim 2, wherein

G is G-1, G-3, G-4, G-13, G-14, G-17, G-18, G-20, G-21 or G-22,

X is halogen atom, cyano, nitro, $-\text{SF}_5$, $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ alkyl arbitrarily substituted with R^4 , $\text{C}_3\text{-C}_8$ cycloalkyl, $\text{C}_3\text{-C}_8$ halocycloalkyl, $\text{C}_2\text{-C}_6$ alkenyl, $\text{C}_2\text{-C}_6$ haloalkenyl, $\text{C}_2\text{-C}_6$ alkynyl, $\text{C}_2\text{-C}_6$ haloalkynyl, $-\text{OR}^5$, $-\text{OSO}_2\text{R}^5$, $-\text{S}(\text{O})_r\text{R}^5$, $-\text{C}(\text{O})\text{OR}^9$, $-\text{C}(\text{O})\text{SR}^9$, $-\text{C}(\text{S})\text{OR}^9$, $-\text{C}(\text{S})\text{SR}^9$, $-\text{C}(\text{S})\text{NHR}^{10}$, $-\text{C}(\text{S})\text{N}(\text{R}^{10})\text{R}^9$, $-\text{CH}=\text{NOR}^{11}$, $-\text{C}(\text{R}^9)=\text{NOR}^{11}$, $-\text{Si}(\text{R}^{13})(\text{R}^{14})\text{R}^{12}$, E-10, E-12, E-18, E-32, E-35 or E-43, when m is 2 or 3, each X may be identical with or different from each other,

further, when two Xs are adjacent, the adjacent two Xs may form 5-membered or 6-membered ring together with carbon atoms to which the two Xs are bonded by forming $-\text{CF}_2\text{OCF}_2-$, $-\text{OCF}_2\text{O}-$, $-\text{CF}_2\text{OCF}_2\text{O}-$ or $-\text{OCF}_2\text{CF}_2\text{O}-$,

Y is halogen atom, cyano, nitro, $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ alkyl arbitrarily substituted with R^4 , $-\text{OR}^5$, $-\text{OSO}_2\text{R}^5$, $-\text{S}(\text{O})_r\text{R}^5$, $-\text{NHR}^7$, $-\text{N}(\text{R}^7)\text{R}^6$, $-\text{N}=\text{C}(\text{R}^9)\text{OR}^8$, $-\text{C}(\text{O})\text{NH}_2$ or $-\text{C}(\text{S})\text{NH}_2$, when n is 2 or 3, each Y may be identical with or different from each other,

R^1 is $\text{C}_1\text{-C}_8$ alkyl, $\text{C}_1\text{-C}_8$ alkyl arbitrarily substituted with R^{16} , $\text{C}_3\text{-C}_8$ cycloalkyl, $\text{C}_3\text{-C}_8$ halocycloalkyl, $\text{C}_3\text{-C}_8$ alkenyl, $\text{C}_3\text{-C}_8$ haloalkenyl, $\text{C}_3\text{-C}_8$ alkynyl, $\text{C}_3\text{-C}_8$ haloalkynyl, $-\text{N}(\text{R}^{20})\text{R}^{19}$, $-\text{C}(\text{O})\text{N}(\text{R}^{10})\text{R}^9$, $-\text{C}(\text{S})\text{N}(\text{R}^{10})\text{R}^9$, phenyl substituted with $(\text{Z})_{p1}$, D-8 to D-13, D-15 to D-18, D-21 to D-23, D-26, D-27, D-29 to D-37, D-39, D-40, D-42, D-45 to D-58, E-5, E-7, E-8, E-9, E-24, E-25, E-27, E-28, E-30, E-31 or E-34,

R^2 is hydrogen atom, $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ haloalkyl, $\text{C}_1\text{-C}_4$ alkoxy $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ alkylthio $\text{C}_1\text{-C}_4$ alkyl, cyano $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_3\text{-C}_6$ cycloalkyl, $\text{C}_3\text{-C}_6$ alkenyl, $\text{C}_3\text{-C}_6$ alkynyl, $-\text{OH}$, $\text{C}_1\text{-C}_6$ alkoxy, $\text{C}_1\text{-C}_6$ alkylcarbonyloxy, $\text{C}_1\text{-C}_6$ alkoxycarbonyloxy, $\text{C}_1\text{-C}_6$ alkylsulfonyloxy, $\text{C}_1\text{-C}_6$ haloalkylthio, phenylthio, phenylthio substituted with $(\text{Z})_{p1}$, $\text{C}_1\text{-C}_6$ alkylsulfonyl, $-\text{SN}(\text{R}^{18})\text{R}^{17}$, $-\text{NHR}^{20}$, $-\text{N}=\text{CHR}^{19b}$, $-\text{N}=\text{C}(\text{R}^{19b})\text{R}^{19a}$, $-\text{C}(\text{O})\text{R}^9$, $-\text{C}(\text{O})\text{OR}^9$, $-\text{C}(\text{O})\text{SR}^9$, $-\text{C}(\text{S})\text{OR}^9$ or $-\text{C}(\text{S})\text{SR}^9$, or R^2 together with R^1 may form 3- to 7-membered ring with the nitrogen atom bonding them by forming $\text{C}_2\text{-C}_6$ alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom, R^3 is $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_6$ haloalkyl, $\text{C}_3\text{-C}_6$ cycloalkyl $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_3\text{-C}_6$ halocycloalkyl $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ alkoxy $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ haloalkoxy $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ alkylthio $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ alkylsulfinyl $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ alkylsulfonyl $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ haloalkylthio $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ haloalkylsulfinyl $\text{C}_1\text{-C}_4$ alkyl, $\text{C}_1\text{-C}_4$ haloalkylsulfonyl $\text{C}_1\text{-C}_4$ alkyl, cyano $\text{C}_1\text{-C}_6$ alkyl, $\text{C}_1\text{-C}_4$ alkoxy $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ haloalkoxy $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ alkylthio $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ alkylsulfinyl $\text{C}_1\text{-C}_4$ haloalkyl, $\text{C}_1\text{-C}_4$ alkylsulfonyl $\text{C}_1\text{-C}_4$ haloalkyl,

C_4 haloalkyl, C_1 - C_4 haloalkylthio C_1 - C_4 haloalkyl, C_1 - C_4 haloalkylsulfinyl C_1 - C_4 haloalkyl, C_1 - C_4 haloalkylsulfonyl C_1 - C_4 haloalkyl, cyano C_1 - C_6 haloalkyl, C_3 - C_8 cycloalkyl, C_3 - C_8 halocycloalkyl, E-4 to E-7, E-23 to E-27 or E-28,

R^4 is halogen atom, cyano, -OH, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_1 - C_6 alkylthio, C_1 - C_6 haloalkylthio, C_1 - C_6 alkylsulfinyl, C_1 - C_6 haloalkylsulfinyl, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl or tri(C_1 - C_6 alkyl)silyl,

R^5 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_3 haloalkoxy C_1 - C_3 haloalkyl, C_3 - C_8 cycloalkyl, C_3 - C_8 halocycloalkyl, C_2 - C_6 alkenyl, C_2 - C_6 haloalkenyl, C_3 - C_6 alkynyl, C_3 - C_6 haloalkynyl, E-4 to E-9, E-23 to E-27 or E-28,

R^6 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, $-S(O)_2R^9$, -CHO, $-C(O)R^9$, $-C(O)OR^9$, $-C(O)SR^9$, $-C(S)OR^9$ or $-C(S)SR^9$,

R^7 is hydrogen atom, C_1 - C_6 alkyl or C_1 - C_6 haloalkyl,

R^9 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl C_1 - C_4 alkyl, C_1 - C_6 alkoxy C_1 - C_4 alkyl, C_1 - C_6 alkylthio C_1 - C_4 alkyl, cyano C_1 - C_6 alkyl, phenyl C_1 - C_4 alkyl, C_3 - C_8 cycloalkyl, C_3 - C_8 halocycloalkyl, C_3 - C_6 alkenyl or C_3 - C_6 alkynyl,

R^{10} is hydrogen atom or C_1 - C_6 alkyl, or R^{10} together with R^9 may form 5- or 6-membered ring with the nitrogen atom bonding them by forming C_4 or C_5 alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom,

R^{11} is C_1 - C_6 alkyl or C_1 - C_6 haloalkyl, or R^{11} together with R^9 may form 5- or 6-membered ring with the atom bonding them by forming C_2 or C_3 alkylene chain, in this case, the alkylene chain may be arbitrarily substituted with C_1 - C_6 alkyl,

R^{15} is C_1 - C_6 alkyl or C_1 - C_6 haloalkyl,

R^{16} is halogen atom, cyano, C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, $-OR^{25}$, $-N(R^{26})R^{25}$, $-S(O)_2R^{27}$, $-SO_2NHR^{29}$, $-SO_2N(R^{29})R^{28}$, -CHO, $-C(O)R^{28}$, $-C(O)OR^{28}$, $-C(O)NHR^{29}$, $-C(O)N(R^{29})R^{28}$, $-C(O)N(R^{29})OR^{28}$, $-C(S)NHR^{29}$, $-C(S)N(R^{29})R^{28}$, $-C(R^{31})=NOH$, $-C(R^{31})=NOR^{30}$, $-C(=NR^{31})OR^{30}$, $-C(=NR^{31})SR^{30}$, $-C(=NR^{31})N(R^{29})R^{30}$, $-C(=NOR^{31})NHR^{29}$, $-C(=NOR^{31})N(R^{29})R^{30}$, phenyl, phenyl substituted with $(Z)_{p1}$, D-1 to D-4, D-8 to D-42, D-47 to D-55, E-4 to E-12, E-14, E-16 to E-19, E-21 to E-23, E-26 to E-35, E-40 to E-45, E-48, M-2, M-3, M-5, M-8 to M-10, M-14, M-15 or M-16,

R^{17} is C_1 - C_6 alkyl, C_1 - C_6 alkoxycarbonyl C_1 - C_4 alkyl or C_1 - C_6 alkoxycarbonyl,

R^{18} is C_1 - C_6 alkyl or benzyl,

R^{19} is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl C_1 - C_6 alkyl, phenyl C_1 - C_6 alkyl, phenyl C_1 - C_6 alkyl substituted with $(Z)_{p1}$, C_3 - C_6 cycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 haloalkenyl, C_3 - C_6 alkynyl, $-C(O)R^{28}$, $-C(O)OR^{28}$, $-C(O)NHR^{29}$, $-C(O)N(R^{29})R^{28}$, $-C(S)NHR^{29}$, $-C(S)N(R^{29})R^{28}$, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl,

phenylsulfonyl, phenylsulfonyl substituted with (Z)_{p1}, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-18, D-21, D-25, D-30 to D-35, D-47 to D-55 or D-56,

R^{19a} is C₁-C₆alkyl,

R^{19b} is hydrogen atom or C₁-C₆alkyl,

R²⁰ is hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkenyl, C₃-C₆alkynyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆haloalkoxycarbonyl or C₁-C₆alkylsulfonyl,

R²² is C₁-C₄alkyl or C₁-C₄haloalkyl, or two R²²s present on the same carbon atom may together form oxo, or thioxo,

R²³ is hydrogen atom, C₁-C₆alkyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,

R²⁵ is hydrogen atom, C₁-C₆alkyl, C₁-C₆haloalkyl, -C(O)R³³, -C(O)OR³³, -C(O)SR³³, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)R³³, -C(S)OR³³, -C(S)SR³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, -S(O)₂R³³, -S(O)₂N(R³⁴)R³³, di(C₁-C₆alkyl)thiophosphoryl, phenyl or phenyl substituted with (Z)_{p1},

R²⁶ is hydrogen atom or C₁-C₆alkyl, or R²⁶ together with R²⁵ may form 4- to 6-membered ring with the nitrogen atom bonding them by forming C₃-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom, sulfur atom or nitrogen atom, and may be substituted with C₁-C₆alkyl, oxo or thioxo,

R²⁷ is C₁-C₆alkyl, C₁-C₆haloalkyl, tri(C₁-C₄alkyl)silyl C₁-C₄alkyl, C₁-C₆alkylthio, -C(O)NHR³⁴, -C(O)N(R³⁴)R³³, -C(S)NHR³⁴, -C(S)N(R³⁴)R³³, phenyl, phenyl substituted with (Z)_{p1}, D-47 or D-50,

R²⁸ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R³², C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, phenyl or phenyl substituted with (Z)_{p1},

R²⁹ is hydrogen atom, C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl, or R²⁹ together with R²⁸ may form 3- to 6-membered ring with the nitrogen atom bonding them by forming C₂-C₅alkylene chain, in this case, the alkylene chain may contain one oxygen atom or sulfur atom,

R³⁰ is C₁-C₆alkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆alkenyl or C₃-C₆alkynyl,

R³¹ is hydrogen atom or C₁-C₆alkyl, or R³¹ together with R³⁰ may form 5- or 6-membered ring with the atom bonding them by forming C₂ or C₃alkylene chain, in this case, the alkylene chain may be arbitrarily substituted with C₁-C₆alkyl,

R³² is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₁-C₄alkoxy, C₁-C₄haloalkoxy, C₁-C₄alkylthio, C₁-C₄haloalkylthio, C₁-C₄alkoxycarbonyl, -C(O)NH₂, C₁-C₄alkylaminocarbonyl, di(C₁-C₄alkyl)aminocarbonyl, phenyl or phenyl substituted with (Z)_{p1},

R³³ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, C₁-C₄alkylsulfonyl C₁-C₄alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆alkynyl, phenyl or phenyl substituted with (Z)_{p1},

R³⁴ is hydrogen atom or C₁-C₆alkyl,

m is an integer of 1 to 3,

n is an integer of 0 to 2,

q2 is an integer of 0 to 3,

q3 is an integer of 0 to 2, and

q4 is an integer of 0 to 2.

4. The isoxazoline-substituted benzamide compound or the salt thereof according to claim 3, wherein

A¹ is carbon atom or nitrogen atom,

A² and A³ are carbon atom,

G is G-1,

X is halogen atom, cyano, nitro, -SF₅, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, C₃-C₈cycloalkyl, C₃-C₈halocycloalkyl, C₂-C₆alkenyl, C₂-C₆haloalkenyl, C₂-C₆alkynyl, C₂-C₆haloalkynyl, -OR⁵, -OSO₂R⁵, -S(O)_rR⁵ or tri(C₁-C₆alkyl)silyl, when m is 2 or 3, each X may be identical with or different from each other,

further, when two Xs are adjacent, the adjacent two Xs may form 5-membered or 6-membered ring together with carbon atoms to which the two Xs are bonded by forming -CF₂OCF₂-, -OCF₂O-, -CF₂OCF₂O- or -OCF₂CF₂O-,

Y is halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R⁴, -OR⁵, -OSO₂R⁵, -S(O)_rR⁵, -NHR⁷, -N(R⁷)R⁶, -C(O)NH₂ or -C(S)NH₂, when n is 2 or 3, each Y may be identical with or different from each other,

R¹ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶, C₃-C₈cycloalkyl, C₃-C₆halocycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, C₃-C₆haloalkynyl, -N(R²⁰)R¹⁹, -C(O)N(R¹⁰)R⁹, -C(S)N(R¹⁰)R⁹, phenyl substituted with (Z)_{p1}, D-8, D-10, D-11, D-13, D-15, D-17, D-18, D-21 to D-23, D-26, D-27, D-29 to D-37, D-39, D-40, D-42, D-45, D-47, D-48, D-50, D-51, D-53, D-54, D-56, D-58, E-5, E-7 or E-9,

R^2 is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_4 alkoxy C_1 - C_4 alkyl, C_1 - C_4 alkylthio C_1 - C_4 alkyl, cyano C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, C_3 - C_6 alkenyl, C_3 - C_6 alkynyl, -OH, C_1 - C_6 alkylcarbonyloxy, C_1 - C_6 alkylsulfonyloxy, -NH₂, -C(O)R⁹, -C(O)OR⁹, -C(O)SR⁹, -C(S)OR⁹ or -C(S)SR⁹,
 R^3 is C_1 - C_6 haloalkyl, C_1 - C_4 alkoxy C_1 - C_4 haloalkyl, C_1 - C_4 haloalkoxy C_1 - C_4 haloalkyl, C_1 - C_4 alkylthio C_1 - C_4 haloalkyl, C_1 - C_4 haloalkylthio C_1 - C_4 haloalkyl, cyano C_1 - C_6 haloalkyl or C_3 - C_6 halocycloalkyl,
 R^4 is halogen atom, cyano, -OH, C_1 - C_6 alkoxy, C_1 - C_6 haloalkoxy, C_1 - C_6 alkylthio, C_1 - C_6 haloalkylthio, C_1 - C_6 alkylsulfinyl, C_1 - C_6 haloalkylsulfinyl, C_1 - C_6 alkylsulfonyl, C_1 - C_6 haloalkylsulfonyl or tri(C_1 - C_6 alkyl)silyl,
 R^5 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_3 haloalkoxy C_1 - C_3 haloalkyl, C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, C_2 - C_6 alkenyl, C_2 - C_6 haloalkenyl, C_3 - C_6 alkynyl or C_3 - C_6 haloalkynyl,
 R^6 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, -CHO, C_1 - C_6 alkylcarbonyl, C_1 - C_6 haloalkylcarbonyl, C_3 - C_6 cycloalkylcarbonyl, C_3 - C_6 halocycloalkylcarbonyl, C_1 - C_6 alkoxycarbonyl, C_1 - C_6 haloalkoxycarbonyl, C_1 - C_6 alkylthiocarbonyl, C_1 - C_6 alkoxythiocarbonyl, C_1 - C_6 alkyldithiocarbonyl, C_1 - C_6 alkylsulfonyl or C_1 - C_6 haloalkylsulfonyl,
 R^7 is hydrogen atom or C_1 - C_6 alkyl,
 R^9 is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl C_1 - C_4 alkyl, C_1 - C_6 alkoxy C_1 - C_4 alkyl, C_1 - C_6 alkylthio C_1 - C_4 alkyl, cyano C_1 - C_6 alkyl, C_3 - C_6 cycloalkyl, C_3 - C_6 alkenyl or C_3 - C_6 alkynyl,
 R^{16} is halogen atom, cyano, C_3 - C_6 cycloalkyl, C_3 - C_6 halocycloalkyl, -OR²⁵, -N(R²⁶)R²⁵, -S(O)₂R²⁷, -SO₂NHR²⁹, -SO₂N(R²⁹)R²⁸, -C(O)R²⁸, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(O)N(R²⁹)OR²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, -C(=NR³¹)OR³⁰, -C(=NR³¹)SR³⁰, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-38, D-47 to D-55, E-4 to E-12, E-18, E-19, E-32, E-35, E-43, M-2, M-3, M-5, M-8, M-9 or M-10,
 R^{19} is C_1 - C_6 haloalkyl, C_3 - C_6 cycloalkyl, -C(O)R²⁸, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NHR²⁹, -C(S)N(R²⁹)R²⁸, phenyl, phenyl substituted with (Z)_{p1}, D-3, D-4, D-21, D-47, D-50, D-51, D-53 or D-54,
 R^{20} is hydrogen atom, C_1 - C_6 alkyl, C_1 - C_4 alkoxy C_1 - C_4 alkyl, C_1 - C_4 alkylthio C_1 - C_4 alkyl, cyano C_1 - C_6 alkyl, C_3 - C_6 alkenyl, C_3 - C_6 alkynyl, -CHO, C_1 - C_6 alkylcarbonyl, C_1 - C_6 alkoxycarbonyl or C_1 - C_6 alkylsulfonyl,
 R^{25} is C_1 - C_6 alkyl, C_1 - C_6 haloalkyl, C_1 - C_6 alkylcarbonyl, C_1 - C_6 alkoxycarbonyl, C_1 - C_6 alkylaminocarbonyl, di(C_1 - C_6 alkyl)aminocarbonyl or C_1 - C_6 alkylsulfonyl,
 R^{26} is hydrogen atom or C_1 - C_6 alkyl,

R²⁷ is C₁-C₆alkyl, C₁-C₆haloalkyl or tri(C₁-C₄alkyl)silyl C₁-C₄alkyl,

R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₁-C₄alkoxy C₁-C₄alkyl, C₁-C₄alkylthio C₁-C₄alkyl, cyano C₁-C₆alkyl, phenyl C₁-C₄alkyl, phenyl C₁-C₄alkyl substituted with (Z)_{p1}, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, phenyl or phenyl substituted with (Z)_{p1},

R²⁹ is hydrogen atom, C₁-C₆alkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,

R³⁰ is C₁-C₆alkyl or C₃-C₆cycloalkyl C₁-C₄alkyl,

R³¹ is hydrogen atom or C₁-C₆alkyl, or R³¹ together with R³⁰ may form 5- or 6-membered ring with the atom bonding them by forming C₂ or C₃alkylene chain.

5. The isoxazoline-substituted benzamide compound or the salt thereof according to claim 4, wherein

X is halogen atom, cyano, nitro, -SF₅, C₁-C₆alkyl, C₁-C₆haloalkyl, hydroxy C₁-C₆haloalkyl, C₁-C₆alkoxy C₁-C₆haloalkyl, C₁-C₆haloalkoxy C₁-C₆haloalkyl, C₃-C₆halocycloalkyl, -OR⁵, -OSO₂R⁵ or -S(O)_rR⁵, when m is 2 or 3, each X may be identical with or different from each other,

Y is halogen atom, cyano, nitro, C₁-C₄alkyl, C₁-C₄haloalkyl, C₁-C₄alkoxy, C₁-C₄haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, -NHR⁷ or -N(R⁷)R⁶,

R¹ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, -N(R²⁰)R¹⁹, D-8, D-10, D-13, D-15, D-18, D-21, D-34, D-35, D-50 or D-51,

R² is hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy C₁-C₄alkyl, cyano C₁-C₆alkyl, C₃-C₆alkynyl, -C(O)R⁹ or -C(O)OR⁹,

R³ is C₁-C₆haloalkyl or C₃-C₆halocycloalkyl,

R⁵ is C₁-C₆alkyl, C₁-C₆haloalkyl or C₁-C₃haloalkoxy C₁-C₃haloalkyl,

R⁶ is C₁-C₆alkyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylthiocarbonyl, C₁-C₆alkoxythiocarbonyl, C₁-C₆alkyldithiocarbonyl, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,

R⁹ is C₁-C₆alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,

R¹⁶ is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfinyl, C₁-C₆haloalkylsulfinyl, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, C₁-C₆alkylcarbonyl, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NH₂, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰,

phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-38, D-47 to D-55, E-4 to E-7, E-10, E-11 or E-32,

R¹⁹ is C₁-C₆haloalkyl, -C(O)R²⁸, -C(O)OR²⁸, phenyl, phenyl substituted with (Z)_{p1}, D-3, D-4, D-21, D-47, D-50, D-51, D-53 or D-54,

R²⁰ is hydrogen atom or C₁-C₆alkyl,

R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,


R²⁹ is hydrogen atom or C₁-C₆alkyl,

R³⁰ is C₁-C₆alkyl,

R³¹ is hydrogen atom or C₁-C₆alkyl, and

n is an integer of 0 or 1.

6. 3,5-Bis (substituted aryl) substituted isoxazoline compound of formula (2) or a salt thereof:



wherein

A¹ is carbon atom or nitrogen atom,

X¹ is halogen atom, -SF₅, C₁-C₆haloalkyl, hydroxy C₁-C₆haloalkyl, C₁-C₆alkoxy C₁-C₆haloalkyl, C₁-C₆haloalkoxy C₁-C₆haloalkyl, C₃-C₈halocycloalkyl, C₁-C₆haloalkoxy, C₁-C₃haloalkoxy C₁-C₃haloalkoxy, C₁-C₆haloalkylthio, C₁-C₆haloalkylsulfonyl or C₁-C₆haloalkylsulfonyl,

X² is halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆haloalkyl, -OR⁵, -OSO₂R⁵ or -S(O)_rR⁵, when m1 is 2, each X² may be identical with or different from each other,

Y is halogen atom, cyano, nitro, C₁-C₄alkyl, C₁-C₄haloalkyl, C₁-C₄alkoxy, C₁-C₄haloalkoxy, C₁-C₆alkylthio, C₁-C₆haloalkylthio, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, -NHR⁷ or -N(R⁷)R⁶,

R³ is C₁-C₆haloalkyl or C₃-C₈halocycloalkyl,

R⁵ is C₁-C₆alkyl or C₁-C₆haloalkyl,

R⁶ is C₁-C₆alkyl, -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylthiocarbonyl, C₁-C₆alkoxythiocarbonyl, C₁-

C₆alkyldithiocarbonyl, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,

R⁷ is hydrogen atom or C₁-C₆alkyl,

R is halogen atom, cyano, nitro, -NH₂, halosulfonyloxy, C₁-C₆alkylsulfonyloxy, C₁-C₆haloalkylsulfonyloxy, phenylsulfonyloxy, phenylsulfonyloxy substituted with (Z)_{p1} or -C(O)R^a,

R^a is halogen atom, -OH, C₁-C₆alkoxy, 1-pyrazolyl, 1-imidazolyl or 1-triazolyl,

Z is halogen atom, C₁-C₆alkyl or C₁-C₆haloalkyl, when p1 is an integer of 2 or more, each Z may be identical with or different from each other,


m1 is an integer of 0 to 2,

n is an integer of 0 or 1,

p1 is an integer of 1 or 5, and

r is an integer of 0 to 2.

7. 4-Hydroxyiminomethyl substituted benzamide compound of formula (3) or a salt thereof:



wherein

A¹ is carbon atom or nitrogen atom,

J is hydrogen atom or halogen atom,

W is oxygen atom or sulfur atom,

Y is halogen atom, cyano, nitro, C₁-C₄alkyl, C₁-C₄haloalkyl, C₁-C₄alkoxy, C₁-C₄haloalkoxy, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl or -N(R⁷)R⁶,

R¹ is C₁-C₆alkyl, C₁-C₆alkyl arbitrarily substituted with R¹⁶, C₃-C₆cycloalkyl, C₃-C₆alkenyl, C₃-C₆haloalkenyl, C₃-C₆alkynyl, -N(R²⁰)R¹⁹, D-8, D-10, D-13, D-15, D-18, D-21, D-34, D-35, D-50 or D-51,

R² is hydrogen atom, C₁-C₆alkyl, C₁-C₄alkoxy, C₁-C₄alkyl, cyano, C₁-C₆alkyl, C₃-C₆alkynyl, -C(O)R⁹ or -C(O)OR⁹,


R⁶ is -CHO, C₁-C₆alkylcarbonyl, C₁-C₆haloalkylcarbonyl, C₁-C₆alkoxycarbonyl, C₁-C₆alkylthiocarbonyl, C₁-C₆alkoxythiocarbonyl, C₁-C₆alkyldithiocarbonyl, C₁-C₆alkylsulfonyl or C₁-C₆haloalkylsulfonyl,


R⁷ is hydrogen atom or C₁-C₆alkyl,

R⁹ is C₁-C₆alkyl, C₁-C₆alkoxy C₁-C₄alkyl, C₁-C₆alkylthio C₁-C₄alkyl, C₃-C₈cycloalkyl, C₃-C₆alkenyl or C₃-C₆alkynyl,


R¹⁶ is halogen atom, cyano, C₃-C₆cycloalkyl, C₃-C₆halocycloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, C₁-C₆alkylcarbonyl, -C(O)OR²⁸, -C(O)NHR²⁹, -C(O)N(R²⁹)R²⁸, -C(S)NH₂, -C(R³¹)=NOH, -C(R³¹)=NOR³⁰, phenyl, phenyl substituted with (Z)_{p1}, D-1 to D-4, D-8 to D-38, D-47 to D-55, E-4, E-5, E-10, E-11 or E-32,

D-1 to D-4, D-8 to D-38, D-47 to D-54 and D-55 are aromatic heterocyclic rings of the following formulae, respectively,







D-34




D-35




D-36




D-37




D-38




D-47




D-48




D-49




D-50




D-51




D-52



D-53



D-54




D-55


Z is halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆haloalkyl, C₁-C₆alkoxy, C₁-C₆haloalkoxy, C₁-C₆alkylsulfonyl, C₁-C₆haloalkylsulfonyl, C₁-C₆alkoxycarbonyl, -C(O)NH₂, C₁-C₆alkylaminocarbonyl, di(C₁-C₆alkyl)aminocarbonyl, -C(S)NH₂, -S(O)₂NH₂, C₁-C₆alkylaminosulfonyl or di(C₁-C₆alkyl)aminosulfonyl, when p₁, p₂, p₃ or p₄ is an integer of 2 or more, each Z may be identical with or different from each other,

R¹⁵ is C₁-C₆alkyl, phenyl or phenyl substituted with (Z)_{p1},


E-4, E-5, E-10, E-11 or E-32 is a saturated heterocyclic ring of the following formula, respectively




E-4




E-5



E-10



E-11



E-32

R¹⁹ is C₁-C₆haloalkyl, -C(O)R²⁸, -C(O)OR²⁸, phenyl, phenyl substituted with (Z)_{p1}, D-3, D-4, D-21, D-47, D-50, D-51, D-53 or D-54,

R²⁰ is hydrogen atom or C₁-C₆alkyl,

R²² is C₁-C₄alkyl,

R²⁸ is C₁-C₆alkyl, C₁-C₆haloalkyl, C₃-C₆cycloalkyl C₁-C₄alkyl, C₃-C₆cycloalkyl, C₃-

C₆alkenyl or C₃-C₆alkynyl,

R²⁹ is hydrogen atom or C₁-C₆alkyl,

R³⁰ is C₁-C₆alkyl,

R³¹ is C₁-C₆alkyl,

n is an integer of 0 or 1, with a proviso that n is 1 when R¹ and R² are methyl at the same time,

p1 is an integer of 1 to 5,

p2 is an integer of 0 to 4,

p3 is an integer of 0 to 3,


p4 is an integer of 0 to 2,

p5 is an integer of 0 or 1,

q2 is an integer of 0 to 3, and

q3 is an integer of 0 to 2

8. Substituted alkenylbenzene compound of formula (4):



wherein

X¹ is halogen atom, -SF₅, C₁-C₆haloalkyl, hydroxy C₁-C₆haloalkyl, C₁-C₆alkoxy C₁-C₆haloalkyl, C₁-C₆haloalkoxy C₁-C₆haloalkyl, C₃-C₈halocycloalkyl, C₁-C₆haloalkoxy, C₁-C₃haloalkoxy C₁-C₃haloalkoxy, C₁-C₆haloalkylthio, C₁-C₆haloalkylsulfinyl or C₁-C₆haloalkylsulfonyl,

X³ is hydrogen atom, halogen atom, cyano, nitro, C₁-C₆alkyl, C₁-C₆haloalkyl, -OR⁵, -OSO₂R⁵ or -S(O)_rR⁵,

X⁴ is hydrogen atom, halogen atom, cyano, nitro, C₁-C₆alkyl, -OH, C₁-C₆alkoxy or C₁-C₆haloalkoxy,

R³ is C₁-C₆alkyl that is arbitrarily substituted with two or more arbitrarily halogen atoms, or C₃-C₈halocycloalkyl with a proviso that in case where X¹ is fluorine atom, chlorine atom or -CF₃ and both X³ and X⁴ are hydrogen atom, in case where both X¹ and X³ are fluorine atom, and X⁴ is hydrogen atom, and in case where both X¹ and X³ are -CF₃, and X⁴ is hydrogen atom, R³ is -CHF₂, -CHFCl, -CHFBr, -CHCl₂, -CF₂Cl, -CF₂Br, -CF₂I, -CFCl₂, -CFCIBr, -CFBr₂, -CCl₃, C₂-C₆haloalkyl or C₃-C₈halocycloalkyl,

R⁵ is C₁-C₆alkyl or C₁-C₆haloalkyl,
r is an integer of 0 to 2.

9. A pesticide containing as an active ingredient one or more selected from isoxazoline-substituted benzamide compound and the salt thereof according to any one of claims 1 to 5.
10. An agrochemical containing as an active ingredient one or more selected from isoxazoline-substituted benzamide compound and the salt thereof according to any one of claims 1 to 5.
11. An endo- or ecto-parasiticide for mammals or birds containing as an active ingredient one or more selected from isoxazoline-substituted benzamide compound and the salt thereof according to any one of claims 1 to 5.
12. An insecticide or acaricide containing as an active ingredient one or more selected from isoxazoline-substituted benzamide compound and the salt thereof according to any one of claims 1 to 5.