



Office de la Propriété

Intellectuelle
du Canada

Un organisme
d'Industrie Canada

Canadian
Intellectual Property
Office

An agency of
Industry Canada

CA 2774911 A1 2011/04/28

(21) **2 774 911**

(12) **DEMANDE DE BREVET CANADIEN**
CANADIAN PATENT APPLICATION

(13) **A1**

(86) Date de dépôt PCT/PCT Filing Date: 2010/10/19
(87) Date publication PCT/PCT Publication Date: 2011/04/28
(85) Entrée phase nationale/National Entry: 2012/03/21
(86) N° demande PCT/PCT Application No.: NO 2010/000368
(87) N° publication PCT/PCT Publication No.: 2011/049460
(30) Priorité/Priority: 2009/10/19 (NO20093165)

(51) Cl.Int./Int.Cl. *A47B 13/08* (2006.01),
A47B 96/18 (2006.01), *A47C 7/70* (2006.01)
(71) Demandeur/Applicant:
EKORNES ASA, NO
(72) Inventeur/Inventor:
JARNES, WEBJOERN, NO
(74) Agent: DENNISON ASSOCIATES

(54) Titre : TABLETTE DE SUPPORT D'ORDINATEUR POUR MEUBLE

(54) Title: COMPUTER TABLE FOR A FURNITURE




Fig. 1

(57) Abrégé/Abstract:

The invention relates to a fixing means for table top comprising a profile (7) installed into the table top (1). The profile can be cast-in into the table top, or the table top can be laminated round the profile. The profile comprises a through bore (10) having a number of longitudinal grooves (11, 12). A shaft (15) is arranged to be directed through the bore (10). A sleeve (18) terminates the shaft (15) at one end as well as a fixing means terminates the shaft at the other end. The sleeve comprises a number of locking lugs (19, 20) arranged to engage into the grooves (11, 12).

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
28 April 2011 (28.04.2011)(10) International Publication Number
WO 2011/049460 A1

(51) International Patent Classification:

A47B 13/08 (2006.01) A47B 96/18 (2006.01)
A47C 7/70 (2006.01)

CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(21) International Application Number:

PCT/NO2010/000368

(22) International Filing Date:

19 October 2010 (19.10.2010)

(25) Filing Language:

English

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(26) Publication Language:

English

(30) Priority Data:

20093165 19 October 2009 (19.10.2009) NO

Published:

(71) Applicant (for all designated States except US): EKO-RNES ASA [NO/NO]; NO-6222 Ikornnes (NO).

— with international search report (Art. 21(3))

(72) Inventor; and

(75) Inventor/Applicant (for US only): JARNES, Webjørn [NO/NO]; Sørestrandveien 790, NO-6222 Ikornnes (NO).

— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))

(74) Agent: OSLO PATENTKONTOR AS; P.O.Box 7007M, NO-0306 Oslo (NO).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ,

(54) Title: COMPUTER TABLE FOR A FURNITURE




Fig. 1

WO 2011/049460 A1

(57) Abstract: The invention relates to a fixing means for table top comprising a profile (7) installed into the table top (1). The profile can be cast-in into the table top, or the table top can be laminated round the profile. The profile comprises a through bore (10) having a number of longitudinal grooves (11, 12). A shaft (15) is arranged to be directed through the bore (10). A sleeve (18) terminates the shaft (15) at one end as well as a fixing means terminates the shaft at the other end. The sleeve comprises a number of locking lugs (19, 20) arranged to engage into the grooves (11, 12).

COMPUTER TABLE FOR A FURNITURE

Field of the invention

5 The present invention relates to a fixing device for table top, a profile being an integral part of the fixing device as well as a table top utilizing the fixing device. The fixing device can be utilized for all types of tables having free-hanging table tops, and especially for computer tables.

10 Background of the invention

It is prior known tables for computer screens, raising the screen up from the desk. The screen is placed on a small plate. The plate is mounted on a rotating arm, which again is standing on a clamp fastener gripping round the rim of the desk.

15 In the prior known solutions, the table top is fixed to a rotating joint or an arm by means of a small bracket which again is fixed to the desk with bolts, rivets or similar. This fixing point is a weak point mechanically speaking, requiring space and is therefore not allowing a slim mounting of the plate, and is not much satisfactory from an aesthetic 20 point of view.

Thus, there is a demand of an improved fixing device which being more solid and stable in use, simultaneously providing an improved visual expression than existing solutions.

25 Summary of the invention

The object of the present invention is to provide such a fixing device, a profile for embedding into a table top as well as a table top utilizing such a fixing device. The extent of the invention is evident from the following patent claims.

30 According to a first aspect, the invention comprises a fixing device for table top comprising a profile arranged to be fixed in the table top, wherein the profile comprises a through bore, a shaft arranged to be directed through the bore, a sleeve terminating the shaft at one end as well as a fixing means terminating the shaft at the other end.

35 According to a second aspect, the invention comprises a profile for fixing table top comprising a flat base having a curved or double curved upper surface and a through channel provided with a circular bore having a number of longitudinal grooves.

According to a third aspect, the invention comprises a table top as with a fixing device according to said first aspect.

Brief description of the figures

5

The invention is now described in more detail by reference to the attached drawings, wherein:

Fig. 1 is a drawing of a computer table.

10

Fig. 2 is showing schematically a table top according to the invention, **a** seen from above, **b** schematically from in front, **c** in cross section, and **d** a detail from the section **c**, respectively.

15

Fig. 3 is showing single components being an integral part of the fixing device, **a** exploded in perspective, **b** composed in longitudinal sections from the side, **c** seen from above, and **d** in cross section, respectively.

Detailed description

20

Computer table of the type described herein comprises a plate that shall hold the computer, more specifically a portable computer, often named laptop. The computer table comprises an arm holding the table top itself, and which again is fixed on a furniture. It must be possible to rotate said arm out and in of the working area of the user, thereby ensuring that it simply can be placed in correct working position and be turned away when it is not in use.

Fig. 1 shows a computer table according to the invention comprising a table top 1. The table top is fixed to a rotatable joint 2 which again is fixed to an upper arm 3. The upper arm is fixed to a rotating telescopic arm or pillar 4, which again is fixed to a lower arm 5 and a clamp fastener 6. The clamp fastener is estimated to be able to grip round an arm rest, or another suitable component, of a chair, such as a recliner.

The table top 1 comprises a through profile 7 (Fig. 2) being installed into the table top. The profile is preferably manufactured from metal, such as aluminum, or alternatively from a synthetic material such as fibre reinforced plastic composite. The profile can be installed into the table top by being cast-in, or by the plate consisting of several layers

which are laminated round the profile. Thus, the profile is suitable both to table tops made from synthetic material, laminated synthetic material, and laminated wood.

5 Sectionally, the profile has a flat base 8 having a curved or double curved upper surface 9. Further, the profile has a through channel. The channel is in form of a circular bore 10 having a longitudinal groove 11, 12 on each side. It can be fewer or more longitudinal grooves, as required. On each side of this channel, there are two side channels 13, 14 which are able to remove redundant material.

10

Fig. 3 shows the arrangement fixing the table to the rotating joint 2. The arrangement comprises a shaft 15 estimated to be tressed into the bore 10. The shaft has at the one end a threaded part 17 which is to be screwed in on a sleeve 18. The sleeve 18 has two locking lugs 19, 20 arranged to engage into the grooves 11, 12 of the profile 7. Thus, the 15 table will be locked to the sleeve 18 and rotate this one in the joint 2, without the shaft being exposed of any rotating moment. At the other end, the shaft 15 is locked with a suitable fixing means. In the embodiment shown, this is a threaded bore 16 which can admit a bolt. The shaft can of course be fixed in many ways.

20

This arrangement is advantageous by being simple to mounting and dismounting the table top, e.g., if it is desired to mount a computer table on opposite side of the chair. As the table top is held firmly by one screw only, it can easily be taken off and tressed on the shaft from opposite side.

C l a i m s**(Amended 2 March 2012)**

1. Table top (1) comprising a profile (7) installed into material of the table top, wherein the table top is formed by several layers being laminated round the profile, characterized in that the profile has a flat base (8) and a curved or double curved upper surface (9), wherein one layer is contacting the flat base (8) of the profile (7) and another layer is contacting the curved or double curved upper surface (9) of the profile (7), said layers being in direct contact elsewhere on the table top outside the area occupied by the profile.
2. Table top according to claim 1, wherein the profile is made from a fibre reinforced composite material or metal.
3. Table top according to claim 1, wherein the profile is made from aluminum.
4. Table top according to claim 1, wherein, in cross profile, the width of the profile is larger than its height.
5. Table top according to claim 1, wherein the width to height ratio is 30:7.
6. Table top according to claim 1, wherein the profile includes a longitudinal through bore (10) for admitting a shaft (15) for mounting the table top.
7. Table top according to claim 6, wherein the profile includes side channels (13, 14) on each side of the bore (10).
8. Table top according to claim 1, wherein the profile comprises a through bore (10), wherein the table top additionally comprises a shaft (15) arranged to be directed through the bore (10), a rotatable fixing means (2, 18) terminating the shaft at one end, as well as means locking the shaft to the table top.
9. Table top according to claim 8, wherein the profile (7) comprises a number of longitudinal grooves (11, 12) in and along the bore (10), as well as said means for locking the shaft to the table top comprising locking lugs (19, 20) arranged on the rotatable fixing means and being arranged to engage into the grooves (11, 12) and locking the profile (7) and the table top (1) against rotation round the shaft (15).




Fig. 1




Fig. 2




Fig 3




Fig. 1