



US00D856017S

(12) **United States Design Patent**
Ott et al.

(10) **Patent No.:** **US D856,017 S**

(45) **Date of Patent:** **** Aug. 13, 2019**

(54) **VEHICLE SEAT**

(71) Applicant: **GRAMMER AG**, Amberg (DE)

(72) Inventors: **Richard Ott**, Kuemmersbruck (DE);
Raymond Carter, Marina del Rey, CA (US)

(73) Assignee: **GRAMMER AG**, Amberg (DE)

(**) Term: **15 Years**

(21) Appl. No.: **29/625,962**

(22) Filed: **Nov. 14, 2017**

(30) **Foreign Application Priority Data**

May 19, 2017 (EP) 004009579

(51) **LOC (12) Cl.** **06-01**

(52) **U.S. Cl.**

USPC **D6/356**

(58) **Field of Classification Search**

USPC D6/334, 356, 360, 369, 370, 371, 373,
D6/374, 375, 376, 379, 380, 716, 716.1,
D6/716.2, 716.3, 716.4, 716.5, 716.7;
D21/521, 533, 548

CPC .. A47C 3/04; A47C 9/007; A47D 1/00; A61H
2201/0149; B60N 2/06; B60N 2/20;
B60N 2/22; B60N 2/58; B60N 2/68;
B60N 2/80; B60N 2/643; B60N 2/859;
B60N 2/888; B60N 2/1615; B60N
2/7035; B60N 2/42745; B60N 2002/0272;
B60N 2205/35

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D426,392 S * 6/2000 Ott D6/356
D577,499 S * 9/2008 Tsay D6/356

D612,163 S * 3/2010 Wagener D6/356
D617,104 S * 6/2010 Wagener D6/356
D651,002 S * 12/2011 Fleming D6/356
D651,004 S * 12/2011 Fleming D6/356
D672,160 S * 12/2012 Wagener D6/356
D707,047 S * 6/2014 Carter D6/356
D707,048 S * 6/2014 Nishida D6/356
D711,125 S * 8/2014 Nishida D6/356
D723,822 S * 3/2015 Cai D6/356
D726,426 S * 4/2015 Carter D6/356
D747,891 S * 1/2016 Kasparian D6/356
D798,623 S * 10/2017 Demirel D6/356
D822,397 S * 7/2018 Waterhouse D6/356

* cited by examiner

Primary Examiner — Kevin K Rudzinski

Assistant Examiner — Paul D Bohannon

(74) *Attorney, Agent, or Firm* — Von Rohrscheidt Patents

(57) **CLAIM**

The ornamental design for a vehicle seat, as shown and described.

DESCRIPTION

FIG. 1 illustrates a top view of the vehicle seat showing the new design.

FIG. 2 illustrates a right side view of the vehicle seat in FIG. 1.

FIG. 3 illustrates a left side view of the vehicle seat in FIG. 1.

FIG. 4 illustrates a rear view of the vehicle seat in FIG. 1.

FIG. 5 illustrates a front view of the vehicle seat in FIG. 1.

FIG. 6 illustrates a right perspective view of the vehicle seat in FIG. 1; and,

FIG. 7 illustrates a left perspective view of the vehicle seat in FIG. 1.

1 Claim, 7 Drawing Sheets





FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7