



(72) ALVAREZ HERNANDEZ, MARIA, ES

(71) BIOCOSMETICS, S.L., ES

(51) Int.Cl.⁶ A61K 7/26, A61K 7/16

(30) 1998/02/06 (P 9800228) ES

(54) **COMPOSITION POUR LE TRAITEMENT DE LA
MAUVAISE HALEINE**

(54) **COMPOSITION FOR THE TREATMENT OF HALITOSIS**

(57) L'invention concerne une composition comprenant un mélange d'huile d'olive (*Olea europaea* L. et d'huile de persil (*Petroselinum sativum* Hoffm., *Petroselinum crispum* Mill., *Carum petroselinum* Benth & Hooker), dans un rapport huile d'olive et huile de persil exprimé en poids compris entre 1 et 7. La composition peut, en outre, contenir d'autres huiles végétales, de l'huile de menthe, du menthol et de la chlorophylle. Ces compositions peuvent se présenter sous forme de bonbons, de gommes à mâcher, de dentifrices, de collutoires buccaux, de compositions pharmaceutiques et surtout de capsules de gélatine blanche. Pour ce faire, on ajoute des additifs, des supports et des excipients adéquats pour le traitement de la composition afin d'obtenir la forme de présentation souhaitée. La composition se prête au traitement de la mauvaise haleine.

(57) The composition comprises a mixture of olive oil (*Olea europaea* L.) and parsley oil (*Petroselinum sativum* Hoffm., *Petroselinum crispum* Mill., *Carum petroselinum* Benth & Hooker), in a weight ratio of olive oil to parsley oil comprised between 1 and 7. Furthermore, the composition may contain other plant oils, mint oil, menthol and chlorophyll. These compositions may be provided in a variety of forms including caramels, chewing-gums, toothpaste, mouthwash and pharmaceutical compositions, and in particular soft gelatine capsules; appropriate additives, vehicles and excipients are incorporated for processing the composition in order to obtain the desired presentation form. The composition is appropriate for the treatment of halitosis.



PCT ORGANIZACION MUNDIAL DE LA PROPIEDAD INTELECTUAL
Oficina Internacional
SOLICITUD INTERNACIONAL PUBLICADA EN VIRTUD DEL TRATADO DE COOPERACION
EN MATERIA DE PATENTES (PCT)

<p>(51) Clasificación Internacional de Patentes ⁶ : A61K 7/26, 7/16</p>	A1	<p>(11) Número de publicación internacional: WO 99/39686</p> <p>(43) Fecha de publicación internacional: 12 de Agosto de 1999 (12.08.99)</p>
<p>(21) Solicitud internacional: PCT/ES98/00184</p> <p>(22) Fecha de la presentación internacional: 26 de Junio de 1998 (26.06.98)</p> <p>(30) Datos relativos a la prioridad: P 9800228 6 de Febrero de 1998 ES (06.02.98)</p> <p>(71) Solicitante (para todos los Estados designados salvo US): BIOCOSMETICS, S.L. [ES/ES]; Arcos de la Frontera, 15, E-28023 Madrid (ES).</p> <p>(72) Inventor; e</p> <p>(75) Inventor/solicitante (sólo US): ALVAREZ HERNANDEZ, Maria [ES/ES]; Arcos de la Frontera, 15, E-28023 Madrid (ES).</p> <p>(74) Mandatario: CARPINTERO LOPEZ, Francisco; Herrero & Asociados, S.L., Alcalá, 21, E-28014 Madrid (ES).</p>		<p>(81) Estados designados: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, Patente ARIPO (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Patente euroasiática (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), Patente europea (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), Patente OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p>Publicada Con informe de búsqueda internacional.</p>
<p>(54) Title: COMPOSITION FOR THE TREATMENT OF HALITOSIS</p> <p>(54) Título: COMPOSICION PARA EL TRATAMIENTO DE LA HALITOSIS</p> <p>(57) Abstract</p> <p>The composition comprises a mixture of olive oil (<i>Olea europea L.</i>) and parsley oil (<i>Petroselinum sativum Hoffm., Petroselinum crispum Mill., Carum petroselinum Benth & Hooker</i>), in a weight ratio of olive oil to parsley oil comprised between 1 and 7. Furthermore, the composition may contain other plant oils, mint oil, menthol and chlorophyll. These compositions may be provided in a variety of forms including caramels, chewing-gums, toothpaste, mouthwash and pharmaceutical compositions, and in particular soft gelatine capsules; appropriate additives, vehicles and excipients are incorporated for processing the composition in order to obtain the desired presentation form. The composition is appropriate for the treatment of halitosis.</p> <p>(57) Resumen</p> <p>La composición comprende una mezcla de aceite de oliva (<i>Olea europea L.</i>) y de aceite de perejil (<i>Petroselinum sativum Hoffm., Petroselinum crispum Mill., Carum petroselinum Benth & Hooker</i>), en una relación aceite de oliva: aceite de perejil, en peso, comprendida entre 1 y 7. Adicionalmente, la composición puede contener otros aceites vegetales, aceite de menta, mentol y clorofila. Estas composiciones pueden presentarse en una diversidad de formas, incluyendo, caramelos, chicles, pastas dentífricas, colutorios bucales y composiciones farmacéuticas, y sobre todo cápsulas de gelatina blanda, para lo cual incorporan los aditivos, vehículos y excipientes adecuados para su procesamiento en la forma de presentación deseada. La composición es adecuada para el tratamiento de la halitosis.</p>		

COMPOSITION FOR THE TREATMENT OF HALITOSIS

FIELD OF THE INVENTION

This invention refers to a composition suitable for the treatment of halitosis which
5 comprises a mixture of olive and parsley oils, and to presentations thereof.

BACKGROUND TO THE INVENTION

Halitosis, or bad breath, are terms employed to describe unpleasant odours detectable
in exhaled air. This is a problem which affects many people, those who suffer it and those
10 surrounding the former which, often, perceive the situation as socially unacceptable.

Halitosis is produced by the production and liberation of volatile compounds, mainly
volatile derivatives of sulphur, such as hydrogen sulphide and methyl-mercaptane and,
according to the localisation of the origin of the unpleasant odour, it can be classified as oral
(localised in lips, tongue, teeth, dental prosthetic elements, periodontal tissues, oropharynx)
15 or non-oral [caused by diseases of the respiratory tract, systemic diseases (hepatic
dysfunction, cirrhosis, diabetic ketoacidosis, carcinomas and certain metabolic diseases in
which an enzymatic anomaly occurs), diseases of the gastrointestinal tract and certain foods,
drinks, tobacco and medicaments).

There are several treatments to combat halitosis, some are based on the
20 administration of synthetic products, while others are based on the administration of natural
products. Of the latter, the use of parsley leaves together with parsley oil or sunflower oil is a
well know method to combat halitosis.

Notwithstanding, due to the widespread extent of halitosis among the population, further
research has been conducted in order to obtain new compositions which enrich the set of remedies
25 available to combat said disorder. It has now been discovered that, surprisingly, the combination of
olive oil and parsley oil effectively combats halitosis. Additionally, it has been discovered that the
addition to said mixture of olive and parsley oil of other vegetable oils, and in particular, mint oil,
chlorophyll and menthol, not only effectively combats halitosis, but also provides a very pleasant taste
and sensation of freshness. This composition is suitable for the elaboration of several forms of
30 presentation of the same, including pharmaceutical compositions destined to the treatment of halitosis.

DETAILED DESCRIPTION OF THE INVENTION

This invention provides a suitable composition for the treatment of halitosis, from
now on referred to as the composition of the invention, which comprises a mixture of olive
35 and parsley oils , in a ratio of olive oil : parsley oil, by weight, comprised between 1 and 7.

The olive is the fruit of the olive tree (*Olea europea L.*) which belongs to the Oleaceae family. Apart from water, oil, carbohydrates and proteins, the olive contains numerous minerals, particularly calcium, several organic acids and vitamins A, B₁, B₂ and pp. Olive oil, extracted from the pulp of the olive, is constituted essentially by glycerides of
5 oleic acid (70%) and of other acids in a lesser proportion, such as those of linoleic, palmitic, linolenic and arachidonic acid, and is usually employed in cookery.

Parsley (*Petroselinum sativum* Hoffm., *Petroselinum crispum* Mill., or *Carum petroselinum* Benth & Hooker) belongs to the Umbelliferae family. Its seeds, leaves and roots are used. Its fragrance and taste seem to be due to an essence of complex and variable
10 composition, which contains apiol, apioside and mirysticin. The main ingredients comprise volatile oils, fatty oils, flavonoids, vitamins A and C and minerals, especially iron, calcium, phosphorous and manganese. It is known for its diuretic, carminative, digestive, antispasmodic and nutritive effects, as well as for its stimulating effect upon the uterine muscle. It is widely used in cooking as well as in the treatment of urinary infections and
15 stones, oedema, gastric disorders and anaemia. Parsley essential oil is employed in the elaboration of the composition object of the present invention.

Nothing in the state of the art suggests that the combination of olive and parsley oils, in the proportions envisaged in this description, could be effective in the treatment of halitosis.

20 The composition of the invention may also contain another or other vegetable oils, including, but without being limited to, the following: avocado oil, basil oil, custard apple tree oil, borage oil, camomile oil, hemp oil, safflower oil, cajeput tree oil, cedar oil, cypress oil, coconut oil, rapeseed oil, geranium oil, sunflower oil, pink evening primrose oil, jojoba oil, lanolin oil, lavender oil, lemon oil, linseed oil, peppermint oil, evening primrose oil,
25 palm oil, rosewood oil, pineapple oil, primrose oil, castor oil, rosemary oil, sage oil, sandalwood oil, soy oil, tea tree oil, wheat germ oil, grape-seed oil and vetiver oil. These vegetable oils can be added to the mixture of olive and parsley oils in variable quantities.

Additionally, the composition of the invention may contain other products which contribute to improve its taste or flavour, or to render beneficial effects. Particularly, it has
30 been observed that the addition of mint oil, menthol and chlorophyll to the mixture of olive and parsley oils described above, not only effectively combats halitosis, but also provides a very pleasant taste and freshness. These products can be added to the mixture in variable amounts.

In a specific embodiment of the invention, a suitable composition is provided for the
35 treatment of halitosis, which comprises:

	<u>Component</u>	<u>% by weight in relation to the total</u>
	Olive oil	54 – 89
5	Parsley oil	5 - 20
	Mint oil	5 - 20
	Chlorophyll	1 - 5
	Menthol	0 - 1

10 The term "mint" as used in this description includes several species of plants belonging to the genus *Mentha*, of the Labiatae family. The genus *Mentha* is one of the most complex in the plant kingdom due to the numerous natural hybrids which originate from the spontaneous crossing of the species, which, in general, can be classified into spiked mints (having flowers in a non-foliated terminal spike) and low mints (the flowers are arranged in

15 clusters forming separate whorls in petiolated leaves). The genus *Mentha* includes species such as *M. rotundifolia* L., *M. viridis* L., *M. crispata* Schard, *M. longifolia* L., *M. pulegium* L., *M. arvensis* L., *M. piperita* L. and *M. aquatica* L. Usually the leaves are used. Their main ingredients are volatile oils and tannins. Their carminative and stimulatory action upon digestion is an added value to the composition provided by this invention.

20 Menthol is a monocyclic, optically active terpenoid oil present in the essence of mint.

 Chlorophyll is the green pigment of plants.

 The composition object of this invention is effective against halitosis and provides a clean and natural breath for many hours, yielding not only a pleasant taste and freshness to

25 the mouth, but also neutralising unpleasant taste at its source. Although it is not the intention to be attached to any theory, it is believed that the volatile sulphur containing compounds responsible for the unpleasant odour are soluble in vegetable oils present in the composition of the invention, which in turn coat the chylomicron particles avoiding the absorption of the precursors of the volatile sulphur containing compounds at the small intestine, hence

30 avoiding their excretion via the lungs. Parsley oil seems to stimulate the digestive apparatus, it enhances the effect of the vegetable oils making even more difficult the intestinal absorption of volatile sulphur containing compounds, and it improves the symptoms of gastrointestinal diseases which cause halitosis.

 The addition of mint, chlorophyll and menthol enhances the neutralizing action of

35 the mixture of parsley oil and olive oil, it increases the effect of the vegetable oils which

solubilise the volatile compounds and, additionally, has a positive effect upon the user, who feels a lasting sensation of freshness which extends throughout the whole protection period of the product, which is of approximately 8 hours.

5 The composition of the invention can be prepared by mixing and homogenising the different components in the appropriate amounts.

The composition of the invention can be presented in several forms, including, capsules, soft gelatine capsules, sweets, chewing-gum, dentifrice, mouthwash and pharmaceutical compositions, for the purpose of which the suitable additives, vehicles and excipients for the processing in the desired form of presentation, can be incorporated.
10 Additionally, if it is so desired, these compositions may contain anticaries, antibacterial and antiseptic agents.

In a specific embodiment, the invention provides a pharmaceutical composition which comprises said composition of the invention together with pharmaceutically acceptable excipients which include the substances usually employed in the preparation of the different galenic forms of active principles. The pharmaceutical compositions provided
15 by this invention include, preferentially, suitable preparations for the oral administration of said composition against halitosis, including liquid oral forms, for example, elixirs, syrups, potions, etc., and solid oral forms, for example, coated tablets, capsules, pills, tablets, etc. These forms of administration of the composition against halitosis can be prepared easily by
20 means of conventional techniques [Tratado de Farmacia Galénica, C. Fauli i Trillo, Luzán S S.A. de Ediciones, 1st Edition, (1993), especially Chapters 34-43]. In a preferred embodiment of this invention the form of administration of said pharmaceutical composition is in the form of gelatine capsules, preferably soft gelatine capsules (Example 2).

In another specific and preferred embodiment of this invention, the form of
25 presentation of the composition against halitosis provided by this invention is a chewing-gum (example 3).

In another specific and preferred embodiment of this invention, the form of presentation of the composition against halitosis provided by this invention is a dentifrice paste (Example 4).

30 In another specific and preferred embodiment of this invention, the form of presentation of the composition against halitosis provided by this invention is a double phased oil-water mouthwash (Example 5).

The following examples serve the purpose of illustrating specific embodiments of the object of the present invention, but they must not be considered to limit the scope of the
35 same.

EXAMPLE 1**Preparation of a composition against halitosis**

5 A suitable composition against halitosis is prepared containing:

	<u>Component</u>	<u>% by weight in relation to total</u>
	Olive oil	66,25
10	Parsley oil	15,00
	Mint oil	15,00
	Chlorophyll	3,00
	Menthol	0,75

15 The corresponding amounts of each of the components were mixed to prepare said composition. All the products used are commercial products.

EXAMPLE 2

20 **Preparation of soft gelatine capsules**
suitable for the treatment of halitosis

Soft gelatine capsules were prepared containing 100 mg per capsule of the composition obtained in Example 1, by encapsulation of said composition in soft gelatine capsules, obtained by mixing gelatine (46 mg/capsule) and glycerine (26 mg/capsule), by conventional techniques [Tratado de Farmacia Galénica, C. Fauli i Trillo, Luzán S S.A. de Ediciones, 1st Edition, (1993), Chapter XLI, pages 587-592].

EXAMPLE 3

30 **Preparation of chewing-gum to combat halitosis**

Chewing gum is prepared in the form of coated tablets suitable to combat halitosis, having the following composition:

35

	<u>Component</u>	<u>% by weight in relation to total</u>
	Olive oil	5
	Parsley oil	1
5	Mint oil	1
	Chlorophyll	0,2
	Xylitol	10,00
	Sorbitol	55,15
	Base gum	18,25
10	Maltitol syrup	8,59
	Lecithin	0,55
	Dicalcium phosphate	0,13
	Carnauba wax	0,04
	Confectionery sugar	0,09

15

All the products used are commercial products. In the preparation of the chewing-gums, the process described hereunder was followed. The base gum is added to a jacketed mixer, fitted with a blade stirrer, preheated to approximately 65 °C. When the base begins to soften sorbitol starts being added (in powdered form), adding approximately 50-60% of the total sorbitol, and it is mixed. Subsequently approximately one third of the maltitol syrup is added and blended in. After this approximately 10% of the sorbitol (powder) is added, mixed, and a second third of the maltitol syrup is added, mixed, and 10% of the sorbitol (powder), xylitol, lecithin are added and all is mixed. After this, the remaining third of the maltitol syrup is added, mixed, and the rest of the sorbitol (powder) is added, mixed, and the mint essential oil is added and mixed.

20

After finishing, the batch of chewing gum produced is loaded down into suitable containers and transported to a chewing-gum laminator.

30

The batch produced is loaded into a double-spindle pre-extruder which feeds the extruder of the laminator. The chewing-gum is extruded as a wide, thick sheet, which is powdered on both sides with calcium carbonate to prevent stickiness during lamination. Each set of rollers of the laminator reduces the thickness of the chewing-gum until the desired size for the tablet is achieved. The sheet of chewing gum is then introduced into two sets of rollers for its cutting, the first cutting it in strips, and the second cutting across to produce the tablets.

The tablets are collected in trays, are weighed and are allowed to cure in a cold room for approximately 24 hours.

For the coating of the tablets, a specific amount of pre-weighed tablets is placed in each coating well. The coating of the tablets is begun with a 70% solution of sorbitol and sorbitol (fine powder). Subsequently the amount of parsley essential oil and olive oil is weighed, absorbed on dicalcium phosphate, suitable for each coating well, and it is dispensed with sorbitol powder. The mixture is added in increasing amounts over the wet chewing-gum tablets. Subsequently the taste-enhancer is added over the coating layer together with the chlorophyll dispersed in a solution of sorbitol.

When the tablets have reached the desired weight they are polished with powdered carnauba wax, are placed in trays and are dried. The dry tablets are polished again with a mixture of carnauba wax and bee's wax, and are glazed to protect them from moisture.

EXAMPLE 4

Preparation of a dentifrice paste suitable to combat halitosis

A dentifrice paste suitable to combat halitosis is prepared, which has the following composition:

	<u>Component</u>	<u>% by weight in relation to total</u>
20	Olive oil	5
	Parsley oil	1
	Chlorophyll	0,2
	Sorbitol	31,48
	Silica	17,8
25	Xylitol	10
	Glycerine	5
	Tetrapotassium pyrophosphate	2,3
	Potassium phosphate	0,9
	Xanthan gum	0,575
30	Sodium fluoride	0,22
	Saccharin	0,13
	Diazolidinyl urea	0,1
	Titanium dioxide	0,09
	Green colorant	0.001
35	Water	<i>q.s.</i> to 100%

The corresponding amounts of each of the components were mixed to prepare this dentifrice paste. All the products used are commercial products.

5

EXAMPLE 5

Preparation of a mouthwash to perform
mouth-washes suitable to combat halitosis

10 A double phase oil-water mouthwash is prepared, for carrying out mouth-washes suitable for combating halitosis, which presents the following composition:

<u>Component</u>	<u>% by weight in relation to total</u>
Olive oil	5
15 Parsley oil	1
Xylitol	1
Sodium fluoride	0,05
Allantoin	0,2
Sodium methylparaben	0,12
20 Sodium propylparaben	0,06
Hydrogenated castor oil And polyethylene glycol (PEG-40)	0,25
Chlorhexidine	0,12
25 Fragrance	0,1
Sodium saccharide	0,2
C.I. 42090 (E-133)	0,001
Water	92,079

30 The corresponding amounts of each of the components were mixed to prepare this mouthwash. All the products used are commercial products.

This mouthwash is a double phased oil-water preparation because in the mouth there are hydrophobic bacteria which are only removed in a liquid lipophylic medium. This mouthwash contains fat-soluble mint essences, xylitol as anti-caries agent, natural sweetener
35 and freshener, as well as chlorhexidine (antibacterial).

CLAIMS

1. A suitable composition for the treatment of halitosis which comprises a
 5 mixture of olive oil (*Olea europea L.*) and parsley oil (*Petroselinum sativum* Hoffm.,
Petroselinum crispum Mill., *Carum petroselinum* Benth & Hooker), in a ratio of olive oil :
 parsley oil, by weight, between 1 and 7.

2. Composition according to claim 1, which additionally comprises a vegetable oil.
 10

3. Composition according to claim 2, in which said vegetable oil is selected from the
 group formed by avocado oil, basil oil, custard apple tree oil, borage oil, camomile oil,
 hemp oil, safflower oil, cajeput tree oil, cedar oil, cypress oil, coconut oil, rapeseed oil,
 geranium oil, sunflower oil, pink evening primrose oil, jojoba oil, lanolin oil, lavender oil,
 15 lemon oil, linseed oil, peppermint oil, evening primrose oil, palm oil, rosewood oil,
 pineapple oil, primrose oil, castor oil, rosemary oil, sage oil, sandalwood oil, soy oil, tea tree
 oil, wheat germ oil, grape-seed oil, vetiver oil and mixtures thereof.

4. Composition according to any of the claims above, which additionally comprises
 20 mint oil, menthol and chlorophyll.

5. Composition according to claim 4, which comprises:

<u>Component</u>	<u>% by weight in relation to the total</u>
25 Olive oil	54 - 89
Parsley oil	5 - 20
Mint oil	5 - 20
Chlorophyll	1 - 5
30 Menthol	0 - 1

6. Composition according to claim 5, which comprises:

35

	<u>Component</u>	<u>% by weight in relation to total</u>
	Olive oil	66,25
	Parsley oil	15,00
5	Mint oil	15,00
	Chlorophyll	3,00
	Menthol	0,75

7. A pharmaceutical composition which comprises a composition according to any
10 of claims 1 to 6 together with a pharmaceutically acceptable excipient.

8. A pharmaceutical composition according to claim 7, in the form of a suitable
preparation for oral administration.

9. A pharmaceutical composition according to claim 8, in an oral liquid form.
15

10. A pharmaceutical composition according to claim 8, in an oral solid form.

11. A pharmaceutical composition according to claim 10, in the form of a soft
capsule.
20

12. A form of presentation of a composition according to any of claims 1 to 6, which
comprises said composition together with the additives, vehicles and excipients suitable for
said form of presentation.

13. A form of presentation according to claim 12, which additionally comprises an
agent selected from among an antibacterial agent, an anticaries agent and an antiseptic.
25

14. A form of presentation according to claims 12 or 13, selected from among a
chewing-gum, a dentifrice paste and a mouthwash for performing mouth washes.
30

Fetherstonhaugh & Co.
Ottawa, Canada
Patent Agents