



US00D720180S

(12) **United States Design Patent**
Manly et al.

(10) **Patent No.:** **US D720,180 S**
(45) **Date of Patent:** **** Dec. 30, 2014**

(54) **BREW HEAD FOR A BEVERAGE MACHINE**

(71) Applicant: **Keurig, Incorporated**, Reading, MA
(US)

(72) Inventors: **David Manly**, Duxbury, MA (US);
Karen Gallagher, Andover, MA (US);
James E. Shepard, Marblehead, MA
(US); **Michelle V. Stacy**, Ipswich, MA
(US); **Ben C. Yoder**, Reading, MA (US);
Scott M. Vogel, Salem, MA (US);
Allison Cummings, Charlestown, MA
(US); **Stephanie Simone**, Charlestown,
MA (US); **Steffen F. Koury**, Everett,
MA (US); **Paul K. Metaxatos**,
Swampscott, MA (US); **James T.**
McGee, Winthrop, MA (US); **Da Deng**,
Somerville, MA (US)

(73) Assignee: **Keurig Green Mountain, Inc.**,
Waterbury, VT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/466,349**

(22) Filed: **Sep. 6, 2013**

(51) **LOC (10) Cl.** **07-99**

(52) **U.S. Cl.**
USPC **D7/397; D7/306; D7/399; D7/398**

(58) **Field of Classification Search**
USPC **D7/306-311, 301, 300, 326, 386,**
D7/397-399; 99/281, 305, 307; 141/247;
222/129.1, 129.3, 145.6; D24/197

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D513,572	S	*	1/2006	Schaffeld et al.		D7/309
D538,577	S	*	3/2007	Glucksman et al.		D7/306
D544,299	S	*	6/2007	Schaffeld et al.		D7/397
D608,132	S	*	1/2010	Bertolina		D7/309
D637,859	S	*	5/2011	Orkney et al.		D7/306
D649,390	S	*	11/2011	Santojemmo		D7/306
D663,158	S	*	7/2012	Jacquet et al.		D7/393

(Continued)

FOREIGN PATENT DOCUMENTS

JP	D1470496	5/2013
KR	300655357	8/2012
TW	D117641	6/2007

Primary Examiner — Marianne Pandozzi

(74) *Attorney, Agent, or Firm* — Wolf, Greenfield & Sacks,
P.C.

(57) **CLAIM**

The ornamental design for a brew head for a beverage
machine, as shown and described.

DESCRIPTION

FIG. 1 is a front, left perspective view of the brew head for a
beverage machine;

FIG. 2 is a front, right perspective view of the FIG. 1 embodi-
ment;

FIG. 3 is a front view of the FIG. 1 embodiment;

FIG. 4 is a top view of the FIG. 1 embodiment;

FIG. 5 is a left side view of the FIG. 1 embodiment;

FIG. 6 is a right side view of the FIG. 1 embodiment;


FIG. 7 is a rear view of the FIG. 1 embodiment;

FIG. 8 is a rear, right perspective view of the FIG. 1 embodi-
ment; and,

FIG. 9 is a rear, left perspective view of the FIG. 1 embodi-
ment.

Features shown in dashed line form no part of the claimed
invention.

1 Claim, 9 Drawing Sheets



US D720,180 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

8,210,095	B2 *	7/2012	Brezovnik et al.	99/295	D683,174	S *	5/2013	Regamey	D7/306
8,250,972	B2 *	8/2012	Santoiemmo	99/323.2	D696,903	S *	1/2014	Burrows	D7/401
D667,674	S *	9/2012	Wilder et al.	D7/306	8,677,888	B2 *	3/2014	Santoiemmo	99/323.2
D674,232	S *	1/2013	Lavy et al.	D7/309	D702,984	S *	4/2014	Hanneson et al.	D7/306
D674,233	S *	1/2013	Lavy et al.	D7/309	8,833,241	B2 *	9/2014	Santoiemmo	99/323.2
					2007/0056994	A1 *	3/2007	Woodnorth et al.	222/221
					2008/0134902	A1 *	6/2008	Zimmerman et al.	99/302 R
					2010/0024658	A1 *	2/2010	Jacobs et al.	99/302 R

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9