



US00D737458S

(12) **United States Design Patent**
Balaguru et al.

(10) **Patent No.:** **US D737,458 S**

(45) **Date of Patent:** **** Aug. 25, 2015**

(54) **CHROMATOGRAPHIC FLUID HANDLING
DEVICE**

(71) Applicant: **GENERAL ELECTRIC COMPANY**,
Schenectady, NY (US)

(72) Inventors: **Ramu Balaguru**, Bangalore (IN);
Nithyanandam Sadasivam, Bangalore
(IN); **Prasad Kini**, Bangalore (IN);
Prasad Bagiyathan, Bangalore (IN);
Krishnadev Madhavan Nair, Bangalore
(IN); **Sofia Jacobsson Warfaa**,
Stockholm (SE); **August Michael**,
Enskede (SE); **Pelle Reinius**, Enskede
Gard (SE)

(73) Assignee: **General Electric Company**,
Schenectady, NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/449,044**

(22) Filed: **Mar. 14, 2013**

(30) **Foreign Application Priority Data**

Sep. 14, 2012 (IN) 247935

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/216; D24/219**

(58) **Field of Classification Search**
USPC D24/216, 219, 223, 231, 232, 233, 186,
D24/107; D10/81; 96/102, 105, 107;
436/161; 73/863.01, 863.02, 863.03,
73/863.31, 863.32; 250/288; 530/413;
210/635, 656, 657, 198.2

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D266,151	S	*	9/1982	Dawson	D24/232
D272,087	S	*	1/1984	Smith	D24/216
5,149,505	A	*	9/1992	English et al.	422/547
5,223,222	A	*	6/1993	Ricchio et al.	422/63
D364,576	S	*	11/1995	Glaser	D10/81
D422,925	S	*	4/2000	Glaser et al.	D10/81
6,086,767	A	*	7/2000	Walters et al.	210/634
D599,234	S	*	9/2009	Ito	D10/81
D599,236	S	*	9/2009	Oberg	D10/81
D637,931	S	*	5/2011	Kimura et al.	D10/81
D660,975	S	*	5/2012	Kyle et al.	D24/219
D690,612	S	*	10/2013	Lam et al.	D10/81
D692,157	S	*	10/2013	Matoba et al.	D24/216

* cited by examiner

Primary Examiner — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Parks Wood LLC

(57) **CLAIM**

The ornamental design for a chromatographic fluid handling device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the device showing our new design.

FIG. 2 is a front view of the device of FIG. 1

FIG. 3 is a rear view of the device of FIG. 1.

FIG. 4 is a left side view of the device of FIG. 1.

FIG. 5 is a right side view of the device of FIG. 1.

FIG. 6 is a top view of the device of FIG. 1; and,

FIG. 7 is an underside view of the device of FIG. 1.

The design is for a fluid handling device for use in chromatographic separation of elements in a fluid, and comprises a generally cuboid shape with fluid handling elements mounted thereon.

1 Claim, 7 Drawing Sheets





FIG. 1



FIG. 2



FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 7