



US00D985484S

(12) **United States Design Patent**  
**Doerksen et al.**

(10) **Patent No.:** **US D985,484 S**

(45) **Date of Patent:** **\*\* May 9, 2023**

(54) **TIRE TREAD**

(71) Applicant: **Future Motion, Inc.**, Santa Cruz, CA (US)

(72) Inventors: **Kyle Jonathan Doerksen**, Santa Cruz, CA (US); **Beau Robertson**, Santa Cruz, CA (US); **Phil Rullman**, Flagstaff, AZ (US); **Ximena Prugue**, Santa Cruz, CA (US)

(73) Assignee: **Future Motion, Inc.**, Santa Cruz, CA (US)

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/811,749**

(22) Filed: **Oct. 15, 2021**

(51) **LOC (14) Cl.** ..... **12-15**

(52) **U.S. Cl.**

USPC ..... **D12/551**

(58) **Field of Classification Search**

USPC ..... D12/533–567, 604

CPC ..... Y10T 152/10027; B60C 1/0016; B60C

11/0306; B60C 11/0302; B60C 3/06;

B60C 9/17

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D316,842 S *	5/1991	Graas .....	D12/551
D444,427 S *	7/2001	Heinen .....	D12/551
D472,515 S *	4/2003	Hutz .....	D12/554
D491,882 S *	6/2004	Williams .....	D12/551
D549,158 S *	8/2007	Heinen .....	D12/552
D583,305 S *	12/2008	Ashton .....	D12/553
D584,219 S *	1/2009	Sato .....	D12/551
D588,527 S *	3/2009	Sato .....	D12/552
D588,981 S *	3/2009	Ibaraki .....	D12/552

D762,553 S *	8/2016	Yasunaga .....	D12/551
D788,022 S *	5/2017	Sareen .....	D12/551
D805,464 S *	12/2017	Ma .....	180/181
D815,228 S *	4/2018	Ma .....	D21/765
D816,016 S *	4/2018	Sano .....	D12/555

**OTHER PUBLICATIONS**

Future Motion GT Tire (treaded) [Mar. 4, 2023] found online [Mar. 4, 2023]—<https://onewheel.com/products/gt-tire?variant=39696791273566>.\*

\* cited by examiner

*Primary Examiner* — John A Voytek

(74) *Attorney, Agent, or Firm* — Kolitch Romano

Dascenzo Gates LLC

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the new design for a tire tread, it being understood that the tread pattern repeats circumferentially throughout the outer circumference and shoulder of the tire;

FIG. 2 is a front elevation view thereof; and,


FIG. 3 is a side elevation view thereof, the opposite side elevational view being a mirror image thereof.

The dash-dash broken lines depicting a tire sidewall and inner bead are included for the purpose of illustrating environment and form no part of the claimed design.

The dash-dot broken lines define the bounds of the claimed design and form no part thereof.

The stippling shown in the drawings represents the approximate three-dimensional contour of the design, and is not intended to indicate surface decoration. The dark stippled surface shading represents the recessed portion of the tread grooves.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3