

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2013215867 B2**

- (54) Title
Arylalkyloxy pyrimidine derivative, pesticide for agricultural and horticultural use containing arylalkyloxy pyrimidine derivative as active ingredient, and use of same
- (51) International Patent Classification(s)
C07D 239/34 (2006.01) **A61K 31/505** (2006.01)
A01N 43/54 (2006.01) **A61K 31/506** (2006.01)
A01N 43/653 (2006.01) **A61P 33/14** (2006.01)
A01N 47/02 (2006.01) **C07D 407/04** (2006.01)
A01P 7/04 (2006.01) **C07F 7/18** (2006.01)
- (21) Application No: **2013215867** (22) Date of Filing: **2013.02.01**
- (87) WIPO No: **WO13/115391**
- (30) Priority Data
- | | | |
|--------------------|-------------------|--------------|
| (31) Number | (32) Date | (33) Country |
| 2012-019768 | 2012.02.01 | JP |
| 2012-171532 | 2012.08.01 | JP |
- (43) Publication Date: **2013.08.08**
(44) Accepted Journal Date: **2017.02.02**
- (71) Applicant(s)
Nihon Nohyaku Co., Ltd.
- (72) Inventor(s)
Satoh, Eikou; Murata, Tetsuya; Harayama, Hiroto; Nakano, Motofumi; Fukatsu, Kosuke; Inukai, Kayo; Kasahara, Ryota; Abe, Yutaka; Hayashi, Nobuyuki; Fujita, Naoya
- (74) Agent / Attorney
Griffith Hack, GPO Box 4164, Sydney, NSW, 2001
- (56) Related Art
OKANO, T. et al., Yakugaku Zasshi (1967), Vol. 87, Pages 1315-1321
ASAKAWA, H. et al., Chem. Pharm. Bull. (1979), Vol. 27, Pages 1468-1472
WO 1996/011902 A1
US 5859020 A
US 5811459 A
WO 2010/133528 A1
SLAVISH, P. J. et al., Bioorganic & Medicinal Chemistry Letters (2011), Vol. 21, Pages 4592-4596
JP H08-283246 A

(12) 特許協力条約に基づいて公開された国際出願

(19) 世界知的所有権機関
国際事務局

(43) 国際公開日
2013 年 8 月 8 日(08.08.2013)



(10) 国際公開番号
WO 2013/115391 A1

- (51) 国際特許分類:
C07D 239/34 (2006.01) A61K 31/505 (2006.01)
A01N 43/54 (2006.01) A61K 31/506 (2006.01)
A01N 43/653 (2006.01) A61P 33/14 (2006.01)
A01N 47/02 (2006.01) C07D 407/04 (2006.01)
A01P 7/04 (2006.01) C07F 7/18 (2006.01)
- (21) 国際出願番号: PCT/JP2013/052421
- (22) 国際出願日: 2013 年 2 月 1 日(01.02.2013)
- (25) 国際出願の言語: 日本語
- (26) 国際公開の言語: 日本語
- (30) 優先権データ:
特願 2012-019768 2012 年 2 月 1 日(01.02.2012) JP
特願 2012-171532 2012 年 8 月 1 日(01.08.2012) JP
- (71) 出願人: 日本農薬株式会社(NIHON NOHYAKU CO., LTD.) [JP/JP]; 〒1048386 東京都中央区京橋 1 丁目 1 9 番 8 号 Tokyo (JP).
- (72) 発明者: 佐藤 英孝(SATOH, Eikou); 〒5860094 大阪府河内長野市小山田町 3 4 5 日本農薬株式会社総合研究所内 Osaka (JP). 村田 哲也(MURATA, Tetsuya); 〒5860094 大阪府河内長野市小山田町 3 4 5 日本農薬株式会社総合研究所


内 Osaka (JP). 原山 博人(HARAYAMA, Hiroto); 〒5860094 大阪府河内長野市小山田町 3 4 5 日本農薬株式会社総合研究所内 Osaka (JP). 中野元文(NAKANO, Motofumi); 〒5860094 大阪府河内長野市小山田町 3 4 5 日本農薬株式会社総合研究所内 Osaka (JP). 深津 浩介(FUKATSU, Kosuke); 〒5860094 大阪府河内長野市小山田町 3 4 5 日本農薬株式会社総合研究所内 Osaka (JP). 犬飼 佳代(INUKAI, Kayo); 〒5860094 大阪府河内長野市小山田町 3 4 5 日本農薬株式会社総合研究所内 Osaka (JP). 笠原 良太(KASAHARA, Ryota); 〒5860094 大阪府河内長野市小山田町 3 4 5 日本農薬株式会社総合研究所内 Osaka (JP). 阿部 豊(ABE, Yutaka); 〒5860094 大阪府河内長野市小山田町 3 4 5 日本農薬株式会社総合研究所内 Osaka (JP). 林 伸行(HAYASHI, Nobuyuki); 〒5860094 大阪府河内長野市小山田町 3 4 5 日本農薬株式会社総合研究所内 Osaka (JP). 藤田 直弥(FUJITA, Naoya); 〒5860094 大阪府河内長野市小山田町 3 4 5 日本農薬株式会社総合研究所内 Osaka (JP).

(74) 代理人: 高島 一(TAKASHIMA, Hajime); 〒5410044 大阪府大阪市中央区伏見町四丁目 1 番 1 号 明治安田生命大阪御堂筋ビル Osaka (JP).

[続葉有]

(54) Title: ARYLALKYLOXY PYRIMIDINE DERIVATIVE, PESTICIDE FOR AGRICULTURAL AND HORTICULTURAL USE CONTAINING ARYLALKYLOXY PYRIMIDINE DERIVATIVE AS ACTIVE INGREDIENT, AND USE OF SAME

(54) 発明の名称: アリールアルキルオキシピリミジン誘導体及び該誘導体を有効成分として含有する農園芸用殺虫剤並びにその使用方法



(57) Abstract: An arylalkyloxy pyrimidine derivative represented by general formula (I) or a salt thereof; a pesticide for agricultural and horticultural use, which contains the compound as an active ingredient; and a use of the pesticide for agricultural and horticultural use. (In the formula, R¹ represents an alkyl group, a cycloalkyl group, an alkenyl group, an alkynyl group, a haloalkyl group, a haloalkenyl group, a haloalkynyl group, an alkoxyalkyl group, a dioxolane group or the like; each of R² and R³ represents a hydrogen atom, an alkyl group or the like; X represents an alkyl group, a cycloalkyl group, an alkenyl group, an alkynyl group, a haloalkyl group, a haloalkenyl group, a haloalkynyl group, a trialkylsilyl group or the like; Y represents CH or a nitrogen atom; q represents an integer of 1-3; m represents an integer of 0-5; and n represents 0 or 1.)

(57) 要約: 一般式 (I) {式中、R¹は、アルキル基、シクロアルキル基、アルケニル基、アルキニル基、ハロアルキル基、ハロアルケニル基、ハロアルキニル基、アルコキシアルキル基、ジオキソラン基等; R²又はR³は、水素原子、アルキル基等; Xは、アルキル基、シクロアルキル基、アルケニル基、アルキニル基、ハロアルキル基、ハロアルケニル基、ハロアルキニル基、トリアルキルシリル基等; Yは、CH、又は窒素原子; qは、1~3の整数; mは0~5の整数; nは0又は1を示す。}で表されるアリールアルキルオキシピリミジン誘導体又はその塩類、及び該化合物を有効成分とする農園芸用殺虫剤並びにその使用方法。

WO 2013/115391 A1



(81) 指定国 (表示のない限り、全ての種類の国内保護が可能): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) 指定国 (表示のない限り、全ての種類の広域保護が可能): ARIPO (BW, GH, GM, KE, LR, LS, MW,

MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), ユーラシア (AM, AZ, BY, KG, KZ, RU, TJ, TM), ヨーロッパ (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

添付公開書類:

— 国際調査報告 (条約第 21 条(3))

SPECIFICATION

ARYLALKYLOXY PYRIMIDINE DERIVATIVE, PESTICIDE FOR AGRICULTURAL
AND HORTICULTURAL USE CONTAINING ARYLALKYLOXY PYRIMIDINE
DERIVATIVE AS ACTIVE INGREDIENT, AND USE OF SAME

5

TECHNICAL FIELD OF THE INVENTION

[0001]

The present invention relates to an agrohorticultural
insecticide containing an arylalkyloxypyrimidine derivative or
10 a salt thereof as an active ingredient, and a method of use
thereof.

BACKGROUND OF THE INVENTION

[0002]

Patent document 1 suggests that a derivative wherein the
15 4-position of pyrimidine ring is substituted by an
arylalkyloxy group has an antifungal or insecticidal activity.
In addition, patent document 2 describes that a certain kind
of pyrimidine derivative is useful as a pharmaceutical product.
However, it contains no description relating to an
20 insecticidal activity.

[Document List]

[patent documents]

[0003]

patent document 1: JP-A-08-283246

25 patent document 2: WO1996/011902

SUMMARY OF THE INVENTION

Problems to be Solved by the Invention

[0004]

In crop manufacturing in agricultural and horticultural
30 fields, damages caused by insect pests are still serious, and
development of novel agrohorticultural insecticides and
acaricides is desired due to generation of insect pests
resistant to known agents, and the like. Since various labor
saving farm works are required due to increasing numbers of
35 the aged farm working population, creation of

agrohorticultural insecticides and acaricides having suitable properties for the farm works is also demanded.

Means of Solving the Problems


[0005]

5 The present inventors have conducted intensive studies in an attempt to develop a novel agrohorticultural insecticide, and have found that the arylalkyloxypyrimidine derivative or a salt thereof represented by the formula (I) of the present invention is useful as an agrohorticultural insecticide, which
10 resulted in the completion of the present invention.

[0006]

Accordingly, the present invention relates to
[1] an arylalkyloxypyrimidine derivative represented by the formula (I):

15 [0007]



[0008]

wherein R¹ is

- (a1) a halogen atom;
- 20 (a2) a formyl group;
- (a3) a cyano group;
- (a4) a (C₁-C₈)alkyl group;
- (a5) a (C₃-C₈)cycloalkyl group;
- (a6) a (C₂-C₈)alkenyl group;
- 25 (a7) a (C₂-C₈)alkynyl group;
- (a8) a halo(C₁-C₈)alkyl group;
- (a9) a halo(C₃-C₈)cycloalkyl group;
- (a10) a halo(C₂-C₈)alkenyl group;
- (a11) a halo(C₂-C₈)alkynyl group;
- 30 (a12) a (C₁-C₈)alkoxy(C₁-C₈)alkyl group;

- (a13) a (C₃-C₈)cycloalkyl(C₁-C₈)alkyl group;
 (a14) a (C₁-C₈)alkoxyhalo(C₁-C₈)alkyl group;
 (a15) a (C₃-C₈)cycloalkylhalo(C₁-C₈)alkyl group;
 (a16) a (C₁-C₈)alkylthio(C₁-C₈)alkyl group;
 5 (a17) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkyl group;
 (a18) a (C₁-C₈)alkylsulfonyl(C₁-C₈)alkyl group;
 (a19) a halo(C₁-C₈)alkoxy(C₁-C₈)alkyl group;
 (a20) a halo(C₃-C₈)cycloalkyl(C₁-C₈)alkyl group;
 (a21) a halo(C₁-C₈)alkylthio(C₁-C₈)alkyl group;
 10 (a22) a halo(C₁-C₈)alkylsulfinyl(C₁-C₈)alkyl group;
 (a23) a halo(C₁-C₈)alkylsulfonyl(C₁-C₈)alkyl group;
 (a24) a halo(C₁-C₈)alkoxyhalo(C₁-C₈)alkyl group;
 (a25) a cyano(C₁-C₈)alkyl group;
 (a26) a nitro(C₁-C₈)alkyl group;
 15 (a27) a R⁴(R⁵)N(C₁-C₈)alkyl group wherein R⁴ and R⁵ may be the same or different and each is (i) a hydrogen atom, (ii) a (C₁-C₆)alkyl group, (iii) a (C₃-C₆)cycloalkyl group, (iv) a (C₂-C₆)alkenyl group, (v) a (C₂-C₆)alkynyl group, (vi) a (C₃-C₆)cycloalkyl(C₁-C₆)alkyl group, (vii) a halo(C₁-C₆)alkyl group,
 20 (viii) a halo(C₃-C₆)cycloalkyl group, (ix) a halo(C₂-C₆)alkenyl group, (x) a halo(C₂-C₆)alkynyl group, (xi) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkyl group, (xii) a (C₁-C₆)alkylsulfonyl group, (xiii) a (C₁-C₆)alkylcarbonyl group, (xiv) a halo(C₁-C₆)alkylcarbonyl group, (xv) a (C₁-C₆)alkoxycarbonyl group,
 25 (xvi) a (C₃-C₆)cycloalkylcarbonyl group, (xvii) a phenyl group, (xviii) a phenyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-C₆)alkoxy group, (e) a halo(C₁-C₆)alkoxy group, and (f) a
 30 phenoxy group, (xix) a phenoxyphenyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-C₆)alkoxy group, and (e) a halo(C₁-C₆)alkoxy group, (xx) a hydroxy(C₁-C₈)alkyl group, (xxi) a phenyl(C₁-
 35 C₆)alkyl group, (xxii) a phenyl(C₁-C₆)alkyl group having, on the

- ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-C₆)alkoxy group, (e) halo(C₁-C₆)alkoxy group, and (f) a phenoxy group, or (xxiii) a phenoxyphenyl(C₁-C₆)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-C₆)alkoxy group, and (e) a halo(C₁-C₆)alkoxy group;
- (a28) a (R⁴)OC(C₁-C₈)alkyl group wherein R⁴ is as defined above;
- 10 (a29) a (R⁴)O₂C(C₁-C₈)alkyl group wherein R⁴ is as defined above;
- (a30) a R⁴(R⁵)NCO(C₁-C₈)alkyl group wherein R⁴ and R⁵ are as defined above;
- (a31) an aryl group;
- 15 (a32) an aryl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group
- 20 (a33) an aryl(C₁-C₈)alkyl group;
- (a34) an aryl(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-
- 25 (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above and (t) a phenoxy group;
- 30 (a33) an aryl(C₁-C₈)alkyl group;
- (a34) an aryl(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-
- 35 (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above and (t) a phenoxy group;

C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, and (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above;

5 (a35) an arylcarbonyl group;

(a36) an arylcarbonyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom,

(b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-

10 C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-

C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, 15 (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, and (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above;

(a37) an arylthio(C₁-C₈)alkyl group;

(a38) an arylthio(C₁-C₈)alkyl group having, on the ring, the

20 same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-

25 C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, and (s) a R⁴(R⁵)N carbonyl 30 group wherein R⁴ and R⁵ are as defined above;

(a39) an arylsulfinyl(C₁-C₈)alkyl group;

(a40) an arylsulfinyl(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a

35 formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl

- group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, and (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above;
- (a41) an arylsulfonyl(C₁-C₈)alkyl group;
- (a42) an arylsulfonyl(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₈)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, and (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above;
- (a43) a (C₁-C₈)alkylcarbonyl group;
- (a44) a (C₃-C₈)cycloalkylcarbonyl group;
- (a45) a (C₁-C₈)alkoxycarbonyl group;
- (a46) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above;
- (a47) a (C₁-C₈)alkoxy(C₁-C₈)alkoxy(C₁-C₈)alkyl group;
- (a48) a (C₁-C₈)alkoxycarbonyl(C₁-C₈)alkyl group;
- (a49) a heterocyclic group;
- (a50) a heterocyclic group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group,

(k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a phenyl group, (u) an oxo group and (v) a (C₁-C₆)alkoxycarbonyl(C₁-C₆)alkyl group; (a51) a heterocyclyl(C₁-C₈)alkyl group; (a52) a heterocyclyl(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₈)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above and (t) an oxo group; (a53) a heterocyclyl(C₃-C₈)cycloalkyl group; (a54) a heterocyclyl(C₃-C₈)cycloalkyl group having, on the heterocycle, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above and (t) an oxo group; (a55) a tri(C₁-C₈)alkylsilyl(C₁-C₈)alkyl group wherein the alkyl

groups of the tri(C₁-C₈)alkylsilyl may be the same or different;

(a56) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

(a57) an oxiranyl group;

5 (a58) a tetrahydropyranyloxy(C₁-C₈)alkyl group;

(a59) a tetrahydrofuranyloxy(C₁-C₈)alkyl group;

(a60) a tetrahydropyranylcarbonyl group;

(a61) a formyloxy(C₁-C₈)alkyl group;

(a62) a (C₁-C₈)alkylthio(C₁-C₈)alkylcarbonyl group;

10 (a63) a heterocyclylcarbonyl group;

(a64) a heterocyclylcarbonyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a

halogen atom, (b) a cyano group, (c) a nitro group, (d) a

formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl

15 group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group,

(i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-

C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-

C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group,

(n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl

20 group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group,

(r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group

wherein R⁴ and R⁵ are as defined above and (t) an oxo group;

(a65) a hydroxy(C₁-C₈)alkyl group;

(a66) an aryloxy(C₁-C₈)alkyl group;

25 (a67) an aryloxy(C₁-C₈)alkyl group having, on the ring, the

same or different 1 to 5 substituents selected from (a) a

halogen atom, (b) a cyano group, (c) a nitro group, (d) a

formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl

group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group,

30 (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-

C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-

C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group,

(n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl

group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group,

35 (r) a (C₁-C₆)alkoxycarbonyl group, and (s) a R⁴(R⁵)N carbonyl

group wherein R^4 and R^5 are as defined above;

(a68) a (C_1-C_8) alkylthio (C_1-C_8) alkoxy (C_1-C_8) alkyl group;

(a69) a (C_1-C_8) alkylsulfinyl (C_1-C_8) alkoxy (C_1-C_8) alkyl group;

(a70) a $((C_1-C_8)$ alkoxy) $((C_3-C_8)$ cycloalkyl) (C_1-C_8) alkyl group;

5 (a71) a $R^4CO(R^5)N(C_1-C_8)$ alkyl group wherein R^4 and R^5 are as defined above;

(a72) a $R^4CO_2(R^5)N(C_1-C_8)$ alkyl group wherein R^4 and R^5 are as defined above;

(a73) a $R^4SO_2(R^5)N(C_1-C_8)$ alkyl group wherein R^4 and R^5 are as
10 defined above;

(a74) a $R^4(R^5)NCO_2(C_1-C_8)$ alkyl group wherein R^4 and R^5 are as defined above;

(a75) a $(R^4(R^5)N)((C_3-C_8)$ cycloalkyl) (C_1-C_8) alkyl group wherein R^4 and R^5 are as defined above;

15 (a76) a $((C_1-C_8)$ alkylthio) $((C_3-C_8)$ cycloalkyl) (C_1-C_8) alkyl group;

(a77) a $((C_1-C_8)$ alkylsulfinyl) $((C_3-C_8)$ cycloalkyl) (C_1-C_8) alkyl group;

(a78) a $((C_1-C_8)$ alkylsulfonyl) $((C_3-C_8)$ cycloalkyl) (C_1-C_8) alkyl group;

20 (a79) a (heterocyclyl) $((C_3-C_8)$ cycloalkyl) (C_1-C_8) alkyl group;

(a80) a (heterocyclyl) $((C_3-C_8)$ cycloalkyl) (C_1-C_8) alkyl group having, on the hetero ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a $(C_1-$

25 $C_6)$ alkyl group, (f) a halo (C_1-C_6) alkyl group, (g) a (C_1-C_6) alkoxy group, (h) a halo (C_1-C_6) alkoxy group, (i) a (C_3-C_6) cycloalkyl (C_1-C_6) alkoxy group, (j) a (C_1-C_6) alkylthio group, (k) a halo (C_1-C_6) alkylthio group, (l) a (C_1-C_6) alkylsulfinyl group, (m) a halo (C_1-C_6) alkylsulfinyl group, (n) a $(C_1-$

30 $C_6)$ alkylsulfonyl group, (o) a halo (C_1-C_6) alkylsulfonyl group, (p) a (C_1-C_6) alkylcarbonyl group, (q) a carboxyl group, (r) a (C_1-C_6) alkoxycarbonyl group, (s) a $R^4(R^5)N$ carbonyl group wherein R^4 and R^5 are as defined above, and (t) an oxo group;

(a81) (heterocyclyl) $((C_1-C_8)$ alkoxy) (C_1-C_8) alkyl group;

35 (a82) a (heterocyclyl) $((C_1-C_8)$ alkoxy) (C_1-C_8) alkyl group having,

on the hetero ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a
 5 halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group,
 10 (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, and (t) an oxo group;

(a83) a di(C₁-C₈)alkoxy(C₁-C₈)alkyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxy may be the same or different;

15 (a84) a di(C₁-C₈)alkylthio(C₁-C₈)alkyl group wherein the alkyl groups of the di(C₁-C₈)alkylthio may be the same or different;

(a85) a tri(C₁-C₈)alkylsilyloxy(C₁-C₈)alkyl group wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or different;

20 (a86) a carboxyl group;

(a87) an aryloxy carbonyl group;

(a88) a C(R⁴)=NOSO₂R⁵ group wherein R⁴ and R⁵ are as defined above;

(a89) a heterocyclylimino(C₁-C₈)alkyl group;

25 (a90) a tri(C₁-C₈)alkylsilyl(C₂-C₈)alkynyl group wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or different;

(a91) a (C₁-C₈)alkoxy(C₂-C₈)alkynyl group;

(a92) a hydroxy(C₂-C₈)alkynyl group;

30 (a93) a (hydroxy)((C₁-C₈)alkoxy(C₁-C₈)alkoxy)(C₁-C₈)alkyl group;

(a94) a dihydroxy(C₁-C₈)alkyl group;

(a95) a (hydroxy)((C₁-C₈)alkoxy)(C₁-C₈)alkyl group;

(a96) a di(C₁-C₈)alkylsulfonyloxy(C₁-C₈)alkyl group wherein the alkyl groups of the di(C₁-C₈)alkylsulfonyloxy may be the same
 35 or different;

(a97) a di((C₁-C₈)alkoxy(C₁-C₈)alkoxy)(C₁-C₈)alkyl group wherein the alkoxy groups of the di((C₁-C₈)alkoxy(C₁-C₈)alkoxy may be the same or different;

(a98) a di(C₁-C₈)alkoxycarbonyl(C₂-C₈)alkenyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxycarbonyl may be the same or different;

(a99) a (C₁-C₈)alkoxycarbonyl(cyano)(C₂-C₈)alkenyl group;

(a100) a ((C₁-C₈)alkoxy(C₁-C₈)alkoxy)(hydroxy)(C₁-C₈)alkyl group;

(a101) a dicyano(C₂-C₈)alkenyl group;

(a102) a (C₃-C₈)cycloalkylidene(C₁-C₈)alkyl group;

(a103) a (C₃-C₈)cycloalkyl(hydroxy)(C₁-C₈)alkyl group;

(a104) a (C₃-C₈)cycloalkyl((C₁-C₈)alkoxy)(C₁-C₈)alkyl group;

(a105) a heterocyclyl(C₂-C₈)alkenyl group;

(a106) a heterocyclyl(C₂-C₈)alkenyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-

C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, and (t) an oxo group;

(a107) a halo(C₁-C₈)alkylcarbonyloxy(C₂-C₈)alkenyl group;

(a108) a (C₃-C₈)cycloalkyl(halo(C₁-C₈)alkylcarbonyloxy)(C₁-C₈)alkyl group;

(a109) a (C₁-C₈)alkoxycarbonyl(hydroxy)(C₁-C₈)alkyl group;

(a110) a carboxy(hydroxy)(C₁-C₈)alkyl group;

(a111) a di(C₁-C₈)alkoxycarbonyl(C₃-C₈)cycloalkyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxycarbonyl may be the same or different;

(a112) a di(C₁-C₈)alkoxycarbonyl(C₁-C₈)alkyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxycarbonyl may be the same or

different;

(a113) a (C₁-C₈)alkylcarbonyl(C₂-C₈)alkenyl group;

(a114) a hydroxyhalo(C₁-C₈)alkyl group;

(a115) a dihydroxyhalo(C₁-C₈)alkyl group;

5 (a116) a (C₁-C₈)alkoxycarbonyl(C₃-C₈)cycloalkyl group;

(a117) a cyano(C₃-C₈)cycloalkyl group;

(a118) a (C₁-C₈)alkoxycarbonyl(C₂-C₈)alkenyl group;

(a119) a cyano(C₂-C₈)alkenyl group;

(a120) a ((C₁-C₈)alkoxy)(hydroxy)halo(C₁-C₈)alkyl group;

10 (a121) a R⁴(R⁵)N(C₁-C₈)alkyl(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above;


(a122) a R⁴(R⁵)NCO(R⁵)N(C₁-C₈)alkyl group wherein R⁴ and R⁵ are as defined above;

(a123) a tri(C₁-C₈)alkylsilyl(C₂-C₈)alkynyl(C₂-C₈)alkenyl group

15 wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or different; or

(a124) the following structural formula Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, Q⁷, Q⁸, Q⁹, Q¹⁰, Q¹¹, Q¹², Q¹³, Q¹⁴, Q¹⁵, Q¹⁶, Q¹⁷, Q¹⁸, Q¹⁹, Q²⁰, Q²¹, Q²², Q²³, Q²⁴, Q²⁵, Q²⁶, Q²⁷, Q²⁸ or Q²⁹

20 [0009]



[0010]

wherein R^6 , R^7 and R^8 may be the same or different and each is a
 hydrogen atom, a (C_1-C_6) alkyl group, a (C_3-C_6) cycloalkyl group,
 5 a (C_2-C_6) alkenyl group, a (C_2-C_6) alkynyl group, a $(C_3-$
 $C_6)$ cycloalkyl (C_1-C_6) alkyl group, a halo (C_1-C_6) alkyl group, a
 halo (C_3-C_6) cycloalkyl group, a halo (C_2-C_6) alkenyl group, a
 halo (C_2-C_6) alkynyl group, a halo (C_3-C_6) cycloalkyl (C_1-C_6) alkyl
 group, a (C_1-C_6) alkylcarbonyloxy (C_1-C_6) alkyl group, a $(C_1-$
 10 $C_6)$ alkoxy (C_1-C_6) alkyl group, a hydroxy (C_1-C_6) alkyl group, a $(C_2-$
 $C_6)$ alkenyloxy (C_1-C_6) alkyl group, a phenoxy (C_1-C_6) alkyl group, a

(C₁-C₆)alkylsulfonyl(C₁-C₆)alkyl group, a (C₁-C₆)alkylsulfonyloxy(C₁-C₆)alkyl group, a halogen atom, a phenyl group, a phenyl(C₁-C₆)alkyl group, or a (C₁-C₆)alkylcarbonyl group,

5 R⁹ is a cyano group, a halo(C₁-C₆)alkyl group, or a halo(C₁-C₆)alkylcarbonyl group,

p is an integer of 0 to 5, and Z¹ and Z² may be the same or different and each is a carbon atom, an oxygen atom, S, SO, SO₂ or NR⁶ wherein R⁶ is as defined above, or when p is 2, the
10 adjacent two R⁷ can be bonded to form a 3- to 8-membered aliphatic ring.

[0011]

R² and R³ may be the same or different and each is

- (b1) a hydrogen atom;
- 15 (b2) a (C₁-C₈)alkyl group;
- (b3) a (C₃-C₈)cycloalkyl group;
- (b4) a (C₂-C₈)alkenyl group;
- (b5) a (C₂-C₈)alkynyl group;
- (b6) a halo(C₁-C₈)alkyl group;
- 20 (b7) a halo(C₃-C₈)cycloalkyl group;
- (b8) a halo(C₂-C₈)alkenyl group;
- (b9) a halo(C₂-C₈)alkynyl group;
- (b10) a (C₃-C₈)cycloalkyl(C₁-C₈)alkyl group;
- (b11) a (C₁-C₈)alkoxy(C₁-C₈)alkyl group;
- 25 (b12) a (C₁-C₈)alkylthio(C₁-C₈)alkyl group; or
- (b13) a (C₁-C₈)alkoxycarbonyl group,

q is an integer of 1 to 3.

[0012]

X may be the same or different and each is

- 30 (c1) a hydrogen atom;
- (c2) a halogen atom;
- (c3) a hydroxyl group;
- (c4) a cyano group;
- (c5) a nitro group;
- 35 (c6) an N(R⁴)(R⁵) group wherein R⁴ and R⁵ are as defined above;

- (c7) an $N(R^4)CO(R^5)$ group wherein R^4 and R^5 are as defined above;
- (c8) an $N(R^4)SO_2(R^5)$ group wherein R^4 and R^5 are as defined above;
- 5 (c9) an $N(R^4)CO_2(R^5)$ group wherein R^4 and R^5 are as defined above;
- (c10) a $CO(R^4)$ group wherein R^4 is as defined above;
- (c11) a $CO_2(R^4)$ group wherein R^4 is as defined above;
- (c12) a $CON(R^4)(R^5)$ group wherein R^4 and R^5 are as defined
- 10 above;
- (c13) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;
- (c14) a (C_1-C_8) alkyl group;
- (c15) a (C_2-C_8) alkenyl group;
- (c16) a (C_2-C_8) alkynyl group;
- 15 (c17) a (C_3-C_8) cycloalkyl group;
- (c18) a halo (C_1-C_8) alkyl group;
- (c19) a halo (C_2-C_8) alkenyl group;
- (c20) a halo (C_2-C_8) alkynyl group;
- (c21) a halo (C_3-C_8) cycloalkyl group;
- 20 (c22) a tri (C_1-C_8) alkylsilyl group wherein the alkyl groups may be the same or different;
- (c23) a tri (C_1-C_8) alkylsilyl (C_1-C_8) alkyl group wherein the alkyl groups of the tri (C_1-C_8) alkylsilyl may be the same or different;
- 25 (c24) a (C_3-C_8) cycloalkyl (C_1-C_8) alkyl group;
- (c25) a halo (C_3-C_8) cycloalkyl (C_1-C_8) alkyl group;
- (c26) a (C_3-C_8) cycloalkyl (C_3-C_8) cycloalkyl group;
- (c27) a (C_1-C_8) alkoxy group;
- (c28) a (C_2-C_8) alkenyloxy group;
- 30 (c29) a (C_2-C_8) alkynyloxy group;
- (c30) a (C_3-C_8) cycloalkyloxy group (said cycloalkyl is optionally fused with a benzene ring);
- (c31) a halo (C_1-C_8) alkoxy group;
- (c32) a halo (C_2-C_8) alkenyloxy group;
- 35 (c33) a halo (C_2-C_8) alkynyloxy group;

- (c34) a halo(C₃-C₈)cycloalkyloxy group (said cycloalkyl is optionally fused with a benzene ring);
- (c35) a (C₃-C₈)cycloalkyl(C₁-C₈)alkoxy group;
- (c36) a halo(C₃-C₈)cycloalkyl(C₁-C₈)alkoxy group;
- 5 (c37) a (C₁-C₈)alkoxy(C₁-C₈)alkyl group;
- (c38) a halo(C₁-C₈)alkoxy(C₁-C₈)alkoxy group;
- (c39) a (C₁-C₈)alkoxyhalo(C₁-C₈)alkoxy group;
- (c40) a halo(C₁-C₈)alkoxyhalo(C₁-C₈)alkoxy group;
- (c41) a mercapto group;
- 10 (c42) a (C₁-C₈)alkylthio group;
- (c43) a (C₂-C₈)alkenylthio group;
- (c44) a (C₂-C₈)alkynylthio group;
- (c45) a (C₃-C₈)cycloalkylthio group;
- (c46) a halo(C₁-C₈)alkylthio group;
- 15 (c47) a halo(C₂-C₈)alkenylthio group;
- (c48) a halo(C₂-C₈)alkynylthio group;
- (c49) a halo(C₃-C₈)cycloalkylthio group;
- (c50) a (C₃-C₈)cycloalkyl(C₁-C₈)alkylthio group;
- (c51) a halo(C₃-C₈)cycloalkyl(C₁-C₈)alkylthio group;
- 20 (c52) a (C₁-C₈)alkoxy(C₁-C₈)alkylthio group;
- (c53) a halo(C₁-C₈)alkoxy(C₁-C₈)alkylthio group;
- (c54) a (C₁-C₈)alkoxyhalo(C₁-C₈)alkylthio group;
- (c55) a halo(C₁-C₈)alkoxyhalo(C₁-C₈)alkylthio group;
- (c56) a (C₁-C₈)alkylsulfinyl group;
- 25 (c57) a (C₂-C₈)alkenylsulfinyl group;
- (c58) a (C₂-C₈)alkynylsulfinyl group;
- (c59) a (C₃-C₈)cycloalkylsulfinyl group;
- (c60) a halo(C₁-C₈)alkylsulfinyl group;
- (c61) a halo(C₂-C₈)alkenylsulfinyl group;
- 30 (c62) a halo(C₂-C₈)alkynylsulfinyl group;
- (c63) a halo(C₃-C₈)cycloalkylsulfinyl group;
- (c64) a (C₃-C₈)cycloalkyl(C₁-C₈)alkylsulfinyl group;
- (c65) a halo(C₃-C₈)cycloalkyl(C₁-C₈)alkylsulfinyl group;
- (c66) a (C₁-C₈)alkylsulfonyl group;
- 35 (c67) a (C₂-C₈)alkenylsulfonyl group;

- (c68) a (C₂-C₈)alkynylsulfonyl group;
 (c69) a (C₃-C₈)cycloalkylsulfonyl group;
 (c70) a halo(C₁-C₈)alkylsulfonyl group;
 (c71) a halo(C₂-C₈)alkenylsulfonyl group;
 5 (c72) a halo(C₂-C₈)alkynylsulfonyl group;
 (c73) a halo(C₃-C₈)cycloalkylsulfonyl group;
 (c74) a (C₃-C₈)cycloalkyl(C₁-C₈)alkylsulfonyl group;
 (c75) a halo(C₃-C₈)cycloalkyl(C₁-C₈)alkylsulfonyl group;
 (c76) an aryl group;
 10 (c77) an aryl group having, on the ring, the same or different
 1 to 5 substituents selected from (a) a halogen atom, (b) a
 cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a
 halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a
 halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a
 15 halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k)
 a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group,
 (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-
 C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group,
 (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group,
 20 (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl
 group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-
 C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵
 are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵
 are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵
 25 are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵
 are as defined above, (z) a COR⁴ group wherein R⁴ is as defined
 above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a
 CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc)
 a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
 30 (c78) an aryl(C₁-C₈)alkyl group;
 (c79) an aryl(C₁-C₆)alkyl group having, on the ring, the same
 or different 1 to 5 substituents selected from (a) a halogen
 atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl
 group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group,
 35 (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group,

(i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

(c80) an aryloxy group;

(c81) an aryloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a

- CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
- (c82) an aryloxy(C₁-C₈)alkyl group;
- (c83) an aryloxy(C₁-C₆)alkyl group having, on the ring, the
- 5 same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a
- 10 (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl
- 15 group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y)
- 20 an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
- 25 (c84) an arylthio group;
- (c85) an arylthio group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a
- 30 halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group,
- 35 (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group,

- (r) a (C₂-C₆)alkylsulfinyl group, (s) a halo(C₂-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
- (c86) a halo(C₁-C₈)alkylenedioxy group;
- (c87) a (C₁-C₈)alkoxy(C₁-C₈)alkoxy group;
- (c88) a (C₃-C₈)alkylene group;
- (c89) a (C₁-C₈)alkyl(C₃-C₈)alkylene group;
- (c90) a tri(C₁-C₈)alkylsilyloxy group wherein the alkyl groups may be the same or different;
- (c91) a tri(C₁-C₈)alkylsilyl(C₁-C₈)alkoxy group wherein the alkyl groups may be the same or different;
- (c92) a di(C₁-C₈)alkylhalo(C₁-C₈)alkylsilyl group wherein the alkyl groups may be the same or different;
- (c93) a di(C₁-C₈)alkyl(C₁-C₈)alkylthio(C₁-C₈)alkylsilyl group wherein the alkyl groups may be the same or different;
- (c94) a di(C₁-C₈)alkylhydroxysilyl group wherein the alkyl groups may be the same or different;
- (c95) a di(C₁-C₈)alkylhydrosilyl group wherein the alkyl groups may be the same or different;
- (c96) a di(C₁-C₈)alkylphenylsilyl group wherein the alkyl groups may be the same or different;
- (c97) a (C₁-C₈)alkylthio(C₁-C₈)alkoxy group;
- (c98) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkoxy group;
- (c99) a (C₁-C₈)alkylsulfonyl(C₁-C₈)alkoxy group;
- (c100) a (C₁-C₈)alkoxycarbonyl(C₁-C₈)alkoxy group;
- (c101) a (C₁-C₈)alkylcarbonyl(C₁-C₈)alkoxy group;
- (c102) a cyano(C₁-C₈)alkoxy group;
- (c103) an aryl(C₁-C₈)alkoxy group wherein the alkoxy moiety may

be halogenated;

(c104) an aryl(C₁-C₈)alkoxy group wherein the alkoxy moiety may be halogenated, which has, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₂-C₆)alkylsulfinyl group, (s) a halo(C₂-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

(c105) a hydroxy(C₁-C₈)alkyl group;

(c106) a (C₁-C₈)alkylthio(C₁-C₈)alkylcarbonyl group;

(c107) a (C₁-C₈)alkylthio(C₁-C₈)alkyl group;

(c108) a tri(C₁-C₈)alkylsilyl(C₁-C₈)alkylthio group wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or different;

(c109) a tri(C₁-C₈)alkylsilyl(C₁-C₈)alkylsulfinyl group wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or different;

(c110) a tri(C₁-C₈)alkylsilyl(C₁-C₈)alkylsulfonyl group wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or different;

(c111) a R⁴(R⁵) N(C₁-C₈)alkyl group wherein R⁴ and R⁵ are as

defined above;

(c112) a heterocyclic group;

(c113) a heterocyclic group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom,

5 (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl
10 group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl
15 group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;

20 (c114) a heterocycloxy group;

(c115) a heterocycloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group,

25 (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group,
30 (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or
35 different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group

wherein the alkyl groups may be the same or different, and (w) an oxo group;

(c116) a heterocyclylthio group;

(c117) a heterocyclylthio group having, on the ring, the same
 5 or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group,
 10 (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group
 15 wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w)
 20 an oxo group;

(c118) a heterocyclylsulfinyl group;

(c119) a heterocyclylsulfinyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a
 25 halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group,
 30 (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the
 35 alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or

different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;

(c120) a heterocyclylsulfonyl group;

5 (c121) a heterocyclylsulfonyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group,
10 (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group,
15 (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group
20 wherein the alkyl groups may be the same or different, and (w) an oxo group;

(c122) a heterocyclyl(C₁-C₈)alkyloxy group;

(c123) a heterocyclyl(C₁-C₈)alkyloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a
25 halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group,
30 (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl
35 group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the

alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;

- 5 (c124) a (C₁-C₈)alkyl(C₃-C₈)cycloalkyl group;
 (c125) a halo(C₁-C₈)alkyl(C₃-C₈)cycloalkyl group;
 (c126) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkyl group;
 (c127) a di(C₁-C₈)alkylbenzylsilyl group wherein the alkyl groups may be the same or different;
- 10 (c128) a heterocyclyl(C₁-C₈)alkyl group;
 (c129) a heterocyclyl(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group,
- 15 (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group,
- 20 (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group,
- (c130) a heterocyclyloxy(C₁-C₈)alkyl group; or
 (c131) a heterocyclyloxy(C₁-C₈)alkyl group having, on the ring,
- 30 the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-
- 35 C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-

C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group
 5 wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w)
 10 an oxo group, or

X can form, together with the adjacent R² or R³, (C132) a bicyclo ring, wherein the bicyclo ring optionally has the same or different one or more substituents selected from (a) a halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-C₆)alkyl
 15 group, (d) a (C₁-C₆)alkoxy group, (e) a halo(C₁-C₆)alkoxy group, (f) a (C₁-C₆)alkylthio group, (g) a halo(C₁-C₆)alkylthio group, (h) a (C₁-C₆)alkylsulfinyl group, (i) a halo(C₁-C₆)alkylsulfinyl group, (j) a (C₁-C₆)alkylsulfonyl group, and (k) a halo(C₁-C₆)alkylsulfonyl group; or,

20 X can form, together with the adjacent X on an aromatic ring, (C133) a bicyclo ring or (C134) a fused ring, wherein the bicyclo ring or fused ring optionally has the same or different one or more substituents selected from (a) a halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group,
 25 (d) a (C₁-C₆)alkoxy group, (e) a halo(C₁-C₆)alkoxy group, (f) a (C₁-C₆)alkylthio group, (g) a halo(C₁-C₆)alkylthio group, (h) a (C₁-C₆)alkylsulfinyl group, (i) a halo(C₁-C₆)alkylsulfinyl group, (j) a (C₁-C₆)alkylsulfonyl group, and (k) a halo(C₁-C₆)alkylsulfonyl group,

30 Y is CH or a nitrogen atom, m is an integer of 0 to 5, and n is an integer of 0 or 1, or a salt thereof;

[0013]

[2] the arylalkyloxypyrimidine derivative according to the above-mentioned [1],

35 wherein Y, q, m, and n are as defined in the above-mentioned

- [1],
 R^1 is
 (a1) a halogen atom;
 (a2) a formyl group;
 5 (a3) a cyano group;
 (a4) a (C₁-C₈)alkyl group;
 (a5) a (C₃-C₈)cycloalkyl group;
 (a6) a (C₂-C₈)alkenyl group;
 (a7) a (C₂-C₈)alkynyl group;
 10 (a8) a halo(C₁-C₈)alkyl group;
 (a11) a halo(C₂-C₈)alkynyl group;
 (a12) a (C₁-C₈)alkoxy(C₁-C₈)alkyl group;
 (a13) a (C₃-C₈)cycloalkyl(C₁-C₈)alkyl group;
 (a14) a (C₁-C₈)alkoxyhalo(C₁-C₈)alkyl group;
 15 (a16) a (C₁-C₈)alkylthio(C₁-C₈)alkyl group;
 (a17) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkyl group;
 (a18) a (C₁-C₈)alkylsulfonyl(C₁-C₈)alkyl group;
 (a27) a R⁴(R⁵)N(C₁-C₈)alkyl group wherein R⁴ and R⁵ are as
 defined in the above-mentioned [1];
 20 (a31) an aryl group;
 (a32) an aryl group having, on the ring, the same or different
 1 to 5 substituents selected from (a) a halogen atom, (b) a
 cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-
 C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-
 25 C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-
 C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group,
 (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl
 group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-
 C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group,
 30 (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a
 (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group
 wherein R⁴ and R⁵ are as defined above and (t) a phenoxy group;
 (a33) an aryl(C₁-C₈)alkyl group;
 (a37) an arylthio(C₁-C₈)alkyl group;
 35 (a39) an arylsulfinyl(C₁-C₈)alkyl group;

- (a41) an arylsulfonyl(C₁-C₈)alkyl group;
(a43) a (C₁-C₈)alkylcarbonyl group;
(a45) a (C₁-C₈)alkoxycarbonyl group;
(a46) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined
5 above;
(a47) a (C₁-C₈)alkoxy(C₁-C₈)alkoxy(C₁-C₈)alkyl group;
(a49) a heterocyclic group;
(a50) a heterocyclic group having, on the ring, the same or
different 1 to 5 substituents selected from (a) a halogen atom,
10 (b) a cyano group, (c) a nitro group, (d) a formyl group, (e)
a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-
C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-
C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group,
(k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl
15 group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-
C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group,
(p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a
(C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group
wherein R⁴ and R⁵ are as defined above, (t) a phenyl group, (u)
20 an oxo group, and (v) a (C₁-C₆)alkoxycarbonyl(C₁-C₆)alkyl group;
(a51) a heterocyclyl(C₁-C₈)alkyl group;
(a56) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
(a57) an oxiranyl group;
(a65) a hydroxy(C₁-C₈)alkyl group;
25 (a66) an aryloxy(C₁-C₈)alkyl group;
(a67) an aryloxy(C₁-C₈)alkyl group having, on the ring, the
same or different 1 to 5 substituents selected from (a) a
halogen atom, (b) a cyano group, (c) a nitro group, (d) a
formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl
30 group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group,
(i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-
C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-
C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group,
(n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl
35 group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group,

- (r) a (C₁-C₆)alkoxycarbonyl group, and (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above;
- (a81) a (heterocyclyl)((C₁-C₈)alkoxy)(C₁-C₈)alkyl group;
- (a83) a di(C₁-C₈)alkoxy(C₁-C₈)alkyl group wherein the alkoxy
5 groups of the di(C₁-C₈)alkoxy may be the same or different;
- (a84) a di(C₁-C₈)alkylthio(C₁-C₈)alkyl group wherein the alkyl groups of the di(C₁-C₈)alkylthio may be the same or different;
- (a85) a tri(C₁-C₈)alkylsilyloxy(C₁-C₈)alkyl group wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or
10 different;
- (a86) a carboxyl group;
- (a87) an aryloxy carbonyl group;
- (a88) a C(R⁴)=NOSO₂R⁵ group wherein R⁴ and R⁵ are as defined above;
- 15 (a89) a heterocycylimino(C₁-C₈)alkyl group;
- (a90) a tri(C₁-C₈)alkylsilyl(C₂-C₈)alkynyl group wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or different;
- (a91) a (C₁-C₈)alkoxy(C₂-C₈)alkynyl group;
- 20 (a92) a hydroxy(C₂-C₈)alkynyl group;
- (a93) a (hydroxy)((C₁-C₈)alkoxy(C₁-C₈)alkoxy)(C₁-C₈)alkyl group;
- (a94) a dihydroxy(C₁-C₈)alkyl group;
- (a95) a (hydroxy)((C₁-C₈)alkoxy)(C₁-C₈)alkyl group;
- (a96) a di(C₁-C₈)alkylsulfonyloxy(C₁-C₈)alkyl group wherein the
25 alkyl groups of the di(C₁-C₈)alkylsulfonyloxy may be the same or different;
- (a97) a di((C₁-C₈)alkoxy(C₁-C₈)alkoxy)(C₁-C₈)alkyl group wherein the alkoxy groups of the di((C₁-C₈)alkoxy(C₁-C₈)alkoxy may be the same or different;
- 30 (a98) a di(C₁-C₈)alkoxycarbonyl(C₂-C₈)alkenyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxycarbonyl may be the same or different;
- (a99) a (C₁-C₈)alkoxycarbonyl(cyano)(C₂-C₈)alkenyl group;
- (a100) a ((C₁-C₈)alkoxy(C₁-C₈)alkoxy)(hydroxy)(C₁-C₈)alkyl group;
- 35 (a101) a dicyano(C₂-C₈)alkenyl group;

- (a102) a (C₃-C₈)cycloalkylidene(C₁-C₈)alkyl group;
(a103) a (C₃-C₈)cycloalkyl(hydroxy)(C₁-C₈)alkyl group;
(a104) a (C₃-C₈)cycloalkyl((C₁-C₈)alkoxy)(C₁-C₈)alkyl group;
(a105) a heterocyclyl(C₂-C₈)alkenyl group;
5 (a106) a heterocyclyl(C₂-C₈)alkenyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group,
10 (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group,
15 (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, and (t) an oxo group;
(a107) a halo(C₁-C₈)alkylcarbonyloxy(C₂-C₈)alkenyl group;
(a108) a (C₃-C₈)cycloalkyl(halo(C₁-C₈)alkylcarbonyloxy)(C₁-C₈)alkyl group;
20 (a109) a (C₁-C₈)alkoxycarbonyl(hydroxy)(C₁-C₈)alkyl group;
(a110) a carboxy(hydroxy)(C₁-C₈)alkyl group;
(a111) a di(C₁-C₈)alkoxycarbonyl(C₃-C₈)cycloalkyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxycarbonyl may be the same or different;
25 (a112) a di(C₁-C₈)alkoxycarbonyl(C₁-C₈)alkyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxycarbonyl may be the same or different;
(a113) a (C₁-C₈)alkylcarbonyl(C₂-C₈)alkenyl group;
(a114) a hydroxyhalo(C₁-C₈)alkyl group;
30 (a115) a dihydroxyhalo(C₁-C₈)alkyl group;
(a116) a (C₁-C₈)alkoxycarbonyl(C₃-C₈)cycloalkyl group;
(a117) a cyano(C₃-C₈)cycloalkyl group;
(a118) a (C₁-C₈)alkoxycarbonyl(C₂-C₈)alkenyl group;
(a119) a cyano(C₂-C₈)alkenyl group;
35 (a120) a ((C₁-C₈)alkoxy)(hydroxy)halo(C₁-C₈)alkyl group;

(a121) a $R^4(R^5)N(C_1-C_8)alkyl(R^5)N$ carbonyl group wherein R^4 and R^5 are as defined above;

(a122) a $R^4(R^5)NCO(R^5)N(C_1-C_8)alkyl$ group wherein R^4 and R^5 are as defined above;

5 (a123) a $tri(C_1-C_8)alkylsilyl(C_2-C_8)alkynyl(C_2-C_8)alkenyl$ group wherein the alkyl groups of the $tri(C_1-C_8)alkylsilyl$ may be the same or different; or

(a124) a structural formula $Q^7, Q^8, Q^9, Q^{10}, Q^{11}, Q^{12}, Q^{13}, Q^{14}, Q^{15}, Q^{16}, Q^{17}, Q^{18}, Q^{19}, Q^{20}, Q^{21}, Q^{22}, Q^{23}, Q^{24}, Q^{25}, Q^{26}, Q^{27}, Q^{28}$ or Q^{29}

10 wherein each structural formula and the symbols therein are as defined in the above-mentioned [1],

[0014]

R^2 and R^3 may be the same or different and each is

(b1) a hydrogen atom; or

15 (b6) a $halo(C_1-C_8)alkyl$ group;

[0015]

X may be the same or different and each is

(c1) a hydrogen atom;

(c2) a halogen atom;

20 (c4) a cyano group;

(c5) a nitro group;

(c10) a $CO(R^4)$ group wherein R^4 is as defined above;

(c14) a $(C_1-C_8)alkyl$ group;

(c18) a $halo(C_1-C_8)alkyl$ group;

25 (c22) a $tri(C_1-C_8)alkylsilyl$ group wherein the alkyl groups may be the same or different;

(c27) a $(C_1-C_8)alkoxy$ group;

(c31) a $halo(C_1-C_8)alkoxy$ group;

(c40) a $halo(C_1-C_8)alkoxyhalo(C_1-C_8)alkoxy$ group;

30 (c42) a $(C_1-C_8)alkylthio$ group;

(c46) a $halo(C_1-C_8)alkylthio$ group;

(c76) an aryl group;

(c77) an aryl group having, on the ring, the same or different

1 to 5 substituents selected from (a) a halogen atom, (b) a

35 cyano group, (c) a nitro group, (d) a $(C_1-C_6)alkyl$ group, (e) a

halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, 5 (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁- 10 C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined 15 above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

(c80) an aryloxy group; or

(c81) an aryloxy group having, on the ring, the same or 20 different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) 25 a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl 30 group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ 35 are as defined above, (z) a COR⁴ group wherein R⁴ is as defined

above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a $\text{CON}(\text{R}^4)\text{R}^5$ group wherein R^4 and R^5 are as defined above, and (cc) a $\text{C}(\text{R}^4)=\text{NOR}^5$ group wherein R^4 and R^5 are as defined above; or a salt thereof;

5 [3] an agrohorticultural insecticide comprising the arylalkyloxypyrimidine derivative according to the above-mentioned [1] or [2] or a salt thereof as an active ingredient;

[4] a method of using an agrohorticultural insecticide, which
10 comprises treating a plant or soil with the arylalkyloxypyrimidine derivative according to the above-mentioned [1] or [2] or a salt thereof;


[5] a method of controlling an agrohorticultural pest, which
15 comprises treating a plant or soil with the arylalkyloxypyrimidine derivative according to the above-mentioned [1] or [2] or a salt thereof;

[6] use of the arylalkyloxypyrimidine derivative according to the above-mentioned [1] or [2] or a salt thereof as an agrohorticultural insecticide;

20 [7] use of the arylalkyloxypyrimidine derivative according to the above-mentioned [1] or [2] or a salt thereof as a veterinary insecticide;

[8] an arylalkyloxypyrimidine derivative represented by the formula (II):

25 [0016]



[0017]


wherein R^1 , R^2 , R^3 , X, Y, m and q are as defined in the above-mentioned [1], and

30 Hal is a halogen atom, or a salt thereof; and the like.

[0017a]


The present invention as claimed herein is described in the following items 1 to 8:

- 5 1. An arylalkyloxypyrimidine derivative represented by the formula (I):



wherein R¹ is

(a124) the following structural formula Q¹, Q², Q³, Q⁴, Q⁵, Q⁶,
 10 Q⁷, Q⁸, Q⁹, Q¹⁰, Q¹¹, Q¹², Q¹³, Q¹⁴, Q¹⁵, Q¹⁶, Q¹⁷, Q¹⁸, Q¹⁹, Q²⁰, Q²¹,
 Q²², Q²³, Q²⁴, Q²⁵, Q²⁶, Q²⁷, Q²⁸ or Q²⁹



wherein R⁶, R⁷ and R⁸ may be the same or different and each is a hydrogen atom, a (C₁-C₆)alkyl group, a (C₃-C₆)cycloalkyl group, a (C₂-C₆)alkenyl group, a (C₂-C₆)alkynyl group, a (C₃-
 5 C₆)cycloalkyl(C₁-C₆)alkyl group, a halo(C₁-C₆)alkyl group, a halo(C₃-C₆)cycloalkyl group, a halo(C₂-C₆)alkenyl group, a halo(C₂-C₆)alkynyl group, a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkyl group, a (C₁-C₆)alkylcarbonyloxy(C₁-C₆)alkyl group, a (C₁-C₆)alkoxy(C₁-C₆)alkyl group, a hydroxy(C₁-C₆)alkyl group, a (C₂-
 10 C₆)alkenyloxy(C₁-C₆)alkyl group, a phenoxy(C₁-C₆)alkyl group, a (C₁-C₆)alkylsulfonyl(C₁-C₆)alkyl group, a (C₁-

C₆)alkylsulfonyloxy(C₁-C₆)alkyl group, a halogen atom, a phenyl group, a phenyl(C₁-C₆)alkyl group, or a (C₁-C₆)alkylcarbonyl group,

R⁹ is a cyano group, a halo(C₁-C₆)alkyl group, or a halo(C₁-
5 C₆)alkylcarbonyl group,

p is an integer of 0 to 5, and Z¹ and Z² may be the same or different and each is a carbon atom, an oxygen atom, S, SO, SO₂ or NR⁶ wherein R⁶ is as defined above, or when p is 2, the adjacent two R⁷ can be bonded to form a 3- to 8-membered

10 aliphatic ring;

R² and R³ may be the same or different and each is

(b1) a hydrogen atom;

(b2) a (C₁-C₈)alkyl group;

(b3) a (C₃-C₈)cycloalkyl group;

15 (b4) a (C₂-C₈)alkenyl group;

(b5) a (C₂-C₈)alkynyl group;

(b6) a halo(C₁-C₈)alkyl group;

(b7) a halo(C₃-C₈)cycloalkyl group;

(b8) a halo(C₂-C₈)alkenyl group;

20 (b9) a halo(C₂-C₈)alkynyl group;

(b10) a (C₃-C₈)cycloalkyl(C₁-C₈)alkyl group;

(b11) a (C₁-C₈)alkoxy(C₁-C₈)alkyl group;

(b12) a (C₁-C₈)alkylthio(C₁-C₈)alkyl group; or

(b13) a (C₁-C₈)alkoxycarbonyl group,

25 q is an integer of 1 to 3;

X may be the same or different and each is

(c1) a hydrogen atom;

(c2) a halogen atom;

(c3) a hydroxyl group;

30 (c4) a cyano group;

(c5) a nitro group;

(c6) an N(R⁴)(R⁵) group wherein R⁴ and R⁵ may be the same or different and each is (i) a hydrogen atom, (ii) a (C₁-C₆)alkyl group, (iii) a (C₃-C₆)cycloalkyl group, (iv) a (C₂-C₆)alkenyl

35 group, (v) a (C₂-C₆)alkynyl group, (vi) a (C₃-C₆)cycloalkyl(C₁-

C₆)alkyl group, (vii) a halo(C₁-C₆)alkyl group, (viii) a
 halo(C₃-C₆)cycloalkyl group, (ix) a halo(C₂-C₆)alkenyl group,
 (x) a halo(C₂-C₆)alkynyl group, (xi) a halo(C₃-C₆)cycloalkyl(C₁-
 C₆)alkyl group, (xii) a (C₁-C₆)alkylsulfonyl group, (xiii) a
 5 (C₁-C₆)alkylcarbonyl group, (xiv) a halo(C₁-C₆)alkylcarbonyl
 group, (xv) a (C₁-C₆)alkoxycarbonyl group, (xvi) a (C₃-
 C₆)cycloalkylcarbonyl group, (xvii) a phenyl group, (xviii) a
 phenyl group having, on the ring, the same or different 1 to 5
 substituents selected from (a) a halogen atom, (b) a (C₁-
 10 C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-
 C₆)alkoxy group, (e) a halo(C₁-C₆)alkoxy group, and (f) a
 phenoxy group, (xix) a phenoxyphenyl group having, on the ring,
 the same or different 1 to 5 substituents selected from (a) a
 halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-C₆)alkyl
 15 group, (d) a (C₁-C₆)alkoxy group, and (e) a halo(C₁-C₆)alkoxy
 group, (xx) a hydroxy(C₁-C₈)alkyl group, (xxi) a phenyl(C₁-
 C₆)alkyl group, (xxii) a phenyl(C₁-C₆)alkyl group having, on the
 ring, the same or different 1 to 5 substituents selected from
 (a) a halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-
 20 C₆)alkyl group, (d) a (C₁-C₆)alkoxy group, (e) halo(C₁-C₆)alkoxy
 group, and (f) a phenoxy group, or (xxiii) a phenoxyphenyl(C₁-
 C₆)alkyl group having, on the ring, the same or different 1 to
 5 substituents selected from (a) a halogen atom, (b) a (C₁-
 C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-
 25 C₆)alkoxy group, and (e) a halo(C₁-C₆)alkoxy group;
 (c7) an N(R⁴)CO(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 (c8) an N(R⁴)SO₂(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 30 (c9) an N(R⁴)CO₂(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 (c10) a CO(R⁴) group wherein R⁴ is as defined above;
 (c11) a CO₂(R⁴) group wherein R⁴ is as defined above;
 (c12) a CON(R⁴)(R⁵) group wherein R⁴ and R⁵ are as defined
 35 above;

- (c13) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;
- (c14) a (C_1-C_8) alkyl group;
- (c15) a (C_2-C_8) alkenyl group;
- (c16) a (C_2-C_8) alkynyl group;
- 5 (c17) a (C_3-C_8) cycloalkyl group;
- (c18) a halo (C_1-C_8) alkyl group;
- (c19) a halo (C_2-C_8) alkenyl group;
- (c20) a halo (C_2-C_8) alkynyl group;
- (c21) a halo (C_3-C_8) cycloalkyl group;
- 10 (c22) a tri (C_1-C_8) alkylsilyl group wherein the alkyl groups may be the same or different;
- (c23) a tri (C_1-C_8) alkylsilyl (C_1-C_8) alkyl group wherein the alkyl groups of the tri (C_1-C_8) alkylsilyl may be the same or different;
- 15 (c24) a (C_3-C_8) cycloalkyl (C_1-C_8) alkyl group;
- (c25) a halo (C_3-C_8) cycloalkyl (C_1-C_8) alkyl group;
- (c26) a (C_3-C_8) cycloalkyl (C_3-C_8) cycloalkyl group;
- (c27) a (C_1-C_8) alkoxy group;
- (c28) a (C_2-C_8) alkenyloxy group;
- 20 (c29) a (C_2-C_8) alkynyloxy group;
- (c30) a (C_3-C_8) cycloalkyloxy group (said cycloalkyl is optionally fused with a benzene ring);
- (c31) a halo (C_1-C_8) alkoxy group;
- (c32) a halo (C_2-C_8) alkenyloxy group;
- 25 (c33) a halo (C_2-C_8) alkynyloxy group;
- (c34) a halo (C_3-C_8) cycloalkyloxy group (said cycloalkyl is optionally fused with a benzene ring);
- (c35) a (C_3-C_8) cycloalkyl (C_1-C_8) alkoxy group;
- (c36) a halo (C_3-C_8) cycloalkyl (C_1-C_8) alkoxy group;
- 30 (c37) a (C_1-C_8) alkoxy (C_1-C_8) alkyl group;
- (c38) a halo (C_1-C_8) alkoxy (C_1-C_8) alkoxy group;
- (c39) a (C_1-C_8) alkoxyhalo (C_1-C_8) alkoxy group;
- (c40) a halo (C_1-C_8) alkoxyhalo (C_1-C_8) alkoxy group;
- (c41) a mercapto group;
- 35 (c42) a (C_1-C_8) alkylthio group;

- (c43) a (C₂-C₈) alkenylthio group;
- (c44) a (C₂-C₈) alkynylthio group;
- (c45) a (C₃-C₈) cycloalkylthio group;
- (c46) a halo(C₁-C₈) alkylthio group;
- 5 (c47) a halo(C₂-C₈) alkenylthio group;
- (c48) a halo(C₂-C₈) alkynylthio group;
- (c49) a halo(C₃-C₈) cycloalkylthio group;
- (c50) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylthio group;
- (c51) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylthio group;
- 10 (c52) a (C₁-C₈) alkoxy(C₁-C₈) alkylthio group;
- (c53) a halo(C₁-C₈) alkoxy(C₁-C₈) alkylthio group;
- (c54) a (C₁-C₈) alkoxyhalo(C₁-C₈) alkylthio group;
- (c55) a halo(C₁-C₈) alkoxyhalo(C₁-C₈) alkylthio group;
- (c56) a (C₁-C₈) alkylsulfinyl group;
- 15 (c57) a (C₂-C₈) alkenylsulfinyl group;
- (c58) a (C₂-C₈) alkynylsulfinyl group;
- (c59) a (C₃-C₈) cycloalkylsulfinyl group;
- (c60) a halo(C₁-C₈) alkylsulfinyl group;
- (c61) a halo(C₂-C₈) alkenylsulfinyl group;
- 20 (c62) a halo(C₂-C₈) alkynylsulfinyl group;
- (c63) a halo(C₃-C₈) cycloalkylsulfinyl group;
- (c64) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfinyl group;
- (c65) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfinyl group;
- (c66) a (C₁-C₈) alkylsulfonyl group;
- 25 (c67) a (C₂-C₈) alkenylsulfonyl group;
- (c68) a (C₂-C₈) alkynylsulfonyl group;
- (c69) a (C₃-C₈) cycloalkylsulfonyl group;
- (c70) a halo(C₁-C₈) alkylsulfonyl group;
- (c71) a halo(C₂-C₈) alkenylsulfonyl group;
- 30 (c72) a halo(C₂-C₈) alkynylsulfonyl group;
- (c73) a halo(C₃-C₈) cycloalkylsulfonyl group;
- (c74) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfonyl group;
- (c75) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfonyl group;
- (c76) an aryl group;
- 35 (c77) an aryl group having, on the ring, the same or different

1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a
5 halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group,
10 (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵
15 are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
20 (c78) an aryl(C₁-C₈)alkyl group;
(c79) an aryl(C₁-C₆)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group,
25 (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a
30 halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group

wherein R^4 and R^5 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5 are as defined above, (z) a COR^4 group wherein R^4 is as defined above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;

(c80) an aryloxy group;

(c81) an aryloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C_1-C_6) alkyl group, (e) a halo (C_1-C_6) alkyl group, (f) a (C_1-C_6) alkoxy group, (g) a halo (C_1-C_6) alkoxy group, (h) a (C_2-C_6) alkenyloxy group, (i) a halo (C_2-C_6) alkenyloxy group, (j) a (C_2-C_6) alkynyloxy group, (k) a halo (C_2-C_6) alkynyloxy group, (l) a (C_3-C_6) cycloalkoxy group, (m) a halo (C_3-C_6) cycloalkoxy group, (n) a (C_3-C_6) cycloalkyl (C_1-C_6) alkoxy group, (o) a halo (C_3-C_6) cycloalkyl (C_1-C_6) alkoxy group, (p) a (C_1-C_6) alkylthio group, (q) a halo (C_1-C_6) alkylthio group, (r) a (C_1-C_6) alkylsulfinyl group, (s) a halo (C_1-C_6) alkylsulfinyl group, (t) a (C_1-C_6) alkylsulfonyl group, (u) a halo (C_1-C_6) alkylsulfonyl group, (v) an $N(R^4)R^5$ group wherein R^4 and R^5 are as defined above, (w) an $N(R^4)COR^5$ group wherein R^4 and R^5 are as defined above, (x) an $N(R^4)CO_2R^5$ group wherein R^4 and R^5 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5 are as defined above, (z) a COR^4 group wherein R^4 is as defined above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;

(c82) an aryloxy (C_1-C_8) alkyl group;

(c83) an aryloxy (C_1-C_6) alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C_1-C_6) alkyl group, (e) a halo (C_1-C_6) alkyl group, (f) a (C_1-C_6) alkoxy group, (g) a halo (C_1-C_6) alkoxy group, (h) a (C_2-C_6) alkenyloxy group, (i) a halo (C_2-C_6) alkenyloxy group, (j) a (C_2-C_6) alkynyloxy group, (k) a halo (C_2-C_6) alkynyloxy group, (l)

a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

(c84) an arylthio group;

(c85) an arylthio group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₂-C₆)alkylsulfinyl group, (s) a halo(C₂-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

- (c86) a halo(C₁-C₈)alkylenedioxy group;
- (c87) a (C₁-C₈)alkoxy(C₁-C₈)alkoxy group;
- (c88) a (C₃-C₈)alkylene group;
- (c89) a (C₁-C₈)alkyl(C₃-C₈)alkylene group;
- 5 (c90) a tri(C₁-C₈)alkylsilyloxy group wherein the alkyl groups may be the same or different;
- (c91) a tri(C₁-C₈)alkylsilyl(C₁-C₈)alkoxy group wherein the alkyl groups may be the same or different;
- (c92) a di(C₁-C₈)alkylhalo(C₁-C₈)alkylsilyl group wherein the
- 10 alkyl groups may be the same or different;
- (c93) a di(C₁-C₈)alkyl(C₁-C₈)alkylthio(C₁-C₈)alkylsilyl group wherein the alkyl groups may be the same or different;
- (c94) a di(C₁-C₈)alkylhydroxysilyl group wherein the alkyl groups may be the same or different;
- 15 (c95) a di(C₁-C₈)alkylhydrosilyl group wherein the alkyl groups may be the same or different;
- (c96) a di(C₁-C₈)alkylphenylsilyl group wherein the alkyl groups may be the same or different;
- (c97) a (C₁-C₈)alkylthio(C₁-C₈)alkoxy group;
- 20 (c98) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkoxy group;
- (c99) a (C₁-C₈)alkylsulfonyl(C₁-C₈)alkoxy group;
- (c100) a (C₁-C₈)alkoxycarbonyl(C₁-C₈)alkoxy group;
- (c101) a (C₁-C₈)alkylcarbonyl(C₁-C₈)alkoxy group;
- (c102) a cyano(C₁-C₈)alkoxy group;
- 25 (c103) an aryl(C₁-C₈)alkoxy group wherein the alkoxy moiety may be halogenated;
- (c104) an aryl(C₁-C₈)alkoxy group wherein the alkoxy moiety may be halogenated, which has, on the ring, the same or different
- 1 to 5 substituents selected from (a) a halogen atom, (b) a
- 30 cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group,
- 35 (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-

C_6)alkoxy group, (o) a halo(C_3-C_6)cycloalkyl(C_1-C_6)alkoxy group,
 (p) a (C_1-C_6)alkylthio group, (q) a halo(C_1-C_6)alkylthio group,
 (r) a (C_2-C_6)alkylsulfinyl group, (s) a halo(C_2-C_6)alkylsulfinyl
 group, (t) a (C_1-C_6)alkylsulfonyl group, (u) a halo(C_1-
 5 C_6)alkylsulfonyl group, (v) an $N(R^4)R^5$ group wherein R^4 and R^5
 are as defined above, (w) an $N(R^4)COR^5$ group wherein R^4 and R^5
 are as defined above, (x) an $N(R^4)CO_2R^5$ group wherein R^4 and R^5
 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5
 are as defined above, (z) a COR^4 group wherein R^4 is as defined
 10 above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a
 $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc)
 a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;
 (c105) a hydroxy(C_1-C_8)alkyl group;
 (c106) a (C_1-C_8)alkylthio(C_1-C_8)alkylcarbonyl group;
 15 (c107) a (C_1-C_8)alkylthio(C_1-C_8)alkyl group;
 (c108) a tri(C_1-C_8)alkylsilyl(C_1-C_8)alkylthio group wherein the
 alkyl groups of the tri(C_1-C_8)alkylsilyl may be the same or
 different;
 (c109) a tri(C_1-C_8)alkylsilyl(C_1-C_8)alkylsulfinyl group wherein
 20 the alkyl groups of the tri(C_1-C_8)alkylsilyl may be the same or
 different;
 (c110) a tri(C_1-C_8)alkylsilyl(C_1-C_8)alkylsulfonyl group wherein
 the alkyl groups of the tri(C_1-C_8)alkylsilyl may be the same or
 different;
 25 (c111) a $R^4(R^5)N(C_1-C_8)$ alkyl group wherein R^4 and R^5 are as
 defined above;
 (c112) a heterocyclic group;
 (c113) a heterocyclic group having, on the ring, the same or
 different 1 to 5 substituents selected from (a) a halogen atom,
 30 (b) a cyano group, (c) a nitro group, (d) a formyl group, (e)
 a (C_1-C_6)alkyl group, (f) a halo(C_1-C_6)alkyl group, (g) a (C_1-
 C_6)alkoxy group, (h) a halo(C_1-C_6)alkoxy group, (i) a (C_3-
 C_6)cycloalkyl(C_1-C_6)alkoxy group, (j) a (C_1-C_6)alkylthio group,
 (k) a halo(C_1-C_6)alkylthio group, (l) a (C_1-C_6)alkylsulfinyl
 35 group, (m) a halo(C_1-C_6)alkylsulfinyl group, (n) a (C_1-

- C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- 10 (c114) a heterocyclyloxy group;
 (c115) a heterocyclyloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a
 15 (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or
 25 different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c116) a heterocyclylthio group;
 (c117) a heterocyclylthio group having, on the ring, the same
 30 or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group,
 35 (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl

group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group
 5 wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w)
 10 an oxo group;
 (c118) a heterocyclylsulfinyl group;
 (c119) a heterocyclylsulfinyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a
 15 formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group,
 20 (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the
 25 alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
 (c120) a heterocyclylsulfonyl group;
 30 (c121) a heterocyclylsulfonyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group,
 35 (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-

- C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c122) a heterocyclyl(C₁-C₈)alkyloxy group;
- (c123) a heterocyclyl(C₁-C₈)alkyloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c124) a (C₁-C₈)alkyl(C₃-C₈)cycloalkyl group;
- (c125) a halo(C₁-C₈)alkyl(C₃-C₈)cycloalkyl group;
- (c126) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkyl group;
- (c127) a di(C₁-C₈)alkylbenzylsilyl group wherein the alkyl groups may be the same or different;
- (c128) a heterocyclyl(C₁-C₈)alkyl group;

(c129) a heterocyclyl(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group,

(c130) a heterocyclyloxy(C₁-C₈)alkyl group; or

(c131) a heterocyclyloxy(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group, or

X can form, together with the adjacent R^2 or R^3 , (C132) a bicyclo ring, wherein the bicyclo ring optionally has the same or different one or more substituents selected from (a) a halogen atom, (b) a (C_1-C_6) alkyl group, (c) a halo (C_1-C_6) alkyl group, (d) a (C_1-C_6) alkoxy group, (e) a halo (C_1-C_6) alkoxy group, (f) a (C_1-C_6) alkylthio group, (g) a halo (C_1-C_6) alkylthio group, (h) a (C_1-C_6) alkylsulfinyl group, (i) a halo (C_1-C_6) alkylsulfinyl group, (j) a (C_1-C_6) alkylsulfonyl group, and (k) a halo (C_1-C_6) alkylsulfonyl group; or,

X can form, together with the adjacent X on an aromatic ring, (C133) a bicyclo ring or (C134) a fused ring, wherein the bicyclo ring or fused ring optionally has the same or different one or more substituents selected from (a) a halogen atom, (b) a (C_1-C_6) alkyl group, (c) a halo (C_1-C_6) alkyl group, (d) a (C_1-C_6) alkoxy group, (e) a halo (C_1-C_6) alkoxy group, (f) a (C_1-C_6) alkylthio group, (g) a halo (C_1-C_6) alkylthio group, (h) a (C_1-C_6) alkylsulfinyl group, (i) a halo (C_1-C_6) alkylsulfinyl group, (j) a (C_1-C_6) alkylsulfonyl group, and (k) a halo (C_1-C_6) alkylsulfonyl group,

Y is CH or a nitrogen atom, m is an integer of 0 to 4, n is an integer of 0 or 1, or a salt thereof.

2. The arylalkyloxypyrimidine derivative according to item 1, wherein R^4 , R^5 , $_Y$, q, m, and n are as defined in the item 1, R^1 is

(a124) a structural formula Q^7 , Q^8 , Q^9 , Q^{10} , Q^{11} , Q^{12} , Q^{13} , Q^{14} , Q^{15} , Q^{16} , Q^{17} , Q^{18} , Q^{19} , Q^{20} , Q^{21} , Q^{22} , Q^{23} , Q^{24} , Q^{25} , Q^{26} , Q^{27} , Q^{28} or Q^{29} wherein each structural formula and the symbols therein are as defined in item 1,

R^2 and R^3 may be the same or different and each is (b1) a hydrogen atom; or (b6) a halo (C_1-C_8) alkyl group;

X may be the same or different and each is (c1) a hydrogen atom; (c2) a halogen atom;

- (c4) a cyano group;
 (c5) a nitro group;
 (c10) a CO(R⁴) group wherein R⁴ is as defined above;
 (c14) a (C₁-C₈)alkyl group;
 5 (c18) a halo(C₁-C₈)alkyl group;
 (c22) a tri(C₁-C₈)alkylsilyl group wherein the alkyl groups may be the same or different;
 (c27) a (C₁-C₈)alkoxy group;
 (c31) a halo(C₁-C₈)alkoxy group;
 10 (c40) a halo(C₁-C₈)alkoxyhalo(C₁-C₈)alkoxy group;
 (c42) a (C₁-C₈)alkylthio group;
 (c46) a halo(C₁-C₈)alkylthio group;
 (c76) an aryl group;
 (c77) an aryl group having, on the ring, the same or different
 15 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k)
 20 a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl
 25 group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵
 30 are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
 (c80) an aryloxy group; or
 35 (c81) an aryloxy group having, on the ring, the same or

different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a
5 halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group,
10 (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵
15 are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
20 or a salt thereof.

3. An agrohorticultural insecticide comprising the arylalkyloxypyrimidine derivative according to item 1 or 2 or a salt thereof as an active ingredient.

25

4. A method of using an agrohorticultural insecticide, which comprises treating a plant or soil with the arylalkyloxypyrimidine derivative according to item 1 or 2 or a salt thereof.

30


5. A method of controlling an agrohorticultural pest, which comprises treating a plant or soil with the arylalkyloxypyrimidine derivative according to item 1 or 2 or a salt thereof.

35

6. Use of the arylalkyloxypyrimidine derivative according to item 1 or 2 or a salt thereof as an agrohorticultural insecticide.

5 7. Use of the arylalkyloxypyrimidine derivative according to item 1 or 2 or a salt thereof as a veterinary insecticide.


8. An arylalkyloxypyrimidine derivative represented by the formula (II):



(II)

wherein R¹ is

(a124) the following structural formula Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, Q⁷, Q⁸, Q⁹, Q¹⁰, Q¹¹, Q¹², Q¹³, Q¹⁴, Q¹⁵, Q¹⁶, Q¹⁷, Q¹⁸, Q¹⁹, Q²⁰, Q²¹, Q²², Q²³, Q²⁴, Q²⁵, Q²⁶, Q²⁷, Q²⁸ or Q²⁹



wherein R⁶, R⁷ and R⁸ may be the same or different and each is a hydrogen atom, a (C₁-C₆)alkyl group, a (C₃-C₆)cycloalkyl group, a (C₂-C₆)alkenyl group, a (C₂-C₆)alkynyl group, a (C₃-C₆)cycloalkyl(C₁-C₆)alkyl group, a halo(C₁-C₆)alkyl group, a halo(C₃-C₆)cycloalkyl group, a halo(C₂-C₆)alkenyl group, a halo(C₂-C₆)alkynyl group, a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkyl group, a (C₁-C₆)alkylcarbonyloxy(C₁-C₆)alkyl group, a (C₁-C₆)alkoxy(C₁-C₆)alkyl group, a hydroxy(C₁-C₆)alkyl group, a (C₂-C₆)alkenyloxy(C₁-C₆)alkyl group, a phenoxy(C₁-C₆)alkyl group, a (C₁-C₆)alkylsulfonyl(C₁-C₆)alkyl group, a (C₁-

C₆)alkylsulfonyloxy(C₁-C₆)alkyl group, a halogen atom, a phenyl group, a phenyl(C₁-C₆)alkyl group, or a (C₁-C₆)alkylcarbonyl group,

R⁹ is a cyano group, a halo(C₁-C₆)alkyl group, or a halo(C₁-
5 C₆)alkylcarbonyl group,

p is an integer of 0 to 5, and Z¹ and Z² may be the same or different and each is a carbon atom, an oxygen atom, S, SO, SO₂ or NR⁶ wherein R⁶ is as defined above, or when p is 2, the adjacent two R⁷ can be bonded to form a 3- to 8-membered

10 aliphatic ring;

R² and R³ may be the same or different and each is

(b1) a hydrogen atom;

(b2) a (C₁-C₈)alkyl group;

(b3) a (C₃-C₈)cycloalkyl group;

15 (b4) a (C₂-C₈)alkenyl group;

(b5) a (C₂-C₈)alkynyl group;

(b6) a halo(C₁-C₈)alkyl group;

(b7) a halo(C₃-C₈)cycloalkyl group;

(b8) a halo(C₂-C₈)alkenyl group;

20 (b9) a halo(C₂-C₈)alkynyl group;

(b10) a (C₃-C₈)cycloalkyl(C₁-C₈)alkyl group;

(b11) a (C₁-C₈)alkoxy(C₁-C₈)alkyl group;

(b12) a (C₁-C₈)alkylthio(C₁-C₈)alkyl group; or

(b13) a (C₁-C₈)alkoxycarbonyl group,

25 q is an integer of 1 to 3;

X may be the same or different and each is

(c1) a hydrogen atom;

(c2) a halogen atom;

(c3) a hydroxyl group;

30 (c4) a cyano group;

(c5) a nitro group;

(c6) an N(R⁴)(R⁵) group wherein R⁴ and R⁵ may be the same or different and each is (i) a hydrogen atom, (ii) a (C₁-C₆)alkyl group, (iii) a (C₃-C₆)cycloalkyl group, (iv) a (C₂-C₆)alkenyl

35 group, (v) a (C₂-C₆)alkynyl group, (vi) a (C₃-C₆)cycloalkyl(C₁-

C₆)alkyl group, (vii) a halo(C₁-C₆)alkyl group, (viii) a
 halo(C₃-C₆)cycloalkyl group, (ix) a halo(C₂-C₆)alkenyl group,
 (x) a halo(C₂-C₆)alkynyl group, (xi) a halo(C₃-C₆)cycloalkyl(C₁-
 C₆)alkyl group, (xii) a (C₁-C₆)alkylsulfonyl group, (xiii) a
 5 (C₁-C₆)alkylcarbonyl group, (xiv) a halo(C₁-C₆)alkylcarbonyl
 group, (xv) a (C₁-C₆)alkoxycarbonyl group, (xvi) a (C₃-
 C₆)cycloalkylcarbonyl group, (xvii) a phenyl group, (xviii) a
 phenyl group having, on the ring, the same or different 1 to 5
 substituents selected from (a) a halogen atom, (b) a (C₁-
 10 C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-
 C₆)alkoxy group, (e) a halo(C₁-C₆)alkoxy group, and (f) a
 phenoxy group, (xix) a phenoxyphenyl group having, on the ring,
 the same or different 1 to 5 substituents selected from (a) a
 halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-C₆)alkyl
 15 group, (d) a (C₁-C₆)alkoxy group, and (e) a halo(C₁-C₆)alkoxy
 group, (xx) a hydroxy(C₁-C₈)alkyl group, (xxi) a phenyl(C₁-
 C₆)alkyl group, (xxii) a phenyl(C₁-C₆)alkyl group having, on the
 ring, the same or different 1 to 5 substituents selected from
 (a) a halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-
 20 C₆)alkyl group, (d) a (C₁-C₆)alkoxy group, (e) halo(C₁-C₆)alkoxy
 group, and (f) a phenoxy group, or (xxiii) a phenoxyphenyl(C₁-
 C₆)alkyl group having, on the ring, the same or different 1 to
 5 substituents selected from (a) a halogen atom, (b) a (C₁-
 C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-
 25 C₆)alkoxy group, and (e) a halo(C₁-C₆)alkoxy group;
 (c7) an N(R⁴)CO(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 (c8) an N(R⁴)SO₂(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 30 (c9) an N(R⁴)CO₂(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 (c10) a CO(R⁴) group wherein R⁴ is as defined above;
 (c11) a CO₂(R⁴) group wherein R⁴ is as defined above;
 (c12) a CON(R⁴)(R⁵) group wherein R⁴ and R⁵ are as defined
 35 above;

- (c13) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;
- (c14) a (C_1-C_8) alkyl group;
- (c15) a (C_2-C_8) alkenyl group;
- (c16) a (C_2-C_8) alkynyl group;
- 5 (c17) a (C_3-C_8) cycloalkyl group;
- (c18) a halo (C_1-C_8) alkyl group;
- (c19) a halo (C_2-C_8) alkenyl group;
- (c20) a halo (C_2-C_8) alkynyl group;
- (c21) a halo (C_3-C_8) cycloalkyl group;
- 10 (c22) a tri (C_1-C_8) alkylsilyl group wherein the alkyl groups may be the same or different;
- (c23) a tri (C_1-C_8) alkylsilyl (C_1-C_8) alkyl group wherein the alkyl groups of the tri (C_1-C_8) alkylsilyl may be the same or different;
- 15 (c24) a (C_3-C_8) cycloalkyl (C_1-C_8) alkyl group;
- (c25) a halo (C_3-C_8) cycloalkyl (C_1-C_8) alkyl group;
- (c26) a (C_3-C_8) cycloalkyl (C_3-C_8) cycloalkyl group;
- (c27) a (C_1-C_8) alkoxy group;
- (c28) a (C_2-C_8) alkenyloxy group;
- 20 (c29) a (C_2-C_8) alkynyloxy group;
- (c30) a (C_3-C_8) cycloalkyloxy group (said cycloalkyl is optionally fused with a benzene ring);
- (c31) a halo (C_1-C_8) alkoxy group;
- (c32) a halo (C_2-C_8) alkenyloxy group;
- 25 (c33) a halo (C_2-C_8) alkynyloxy group;
- (c34) a halo (C_3-C_8) cycloalkyloxy group (said cycloalkyl is optionally fused with a benzene ring);
- (c35) a (C_3-C_8) cycloalkyl (C_1-C_8) alkoxy group;
- (c36) a halo (C_3-C_8) cycloalkyl (C_1-C_8) alkoxy group;
- 30 (c37) a (C_1-C_8) alkoxy (C_1-C_8) alkyl group;
- (c38) a halo (C_1-C_8) alkoxy (C_1-C_8) alkoxy group;
- (c39) a (C_1-C_8) alkoxyhalo (C_1-C_8) alkoxy group;
- (c40) a halo (C_1-C_8) alkoxyhalo (C_1-C_8) alkoxy group;
- (c41) a mercapto group;
- 35 (c42) a (C_1-C_8) alkylthio group;

- (c43) a (C₂-C₈) alkenylthio group;
- (c44) a (C₂-C₈) alkynylthio group;
- (c45) a (C₃-C₈) cycloalkylthio group;
- (c46) a halo(C₁-C₈) alkylthio group;
- 5 (c47) a halo(C₂-C₈) alkenylthio group;
- (c48) a halo(C₂-C₈) alkynylthio group;
- (c49) a halo(C₃-C₈) cycloalkylthio group;
- (c50) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylthio group;
- (c51) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylthio group;
- 10 (c52) a (C₁-C₈) alkoxy(C₁-C₈) alkylthio group;
- (c53) a halo(C₁-C₈) alkoxy(C₁-C₈) alkylthio group;
- (c54) a (C₁-C₈) alkoxyhalo(C₁-C₈) alkylthio group;
- (c55) a halo(C₁-C₈) alkoxyhalo(C₁-C₈) alkylthio group;
- (c56) a (C₁-C₈) alkylsulfinyl group;
- 15 (c57) a (C₂-C₈) alkenylsulfinyl group;
- (c58) a (C₂-C₈) alkynylsulfinyl group;
- (c59) a (C₃-C₈) cycloalkylsulfinyl group;
- (c60) a halo(C₁-C₈) alkylsulfinyl group;
- (c61) a halo(C₂-C₈) alkenylsulfinyl group;
- 20 (c62) a halo(C₂-C₈) alkynylsulfinyl group;
- (c63) a halo(C₃-C₈) cycloalkylsulfinyl group;
- (c64) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfinyl group;
- (c65) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfinyl group;
- (c66) a (C₁-C₈) alkylsulfonyl group;
- 25 (c67) a (C₂-C₈) alkenylsulfonyl group;
- (c68) a (C₂-C₈) alkynylsulfonyl group;
- (c69) a (C₃-C₈) cycloalkylsulfonyl group;
- (c70) a halo(C₁-C₈) alkylsulfonyl group;
- (c71) a halo(C₂-C₈) alkenylsulfonyl group;
- 30 (c72) a halo(C₂-C₈) alkynylsulfonyl group;
- (c73) a halo(C₃-C₈) cycloalkylsulfonyl group;
- (c74) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfonyl group;
- (c75) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfonyl group;
- (c76) an aryl group;
- 35 (c77) an aryl group having, on the ring, the same or different

1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a
5 halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group,
10 (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵
15 are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
20 (c78) an aryl(C₁-C₈)alkyl group;
(c79) an aryl(C₁-C₆)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group,
25 (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a
30 halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group

wherein R^4 and R^5 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5 are as defined above, (z) a COR^4 group wherein R^4 is as defined above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;

(c80) an aryloxy group;

(c81) an aryloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C_1-C_6) alkyl group, (e) a halo (C_1-C_6) alkyl group, (f) a (C_1-C_6) alkoxy group, (g) a halo (C_1-C_6) alkoxy group, (h) a (C_2-C_6) alkenyloxy group, (i) a halo (C_2-C_6) alkenyloxy group, (j) a (C_2-C_6) alkynyloxy group, (k) a halo (C_2-C_6) alkynyloxy group, (l) a (C_3-C_6) cycloalkoxy group, (m) a halo (C_3-C_6) cycloalkoxy group, (n) a (C_3-C_6) cycloalkyl (C_1-C_6) alkoxy group, (o) a halo (C_3-C_6) cycloalkyl (C_1-C_6) alkoxy group, (p) a (C_1-C_6) alkylthio group, (q) a halo (C_1-C_6) alkylthio group, (r) a (C_1-C_6) alkylsulfinyl group, (s) a halo (C_1-C_6) alkylsulfinyl group, (t) a (C_1-C_6) alkylsulfonyl group, (u) a halo (C_1-C_6) alkylsulfonyl group, (v) an $N(R^4)R^5$ group wherein R^4 and R^5 are as defined above, (w) an $N(R^4)COR^5$ group wherein R^4 and R^5 are as defined above, (x) an $N(R^4)CO_2R^5$ group wherein R^4 and R^5 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5 are as defined above, (z) a COR^4 group wherein R^4 is as defined above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;

(c82) an aryloxy (C_1-C_8) alkyl group;

(c83) an aryloxy (C_1-C_6) alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C_1-C_6) alkyl group, (e) a halo (C_1-C_6) alkyl group, (f) a (C_1-C_6) alkoxy group, (g) a halo (C_1-C_6) alkoxy group, (h) a (C_2-C_6) alkenyloxy group, (i) a halo (C_2-C_6) alkenyloxy group, (j) a (C_2-C_6) alkynyloxy group, (k) a halo (C_2-C_6) alkynyloxy group, (l)

a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

(c84) an arylthio group;

(c85) an arylthio group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₂-C₆)alkylsulfinyl group, (s) a halo(C₂-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

- (c86) a halo(C₁-C₈)alkylenedioxy group;
- (c87) a (C₁-C₈)alkoxy(C₁-C₈)alkoxy group;
- (c88) a (C₃-C₈)alkylene group;
- (c89) a (C₁-C₈)alkyl(C₃-C₈)alkylene group;
- 5 (c90) a tri(C₁-C₈)alkylsilyloxy group wherein the alkyl groups may be the same or different;
- (c91) a tri(C₁-C₈)alkylsilyl(C₁-C₈)alkoxy group wherein the alkyl groups may be the same or different;
- (c92) a di(C₁-C₈)alkylhalo(C₁-C₈)alkylsilyl group wherein the
- 10 alkyl groups may be the same or different;
- (c93) a di(C₁-C₈)alkyl(C₁-C₈)alkylthio(C₁-C₈)alkylsilyl group wherein the alkyl groups may be the same or different;
- (c94) a di(C₁-C₈)alkylhydroxysilyl group wherein the alkyl groups may be the same or different;
- 15 (c95) a di(C₁-C₈)alkylhydrosilyl group wherein the alkyl groups may be the same or different;
- (c96) a di(C₁-C₈)alkylphenylsilyl group wherein the alkyl groups may be the same or different;
- (c97) a (C₁-C₈)alkylthio(C₁-C₈)alkoxy group;
- 20 (c98) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkoxy group;
- (c99) a (C₁-C₈)alkylsulfonyl(C₁-C₈)alkoxy group;
- (c100) a (C₁-C₈)alkoxycarbonyl(C₁-C₈)alkoxy group;
- (c101) a (C₁-C₈)alkylcarbonyl(C₁-C₈)alkoxy group;
- (c102) a cyano(C₁-C₈)alkoxy group;
- 25 (c103) an aryl(C₁-C₈)alkoxy group wherein the alkoxy moiety may be halogenated;
- (c104) an aryl(C₁-C₈)alkoxy group wherein the alkoxy moiety may be halogenated, which has, on the ring, the same or different
- 1 to 5 substituents selected from (a) a halogen atom, (b) a
- 30 cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group,
- 35 (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-

C_6)alkoxy group, (o) a halo(C_3 - C_6)cycloalkyl(C_1 - C_6)alkoxy group,
 (p) a (C_1 - C_6)alkylthio group, (q) a halo(C_1 - C_6)alkylthio group,
 (r) a (C_2 - C_6)alkylsulfinyl group, (s) a halo(C_2 - C_6)alkylsulfinyl
 group, (t) a (C_1 - C_6)alkylsulfonyl group, (u) a halo(C_1 -
 5 C_6)alkylsulfonyl group, (v) an $N(R^4)R^5$ group wherein R^4 and R^5
 are as defined above, (w) an $N(R^4)COR^5$ group wherein R^4 and R^5
 are as defined above, (x) an $N(R^4)CO_2R^5$ group wherein R^4 and R^5
 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5
 are as defined above, (z) a COR^4 group wherein R^4 is as defined
 10 above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a
 $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc)
 a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;
 (c105) a hydroxy(C_1 - C_8)alkyl group;
 (c106) a (C_1 - C_8)alkylthio(C_1 - C_8)alkylcarbonyl group;
 15 (c107) a (C_1 - C_8)alkylthio(C_1 - C_8)alkyl group;
 (c108) a tri(C_1 - C_8)alkylsilyl(C_1 - C_8)alkylthio group wherein the
 alkyl groups of the tri(C_1 - C_8)alkylsilyl may be the same or
 different;
 (c109) a tri(C_1 - C_8)alkylsilyl(C_1 - C_8)alkylsulfinyl group wherein
 20 the alkyl groups of the tri(C_1 - C_8)alkylsilyl may be the same or
 different;
 (c110) a tri(C_1 - C_8)alkylsilyl(C_1 - C_8)alkylsulfonyl group wherein
 the alkyl groups of the tri(C_1 - C_8)alkylsilyl may be the same or
 different;
 25 (c111) a $R^4(R^5)N(C_1-C_8)$ alkyl group wherein R^4 and R^5 are as
 defined above;
 (c112) a heterocyclic group;
 (c113) a heterocyclic group having, on the ring, the same or
 different 1 to 5 substituents selected from (a) a halogen atom,
 30 (b) a cyano group, (c) a nitro group, (d) a formyl group, (e)
 a (C_1 - C_6)alkyl group, (f) a halo(C_1 - C_6)alkyl group, (g) a (C_1 -
 C_6)alkoxy group, (h) a halo(C_1 - C_6)alkoxy group, (i) a (C_3 -
 C_6)cycloalkyl(C_1 - C_6)alkoxy group, (j) a (C_1 - C_6)alkylthio group,
 (k) a halo(C_1 - C_6)alkylthio group, (l) a (C_1 - C_6)alkylsulfinyl
 35 group, (m) a halo(C_1 - C_6)alkylsulfinyl group, (n) a (C_1 -

- C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- 10 (c114) a heterocyclyloxy group;
 (c115) a heterocyclyloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a
 15 (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or
 25 different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c116) a heterocyclylthio group;
 (c117) a heterocyclylthio group having, on the ring, the same
 30 or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group,
 35 (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl

group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group
 5 wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w)
 10 an oxo group;
 (c118) a heterocyclylsulfinyl group;
 (c119) a heterocyclylsulfinyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a
 15 formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group,
 20 (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the
 25 alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
 (c120) a heterocyclylsulfonyl group;
 30 (c121) a heterocyclylsulfonyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group,
 35 (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-

- C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c122) a heterocyclyl(C₁-C₈)alkyloxy group;
- (c123) a heterocyclyl(C₁-C₈)alkyloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c124) a (C₁-C₈)alkyl(C₃-C₈)cycloalkyl group;
- (c125) a halo(C₁-C₈)alkyl(C₃-C₈)cycloalkyl group;
- (c126) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkyl group;
- (c127) a di(C₁-C₈)alkylbenzylsilyl group wherein the alkyl groups may be the same or different;
- (c128) a heterocyclyl(C₁-C₈)alkyl group;

(c129) a heterocyclyl(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group,

(c130) a heterocyclyloxy(C₁-C₈)alkyl group; or

(c131) a heterocyclyloxy(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group, or

- X can form, together with the adjacent R^2 or R^3 , (C132) a bicyclo ring, wherein the bicyclo ring optionally has the same or different one or more substituents selected from (a) a halogen atom, (b) a (C_1-C_6) alkyl group, (c) a halo (C_1-C_6) alkyl group, (d) a (C_1-C_6) alkoxy group, (e) a halo (C_1-C_6) alkoxy group, (f) a (C_1-C_6) alkylthio group, (g) a halo (C_1-C_6) alkylthio group, (h) a (C_1-C_6) alkylsulfinyl group, (i) a halo (C_1-C_6) alkylsulfinyl group, (j) a (C_1-C_6) alkylsulfonyl group, and (k) a halo (C_1-C_6) alkylsulfonyl group; or,
- X can form, together with the adjacent X on an aromatic ring, (C133) a bicyclo ring or (C134) a fused ring, wherein the bicyclo ring or fused ring optionally has the same or different one or more substituents selected from (a) a halogen atom, (b) a (C_1-C_6) alkyl group, (c) a halo (C_1-C_6) alkyl group, (d) a (C_1-C_6) alkoxy group, (e) a halo (C_1-C_6) alkoxy group, (f) a (C_1-C_6) alkylthio group, (g) a halo (C_1-C_6) alkylthio group, (h) a (C_1-C_6) alkylsulfinyl group, (i) a halo (C_1-C_6) alkylsulfinyl group, (j) a (C_1-C_6) alkylsulfonyl group, and (k) a halo (C_1-C_6) alkylsulfonyl group,
- Y is CH or a nitrogen atom, m is an integer of 0 to 4, and Hal is a halogen atom, or a salt thereof.

[0018]

Effect of the Invention

The arylalkyloxypyrimidine derivative of the present invention or a salt thereof has a superior effect as an
5 agrohorticultural insecticide. On the other hand, the derivative shows an effect on pests being parasitic in pet animals such as dogs and cats, and domestic animals such as cattle, sheep and the like.

Description of Embodiments

10 [0019]

In the definition of the arylalkyloxypyrimidine derivative of the formula (I) of the present invention, the "halo" means a "halogen atom", and is a chlorine atom, a bromine atom, an iodine atom or a fluorine atom,
15 "(C₁-C₈)alkyl group" is, for example, a straight chain or branched chain alkyl group having 1 to 8 carbon atoms such as methyl group, ethyl group, normal propyl group, isopropyl group, normal butyl group, isobutyl group, secondary butyl group, tertiary butyl group, normal pentyl group, isopentyl
20 group, tertiary pentyl group, neopentyl group, 2,3-dimethylpropyl group, 1-ethylpropyl group, 1-methylbutyl group, 2-methylbutyl group, normal hexyl group, isohexyl group, 2-hexyl group, 3-hexyl group, 2-methylpentyl group, 3-methylpentyl group, 1,1,2-trimethylpropyl group, 3,3-dimethylbutyl group, normal heptyl group, 2-heptyl group, 3-heptyl group, 2-methylhexyl group, 3-methylhexyl group, 4-methylhexyl group, isoheptyl group, normal octyl group and the like,

"(C₂-C₈)alkenyl group" is, for example, a straight chain or
30 branched chain alkenyl group having 2 to 8 carbon atoms such as vinyl group, allyl group, isopropenyl group, 1-butenyl group, 2-butenyl group, 2-methyl-2-propenyl group, 1-methyl-2-propenyl group, 2-methyl-1-propenyl group, pentenyl group, 1-hexenyl group, 3,3-dimethyl-1-butenyl group, heptenyl group,
35 octenyl group and the like,

"(C₂-C₈)alkynyl group" is, for example, a straight chain or branched chain alkynyl group having 2 to 8 carbon atoms such as ethynyl group, 1-propynyl group, 2-propynyl group, 1-butynyl group, 2-butynyl group, 3-butynyl group, 3-methyl-1-propynyl group, 2-methyl-3-propynyl group, pentynyl group, 1-hexynyl group, 3-methyl-1-butynyl group, 3,3-dimethyl-1-butynyl group, heptynyl group, octynyl group and the like.
[0020]

The "(C₃-C₈)cycloalkyl group" is, for example, a cyclic alkyl group having 3 to 8 carbon atoms such as cyclopropyl group, cyclobutyl group, cyclopentyl group, cyclohexyl group, cycloheptyl group, cyclooctyl group and the like,

The "(C₃-C₈)cycloalkylidene group" is, for example, a cyclic alkylidene group having 3 to 8 carbon atoms such as cyclopropylidene group, cyclobutylidene group, cyclopentylidene group, cyclohexylidene group, cycloheptylidene group, cyclooctylidene group and the like,
"(C₁-C₈)alkoxy group" is, for example, a straight chain or branched chain alkoxy group having 1 to 8 carbon atoms such as methoxy group, ethoxy group, normal propoxy group, isopropoxy group, normal butoxy group, secondary butoxy group, tertiary butoxy group, normal pentyloxy group, isopentyloxy group, tertiary pentyloxy group, neopentyloxy group, 2,3-dimethylpropyloxy group, 1-ethylpropyloxy group, 1-methylbutyloxy group, normal hexyloxy group, isohexyloxy group, 1,1,2-trimethylpropyloxy group, normal heptyloxy group, normal octyloxy group and the like,

"(C₂-C₈)alkenyloxy group" is, for example, a straight chain or branched chain alkenyloxy group having 2 to 8 carbon atoms such as propenyloxy group, butenyloxy group, pentenyloxy group, hexenyloxy group, heptenyloxy group, octenyloxy group and the like,

"(C₂-C₈)alkynyloxy group" is, for example, a straight chain or branched chain alkynyloxy group having 2 to 8 carbon atoms such as propynyloxy group, butynyloxy group, pentynyloxy group,

hexynyloxy group, heptynyloxy group, octynyloxy group and the like.

[0021]

Examples of the "(C₁-C₈)alkylthio group" include a
5 straight chain or branched chain alkylthio group having 1 to 8
carbon atoms such as methylthio group, ethylthio group, normal
propylthio group, isopropylthio group, normal butylthio group,
secondary butylthio group, tertiary butylthio group, normal
pentylthio group, isopentylthio group, tertiary pentylthio
10 group, neopentylthio group, 2,3-dimethylpropylthio group, 1-
ethylpropylthio group, 1-methylbutylthio group, normal
hexylthio group, isohexylthio group, 1,1,2-trimethylpropylthio
group, normal heptylthio group, normal octylthio group and the
like,
15 examples of the "(C₁-C₈)alkylsulfinyl group" include a straight
chain or branched chain alkylsulfinyl group having 1 to 8
carbon atoms such as methylsulfinyl group, ethylsulfinyl group,
normal propylsulfinyl group, isopropylsulfinyl group, normal
butylsulfinyl group, secondary butylsulfinyl group, tertiary
20 butylsulfinyl group, normal pentylsulfinyl group,
isopentylsulfinyl group, tertiary pentylsulfinyl group,
neopentylsulfinyl group, 2,3-dimethylpropylsulfinyl group, 1-
ethylpropylsulfinyl group, 1-methylbutylsulfinyl group, normal
hexylsulfinyl group, isohexylsulfinyl group, 1,1,2-
25 trimethylpropylsulfinyl group, normal heptylsulfinyl group,
normal octylsulfinyl group and the like,

[0022]

examples of the "(C₁-C₈)alkylsulfonyl group" include a straight
chain or branched chain alkylsulfonyl group having 1 to 8
30 carbon atoms such as methylsulfonyl group, ethylsulfonyl group,
normal propylsulfonyl group, isopropylsulfonyl group, normal
butylsulfonyl group, secondary butylsulfonyl group, tertiary
butylsulfonyl group, normal pentylsulfonyl group,
isopentylsulfonyl group, tertiary pentylsulfonyl group,
35 neopentylsulfonyl group, 2,3-dimethylpropylsulfonyl group, 1-

ethylpropylsulfonyl group, 1-methylbutylsulfonyl group, normal hexylsulfonyl group, isohexylsulfonyl group, 1,1,2-trimethylpropylsulfonyl group, normal heptylsulfonyl group, normal octylsulfonyl group and the like.

5 [0023]

Examples of the "(C₂-C₈)alkenylthio group" include a straight chain or branched chain alkenylthio group having 2 to 8 carbon atoms such as propenylthio group, butenylthio group, pentenylthio group, hexenylthio group, heptenylthio group, 10 octenylthio group and the like,

examples of the "(C₂-C₈)alkynylthio group" include a straight chain or branched chain alkynylthio group having 2 to 8 carbon atoms such as propynylthio group, butynylthio group, pentynylthio group, hexynylthio group, heptynylthio group, 15 octynylthio group and the like.

[0024]

Examples of the "(C₂-C₈)alkenylsulfinyl group" include a straight chain or branched chain alkenylsulfinyl group having 1 to 8 carbon atoms such as propenylsulfinyl group, 20 butenylsulfinyl group, pentenylsulfinyl group, hexenylsulfinyl group, heptenylsulfinyl group, octenylsulfinyl group and the like,

examples of the "(C₂-C₈)alkynylsulfinyl group" include a straight chain or branched chain alkynylsulfinyl group having 25 2 to 8 carbon atoms such as propynylsulfinyl group, butynylsulfinyl group, pentynylsulfinyl group, hexynylsulfinyl group, heptynylsulfinyl group, octynylsulfinyl group and the like.

[0025]

30 Examples of the "(C₂-C₈)alkenylsulfonyl group" include a straight chain or branched chain alkenylsulfonyl group having 2 to 8 carbon atoms such as propenylsulfonyl group, butenylsulfonyl group, pentenylsulfonyl group, hexenylsulfonyl group, heptenylsulfonyl group, octenylsulfonyl group and the 35 like,

examples of the "(C₂-C₈)alkynylsulfonyl group" include a straight chain or branched chain alkynylsulfonyl group having 2 to 8 carbon atoms such as propynylsulfonyl group, butynylsulfonyl group, pentynylsulfonyl group, hexynylsulfonyl group, heptynylsulfonyl group, octynylsulfonyl group and the like.

[0026]

The "(C₃-C₈)cycloalkyloxy group" is, for example, a cyclic alkyloxy group having 3 to 8 carbon atoms such as cyclopropoxy group, cyclobutoxy group, cyclopentyloxy group, cyclohexyloxy group, cycloheptyloxy group, cyclooctyloxy group and the like,

"(C₃-C₈)cycloalkylthio group" is, for example, a cyclic alkylthio group having 3 to 8 carbon atoms such as cyclopropylthio group, cyclobutylthio group, cyclopentylthio group, cyclohexylthio group, cycloheptylthio group, cyclooctylthio group and the like,

"(C₃-C₈)cycloalkylsulfinyl group" is, for example, a cyclic alkylsulfinyl group having 3 to 8 carbon atoms such as cyclopropylsulfinyl group, cyclobutylsulfinyl group, cyclopentylsulfinyl group, cyclohexylsulfinyl group, cycloheptylsulfinyl group, cyclooctylsulfinyl group and the like,

"(C₃-C₈)cycloalkylsulfonyl group" is, for example, a cyclic alkylsulfonyl group having 3 to 8 carbon atoms such as cyclopropylsulfonyl group, cyclobutylsulfonyl group, cyclopentylsulfonyl group, cyclohexylsulfonyl group, cycloheptylsulfonyl group, cyclooctylsulfonyl group and the like.

[0027]

The above-mentioned "(C₁-C₈)alkyl group", "(C₂-C₈)alkenyl group", "(C₂-C₈)alkynyl group", "(C₃-C₈)cycloalkyl group", "(C₃-C₈)cycloalkyloxy group", "(C₁-C₈)alkoxy group", "(C₂-C₈)alkenyloxy group", "(C₂-C₈)alkynyloxy group", "(C₁-C₈)alkylthio group", "(C₁-C₈)alkylsulfinyl group", "(C₁-

C₈)alkylsulfonyl group", "(C₂-C₈)alkenylthio group", "(C₂-C₈)alkynylthio group", "(C₂-C₈)alkenylsulfinyl group", "(C₂-C₈)alkynylsulfinyl group", "(C₂-C₈)alkenylsulfonyl group", "(C₂-C₈)alkynylsulfonyl group", "(C₃-C₈)cycloalkyl group", "(C₁-C₈)alkoxy group", "(C₂-C₈)alkenyloxy group", "(C₂-C₈)alkynyloxy group", "(C₃-C₈)cycloalkylthio group", "(C₃-C₈)cycloalkylsulfinyl group" and "(C₃-C₈)cycloalkylsulfonyl group" may be substituted by one or more halogen atoms at substitutable position(s) and, when substituted by two or more halogen atoms, the halogen atoms may be the same or different. [0028]

They are indicates as "halo(C₁-C₈)alkyl group", "halo(C₂-C₈)alkenyl group", "halo(C₂-C₈)alkynyl group", "halo(C₃-C₈)cycloalkyl group", "halo(C₃-C₈)cycloalkyloxy group", "halo(C₁-C₈)alkoxy group", "halo(C₂-C₈)alkenyloxy group", "halo(C₂-C₈)alkynyloxy group", "halo(C₁-C₈)alkylthio group", "halo(C₁-C₈)alkylsulfinyl group", "halo(C₁-C₈)alkylsulfonyl group", "halo(C₂-C₈)alkenylthio group", "halo(C₂-C₈)alkynylthio group", "halo(C₂-C₈)alkenylsulfinyl group", "halo(C₂-C₈)alkynylsulfinyl group", "halo(C₂-C₈)alkenylsulfonyl group", "halo(C₂-C₈)alkynylsulfonyl group", "halo(C₃-C₈)cycloalkyl group", "halo(C₁-C₈)alkoxy group", "halo(C₂-C₈)alkenyloxy group", "halo(C₂-C₈)alkynyloxy group", "halo(C₃-C₈)cycloalkylthio group", "halo(C₃-C₈)cycloalkylsulfinyl group" and "halo(C₃-C₈)cycloalkylsulfonyl group", respectively. [0029]

The "tri(C₁-C₈)alkylsilyl group" is, for example, a straight chain or branched chain trialkylsilyl group having 1 to 8 carbon atoms such as trimethylsilyl group, triethylsilyl group, tertiary butyldimethylsilyl group, ethyldimethylsilyl group, isopropyldimethylsilyl group, n-propyldimethylsilyl group and the like. In this case, the three alkyl groups may be the same or different.

Examples of the di(C₁-C₈)alkylhalo(C₁-C₈)alkylsilyl group include a chloromethyldimethylsilyl group and the like. In

this case, the two alkyl groups may be the same or different.

Examples of the di(C₁-C₈)alkyl(C₁-C₈)alkylthio(C₁-C₈)alkylsilyl group include a methylthiomethyldimethylsilyl group and the like. In this case, the two alkyl groups may be
5 the same or different.

Examples of the di(C₁-C₈)alkylhydrosilyl group include a diisopropylsilyl group, a dimethylsilyl group and the like. In this case, the two alkyl groups may be the same or different.

Examples of the di(C₁-C₈)alkylhydroxysilyl group include
10 a dimethylhydroxysilyl group and the like. In this case, the two alkyl groups may be the same or different.

Examples of the di(C₁-C₈)alkylphenylsilyl group include a dimethyl(phenyl)silyl group and the like. In this case, the two alkyl groups may be the same or different.

Examples of the di(C₁-C₈)alkylbenzylsilyl group include a
15 dimethyl(benzyl)silyl group and the like. In this case, the two alkyl groups may be the same or different.

[0030]

Examples of the "aryl group" include an aromatic
20 hydrocarbon group having a carbon number of 6 to 10 such as a phenyl group, a 1-naphthyl group, a 2-naphthyl group and the like.

[0031]

The expressions of "(C₁-C₈)", "(C₂-C₈)", "(C₃-C₈)" and the
25 like show ranges of the carbon atom numbers of various substituents. Furthermore, the above-mentioned definition applies to the groups wherein the above-mentioned substituents are bonded to each other. For example, "(C₁-C₈)alkoxy(C₁-C₈)alkyl group" means that a straight chain or branched chain
30 alkoxy group having a carbon number of 1 to 8 is bonded to a straight chain or branched chain alkyl group having a carbon number of 1 to 8.

In addition, for example, "((C₁-C₈)alkoxy)((C₃-C₈)cycloalkyl)(C₁-C₈)alkyl group" means that a straight chain or
35 branched chain alkoxy group having 1 to 8 carbon atoms and a

cyclic alkyl group having 3 to 8 carbon atoms are bonded to a straight chain or branched chain alkyl group having 1 to 8 carbon atoms.

When two or more substituents are bonded, each
 5 substituent may be bonded to the same carbon atom, or different carbon atoms. For example, in the " $((C_1-C_8)\text{alkoxy})((C_3-C_8)\text{cycloalkyl})(C_1-C_8)\text{alkyl}$ group", the $(C_1-C_8)\text{alkoxy}$ group and $(C_3-C_8)\text{cycloalkyl}$ group may be bonded to the same carbon atom or different carbon atom of $(C_1-C_8)\text{alkyl}$ group.
 10 [0032]

The " $(C_3-C_8)\text{alkylene}$ group", " $(C_1-C_8)\text{alkyl}(C_3-C_8)\text{alkylene}$ group" and "halo $(C_1-C_8)\text{alkylenedioxy}$ group" are groups that can be formed together with the two adjacent X groups, and examples of the " $(C_3-C_8)\text{alkylene}$ group" and " $(C_1-C_8)\text{alkyl}(C_3-C_8)\text{alkylene}$ group" include a propylene group, a butylene group,
 15 a pentylene group, a hexylene group, a 1,1,4,4-tetramethylbutylene group and the like, and examples of the "halo $(C_1-C_8)\text{alkylenedioxy}$ group" include a difluoromethylenedioxy group, a tetrafluoroethylenedioxy group
 20 and the like.
 [0033]

Examples of the fused ring and bicyclo ring formed by adjacent two Xs or the bicyclo ring formed by X together with the adjacent R^2 or R^3 include fused rings such as
 25 tetrahydronaphthalene, naphthalene, benzodioxole, benzodioxane, indane, indole, benzofuran, benzothiophene, benzimidazole, benzothiazole, benzoxazole and the like, and bicyclo rings such as tetrahydronaphthalene, naphthalene, 1,2,3,4-tetrahydro-1,4-methanonaphthalene, 1,2,3,4-tetrahydro-1,4-
 30 ethanonaphthalene and the like.
 [0034]

Examples of the "heterocyclic group" and "heterocyclyl" include a 5- or 6-membered monocyclic aromatic heterocyclic group or 3- to 6 -membered monocyclic nonaromatic heterocyclic
 35 group each of which contains, as a ring-constituting atom

besides carbon atom, 1 to 4 hetero atoms selected from an oxygen atom, a sulfur atom and a nitrogen atom, a fused heterocyclic group obtained by condensation of the monocyclic aromatic or nonaromatic heterocycle with a benzene ring, and a
5 fused heterocyclic group obtained by condensation of the monocyclic aromatic or nonaromatic heterocycles (heterocycles may be different).

[0035]

Examples of the "aromatic heterocyclic group" include
10 monocyclic aromatic heterocyclic groups such as furyl, thienyl, pyridyl, pyrimidinyl, pyridazinyl, pyrazinyl, pyrrolyl, imidazolyl, pyrazolyl, thiazolyl, isothiazolyl, oxazolyl, isoxazolyl, oxadiazolyl, thiadiazolyl, triazolyl, tetrazolyl, triazinyl and the like; aromatic fused heterocyclic groups
15 such as quinolyl, isoquinolyl, quinazolyl, quinoxalyl, benzofuranyl, benzothienyl, benzoxazolyl, benzoisoxazolyl, benzothiazolyl, benzimidazolyl, benzotriazolyl, indolyl, indazolyl, pyrrolopyrazinyl, imidazopyridinyl, imidazopyrazinyl, pyrazolopyridinyl, pyrazolothienyl,
20 pyrazolotriazinyl and the like.

[0036]

Examples of the "nonaromatic heterocyclic group" include monocyclic nonaromatic heterocyclic groups such as oxiranyl, thiranyl, aziridinyl, oxetanyl, thietanyl,
25 azetidiny, pyrrolidinyl, 2-oxopyrrolidin-1-yl, piperidinyl, morpholinyl, thiomorpholinyl, piperazinyl, hexamethyleniminyl, oxazolidinyl, thiazolidinyl, imidazolidinyl, oxazolinyl, thiazolinyl, isoxazolinyl, imidazolinyl, dioxolyl, dioxolanyl, dihydrooxadiazolyl, 2-oxo-1,3-oxazolidin-5-yl, 5-oxo-1,2,4-
30 oxadiazolin-3-yl, 1,3-dioxolan-2-yl, 1,3-dioxan-2-yl, 1,3-dioxepan-2-yl, pyranyl, tetrahydropyranyl, thiopyranyl, tetrahydrothiopyranyl, 1-oxide tetrahydrothiopyranyl, 1,1-dioxide tetrahydrothiopyranyl, tetrahydrofuranyl, dioxanyl, pyrazolidinyl, pyrazolinyl, tetrahydropyrimidinyl,
35 dihydrotriazolyl, tetrahydrotriazolyl and the like;

nonaromatic fused heterocyclic groups such as dihydroindolyl, dihydroisoindolyl, dihydrobenzofuranyl, dihydrobenzodioxinyl, dihydrobenzodioxepinyl, tetrahydrobenzofuranyl, chromenyl, dihydroquinolinyl, tetrahydroquinolinyl, dihydroisoquinolinyl, 5 tetrahydroisoquinolinyl, dihydrophthalazinyl and the like; and the like.

[0037]

Examples of the salts of the arylalkyloxypyrimidine derivative represented by the formula (I) of the present 10 invention include inorganic acid salts such as hydrochloride, sulfate, nitrate, phosphate and the like, organic acid salts such as acetate, fumarate, maleate, oxalate, methanesulfonate, benzenesulfonate, paratoluenesulfonate and the like, and salts with inorganic or organic bases such as sodium ion, potassium 15 ion, calcium ion, trimethylammonium and the like.

[0038]

The arylalkyloxypyrimidine derivative represented by the formula (I) and a salt thereof of the present invention may contain one or plural number of asymmetric centers in the 20 structural formula, and in some cases, two or more optical isomers and diastereomers may be present. The present invention encompasses any of such optical isomers and mixtures containing them at any ratio. In addition, the arylalkyloxypyrimidine derivative represented by the formula 25 (I) and a salt thereof of the present invention may have two types of geometric isomers derived from a C-C double bond in the structural formula. The present invention encompasses all of geometric isomers and the mixtures containing them at any ratio.

30 [0039]

Preferable embodiments of the arylalkyloxypyrimidine derivative of the formula (I) of the present invention are as follows.

R^1 is preferably

35 (a1) a halogen atom;

- (a2) a formyl group;
- (a3) a cyano group;
- (a4) a (C₁-C₈)alkyl group;
- (a5) a (C₃-C₈)cycloalkyl group;
- 5 (a6) a (C₂-C₈)alkenyl group;
- (a7) a (C₂-C₈)alkynyl group;
- (a8) a halo(C₁-C₈)alkyl group;
- (a11) a halo(C₂-C₈)alkynyl group;
- (a12) a (C₁-C₈)alkoxy(C₁-C₈)alkyl group;
- 10 (a13) a (C₃-C₈)cycloalkyl(C₁-C₈)alkyl group;
- (a14) a (C₁-C₈)alkoxyhalo(C₁-C₈)alkyl group;
- (a16) a (C₁-C₈)alkylthio(C₁-C₈)alkyl group;
- (a17) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkyl group;
- (a18) a (C₁-C₈)alkylsulfonyl(C₁-C₈)alkyl group;
- 15 (a27) a R⁴(R⁵)N(C₁-C₈)alkyl group wherein R⁴ and R⁵ are as defined above;
- (a31) an aryl group;
- (a32) an aryl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a
- 20 cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl
- 25 group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above and (t) a phenoxy group;
- 30 (a33) an aryl(C₁-C₈)alkyl group;
- (a37) an arylthio(C₁-C₈)alkyl group;
- (a39) an arylsulfinyl(C₁-C₈)alkyl group;
- (a41) an arylsulfonyl(C₁-C₈)alkyl group;
- (a43) a (C₁-C₈)alkylcarbonyl group;
- 35 (a45) a (C₁-C₈)alkoxycarbonyl group;

- (a46) a $R^4(R^5)N$ carbonyl group wherein R^4 and R^5 are as defined above;
- (a47) a $(C_1-C_8)alkoxy(C_1-C_8)alkoxy(C_1-C_8)alkyl$ group;
- (a49) a heterocyclic group;
- 5 (a50) a heterocyclic group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a $(C_1-C_6)alkyl$ group, (f) a halo $(C_1-C_6)alkyl$ group, (g) a $(C_1-C_6)alkoxy$ group, (h) a halo $(C_1-C_6)alkoxy$ group, (i) a $(C_3-C_6)cycloalkyl(C_1-C_6)alkoxy$ group, (j) a $(C_1-C_6)alkylthio$ group, (k) a halo $(C_1-C_6)alkylthio$ group, (l) a $(C_1-C_6)alkylsulfinyl$ group, (m) a halo $(C_1-C_6)alkylsulfinyl$ group, (n) a $(C_1-C_6)alkylsulfonyl$ group, (o) a halo $(C_1-C_6)alkylsulfonyl$ group, (p) a $(C_1-C_6)alkylcarbonyl$ group, (q) a carboxyl group, (r) a
- 10 $(C_1-C_6)alkoxycarbonyl$ group, (s) a $R^4(R^5)N$ carbonyl group wherein R^4 and R^5 are as defined above, (t) a phenyl group, (u) an oxo group, and (v) a $(C_1-C_6)alkoxycarbonyl(C_1-C_6)alkyl$ group;
- (a51) a heterocyclyl $(C_1-C_8)alkyl$ group;
- (a56) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;
- 20 (a57) an oxiranyl group;
- (a65) a hydroxy $(C_1-C_8)alkyl$ group;
- (a66) an aryloxy $(C_1-C_8)alkyl$ group;
- (a67) an aryloxy $(C_1-C_8)alkyl$ group having, on the ring, the same or different 1 to 5 substituents selected from (a) a
- 25 halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a $(C_1-C_6)alkyl$ group, (f) a halo $(C_1-C_6)alkyl$ group, (g) a $(C_1-C_6)alkoxy$ group, (h) a halo $(C_1-C_6)alkoxy$ group, (i) a $(C_3-C_6)cycloalkyl(C_1-C_6)alkoxy$ group, (j) a $(C_1-C_6)alkylthio$ group, (k) a halo $(C_1-C_6)alkylthio$ group, (l) a $(C_1-C_6)alkylsulfinyl$ group, (m) a halo $(C_1-C_6)alkylsulfinyl$ group, (n) a $(C_1-C_6)alkylsulfonyl$ group, (o) a halo $(C_1-C_6)alkylsulfonyl$ group, (p) a $(C_1-C_6)alkylcarbonyl$ group, (q) a carboxyl group, (r) a $(C_1-C_6)alkoxycarbonyl$ group, and (s) a $R^4(R^5)N$ carbonyl group wherein R^4 and R^5 are as defined above;
- 30 (a81) a (heterocyclyl)(($C_1-C_8)alkoxy$)($C_1-C_8)alkyl$ group;

- (a83) a di(C₁-C₈)alkoxy(C₁-C₈)alkyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxy may be the same or different;
- (a84) a di(C₁-C₈)alkylthio(C₁-C₈)alkyl group wherein the alkyl groups of the di(C₁-C₈)alkylthio may be the same or different;
- 5 (a85) a tri(C₁-C₈)alkylsilyloxy(C₁-C₈)alkyl group wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or different;
- (a86) a carboxyl group;
- (a87) an aryloxy carbonyl group;
- 10 (a88) a C(R⁴)=NOSO₂R⁵ group wherein R⁴ and R⁵ are as defined above;
- (a89) a heterocyclylimino(C₁-C₈)alkyl group;
- (a90) a tri(C₁-C₈)alkylsilyl(C₂-C₈)alkynyl group wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or
- 15 different;
- (a91) a (C₁-C₈)alkoxy(C₂-C₈)alkynyl group;
- (a92) a hydroxy(C₂-C₈)alkynyl group;
- (a93) a (hydroxy)((C₁-C₈)alkoxy(C₁-C₈)alkoxy)(C₁-C₈)alkyl group;
- (a94) a dihydroxy(C₁-C₈)alkyl group;
- 20 (a95) a (hydroxy)((C₁-C₈)alkoxy)(C₁-C₈)alkyl group;
- (a96) a di(C₁-C₈)alkylsulfonyloxy(C₁-C₈)alkyl group wherein the alkyl groups of the di(C₁-C₈)alkylsulfonyloxy may be the same or different;
- (a97) a di((C₁-C₈)alkoxy(C₁-C₈)alkoxy)(C₁-C₈)alkyl group wherein
- 25 the alkoxy groups of the di((C₁-C₈)alkoxy(C₁-C₈)alkoxy) may be the same or different;
- (a98) a di(C₁-C₈)alkoxycarbonyl(C₂-C₈)alkenyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxycarbonyl may be the same or different;
- 30 (a99) a (C₁-C₈)alkoxycarbonyl(cyano)(C₂-C₈)alkenyl group;
- (a100) a ((C₁-C₈)alkoxy(C₁-C₈)alkoxy)(hydroxy)(C₁-C₈)alkyl group;
- (a101) a dicyano(C₂-C₈)alkenyl group;
- (a102) a (C₃-C₈)cycloalkylidene(C₁-C₈)alkyl group;
- (a103) a (C₃-C₈)cycloalkyl(hydroxy)(C₁-C₈)alkyl group;
- 35 (a104) a (C₃-C₈)cycloalkyl((C₁-C₈)alkoxy)(C₁-C₈)alkyl group;

- (a105) a heterocyclyl(C₂-C₈)alkenyl group;
- (a106) a heterocyclyl(C₂-C₈)alkenyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, and (t) an oxo group;
- (a107) a halo(C₁-C₈)alkylcarbonyloxy(C₂-C₈)alkenyl group;
- (a108) a (C₃-C₈)cycloalkyl(halo(C₁-C₈)alkylcarbonyloxy)(C₁-C₈)alkyl group;
- (a109) a (C₁-C₈)alkoxycarbonyl(hydroxy)(C₁-C₈)alkyl group;
- (a110) a carboxy(hydroxy)(C₁-C₈)alkyl group;
- (a111) a di(C₁-C₈)alkoxycarbonyl(C₃-C₈)cycloalkyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxycarbonyl may be the same or different;
- (a112) a di(C₁-C₈)alkoxycarbonyl(C₁-C₈)alkyl group wherein the alkoxy groups of the di(C₁-C₈)alkoxycarbonyl may be the same or different;
- (a113) a (C₁-C₈)alkylcarbonyl(C₂-C₈)alkenyl group;
- (a114) a hydroxyhalo(C₁-C₈)alkyl group;
- (a115) a dihydroxyhalo(C₁-C₈)alkyl group;
- (a116) a (C₁-C₈)alkoxycarbonyl(C₃-C₈)cycloalkyl group;
- (a117) a cyano(C₃-C₈)cycloalkyl group;
- (a118) a (C₁-C₈)alkoxycarbonyl(C₂-C₈)alkenyl group;
- (a119) a cyano(C₂-C₈)alkenyl group;
- (a120) a ((C₁-C₈)alkoxy)(hydroxy)halo(C₁-C₈)alkyl group;
- (a121) a R⁴(R⁵)N(C₁-C₈)alkyl(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above;
- (a122) a R⁴(R⁵)NCO(R⁵)N(C₁-C₈)alkyl group wherein R⁴ and R⁵ are

as defined above;

(a123) a tri(C₁-C₈)alkylsilyl(C₂-C₈)alkynyl(C₂-C₈)alkenyl group wherein the alkyl groups of the tri(C₁-C₈)alkylsilyl may be the same or different; or

5 (a124) a structural formula Q⁷, Q⁸, Q⁹, Q¹⁰, Q¹¹, Q¹², Q¹³, Q¹⁴, Q¹⁵, Q¹⁶, Q¹⁷, Q¹⁸, Q¹⁹, Q²⁰, Q²¹, Q²², Q²³, Q²⁴, Q²⁵, Q²⁶, Q²⁷, Q²⁸ or Q²⁹ wherein each structural formula and the symbols therein are as defined above.

[0040]

10 R² and R³ may be the same or different and each is preferably

(b1) a hydrogen atom; or

(b6) a halo(C₁-C₈)alkyl group.

[0041]

15 Each X may be the same or different and is preferably

(c1) a hydrogen atom;

(c2) a halogen atom;

(c4) a cyano group;

(c5) a nitro group;

20 (c10) a CO(R⁴) group wherein R⁴ is as defined above;

(c14) a (C₁-C₈)alkyl group;

(c18) a halo(C₁-C₈)alkyl group;

(c22) a tri(C₁-C₈)alkylsilyl group wherein the alkyl groups may be the same or different;

25 (c27) a (C₁-C₈)alkoxy group;

(c31) a halo(C₁-C₈)alkoxy group;

(c40) a halo(C₁-C₈)alkoxyhalo(C₁-C₈)alkoxy group;

(c42) a (C₁-C₈)alkylthio group;

(c46) a halo(C₁-C₈)alkylthio group;

30 (c76) an aryl group;

(c77) an aryl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a

halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

(c80) an aryloxy group; or

(c81) an aryloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc)

a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above.

[0042]

As Y, CH is preferable.

As q, 1 is preferable.

5 As m, 1 or 2 is preferable.

As n, 0 is preferable.


[0043]

Various derivatives of the present invention can be produced by, for example, the following production methods,
10 and the present invention is not limited thereto.

[0044]

Production method

[0045]



15 [0046]

wherein R^1 , R^2 , R^3 , X, q and m are as defined above, and Hal is a halogen atom.

[0047]

Production methods of the formula (II-1) from the formula (IV)
20 and the formula (II-2) from the formula (IV-1)

[0048]

The derivatives of the formula (IV) and the formula (IV-1) to be the starting materials can be produced by the methods disclosed in Organic Process Research and Development, 1, 300
25 (1997), J. Amer. Chem. Soc., 77, 745(1955), WO2001-017975 and the like.

The halogenopyrimidine derivatives represented by the

formulas (II-1) and (II-2) can be produced by reacting 4-hydroxypyrimidine derivative (IV) or 4,6-dihydroxypyrimidine derivative (IV-1) produced by the methods described in the above-mentioned documents with 1 to 10 equivalents of a
5 halogenating agent in an inert solvent. Examples of the halogenating agent include thionyl chloride, phosphorus oxychloride, phosphorus pentachloride, phosphorus(III) bromide and the like. The inert solvent may be any as long as it does not markedly inhibit the progress of this reaction and, for
10 example, aliphatic hydrocarbons such as hexane, cyclohexane, methylcyclohexane and the like, halogenated hydrocarbons such as chloroform, dichloromethane, carbon tetrachloride and the like, aromatic hydrocarbons such as benzene, xylene, toluene and the like, chain or cyclic ethers such as diethyl ether, t-
15 butyl methyl ether, dioxane, tetrahydrofuran, 1,2-dimethoxyethane and the like, nitriles such as acetonitrile, propionitrile and the like, chain or cyclic ketones such as acetone, methyl isobutyl ketone, cyclohexanone and the like, esters such as ethyl acetate, butyl acetate and the like, and
20 the like can be mentioned. These inert solvents can be used alone or a mixture of two or more kinds thereof may be used. The reaction temperature can be appropriately selected from 0°C to the refluxing temperature of the inert solvent or halogenating agent to be used. While the reaction time varies
25 depending on the scale of reaction, reaction temperature and the like and is not constant, it can be appropriately selected from several minutes to 100 hours. While the reaction also proceeds in the presence of oxygen and the like in the air, it may be performed in an inert gas atmosphere such as nitrogen
30 gas, argon gas and the like. After completion of the reaction, the object product is isolated from the reaction system containing the object product by a conventional method and purified as necessary by a recrystallization method, a distillation method, a column chromatography method and the
35 like to give the object product.

[0049]

Production methods of the formula (I-1) from the formula (II-1) and the formula (II) from the formula (II-2)

[0050]

5 In this reaction, 1 to 3 equivalents of an arylalkylalcohol derivative represented by the formula (III) is reacted with 1 equivalent of a halogenopyrimidine derivative represented by the formula (II-1) in an inert solvent in the presence of a base to give an
10 arylalkyloxypyrimidine derivative represented by the formula (I-1). In addition, 1 to 1.2 equivalents of an arylalkylalcohol derivative represented by the formula (III) is reacted with 1 equivalent of a halogenopyrimidine derivative represented by the formula (II-2) in an inert
15 solvent in the presence of a base to give an arylalkyloxypyrimidine derivative represented by the formula (II). The inert solvent that can be used for this reaction may be any as long as it does not markedly inhibit the progress of the reaction and, for example, chain or cyclic ethers such as
20 diethyl ether, tetrahydrofuran, dioxane and the like, ketones such as acetone, methyl ethyl ketone and the like, aromatic hydrocarbons such as benzene, chlorobenzene and the like, nitriles such as acetonitrile, propionitrile and the like, amides such as dimethylformamide, dimethylacetamide, N-
25 methylpyrrolidone and the like, dimethyl sulfoxide, sulfolane and the like, and water can be mentioned. These inert solvents can be used alone or a mixture of two or more kinds thereof may be used. Examples of the base that can be used for this reaction include inorganic bases such as sodium hydroxide,
30 potassium hydroxide, sodium carbonate, potassium carbonate, cesium carbonate, sodium hydrogen carbonate, potassium hydrogen carbonate and the like, alkali metal hydrides such as sodium hydride, potassium hydride and the like, alkali metal alkoxides such as sodium methoxide, sodium ethoxide, tertiary
35 butoxy potassium and the like, alkyl lithiums such as methyl

lithium, normal butyl lithium and the like, and the like. The amount of the base to be used is generally about 1.0- to 1.5-fold mol relative to the arylalkylalcohol derivative represented by the formula (III). This reaction may be
5 performed under an inert gas (nitrogen gas, argon gas) atmosphere in some cases. The reaction temperature can be appropriately selected from 0°C to the boiling point of the solvent to be used for the reaction. While the reaction time varies depending on the scale of reaction, reaction
10 temperature and the like and is not constant, it can be appropriately selected from several minutes to 48 hours. After completion of the reaction, the object product is isolated from the reaction system containing the object product by a conventional method and purified as necessary by a
15 recrystallization method, a distillation method, a column chromatography method and the like to give the object product.

An arylalkyloxypyrimidine derivative represented by the formula (II) is a novel compound, which is a synthetic intermediate useful for the production of an
20 arylalkyloxypyrimidine derivative represented by of the formula (I). As the halogen atom represented by Hal, a chlorine atom and a bromine atom are preferable, and a chlorine atom is more preferable.

[0051]

25 Production method of the formula (I-1) from the formula (II)
[0052]

This reaction is performed according to the method described in J. Org. Chem., 1955, 20, 225 and the like. That is, an arylalkyloxypyrimidine derivative represented by the
30 formula (I-1) can be produced by catalytic hydrogenation of an arylalkyloxypyrimidine derivative represented by the formula (II) in the presence of a base and a catalyst in an inert solvent under a hydrogen atmosphere. Alternatively, it may be produced by generating hydrogen in the reaction system using
35 formic acid instead of a hydrogen atmosphere.

Examples of the catalyst that can be used for this reaction include tetrakis(triphenylphosphine)palladium, palladium-carbon, platinum, Raney-nickel and the like. The amount of the catalyst to be used is about 0.0001- to 0.1-fold
5 mol relative to the arylalkyloxypyrimidine derivative represented by the formula (II).

This reaction is performed in the presence of a phase-transfer catalyst (e.g., quaternary ammonium salts such as tetrabutylammonium bromide, benzyltriethylammonium bromide and
10 the like, and the like) as necessary.

Examples of the base that can be used for this reaction include inorganic bases such as sodium hydroxide, potassium hydroxide, sodium carbonate, potassium carbonate, cesium carbonate, sodium hydrogen carbonate, potassium hydrogen
15 carbonate and the like, organic bases such as triethylamine, pyridine, sodium acetate, potassium acetate and the like, and the like. The amount of the base to be used is generally about 0.5- to 10-fold mol relative to the arylalkyloxypyrimidine derivative represented by the formula (II).

20 Examples of the inert solvent that can be used for this reaction include alcohols such as methanol, ethanol and the like, ethers such as tetrahydrofuran, dioxane, dimethoxyethane (DME) and the like, amides such as dimethylformamide, dimethylacetamide, N-methylpyrrolidone and the like, water and
25 the like. These inert solvents can be used alone or a mixture of two or more kinds thereof may be used.

The reaction temperature in this reaction may be generally from about 0°C to the boiling point of the solvent to be used. While the reaction time varies depending on the
30 reaction scale, reaction temperature and the like and is not constant, it can be appropriately selected from several minutes to 48 hours. For production under a hydrogen atmosphere, the hydrogen pressure can be appropriately selected from the normal pressure to 10 atm. When formic acid
35 is used, the reaction is preferably performed under an inert

gas atmosphere such as nitrogen gas and argon gas.

After completion of the reaction, the objective substance may be isolated from the reaction system containing the objective substance by a conventional method and the objective substance can be produced by purification using

[0053]

Production method of the formula (I) from the formula (I-1)

10 [0054]

An arylalkyloxypyrimidine derivative represented by the formula (I) can be produced by reacting an arylalkyloxypyrimidine derivative represented by the formula (I-1) with an oxidant in an inert solvent. Examples of the oxidant to be used in this reaction include manganese compounds such as manganese dioxide and the like; chromates such as sodium chromate and the like; lead compounds such as lead tetraacetate and the like; mercury compounds such as mercury oxide and the like; oxidants such as osmium tetroxide, ruthenium tetroxide, selenium dioxide and the like; metal halide agents such as ferric chloride, copper iodide and the like; halogens such as iodine, bromine and the like; palladiums such as palladium/carbon and the like; quinone oxidants such as DDQ and the like; peroxides such as aqueous hydrogen peroxide, perbenzoic acid, m-chloroperbenzoic acid and the like; and the like. Among these, aqueous hydrogen peroxide, perbenzoic acid and m-chloroperbenzoic acid are preferable. These oxidants can be appropriately selected from 0.8- to 10-fold mol, preferably 1- to 2-fold mol, relative to the arylalkyloxypyrimidine derivative represented by the formula (I-1).

The inert solvent usable in the present reaction may be any as long as it does not markedly inhibit this reaction and, for example, chain or cyclic ethers such as diethyl ether, tetrahydrofuran, dioxane and the like; aromatic hydrocarbons

such as benzene, toluene, xylene and the like; halogenated hydrocarbons such as methylene chloride, chloroform, carbon tetrachloride and the like, halogenated aromatic hydrocarbons such as chlorobenzene, dichlorobenzene and the like; nitriles
5 such as acetonitrile and the like; esters such as ethyl acetate and the like; organic acids such as formic acid, acetic acid and the like; polar solvents such as N,N-dimethylformamide, N,N-dimethylacetamide, 1,3-dimethyl-2-imidazolinone, water and the like can be mentioned. These
10 inert solvents may be used alone or in a mixture of two or more kinds thereof.

The reaction temperature in this reaction can be appropriately selected from -30°C to the refluxing temperature of the inert solvent to be used. While the reaction time
15 varies depending on the reaction scale and is not constant, it can be appropriately selected from several minutes to 48 hours.


After completion of the reaction, the objective substance may be isolated from the reaction system containing the objective substance by a conventional method and the objective
20 substance can be produced by purification using recrystallization or column chromatography, etc., if necessary.
[0055]

Typical examples of the arylalkyloxypyrimidine derivative represented by the formula (I) of the present invention are
25 shown in Table 1 to Table 12, Table 14 and Table 15, to which the present invention is not limited.

In the Tables, "Me" is a methyl group, "Et" is an ethyl group, "Pr" is a propyl group, "Bu" is a butyl group, "Pen" is a pentyl group, "Hex" is a hexyl group, "Hep" is a heptyl
30 group, "Oct" is an octyl group, "Ms" is a methanesulfonyl group, "Bn" is a benzyl group, "Ph" is a phenyl group, "THF" is a tetrahydrofuranyl group, "THP" is a tetrahydropyranyl group, "Py" is a pyridyl group, "TMS" is a trimethylsilyl group, "TBDMS" is a tertiary butyldimethylsilyl group, "n-" is
35 a normal, "i-" is iso, "neo-" is neo, "s-" is secondary, "t-"

is tertiary, "c-" is a alicyclic hydrocarbon group, and "=c-Pr" is a cyclopropylidene. The property shown is melting point (°C) or refractive index n_D (measurement temperature; °C). Table 13 shows the ^1H -NMR data of the compounds indicated with
5 "NMR" in the column of property in Tables 8, 9, 14 and 15.

[0056]



[0057]

Table 1

Comp. No.	R ¹	(X) _m	property value
1-1	Me	4-t-Bu	50-51
1-2	Et	4-t-Bu	1.3967 (21.8)
1-3	n-Pr	4-t-Bu	1.3268 (20.5)
1-4	i-Pr	4-t-Bu	49-50
1-5	c-Pr	4-t-Bu	1.5510 (21.3)
1-6	1,1-Me ₂ -1-Pr	4-t-Bu	
1-7	n-Bu	4-t-Bu	1.5360 (27.5)
1-8	i-Bu	4-t-Bu	1.3067 (22.0)
1-9	s-Bu	4-t-Bu	1.4161 (17.0)
1-10	t-Bu	4-t-Bu	
1-11	CH ₂ -c-Pr	4-t-Bu	
1-12	2-Me-1-Bu	4-t-Bu	
1-13	3-Me-1-Bu	4-t-Bu	1.3960 (21.1)
1-14	n-Pen	4-t-Bu	1.5230 (20.0)
1-15	2-Pen	4-t-Bu	
1-16	3-Pen	4-t-Bu	
1-17	neo-Pen	4-t-Bu	
1-18	2-Me-1-Pen	4-t-Bu	
1-19	3-Me-1-Pen	4-t-Bu	
1-20	4-Me-1-Pen	4-t-Bu	
1-21	c-Pen	4-t-Bu	48-49
1-22	n-Hex	4-t-Bu	
1-23	2-Hex	4-t-Bu	
1-24	3-Hex	4-t-Bu	
1-25	1-Me-1-Hex	4-t-Bu	
1-26	2-Me-1-Hex	4-t-Bu	
1-27	3-Me-1-Hex	4-t-Bu	
1-28	4-Me-1-Hex	4-t-Bu	
1-29	5-Me-1-Hex	4-t-Bu	
1-30	c-Hex	4-t-Bu	105-106

[0058]

Table 1 (continued)

Comp. No.	R ¹	(X) _m	property value
1-31	n-Hep	4-t-Bu	1.3058 (20.5)
1-32	2-Hep	4-t-Bu	
1-33	3-Hep	4-t-Bu	
1-34	c-Hep	4-t-Bu	
1-35	n-Oct	4-t-Bu	
1-36	c-Oct	4-t-Bu	
1-37	CH=CH ₂	4-t-Bu	33-34
1-38	CH ₂ CH=CH ₂	4-t-Bu	
1-39	CH ₂ CH≡CH	4-t-Bu	
1-40	CH ₂ F	4-t-Bu	1.5229 (21.3)
1-41	CHF ₂	4-t-Bu	
1-42	CF ₃	4-t-Bu	
1-43	CH ₂ CH ₂ F	4-t-Bu	
1-44	CH ₂ CHF ₂	4-t-Bu	
1-45	CH ₂ CF ₃	4-t-Bu	
1-46	CF ₂ CHF ₂	4-t-Bu	
1-47	CF ₂ CF ₃	4-t-Bu	
1-48	CH ₂ CH ₂ CF ₃	4-t-Bu	
1-49	CH ₂ CF ₂ CF ₃	4-t-Bu	
1-50	CF ₂ CF ₂ CF ₃	4-t-Bu	
1-51	CN	4-t-Bu	
1-52	CHO	4-t-Bu	1.5590 (21.0)
1-53	CH=N-OH	4-t-Bu	
1-54	CH=N-OMe	4-t-Bu	54-55
1-55	CH=N-OEt	4-t-Bu	28-29
1-56	CH=N-O-c-Pr	4-t-Bu	
1-57	CH=N-O-i-Pr	4-t-Bu	
1-58	CH=N-OBn	4-t-Bu	
1-59	COMe	4-t-Bu	
1-60	CMe=N-OH	4-t-Bu	

[0059]

Table 1 (continued)


Comp. No.	R ¹	(X) _m	property value
1-61	CMe=N-OMe	4-t-Bu	
1-62	CMe=N-OEt	4-t-Bu	
1-63	CMe=N-O-c-Pr	4-t-Bu	
1-64	CMe=N-O-i-Pr	4-t-Bu	
1-65	CMe=N-OBn	4-t-Bu	
1-66	CH ₂ OH	4-t-Bu	
1-67	CH ₂ OMe	4-t-Bu	
1-68	CH ₂ OEt	4-t-Bu	
1-69	CH ₂ O-i-Pr	4-t-Bu	
1-70	CH ₂ OPh	4-t-Bu	57-58
1-71	CH ₂ O-2-F-Ph	4-t-Bu	
1-72	CH ₂ OCH ₂ OMe	4-t-Bu	1.5327(20.5)
1-73	CH ₂ SMe	4-t-Bu	
1-74	CH ₂ SOMe	4-t-Bu	
1-75	CH ₂ SO ₂ Me	4-t-Bu	
1-76	CH ₂ NMe ₂	4-t-Bu	
1-77	CHMeOH	4-t-Bu	
1-78	CHMeOMe	4-t-Bu	
1-79	CHMeOEt	4-t-Bu	
1-80	CHMeO-i-Pr	4-t-Bu	
1-81	CHMeOPh	4-t-Bu	
1-82	CHMeSMe	4-t-Bu	
1-83	CHMeSOMe	4-t-Bu	
1-84	CHMeSO ₂ Me	4-t-Bu	
1-85	CHMeNMe ₂	4-t-Bu	
1-86	CO ₂ H	4-t-Bu	
1-87	CO ₂ Me	4-t-Bu	
1-88	CO ₂ Et	4-t-Bu	
1-89	CO ₂ -i-Pr	4-t-Bu	
1-90	CO ₂ Ph	4-t-Bu	

[0060]

Table 1 (continued)

Comp. No.	R ¹	(X) _m	property value
1-91	CONHMe	4-t-Bu	
1-92	CONMe ₂	4-t-Bu	
1-93	CONHEt	4-t-Bu	
1-94	CONEt ₂	4-t-Bu	
1-95	2-THF	4-t-Bu	1.5418 (25.8)
1-96	3-THF	4-t-Bu	
1-97	2-THP	4-t-Bu	
1-98	3-THP	4-t-Bu	
1-99	4-THP	4-t-Bu	
1-100	Ph	4-t-Bu	1.5535 (23.0)
1-101	2-Py	4-t-Bu	
1-102	3-Py	4-t-Bu	
1-103	4-Py	4-t-Bu	
1-104	2-thienyl	4-t-Bu	
1-105	3-thienyl	4-t-Bu	
1-106	2-furyl	4-t-Bu	
1-107	3-furyl	4-t-Bu	
1-108	CH ₂ (1,2,4-triazol-1-yl)	4-t-Bu	
1-109	CH ₂ (pyrazol-1-yl)	4-t-Bu	
1-110	CH ₂ O-TBDMS	4-t-Bu	1.5166 (22.0)

[0061]



[0062]

Table 2

Comp. No.	R ¹	(X) _m	property value
2-1	Me	4-CF ₃	
2-2	Et	4-CF ₃	1.4133 (21.6)
2-3	n-Pr	4-CF ₃	25
2-4	i-Pr	4-CF ₃	1.4027 (21.7)
2-5	c-Pr	4-CF ₃	55-57
2-6	1,1-Me ₂ -1-Pr	4-CF ₃	
2-7	n-Bu	4-CF ₃	1.4950 (27.5)
2-8	i-Bu	4-CF ₃	1.3546 (19.7)
2-9	s-Bu	4-CF ₃	1.3789 (20.0)
2-10	t-Bu	4-CF ₃	
2-11	CH ₂ -c-Pr	4-CF ₃	
2-12	2-Me-1-Bu	4-CF ₃	
2-13	3-Me-1-Bu	4-CF ₃	1.3315 (21.1)
2-14	n-Pen	4-CF ₃	1.4875 (20.0)
2-15	2-Pen	4-CF ₃	
2-16	3-Pen	4-CF ₃	
2-17	neo-Pen	4-CF ₃	
2-18	2-Me-1-Pen	4-CF ₃	
2-19	3-Me-1-Pen	4-CF ₃	
2-20	4-Me-1-Pen	4-CF ₃	
2-21	c-Pen	4-CF ₃	1.5092 (28.5)
2-22	n-Hex	4-CF ₃	
2-23	2-Hex	4-CF ₃	
2-24	3-Hex	4-CF ₃	
2-25	1-Me-1-Hex	4-CF ₃	
2-26	2-Me-1-Hex	4-CF ₃	
2-27	3-Me-1-Hex	4-CF ₃	
2-28	4-Me-1-Hex	4-CF ₃	
2-29	5-Me-1-Hex	4-CF ₃	
2-30	c-Hex	4-CF ₃	35-36

[0063]

Table 2 (continued)

Comp. No.	R ¹	(X) _m	property value
2-31	n-Hep	4-CF ₃	1.3376(19.2)
2-32	2-Hep	4-CF ₃	
2-33	3-Hep	4-CF ₃	
2-34	c-Hep	4-CF ₃	
2-35	n-Oct	4-CF ₃	
2-36	c-Oct	4-CF ₃	
2-37	CH=CH ₂	4-CF ₃	56-57
2-38	CH ₂ CH=CH ₂	4-CF ₃	
2-39	CH ₂ CH≡CH	4-CF ₃	
2-40	CH ₂ F	4-CF ₃	
2-41	CHF ₂	4-CF ₃	43-44
2-42	CF ₃	4-CF ₃	
2-43	CH ₂ CH ₂ F	4-CF ₃	
2-44	CH ₂ CHF ₂	4-CF ₃	
2-45	CH ₂ CF ₃	4-CF ₃	
2-46	CF ₂ CHF ₂	4-CF ₃	
2-47	CF ₂ CF ₃	4-CF ₃	
2-48	CH ₂ CH ₂ CF ₃	4-CF ₃	
2-49	CH ₂ CF ₂ CF ₃	4-CF ₃	
2-50	CF ₂ CF ₂ CF ₃	4-CF ₃	
2-51	CN	4-CF ₃	54-56
2-52	CHO	4-CF ₃	38-39
2-53	CH=N-OH	4-CF ₃	
2-54	CH=N-OMe	4-CF ₃	29-35
2-55	CH=N-OEt	4-CF ₃	1.5259(21.5)
2-56	CH=N-O-c-Pr	4-CF ₃	
2-57	CH=N-O-i-Pr	4-CF ₃	1.5194(21.0)
2-58	CH=N-O-Bn	4-CF ₃	
2-59	COMe	4-CF ₃	44-45
2-60	CMe=N-OH	4-CF ₃	

[0064]

Table 2 (continued)


Comp. No.	R ¹	(X) _m	property value
2-61	CMe=N-OMe	4-CF ₃	
2-62	CMe=N-OEt	4-CF ₃	1.5142 (21.8)
2-63	CMe=N-O-c-Pr	4-CF ₃	
2-64	CMe=N-O-i-Pr	4-CF ₃	
2-65	CMe=N-OBn	4-CF ₃	
2-66	CH ₂ OH	4-CF ₃	90-91
2-67	CH ₂ OMe	4-CF ₃	47-48
2-68	CH ₂ OEt	4-CF ₃	
2-69	CH ₂ O-i-Pr	4-CF ₃	
2-70	CH ₂ OPh	4-CF ₃	
2-71	CH ₂ O-2-F-Ph	4-CF ₃	59-60
2-72	CH ₂ OCH ₂ OMe	4-CF ₃	
2-73	CH ₂ SMe	4-CF ₃	1.5368 (21.5)
2-74	CH ₂ SOMe	4-CF ₃	83-84
2-75	CH ₂ SO ₂ Me	4-CF ₃	132-134
2-76	CH ₂ NMe ₂	4-CF ₃	1.5047 (22.3)
2-77	CHMeOH	4-CF ₃	72-73
2-78	CHMeOMe	4-CF ₃	
2-79	CHMeOEt	4-CF ₃	
2-80	CHMeO-i-Pr	4-CF ₃	
2-81	CHMeOPh	4-CF ₃	
2-82	CHMeSMe	4-CF ₃	
2-83	CHMeSOMe	4-CF ₃	
2-84	CHMeSO ₂ Me	4-CF ₃	
2-85	CHMeNMe ₂	4-CF ₃	
2-86	CO ₂ H	4-CF ₃	144-146
2-87	CO ₂ Me	4-CF ₃	103-105
2-88	CO ₂ Et	4-CF ₃	97-98
2-89	CO ₂ -i-Pr	4-CF ₃	
2-90	CO ₂ Ph	4-CF ₃	

[0065]

Table 2 (continued)

Comp. No.	R ¹	(X) _m	property value
2-91	CONHMe	4-CF ₃	
2-92	CONMe ₂	4-CF ₃	66-67
2-93	CONHEt	4-CF ₃	
2-94	CONEt ₂	4-CF ₃	
2-95	2-THF	4-CF ₃	1.5139 (26.8)
2-96	3-THF	4-CF ₃	
2-97	2-THP	4-CF ₃	88-90
2-98	3-THP	4-CF ₃	
2-99	4-THP	4-CF ₃	
2-100	Ph	4-CF ₃	110-111
2-101	2-Py	4-CF ₃	
2-102	3-Py	4-CF ₃	86-89
2-103	4-Py	4-CF ₃	88-92
2-104	2-thienyl	4-CF ₃	89-91
2-105	3-thienyl	4-CF ₃	68-70
2-106	2-furyl	4-CF ₃	
2-107	3-furyl	4-CF ₃	65-67
2-108	CH ₂ (1,2,4-triazol-1-yl)	4-CF ₃	78-79
2-109	CH ₂ (pyrazol-1-yl)	4-CF ₃	

[0066]



[0067]

Table 3

Comp. No.	R ¹	(X) _m	property value
3-1	Me	4-OCF ₃	
3-2	Et	4-OCF ₃	1.3982 (21.5)
3-3	n-Pr	4-OCF ₃	1.4876 (20.5)
3-4	i-Pr	4-OCF ₃	1.4167 (21.5)
3-5	c-Pr	4-OCF ₃	1.4986 (21.3)
3-6	1,1-Me ₂ -1-Pr	4-OCF ₃	
3-7	n-Bu	4-OCF ₃	1.4986 (28.7)
3-8	i-Bu	4-OCF ₃	1.4717 (19.5)
3-9	s-Bu	4-OCF ₃	1.3604 (19.9)
3-10	t-Bu	4-OCF ₃	
3-11	CH ₂ -c-Pr	4-OCF ₃	
3-12	2-Me-1-Bu	4-OCF ₃	
3-13	3-Me-1-Bu	4-OCF ₃	1.3862 (21.0)
3-14	n-Pen	4-OCF ₃	1.4914 (20.0)
3-15	2-Pen	4-OCF ₃	
3-16	3-Pen	4-OCF ₃	
3-17	neo-Pen	4-OCF ₃	
3-18	2-Me-1-Pen	4-OCF ₃	
3-19	3-Me-1-Pen	4-OCF ₃	
3-20	4-Me-1-Pen	4-OCF ₃	
3-21	c-Pen	4-OCF ₃	1.5105 (20.6)
3-22	n-Hex	4-OCF ₃	
3-23	2-Hex	4-OCF ₃	
3-24	3-Hex	4-OCF ₃	
3-25	1-Me-1-Hex	4-OCF ₃	
3-26	2-Me-1-Hex	4-OCF ₃	
3-27	3-Me-1-Hex	4-OCF ₃	
3-28	4-Me-1-Hex	4-OCF ₃	
3-29	5-Me-1-Hex	4-OCF ₃	
3-30	c-Hex	4-OCF ₃	

[0068]

Table 3 (continued)

Comp. No.	R ¹	(X) _m	property value
3-31	n-Hep	4-OCF ₃	1.3446 (19.5)
3-32	2-Hep	4-OCF ₃	
3-33	3-Hep	4-OCF ₃	
3-34	c-Hep	4-OCF ₃	
3-35	n-Oct	4-OCF ₃	
3-36	c-Oct	4-OCF ₃	
3-37	CH=CH ₂	4-OCF ₃	1.4562 (21.2)
3-38	CH ₂ CH=CH ₂	4-OCF ₃	
3-39	CH ₂ CH≡CH	4-OCF ₃	
3-40	CH ₂ F	4-OCF ₃	
3-41	CHF ₂	4-OCF ₃	
3-42	CF ₃	4-OCF ₃	
3-43	CH ₂ CH ₂ F	4-OCF ₃	
3-44	CH ₂ CHF ₂	4-OCF ₃	
3-45	CH ₂ CF ₃	4-OCF ₃	
3-46	CF ₂ CHF ₂	4-OCF ₃	
3-47	CF ₂ CF ₃	4-OCF ₃	
3-48	CH ₂ CH ₂ CF ₃	4-OCF ₃	
3-49	CH ₂ CF ₂ CF ₃	4-OCF ₃	
3-50	CF ₂ CF ₂ CF ₃	4-OCF ₃	
3-51	CN	4-OCF ₃	1.5156 (20.1)
3-52	CHO	4-OCF ₃	1.5089 (20.8)
3-53	CH=N-OH	4-OCF ₃	
3-54	CH=N-OMe	4-OCF ₃	
3-55	CH=N-OEt	4-OCF ₃	
3-56	CH=N-O-c-Pr	4-OCF ₃	
3-57	CH=N-O-i-Pr	4-OCF ₃	
3-58	CH=N-O-Bn	4-OCF ₃	
3-59	COMe	4-OCF ₃	
3-60	CMe=N-OH	4-OCF ₃	


[0069]

Table 3 (continued)


Comp. No.	R ¹	(X) _m	property value
3-61	CMe=N-OMe	4-OCF ₃	
3-62	CMe=N-OEt	4-OCF ₃	
3-63	CMe=N-O-c-Pr	4-OCF ₃	
3-64	CMe=N-O-i-Pr	4-OCF ₃	
3-65	CMe=N-OBn	4-OCF ₃	
3-66	CH ₂ OH	4-OCF ₃	
3-67	CH ₂ OMe	4-OCF ₃	35-36
3-68	CH ₂ OEt	4-OCF ₃	1.4932 (19.4)
3-69	CH ₂ O-i-Pr	4-OCF ₃	
3-70	CH ₂ OPh	4-OCF ₃	
3-71	CH ₂ O-2-F-Ph	4-OCF ₃	
3-72	CH ₂ OCH ₂ OMe	4-OCF ₃	
3-73	CH ₂ SMe	4-OCF ₃	
3-74	CH ₂ SOMe	4-OCF ₃	
3-75	CH ₂ SO ₂ Me	4-OCF ₃	
3-76	CH ₂ NMe ₂	4-OCF ₃	
3-77	CHMeOH	4-OCF ₃	
3-78	CHMeOMe	4-OCF ₃	1.4922 (21.5)
3-79	CHMeOEt	4-OCF ₃	
3-80	CHMeO-i-Pr	4-OCF ₃	
3-81	CHMeOPh	4-OCF ₃	
3-82	CHMeSMe	4-OCF ₃	
3-83	CHMeSOMe	4-OCF ₃	
3-84	CHMeSO ₂ Me	4-OCF ₃	
3-85	CHMeNMe ₂	4-OCF ₃	
3-86	CO ₂ H	4-OCF ₃	
3-87	CO ₂ Me	4-OCF ₃	
3-88	CO ₂ Et	4-OCF ₃	28-29
3-89	CO ₂ -i-Pr	4-OCF ₃	
3-90	CO ₂ Ph	4-OCF ₃	

[0070]

Table 3 (continued)

Comp. No.	R ¹	(X) _m	property value
3-91	CONHMe	4-OCF ₃	
3-92	CONMe ₂	4-OCF ₃	
3-93	CONHEt	4-OCF ₃	
3-94	CONEt ₂	4-OCF ₃	
3-95	2-THF	4-OCF ₃	1.5086 (25.8)
3-96	3-THF	4-OCF ₃	
3-97	2-THP	4-OCF ₃	
3-98	3-THP	4-OCF ₃	
3-99	4-THP	4-OCF ₃	
3-100	Ph	4-OCF ₃	
3-101	2-Py	4-OCF ₃	
3-102	3-Py	4-OCF ₃	
3-103	4-Py	4-OCF ₃	
3-104	2-thienyl	4-OCF ₃	
3-105	3-thienyl	4-OCF ₃	
3-106	2-furyl	4-OCF ₃	
3-107	3-furyl	4-OCF ₃	
3-108	CH ₂ (1,2,4-triazol-1-yl)	4-OCF ₃	
3-109	CH ₂ (pyrazol-1-yl)	4-OCF ₃	
3-110	CH=N-OSO ₂ Me	4-OCF ₃	107-111
3-111		4-OCF ₃	51-52

[0071]



[0072]

Table 4

Comp. No.	R ¹	(X) _m	property value
4-1	1,3-dioxolan-2-yl	4-t-Bu	83-84
4-2	1,3-dioxolan-2-yl	4-O-i-Pr	
4-3	1,3-dioxolan-2-yl	4-TMS	68-69
4-4	1,3-dioxolan-2-yl	4-CF ₃	38-39
4-5	1,3-dioxolan-2-yl	4-OCF ₃	
4-6	4,5-Me ₂ -1,3-dioxolan(trans)-2-yl	4-t-Bu	59-60
4-7	4,5-Me ₂ -1,3-dioxolan(trans)-2-yl	4-O-i-Pr	
4-8	4,5-Me ₂ -1,3-dioxolan(trans)-2-yl	4-TMS	
4-9	4,5-Me ₂ -1,3-dioxolan(trans)-2-yl	4-CF ₃	54-55
4-10	4,5-Me ₂ -1,3-dioxolan(trans)-2-yl	4-OCF ₃	1.4965 (20.0)
4-11	4,5-Me ₂ -1,3-dioxolan(cis)-2-yl	4-t-Bu	
4-12	4,5-Me ₂ -1,3-dioxolan(cis)-2-yl	4-O-i-Pr	
4-13	4,5-Me ₂ -1,3-dioxolan(cis)-2-yl	4-TMS	
4-14	4,5-Me ₂ -1,3-dioxolan(cis)-2-yl	4-CF ₃	
4-15	4,5-Me ₂ -1,3-dioxolan(cis)-2-yl	4-OCF ₃	
4-16	1,3-dioxan-2-yl	4-t-Bu	84-85
4-17	1,3-dioxan-2-yl	4-O-i-Pr	1.4238 (26.9)
4-18	1,3-dioxan-2-yl	4-TMS	70-71
4-19	1,3-dioxan-2-yl	4-CF ₃	105-106
4-20	1,3-dioxan-2-yl	4-OCF ₃	86-87
4-21	1,3-dioxan-2-yl	4-SCF ₃	122-123
4-22	1,3-dioxan-2-yl	4-Cl	84-85
4-23	5,5-Me ₂ -1,3-dioxan-2-yl	4-t-Bu	61-62
4-24	5,5-Me ₂ -1,3-dioxan-2-yl	4-O-i-Pr	
4-25	5,5-Me ₂ -1,3-dioxan-2-yl	4-TMS	
4-26	5,5-Me ₂ -1,3-dioxan-2-yl	4-CF ₃	114-115
4-27	5,5-Me ₂ -1,3-dioxan-2-yl	4-OCF ₃	
4-28	4,6-Me ₂ -1,3-dioxan(trans)-2-yl	4-t-Bu	61-62
4-29	4,6-Me ₂ -1,3-dioxan(trans)-2-yl	4-O-i-Pr	
4-30	4,6-Me ₂ -1,3-dioxan(trans)-2-yl	4-TMS	

[0073]

Table 4 (continued)

Comp. No.	R ¹	(X) _m	property value
4-31	4,6-Me ₂ -1,3-dioxan(trans)-2-yl	4-CF ₃	91-92
4-32	4,6-Me ₂ -1,3-dioxan(trans)-2-yl	4-OCF ₃	
4-33	4,6-Me ₂ -1,3-dioxan(cis)-2-yl	4-t-Bu	68-69
4-34	4,6-Me ₂ -1,3-dioxan(cis)-2-yl	4-O-i-Pr	
4-35	4,6-Me ₂ -1,3-dioxan(cis)-2-yl	4-TMS	
4-36	4,6-Me ₂ -1,3-dioxan(cis)-2-yl	4-CF ₃	148-149
4-37	4,6-Me ₂ -1,3-dioxan(cis)-2-yl	4-OCF ₃	
4-38	1,3-dioxepan-2-yl	4-t-Bu	75-76
4-39	1,3-dioxepan-2-yl	4-O-i-Pr	
4-40	1,3-dioxepan-2-yl	4-TMS	1.5406(21.3)
4-41	1,3-dioxepan-2-yl	4-CF ₃	95-96
4-42	1,3-dioxepan-2-yl	4-OCF ₃	92-93
4-43	CH(OMe) ₂	4-t-Bu	68-69
4-44	CH(OMe) ₂	4-O-i-Pr	1.4255(20.6)
4-45	CH(OMe) ₂	4-TMS	1.5284(21.3)
4-46	CH(OMe) ₂	4-CF ₃	45-46
4-47	CH(OMe) ₂	4-OCF ₃	30-31
4-48	CH(OEt) ₂	4-t-Bu	
4-49	CH(OEt) ₂	4-O-i-Pr	
4-50	CH(OEt) ₂	4-TMS	
4-51	CH(OEt) ₂	4-CF ₃	40-41
4-52	CH(OEt) ₂	4-OCF ₃	1.4843(21.9)
4-53	1,3-oxathiolan-2-yl	4-t-Bu	111-113
4-54	1,3-oxathiolan-2-yl	4-O-i-Pr	
4-55	1,3-oxathiolan-2-yl	4-TMS	
4-56	1,3-oxathiolan-2-yl	4-CF ₃	94-96
4-57	1,3-oxathiolan-2-yl	4-OCF ₃	86-88
4-58	oxazolidin-2-yl	4-t-Bu	
4-59	oxazolidin-2-yl	4-O-i-Pr	
4-60	oxazolidin-2-yl	4-TMS	



[0074]

Table 4 (continued)

Comp. No.	R ¹	(X) _m	property value
4-61	oxazolidin-2-yl	4-CF ₃	
4-62	oxazolidin-2-yl	4-OCF ₃	
4-63	1,3-dithiolan-2-yl	4-t-Bu	74-76
4-64	1,3-dithiolan-2-yl	4-O-i-Pr	
4-65	1,3-dithiolan-2-yl	4-TMS	
4-66	1,3-dithiolan-2-yl	4-CF ₃	88-89
4-67	1,3-dithiolan-2-yl	4-OCF ₃	72-73
4-68	1,3-dithian-2-yl	4-t-Bu	123-125
4-69	1,3-dithian-2-yl	4-O-i-Pr	
4-70	1,3-dithian-2-yl	4-TMS	
4-71	1,3-dithian-2-yl	4-CF ₃	124-126
4-72	1,3-dithian-2-yl	4-OCF ₃	116-117
4-73	imidazolidin-2-yl	4-t-Bu	
4-74	imidazolidin-2-yl	4-O-i-Pr	
4-75	imidazolidin-2-yl	4-TMS	
4-76	imidazolidin-2-yl	4-CF ₃	
4-77	imidazolidin-2-yl	4-OCF ₃	
4-78	CH(SMe) ₂	4-t-Bu	1.3999(20.8)
4-79	CH(SMe) ₂	4-O-i-Pr	
4-80	CH(SMe) ₂	4-TMS	
4-81	CH(SMe) ₂	4-CF ₃	73-74
4-82	CH(SMe) ₂	4-OCF ₃	1.4826(21.0)
4-83	CH(SET) ₂	4-t-Bu	1.4209(20.7)
4-84	CH(SET) ₂	4-O-i-Pr	
4-85	CH(SET) ₂	4-TMS	
4-86	CH(SET) ₂	4-CF ₃	1.3869(20.6)
4-87	CH(SET) ₂	4-OCF ₃	1.3941(20.6)
4-88	CH(OMe)(1,2,4-triazol-1-yl)	4-CF ₃	83-84
4-89	CH(OMe)(pyrazol-1-yl)	4-CF ₃	41-42


[0075]

Table 4 (continued)

Comp. No.	R ¹	(X) _m	property value
4-90		4-CF ₃	75-76
4-91		4-CF ₃	67-68

[0076]

5




[0077]

Table 5 (q=1, Y=CH)

Comp. No.	R ¹	R ²	R ³	(X) _m	property value
5-1	c-Hex	CF ₃	H	H	1.5400 (21.0)
5-2	c-Hex	CF ₃	H	4-t-Bu	1.4491 (21.0)
5-3	c-Hex	H	H	4-SCF ₃	73-74

[0078]



[0079]

Table 6

Comp. No.	R ¹	(X) _m	property value
6-1	Me	4-O-i-Pr	
6-2	Et	4-O-i-Pr	
6-3	n-Pr	4-O-i-Pr	
6-4	i-Pr	4-O-i-Pr	
6-5	c-Pr	4-O-i-Pr	
6-6	1,1-Me ₂ -1-Pr	4-O-i-Pr	
6-7	n-Bu	4-O-i-Pr	
6-8	i-Bu	4-O-i-Pr	
6-9	s-Bu	4-O-i-Pr	
6-10	t-Bu	4-O-i-Pr	
6-11	CH ₂ -c-Pr	4-O-i-Pr	
6-12	2-Me-1-Bu	4-O-i-Pr	
6-13	3-Me-1-Bu	4-O-i-Pr	
6-14	n-Pen	4-O-i-Pr	
6-15	2-Pen	4-O-i-Pr	
6-16	3-Pen	4-O-i-Pr	
6-17	neo-Pen	4-O-i-Pr	
6-18	2-Me-1-Pen	4-O-i-Pr	
6-19	3-Me-1-Pen	4-O-i-Pr	
6-20	4-Me-1-Pen	4-O-i-Pr	
6-21	c-Pen	4-O-i-Pr	
6-22	n-Hex	4-O-i-Pr	
6-23	2-Hex	4-O-i-Pr	
6-24	3-Hex	4-O-i-Pr	
6-25	1-Me-1-Hex	4-O-i-Pr	
6-26	2-Me-1-Hex	4-O-i-Pr	
6-27	3-Me-1-Hex	4-O-i-Pr	
6-28	4-Me-1-Hex	4-O-i-Pr	
6-29	5-Me-1-Hex	4-O-i-Pr	
6-30	c-Hex	4-O-i-Pr	

[0080]

Table 6 (continued)

Comp. No.	R ¹	(X) _m	property value
6-31	n-Hep	4-O-i-Pr	
6-32	2-Hep	4-O-i-Pr	
6-33	3-Hep	4-O-i-Pr	
6-34	c-Hep	4-O-i-Pr	
6-35	n-Oct	4-O-i-Pr	
6-36	c-Oct	4-O-i-Pr	
6-37	CH=CH ₂	4-O-i-Pr	
6-38	CH ₂ CH=CH ₂	4-O-i-Pr	
6-39	CH ₂ CH≡CH	4-O-i-Pr	
6-40	CH ₂ F	4-O-i-Pr	
6-41	CHF ₂	4-O-i-Pr	
6-42	CF ₃	4-O-i-Pr	
6-43	CH ₂ CH ₂ F	4-O-i-Pr	
6-44	CH ₂ CHF ₂	4-O-i-Pr	
6-45	CH ₂ CF ₃	4-O-i-Pr	
6-46	CF ₂ CHF ₂	4-O-i-Pr	
6-47	CF ₂ CF ₃	4-O-i-Pr	
6-48	CH ₂ CH ₂ CF ₃	4-O-i-Pr	
6-49	CH ₂ CF ₂ CF ₃	4-O-i-Pr	
6-50	CF ₂ CF ₂ CF ₃	4-O-i-Pr	
6-51	CN	4-O-i-Pr	
6-52	CHO	4-O-i-Pr	
6-53	CH=N-OH	4-O-i-Pr	
6-54	CH=N-OMe	4-O-i-Pr	
6-55	CH=N-OEt	4-O-i-Pr	
6-56	CH=N-O-c-Pr	4-O-i-Pr	
6-57	CH=N-O-i-Pr	4-O-i-Pr	
6-58	CH=N-OBn	4-O-i-Pr	
6-59	COMe	4-O-i-Pr	
6-60	CMe=N-OH	4-O-i-Pr	

[0081]

Table 6 (continued)


Comp. No.	R ¹	(X) _m	property value
6-61	CMe=N-OMe	4-O-i-Pr	
6-62	CMe=N-OEt	4-O-i-Pr	
6-63	CMe=N-O-c-Pr	4-O-i-Pr	
6-64	CMe=N-O-i-Pr	4-O-i-Pr	
6-65	CMe=N-OBn	4-O-i-Pr	
6-66	CH ₂ OH	4-O-i-Pr	
6-67	CH ₂ OMe	4-O-i-Pr	
6-68	CH ₂ OEt	4-O-i-Pr	
6-69	CH ₂ O-i-Pr	4-O-i-Pr	
6-70	CH ₂ OPh	4-O-i-Pr	
6-71	CH ₂ O-2-F-Ph	4-O-i-Pr	
6-72	CH ₂ OCH ₂ OMe	4-O-i-Pr	
6-73	CH ₂ SMe	4-O-i-Pr	
6-74	CH ₂ SOMe	4-O-i-Pr	
6-75	CH ₂ SO ₂ Me	4-O-i-Pr	
6-76	CH ₂ NMe ₂	4-O-i-Pr	
6-77	CHMeOH	4-O-i-Pr	
6-78	CHMeOMe	4-O-i-Pr	
6-79	CHMeOEt	4-O-i-Pr	
6-80	CHMeO-i-Pr	4-O-i-Pr	
6-81	CHMeOPh	4-O-i-Pr	
6-82	CHMeSMe	4-O-i-Pr	
6-83	CHMeSOMe	4-O-i-Pr	
6-84	CHMeSO ₂ Me	4-O-i-Pr	
6-85	CHMeNMe ₂	4-O-i-Pr	
6-86	CO ₂ H	4-O-i-Pr	
6-87	CO ₂ Me	4-O-i-Pr	
6-88	CO ₂ Et	4-O-i-Pr	
6-89	CO ₂ -i-Pr	4-O-i-Pr	
6-90	CO ₂ Ph	4-O-i-Pr	

[0082]

Table 6 (continued)

Comp. No.	R ¹	(X) _m	property value
6-91	CONHMe	4-O-i-Pr	
6-92	CONMe ₂	4-O-i-Pr	
6-93	CONHEt	4-O-i-Pr	
6-94	CONEt ₂	4-O-i-Pr	
6-95	2-THF	4-O-i-Pr	
6-96	3-THF	4-O-i-Pr	
6-97	2-THP	4-O-i-Pr	
6-98	3-THP	4-O-i-Pr	
6-99	4-THP	4-O-i-Pr	
6-100	Ph	4-O-i-Pr	
6-101	2-Py	4-O-i-Pr	
6-102	3-Py	4-O-i-Pr	
6-103	4-Py	4-O-i-Pr	
6-104	2-thienyl	4-O-i-Pr	
6-105	3-thienyl	4-O-i-Pr	
6-106	2-furyl	4-O-i-Pr	
6-107	3-furyl	4-O-i-Pr	
6-108	CH ₂ (1,2,4-triazol-1-yl)	4-O-i-Pr	
6-109	CH ₂ (pyrazol-1-yl)	4-O-i-Pr	

[0083]



[0084]

Table 7

Comp. No.	R ¹	(X) _m	property value
7-1	Me	4-TMS	
7-2	Et	4-TMS	
7-3	n-Pr	4-TMS	
7-4	i-Pr	4-TMS	
7-5	c-Pr	4-TMS	
7-6	1,1-Me ₂ -1-n-Pr	4-TMS	
7-7	n-Bu	4-TMS	
7-8	i-Bu	4-TMS	
7-9	s-Bu	4-TMS	
7-10	t-Bu	4-TMS	
7-11	CH ₂ -c-Pr	4-TMS	
7-12	2-Me-1- n-Bu	4-TMS	
7-13	3-Me-1- n-Bu	4-TMS	
7-14	n-Pen	4-TMS	
7-15	2-Pen	4-TMS	
7-16	3-Pen	4-TMS	
7-17	neo-Pen	4-TMS	
7-18	2-Me-1- n-Pen	4-TMS	
7-19	3-Me-1- n-Pen	4-TMS	
7-20	4-Me-1- n-Pen	4-TMS	
7-21	c-Pen	4-TMS	
7-22	n-Hex	4-TMS	
7-23	2-Hex	4-TMS	
7-24	3-Hex	4-TMS	
7-25	1-Me-1- n-Hex	4-TMS	
7-26	2-Me-1- n-Hex	4-TMS	
7-27	3-Me-1- n-Hex	4-TMS	
7-28	4-Me-1- n-Hex	4-TMS	
7-29	5-Me-1- n-Hex	4-TMS	
7-30	c-Hex	4-TMS	

[0085]

Table 7 (continued)

Comp. No.	R ¹	(X) _m	property value
7-31	n-Hep	4-TMS	
7-32	2-Hep	4-TMS	
7-33	3-Hep	4-TMS	
7-34	c-Hep	4-TMS	
7-35	n-Oct	4-TMS	
7-36	c-Oct	4-TMS	
7-37	CH=CH ₂	4-TMS	
7-38	CH ₂ CH=CH ₂	4-TMS	
7-39	CH ₂ CH≡CH	4-TMS	
7-40	CH ₂ F	4-TMS	
7-41	CHF ₂	4-TMS	
7-42	CF ₃	4-TMS	
7-43	CH ₂ CH ₂ F	4-TMS	
7-44	CH ₂ CHF ₂	4-TMS	
7-45	CH ₂ CF ₃	4-TMS	
7-46	CF ₂ CHF ₂	4-TMS	
7-47	CF ₂ CF ₃	4-TMS	
7-48	CH ₂ CH ₂ CF ₃	4-TMS	
7-49	CH ₂ CF ₂ CF ₃	4-TMS	
7-50	CF ₂ CF ₂ CF ₃	4-TMS	
7-51	CN	4-TMS	
7-52	CHO	4-TMS	1.5488 (21.3)
7-53	CH=N-OH	4-TMS	
7-54	CH=N-OMe	4-TMS	
7-55	CH=N-OEt	4-TMS	
7-56	CH=N-O-c-Pr	4-TMS	
7-57	CH=N-O-i-Pr	4-TMS	
7-58	CH=N-OBn	4-TMS	
7-59	COMe	4-TMS	
7-60	CMe=N-OH	4-TMS	

[0086]

Table 7 (continued)


Comp. No.	R ¹	(X) _m	property value
7-61	CMe=N-OMe	4-TMS	
7-62	CMe=N-OEt	4-TMS	
7-63	CMe=N-O-c-Pr	4-TMS	
7-64	CMe=N-O-i-Pr	4-TMS	
7-65	CMe=N-OBn	4-TMS	
7-66	CH ₂ OH	4-TMS	70-71
7-67	CH ₂ OMe	4-TMS	
7-68	CH ₂ OEt	4-TMS	
7-69	CH ₂ O-i-Pr	4-TMS	
7-70	CH ₂ OPh	4-TMS	
7-71	CH ₂ O-2-F-Ph	4-TMS	
7-72	CH ₂ OCH ₂ OMe	4-TMS	
7-73	CH ₂ SMe	4-TMS	
7-74	CH ₂ SOMe	4-TMS	
7-75	CH ₂ SO ₂ Me	4-TMS	
7-76	CH ₂ NMe ₂	4-TMS	
7-77	CHMeOH	4-TMS	
7-78	CHMeOMe	4-TMS	
7-79	CHMeOEt	4-TMS	
7-80	CHMeO-i-Pr	4-TMS	
7-81	CHMeOPh	4-TMS	
7-82	CHMeSMe	4-TMS	
7-83	CHMeSOMe	4-TMS	
7-84	CHMeSO ₂ Me	4-TMS	
7-85	CHMeNMe ₂	4-TMS	
7-86	CO ₂ H	4-TMS	
7-87	CO ₂ Me	4-TMS	
7-88	CO ₂ Et	4-TMS	
7-89	CO ₂ -i-Pr	4-TMS	
7-90	CO ₂ Ph	4-TMS	

[0087]

Table 7 (continued)

Comp. No.	R ¹	(X) _m	property value
7-91	CONHMe	4-TMS	
7-92	CONMe ₂	4-TMS	
7-93	CONHEt	4-TMS	
7-94	CONEt ₂	4-TMS	
7-95	2-THF	4-TMS	
7-96	3-THF	4-TMS	
7-97	2-THP	4-TMS	
7-98	3-THP	4-TMS	
7-99	4-THP	4-TMS	
7-100	Ph	4-TMS	
7-101	2-Py	4-TMS	
7-102	3-Py	4-TMS	
7-103	4-Py	4-TMS	
7-104	2-thienyl	4-TMS	
7-105	3-thienyl	4-TMS	
7-106	2-furyl	4-TMS	
7-107	3-furyl	4-TMS	
7-108	CH ₂ (1,2,4-triazol-1-yl)	4-TMS	
7-109	CH ₂ (pyrazol-1-yl)	4-TMS	

[0088]







[0089]

Table 8

Comp. No.	R ¹	(X) _m	property value
8-1	CH ₂ Ph	4-CF ₃	47-48
8-2	CH ₂ Ph	4-t-Bu	1.5658 (20.1)
8-3	CH ₂ Ph	4-OCF ₃	1.5374 (20.1)
8-4	CH=N-OSO ₂ Me	4-OCF ₃	107-111
8-5	CH=N-OCH ₂ C≡CH	4-CF ₃	47-49
8-6	CH=N-O-i-Bu	4-CF ₃	1.5166 (21.0)
8-7	n-Pr	4-SCF ₃	30-31
8-8	n-Pr	4-Cl	1.3476 (21.2)
8-9	CMe=N-OEt	4-CF ₃	1.5096 (21.8)
8-10	CH=N-3-Py	4-t-Bu	NMR
8-11	CONHCH ₂ CF ₃	4-t-Bu	32-33
8-12	CH=CH ₂	4-Cl	40-42
8-13	CONHCH ₂ CF ₃	4-CF ₃	94-96
8-14	i-Bu	2,4-Cl ₂	1.3916 (19.4)
8-15	CH ₂ CH ₂ SPh	4-CF ₃	76-77
8-16	CH ₂ CH ₂ SOPh	4-CF ₃	85-86
8-17	CH ₂ CH ₂ SO ₂ Ph	4-CF ₃	98-99
8-18	C≡CTMS	4-CF ₃	82-83
8-19	C≡CH	4-CF ₃	120-121
8-20	CH ₂ CH ₂ OEt	4-t-Bu	1.3662 (21.5)
8-21	CONHPh	4-CF ₃	158-159
8-22	2-F-Ph	4-CF ₃	120-122
8-23	CH ₂ CH ₂ OEt	4-CF ₃	1.4067 (19.9)
8-24	CH ₂ CH ₂ OEt	4-OCF ₃	1.3869 (19.8)
8-25	CH(OH)CH ₂ OH	4-t-Bu	1.3494 (21.2)
8-26	CH ₂ CH ₂ OMe	4-t-Bu	1.3577 (21.5)
8-27	CH ₂ CH ₂ OMe	4-CF ₃	1.3899 (21.4)



[0090]

Table 8 (continued)

Comp. No.	R ¹	(X) _m	property value
8-28	CH ₂ CH ₂ OMe	4-OCF ₃	1.3677 (21.3)
8-29	C≡CCH ₂ OMe	4-CF ₃	52-54
8-30		4-t-Bu	1.3329 (21.1)
8-31	CH ₂ CH ₂ CH ₂ Cl	4-OCF ₃	1.4369 (21.0)
8-32	C≡CMe	4-CF ₃	84-85
8-33	C≡CCMe ₂ OH	4-CF ₃	121-122
8-34		4-CF ₃	68-70
8-35	N-Me-pyrazol-4-yl	4-CF ₃	101-103
8-36	C≡CCH ₂ OH	4-CF ₃	98-100
8-37	CH ₂ CH ₂ CH ₂ Cl	4-t-Bu	1.4169 (20.8)
8-38	CH(OH)CH ₂ OCMe ₂ OMe	4-t-Bu	1.3542 (24.3)
8-39	C≡CCH ₂ F	4-CF ₃	66-69
8-40	CONHCH ₂ CH ₂ OH	4-CF ₃	86-89
8-41	CH(OH)CH ₂ OH	4-CF ₃	102-104
8-42	CH(OMe)CH ₂ OMe	4-CF ₃	1.3546 (20.7)
8-43	CH(OEt)CH ₂ OEt	4-CF ₃	1.3627 (20.7)
8-44	CH(OH)CH ₂ OEt	4-CF ₃	1.3039 (20.6)
8-45	CH ₂ NHCOMe	4-CF ₃	134-135
8-46		4-t-Bu	207-208
8-47	CHBrCH ₂ Br	4-CF ₃	118-120
8-48		4-CF ₃	1.2996 (23.6)

[0091]

Table 8 (continued)


Comp. No.	R ¹	(X) _m	property value
8-49	CH=C(CO ₂ Me) ₂	4-OCF ₃	1.4840(22.6)
8-50		4-CF ₃	96-97
8-51	CH(OMs)CH ₂ OMs	4-CF ₃	1.3084(22.8)
8-52	CH ₂ CH ₂ SMe	4-CF ₃	1.3713(25.6)
8-53	CH ₂ NHMe	4-TMS	1.5327(22.7)
8-54	CMe ₂ OH	4-CF ₃	90-91
8-55	CH ₂ CH ₂ SOMe	4-CF ₃	1.3600(25.7)
8-56	CH ₂ CH ₂ SO ₂ Me	4-CF ₃	88-89
8-57		4-CF ₃	1.3243(25.5)
8-58	Et	4-(4-OCF ₃ -Ph)	1.3208(26.4)
8-59	3-F-Ph	4-CF ₃	99-100
8-60	4-F-Ph	4-CF ₃	59-61

[0092]

5 Table 8 (continued)

Comp. No.	R ¹	(X) _m	property value
8-61	oxiranyl	4-CF ₃	1.3405(23.7)
8-62	CH(OCH ₂ OMe)CH ₂ OCH ₂ OMe	4-CF ₃	1.3199(23.6)
8-63	CMe ₂ OMe	4-CF ₃	78-79
8-64	C≡C-n-Pr	4-CF ₃	32-34

[0093]











[0094]

Table 9

Comp. No.	R ¹	(X) _m	property value
9-1	1,3-dioxan-2-yl	4-i-Bu	78-79
9-2	1,3-dioxan-2-yl	4-s-Bu	NMR
9-3	1,3-dioxan-2-yl	2-F-4-CF ₃	121-122
9-4	1,3-dioxan-2-yl	4-OCF ₂ CF ₂ H	87-88
9-5	1,3-dithian-2-yl	4-CN	154-158
9-6	1,3-dithian-2-yl	4-NO ₂	162-171
9-7	imidazolin-2-yl	4-OCF ₃	104-105
9-8	1,3-dioxan-2-yl	3-Cl-4-i-Pr	1.3783(20.7)
9-9	1,3-oxathian-2-yl	4-t-Bu	102-104
9-10	1,3-oxathian-2-yl	4-CF ₃	125-126
9-11	1,3-oxathian-2-yl	4-OCF ₃	118-120
9-12		4-t-Bu	212-215
9-13		4-CF ₃	226-230
9-14		4-OCF ₃	227-231
9-15		4-t-Bu	125-126
9-16		4-OCF ₃	86-89
9-17		4-t-Bu	139-140







[0095]

Table 9 (continued)


Comp. No.	R ¹	(X) _m	property value
9-18	2,2-dimethyl-1,3-dioxolan-4-yl	4-t-Bu	1.3345 (24.4)
9-19	thiazolin-2-yl	4-CF ₃	91-92
9-20	1,3-dioxolan-2-yl	2-F-4-CF ₃	48-50
9-21	1,3-dioxepan-2-yl	2-F-4-CF ₃	114-115
9-22		4-CF ₃	109-110
9-23		4-CF ₃	158-160
9-24		4-t-Bu	97-100
9-25		4-CF ₃	155-177
9-26		4-OCF ₃	171-182
9-27		4-CF ₃	205-206
9-28		4-OCF ₃	194-195
9-29		4-OCF ₃	1.5117 (22.4)
9-30	1,3-dimethylimidazolidin-2-yl	4-OCF ₃	1.5084 (22.3)

[0096]

Table 9 (continued)

Comp. No.	R ¹	(X) _m	property value
9-31	4-ethyl-1,3-dioxolan-2-yl	4-CF ₃	32-33
9-32	4-methyl-1,3-dioxan-2-yl	4-CF ₃	98-100
9-33		4-CF ₃	67-69
9-34	1,1-(OMe) ₂ Et	4-CF ₃	120-122
9-35	1-(2-Me-1,3-dioxolan-2-yl)	4-CF ₃	64-65
9-36	1-(2-Me-1,3-dioxan-2-yl)	4-CF ₃	89-90
9-37		4-OCF ₃	119-121
9-38	4-methyl-1,3-dioxan-2-yl	4-CF ₃	112-120
9-39	2,2-dimethyl-1,3-dioxolan-4-yl	4-CF ₃	1.3314 (22.5)
9-40		4-t-Bu	1.4558 (27.2)
9-41		4-CF ₃	1.4058 (25.8)
9-42	1,3-dioxan-2-yl	4-i-Pr	63-68
9-43	1,3-dioxan-2-yl	4-OCH ₂ CF ₃	103-105
9-44	4-n-Pr-1,3-dioxolan-2-yl	4-CF ₃	1.3655 (26.8)
9-45	4-Me-1,3-dioxolan-2-yl	4-CF ₃	68-72
9-46		4-CF ₃	173-174
9-47		4-CF ₃	140-145

[0097]




[0098]

Table 10

Comp. No.	R ¹	(X) _m	property value
10-1	n-Bu	4-OCF ₃	99-101
10-2	1,3-dioxan-2-yl	4-OCF ₃	145-147
10-3	3-Me-n-Bu	4-OCF ₃	88-99
10-4	n-Pr	4-OCF ₃	86-87
10-5	n-Pr	4-CF ₃	128-129
10-6	n-Pr	4-t-Bu	54-55
10-7	Et	4-t-Bu	143-144
10-8	Et	4-OCF ₃	97-98
10-9	i-Pr	4-OCF ₃	111-112
10-10	CH=CH ₂	4-CF ₃	136-139
10-11	i-Bu	4-t-Bu	106

5

[0099]




[0100]

Table 11

Comp. No.	R ¹	Z	property value
11-1	1,3-dioxan-2-yl		55-56
11-2	n-Pr		1.3420 (23.6)
11-3	1,3-dioxan-2-yl		45-46
11-4	1,3-dioxan-2-yl		69-71
11-5	n-Pr		29-30
11-6	1,3-dioxan-2-yl		83-84

[0101]



(II)

[0102]

5 Table 12 (Hal=Cl, R², R³=H, q=1, Y=CH)

Comp. No.	R ¹	(X) _m	property value
12-1	1,3-dioxolan-2-yl	4-t-Bu	109-110
12-2	1,3-dioxolan-2-yl	4-TMS	104-105
12-3	1,3-dithiolan-2-yl	4-t-Bu	95-102
12-4	1,3-dithiolan-2-yl	4-CF ₃	79-81
12-5	1,3-dithiolan-2-yl	4-OCF ₃	65-70
12-6	1,3-oxathian-2-yl	4-t-Bu	121-122
12-7	1,3-oxathian-2-yl	4-CF ₃	88-90
12-8	1,3-oxathian-2-yl	4-OCF ₃	61-62
12-9	1,3-dioxan-2-yl	4-i-Bu	1.3962(18.0)
12-10	1,3-dioxan-2-yl	2-F-4-CF ₃	113-115
12-11	1,3-dioxan-2-yl	4-OCF ₂ CF ₂ H	105-106
12-12	1,3-dioxan-2-yl	4-OCF ₃	65-72
12-13	1,3-dithian-2-yl	4-OCF ₃	103-111
12-14	1,3-dithian-2-yl	4-CN	138-141
12-15	1,3-dithian-2-yl	4-NO ₂	147-150
12-16	1,3-dithian-2-yl	4-t-Bu	149-153
12-17	1,3-dithian-2-yl	4-CF ₃	114-122
12-18	1,3-oxathian-2-yl	4-t-Bu	98-100
12-19	1,3-oxathian-2-yl	4-CF ₃	118-119
12-20	1,3-oxathian-2-yl	4-OCF ₃	98
12-21	CH(SET) ₂	4-t-Bu	1.4087(21.3)
12-22	CH(SET) ₂	4-CF ₃	1.4541(21.3)
12-23	CH(SET) ₂	4-OCF ₃	1.4326(21.3)
12-24	CH(SMe) ₂	4-t-Bu	91-95
12-25	CH(SMe) ₂	4-CF ₃	77-79
12-26	CH(SMe) ₂	4-OCF ₃	51-54
12-27	CHO	4-CF ₃	64-66
12-28	CH=N-OH	4-CF ₃	182-184

[0103]

Table 13 NMR data

Comp. No.	¹ H-NMR data
8-10	9.24(1H, s), 8.89(1H, s), 8.74(1H, s), 8.51-8.47(1H, s), 7.57-7.50(1H, m), 7.46-7.39(4H, m), 7.35-7.30(1H, m), 5.54(2H, s), 1.33(9H, s)
9-2	8.76(1H, s), 8.72(1H, s), 7.22-7.17(2H, m), 7.38-7.34(2H, m), 5.77(1H, s), 5.46(2H, s), 4.28-4.21(2H, m), 4.02-3.93(2H, m), 2.61(1H, tq), 2.31-2.17(1H, m), 1.60(dq, 2H), 1.48-1.41(1H, m), 1.24(3H, d), 0.84(3H, t)
14-7	8.73(1H, s), 8.68(1H, d), 7.64(2H, d), 7.54(2H, d), 5.53(2H, dd), 5.10-5.07(1H, m), 4.75-4.68(1H, m), 3.61-3.34(4H, m), 1.32-1.24(3H, m), 1.18-1.17(3H, m)
14-8	8.73(1H, s), 8.68(1H, d), 7.64(2H, d), 7.54(2H, d), 5.53(2H, dd), 5.10-5.07(1H, m), 4.40-4.37(1H, m), 3.88-3.84(1H, m), 3.59-3.49(1H, m), 3.27(3H, d), 1.63-1.53(2H, t), 1.26-1.24(1H, br), 0.89(3H, q)
14-9	9.28(1H, s), 8.93(1H, s), 8.00(1H, s), 7.71-7.66(2H, m), 7.60-7.55(2H, m), 5.62(2H, s)
14-12	8.61(1H, s), 8.50(1H, s), 7.65(2H, d), 7.56(2H, d), 6.51-6.38(2H, m), 5.55(2H, s), 2.30-2.23(2H, m), 1.10(3H, t)
14-13	8.64(1H, s), 8.51(1H, s), 7.65(2H, d), 7.57(2H, d), 6.53-6.40(1H, m), 6.49(1H, d), 5.56(2H, s), 3.63(2H, t), 2.71(2H, dd)
14-15	8.71(1H, s), 8.60(1H, s), 7.64(2H, d), 7.55(2H, d), 6.75(1H, d), 5.91(1H, dd), 5.52(2H, s), 5.37(1H, d), 4.08-4.05(2H, m), 3.93-3.90(2H, m)
14-17	8.65(1H, s), 8.32(1H, s), 7.64(2H, d), 7.56(2H, d), 5.53(2H, s), 4.90(1H, t), 3.97-3.95(2H, m), 3.87-3.85(2H, m), 2.74(2H, dd), 2.00-1.96(2H, m)
14-19	8.93(1H, s), 8.77(1H, s), 7.66(2H, d), 7.53(2H, d), 5.62(2H, dd), 5.55(1H, d), 1.55-1.48(1H, m), 0.90-0.78(2H, m), 0.70-0.64(1H, m), 0.47-0.41(1H, m)
14-28	9.01(1H, s), 8.84(1H, s), 7.66(2H, d), 7.52(2H, d), 5.63(2H, s), 5.32(1H, d), 3.72(3H, s), 2.89(1H, dd), 2.69(1H, dd), 1.75(1H, br)
14-45	8.66(1H, s), 8.43(1H, s), 7.66(2H, d), 7.55(2H, d), 5.51(2H, s), 2.50(2H, d), 1.03-1.00(1H, m), 0.57-0.55(2H, m), 0.20(2H, dd)

[0104]

Table 13 (continued)

Comp. No.	¹ H-NMR data
14-54	8.81(1H, s), 8.68(1H, s), 7.69-7.63(2H, m), 7.55-7.50(2H, m), 5.61(1H, d), 5.48(1H, d), 4.98(1H, q), 3.49(3H, s)
14-56	8.70(1H, s), 8.35(1H, s), 7.63(2H, d), 7.50(2H, d), 5.56(2H, s), 3.57(3H, s), 1.68(2H, dd), 1.15(2H, dd)
14-60	8.71(1H, s), 8.55(1H, s), 7.64(2H, d), 7.55(2H, d), 5.53(2H, s), 4.51(2H, s), 3.72(1H, sep), 1.23(6H, d)
14-68	9.30(1H, s), 8.87(1H, s), 7.73-7.68(2H, m), 7.63-7.57(2H, m), 7.35-7.24(1H, m), 5.65(2H, s), 4.29-4.16(1H, m), 1.15(6H, d)
14-69	9.29(1H, s), 8.86(1H, s), 7.73-7.68(2H, m), 7.64-7.58(2H, m), 7.40-7.30(1H, br), 5.61(2H, s), 1.33(9H, s)
14-70	9.31(1H, s), 8.87(1H, s), 7.74-7.68(2H, m), 7.64-7.58(2H, m), 7.39(1H, d), 5.64(2H, s), 4.05-3.94(1H, m), 1.90-1.81(2H, m), 1.48-1.42(3H, m), 1.42-1.29(2H, m), 1.21-1.08(3H, m)
14-71	8.80(1H, s), 8.54(1H, s), 7.67-7.60(2H, m), 7.57-7.50(2H, m), 5.58(2H, s), 3.65(2H, t), 3.24(2H, t), 2.20-1.91(2H, m), 1.91-1.83(2H, m)
14-72	8.82(1H, s), 8.54(1H, s), 7.67-7.62(2H, m), 7.57-7.52(2H, m), 5.57(2H, s), 3.82-3.77(2H, m), 3.75-3.70(2H, m), 3.56-3.50(2H, m), 3.27-3.21(2H, m)
14-73	9.22(1H, s), 8.77(1H, s), 7.94-7.83(2H, m), 7.62-7.57(2H, m), 7.57-7.51(2H, m), 5.58(2H, s), 3.42(2H, q), 2.33(2H, t), 2.01(6H, s)
14-74	9.33(1H, s), 8.87(1H, s), 7.97-7.86(1H, br), 7.62-7.56(2H, m), 7.52-7.46(2H, m), 7.40-7.35(1H, m), 7.33-7.27(1H, m), 7.26-7.16(2H, m), 5.60(2H, s), 4.65(2H, d)
14-75	9.34(1H, s), 8.89(1H, s), 7.80-7.65(1H, br), 7.60-7.54(2H, m), 7.46-7.41(2H, m), 7.30-7.27(3H, m), 7.12-7.06(1H, m), 5.61(2H, s), 4.56(2H, d)
14-76	9.34(1H, s), 8.89(1H, s), 7.74-7.64(1H, br), 7.60-7.54(2H, m), 7.44-7.39(2H, m), 7.29-7.23(2H, m), 7.17-7.12(2H, m), 5.60(2H, s), 4.56(2H, d)

[0105]

Table 13 (continued)

Comp. No.	¹ H-NMR data
14-77	9.25(1H, s), 8.76(1H, s), 7.83-7.73(1H, br), 7.50-7.44(2H, m), 7.38-7.32(2H, m), 7.23-7.14(2H, m), 6.84-6.78(1H, m), 6.73-6.68(1H, m), 5.53(2H, s), 4.52(2H, d), 3.51(3H, s)
14-78	9.35(1H, s), 8.88(1H, s), 7.76-7.65(1H, br), 7.56-7.50(2H, m), 7.42-7.36(2H, m), 7.23-7.17(1H, m), 6.87-6.82(1H, m), 6.81-6.77(2H, m), 5.59(2H, s), 4.56(2H, d), 3.77(3H, s)
14-79	9.35(1H, s), 8.87(1H, s), 7.67-7.59(1H, br), 7.56-7.50(2H, m), 7.40-7.35(2H, m), 7.17-7.12(2H, m), 6.85-6.80(2H, m), 5.57(2H, s), 4.52(2H, d), 3.80(3H, s)
14-80	9.31(1H, s), 8.88(1H, s), 7.91 (1H, d), 7.67-7.61(2H, m), 7.56-7.51(2H, m), 7.34-7.29(1H, m), 7.22-7.09(3H, m), 5.69-5.51(3H, m), 1.48(3H, d)
14-81	9.30(1H, s), 8.89(1H, s), 7.70 (1H, d), 7.68-7.63(2H, m), 7.55-7.50(2H, m), 7.25-7.15(3H, m), 7.10-7.05(1H, m), 5.65(1H, d), 5.59(1H, d), 5.22(1H, dq), 1.44(3H, d)
14-82	9.30(1H, s), 8.88(1H, s), 7.70-7.63 (2H, m), 7.54-7.48(2H, m), 7.25-7.19(2H, m), 7.14-7.08(2H, m), 5.60(2H, s), 5.22(1H, dq), 1.43(3H, d)
14-83	9.31(1H, s), 8.84(1H, s), 7.67-7.62 (2H, m), 7.47-7.35(3H, m), 7.24-7.19(2H, m), 7.10-7.04(2H, m), 5.57(2H, s), 3.70(2H, dt), 2.84(2H, t)
14-84	9.31(1H, s), 8.82(1H, s), 7.64-7.58 (2H, m), 7.50-7.41(1H, br), 7.38-7.32(2H, m), 7.11-7.05(2H, m), 6.84-6.77(2H, m), 5.55(2H, s), 3.74(3H, s), 3.71(2H, dt), 2.82(2H, t)
14-85	9.31(1H, s), 8.88(1H, s), 7.68-7.62 (2H, m), 7.59-7.54(2H, m), 7.46-7.37(1H, br), 7.24-7.18(2H, m), 7.04-6.97(2H, m), 5.65(2H, s), 3.43(2H, dt), 2.54(2H, t), 1.80(2H, tt)
14-86	10.0-9.90(1H, br), 9.42(1H, s), 8.92(1H, s), 8.63-8.56(1H, m), 7.70-7.62(4H, m), 7.38-7.28(2H, m), 7.10-7.04(1H, m), 5.79(2H, s)

[0106]

Table 13 (continued)

Comp. No.	¹ H-NMR data
14-87	9.38(1H, s), 9.36-9.30(1H, br), 8.94(1H, s), 7.79-7.74(2H, m), 7.70-7.65(2H, m), 7.49-7.45(1H, m), 7.23-7.18(2H, m), 7.13-7.05(1H, m), 5.71(2H, s)
14-88	9.38(1H, s), 9.34-9.27(1H, br), 8.94(1H, s), 7.77-7.72(2H, m), 7.69-7.64(2H, m), 7.35-7.29(2H, m), 7.27-7.22(2H, m), 5.71(2H, s)
14-89	9.87(1H, s), 9.46-9.37(1H, br), 8.94(1H, s), 8.60-8.54(1H, m), 7.70-7.66(2H, m), 7.66-7.61(2H, m), 7.36-7.34(1H, m), 7.30-7.25(1H, m), 5.78(2H, s)
14-90	9.40-9.34(2H, m), 8.95(1H, s), 7.82-7.76(2H, m), 7.71-7.66(2H, m), 7.31-7.28(2H, m), 7.10-7.07(1H, m), 5.70(2H, s)
14-91	8.66(1H, s), 8.45(1H, s), 7.69-7.62(2H, m), 7.53-7.45(2H, m), 7.18-7.10(1H, m), 7.10-6.98(2H, m), 6.89-6.76(1H, m), 5.37(2H, s), 3.43(3H, s)
14-92	8.65(1H, s), 8.44(1H, s), 7.68-7.63(2H, m), 7.50-7.41(2H, m), 7.12-7.01(2H, m), 6.92-6.82(2H, m), 5.38(2H, s), 3.43(3H, s)
14-93	10.0-9.90 (1H, br), 9.40(1H, s), 8.89(1H, s), 8.58-8.52(1H, m), 7.71-7.63(4H, m), 7.11-7.04(1H, m), 7.03-6.96(1H, m), 6.86-6.80(1H, m), 5.76(2H, s), 3.45(3H, s)
14-94	9.37(1H, s), 9.33-9.26(1H, br), 8.92(1H, s), 7.77-7.71(2H, d), 7.70-7.65(2H, d), 7.20-7.13(1H, m), 7.13-7.10 (1H, m), 6.85-6.80(1H, m), 6.69-6.63(1H, m), 5.69(2H, s), 3.74(3H, s)
14-95	9.38(1H, s), 9.24-9.15(1H, br), 8.91(1H, s), 7.76-7.70(2H, m), 7.68-7.62(2H, m), 7.35-7.28(2H, m), 6.86-6.79(2H, m), 5.70(2H, s), 3.78(3H, s)
14-96	9.36(1H, s), 9.06-8.94(1H, br), 8.85(1H, s), 8.10-8.04(1H, m), 7.64-7.58(2H, m), 7.57-7.52(2H, m), 7.20-7.11(1H, m), 7.06-7.01(1H, m), 7.01-6.94(1H, m), 5.66(2H, s), 1.78(3H, s)
14-97	9.39(1H, s), 9.33-9.22(1H, br), 8.92(1H, s), 7.78-7.72(2H, m), 7.71-7.65(2H, m), 7.30-7.23(1H, m), 7.21-7.14(1H, m), 7.11-7.06(1H, m), 6.96-6.90(1H, m), 5.69(2H, s), 2.28(3H, s)
14-98	9.41(1H, s), 9.29-9.20(1H, br), 8.93(1H, s), 7.76-7.72(2H, m), 7.69-7.63(2H, m), 7.31-7.26(2H, m), 7.14-7.08(2H, m), 5.71(2H, s), 2.32(3H, s)


[0107]

Table 13 (continued)

Comp. No.	¹ H-NMR data
14-99	9.39(1H, s), 9.29-9.21(1H, br), 8.92(1H, s), 7.75-7.70(2H, m), 7.68-7.62(2H, m), 7.38-7.33(2H, m), 7.16-7.10(2H, m), 6.96-6.91(2H, m), 6.91-6.86(2H, m), 5.72(2H, s), 2.33(3H, s)
14-100	9.39(1H, s), 9.32-9.25(1H, br), 8.93(1H, s), 7.76-7.71(2H, m), 7.69-7.64(2H, m), 7.41-7.35(2H, m), 7.30-7.24(2H, m), 6.98-6.93(2H, m), 6.93-6.88(2H, m), 5.73(2H, s)
14-101	9.35 (1H, s), 8.89(1H, s), 7.74-7.66(1H, br), 7.60-7.55(2H, m), 7.46-7.40(2H, m), 7.29-7.25(2H, m), 7.23-7.18(2H, m), 7.02-6.91(4H, m), 5.61(2H, s), 4.58(2H, d)
14-110	8.72(1H, s), 8.43(1H, s), 7.65(2H, d), 7.55(2H, d), 5.52(2H, s), 4.39(2H, s), 2.80(3H, s), 2.78(3H, s)
14-111*	8.73(1H, s), 8.45(1H, bs), 7.65(2H, d), 7.55(2H, d), 5.53(2H, s), 4.48(2H, bs), 3.75(3H, bs), 2.91(3H, bs) 8.73(1H, s), 8.39(1H, bs), 7.65(2H, d), 7.55(2H, d), 5.53(2H, s), 4.43(2H, bs), 3.66(3H, bs), 2.95(3H, bs)
15-5	8.74(1H, s), 8.66(1H, s), 7.55(1H, d), 7.45(1H, d), 7.28(1H, dd), 5.58(1H, s), 5.46(2H, s), 4.67(1H, d), 3.37(6H, s)
15-72	8.78(1H, s), 8.71(1H, s), 7.66-7.62(2H, m), 7.59-7.53(2H, m), 6.09(1H, s), 5.57(2H, s), 4.51-4.44(1H, m), 4.24(1H, dd), 4.19(1H, dd), 4.14(1H, dd), 3.96(1H, dd), 2.08(3H, s)
15-73	8.77(1H, s), 8.63(1H, s), 7.67-7.62(2H, m), 7.59-7.53(2H, m), 6.20(1H, s), 5.57(2H, s), 4.54-4.48(1H, m), 4.28-4.22(3H, m), 3.83(1H, dd), 2.10(3H, s)
15-90	8.74(1H, s), 8.65(1H, s), 7.65(2H, d), 7.52(2H, d), 5.53(2H, dd), 5.22-5.18(2H, m), 4.23 (1H, dd), 3.82(1H, dd), 1.55(3H, s)
15-91	8.73(1H, s), 8.66(1H, s), 7.64(2H, d), 7.52(2H, d), 5.55(2H, dd), 5.22(1H, t), 5.02 (1H, t), 4.44(1H, dd), 3.78(1H, dd), 1.86-1.75(2H, m), 1.07-1.01(3H, m)
15-92	8.74-8.59(2H, m), 7.64(2H, d), 7.53(2H, d), 5.60-5.53(2H, m), 5.19-5.05(1H, m), 4.35-4.31(1H, m), 3.78-3.35(2H, m), 1.68-1.57(2H, m), 0.92-0.79(2H, m)
15-112	8.80(1H, s), 8.69(1H, s), 7.65(2H, d), 7.54(2H, d), 6.07(1H, s), 5.57(2H, s), 4.08-3.99 (4H, m)

*) mixture of two kinds of rotamers

[0108]







[0109]

Table 14

Comp. No.	R ¹	(X) _m	property value
14-1	CH=C (CN) CO ₂ Me	4-CF ₃	125-131
14-2	CH ₂ CH ₂ SEt	4-CF ₃	1.3286 (21.8)
14-3	CH ₂ CH ₂ CH ₂ SMe	4-OCF ₃	1.3081 (27.8)
14-4	CH ₂ CO ₂ Me	4-CF ₃	1.5082 (27.6)
14-5	CH ₂ CH ₂ CH ₂ Cl	4-CF ₃	1.5038 (24.9)
14-6	CH ₂ CO ₂ H	4-CF ₃	175-180
14-7	CH (OH) CH ₂ OCH (OEt) Me	4-CF ₃	NMR
14-8	CH (OH) CH ₂ OCH (OMe) Et	4-CF ₃	NMR
14-9	CH=C (CN) ₂	4-CF ₃	NMR
14-10	CH=c-Pr	4-CF ₃	53-56
14-11	CH (OH) c-Pr	4-CF ₃	1.3532 (25.8)
14-12	CH=CHEt	4-CF ₃	NMR
14-13	CH=CHCH ₂ CH ₂ Cl	4-CF ₃	NMR
14-14	CH (OMe) c-Pr	4-CF ₃	1.4978 (25.7)
14-15	CH=C- (1,3-dioxolan-2-yl)	4-CF ₃	NMR
14-16	CH=C- (1,3-dioxolan-2-yl)	4-CF ₃	70-74
14-17	CH ₂ CH ₂ - (1,3-dioxolan-2-yl)	4-CF ₃	NMR
14-18	CH=CHCH ₂ CH ₂ OCOCF ₃	4-CF ₃	1.3688 (25.1)
14-19	CH (OCOCF ₃) -c-Pr	4-CF ₃	NMR
14-20	CO-c-Pr	4-CF ₃	91-92
14-21	CH (OH) CH ₂ CO ₂ Me	4-CF ₃	88-90
14-22	CH (OH) CH ₂ CO ₂ H	4-CF ₃	144-145
14-23	CH=C (CO ₂ Me) ₂	4-CF ₃	1.4172 (24.3)
14-24	(2,2-(CO ₂ Me) ₂) -c-Pr	4-CF ₃	84-87
14-25	CH ₂ Cl	4-CF ₃	82-85
14-26	CH ₂ CH (CO ₂ Me) ₂	4-CF ₃	70-71
14-27	CH=CHCOMe	4-CF ₃	95-98
14-28	CH (OH) CH ₂ CO ₂ Me	4-CF ₃	NMR
14-29	CH ₂ - (pyrrolidin-1-yl)	4-CF ₃	1.5172 (22.2)
14-30	CH ₂ NHCOEt	4-CF ₃	123-124

[0110]

Table 14 (continued)

Comp. No.	R ¹	(X) _m	property value
14-31	CH ₂ NHCOCH ₂ CH ₂ CH ₂ Cl	4-CF ₃	84-88
14-32		4-CF ₃	1.5215 (18.8)
14-33		4-CF ₃	129-132
14-34	CH (OH) CF ₃	4-CF ₃	132-134
14-35	C (OH) ₂ CF ₃	4-CF ₃	75-79
14-36		4-CF ₃	143-144
14-37	CH ₂ NHMe	4-CF ₃	1.5020 (22.5)
14-38	CH ₂ N (Me) COMe	4-CF ₃	101-102
14-39	CH ₂ NHPh	4-CF ₃	1.5641 (21.4)
14-40	CH ₂ N (Ph) COMe	4-CF ₃	1.5396 (21.3)
14-41	CH ₂ N (Ph) COCF ₃	4-CF ₃	1.5173 (21.7)
14-42	CH ₂ NH-c-Pr	4-CF ₃	1.5132 (21.4)
14-43	CH ₂ -(piperidin-1-yl)	4-CF ₃	1.5098 (21.6)
14-44	CHMe=CH ₂	4-CF ₃	1.4006 (21.1)
14-45	CH ₂ -c-Pr	4-CF ₃	NMR
14-46	CONH (CH ₂ -(4-F-Ph))	4-CF ₃	107-108
14-47	CH=CMe ₂	4-CF ₃	1.4781 (21.4)
14-48	CH=CHMe	4-CF ₃	1.4537 (21.6)
14-49	CH ₂ NEt ₂	4-CF ₃	1.4973 (21.5)
14-50	CH ₂ NHCH ₂ CF ₃	4-CF ₃	1.4815 (21.5)
14-51		4-CF ₃	95-96

[0111]

Table 14 (continued)

Comp. No.	R ¹	(X) _m	property value
14-52	CBr=CH ₂	4-CF ₃	1.3921 (21.4)
14-53	c-Pr-(1-CO ₂ Me)	4-CF ₃	NMR
14-54	CH ₂ OEt	4-CF ₃	1.4027 (21.7)
14-55	CMe ₂ CO ₂ Me	4-CF ₃	1.4679 (20.5)
14-56	CH(OMe)CF ₃	4-CF ₃	NMR
14-57	CH ₂ SEt	4-CF ₃	1.5173 (20.9)
14-58	CH ₂ SOEt	4-CF ₃	70-71
14-59	CH ₂ SO ₂ Et	4-CF ₃	77-78
14-60	CH ₂ O-i-Pr	4-CF ₃	NMR
14-61	CH ₂ N(CH ₂ CF ₃)COMe	4-CF ₃	1.4869 (21.2)
14-62	CH=CHCO ₂ Me	4-CF ₃	93-96
14-63	CH=CHCN	4-CF ₃	88-91
14-64	CH=CHCN	4-CF ₃	70-72
14-65	CH ₂ CN	4-CF ₃	88-89
14-66	C(=CH ₂)C≡CTMS	4-CF ₃	52-54
14-67	CH ₂ S(=NCN)Et	4-CF ₃	1.3767 (21.9)
14-68	CONH-i-Pr	4-CF ₃	NMR
14-69	CONH-t-Bu	4-CF ₃	NMR
14-70	CONH-c-Hex	4-CF ₃	NMR
14-71	CO-(pyrrolidin-1-yl)	4-CF ₃	NMR
14-72	CO-(morpholin-1-yl)	4-CF ₃	NMR
14-73	CONHCH ₂ CH ₂ NMe ₂	4-CF ₃	NMR
14-74	CONH(CH ₂ -(2-Cl-Ph))	4-CF ₃	NMR
14-75	CONH(CH ₂ -(3-Cl-Ph))	4-CF ₃	NMR
14-76	CONH(CH ₂ -(4-Cl-Ph))	4-CF ₃	NMR
14-77	CONH(CH ₂ -(2-OMe-Ph))	4-CF ₃	NMR
14-78	CONH(CH ₂ -(3-OMe-Ph))	4-CF ₃	NMR
14-79	CONH(CH ₂ -(4-OMe-Ph))	4-CF ₃	NMR
14-80	CONH(CHMe-(2-Cl-Ph))	4-CF ₃	NMR
14-81	CONH(CHMe-(3-Cl-Ph))	4-CF ₃	NMR
14-82	CONH(CHMe-(4-Cl-Ph))	4-CF ₃	NMR

[0112]

Table 14 (continued)


Comp. No.	R ¹	(X) _m	property value
14-83	CONH (CH ₂ CH ₂ - (4-Cl-Ph))	4-CF ₃	NMR
14-84	CONH (CH ₂ CH ₂ - (4-OMe-Ph))	4-CF ₃	NMR
14-85	CONH (CH ₂ CH ₂ CH ₂ - (4-Cl-Ph))	4-CF ₃	NMR
14-86	CONH- (2-Cl-Ph)	4-CF ₃	NMR
14-87	CONH- (3-Cl-Ph)	4-CF ₃	NMR
14-88	CONH- (4-Cl-Ph)	4-CF ₃	NMR
14-89	CONH- (2, 4-Cl ₂ -Ph)	4-CF ₃	NMR
14-90	CONH- (3, 5-Cl ₂ -Ph)	4-CF ₃	NMR
14-91	CON (Me) (3-Cl-Ph)	4-CF ₃	NMR
14-92	CON (Me) (4-Cl-Ph)	4-CF ₃	NMR
14-93	CONH- (2-OMe-Ph)	4-CF ₃	NMR
14-94	CONH- (3-OMe-Ph)	4-CF ₃	NMR
14-95	CONH- (4-OMe-Ph)	4-CF ₃	NMR
14-96	CONH- (2-Me-Ph)	4-CF ₃	NMR
14-97	CONH- (3-Me-Ph)	4-CF ₃	NMR
14-98	CONH- (4-Me-Ph)	4-CF ₃	NMR
14-99	CONH- (4- (4-Me-PhO) -Ph)	4-CF ₃	NMR
14-100	CONH- (4- (4-Cl-PhO) -Ph)	4-CF ₃	NMR
14-101	CONH- (CH ₂ - (4- (4-OCF ₃ -PhO) -Ph))	4-CF ₃	NMR
14-102	c-Pr- (2-CO ₂ Me)	4-CF ₃	112-114
14-103	C (OH) (OMe) CF ₃	4-CF ₃	62-65
14-104	Et	4-CF (CF ₃) ₂	1.4578 (20.1)
14-105	Et	4-SCF ₃	43-44
14-106	c-Pr- (1-CN)	4-CF ₃	119-121
14-107	CH ₂ S (=NCOCF ₃) Et	4-CF ₃	127-129
14-108	CH ₂ N (Me) (CO-c-Pr)	4-CF ₃	1.5280 (20.7)
14-109	CH ₂ N (Me) (SO ₂ Me)	4-CF ₃	94-96
14-110	CH ₂ N (Me) (CONMe ₂)	4-CF ₃	NMR
14-111	CH ₂ N (Me) (CO ₂ Me)	4-CF ₃	NMR
14-112	CH ₂ N (Me) (CO-i-Pr)	4-CF ₃	1.4311 (20.7)

[0113]

Table 14 (continued)

Comp. No.	R ¹	(X) _m	property value
14-113	CH ₂ N(Me) (CO-n-Pr)	4-CF ₃	1.4300 (20.7)
14-114	CH ₂ NH (CO-i-Pr)	4-CF ₃	155-165
14-115	CH ₂ NH (CO-n-Pr)	4-CF ₃	80-85
14-116	CH ₂ N (n-Pr) ₂	4-CF ₃	1.4974 (21.9)
14-117	c-Pr	4-CF(CF ₃) ₂	1.4050 (21.4)
14-118	c-Pr	4-CF ₂ CF ₃	1.5002 (21.4)
14-119	c-Pr	4-Cl	38-40
14-120	c-Pr	4-Br	40-41
14-121	c-Pr	2-F-4-CF ₃	1.4920 (21.4)
14-122	Et	4-CH ₂ CF ₃	66-68
14-123	CMe ₂ CN	4-CF ₃	58-59

[0114]



[0115]

Table 15

Comp. No.	R ¹	(X) _m	property value
15-1	CH(OMe) ₂	4-Br	1.4476(25.2)
15-2	CH(OMe) ₂	4-I	1.4313(25.4)
15-3	CH(OMe) ₂	4-F	1.4741(23.5)
15-4	CH(OMe) ₂	4-Cl	1.4752(23.4)
15-5	CH(OMe) ₂	3,4-Cl ₂	NMR
15-6	CH(OMe) ₂	2,4-Cl ₂	50-51
15-7	CH(OMe) ₂	2,4-F ₂	59-60
15-8	CH(OMe) ₂	3,4-F ₂	1.5038(18.5)
15-9	4-Me-1,3-dioxolan-2-yl	4-Br	72-74
15-10	4-Me-1,3-dioxolan-2-yl	4-Br	1.3813(23.4)
15-11	4-Me-1,3-dioxolan-2-yl	4-I	1.4034(23.3)
15-12	4-Me-1,3-dioxolan-2-yl	4-I	1.4433(23.3)
15-13	4-Me-1,3-dioxolan-2-yl	4-t-Bu	1.5201(26.7)
15-14	4-Me-1,3-dioxolan-2-yl	4-OCF ₃	1.4885(26.7)
15-15	4-Me-1,3-dioxolan-2-yl	4-F	1.4648(26.7)
15-16	4-Me-1,3-dioxolan-2-yl	4-Cl	1.4316(26.7)
15-17	4-Me-1,3-dioxolan-2-yl	3,4-Cl ₂	1.4264(26.7)
15-18	4-Me-1,3-dioxolan-2-yl	3,4-F ₂	1.4627(26.7)
15-19	4-Me-1,3-dioxolan-2-yl	2,4-F ₂	1.4989(26.7)
15-20	1,3-dioxan-2-yl	4-Me	94-95
15-21	1,3-dioxan-2-yl	4-F	94-95
15-22	1,3-dioxan-2-yl	4-Br	114-116
15-23	1,3-dioxan-2-yl	4-OMe	1.5553(25.3)
15-24	1,3-dioxan-2-yl	4-SMe	1.4365(25.1)
15-25	1,3-dioxan-2-yl	4-Et	1.4075(24.5)
15-26	1,3-dioxan-2-yl	4-OEt	67-69
15-27	1,3-dioxan-2-yl	4-NO ₂	175-179
15-28	1,3-dioxan-2-yl	3,4-Cl ₂	141-145
15-29	1,3-dioxan-2-yl	2,4-Cl ₂	147-149
15-30	1,3-dioxan-2-yl	3,4-F ₂	145-149


[0116]

Table 15 (continued)

Comp. No.	R ¹	(X) _m	property value
15-31	1,3-dioxan-2-yl	2,4-F ₂	110-111
15-32	1,3-dioxan-2-yl	2-Br	107-110
15-33	1,3-dioxan-2-yl	3-CF ₃	85-90
15-34	1,3-dioxan-2-yl	4-I	133-135
15-35	1,3-dioxan-2-yl	2-F-4-Cl	139-140
15-36	1,3-dioxan-2-yl	4-OCHF ₂	87-88
15-37	1,3-dioxan-2-yl	2-Cl-4-F	117-118
15-38	1,3-dioxan-2-yl	2-Cl-4-Br	141-142
15-39	1,3-dioxan-2-yl	2-F-4-Br	133-134
15-40	1,3-dioxan-2-yl	4-CF(CF ₃) ₂	130-131
15-41	1,3-dioxan-2-yl	3-F-4-CF ₃	166-167
15-42	1,3-dioxan-2-yl	3-Br	109-111
15-43	1,3-dioxan-2-yl	2-CF ₃	93-94
15-44	1,3-dioxan-2-yl	2,5-Cl ₂	170-172
15-45	1,3-dioxan-2-yl	2,6-Cl ₂	119-121
15-46	1,3-dioxan-2-yl	2-F-5-CF ₃	96-97
15-47	1,3-dioxan-2-yl	4-CHF ₂	105-106
15-48	1,3-dioxan-2-yl	4-CF ₂ CF ₂ CF ₃	99-100
15-49	1,3-dioxan-2-yl	4-COMe(CF ₃) ₂	142-147
15-50	1,3-dioxan-2-yl	4-(4-SCF ₃ -Ph)	103-104
15-51	1,3-dioxan-2-yl	4-(4-OCF ₃ -Ph)	72-75
15-52	1,3-dioxan-2-yl	4-CF ₂ CF ₃	105-107
15-53	1,3-dioxan-2-yl	4-OCF ₂ CHFCF ₃	49-50
15-54	1,3-dioxan-2-yl	4-SCF ₂ CF ₃	129-130
15-55	1,3-dioxan-2-yl	4-(3-CF ₃ -Ph)	117-118
15-56	1,3-dioxan-2-yl	4-(2-CF ₃ -Ph)	71-72
15-57	1,3-dioxan-2-yl	4-(4-OCF ₃ -PhO)	1.3391 (21.0)
15-58	1,3-dioxan-2-yl	4-CH ₂ CF ₃	139-140
15-59	1,3-dioxan-2-yl	4-OCF ₂ CHFOCF ₃	64-66
15-60	1,3-dioxan-2-yl	4-CF ₃	1.4924 (27.4)






[0117]

Table 15 (continued)

Comp. No.	R ¹	(X) _m	property value
15-61	1,3-dioxan-2-yl	4-Br	1.4364 (25.2)
15-62	1,3-dioxepan-2-yl	4-CF ₃	39-41
15-63	1,3-dioxolan-2-yl	4-CF ₃	1.3338 (24.8)
15-64	1,3-dioxepan-2-yl	4-Br	56-61
15-65	1,3-dioxepan-2-yl	4-I	91-94
15-66	1,3-dioxepan-2-yl	4-F	85-90
15-67	1,3-dioxepan-2-yl	4-Cl	85-87
15-68	1,3-dioxepan-2-yl	2,4-F ₂	133-134
15-69	1,3-dioxepan-2-yl	3,4-F ₂	108-111
15-70	1,3-dioxepan-2-yl	3,4-Cl ₂	124-125
15-71	1,3-dioxepan-2-yl	2,4-Cl ₂	120-122
15-72	(4-CH ₂ OCOME)-1,3-dioxolan-2-yl	4-CF ₃	NMR
15-73	(4-CH ₂ OCOME)-1,3-dioxolan-2-yl	4-CF ₃	NMR
15-74	4-Ph-1,3-dioxolan-2-yl	4-CF ₃	1.3289 (25.6)
15-75	(4-CH ₂ OMe)-1,3-dioxolan-2-yl	4-CF ₃	1.4392 (25.6)
15-76	(4,4,5,5-Me ₄)-1,3-dioxolan-2-yl	4-CF ₃	1.3793 (25.4)
15-77	(4-CH ₂ Cl)-1,3-dioxolan-2-yl	4-CF ₃	86-88
15-78	(4-CH ₂ Cl)-1,3-dioxolan-2-yl	4-CF ₃	1.4772 (25.7)
15-79	(4-CH ₂ OH)-1,3-dioxolan-2-yl	4-CF ₃	85-87
15-80	(4-CH ₂ OH)-1,3-dioxolan-2-yl	4-CF ₃	110-113
15-81	(4-CH ₂ OCH ₂ CH=CH ₂)-1,3-dioxolan-2-yl	4-CF ₃	1.4660 (25.5)
15-82	(4-CH ₂ OPh)-1,3-dioxolan-2-yl	4-CF ₃	40-42
15-83	(4-CH ₂ OPh)-1,3-dioxolan-2-yl	4-CF ₃	69-70
15-84	(4-CH=CH ₂)-1,3-dioxolan-2-yl	4-CF ₃	1.4984 (25.6)
15-85		4-CF ₃	76-77
15-86	(4,5-(CH ₂ Cl) ₂)-1,3-dioxolan-2-yl	4-CF ₃	76-79
15-87	(4-CH ₂ F)-1,3-dioxolan-2-yl	4-CF ₃	80-83
15-88	(4-CH ₂ F)-1,3-dioxolan-2-yl	4-CF ₃	70-72

[0118]

Table 15 (continued)

Comp. No.	R ¹	(X) _m	property value
15-89	(4-CH ₂ SO ₂ Me)-1,3-dioxolan-2-yl	4-CF ₃	98-101
15-90	(2-Me)-1,3-dioxolan-4-yl	4-CF ₃	NMR
15-91	(2-Et)-1,3-dioxolan-4-yl	4-CF ₃	NMR
15-92	(2-Et)-1,3-dioxolan-4-yl	4-CF ₃	NMR
15-93	(2-Ph)-1,3-dioxolan-4-yl	4-CF ₃	1.5144 (25.5)
15-94	(2-Ph)-1,3-dioxolan-4-yl	4-CF ₃	1.5054 (25.4)
15-95		4-CF ₃	130-137
15-96		4-CF ₃	147-150
15-97	(4,4-Me ₂)-1,3-dioxan-2-yl	4-CF ₃	78-81
15-98	(4,4,6-Me ₃)-1,3-dioxan-2-yl	4-CF ₃	137-138
15-99	(4,4,6,6-Me ₄)-1,3-dioxan-2-yl	4-CF ₃	128-130
15-100		4-CF ₃	91-93
15-101	(5-Me)-(5-CH ₂ OH)-1,3-dioxan-2-yl	4-CF ₃	143-145
15-102	(5-Me)-(5-CH ₂ OH)-1,3-dioxan-3-yl	4-CF ₃	149-151
15-103	(5-Ph)-1,3-dioxan-2-yl	4-CF ₃	152-155
15-104	(5-CH ₂ OH)-1,3-dioxan-2-yl	4-CF ₃	186-187
15-105	(5-CH ₂ OH)-1,3-dioxan-2-yl	4-CF ₃	160-162
15-106		4-CF ₃	1.5074 (25.1)
15-107	(5-CH ₂ OSO ₂ Me)-1,3-dioxan-2-yl	4-CF ₃	114-116
15-108		4-CF ₃	172-175

[0119]

Table 15 (continued)

Comp. No.	R ¹	(X) _m	property value
15-109	(5-CH ₂ F)-1,3-dioxan-2-yl	4-CF ₃	115-117
15-110	(4-CF ₃)-1,3-dioxan-2-yl	4-CF ₃	122-124
15-111	(5,5-F ₂)-1,3-dioxan-2-yl	4-CF ₃	153-156
15-112	(5,5,6,6-F ₄)-1,3-dioxepan-2-yl	4-CF ₃	NMR
15-113	1,3-dioxepan-2-yl	4-CF(CF ₃) ₂	78-79
15-114	CH(OMe) ₂	4-CF(CF ₃) ₂	48-49

[0120]

5 The agrohorticultural insecticides containing the arylalkyloxypyrimidine derivative represented by the formula (I) or salts thereof of the present invention as an active ingredient are suitable for controlling various insect pests such as agrohorticultural insect pests, stored grain insect
10 pests, sanitary insect pests, nematodes, etc., which are injurious to paddy rice, fruit trees, vegetables, other crops, flowers and ornamental plants, etc.

[0121]

15 Examples of the above-mentioned noxious insect, nematodes and the like include the following.

Examples of the insect pest of Lepidoptera include *Parasa consocia*, *Anomis mesogona*, *Papilio xuthus*, *Matsumuraeses azukivora*, *Ostrinia scapulalis*, *Spodoptera exempta*, *Hyphantria cunea*, *Ostrinia furnacalis*, *Pseudaletia separata*, *Tinea*
20 *translucens*, *Bactra furfurana*, *Parnara guttata*, *Marasmia exigua*, *Parnara guttata*, *Sesamia inferens*, *Brachmia triannulella*, *Monema flavescens*, *Trichoplusia ni*, *Pleuroptya ruralis*, *Cystidia couaggaria*, *Lampides boeticus*, *Cephonodes hylas*, *Helicoverpa armigera*, *Phalerodonta manleyi*, *Eumeta*
25 *japonica*, *Pieris brassicae*, *Malacosoma neustria testacea*, *Stathmopoda masinissa*, *Cuphodes diospyrosella*, *Archips xylosteanus*, *Agrotis segetum*, *Tetramoera schistaceana*, *Papilio machaon hippocrates*, *Endoclyta sinensis*, *Lyonetia*

prunifoliella, *Phyllonorycter ringoneella*, *Cydia kurokoi*,
Eucoenogenes aestuosa, *Lobesia botrana*, *Latoia sinica*,
Euzophera batangensis, *Phalonidia mesotypa*, *Spilosoma*
imparilis, *Glyphodes pyloalis*, *Olethreutes mori*, *Tineola*
5 *bisselliella*, *Endoclyta excrescens*, *Nemapogon granelus*,
Synanthedon hector, *Cydia pomonella*, *Plutella xylostella*,
Cnaphalocrocis medinalis, *Sesamia calamistis*, *Scirpophaga*
incertulas, *Pediasia teterrellus*, *Phthorimaea operculella*,
Stauropus fagi persimilis, *Etiella zinckenella*, *Spodoptera*
10 *exigua*, *Palpifer sexnotata*, *Spodoptera mauritia*, *Scirpophaga*
innotata, *Xestia c-nigrum*, *Spodoptera depravata*, *Ephestia*
kuehniella, *Angerona prunaria*, *Clostera anastomosis*,
Pseudoplusia includens, *Matsumuraeses falcana*, *Helicoverpa*
assulta, *Autographa nigrisigna*, *Agrotis ipsilon*, *Euproctis*
15 *pseudoconspersa*, *Adoxophyes orana*, *Caloptilia theivora*, *Homona*
magnanima, *Ephestia elutella*, *Eumeta minuscula*, *Clostera*
anachoreta, *Heliothis maritima*, *Sparganothis pilleriana*,
Busseola fusca, *Euproctis subflava*, *Biston robustum*, *Heliothis*
zea, *Aedia leucomelas*, *Narosoides flavidorsalis*, *Viminia*
20 *rumicis*, *Bucculatrix pyrivorella*, *Grapholita molesta*,
Spulerina astaurota, *Ectomyelois pyrivorella*, *Chilo*
suppressalis, *Acrolepiopsis sapporensis*, *Plodia interpunctella*,
Hellula undalis, *Sitotroga cerealella*, *Spodoptera litura*,
Eucosma aporema, *Acleris comariana*, *Scopelodes contractus*,
25 *Orgyia thyellina*, *Spodoptera frugiperda*, *Ostrinia zaguliaevi*,
Naranga aenescens, *Andraca bipunctata*, *Paranthrene regalis*,
Acosmeryx castanea, *Phyllocnistis toparcha*, *Endopiza viteana*,
Eupoecillia ambiguella, *Anticarsia gemmatalis*, *Cnephasia*
cinereipalpana, *Lymantria dispar*, *Dendrolimus spectabilis*,
30 *Leguminivora glycinivorella*, *Maruca testulalis*, *Matsumuraeses*
phaseoli, *Caloptilia soyella*, *Phyllocnistis citrella*, *Omiodes*
indicate, *Archips fuscocupreanus*, *Acanthopplusia agnata*,
Bambalina sp., *Carposina niponensis*, *Conogethes punctiferalis*,
Synanthedon sp., *Lyonetia clerkella*, *Papilio helenus*, *Colias*
35 *erate poliographus*, *Phalera flavescens*, *Pieridae* such as

Pieris rapae crucivora, *Pieris rapae* and the like, *Euproctis similis*, *Acrolepiopsis suzukiella*, *Ostrinia nubilalis*, *Mamestra brassicae*, *Ascotis selenaria*, *Phtheochroides clandestina*, *Hoshinoa adumbratana*, *Odonestis pruni japonensis*,
 5 *Triaena intermedia*, *Adoxophyes orana fasciata*, *Grapholita inopinata*, *Spilonota ocellana*, *Spilonota lechriaspis*,
Illiberis pruni, *Argyresthia conjugella*, *Caloptilia zachrysa*, *Archips breviplicanus*, *Anomis flava*, *Pectinophora gossypiella*,
Notarcha derogata, *Diaphania indica*, *Heliothis virescens*,
 10 *Earias cupreoviridis* and the like.

[0122]

Examples of the noxious insect pest of Hemiptera include
Nezara antennata, *Stenotus rubrovittatus*, *Graphosoma rubrolineatum*, *Trigonotylus coelestialium*, *Aeschynteles*
 15 *maculatus*, *Creontiades pallidifer*, *Dysdercus cingulatus*,
Chrysomphalus ficus, *Aonidiella aurantii*, *Graptopsaltria nigrofuscata*, *Blissusleucopterus*, *Icerya purchasi*, *Piezodorus hybneri*,
Lagynotomus elongatus, *Thaia subrufa*, *Scotinophara lurida*, *Sitobion ibarae*, *Stariodes iwasakii*, *Aspidiotus*
 20 *destructor*, *Taylorilygus pallidulus*, *Myzasmumecola*,
Pseudaulacaspis prunicola, *Acyrtosiphon pisum*, *Anacanthocoris striicornis*,
Ectometopterus micantulus, *Eysarcoris lewisi*, *Molipteryx fuliginosa*,
Cicadella viridis, *Rhopalosiphum rufiabdominalis*, *Saissetia oleae*, *Trialeurodes vaporariorum*,
 25 *Aguriahana quercus*, *Lygus* spp., *Euceraphis punctipennis*,
Andaspis kashicola, *Coccus pseudomagnoliarum*, *Cavelerius saccharivorus*,
Galeatus spinifrons, *Macrosiphoniella sanborni*, *Aonidiella citrina*,
Halyomorpha mista, *Stephanitis fasciicarina*, *Trioza camphorae*,
Leptocorisa chinensis, *Trioza*
 30 *quercicola*, *Uhlerites latius*, *Erythroneura comes*, *Paromius exiguus*,
Duplaspidiotus claviger, *Nephotettix nigropictus*, *Halticiellus insularis*,
Perkinsiella saccharicida, *Psylla malivorella*, *Anomomeura mori*,
Pseudococcus longispinis, *Pseudaulacaspis pentagona*, *Pulvinaria kuwacola*,
Apolygus
 35 *lucorum*, *Togo hemipterus*, *Toxoptera aurantii*, *Saccharicoccus*

sacchari, *Geoica lucifuga*, *Numata mui*ri, *Comstockaspis*
perniciosa, *Unaspis citri*, *Aulacorthum solani*, *Eysarcoris*
ventralis, *Bemisia argentifolii*, *Cicadella spectra*, *Aspidiotus*
hederae, *Liorhyssus hyalinus*, *Calophya nigradorsalis*,
5 *Sogatella furcifera*, *Megoura crassicauda*, *Brevicoryne*
brassicae, *Aphis glycines*, *Leptocorisa oratorius*, *Nephotettix*
virescens, *Uroeucon formosanum*, *Cyrtopeltis tenuis*, *Bemisia*
tabaci, *Lecanium persicae*, *Parlatoria theae*, *Pseudaonidia*
paeoniae, *Empoasca onukii*, *Plautia stali*, *Dysaphis tulipae*,
10 *Macrosiphum euphorbiae*, *Stephanitis pyrioides*, *Ceroplastes*
ceriferus, *Parlatoria camelliae*, *Apolygus spinolai*,
Nephotettix cincticeps, *Glaucias subpunctatus*, *Orthotylus*
flavosparsus, *Rhopalosiphum maidis*, *Peregrinus maidis*,
Eysarcoris parvus, *Cimex lectularius*, *Psylla abietis*,
15 *Nilaparvata lugens*, *Psylla tobirae*, *Eurydema rugosum*,
Schizaphis piricola, *Psylla pyricola*, *Parlatoreopsis pyri*,
Stephanitis nashi, *Dysmicoccus wistariae*, *Lepholeucaspis*
japonica, *Sappaphis piri*, *Lipaphis erysimi*, *Neotoxoptera*
formosana, *Rhopalosiphum nymphaeae*, *Edwardsianarosae*,
20 *Pinnaspisaspidistrae*, *Psylla alni*, *Speusotettix subfuscus*,
Alnetoidia alneti, *Sogatella panicicola*, *Adelphocoris*
lineolatus, *Dysdercus poecilus*, *Parlatoria ziziphi*, *Uhlerites*
debile, *Laodelphax striatellus*, *Eurydema pulchrum*, *Cletus*
trigonus, *Clovio punctata*, *Empoasca* sp., *Coccus hesperidum*,
25 *Pachybrachius luridus*, *Planococcus kraunhiae*, *Stenotus*
binotatus, *Arboridia apicalis*, *Macrosteles fascifrons*,
Dolycoris baccarum, *Adelphocoris triannulatus*, *Viteus*
vitifolii, *Acanthocoris sordidus*, *Leptocorisa acuta*, *Macropes*
obnubilus, *Cletus punctiger*, *Riptortus clavatus*, *Paratrionia*
30 *cockerelli*, *Aphrophora costalis*, *Lygus disponis*, *Lygus*
saundersi, *Crisicoccus pini*, *Empoasca abietis*, *Crisicoccus*
matsumotoi, *Aphis craccivora*, *Megacopta punctatissimum*,
Eysarcoris guttiger, *Lepidosaphes beekii*, *Diaphorina citri*,
Toxoptera citricidus, *Planococcus citri*, *Dialeurodes citri*,
35 *Aleurocanthus spiniferus*, *Pseudococcus citriculus*, *Zyginella*

citri, *Pulvinaria citricola*, *Coccus discrepans*, *Pseudaonidia*
duplex, *Pulvinaria aurantii*, *Lecanium corni*, *Nezara viridula*,
Stenodema calcaratum, *Rhopalosiphum padi*, *Sitobion akebiae*,
Schizaphis graminum, *Sorhoanus tritici*, *Brachycaudus*
5 *helichrysi*, *Carpocoris purpureipennis*, *Myzus persicae*,
Hyalopterus pruni, *Aphis farinose yanagicola*, *Metasalis populi*,
Unaspis yanonensis, *Mesohomotoma camphorae*, *Aphis spiraeicola*,
Aphis pomi, *Lepidosaphes ulmi*, *Psylla mali*, *Heterocordylus*
flavipes, *Myzus malisuctus*, *Aphidonuguis mali*, *Orientus*
10 *ishidai*, *Ovatus malicolens*, *Eriosoma lanigerum*, *Ceroplastes*
rubens, *Aphis gossypii* and the like.
[0123]

Examples of the insect pest of Coleoptera include
Xystrocera globosa, *Paederus fuscipes*, *Eucetonia roelofsi*,
15 *Callosobruchus chinensis*, *Cylas formicarius*, *Hypera postica*,
Echinocnemus squameus, *Oulema oryzae*, *Oulema oryzae*, *Donacia*
provosti, *Lissorhoptrus oryzophilus*, *Colasposoma dauricum*,
Euscepes postfasciatus, *Epilachna varivestis*, *Acanthoscelides*
obtectus, *Diabrotica virgifera virgifera*, *Involvulus cupreus*,
20 *Aulacophora femoralis*, *Bruchus pisorum*, *Epilachna*
vigintioctomaculata, *Carpophilus dimidiatus*, *Cassida nebulosa*,
Luperomorpha tenebrosa, *Phyllotreta striolata*, *Psacotha*
hilaris, *Aeolesthes chrysothrix*, *Curculio sikkimensis*,
Carpophilus hemipterus, *Oxycetonia jucunda*, *Diabrotica* spp.,
25 *Mimela splendens*, *Sitophilus zeamais*, *Tribolium castaneum*,
Sitophilus oryzae, *Palorus subdepressus*, *Melolontha japonica*,
Anoplophora malasiaca, *Neatus picipes*, *Leptinotarsa*
decemlineata, *Diabrotica undecimpunctata howardi*, *Sphenophorus*
venatus, *Crioceris quatuordecimpunctata*, *Conotrachelus*
30 *nunuphar*, *Ceuthorrhynchidius albosuturalis*, *Phaedon brassicae*,
Lasioderma serricorne, *Sitona japonicus*, *Adoretus*
tenuimaculatus, *Tenebrio molitor*, *Basilepta balyi*, *Hypera*
nigrirostris, *Chaetocnema concinna*, *Anomala cuprea*,
Heptophylla picea, *Epilachna vigintioctopunctata*, *Diabrotica*
35 *longicornis*, *Eucetonia pilifera*, *Agriotes* spp., *Attagenus*

unicolor japonicus, *Pagria signata*, *Anomala rufocuprea*,
Palorus ratzeburgii, *Alphitobius laevigatus*, *Anthrenus*
verbasci, *Lyctus brunneus*, *Tribolium confusum*, *Medythia*
nigrobilineata, *Xylotrechus pyrrhoderus*, *Epitrix cucumeris*,
5 *Tomicus piniperda*, *Monochamus alternatus*, *Popillia japonica*,
Epicauta gorhami, *Sitophilus zeamais*, *Rhynchites heros*,
Listroderes costirostris, *Callosobruchus maculatus*, *Phyllobius*
armatus, *Anthonomus pomorum*, *Linnaeidea aenea*, *Anthonomus*
grandis and the like.

10 [0124]

Examples of the insect pest of Diptera include *Culex*
pipiens pallens, *Pegomya hyoscyami*, *Liriomyza huidobrensis*,
Musca domestica, *Chlorops oryzae*, *Hydrellia sasakii*, *Agromyza*
oryzae, *Hydrellia griseola*, *Ophiomyia phaseoli*, *Dacus*
15 *cucurbitae*, *Drosophila suzukii*, *Rhacochlaena japonica*, *Muscina*
stabulans, Phoridae such as *Megaselia spiracularis* and the
like, *Clogmia albipunctata*, *Tipula aino*, *Phormia regina*, *Culex*
tritaeniorhynchus, *Anopheles sinensis*, *Hylemya brassicae*,
Asphondylia sp., *Delia platura*, *Delia antiqua*, *Rhagoletis*
20 *cerasi*, *Culex pipiens molestus* Forskal, *Ceratitis capitata*,
Bradysia agrestis, *Pegomya cunicularia*, *Liriomyza sativae*,
Liriomyza bryoniae, *Chromatomyia horticola*, *Liriomyza*
chinensis, *Culex quinquefasciatus*, *Aedes aegypti*, *Aedes*
albopictus, *Liriomyza trifolii*, *Liriomyza sativae*, *Dacus*
25 *dorsalis*, *Dacus tsuneonis*, *Sitodiplosis mosellana*, *Meromuza*
nigriventris, *Anastrepha ludens*, *Rhagoletis pomonella* and the
like.

[0125]

Examples of the insect pest of Hymenoptera include
30 *Pristomyrmex pungens*, Bethyridae, *Monomorium pharaohnis*,
Pheidole noda, *Athalia rosae*, *Dryocosmus kuriphilus*, *Formica*
fusca japonica, *Vespoidea*, *Athalia infumata*, *Arge pagana*,
Athalia japonica, *Acromyrmex* spp., *Solenopsis* spp., *Arge mali*,
Ochetellus glaber and the like.

35 [0126]

Examples of the insect pest of Orthoptera include
Homorocoryphus lineosus, *Gryllotalpa* sp., *Oxya hyla intricata*,
Oxya yezoensis, *Locusta migratoria*, *Oxya japonica*,
Homorocoryphus jezoensis, *Teleogryllus emma* and the like.

5 [0127]

Examples of the insect pest of Thripidae include
Selenothrips rubrocinctus, *Stenchaetothrips biformis*,
Haplothrips aculeatus, *Ponticulothrips diospyrosi*, *Thrips*
flavus, *Anaphothrips obscurus*, *Liothrips floridensis*, *Thrips*
10 *simplex*, *Thrips nigropilosus*, *Heliothrips haemorrhoidalis*,
Pseudodendrothrips mori, *Microcephalothrips abdominalis*,
Leeuwenia pasanii, *Litotetothrips pasaniae*, *Scirtothrips citri*,
Haplothrips chinensis, *Mycterothrips glycines*, *Thrips setosus*,
Scirtothrips dorsalis, *Dendrothrips minowai*, *Haplothrips niger*,
15 *Thrips tabaci*, *Thrips alliorum*, *Thrips hawaiiensis*,
Haplothrips kurdjumovi, *Chirothrips manicatus*, *Frankliniella*
intonsa, *Thrips coloratus*, *Franklinella occidentalis*, *Thrips*
palmi, *Frankliniella lilivora*, *Liothrips vaneeckei* and the
like.

20 [0128]

Examples of the pest of Acari include *Leptotrombidium*
akamushi, *Tetranychus ludeni*, *Dermacentor variabilis*,
Tetranychus truncatus, *Ornithonyssus bacoti*, *Demodex canis*,
Tetranychus viennensis, *Tetranychus kanzawai*, *Ixodes* such as
25 *Rhipicephalus sanguineus* and the like, *Cheyletus malaccensis*,
Tyrophagus putrescentiae, *Dermatophagoides farinae*,
Latrodectus hasseltii, *Dermacentor taiwanicus*, *Acaphylla*
theavagrans, *Polyphagotarsonemus latus*, *Aculops lycopersici*,
Ornithonyssus sylvairum, *Tetranychus urticae*, *Eriophyes*
30 *chibaensis*, *Sarcoptes scabiei*, *Haemaphysalis longicornis*,
Ixodes scapularis, *Tyrophagus similis*, *Cheyletus eruditus*,
Panonychus citri, *Cheyletus moorei*, *Brevipalpus phoenicis*,
Octodectes cynotis, *Dermatophagoides ptrencyssus*,
Haemaphysalis flava, *Ixodes ovatus*, *Phyllocoptruta citri*,
35 *Aculus schlechtendali*, *Panonychus ulmi*, *Amblyomma americanum*,

Dermanyssus gallinae, *Rhyzoglyphus robini*, *Sancassania* sp. and the like.

[0129]

Examples of the pest of Termitidaenoxious include
 5 *Reticulitermes miyatakei*, *Incisitermes minor*, *Coptotermes formosanus*, *Hodotermopsis japonica*, *Reticulitermes* sp., *Reticulitermes flaviceps amamianus*, *Glyptotermes kushimensis*, *Coptotermes guangzhoensis*, *Neotermes koshunensis*, *Glyptotermes kodamai*, *Glyptotermes satsumensis*, *Cryptotermes domesticus*,
 10 *Odontotermes formosanus*, *Glyptotermes nakajimai*, *Pericapritermes nitobei*, *Reticulitermes speratus* and the like.

[0130]

Examples of the insect pest of Blattaria include
Periplaneta fuliginosa, *Blattella germanica*, *Blatta orientalis*,
 15 *Periplaneta brunnea*, *Blattella lituricollis*, *Periplaneta japonica*, *Periplaneta americana* and the like.

[0131]

Examples of the Aphaniptera include *Pulex irritans*, *Ctenocephalides felis*, *Ceratophyllus gallinae* and the like.
 20 [0132]

Examples of the Nematoda include *Nothotylenchus acris*, *Aphelenchoides besseyi*, *Pratylenchus penetrans*, *Meloidogyne hapla*, *Meloidogyne incognita*, *Globodera rostochiensis*, *Meloidogyne javanica*, *Heterodera glycines*, *Pratylenchus*
 25 *coffae*, *Pratylenchus neglectus*, *Tylenchus semipenetrans* and the like.

[0133]

Examples of the Malacoza include *Pomacea canaliculata*, *Achatina fulica*, *Meghimatium bilineatum*, *Lehmannina valentiana*,
 30 *Limax flavus*, *Acusta despecta sieboldiana* and the like.

[0134]

The agrohorticultural insecticide of the present invention also has a strong controlling effect on Tomato leaf miner (*Tuta absoluta*) as other insect pest.

35 [0135]

In addition, as zoobiotic Acari, which is one of the control targets, for example, Ixodes such as *Boophilus microplus*, *Rhipicephalus sanguineus*, *Haemaphysalis longicornis*, *Haemaphysalis flava*, *Haemaphysalis campanulata*, *Haemaphysalis*
 5 *concinna*, *Haemaphysalis japonica*, *Haemaphysalis kitaokai*, *Haemaphysalis ias*, *Ixodes ovatus*, *Ixodes nipponensis*, *Ixodes persulcatus*, *Amblyomma testudinarium*, *Haemaphysalis megaspinosa*, *Dermacentor reticulatus* and *Dermacentor taiwanesis*, *Ornithonyssus* such as *Dermanyssus gallinae*,
 10 *Ornithonyssus sylviarum* and *Ornithonyssus bursa*, *Trombicula* such as *Eutrombicula wichmanni*, *Leptotrombidium akamushi*, *Leptotrombidium pallidum*, *Leptotrombidium fuji*, *Leptotrombidium tosa*, *Neotrombicula autumnalis*, *Eutrombicula alfreddugesi* and *Helenicula miyagawai*, Cheyletidae such as
 15 *Cheyletiella yasguri*, *Cheyletiella parasitivorax* and *Cheyletiella blakei*, *Sarcoptes* such as *Psoroptes cuniculi*, *Chorioptes bovis*, *Otodectes cynotis*, *Sarcoptes scabiei* and *Notoedres cati*, *Demodicidae* such as *Demodex canis*, and the like can be mentioned.

20 [0136]

As flea, which is another control target, for example, ectoparasitic wingless insects belonging to Siphonaptera, more specifically, flea belonging to Pulicidae, *Ceratephyllus* and the like can be mentioned. Examples of the flea belonging to
 25 Pulicidae include *Ctenocephalides canis*, *Ctenocephalides felis*, *Pulex irritans*, *Echidnophaga gallinacea*, *Xenopsylla cheopis*, *Leptopsylla segnis*, *Nosopsyllus fasciatus*, *Monopsyllus anisus* and the like.

[0137]

30 Examples of the external parasite, which is another control target, include Anoplura such as shortnosed cattle louse (*Haematopinus eurysternus*), horse sucking louse (*Haematopinus asini*), sheep louse (*Dalmalinia ovis*), longnosed cattle louse (*Linognathus vituli*), pig louse (*Haematopinus*
 35 *suis*), crab louse (*Phthirus pubis*), and head louse (*Pediculus*

capitis); biting lice such as dog biting louse (*Trichodectes canis*); and blood-sucking dipterous insects such as horsefly (*Tabanus trigonus*), biting midges (*Culicoides schultzei*), and blackfly (*Simulium ornatum*). Further, examples of the internal
5 parasites include nematodes such as lung worms, whipworms, tuberosus worms, gastric parasites, ascaris, and filarioidea; cestoda such as *Spirometra erinacei*, *Diphyllbothrium latum*, *Dipylidium caninum*, *Taenia multiceps*, *Echinococcus granulosus*, and *Echinococcus multilocularis*; trematoda such as *Schistosoma*
10 *japonicum* and *Fasciola hepatica*; and protozoa such as coccidia, malaria parasites, intestinal sarcocystis, toxoplasma, and cryptosporidium.

[0138]

The agrohorticultural insecticide containing the
15 arylalkyloxypyrimidine derivative represented by the formula (I) or salts thereof of the present invention as an active ingredient has a marked controlling effect on the above-exemplified insect pests, which are injurious to paddy field crops, upland crops, fruit trees, vegetables and other crops,
20 flowers and ornament plants, and the like. Therefore, the desired effect of the agrohorticultural insecticides of the present invention can be exhibited by applying the agents to the cultivation carrier such as seeds, paddy field water, stalks and leaves or soil of propagation facility, paddy field,
25 field, fruit trees, vegetables, other crops or flowers and ornament plants and the like, at a season at which the insect pests are expected to appear, before their appearance or at the time when their appearance is confirmed. Particularly, preferable use form is application utilizing what is called
30 penetration transferability by allowing absorption of the compound of the present invention from roots via or not via soil, by treating propagation soil for crops, flowers and ornamental plants and the like, planting hole soil for transplantation, plant foot, irrigation water, culture water
35 for hydroponic culture and the like.

[0139]

The useful plants, for which the agrohorticultural insecticide of the present invention can be used, are not specifically limited and, for example, plants such as cereals
 5 (e.g. rice, barley, wheat, rye, oat, corn etc.); legume (soybean, adzuki bean, fava bean, bean, kidney bean, peanut, etc.); fruit trees and fruits (apple, citrus fruits, pear, grapes, peach, plum, cherry fruit, walnut, sweet chestnut, almond, banana, etc.); vegetables (cabbage, tomato, spinach,
 10 broccoli, lettuce, onion, welsh onion (chives, welsh onion), green pepper, eggplant, strawberry, pepper, okra, leek etc.), root vegetables (carrot, potato, sweet potato, tannia, radish, turnip, lotus root, burdock, garlic, Japanese leek etc.), crop for processing (cotton, hemp, beet, hop, sugar cane, sugar
 15 beet, olive, rubber, coffee, tobacco, tea, etc.); gourd (pumpkin, cucumber, watermelon, oriental melon, melon, etc.); feed crop (orchard grass, sorghum, timothy, clover, alfalfa, etc.); grass (Korean lawn grass, bent grass, etc.); crop for spicery (lavender, rosemary, thyme, parsley, pepper, ginger,
 20 etc.); flowers (chrysanthemum, rose, carnation, orchid, tulip, lily etc.), garden tree (gingko, Japanese cherry, aucuba etc.), forest tree (*Abies sachalinensis*, *Picea jezoensis*, pines, *Thujopsis dolabrata*, Japanese cedar, Japanese cypress, eucalyptus etc.) and the like can be mentioned.

25 [0140]

The above-mentioned "plant" also includes plants imparted with resistance to herbicides, for example, HPPD inhibitors such as isoxaflutole and the like, ALS inhibitors such as imazethapyr, thifensulfuron methyl and the like, EPSP synthase
 30 inhibitors such as glyphosate and the like, glutamine synthase inhibitors such as glufosinate and the like, acetyl CoA carboxylase inhibitors such as sethoxydim and the like, Broxynil, dicamba, 2,4-D and the like, by a classical breeding method or gene recombination technique.

35 [0141]

Examples of the "plant" imparted with resistance by a classical breeding method include colza, wheat, sunflower and rice resistant to imidazolinone ALS inhibitory herbicides such as imazethapyr and the like, which are already commercially available as a trade name of Clearfield (registered trade mark). Similarly, soybean resistant to sulfonylurea ALS inhibitory herbicides such as thifensulfuron methyl and the like by a classical breeding method is already commercially available as a trade name of STS soybean. Similarly, examples of the plant imparted with resistance to acetyl CoA carboxylase inhibitors such as trione oxime and aryloxyphenoxypropionic acid herbicides and the like, by a classical breeding method include SR corn and the like.

The plant imparted with resistance to acetyl CoA carboxylase inhibitors is described in Proc. Natl. Acad. Sci. USA, vol. 87, pages 7175 - 7179 (1990) and the like. In addition, mutated acetyl CoA carboxylase resistant to acetyl CoA carboxylase inhibitors is reported in Weed Science, vol. 53, pages 728 - 746 (2005) and the like, and a plant resistant to acetyl CoA carboxylase inhibitors can be created by introducing such mutated acetyl CoA carboxylase gene into a plant by a gene recombination technique or introducing a mutation involved in imparting resistance into acetyl CoA carboxylase of the plant. Furthermore, a plant resistant to acetyl CoA carboxylase inhibitor, ALS inhibitor and the like can be created by introducing a mutation of site-specific amino acid substitution into the acetyl CoA carboxylase gene, ALS gene and the like of the plant by introducing a base substitution mutation-introducing nucleic acid represented by a chimeraplasty technique (Gura T. 1999. Repairing the Genome's Spelling Mistakes. Science 285: 316-318.) into the plant cell. The agrihorticultural insecticide of the present invention can also be used for these plants.

[0142]

Furthermore, examples of the toxins produced in such

genetically modified plants include insecticidal proteins derived from *Bacillus cereus* and *Bacillus popilliae*; insecticidal proteins such as δ -endotoxins (e.g. Cry1Ab, Cry1Ac, Cry1F, Cry1Fa2, Cry2Ab, Cry3A, Cry3Bb1 and Cry9C),
 5 VIP1, VIP2, VIP3 and VIP3A, which are derived from *Bacillus thuringiensis*; toxins derived from nematodes; toxins produced by animals, such as scorpion toxin, spider toxin, bee toxin and insect-specific neurotoxins; filamentous fungi toxins; plant lectins; agglutinin; protease inhibitors such as trypsin
 10 inhibitors, serine protease inhibitor, patatin, cystatin and papain inhibitors; ribosome-inactivating proteins (RIP) such as ricin, corn-RIP, abrin, rufin, sapolin and priodin; steroid metabolic enzymes such as 3-hydroxysteroid oxidase, ecdysteroid-UDP-glucosyltransferase and cholesterol oxidase;
 15 ecdysone inhibitors; HMG-CoA reductase; ion channel inhibitors such as a sodium channel inhibitors and calcium channel inhibitors; juvenile hormone esterase; diuretic hormone acceptors; stilbene synthetase; bibenzyl synthetase; chitinase; glucanase and the like.

20 [0143]

The toxins produced in such genetically modified plants also include hybrid toxins, partially deficient toxins and modified toxins of insecticidal proteins, such as δ -endotoxin proteins (e.g. Cry1Ab, Cry1Ac, Cry1F, Cry1Fa2, Cry2Ab, Cry3A,
 25 Cry3Bb1, Cry9C, Cry34Ab and Cry35Ab), VIP1, VIP2, VIP3 and VIP3A. The hybrid toxins are produced by a novel combination of the different domains of such a protein by adopting recombination technology. The known partially deficient toxin is Cry1Ab, in which a part of amino acid sequence is deficient.
 30 In the modified toxins, one or a plurality of amino acids of a natural toxin is/are replaced.

Examples of such toxins and genetically modified plants capable of synthesizing such toxins are described in EP-A-0 374 753, WO 93/07278, WO 95/34656, EP-A-0 427 529, EP-A-451
 35 878, WO 03/052073, etc.

[0144]

The toxins contained in such genetically modified plants impart resistance to insect pests of Coleoptera, insect pests of Hemiptera, insect pests of Diptera, insect pests of
5 Lepidoptera and Nematoda to the plants. The agrihorticultural insecticide of the present invention can also be used in combination with or by systematization with such technique.

[0145]

For control of various pests, the agrohorticultural
10 insecticide of the present invention need only be applied to the plant expected to allow occurrence of pests and nematode, as it is or after being properly diluted with or suspended in water or the like, in an amount effective for control of the pests or nematode. For example, for pests and nematodes that
15 occur in fruit trees, cereals, vegetables and the like, the insecticide is sprayed on the stem and leaf parts, or absorbed from the root by seed treatments such as dipping the seeds in a drug, dressing of seeds, Calper treatment and the like, soil treatment such as soil whole layer blending, planting row
20 application, bed soil blending, cell seedling treatment, planting hole treatment, plant foot treatment, top dress, box treatment of rice, water surface application etc., and the like. In addition, the agrohorticultural insecticide can also be used by application to a culture fluid for culture fluid
25 (hydroponic) culture, application by smoking or tree stem injection and the like.

The agrohorticultural insecticide of the present invention need only be applied to the place expected to allow development of pests, as it is or after being properly diluted
30 with or suspended in water or the like, in an amount effective for control of the pests. For example, spraying on grain-storage insects, house pests, hygiene pests, forest pests and the like, as well as application, smoking, bait to house and architectural materials and the like can also be employed for
35 use.

[0146]

As methods for seed treatment, conventional methods such as a method comprising penetration of the agent by dipping of seeds in the liquid agent obtained by diluting or not a liquid
5 formulation or a solid formulation, a method comprising adhering a solid formulation or liquid formulation to the seed surface by admixing the formulation with seeds, dressing and the like, a method comprising admixing the formulation with adhesive carriers such as resin, polymer and the like and
10 forming a coat on the seeds, a method comprising application near the seeds simultaneously with planting and the like can be mentioned.

The "seed" to be subjected to the seed treatment means a plant body in an early stage of growth, which is used for
15 propagation, and includes seeds, as well as bulb, tuber, seed tuber, germ, propagule, scaly bulb, a plant body for vegetative propagation by cutting propagation, and the like.

The "soil" and "cultivation carrier" for plant when practicing the method of use of the present invention mean
20 supports for cultivation of plants, particularly supports for growing roots, and the material is not particularly limited. The material may be any as long as plants can grow therein and specific materials include, for example, soils, nursery mat, water and the like. As a specific material, sand, pumice,
25 vermiculite, diatomaceous earth, agar, gelled substance, polymer substance, rock wool, glass wool, wood chip, bark and the like can also be used.

[0147]

As a method of application to crop plant stem and leaves,
30 or grain-storage insect, house pest, hygiene pest or forest pest, a method including appropriately diluting a liquid formulation such as emulsion, flowable formulation and the like or a solid formulation such as a wettable powder or water dispersible granule and the like with water and spraying same,
35 a method of spraying a dust, or smoking and the like can be

mentioned.

For application to the soil, for example, a method comprising application of a liquid formulation to the plant foot of plant body, nursery for raising seedling and the like
5 with or without dilution in water, a method comprising application of granules to the plant foot of plant body or nursery for raising seedling, a method comprising application of dust, wettable powder, water dispersible granule, granule and the like before sowing or transplantation to allow them to
10 be incorporated into the entire soil, a method comprising application planting pit, planting row and the like with dust, wettable powder, water dispersible granule, granule and the like before sowing or planting and the like can be mentioned.
[0148]

15 In the case of the paddy rice nursery box, the formulation may vary depending on the timing of, for example, application on sowing, application during greening, application during transplanting and the like. The formulations of dust, water dispersible granule, granule and
20 the like can be employed. Application is also possible by incorporation into the grove soil, wherein the grove soil may be mixed with dust, water dispersible granule, granule and the like and, for example, incorporation into bed soil, incorporation into cover soil, incorporation into the entire
25 grove soil and the like can be employed. Simply, a grove soil and various formulations may be applied in alternate layers.

As a method of application to a paddy field, a solid formulation such as jumbo, pack, granule, water dispersible granule and the like, a liquid formulation such as flowable,
30 emulsion and the like are generally sprayed on a flooded paddy field. Alternatively, during rice planting, a suitable formulation can also be applied or injected to soil directly or after blending with a fertilizer. Moreover, by utilizing a liquid agent such as emulsion, flowable and the like to a
35 water inlet and the flow source of water into paddy fields

such as an irrigation apparatus and the like, a saving application along with the supply of water can also be performed.

[0149]

5 For upland crops, treatment of seeds, a cultivation carrier to be placed near the plant body and the like during the period of from sowing to raising seedling is possible. For plants to be directly sown in the field, a direct treatment of seeds, a treatment of a plant foot of the plant under
10 cultivation and the like are preferable. An application of granules, a soil injection treatment with a liquid agent with or without dilution with water and the like can be performed. It is also a preferable treatment to blend granules with a cultivation carrier before seeding, and seed the blend.

15 For a treatment on sowing or during raising seedling of a cultivated plant to be transplanted, a direct treatment of seeds, an soil injection treatment of nursery for raising seedling with a liquid agent or a dispersal treatment thereof with granules are preferable. In addition, treatment of a
20 planting pit with granules and mixing of a cultivation carrier to be placed near the transplantation site with the granules during fix planting are also preferable treatments.

The agrohorticultural insecticide of the present invention is generally prepared into conveniently usable forms
25 according to an ordinary manner for preparation of agrochemicals.

That is, the arylalkyloxypyrimidine oxide derivative represented by the formula (I) or salts thereof of the present invention are blended with a suitable inert carrier and,
30 optionally, an adjuvant in a proper proportion and prepared into a suitable preparation form such as a suspension, emulsifiable concentrate, soluble concentrate, wettable powder, granular wettable powder, granules, dust, tablets, pack or the like through dissolution, dispersion, suspension, mixing,
35 impregnation, adsorption or sticking.

[0150]

The composition (agrohorticultural insecticide or animal parasite controlling agent) of the present invention can contain, besides active ingredients as necessary, additional components generally used for pesticide preparation or animal parasite controlling agent. Examples of the additional component include carriers such as solid carrier, liquid carrier and the like, surfactant, dispersant, wetting agent, binder, tackifier, thickener, colorant, spreader, sticker, antifreezing agent, anticaking agent, disintegrant, stabilizing agent and the like. Where necessary, preservative, plant detritus and the like may be used as other additional components. These addition components may be used alone or in a mixture of two or more kinds thereof.

[0151]

Examples of the solid carrier include natural minerals such as quartz, clay, kaolinite, pyrophyllite, sericite, talc, bentonite, acid clay, attapulgite, zeolite, diatomaceous earth and the like; inorganic salts such as calcium carbonate, ammonium sulfate, sodium sulfate, potassium chloride and the like; organic solid carriers such as synthetic silicic acid, synthetic silicate, starch, cellulose, a vegetable powder (e.g., sawdust, coconut shell, corn cob, tobacco stalk and the like) and the like; plastic carriers such as polyethylene, polypropylene, poly(vinylidene chloride) and the like; urea, hollow inorganic bodies, hollow plastic bodies, fumed silica (white carbon) and the like. These may be used alone or in a mixture of two or more kinds thereof.

[0152]

Examples of the liquid carrier include alcohols including monovalent alcohols such as methanol, ethanol, propanol, isopropanol, butanol and the like and polyvalent alcohols such as ethylene glycol, diethylene glycol, propylene glycol, hexylene glycol, polyethylene glycol, polypropylene glycol, glycerol and the like; polyhydric alcohol compounds such as

propylene glycol ether and the like; ketones such as acetone, methyl ethyl ketone, methyl isobutyl ketone, diisobutyl ketone, cyclohexanone and the like; ethers such as ethyl ether, dioxane, ethylene glycol monoethyl ether, dipropyl ether, 5 tetrahydrofuran and the like; aliphatic hydrocarbons such as normal paraffins, naphthenes, isoparaffins, kerosenes, mineral oils and the like; aromatic hydrocarbons such as benzene, toluene, xylene, solvent naphtha, alkylnaphthalenes and the like; halogenated hydrocarbons such as dichloromethane, 10 chloroform, carbon tetrachloride and the like; esters such as ethyl acetate, diisopropyl phthalate, dibutyl phthalate, dioctyl phthalate, dimethyl adipate and the like; lactones such as γ -butyrolactone and the like; amides such as dimethylformamide, diethylformamide, dimethylacetamide, N- 15 alkylpyrrolidinone and the like; nitriles such as acetonitrile and the like; sulfur compounds such as dimethyl sulfoxide and the like; vegetable oils such as soybean oil, rapeseed oil, cottonseed oil, castor oil and the like; water and the like. These may be used alone or in a mixture of two or more kinds 20 thereof.

[0153]

Examples of the surfactant to be used as a dispersant or moistening agent include nonionic surfactants such as sorbitan ester of fatty acids, polyoxyethylene sorbitan ester of fatty 25 acids, sucrose ester of fatty acids, polyoxyethylene fatty acid esters, polyoxyethylene resinate esters, polyoxyethylene fatty acid diesters, polyoxyethylene alkyl ethers, polyoxyethylene alkylaryl ethers, polyoxyethylene alkylphenyl ethers, polyoxyethylene dialkyl phenyl ethers, polyoxyethylene 30 alkyl phenyl ether-formalin condensates, polyoxyethylene-polyoxypropylene block copolymers, polyoxystyrene-polyoxyethylene block copolymers, alkyl polyoxyethylene-polypropylene block copolymer ethers, polyoxyethylenealkylamines, polyoxyethylene fatty acid amides, 35 polyoxyethylene fatty acid bisphenyl ethers, polyalkylene

benzyl phenyl ethers, polyoxyalkylene styrylphenyl ethers, acetylene diols, polyoxyalkylene-added acetylene diols, polyoxyethylene ether-type silicones, ester-type silicones, fluorine surfactants, polyoxyethylene castor oils, 5 hydrogenated polyoxyethylene castor oils and the like; anionic surfactants such as alkyl sulfate salts, polyoxyethylene alkyl ether sulfate salts, polyoxyethylene alkyl phenyl ether sulfate salts, polyoxyethylene styryl phenyl ether sulfate salts, alkylbenzenesulfonate salts, alkylarylsulfonate salts, 10 lignin sulfonate salts, alkylsulfosuccinate salts, naphthalenesulfonate salts, alkyl naphthalenesulfonate salts, salts of formalin condensate of naphthalenesulfonic acid, salts of formalin condensate of alkyl naphthalenesulfonic acid, fatty acid salts, polycarboxylate salts, polyacrylate salts, 15 N-methyl-fatty acid sarcosinate, resins, polyoxyethylene alkyl ether phosphate salts, polyoxyethylene alkyl phenyl ether phosphate salts and the like; cationic surfactants such as laurylamine hydrochloride salts, stearylamine hydrochloride salts, oleylamine hydrochloride salts, stearylamine acetate 20 salts, stearylaminopropylamine acetate salts, alkylamine salts including alkyltrimethylammonium chloride and alkyl dimethylbenzalkonium chloride and the like; ampholytic surfactants such as amino acid or betaine surfactants and the like, and the like. These surfactants may be used alone or in 25 a mixture of two or more kinds thereof.

[0154]

Examples of the binder and tackifier include carboxymethylcellulose or salt thereof, dextrin, water-soluble starch, xanthan gum, guar gum, sucrose, polyvinylpyrrolidone, 30 gum arabic, polyvinyl alcohol, polyvinyl acetate, sodium polyacrylate, polyethylene glycol having an average molecular weight of 6,000 to 20,000, polyethylene oxide having an average molecular weight of 100,000 to 5,000,000, phospholipid (e.g. cephalin or lecithin), cellulose powder, dextrin, 35 processed starch, polyaminocarboxylic acid chelate compound,

crosslinked polyvinylpyrrolidone, maleic acid-styrene copolymer, (meth)acrylic acid copolymer, half ester between polyhydric alcohol and dicarboxylic anhydride, water-soluble salt of polystyrenesulfonic acid, paraffin, terpene, polyamide
5 resin, polyacrylic acid salt, polyoxyethylene, wax, polyvinylalkyl ether, alkylphenol formaldehyde condensate, and synthetic resin emulsion and the like.

[0155]

Examples of the thickener include water-soluble polymers
10 such as xanthan gum, guar gum, diutan gum, carboxymethylcellulose, polyvinylpyrrolidone, a carboxyvinyl polymer, an acrylic polymer, a starch derivative and a polysaccharide; inorganic fine powders such as high-purity bentonite and fumed silica (white carbon) and the like.

15 [0156]

Examples of the colorant include inorganic pigments such as iron oxide, titanium oxide, and Prussian blue; organic dyes such as an alizarin dye, azo dye, and metal phthalocyanine dye and the like.

20 [0157]

Examples of the antifreezing agent include polyvalent alcohols such as ethylene glycol, diethylene glycol, propylene glycol, glycerol and the like, and the like.

[0158]

25 Examples of the aids for anticaking or disintegrating include polysaccharides (e.g. starch, alginic acid, mannose and galactose), polyvinylpyrrolidone, fumed silica (white carbon), ester gum, petroleum resin, sodium tripolyphosphate, sodium hexametaphosphate, metal stearate, cellulose powder,
30 dextrin, methacrylic acid ester copolymer, polyvinylpyrrolidone, polyaminocarboxylic acid chelate compound, sulfonated styrene-isobutylene-maleic anhydride copolymer, and starch-polyacrylonitrile graft copolymer and the like.

35 [0159]

Examples of the stabilizing agent include desiccants such as zeolite, calcined lime and magnesium oxide; antioxidants such as phenol compounds, amine compounds, sulfur compounds, phosphoric acid compounds and the like; ultraviolet absorbers
5 such as salicylic acid compounds, benzophenone compounds and the like, and the like.

[0160]

Examples of the preservative include potassium sorbate, 1,2-benzothiazolin-3-one and the like.

10 Further, if necessary, functional spreading agents, active enhancers such as metabolic decomposition inhibitor like piperonyl butoxide, anti-freezing agents such as propylene glycol, antioxidizing agents such as BHT, ultraviolet absorbers, and other aids may also be used.

15 [0161]

The content of the compound as active ingredient may be varied as required, and the compound as active ingredient may be used in a proportion properly chosen in the range of 0.01 to 90 parts by weight per 100 parts of the agrohorticultural
20 agents of the present invention. For example, in dusts, granules, emulsion or wettable powders, the suitable content of the compound as an active ingredient is from 0.01 to 50 parts by weight (0.01 to 50 wt% of the total weight of the agrohorticultural insecticide).

25 [0162]

The applicable dosage of the agrohorticultural insecticide of the present invention varies depending upon various factors such as a purpose, insect pests to be controlled, a growth state of a plant, tendency of insect
30 pests appearance, weather, environmental conditions, a preparation form, an application method, an application site and application time. It may be properly chosen in the range of 0.001 g to 10 kg, preferably 0.01 g to 1 kg, (in terms of the compound as active ingredient) per 10 ares depending upon
35 purposes.

The agrohorticultural insecticide of the present invention may be used in admixture with other agrohorticultural insecticides, acaricides, nematocides, fungicides, biotic pesticides or the like in order to expand
 5 both spectrum of controllable disease and insect pest and the period of time when effective application are possible or to reduce the dosage. Furthermore, the agrohorticultural insecticide of the present invention may be used in admixture with herbicides, plant growth regulators, fertilizers or the
 10 like, depending upon application situations.

[0163]

Examples of other agrohorticultural insecticides, acaricides and nematocides to be used for such purpose include 3,5-xylyl methylcarbamate (XMC), crystal protein toxin
 15 produced by *Bacillus thuringiensis aizawai*, *Bacillus thuringiensis israelensis*, *Bacillus thuringiensis japonensis*, *Bacillus thuringiensis kurstaki*, *Bacillus thuringiensis tenebrionis*, or *Bacillus thuringiensis*, BPMC, Bt toxin insecticide compound, CPCBS (chlorfenson), DCIP
 20 (dichlorodiisopropyl ether), D-D (1,3-Dichloropropene), DDT, NAC, O-4-dimethylsulfamoylphenyl O,O-diethyl phosphorothioate (DSP), O-ethyl O-4-nitrophenyl phenylphosphonothioate (EPN), tripropylisocyanurate (TPIC), acrinathrin, azadirachtin, azinphos-methyl, acequinocyl, acetamiprid, acetoprole,
 25 acephate, abamectin, avermectin-B, amidoflumet, amitraz, alanycarb, aldicarb, aldoxycarb, aldrin, alpha-endosulfan, alpha-cypermethrin, albendazole, allethrin, isazofos, isamidofos, isoamidofos, isoxathion, isofenphos, isoprocab:
 MIPC, ivermectin, imicyafos, imidacloprid, imiprothrin,
 30 indoxacarb, esfenvalerate, ethiofencarb, ethion, ethiprole, etoxazole, ethofenprox, ethoprophos, etrimfos, emamectin, emamectin-benzoate, endosulfan, empenthrin, oxamyl, oxydemeton-methyl, oxydeprofos: ESP, oxibendazole, oxfendazole, Potassium oleate, sodium oleate, cadusafos, cartap, carbaryl,
 35 carbosulfan, carbofuran, gamma-cyhalothrin, xylylcarb,

quinalphos, kinoprene, chinomethionat, cloethocarb,
 clothianidin, clofentezine, chromafenozide,
 chlorantraniliprole, chlorethoxyfos, chlordimeform, chlordane,
 chlorpyrifos, chlorpyrifos-methyl, chlorphenapyr, chlorfenson,
 5 chlorfenvinphos, chlorfluazuron, chlorobenzilate,
 chlorobenzoate, dicofol, salithion, cyanophos: CYAP,
 diafenthion, diamidafos, cyantraniliprole, theta-
 cypermethrin, dienochlor, cyenopyrafen, dioxabenzofos,
 diofenolan, sigma-cypermethrin, dichlofenthion: ECP,
 10 cycloprothrin, dichlorvos: DDVP, disulfoton, dinotefuran,
 cyhalothrin, cyphenothrin, cyfluthrin, diflubenzuron,
 cyflumetofen, diflovidazin, cyhexatin, cypermethrin,
 dimethylvinphos, dimethoate, dimefluthrin, silafluofen,
 cyromazine, spinetoram, spinosad, spiroidiclofen, spirotetramat,
 15 spiromesifen, sulfluramid, sulprofos, sulfoxaflor, zeta-
 cypermethrin, diazinon, tau-fluvalinate, dazomet, thiacloprid,
 thiamethoxam, thiodicarb, thiocyclam, thiosultap, thiosultap-
 sodium, thionazin, thiometon, deet, dieldrin,
 tetrachlorvinphos, tetradifon, tetramethylfluthrin,
 20 tetramethrin, tebupirimfos, tebufenozide, tebufenpyrad,
 tefluthrin, teflubenzuron, demeton-S-methyl, temephos,
 deltamethrin, terbufos, tralopyril, tralomethrin,
 transfluthrin, triazamate, triazuron, trichlamide,
 trichlorphon: DEP, triflumuron, tolfenpyrad, naled: BRP,
 25 nithiazine, nitenpyram, novaluron, noviflumuron, hydroprene,
 vaniliprole, vamidothion, parathion, parathion-methyl,
 halfenprox, halofenozide, bistrifluron, bisultap,
 hydramethylnon, hydroxy propyl starch, binapacryl, bifenazate,
 bifenthrin, pymetrozine, pyraclofos, pyrafluprole,
 30 pyridafenthion, pyridaben, pyridalyl, pyrifluquinazon,
 pyriprole, pyriproxyfen, pirimicarb, pyrimidifen, pirimiphos-
 methyl, pyrethrins, fipronil, fenazaquin, fenamiphos,
 bromopropylate, fenitrothion: MEP, fenoxycarb, fenothiocarb,
 phenothrin, fenobucarb, fensulfothion, fenthion: MPP,
 35 phenthoate: PAP, fenvalerate, fenpyroximate, fenpropathrin,

fenbendazole, fosthiazate, formetanate, butathiofos,
 buprofezin, furathiocarb, prallethrin, fluacrypyrim, fluazinam,
 fluazuron, fluensulfone, flucycloxuron, flucythrinate,
 fluvalinate, flupyrzofos, flufenerim, flufenoxuron,
 5 flufenzine, flufenoprox, fluproxyfen, flubrocycythrinate,
 flubendiamide, flumethrin, flurimfen, prothiofos,
 protrifenbute, flonicamid, propaphos, propargite: BPPS,
 profenofos, profluthrin, propoxur: PHC, bromopropylate, beta-
 cyfluthrin, hexaflumuron, hexythiazox, heptenophos, permethrin,
 10 benclothiaz, bendiocarb, bensultap, benzoximate, benfuracarb,
 phoxim, phosalone, fosthiazate, fosthietan, phosphamidon,
 phosphocarb, phosmet: PMP, polynactins, formetanate,
 formothion, phorate, machine oil, malathion, milbemycin,
 milbemycin-A, milbemectin, mecarbam, mesulfenfos, methomyl,
 15 metaldehyde, metaflumizone, methamidophos, metam-ammonium,
 metam-sodium, methiocarb, methidathion: DMTP,
 methylisothiocyanate, methylneodecanamide, methylparathion,
 metoxadiazone, methoxychlor, methoxyfenozide, metofluthrin,
 methoprene, metolcarb, meperfluthrin, mevinphos, monocrotophos,
 20 monosultap, lambda-cyhalothrin, ryanodine, lufenuron,
 resmethrin, lepimectin, rotenone, levamisol hydrochloride,
 fenbutatin oxide, morantel tartarate, methyl bromide,
 cyhexatin, calcium cyanamide, calcium polysulfide, sulfur,
 nicotine-sulfate and the like.

25 [0164]

Examples of the agrohorticultural fungicides to be used
 for the same purpose as above include soil fungicides such as
 aureofungin, azaconazole, azithiram, acypetacs, acibenzolar,
 acibenzolar-S-methyl, azoxystrobin, anilazine, amisulbrom,
 30 ampropylfos, ametocradin, allyl alcohol, aldimorph, amobam,
 isotianil, isovaledione, isopyrazam, isoprothiolane,
 ipconazole, iprodione, iprovalicarb, iprobenfos, imazalil,
 iminoctadine, iminoctadine-albesilate, iminoctadine-triacetate,
 imibenconazole, uniconazole, uniconazole-P, echlomezole,
 35 edifenphos, etaconazole, ethaboxam, ethirimol, etem,

ethoxyquin, etridiazole, enestroburin, epoxiconazole, oxadixyl,
 oxycarboxin, copper-8-quinolinolate, oxytetracycline, copper-
 oxinate, oxpoconazole, oxpoconazole-fumarate, oxolinic acid,
 octhilinone, ofurace, orysastrobin, metam-sodium and the like,
 5 kasugamycin, carbamorph, carpropamid, carbendazim, carboxin,
 carvone, quinazamid, quinacetol, quinoxifen, quinomethionate,
 captafol, captan, kiralaxyl, quinconazole, quintozone,
 guazatine, cufraneb, cuprobam, glyodin, griseofulvin,
 climbazole, cresol, kresoxim-methyl, chlozolate,
 10 clotrimazole, chlobenthiazole, chloraniformethan, chloranil,
 chlorquinox, chloropicrin, chlorfenazole,
 chlorodinitronaphthalene, chlorothalonil, chloroneb, zarilamid,
 salicylanilide, cyazofamid, diethyl pyrocarbonate,
 diethofencarb, cyclafuramid, diclocymet, dichlozoline,
 15 diclobutrazol, dichlofluanid, cycloheximide, diclomezine,
 dicloran, dichlorophen, dichlone, disulfiram, ditalimfos,
 dithianon, diniconazole, diniconazole-M, zineb, dinocap,
 dinocron, dinosulfon, dinoterbon, dinobuton, dinopenton,
 dipyrithione, diphenylamine, difenoconazole, cyflufenamid,
 20 diflumetorim, cyproconazole, cyprodinil, cyprofuram,
 cypendazole, simeconazole, dimethirimol, dimethomorph,
 cymoxanil, dimoxystrobin, methyl bromide, ziram, silthiofam,
 streptomycin, spiroxamine, sultropen, sedaxane, zoxamide,
 dazomet, thiadiazin, tiadinil, thiadifluor, thiabendazole,
 25 tioxyimid, thiochlorfenphim, thiophanate, thiophanate-methyl,
 thicyofen, thioquinox, chinomethionat, thifluzamide, thiram,
 decafentin, tecnazene, tecloftalam, tecoram, tetraconazole,
 debacarb, dehydroacetic acid, tebuconazole, tebufloquin,
 dodicin, dodine, dodecylbenzenesulphonic acid
 30 bisethylenediamine copper(II) (DBEDC), dodemorph, drazoxolon,
 triadimenol, triadimefon, triazbutil, triazoxide, triamiphos,
 triarimol, trichlamide, tricyclazole, triticonazole,
 tridemorph, tributyltin oxide, triflumizole, trifloxystrobin,
 triforine, tolylfluanid, tolclofos-methyl, natamycin, nabam,
 35 nitrothal-isopropyl, nitrostyrene, nuarimol, copper

nonylphenol sulfonate, halacrinat, validamycin, valifenalate,
 harpin protein, bixafen, picoxystrobin, picobenzamide,
 bithionol, bitertanol, hydroxyisoxazole, hydroisoxazole-
 potassium, binapacryl, biphenyl, piperalin, hymexazol,
 5 pyraoxystrobin, pyracarbolid, pyraclostrobin, pyrazophos,
 pyrametostrobin, pyriofenone, pyridinitril, pyrifenoxy,
 pyribencarb, pyrimethanil, pyroxychlor, pyroxyfur, pyroquilon,
 vinclozolin, famoxadone, fenapanil, fenamidone, fenaminosulf,
 fenarimol, fenitropan, fenoxanil, ferimzone, ferbam, fentin,
 10 fenpiclonil, fenpyrazamine, fenbuconazole, fenfuram,
 fenpropidin, fenpropimorph, fenhexamid, phthalide, buthiobate,
 butylamine, bupirimate, fuberidazole, blastidicid-S,
 furametpyr, furalaxyl, fluacrypyrim, fluazinam, fluoxastrobin,
 fluotrimazole, fluopicolide, fluopyram, fluoroimide,
 15 furcarbanil, fluxapyroxad, fluquinconazole, furconazole,
 furconazole-cis, fludioxonil, flusilazole, flusulfamide,
 flutianil, flutolanil, flutriafol, furfural, furmecycloxy,
 flumetover, flumorph, proquinazid, prochloraz, procymidone,
 prothiocarb, prothioconazole, propamocarb, propiconazole,
 20 propineb, furophanate, probenazole, bromuconazole,
 hexachlorobutadiene, hexaconazole, hexylthiofos, bethoxazin,
 benalaxyl, benalaxyl-M, benodanil, benomyl, pefurazoate,
 benquinox, penconazole, benzamorf, pencycuron, benzohydroxamic
 acid, bentazone, benthiazole, benthiavalicarb-isopropyl,
 25 penthiopyrad, penflufen, boscalid, phosdiphen, fosetyl,
 fosetyl-Al, polyoxins, polyoxorim, polycarbamate, folpet,
 formaldehyde, machine oil, maneb, mancozeb, mandipropamid,
 myclozolin, myclobutanil, mildiomyacin, milne, mecarbinzid,
 methasulfocarb, metazoxolon, metam, metam-sodium, metalaxyl,
 30 metalaxyl-M, metiram, methyl isothiocyanate, mepthyldinocap,
 metconazole, metsulfovax, methfuroxam, metominostrobin,
 metrafenone, mepanipyrim, mefenoxam, meptyldinocap, mepronil,
 mebenil, iodomethane, rabenzazole, benzalkonium chloride,
 basic copper chloride, inorganic antimicrobial agents such as
 35 basic copper sulfate, silver and the like, sodium hypochlorite,

cupric hydroxide, wettable sulfur, calcium polysulfide,
 potassium hydrogen carbonate, sodium hydrogen carbonate,
 sulfur, copper sulfate anhydride, nickel
 dimethyldithiocarbamate, copper compounds such as oxine copper,
 5 zinc sulfate, copper sulfate pentahydrate and the like.
 [0165]

Similarly, examples of the herbicide include 1-
 naphthylacetamide, 2,4-PA, 2,3,6-TBA, 2,4,5-T, 2,4,5-TB, 2,4-D,
 2,4-DB, 2,4-DEB, 2,4-DEP, 3,4-DA, 3,4-DB, 3,4-DP, 4-CPA, 4-CPB,
 10 4-CPP, MCP, MCPA, MCPA thioethyl, MCPB, ioxynil, aclonifen,
 azafenidin, acifluorfen, aziprotryne, azimsulfuron, asulam,
 acetochlor, atrazine, atraton, anisuron, anilofos, aviglycine,
 abscisic acid, amicarbazone, amidosulfuron, amitrole,
 aminocyclopyrachlor, aminopyralid, amibuzin, amiprofos-methyl,
 15 ametridione, ametryn, alachlor, allidochlor, alloxymid, alorac,
 isouron, isocarbamid, isoxachlortole, isoxapyrifop,
 isoxaflutole, isoxaben, isocil, isonoruron, isoproturon,
 isopropalin, isopollinate, isomethiozin, inabenfide, ipazine,
 ipfencarbazone, iprymidam, imazaquin, imazapic, imazapyr,
 20 imazamethapyr, imazamethabenz, imazamethabenz-methyl, imazamox,
 imazethapyr, imazosulfuron, indaziflam, indanofan,
 indolebutyric acid, uniconazole-P, eglinazine, esprocarb,
 ethametsulfuron, ethametsulfuron-methyl, ethalfluralin,
 ethiolate, ethychlozate ethyl, ethidimuron, etinofen, ethephon,
 25 ethoxysulfuron, ethoxyfen, etniproamid, ethofumesate,
 etobenzanid, epronaz, erbon, endothal, oxadiazon, oxadiargyl,
 oxaziclomefone, oxasulfuron, oxapyrazon, oxyfluorfen, oryzalin,
 orthosulfamuron, orbencarb, cafenstrole, cambendichlor,
 carbasulam, carfentrazone, carfentrazone-ethyl, karbutilate,
 30 carbetamide, carboxazole, quizalofop, quizalofop-P,
 quizalofop-ethyl, xylachlor, quinoclamine, quinonamid,
 quinclorac, quinmerac, cumyluron, cliodinate, glyphosate,
 glufosinate, glufosinate-P, credazine, clethodim, cloxyfonac,
 clodinafop, clodinafop-propargyl, chlorotoluron, clopyralid,
 35 cloproxydim, cloprop, chlorbromuron, clofop, clomazone,

chlomethoxynil, chlomethoxyfen, clomeprop, chlorazifop,
 chlorazine, cloransulam, chloranocryl, chloramben,
 cloransulam-methyl, chloridazon, chlorimuron, chlorimuron-
 ethyl, chlorsulfuron, chlorthal, chlorthiamid, chlortoluron,
 5 chlornitrofen, chlorfenac, chlorfenprop, chlorbufam,
 chlorflurazole, chlorflurenol, chlorprocarb, chlorpropham,
 chlormequat, chloreturon, chloroxynil, chloroxuron, chloropon,
 saflufenacil, cyanazine, cyanatryn, di-allate, diuron,
 diethamquat, dicamba, cycluron, cycloate, cycloxydim,
 10 diclosulam, cyclosulfamuron, dichlorprop, dichlorprop-P,
 dichlobenil, diclofop, diclofop-methyl, dichlormate,
 dichloralurea, diquat, cisanilide, disul, siduron, dithiopyr,
 dinitramine, cinidon-ethyl, dinosam, cinosulfuron, dinoseb,
 dinoterb, dinofenate, dinoprop, cyhalofop-butyl, diphenamid,
 15 difenoxuron, difenopenten, difenzoquat, cybutryne, cyprazine,
 cyprazole, diflufenican, diflufenzopyr, dipropetryn, cypromid,
 cyperquat, gibberellin, simazine, dimexano, dimethachlor,
 dimidazon, dimethametryn, dimethenamid, simetryn, simeton,
 dimepiperate, dimefuron, cimmethylin, swep, sulglycapin,
 20 sulcotrione, sulfallate, sulfentrazone, sulfosulfuron,
 sulfometuron, sulfometuron-methyl, secbumeton, sethoxydim,
 sebuthylazine, terbacil, daimuron, dazomet, dalapon,
 thiazafluron, thiazopyr, thien carbazone, thien carbazone-methyl,
 tiocarbazil, tioclorim, thiobencarb, thidiazimin, thidiazuron,
 25 thifensulfuron, thifensulfuron-methyl, desmedipham, desmetryn,
 tetrafluron, thenylchlor, tebutam, tebuthiuron, terbumeton,
 tepraloxymid, tefuryltrione, tembotrione, delachlor, terbacil,
 terbucarb, terbuchlor, terbuthylazine, terbutryn, topramezone,
 tralkoxydim, triaziflam, triasulfuron, tri-allate, trietazine,
 30 tricamba, triclopyr, tridiphane, tritac, tritosulfuron,
 triflusulfuron, triflusulfuron-methyl, trifluralin,
 trifloxysulfuron, tripropindan, tribenuron-methyl, tribenuron,
 trifop, trifopsime, trimeturon, naptalam, naproanilide,
 napropamide, nicosulfuron, nitralin, nitrofen, nitrofluorfen,
 35 nipyraclufen, neburon, norflurazon, noruron, barban,

paclobutrazol, paraquat, parafluron, haloxydine, haloxyfop,
 haloxyfop-P, haloxyfop-methyl, halosafen, halosulfuron,
 halosulfuron-methyl, picloram, picolinafen, bicyclopyrone,
 bispyribac, bispyribac-sodium, pydanon, pinoxaden, bifenox,
 5 piperophos, hymexazol, pyraclonil, pyrasulfotole, pyrazoxyfen,
 pyrazosulfuron, pyrazosulfuron-ethyl, pyrazolate, bilanafos,
 pyraflufen-ethyl, pyriclor, pyridafol, pyriothiobac,
 pyriothiobac-sodium, pyridate, pyriftalid, pyributicarb,
 pyribenzoxim, pyrimisulfan, primisulfuron, pyriminobac-methyl,
 10 pyroxasulfone, pyroxsulam, fenasulam, phenisopham, fenuron,
 fenoxasulfone, fenoxaprop, fenoxaprop-P, fenoxaprop-ethyl,
 phenothiol, fenoprop, phenobenzuron, fenthiaaprop, fenteracol,
 fentrazamide, phenmedipham, phenmedipham-ethyl, butachlor,
 butafenacil, butamifos, buthiuron, buthidazole, butylate,
 15 buturon, butenachlor, butroxydim, butralin, flazasulfuron,
 flamprop, furyloxyfen, prynachlor, primisulfuron-methyl,
 fluazifop, fluazifop-P, fluazifop-butyl, fluazolate,
 fluroxypyr, fluothiuron, fluometuron, fluoroglycofen,
 flurochloridone, fluorodifen, fluoronitrofen, fluoromidine,
 20 flucarbazone, flucarbazone-sodium, fluchloralin,
 flucetosulfuron, fluthiacet, fluthiacet-methyl, flupyrsulfuron,
 flufenacet, flufenican, flufenpyr, flupropacil, flupropanate,
 flupoxam, flumioxazin, flumiclorac, flumiclorac-pentyl,
 flumipropyn, flumezin, fluometuron, flumetsulam, fluridone,
 25 flurtamone, fluroxypyr, pretilachlor, proxi, proglinazine,
 procyazine, prodiamine, prosulfalin, prosulfuron, prosulfocarb,
 propaquizafop, propachlor, propazine, propanil, propyzamide,
 propisochlor, prohydrojasmon, propyrisulfuron, propham,
 profluazol, profluralin, prohexadione-calcium,
 30 propoxycarbazone, propoxycarbazone-sodium, profoxydim,
 bromacil, brompyrazon, prometryn, prometon, bromoxynil,
 bromofenoxim, bromobutide, bromobonil, florasulam,
 hexachloroacetone, hexazinone, pethoxamid, benazolin,
 penoxsulam, pebulate, beflubutamid, vernolate, perfluidone,
 35 bencarbazone, benzadox, benzipram, benzylaminopurine,

benzthiazuron, benzfendizone, bensulide, bensulfuron-methyl,
 benzoylprop, benzobicyclon, benzofenap, benzofluor, bentazone,
 pentanochlor, benthiocarb, pendimethalin, pentoxazone,
 benfluralin, benfuresate, fosamine, fomesafen, foramsulfuron,
 5 forchlorfenuron, maleic hydrazide, mecoprop, mecoprop-P,
 medinoterb, mesosulfuron, mesosulfuron-methyl, mesotrione,
 mesoprazine, methoprotetryne, metazachlor, methazole,
 metazosulfuron, methabenzthiazuron, metamitron, metamifop,
 metam, methalpropalin, methiuron, methiozolin, methiobencarb,
 10 methyldymron, metoxuron, metosulam, metsulfuron, metsulfuron-
 methyl, metflurazon, metobromuron, metobenzuron, methometon,
 metolachlor, metribuzin, mepiquat-chloride, mefenacet,
 mefluidide, monalide, monisouron, monuron, monochloroacetic
 acid, monolinuron, molinate, morfamquat, iodosulfuron,
 15 iodosulfuron-methyl-sodium, iodobonil, iodomethane, lactofen,
 linuron, rimsulfuron, lenacil, rhodethanil, calcium peroxide,
 methyl bromide and the like.

[0166]

As to the biotic pesticides, the same effect as above can
 20 be expected by using the agrohorticultural agent of the
 present invention in admixture with, for example, viral
 formulations obtained from *Nuclear polyhedrosis* virus (NPV),
Granulosis virus (GV), *Cytoplasmic polyhedrosis* virus (CPV),
Entomopox virus (EPV), etc.; microbial pesticides utilized as
 25 insecticides or nematocides, such as *Monacrosporium*
phymatophagum, *Steinernema carpocapsae*, *Steinernema kushidai*,
Pasteuria penetrans, etc.; microbial pesticides utilized as
 fungicides, such as *Trichoderma lignorum*, *Agrobacterium*
radiobacter, nonpathogenic *Erwinia carotovora*, *Bacillus*
 30 *subtilis*, etc.; and biotic pesticides utilized as herbicides,
 such as *Xanthomonas campestris*, etc.

[0167]

In addition, the agrohorticultural agent of the present
 invention can be used in combination with biotic pesticides
 35 including natural enemies such as Parasitic wasp (*Encarsia*

formosa), Parasitic wasp (*Aphidius colemani*), Gall-mildge (*Aphidoletes aphidimyza*), Parasitic wasp (*Diglyphus isaea*), Parasitic mite (*Dacnusa sibirica*), Predatory mite (*Phytoseiulus persimilis*), Predatory mite (*Amblyseius cucumeris*), Predatory bug (*Orius sauteri*), etc.; microbial pesticides such as *Beauveria brongniartii*, etc.; and pheromones such as (Z)-10-tetradecenyl acetate, (E,Z)-4,10-tetradecadienyl acetate, (Z)-8-dodecenyl acetate, (Z)-11-tetradecenyl acetate, (Z)-13-icosen-10-one, 14-methyl-1-octadecene, etc.

[0168]

Representative examples of the present invention are shown below, which are not to be construed as limitative.

[0169]

15 Reference Example 1-1.

Production of 5-butyl-4-hydroxypyrimidine

[0170]



[0171]

20 To a solution of sodium methoxide (8.3 g, 154 mmol) in dehydrated tetrahydrofuran (40 mL) were successively added dropwise under an argon atmosphere at 5-10°C ethyl formate (7.4 g, 100 mmol), and hexanoic acid methyl ester (10 g, 77 mmol), and the mixture was stirred at room temperature for 3 hr. To
25 the reaction solution were added dropwise a solution of formamidine acetate (8.0 g, 77 mmol) in methanol (70 mL) and a 28% solution (16 g, 81 mmol) of sodium methoxide in methanol, and the mixture was stirred with heating under reflux for 10 hr. The reaction solution was cooled to room temperature,
30 water (10 mL) was added to dissolve the precipitated salt, and the mixture was concentrated under reduced pressure. Concentrated hydrochloric acid (15 mL) was added, and the mixture was extracted with ethyl acetate. The organic layer

was dried over anhydrous magnesium sulfate, concentrated under reduced pressure, and purified by silica gel column chromatography to give 5-*n*-butyl-4-hydroxypyrimidine (1.3 g, 11%).

5 yield: 11%


property: $^1\text{H-NMR}$ (400MHz, CDCl_3): δ 8.05 (s, 1H), 7.85 (s, 1H), 2.50 (t, 2H), 1.65-1.66 (m, 2H), 1.45-1.35 (m, 2H), 0.95 (t, 3H)

[0172]

10 **Reference Example 1-2.**

Production of 5-butyl-4-chloropyrimidine

[0173]



[0174]

15 To a solution of 5-butyl-4-hydroxypyrimidine (1.3 g, 8.5 mmol) produced in the previous production method in toluene (5 mL) was added phosphorus oxychloride (3.9 g, 26 mmol), and the mixture was stirred with heating under reflux for 2 hr. The mixture was cooled to room temperature, and concentrated under reduced pressure to remove excess phosphorus oxychloride. The residue was poured into saturated aqueous sodium hydrogen carbonate, and the mixture was extracted with MTBE. The organic layer was dried over anhydrous magnesium sulfate, and concentrated under reduced pressure to give 5-butyl-4-
20 chloropyrimidine (1.1 g, 76%) as a crude purified product.
yield: 76%


property: $^1\text{H-NMR}$ (400MHz, CDCl_3): δ 8.84 (s, 1H), 8.51 (s, 1H), 2.72 (t, 2H), 1.70-1.60 (m, 2H), 1.50-1.40 (m, 2H), 0.98 (t, 3H)

30 [0175]

Example 1.

Production of 5-butyl-4-(4-*t*-butylbenzyloxy)pyrimidine (compound No. 1-7)

[0176]



[0177]

To a solution of 5-butyl-4-chloropyrimidine (0.20 g, 1.2
 5 mmol) produced in the previous production method and 4-*t*-
 butylbenzyl alcohol (0.19 g, 1.2 mmol) in THF (5 mL) was added
 at 0°C sodium hydride (0.051 g, 1.3 mmol), and the mixture was
 stirred at room temperature for 3 hr. The reaction mixture was
 poured into ice water and the mixture was extracted with ethyl
 10 acetate. The organic layer was dried over anhydrous magnesium
 sulfate and the solvent was concentrated under reduced
 pressure. The residue was purified by silica gel column
 chromatography to give 5-butyl-4-(4-*t*-
 butylbenzyloxy)pyrimidine (0.26 g, 74%).

15 yield: 74%

property: 1.5360 (27.5°C)

[0178]

Reference Example 2-1.

Production of 4,6-dichloro-5-(1,3-dioxolan-2-yl)pyrimidine

20 [0179]



[0180]

To a solution of 4,6-dichloro-5-formylpyrimidine (10 g,
 56.5 mmol) synthesized in reference to WO2001/017975 in
 25 toluene (60 ml) were added at room temperature *p*-
 toluenesulfonic acid (1 g, 5.65 mmol) and ethylene glycol (7 g,
 113 mmol), and the mixture was azeotropically stirred with
 heating under reflux for 30 min. To the reaction solution was
 added ethyl acetate, and the mixture was washed with saturated
 30 aqueous sodium hydrogen carbonate and saturated brine. The

organic layer was dried over anhydrous magnesium sulfate, and concentrated under reduced pressure. The residue was purified by silica gel column chromatography to give 4,6-dichloro-5-(1,3-dioxolan-2-yl)pyrimidine (8.4 g).

5 yield: 67%


property: $^1\text{H-NMR}$ (400MHz, CDCl_3): δ 8.75 (s, 1H), 6.37 (s, 1H), 4.28-4.37 (m, 2H), 4.06-4.15 (m, 2H)

[0181]

Reference Example 2-2.

10 **Production of 6-chloro-4-(4-trifluoromethylbenzyloxy)-5-(1,3-dioxolan-2-yl)pyrimidine**

[0182]



[0183]

15 To a solution of 4,6-dichloro-5-(1,3-dioxolan-2-yl)pyrimidine (2.0 g, 9.1 mmol), and 4-trifluoromethylbenzyl alcohol (1.8 g, 10 mmol) in DMA (10 mL) was added at 0°C sodium hydride (0.43 g, 11 mmol), and the mixture was stirred at room temperature for 3 hr. The reaction mixture was poured into ice
20 water and the mixture was extracted with ethyl acetate. The organic layer was dried over anhydrous magnesium sulfate and the solvent was concentrated under reduced pressure. The residue was purified by silica gel column chromatography to give 6-chloro-4-(4-trifluoromethylbenzyloxy)-5-(1,3-dioxolan-
25 2-yl)pyrimidine (2.2 g, 67%).

yield: 67%

property: $^1\text{H-NMR}$ (400MHz, CDCl_3): δ 8.53 (s, 1H), 7.64 (d, 2H), 7.53 (d, 2H), 6.34 (s, 1H), 4.15-4.10 (m, 2H), 4.05-3.95 (m, 2H)


30 [0184]

Example 2.

Production of 4-(4-trifluoromethylbenzyloxy)-5-(1,3-dioxolan-

2-yl)pyrimidine (compound No. 4-4)

[0185]



[0186]

5 To a solution of 6-chloro-4-(4-trifluoromethylbenzyloxy)-5-(2-dioxolanyl)pyrimidine (2.2 g, 6.1 mmol) in DMA (10 mL) were added under an argon atmosphere triethylamine (1.0 g, 10 mmol), formic acid (0.42 g, 9.1 mmol) and tetrakis(triphenylphosphine)palladium (0.70 g, 0.61 mmol), and
 10 the mixture was stirred at 80°C for 3 hr. To the reaction solution was added water, and the mixture was extracted with tertiary butyl methyl ether. The organic layer was washed with water and saturated brine, and dried over anhydrous magnesium sulfate, and concentrated under reduced pressure. The residue
 15 was purified by silica gel column chromatography to give 4-(4-trifluoromethylbenzyloxy)-5-(1,3-dioxolan-2-yl)pyrimidine (0.47 g, 24%).

yield: 24%

property: 38-39°C

20 [0187]

Formulation Examples are shown in the following, which do not limit the present invention. In Formulation Examples, part means parts by weight.

[0188]

25 **Formulation Example 1.**

Compound of the present invention	10 parts
Xylene	70 parts
N-methylpyrrolidone	10 parts
Mixture of polyoxyethylene nonylphenyl	
30 ether and calcium alkylbenzenesulfonate	10 parts

An emulsifiable concentrate is prepared by mixing uniformly the above ingredients to allow dissolution.

[0189]

Formulation Example 2.

5	Compound of the present invention	3 parts
	Clay powder	82 parts
	Diatomaceous earth powder	15 parts

A dust is prepared by mixing uniformly and grinding the above ingredients.

10 [0190]

Formulation Example 3.

	Compound of the present invention	5 parts
	Mixed powder of bentonite and clay	90 parts
	Calcium ligninsulfonate	5 parts

15 Granules are prepared by mixing the above ingredients uniformly, and kneading the resulting mixture together with a suitable amount of water, followed by granulation and drying.
[0191]

Formulation Example 4.

20	Compound of the present invention	20 parts
	Mixture of kaolin and synthetic	
	High-dispersion silicic acid	75 parts
	Mixture of polyoxyethylene nonylphenyl	
	ether and calcium alkylbenzenesulfonate	5 parts

25 A wettable powder is prepared by mixing uniformly and grinding the above ingredients.

[0192]

Experimental Example 1.

Control efficacy against green peach aphid (*Myzus persicae*)

30 A Chinese cabbage plant was planted in each of plastic pots with a diameter of 8 cm and a height of 8 cm and green peach aphids were propagated on the plant, after which the aphids in each pot were counted. Each arylalkyloxypyrimidine derivative of the general formula (I) or a salt thereof of the
35 present invention was dispersed in and diluted with water to

obtain a 500 ppm liquid chemical. The stalks and leaves of the potted Chinese cabbage plants were sprayed with the liquid chemical and air-dried, and then the pots were stored in a greenhouse. Six days after the spraying, green peach aphids parasitic on each Chinese cabbage plant were counted and the control efficacy degree was calculated by the following equation, whereby the insecticidal effect was judged according to the criterion shown below.

[0193]

Control efficacy = $100 - \{(T \times Ca) / (Ta \times C)\} \times 100$

[0194]

Ta: number of parasites before spraying in treated group,

T: number of parasites after spraying in treated group,

Ca: number of parasites before spraying in untreated group,

C: number of parasites after spraying in untreated group.

[0195]

A...control efficacy 100%

B...control efficacy 99% - 90%

C...control efficacy 89% - 80%

D...control efficacy 79% - 50%

[0196]

Experimental Example 2.

Insecticidal effect on brown rice planthopper (*Nilaparvata lugens*)

Each arylalkyloxypyrimidine derivative of the general formula (I) or a salt thereof of the present invention was dispersed in and diluted with water to obtain a 500 ppm liquid chemical. Rice seedlings (cultivar: Nihonbare) were immersed in the liquid chemical for 30 seconds and air-dried, after which each seedling was placed in a glass test tube and inoculated with 10 third-instar nymphs of brown rice planthopper, and the test tube was plugged with a cotton plug. Eight days after the inoculation, the dead and alive were counted. The corrected mortality was calculated by the following equation and the control effect was judged according

to the criterion described below.

[0197]

$$\text{Corrected mortality (\%)} = \frac{(\text{survival rate in untreated group}) - (\text{survival rate in treated group})}{(\text{survival rate in untreated group})} \times 100$$

[0198]

diagnostic criteria ... same as in Experimental Example 1.

5 [0199]

As a result, in Experimental Example 1, among the arylalkyloxypyrimidine derivatives of the present invention represented by the formula (I), the compounds of compound Nos. 1-1, 1-2, 1-3, 1-4, 1-5, 1-7, 1-8, 1-13, 1-14, 1-21, 1-30, 1-37, 1-40, 1-54, 1-55, 1-70, 1-95, 1-110, 2-2, 2-3, 2-4, 2-5, 2-7, 2-8, 2-9, 2-13, 2-14, 2-21, 2-30, 2-37, 2-41, 2-51, 2-52, 2-54, 2-55, 2-59, 2-62, 2-66, 2-67, 2-73, 2-76, 2-77, 2-87, 2-88, 2-95, 2-97, 2-100, 2-102, 2-103, 2-104, 2-107, 2-108, 3-2, 3-3, 3-4, 3-5, 3-7, 3-8, 3-9, 3-13, 3-14, 3-21, 3-31, 3-37, 3-51, 3-52, 3-67, 3-68, 3-78, 3-95, 3-111, 4-1, 4-3, 4-4, 4-6, 4-9, 4-10, 4-18, 4-19, 4-20, 4-21, 4-22, 4-23, 4-26, 4-28, 4-31, 4-33, 4-38, 4-40, 4-41, 4-42, 4-43, 4-45, 4-46, 4-47, 4-51, 4-52, 4-53, 4-56, 4-57, 4-63, 4-66, 4-67, 4-68, 4-71, 4-72, 4-78, 4-81, 4-82, 4-86, 4-88, 4-89, 4-90, 5-1, 5-2, 5-3, 7-52, 8-1, 8-2, 8-5, 8-7, 8-8, 8-9, 8-10, 8-12, 8-13, 8-14, 8-15, 8-16, 8-17, 8-18, 8-19, 8-20, 8-21, 8-22, 8-23, 8-24, 8-26, 8-27, 8-28, 8-29, 8-31, 8-32, 8-34, 8-35, 8-37, 8-39, 8-40, 8-42, 8-49, 8-50, 8-51, 8-52, 8-53, 8-54, 8-57, 8-58, 8-59, 8-60, 8-61, 8-62, 8-63, 8-64, 9-2, 9-3, 9-6, 9-7, 9-10, 9-11, 9-12, 9-13, 9-14, 9-18, 9-19, 9-20, 9-21, 9-25, 9-26, 9-27, 9-28, 9-29, 9-31, 9-32, 9-33, 9-34, 9-41, 9-42, 9-43, 9-44, 9-45, 9-46, 10-1, 10-2, 10-3, 10-4, 10-5, 10-6, 10-7, 10-8, 10-9, 10-10, 10-11, 12-3, 12-4, 12-5, 12-10, 12-11, 12-12, 12-13, 12-19, 12-20, 12-23, 14-2, 14-3, 14-5, 14-8, 14-10, 14-11, 14-12, 14-13, 14-14, 14-15, 14-16, 14-17, 14-18, 14-19, 14-20, 14-23, 14-25,

14-27, 14-41, 14-44, 14-46, 14-47, 14-49, 14-50, 14-52, 14-52,
14-54, 14-55, 14-56, 14-57, 14-60, 14-64, 14-65, 14-66, 14-86,
14-90, 14-98, 14-102, 14-104, 14-105, 14-106, 14-112, 14-117,
14-118, 14-119, 14-120, 14-121, 14-122, 14-123, 15-1, 15-2,
5 15-4, 15-5, 15-6, 15-8, 15-9, 15-10, 15-11, 15-12, 15-13, 15-
14, 15-15, 15-16, 15-17, 15-22, 15-24, 15-27, 15-29, 15-30,
15-31, 15-33, 15-34, 15-40, 15-43, 15-44, 15-45, 15-46, 15-47,
15-52, 15-60, 15-61, 15-62, 15-63, 15-65, 15-74, 15-75, 15-76,
15-77, 15-78, 15-81, 15-83, 15-84, 15-86, 15-87, 15-88, 15-90,
10 15-91, 15-92, 15-93, 15-94, 15-95, 15-96, 15-97, 15-101, 15-
106, 15-108, 15-110, 15-113 and 15-114 showed insecticidal
effects of not less than D against green peach aphid,
and particularly, the compounds of 1-1, 1-2, 1-4, 1-5, 1-7, 1-
8, 1-13, 1-37, 2-3, 2-4, 2-7, 2-8, 2-9, 2-13, 2-21, 2-30, 2-37,
15 2-54, 2-59, 2-100, 2-104, 2-107, 3-2, 3-3, 3-5, 3-7, 3-8, 3-9,
3-21, 3-37, 3-52, 3-67, 3-68, 3-78, 3-95, 4-1, 4-3, 4-4, 4-9,
4-19, 4-20, 4-23, 4-31, 4-33, 4-38, 4-41, 4-46, 4-47, 4-51, 4-
52, 4-56, 4-57, 4-63, 4-66, 4-67, 4-72, 4-78, 4-81, 4-82, 5-3,
7-52, 8-7, 8-8, 8-14, 8-18, 8-19, 8-22, 8-26, 8-27, 8-28, 8-31,
20 8-32, 8-37, 8-39, 8-49, 8-59, 8-63, 9-3, 9-10, 9-11, 9-19, 9-
25, 9-33, 9-34, 9-43, 9-45, 10-1, 10-4, 10-5, 10-6, 10-8, 10-9,
14-5, 14-10, 14-12, 14-15, 14-17, 14-23, 14-25, 14-46, 14-47,
14-49, 14-50, 14-52, 14-54, 14-60, 14-102, 14-104, 14-105, 14-
117, 14-118, 14-119, 14-120, 14-121, 14-122, 15-2, 15-4, 15-11,
25 15-12, 15-14, 15-22, 15-27, 15-33, 15-60, 15-61, 15-62, 15-75,
15-76, 15-77, 15-78, 15-84, 15-86, 15-87, 15-88, 15-90, 15-92,
15-93, 15-110 and 15-114 showed superior insecticidal effects
of A.

[0200]

30 In addition, in Experimental Example 2, among the
arylalkyloxypyrimidine derivatives of the present invention
represented by the formula (I), the compounds of compound Nos.
1-1, 1-2, 1-3, 1-4, 1-5, 1-7, 1-8, 1-9, 1-13, 1-14, 1-21, 1-30,
1-31, 1-37, 1-40, 1-52, 1-54, 1-55, 1-72, 1-100, 2-2, 2-3, 2-4,
35 2-5, 2-7, 2-8, 2-9, 2-13, 2-14, 2-21, 2-30, 2-31, 2-37, 2-41,

2-52, 2-54, 2-55, 2-57, 2-66, 2-67, 2-73, 2-76, 2-87, 2-95, 2-97, 2-100, 2-105, 2-107, 2-108, 3-2, 3-3, 3-4, 3-5, 3-7, 3-8, 3-9, 3-13, 3-14, 3-21, 3-37, 3-52, 3-67, 3-68, 3-78, 3-88, 3-95, 4-1, 4-3, 4-4, 4-6, 4-9, 4-10, 4-16, 4-18, 4-19, 4-20, 4-21, 4-22, 4-28, 4-31, 4-38, 4-40, 4-41, 4-42, 4-43, 4-44, 4-45, 4-51, 4-52, 4-53, 4-56, 4-57, 4-63, 4-66, 4-67, 4-68, 4-71, 4-72, 4-78, 4-81, 4-82, 5-1, 5-2, 5-3, 7-52, 8-2, 8-5, 8-6, 8-7, 8-8, 8-9, 8-10, 8-14, 8-15, 8-16, 8-17, 8-18, 8-19, 8-20, 8-22, 8-23, 8-24, 8-26, 8-28, 8-29, 8-31, 8-32, 8-33, 8-34, 8-35, 8-36, 8-37, 8-39, 8-40, 8-45, 8-47, 8-49, 8-52, 8-53, 8-54, 8-58, 8-59, 8-60, 8-63, 8-64, 9-1, 9-2, 9-3, 9-4, 9-6, 9-9, 9-10, 9-11, 9-12, 9-18, 9-19, 9-20, 9-21, 9-22, 9-25, 9-26, 9-31, 9-32, 9-33, 9-35, 9-36, 9-38, 9-39, 9-40, 9-42, 9-43, 9-45, 9-47, 10-1, 10-2, 10-3, 10-4, 10-5, 10-6, 10-7, 10-8, 10-10, 10-11, 14-1, 14-5, 14-9, 14-10, 14-11, 14-12, 14-13, 14-14, 14-16, 14-17, 14-18, 14-19, 14-20, 14-22, 14-25, 14-27, 14-29, 14-36, 14-37, 14-39, 14-40, 14-41, 14-43, 14-44, 14-46, 14-47, 14-49, 14-50, 14-51, 14-52, 14-53, 14-54, 14-55, 14-56, 14-57, 14-58, 14-59, 14-60, 14-62, 14-63, 14-65, 14-67, 14-69, 14-86, 14-102, 14-103, 14-104, 14-105, 14-106, 14-109, 14-116, 14-117, 14-118, 14-119, 14-120, 14-121, 14-122, 14-123, 15-1, 15-2, 15-4, 15-5, 15-6, 15-7, 15-8, 15-9, 15-10, 15-11, 15-12, 15-13, 15-14, 15-15, 15-16, 15-17, 15-19, 15-20, 15-21, 15-22, 15-23, 15-24, 15-25, 15-26, 15-28, 15-29, 15-30, 15-31, 15-34, 15-35, 15-36, 15-37, 15-38, 15-39, 15-40, 15-41, 15-46, 15-47, 15-48, 15-49, 15-50, 15-52, 15-53, 15-54, 15-55, 15-56, 15-57, 15-58, 15-59, 15-60, 15-61, 15-62, 15-63, 15-64, 15-66, 15-67, 15-70, 15-71, 15-72, 15-75, 15-76, 15-77, 15-78, 15-79, 15-80, 15-81, 15-83, 15-84, 15-85, 15-86, 15-87, 15-88, 15-90, 15-91, 15-92, 15-93, 15-95, 15-97, 15-100, 15-106, 15-109, 15-110, 15-111, 15-112, 15-113 and 15-114 showed insecticidal effects of not less than D against brown rice planthopper, and particularly, the compounds of 1-1, 1-2, 1-3, 1-4, 1-5, 1-7, 1-8, 1-9, 1-13, 1-21, 1-30, 1-37, 1-40, 1-54, 1-55, 1-72, 1-100, 2-2, 2-3, 2-4, 2-5, 2-7, 2-8, 2-9, 2-13, 2-14, 2-21, 2-

30, 2-37, 2-41, 2-54, 2-55, 2-67, 2-73, 2-87, 2-97, 2-100, 2-105, 3-3, 3-4, 3-5, 3-7, 3-8, 3-9, 3-13, 3-14, 3-21, 3-37, 3-68, 3-78, 3-95, 4-1, 4-3, 4-4, 4-6, 4-9, 4-16, 4-18, 4-19, 4-20, 4-21, 4-22, 4-38, 4-40, 4-41, 4-43, 4-45, 4-53, 4-57, 4-63, 5 4-66, 4-67, 4-71, 4-72, 4-78, 5-1, 5-2, 5-3, 8-6, 8-7, 8-8, 8-14, 8-19, 8-22, 8-24, 8-26, 8-28, 8-29, 8-31, 8-32, 8-34, 8-35, 8-37, 8-39, 8-49, 8-53, 8-59, 8-60, 9-1, 9-2, 9-3, 9-4, 9-10, 9-18, 9-20, 9-21, 9-22, 9-26, 9-31, 9-32, 9-38, 9-39, 9-43, 9-47, 10-1, 10-2, 10-3, 10-4, 10-5, 10-6, 10-7, 10-8, 10-10, 10-11, 14-5, 14-10, 14-12, 14-14, 14-20, 14-27, 14-46, 14-47, 14-49, 14-50, 14-52, 14-54, 14-55, 14-56, 14-60, 14-102, 14-104, 14-105, 14-117, 14-118, 14-119, 14-120, 14-121, 14-122, 14-123, 15-4, 15-6, 15-10, 15-13, 15-14, 15-31, 15-35, 15-36, 15-39, 15-40, 15-41, 15-47, 15-48, 15-49, 15-52, 15-54, 15-55, 15-56, 15 15-59, 15-60, 15-61, 15-62, 15-63, 15-77, 15-78, 15-86, 15-88, 15-106, 15-110, 15-111, 5-113 and 15-114 showed superior insecticidal effects of A.

[0201]

Experimental Example 3. Acaricidal effect on cattle tick

20 (*Haemaphysalis longicornis*)

An absorbent cotton was placed on the basement of a glass bottle (diameter 3 cm x height 4.5 cm). The arylalkyloxypyrimidine derivative of the present invention represented by the formula (I) or a salt thereof was dispersed 25 in water to give a diluted drug solution (200 ppm). The drug solution (2 ml) was added dropwise. Cattle ticks were inoculated by 5 each, and the bottle was capped with a mesh. After 4 days from the inoculation, the dead ticks and live ticks were counted, and the corrected mortality was calculated 30 by the following formula and the acaricidal effect was judged according to the criterion of Experimental Example 1.

[0202]

Corrected mortality (%) = (survival rate in untreated group - survival rate in treated group) / (survival rate in untreated 35 group) × 100.

[0203]

As a result, among the arylalkyloxypyrimidine derivatives of the present invention represented by the formula (I), the compounds of compound Nos. 1-2, 2-5, 2-37, 2-54, 3-21, 3-111,
5 4-19, 4-41, 4-53, 4-67, 8-22, 8-26, 9-45, 10-7 and 15-78 showed acaricidal effects of not less than D against cattle tick, and particularly, the compounds of 1-2, 2-5, 2-54, 3-21, 3-111, 4-67, 9-45 and 15-78 showed superior acaricidal effects of A.

10 INDUSTRIAL APPLICABILITY

[0204]

The arylalkyloxypyrimidine derivative of the present invention or a salt thereof has a superior effect as an agrohorticultural insecticide. On the other hand, the
15 derivative shows an effect on pests being parasitic in pet animals such as dogs and cats, and domestic animals such as cattle, sheep and the like.

[0205]

This application is based on patent application Nos.
20 019768/2012 and 171532/2012 filed in Japan, the contents of which are hereby incorporated by reference.

[0206]


It is to be understood that, if any prior art publication is referred to herein, such reference does not constitute an
25 admission that the publication forms a part of the common general knowledge in the art, in Australia or any other country.

[0207]

In the claims which follow and in the preceding description of the invention, except where the context
30 requires otherwise due to express language or necessary implication, the word "comprise" or variations such as "comprises" or "comprising" is used in an inclusive sense, i.e. to specify the presence of the stated features but not to preclude the presence or addition of further features in
35 various embodiments of the invention.

Claims


1. An arylalkyloxypyrimidine derivative represented by the formula (I):



5

wherein R¹ is

(a124) the following structural formula Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, Q⁷, Q⁸, Q⁹, Q¹⁰, Q¹¹, Q¹², Q¹³, Q¹⁴, Q¹⁵, Q¹⁶, Q¹⁷, Q¹⁸, Q¹⁹, Q²⁰, Q²¹, Q²², Q²³, Q²⁴, Q²⁵, Q²⁶, Q²⁷, Q²⁸ or Q²⁹



wherein R⁶, R⁷ and R⁸ may be the same or different and each is a hydrogen atom, a (C₁-C₆)alkyl group, a (C₃-C₆)cycloalkyl group, a (C₂-C₆)alkenyl group, a (C₂-C₆)alkynyl group, a (C₃-C₆)cycloalkyl(C₁-C₆)alkyl group, a halo(C₁-C₆)alkyl group, a halo(C₃-C₆)cycloalkyl group, a halo(C₂-C₆)alkenyl group, a halo(C₂-C₆)alkynyl group, a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkyl group, a (C₁-C₆)alkylcarbonyloxy(C₁-C₆)alkyl group, a (C₁-C₆)alkoxy(C₁-C₆)alkyl group, a hydroxy(C₁-C₆)alkyl group, a (C₂-C₆)alkenyloxy(C₁-C₆)alkyl group, a phenoxy(C₁-C₆)alkyl group, a (C₁-C₆)alkylsulfonyl(C₁-C₆)alkyl group, a (C₁-

C₆)alkylsulfonyloxy(C₁-C₆)alkyl group, a halogen atom, a phenyl group, a phenyl(C₁-C₆)alkyl group, or a (C₁-C₆)alkylcarbonyl group,

R⁹ is a cyano group, a halo(C₁-C₆)alkyl group, or a halo(C₁-
5 C₆)alkylcarbonyl group,

p is an integer of 0 to 5, and Z¹ and Z² may be the same or different and each is a carbon atom, an oxygen atom, S, SO, SO₂ or NR⁶ wherein R⁶ is as defined above, or when p is 2, the adjacent two R⁷ can be bonded to form a 3- to 8-membered

10 aliphatic ring;

R² and R³ may be the same or different and each is

(b1) a hydrogen atom;

(b2) a (C₁-C₈)alkyl group;

(b3) a (C₃-C₈)cycloalkyl group;

15 (b4) a (C₂-C₈)alkenyl group;

(b5) a (C₂-C₈)alkynyl group;

(b6) a halo(C₁-C₈)alkyl group;

(b7) a halo(C₃-C₈)cycloalkyl group;

(b8) a halo(C₂-C₈)alkenyl group;

20 (b9) a halo(C₂-C₈)alkynyl group;

(b10) a (C₃-C₈)cycloalkyl(C₁-C₈)alkyl group;

(b11) a (C₁-C₈)alkoxy(C₁-C₈)alkyl group;

(b12) a (C₁-C₈)alkylthio(C₁-C₈)alkyl group; or

(b13) a (C₁-C₈)alkoxycarbonyl group,

25 q is an integer of 1 to 3;

X may be the same or different and each is

(c1) a hydrogen atom;

(c2) a halogen atom;

(c3) a hydroxyl group;

30 (c4) a cyano group;

(c5) a nitro group;

(c6) an N(R⁴)(R⁵) group wherein R⁴ and R⁵ may be the same or different and each is (i) a hydrogen atom, (ii) a (C₁-C₆)alkyl group, (iii) a (C₃-C₆)cycloalkyl group, (iv) a (C₂-C₆)alkenyl

35 group, (v) a (C₂-C₆)alkynyl group, (vi) a (C₃-C₆)cycloalkyl(C₁-

C₆)alkyl group, (vii) a halo(C₁-C₆)alkyl group, (viii) a
 halo(C₃-C₆)cycloalkyl group, (ix) a halo(C₂-C₆)alkenyl group,
 (x) a halo(C₂-C₆)alkynyl group, (xi) a halo(C₃-C₆)cycloalkyl(C₁-
 C₆)alkyl group, (xii) a (C₁-C₆)alkylsulfonyl group, (xiii) a
 5 (C₁-C₆)alkylcarbonyl group, (xiv) a halo(C₁-C₆)alkylcarbonyl
 group, (xv) a (C₁-C₆)alkoxycarbonyl group, (xvi) a (C₃-
 C₆)cycloalkylcarbonyl group, (xvii) a phenyl group, (xviii) a
 phenyl group having, on the ring, the same or different 1 to 5
 substituents selected from (a) a halogen atom, (b) a (C₁-
 10 C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-
 C₆)alkoxy group, (e) a halo(C₁-C₆)alkoxy group, and (f) a
 phenoxy group, (xix) a phenoxyphenyl group having, on the ring,
 the same or different 1 to 5 substituents selected from (a) a
 halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-C₆)alkyl
 15 group, (d) a (C₁-C₆)alkoxy group, and (e) a halo(C₁-C₆)alkoxy
 group, (xx) a hydroxy(C₁-C₈)alkyl group, (xxi) a phenyl(C₁-
 C₆)alkyl group, (xxii) a phenyl(C₁-C₆)alkyl group having, on the
 ring, the same or different 1 to 5 substituents selected from
 (a) a halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-
 20 C₆)alkyl group, (d) a (C₁-C₆)alkoxy group, (e) halo(C₁-C₆)alkoxy
 group, and (f) a phenoxy group, or (xxiii) a phenoxyphenyl(C₁-
 C₆)alkyl group having, on the ring, the same or different 1 to
 5 substituents selected from (a) a halogen atom, (b) a (C₁-
 C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-
 25 C₆)alkoxy group, and (e) a halo(C₁-C₆)alkoxy group;
 (c7) an N(R⁴)CO(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 (c8) an N(R⁴)SO₂(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 30 (c9) an N(R⁴)CO₂(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 (c10) a CO(R⁴) group wherein R⁴ is as defined above;
 (c11) a CO₂(R⁴) group wherein R⁴ is as defined above;
 (c12) a CON(R⁴)(R⁵) group wherein R⁴ and R⁵ are as defined
 35 above;

- (c13) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;
- (c14) a (C_1-C_8) alkyl group;
- (c15) a (C_2-C_8) alkenyl group;
- (c16) a (C_2-C_8) alkynyl group;
- 5 (c17) a (C_3-C_8) cycloalkyl group;
- (c18) a halo (C_1-C_8) alkyl group;
- (c19) a halo (C_2-C_8) alkenyl group;
- (c20) a halo (C_2-C_8) alkynyl group;
- (c21) a halo (C_3-C_8) cycloalkyl group;
- 10 (c22) a tri (C_1-C_8) alkylsilyl group wherein the alkyl groups may be the same or different;
- (c23) a tri (C_1-C_8) alkylsilyl (C_1-C_8) alkyl group wherein the alkyl groups of the tri (C_1-C_8) alkylsilyl may be the same or different;
- 15 (c24) a (C_3-C_8) cycloalkyl (C_1-C_8) alkyl group;
- (c25) a halo (C_3-C_8) cycloalkyl (C_1-C_8) alkyl group;
- (c26) a (C_3-C_8) cycloalkyl (C_3-C_8) cycloalkyl group;
- (c27) a (C_1-C_8) alkoxy group;
- (c28) a (C_2-C_8) alkenyloxy group;
- 20 (c29) a (C_2-C_8) alkynyloxy group;
- (c30) a (C_3-C_8) cycloalkyloxy group (said cycloalkyl is optionally fused with a benzene ring);
- (c31) a halo (C_1-C_8) alkoxy group;
- (c32) a halo (C_2-C_8) alkenyloxy group;
- 25 (c33) a halo (C_2-C_8) alkynyloxy group;
- (c34) a halo (C_3-C_8) cycloalkyloxy group (said cycloalkyl is optionally fused with a benzene ring);
- (c35) a (C_3-C_8) cycloalkyl (C_1-C_8) alkoxy group;
- (c36) a halo (C_3-C_8) cycloalkyl (C_1-C_8) alkoxy group;
- 30 (c37) a (C_1-C_8) alkoxy (C_1-C_8) alkyl group;
- (c38) a halo (C_1-C_8) alkoxy (C_1-C_8) alkoxy group;
- (c39) a (C_1-C_8) alkoxyhalo (C_1-C_8) alkoxy group;
- (c40) a halo (C_1-C_8) alkoxyhalo (C_1-C_8) alkoxy group;
- (c41) a mercapto group;
- 35 (c42) a (C_1-C_8) alkylthio group;

- (c43) a (C₂-C₈) alkenylthio group;
- (c44) a (C₂-C₈) alkynylthio group;
- (c45) a (C₃-C₈) cycloalkylthio group;
- (c46) a halo(C₁-C₈) alkylthio group;
- 5 (c47) a halo(C₂-C₈) alkenylthio group;
- (c48) a halo(C₂-C₈) alkynylthio group;
- (c49) a halo(C₃-C₈) cycloalkylthio group;
- (c50) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylthio group;
- (c51) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylthio group;
- 10 (c52) a (C₁-C₈) alkoxy(C₁-C₈) alkylthio group;
- (c53) a halo(C₁-C₈) alkoxy(C₁-C₈) alkylthio group;
- (c54) a (C₁-C₈) alkoxyhalo(C₁-C₈) alkylthio group;
- (c55) a halo(C₁-C₈) alkoxyhalo(C₁-C₈) alkylthio group;
- (c56) a (C₁-C₈) alkylsulfinyl group;
- 15 (c57) a (C₂-C₈) alkenylsulfinyl group;
- (c58) a (C₂-C₈) alkynylsulfinyl group;
- (c59) a (C₃-C₈) cycloalkylsulfinyl group;
- (c60) a halo(C₁-C₈) alkylsulfinyl group;
- (c61) a halo(C₂-C₈) alkenylsulfinyl group;
- 20 (c62) a halo(C₂-C₈) alkynylsulfinyl group;
- (c63) a halo(C₃-C₈) cycloalkylsulfinyl group;
- (c64) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfinyl group;
- (c65) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfinyl group;
- (c66) a (C₁-C₈) alkylsulfonyl group;
- 25 (c67) a (C₂-C₈) alkenylsulfonyl group;
- (c68) a (C₂-C₈) alkynylsulfonyl group;
- (c69) a (C₃-C₈) cycloalkylsulfonyl group;
- (c70) a halo(C₁-C₈) alkylsulfonyl group;
- (c71) a halo(C₂-C₈) alkenylsulfonyl group;
- 30 (c72) a halo(C₂-C₈) alkynylsulfonyl group;
- (c73) a halo(C₃-C₈) cycloalkylsulfonyl group;
- (c74) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfonyl group;
- (c75) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfonyl group;
- (c76) an aryl group;
- 35 (c77) an aryl group having, on the ring, the same or different

1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a
5 halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group,
10 (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵
15 are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
20 (c78) an aryl(C₁-C₈)alkyl group;
(c79) an aryl(C₁-C₆)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group,
25 (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a
30 halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group

wherein R^4 and R^5 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5 are as defined above, (z) a COR^4 group wherein R^4 is as defined above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;

(c80) an aryloxy group;

(c81) an aryloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C_1-C_6) alkyl group, (e) a halo (C_1-C_6) alkyl group, (f) a (C_1-C_6) alkoxy group, (g) a halo (C_1-C_6) alkoxy group, (h) a (C_2-C_6) alkenyloxy group, (i) a halo (C_2-C_6) alkenyloxy group, (j) a (C_2-C_6) alkynyloxy group, (k) a halo (C_2-C_6) alkynyloxy group, (l) a (C_3-C_6) cycloalkoxy group, (m) a halo (C_3-C_6) cycloalkoxy group, (n) a (C_3-C_6) cycloalkyl (C_1-C_6) alkoxy group, (o) a halo (C_3-C_6) cycloalkyl (C_1-C_6) alkoxy group, (p) a (C_1-C_6) alkylthio group, (q) a halo (C_1-C_6) alkylthio group, (r) a (C_1-C_6) alkylsulfinyl group, (s) a halo (C_1-C_6) alkylsulfinyl group, (t) a (C_1-C_6) alkylsulfonyl group, (u) a halo (C_1-C_6) alkylsulfonyl group, (v) an $N(R^4)R^5$ group wherein R^4 and R^5 are as defined above, (w) an $N(R^4)COR^5$ group wherein R^4 and R^5 are as defined above, (x) an $N(R^4)CO_2R^5$ group wherein R^4 and R^5 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5 are as defined above, (z) a COR^4 group wherein R^4 is as defined above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;

(c82) an aryloxy (C_1-C_8) alkyl group;

(c83) an aryloxy (C_1-C_6) alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C_1-C_6) alkyl group, (e) a halo (C_1-C_6) alkyl group, (f) a (C_1-C_6) alkoxy group, (g) a halo (C_1-C_6) alkoxy group, (h) a (C_2-C_6) alkenyloxy group, (i) a halo (C_2-C_6) alkenyloxy group, (j) a (C_2-C_6) alkynyloxy group, (k) a halo (C_2-C_6) alkynyloxy group, (l)

a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

(c84) an arylthio group;

(c85) an arylthio group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₂-C₆)alkylsulfinyl group, (s) a halo(C₂-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

- (c86) a halo(C₁-C₈)alkylenedioxy group;
- (c87) a (C₁-C₈)alkoxy(C₁-C₈)alkoxy group;
- (c88) a (C₃-C₈)alkylene group;
- (c89) a (C₁-C₈)alkyl(C₃-C₈)alkylene group;
- 5 (c90) a tri(C₁-C₈)alkylsilyloxy group wherein the alkyl groups may be the same or different;
- (c91) a tri(C₁-C₈)alkylsilyl(C₁-C₈)alkoxy group wherein the alkyl groups may be the same or different;
- (c92) a di(C₁-C₈)alkylhalo(C₁-C₈)alkylsilyl group wherein the
- 10 alkyl groups may be the same or different;
- (c93) a di(C₁-C₈)alkyl(C₁-C₈)alkylthio(C₁-C₈)alkylsilyl group wherein the alkyl groups may be the same or different;
- (c94) a di(C₁-C₈)alkylhydroxysilyl group wherein the alkyl groups may be the same or different;
- 15 (c95) a di(C₁-C₈)alkylhydrosilyl group wherein the alkyl groups may be the same or different;
- (c96) a di(C₁-C₈)alkylphenylsilyl group wherein the alkyl groups may be the same or different;
- (c97) a (C₁-C₈)alkylthio(C₁-C₈)alkoxy group;
- 20 (c98) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkoxy group;
- (c99) a (C₁-C₈)alkylsulfonyl(C₁-C₈)alkoxy group;
- (c100) a (C₁-C₈)alkoxycarbonyl(C₁-C₈)alkoxy group;
- (c101) a (C₁-C₈)alkylcarbonyl(C₁-C₈)alkoxy group;
- (c102) a cyano(C₁-C₈)alkoxy group;
- 25 (c103) an aryl(C₁-C₈)alkoxy group wherein the alkoxy moiety may be halogenated;
- (c104) an aryl(C₁-C₈)alkoxy group wherein the alkoxy moiety may be halogenated, which has, on the ring, the same or different
- 1 to 5 substituents selected from (a) a halogen atom, (b) a
- 30 cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group,
- 35 (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-

C_6)alkoxy group, (o) a halo(C_3-C_6)cycloalkyl(C_1-C_6)alkoxy group,
 (p) a (C_1-C_6)alkylthio group, (q) a halo(C_1-C_6)alkylthio group,
 (r) a (C_2-C_6)alkylsulfinyl group, (s) a halo(C_2-C_6)alkylsulfinyl
 group, (t) a (C_1-C_6)alkylsulfonyl group, (u) a halo(C_1-
 5 C_6)alkylsulfonyl group, (v) an $N(R^4)R^5$ group wherein R^4 and R^5
 are as defined above, (w) an $N(R^4)COR^5$ group wherein R^4 and R^5
 are as defined above, (x) an $N(R^4)CO_2R^5$ group wherein R^4 and R^5
 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5
 are as defined above, (z) a COR^4 group wherein R^4 is as defined
 10 above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a
 $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc)
 a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;
 (c105) a hydroxy(C_1-C_8)alkyl group;
 (c106) a (C_1-C_8)alkylthio(C_1-C_8)alkylcarbonyl group;
 15 (c107) a (C_1-C_8)alkylthio(C_1-C_8)alkyl group;
 (c108) a tri(C_1-C_8)alkylsilyl(C_1-C_8)alkylthio group wherein the
 alkyl groups of the tri(C_1-C_8)alkylsilyl may be the same or
 different;
 (c109) a tri(C_1-C_8)alkylsilyl(C_1-C_8)alkylsulfinyl group wherein
 20 the alkyl groups of the tri(C_1-C_8)alkylsilyl may be the same or
 different;
 (c110) a tri(C_1-C_8)alkylsilyl(C_1-C_8)alkylsulfonyl group wherein
 the alkyl groups of the tri(C_1-C_8)alkylsilyl may be the same or
 different;
 25 (c111) a $R^4(R^5)N(C_1-C_8)$ alkyl group wherein R^4 and R^5 are as
 defined above;
 (c112) a heterocyclic group;
 (c113) a heterocyclic group having, on the ring, the same or
 different 1 to 5 substituents selected from (a) a halogen atom,
 30 (b) a cyano group, (c) a nitro group, (d) a formyl group, (e)
 a (C_1-C_6)alkyl group, (f) a halo(C_1-C_6)alkyl group, (g) a (C_1-
 C_6)alkoxy group, (h) a halo(C_1-C_6)alkoxy group, (i) a (C_3-
 C_6)cycloalkyl(C_1-C_6)alkoxy group, (j) a (C_1-C_6)alkylthio group,
 (k) a halo(C_1-C_6)alkylthio group, (l) a (C_1-C_6)alkylsulfinyl
 35 group, (m) a halo(C_1-C_6)alkylsulfinyl group, (n) a (C_1-

- C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- 10 (c114) a heterocycloxy group;
 (c115) a heterocycloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a
 15 (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or
 25 different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c116) a heterocyclylthio group;
 (c117) a heterocyclylthio group having, on the ring, the same
 30 or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group,
 35 (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl

group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group
 5 wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w)
 10 an oxo group;
 (c118) a heterocyclylsulfinyl group;
 (c119) a heterocyclylsulfinyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a
 15 formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group,
 20 (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the
 25 alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
 (c120) a heterocyclylsulfonyl group;
 30 (c121) a heterocyclylsulfonyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group,
 35 (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-

- C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c122) a heterocyclyl(C₁-C₈)alkyloxy group;
- (c123) a heterocyclyl(C₁-C₈)alkyloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c124) a (C₁-C₈)alkyl(C₃-C₈)cycloalkyl group;
- (c125) a halo(C₁-C₈)alkyl(C₃-C₈)cycloalkyl group;
- (c126) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkyl group;
- (c127) a di(C₁-C₈)alkylbenzylsilyl group wherein the alkyl groups may be the same or different;
- (c128) a heterocyclyl(C₁-C₈)alkyl group;

(c129) a heterocyclyl(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group,

(c130) a heterocyclyloxy(C₁-C₈)alkyl group; or

(c131) a heterocyclyloxy(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group, or

X can form, together with the adjacent R^2 or R^3 , (C132) a bicyclo ring, wherein the bicyclo ring optionally has the same or different one or more substituents selected from (a) a halogen atom, (b) a (C_1-C_6) alkyl group, (c) a halo (C_1-C_6) alkyl group, (d) a (C_1-C_6) alkoxy group, (e) a halo (C_1-C_6) alkoxy group, (f) a (C_1-C_6) alkylthio group, (g) a halo (C_1-C_6) alkylthio group, (h) a (C_1-C_6) alkylsulfinyl group, (i) a halo (C_1-C_6) alkylsulfinyl group, (j) a (C_1-C_6) alkylsulfonyl group, and (k) a halo (C_1-C_6) alkylsulfonyl group; or,

X can form, together with the adjacent X on an aromatic ring, (C133) a bicyclo ring or (C134) a fused ring, wherein the bicyclo ring or fused ring optionally has the same or different one or more substituents selected from (a) a halogen atom, (b) a (C_1-C_6) alkyl group, (c) a halo (C_1-C_6) alkyl group, (d) a (C_1-C_6) alkoxy group, (e) a halo (C_1-C_6) alkoxy group, (f) a (C_1-C_6) alkylthio group, (g) a halo (C_1-C_6) alkylthio group, (h) a (C_1-C_6) alkylsulfinyl group, (i) a halo (C_1-C_6) alkylsulfinyl group, (j) a (C_1-C_6) alkylsulfonyl group, and (k) a halo (C_1-C_6) alkylsulfonyl group,

Y is CH or a nitrogen atom, m is an integer of 0 to 4, n is an integer of 0 or 1, or a salt thereof.

2. The arylalkyloxypyrimidine derivative according to claim 1, wherein R^4 , R^5 , Y, q, m, and n are as defined in the claim 1, R^1 is

(a124) a structural formula Q^7 , Q^8 , Q^9 , Q^{10} , Q^{11} , Q^{12} , Q^{13} , Q^{14} , Q^{15} , Q^{16} , Q^{17} , Q^{18} , Q^{19} , Q^{20} , Q^{21} , Q^{22} , Q^{23} , Q^{24} , Q^{25} , Q^{26} , Q^{27} , Q^{28} or Q^{29} wherein each structural formula and the symbols therein are as defined in claim 1,

R^2 and R^3 may be the same or different and each is (b1) a hydrogen atom; or (b6) a halo (C_1-C_8) alkyl group;

X may be the same or different and each is

(c1) a hydrogen atom; (c2) a halogen atom;

- (c4) a cyano group;
 (c5) a nitro group;
 (c10) a $\text{CO}(\text{R}^4)$ group wherein R^4 is as defined above;
 (c14) a $(\text{C}_1\text{--C}_8)$ alkyl group;
 5 (c18) a halo $(\text{C}_1\text{--C}_8)$ alkyl group;
 (c22) a tri $(\text{C}_1\text{--C}_8)$ alkylsilyl group wherein the alkyl groups may be the same or different;
 (c27) a $(\text{C}_1\text{--C}_8)$ alkoxy group;
 (c31) a halo $(\text{C}_1\text{--C}_8)$ alkoxy group;
 10 (c40) a halo $(\text{C}_1\text{--C}_8)$ alkoxyhalo $(\text{C}_1\text{--C}_8)$ alkoxy group;
 (c42) a $(\text{C}_1\text{--C}_8)$ alkylthio group;
 (c46) a halo $(\text{C}_1\text{--C}_8)$ alkylthio group;
 (c76) an aryl group;
 (c77) an aryl group having, on the ring, the same or different
 15 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a $(\text{C}_1\text{--C}_6)$ alkyl group, (e) a halo $(\text{C}_1\text{--C}_6)$ alkyl group, (f) a $(\text{C}_1\text{--C}_6)$ alkoxy group, (g) a halo $(\text{C}_1\text{--C}_6)$ alkoxy group, (h) a $(\text{C}_2\text{--C}_6)$ alkenyloxy group, (i) a halo $(\text{C}_2\text{--C}_6)$ alkenyloxy group, (j) a $(\text{C}_2\text{--C}_6)$ alkynyloxy group, (k)
 20 a halo $(\text{C}_2\text{--C}_6)$ alkynyloxy group, (l) a $(\text{C}_3\text{--C}_6)$ cycloalkoxy group, (m) a halo $(\text{C}_3\text{--C}_6)$ cycloalkoxy group, (n) a $(\text{C}_3\text{--C}_6)$ cycloalkyl $(\text{C}_1\text{--C}_6)$ alkoxy group, (o) a halo $(\text{C}_3\text{--C}_6)$ cycloalkyl $(\text{C}_1\text{--C}_6)$ alkoxy group, (p) a $(\text{C}_1\text{--C}_6)$ alkylthio group, (q) a halo $(\text{C}_1\text{--C}_6)$ alkylthio group, (r) a $(\text{C}_1\text{--C}_6)$ alkylsulfinyl group, (s) a halo $(\text{C}_1\text{--C}_6)$ alkylsulfinyl
 25 group, (t) a $(\text{C}_1\text{--C}_6)$ alkylsulfonyl group, (u) a halo $(\text{C}_1\text{--C}_6)$ alkylsulfonyl group, (v) an $\text{N}(\text{R}^4)\text{R}^5$ group wherein R^4 and R^5 are as defined above, (w) an $\text{N}(\text{R}^4)\text{COR}^5$ group wherein R^4 and R^5 are as defined above, (x) an $\text{N}(\text{R}^4)\text{CO}_2\text{R}^5$ group wherein R^4 and R^5 are as defined above, (y) an $\text{N}(\text{R}^4)\text{SO}_2\text{R}^5$ group wherein R^4 and R^5
 30 are as defined above, (z) a COR^4 group wherein R^4 is as defined above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a $\text{CON}(\text{R}^4)\text{R}^5$ group wherein R^4 and R^5 are as defined above, and (cc) a $\text{C}(\text{R}^4)=\text{NOR}^5$ group wherein R^4 and R^5 are as defined above;
 (c80) an aryloxy group; or
 35 (c81) an aryloxy group having, on the ring, the same or

different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a
5 halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group,
10 (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵
15 are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
20 or a salt thereof.

3. An agrohorticultural insecticide comprising the arylalkyloxypyrimidine derivative according to claim 1 or 2 or a salt thereof as an active ingredient.

25

4. A method of using an agrohorticultural insecticide, which comprises treating a plant or soil with the arylalkyloxypyrimidine derivative according to claim 1 or 2 or a salt thereof.

30


5. A method of controlling an agrohorticultural pest, which comprises treating a plant or soil with the arylalkyloxypyrimidine derivative according to claim 1 or 2 or a salt thereof.

35

6. Use of the arylalkyloxypyrimidine derivative according to claim 1 or 2 or a salt thereof as an agrohorticultural insecticide.

5 7. Use of the arylalkyloxypyrimidine derivative according to claim 1 or 2 or a salt thereof as a veterinary insecticide.


8. An arylalkyloxypyrimidine derivative represented by the formula (II):



(II)

wherein R¹ is

(a124) the following structural formula Q¹, Q², Q³, Q⁴, Q⁵, Q⁶, Q⁷, Q⁸, Q⁹, Q¹⁰, Q¹¹, Q¹², Q¹³, Q¹⁴, Q¹⁵, Q¹⁶, Q¹⁷, Q¹⁸, Q¹⁹, Q²⁰, Q²¹, Q²², Q²³, Q²⁴, Q²⁵, Q²⁶, Q²⁷, Q²⁸ or Q²⁹



wherein R⁶, R⁷ and R⁸ may be the same or different and each is a hydrogen atom, a (C₁-C₆)alkyl group, a (C₃-C₆)cycloalkyl group, a (C₂-C₆)alkenyl group, a (C₂-C₆)alkynyl group, a (C₃-C₆)cycloalkyl(C₁-C₆)alkyl group, a halo(C₁-C₆)alkyl group, a halo(C₃-C₆)cycloalkyl group, a halo(C₂-C₆)alkenyl group, a halo(C₂-C₆)alkynyl group, a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkyl group, a (C₁-C₆)alkylcarbonyloxy(C₁-C₆)alkyl group, a (C₁-C₆)alkoxy(C₁-C₆)alkyl group, a hydroxy(C₁-C₆)alkyl group, a (C₂-C₆)alkenyloxy(C₁-C₆)alkyl group, a phenoxy(C₁-C₆)alkyl group, a (C₁-C₆)alkylsulfonyl(C₁-C₆)alkyl group, a (C₁-

C₆)alkylsulfonyloxy(C₁-C₆)alkyl group, a halogen atom, a phenyl group, a phenyl(C₁-C₆)alkyl group, or a (C₁-C₆)alkylcarbonyl group,

R⁹ is a cyano group, a halo(C₁-C₆)alkyl group, or a halo(C₁-
5 C₆)alkylcarbonyl group,

p is an integer of 0 to 5, and Z¹ and Z² may be the same or different and each is a carbon atom, an oxygen atom, S, SO, SO₂ or NR⁶ wherein R⁶ is as defined above, or when p is 2, the adjacent two R⁷ can be bonded to form a 3- to 8-membered

10 aliphatic ring;

R² and R³ may be the same or different and each is

(b1) a hydrogen atom;

(b2) a (C₁-C₈)alkyl group;

(b3) a (C₃-C₈)cycloalkyl group;

15 (b4) a (C₂-C₈)alkenyl group;

(b5) a (C₂-C₈)alkynyl group;

(b6) a halo(C₁-C₈)alkyl group;

(b7) a halo(C₃-C₈)cycloalkyl group;

(b8) a halo(C₂-C₈)alkenyl group;

20 (b9) a halo(C₂-C₈)alkynyl group;

(b10) a (C₃-C₈)cycloalkyl(C₁-C₈)alkyl group;

(b11) a (C₁-C₈)alkoxy(C₁-C₈)alkyl group;

(b12) a (C₁-C₈)alkylthio(C₁-C₈)alkyl group; or

(b13) a (C₁-C₈)alkoxycarbonyl group,

25 q is an integer of 1 to 3;

X may be the same or different and each is

(c1) a hydrogen atom;

(c2) a halogen atom;

(c3) a hydroxyl group;

30 (c4) a cyano group;

(c5) a nitro group;

(c6) an N(R⁴)(R⁵) group wherein R⁴ and R⁵ may be the same or different and each is (i) a hydrogen atom, (ii) a (C₁-C₆)alkyl group, (iii) a (C₃-C₆)cycloalkyl group, (iv) a (C₂-C₆)alkenyl

35 group, (v) a (C₂-C₆)alkynyl group, (vi) a (C₃-C₆)cycloalkyl(C₁-

C₆)alkyl group, (vii) a halo(C₁-C₆)alkyl group, (viii) a
 halo(C₃-C₆)cycloalkyl group, (ix) a halo(C₂-C₆)alkenyl group,
 (x) a halo(C₂-C₆)alkynyl group, (xi) a halo(C₃-C₆)cycloalkyl(C₁-
 C₆)alkyl group, (xii) a (C₁-C₆)alkylsulfonyl group, (xiii) a
 5 (C₁-C₆)alkylcarbonyl group, (xiv) a halo(C₁-C₆)alkylcarbonyl
 group, (xv) a (C₁-C₆)alkoxycarbonyl group, (xvi) a (C₃-
 C₆)cycloalkylcarbonyl group, (xvii) a phenyl group, (xviii) a
 phenyl group having, on the ring, the same or different 1 to 5
 substituents selected from (a) a halogen atom, (b) a (C₁-
 10 C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-
 C₆)alkoxy group, (e) a halo(C₁-C₆)alkoxy group, and (f) a
 phenoxy group, (xix) a phenoxyphenyl group having, on the ring,
 the same or different 1 to 5 substituents selected from (a) a
 halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-C₆)alkyl
 15 group, (d) a (C₁-C₆)alkoxy group, and (e) a halo(C₁-C₆)alkoxy
 group, (xx) a hydroxy(C₁-C₈)alkyl group, (xxi) a phenyl(C₁-
 C₆)alkyl group, (xxii) a phenyl(C₁-C₆)alkyl group having, on the
 ring, the same or different 1 to 5 substituents selected from
 (a) a halogen atom, (b) a (C₁-C₆)alkyl group, (c) a halo(C₁-
 20 C₆)alkyl group, (d) a (C₁-C₆)alkoxy group, (e) halo(C₁-C₆)alkoxy
 group, and (f) a phenoxy group, or (xxiii) a phenoxyphenyl(C₁-
 C₆)alkyl group having, on the ring, the same or different 1 to
 5 substituents selected from (a) a halogen atom, (b) a (C₁-
 C₆)alkyl group, (c) a halo(C₁-C₆)alkyl group, (d) a (C₁-
 25 C₆)alkoxy group, and (e) a halo(C₁-C₆)alkoxy group;
 (c7) an N(R⁴)CO(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 (c8) an N(R⁴)SO₂(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 30 (c9) an N(R⁴)CO₂(R⁵) group wherein R⁴ and R⁵ are as defined
 above;
 (c10) a CO(R⁴) group wherein R⁴ is as defined above;
 (c11) a CO₂(R⁴) group wherein R⁴ is as defined above;
 (c12) a CON(R⁴)(R⁵) group wherein R⁴ and R⁵ are as defined
 35 above;

- (c13) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;
- (c14) a (C_1-C_8) alkyl group;
- (c15) a (C_2-C_8) alkenyl group;
- (c16) a (C_2-C_8) alkynyl group;
- 5 (c17) a (C_3-C_8) cycloalkyl group;
- (c18) a halo (C_1-C_8) alkyl group;
- (c19) a halo (C_2-C_8) alkenyl group;
- (c20) a halo (C_2-C_8) alkynyl group;
- (c21) a halo (C_3-C_8) cycloalkyl group;
- 10 (c22) a tri (C_1-C_8) alkylsilyl group wherein the alkyl groups may be the same or different;
- (c23) a tri (C_1-C_8) alkylsilyl (C_1-C_8) alkyl group wherein the alkyl groups of the tri (C_1-C_8) alkylsilyl may be the same or different;
- 15 (c24) a (C_3-C_8) cycloalkyl (C_1-C_8) alkyl group;
- (c25) a halo (C_3-C_8) cycloalkyl (C_1-C_8) alkyl group;
- (c26) a (C_3-C_8) cycloalkyl (C_3-C_8) cycloalkyl group;
- (c27) a (C_1-C_8) alkoxy group;
- (c28) a (C_2-C_8) alkenyloxy group;
- 20 (c29) a (C_2-C_8) alkynyloxy group;
- (c30) a (C_3-C_8) cycloalkyloxy group (said cycloalkyl is optionally fused with a benzene ring);
- (c31) a halo (C_1-C_8) alkoxy group;
- (c32) a halo (C_2-C_8) alkenyloxy group;
- 25 (c33) a halo (C_2-C_8) alkynyloxy group;
- (c34) a halo (C_3-C_8) cycloalkyloxy group (said cycloalkyl is optionally fused with a benzene ring);
- (c35) a (C_3-C_8) cycloalkyl (C_1-C_8) alkoxy group;
- (c36) a halo (C_3-C_8) cycloalkyl (C_1-C_8) alkoxy group;
- 30 (c37) a (C_1-C_8) alkoxy (C_1-C_8) alkyl group;
- (c38) a halo (C_1-C_8) alkoxy (C_1-C_8) alkoxy group;
- (c39) a (C_1-C_8) alkoxyhalo (C_1-C_8) alkoxy group;
- (c40) a halo (C_1-C_8) alkoxyhalo (C_1-C_8) alkoxy group;
- (c41) a mercapto group;
- 35 (c42) a (C_1-C_8) alkylthio group;

- (c43) a (C₂-C₈) alkenylthio group;
- (c44) a (C₂-C₈) alkynylthio group;
- (c45) a (C₃-C₈) cycloalkylthio group;
- (c46) a halo(C₁-C₈) alkylthio group;
- 5 (c47) a halo(C₂-C₈) alkenylthio group;
- (c48) a halo(C₂-C₈) alkynylthio group;
- (c49) a halo(C₃-C₈) cycloalkylthio group;
- (c50) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylthio group;
- (c51) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylthio group;
- 10 (c52) a (C₁-C₈) alkoxy(C₁-C₈) alkylthio group;
- (c53) a halo(C₁-C₈) alkoxy(C₁-C₈) alkylthio group;
- (c54) a (C₁-C₈) alkoxyhalo(C₁-C₈) alkylthio group;
- (c55) a halo(C₁-C₈) alkoxyhalo(C₁-C₈) alkylthio group;
- (c56) a (C₁-C₈) alkylsulfinyl group;
- 15 (c57) a (C₂-C₈) alkenylsulfinyl group;
- (c58) a (C₂-C₈) alkynylsulfinyl group;
- (c59) a (C₃-C₈) cycloalkylsulfinyl group;
- (c60) a halo(C₁-C₈) alkylsulfinyl group;
- (c61) a halo(C₂-C₈) alkenylsulfinyl group;
- 20 (c62) a halo(C₂-C₈) alkynylsulfinyl group;
- (c63) a halo(C₃-C₈) cycloalkylsulfinyl group;
- (c64) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfinyl group;
- (c65) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfinyl group;
- (c66) a (C₁-C₈) alkylsulfonyl group;
- 25 (c67) a (C₂-C₈) alkenylsulfonyl group;
- (c68) a (C₂-C₈) alkynylsulfonyl group;
- (c69) a (C₃-C₈) cycloalkylsulfonyl group;
- (c70) a halo(C₁-C₈) alkylsulfonyl group;
- (c71) a halo(C₂-C₈) alkenylsulfonyl group;
- 30 (c72) a halo(C₂-C₈) alkynylsulfonyl group;
- (c73) a halo(C₃-C₈) cycloalkylsulfonyl group;
- (c74) a (C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfonyl group;
- (c75) a halo(C₃-C₈) cycloalkyl(C₁-C₈) alkylsulfonyl group;
- (c76) an aryl group;
- 35 (c77) an aryl group having, on the ring, the same or different

1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a
5 halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group,
10 (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵
15 are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;
20 (c78) an aryl(C₁-C₈)alkyl group;
(c79) an aryl(C₁-C₆)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group,
25 (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group,
30 (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group

wherein R^4 and R^5 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5 are as defined above, (z) a COR^4 group wherein R^4 is as defined above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;

(c80) an aryloxy group;

(c81) an aryloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C_1-C_6) alkyl group, (e) a halo (C_1-C_6) alkyl group, (f) a (C_1-C_6) alkoxy group, (g) a halo (C_1-C_6) alkoxy group, (h) a (C_2-C_6) alkenyloxy group, (i) a halo (C_2-C_6) alkenyloxy group, (j) a (C_2-C_6) alkynyloxy group, (k) a halo (C_2-C_6) alkynyloxy group, (l) a (C_3-C_6) cycloalkoxy group, (m) a halo (C_3-C_6) cycloalkoxy group, (n) a (C_3-C_6) cycloalkyl (C_1-C_6) alkoxy group, (o) a halo (C_3-C_6) cycloalkyl (C_1-C_6) alkoxy group, (p) a (C_1-C_6) alkylthio group, (q) a halo (C_1-C_6) alkylthio group, (r) a (C_1-C_6) alkylsulfinyl group, (s) a halo (C_1-C_6) alkylsulfinyl group, (t) a (C_1-C_6) alkylsulfonyl group, (u) a halo (C_1-C_6) alkylsulfonyl group, (v) an $N(R^4)R^5$ group wherein R^4 and R^5 are as defined above, (w) an $N(R^4)COR^5$ group wherein R^4 and R^5 are as defined above, (x) an $N(R^4)CO_2R^5$ group wherein R^4 and R^5 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5 are as defined above, (z) a COR^4 group wherein R^4 is as defined above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc) a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;

(c82) an aryloxy (C_1-C_8) alkyl group;

(c83) an aryloxy (C_1-C_6) alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C_1-C_6) alkyl group, (e) a halo (C_1-C_6) alkyl group, (f) a (C_1-C_6) alkoxy group, (g) a halo (C_1-C_6) alkoxy group, (h) a (C_2-C_6) alkenyloxy group, (i) a halo (C_2-C_6) alkenyloxy group, (j) a (C_2-C_6) alkynyloxy group, (k) a halo (C_2-C_6) alkynyloxy group, (l)

a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₁-C₆)alkylsulfinyl group, (s) a halo(C₁-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

(c84) an arylthio group;

(c85) an arylthio group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group, (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (o) a halo(C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (p) a (C₁-C₆)alkylthio group, (q) a halo(C₁-C₆)alkylthio group, (r) a (C₂-C₆)alkylsulfinyl group, (s) a halo(C₂-C₆)alkylsulfinyl group, (t) a (C₁-C₆)alkylsulfonyl group, (u) a halo(C₁-C₆)alkylsulfonyl group, (v) an N(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, (w) an N(R⁴)COR⁵ group wherein R⁴ and R⁵ are as defined above, (x) an N(R⁴)CO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (y) an N(R⁴)SO₂R⁵ group wherein R⁴ and R⁵ are as defined above, (z) a COR⁴ group wherein R⁴ is as defined above, (aa) a CO₂R⁴ group wherein R⁴ is as defined above, (bb) a CON(R⁴)R⁵ group wherein R⁴ and R⁵ are as defined above, and (cc) a C(R⁴)=NOR⁵ group wherein R⁴ and R⁵ are as defined above;

- (c86) a halo(C₁-C₈)alkylenedioxy group;
- (c87) a (C₁-C₈)alkoxy(C₁-C₈)alkoxy group;
- (c88) a (C₃-C₈)alkylene group;
- (c89) a (C₁-C₈)alkyl(C₃-C₈)alkylene group;
- 5 (c90) a tri(C₁-C₈)alkylsilyloxy group wherein the alkyl groups may be the same or different;
- (c91) a tri(C₁-C₈)alkylsilyl(C₁-C₈)alkoxy group wherein the alkyl groups may be the same or different;
- (c92) a di(C₁-C₈)alkylhalo(C₁-C₈)alkylsilyl group wherein the
- 10 alkyl groups may be the same or different;
- (c93) a di(C₁-C₈)alkyl(C₁-C₈)alkylthio(C₁-C₈)alkylsilyl group wherein the alkyl groups may be the same or different;
- (c94) a di(C₁-C₈)alkylhydroxysilyl group wherein the alkyl groups may be the same or different;
- 15 (c95) a di(C₁-C₈)alkylhydrosilyl group wherein the alkyl groups may be the same or different;
- (c96) a di(C₁-C₈)alkylphenylsilyl group wherein the alkyl groups may be the same or different;
- (c97) a (C₁-C₈)alkylthio(C₁-C₈)alkoxy group;
- 20 (c98) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkoxy group;
- (c99) a (C₁-C₈)alkylsulfonyl(C₁-C₈)alkoxy group;
- (c100) a (C₁-C₈)alkoxycarbonyl(C₁-C₈)alkoxy group;
- (c101) a (C₁-C₈)alkylcarbonyl(C₁-C₈)alkoxy group;
- (c102) a cyano(C₁-C₈)alkoxy group;
- 25 (c103) an aryl(C₁-C₈)alkoxy group wherein the alkoxy moiety may be halogenated;
- (c104) an aryl(C₁-C₈)alkoxy group wherein the alkoxy moiety may be halogenated, which has, on the ring, the same or different
- 1 to 5 substituents selected from (a) a halogen atom, (b) a
- 30 cyano group, (c) a nitro group, (d) a (C₁-C₆)alkyl group, (e) a halo(C₁-C₆)alkyl group, (f) a (C₁-C₆)alkoxy group, (g) a halo(C₁-C₆)alkoxy group, (h) a (C₂-C₆)alkenyloxy group, (i) a halo(C₂-C₆)alkenyloxy group, (j) a (C₂-C₆)alkynyloxy group, (k) a halo(C₂-C₆)alkynyloxy group, (l) a (C₃-C₆)cycloalkoxy group,
- 35 (m) a halo(C₃-C₆)cycloalkoxy group, (n) a (C₃-C₆)cycloalkyl(C₁-

C_6)alkoxy group, (o) a halo(C_3 - C_6)cycloalkyl(C_1 - C_6)alkoxy group,
 (p) a (C_1 - C_6)alkylthio group, (q) a halo(C_1 - C_6)alkylthio group,
 (r) a (C_2 - C_6)alkylsulfinyl group, (s) a halo(C_2 - C_6)alkylsulfinyl
 group, (t) a (C_1 - C_6)alkylsulfonyl group, (u) a halo(C_1 -
 5 C_6)alkylsulfonyl group, (v) an $N(R^4)R^5$ group wherein R^4 and R^5
 are as defined above, (w) an $N(R^4)COR^5$ group wherein R^4 and R^5
 are as defined above, (x) an $N(R^4)CO_2R^5$ group wherein R^4 and R^5
 are as defined above, (y) an $N(R^4)SO_2R^5$ group wherein R^4 and R^5
 are as defined above, (z) a COR^4 group wherein R^4 is as defined
 10 above, (aa) a CO_2R^4 group wherein R^4 is as defined above, (bb) a
 $CON(R^4)R^5$ group wherein R^4 and R^5 are as defined above, and (cc)
 a $C(R^4)=NOR^5$ group wherein R^4 and R^5 are as defined above;
 (c105) a hydroxy(C_1 - C_8)alkyl group;
 (c106) a (C_1 - C_8)alkylthio(C_1 - C_8)alkylcarbonyl group;
 15 (c107) a (C_1 - C_8)alkylthio(C_1 - C_8)alkyl group;
 (c108) a tri(C_1 - C_8)alkylsilyl(C_1 - C_8)alkylthio group wherein the
 alkyl groups of the tri(C_1 - C_8)alkylsilyl may be the same or
 different;
 (c109) a tri(C_1 - C_8)alkylsilyl(C_1 - C_8)alkylsulfinyl group wherein
 20 the alkyl groups of the tri(C_1 - C_8)alkylsilyl may be the same or
 different;
 (c110) a tri(C_1 - C_8)alkylsilyl(C_1 - C_8)alkylsulfonyl group wherein
 the alkyl groups of the tri(C_1 - C_8)alkylsilyl may be the same or
 different;
 25 (c111) a $R^4(R^5)N(C_1-C_8)$ alkyl group wherein R^4 and R^5 are as
 defined above;
 (c112) a heterocyclic group;
 (c113) a heterocyclic group having, on the ring, the same or
 different 1 to 5 substituents selected from (a) a halogen atom,
 30 (b) a cyano group, (c) a nitro group, (d) a formyl group, (e)
 a (C_1 - C_6)alkyl group, (f) a halo(C_1 - C_6)alkyl group, (g) a (C_1 -
 C_6)alkoxy group, (h) a halo(C_1 - C_6)alkoxy group, (i) a (C_3 -
 C_6)cycloalkyl(C_1 - C_6)alkoxy group, (j) a (C_1 - C_6)alkylthio group,
 (k) a halo(C_1 - C_6)alkylthio group, (l) a (C_1 - C_6)alkylsulfinyl
 35 group, (m) a halo(C_1 - C_6)alkylsulfinyl group, (n) a (C_1 -

- C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- 10 (c114) a heterocyclyloxy group;
 (c115) a heterocyclyloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a
 15 (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or
 25 different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c116) a heterocyclylthio group;
 (c117) a heterocyclylthio group having, on the ring, the same
 30 or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group,
 35 (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl

group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group
 5 wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w)
 10 an oxo group;
 (c118) a heterocyclylsulfinyl group;
 (c119) a heterocyclylsulfinyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a
 15 formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group,
 20 (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the
 25 alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
 (c120) a heterocyclylsulfonyl group;
 30 (c121) a heterocyclylsulfonyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group,
 35 (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-

- C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c122) a heterocyclyl(C₁-C₈)alkyloxy group;
- (c123) a heterocyclyl(C₁-C₈)alkyloxy group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group;
- (c124) a (C₁-C₈)alkyl(C₃-C₈)cycloalkyl group;
- (c125) a halo(C₁-C₈)alkyl(C₃-C₈)cycloalkyl group;
- (c126) a (C₁-C₈)alkylsulfinyl(C₁-C₈)alkyl group;
- (c127) a di(C₁-C₈)alkylbenzylsilyl group wherein the alkyl groups may be the same or different;
- (c128) a heterocyclyl(C₁-C₈)alkyl group;

(c129) a heterocyclyl(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group,

(c130) a heterocyclyloxy(C₁-C₈)alkyl group; or

(c131) a heterocyclyloxy(C₁-C₈)alkyl group having, on the ring, the same or different 1 to 5 substituents selected from (a) a halogen atom, (b) a cyano group, (c) a nitro group, (d) a formyl group, (e) a (C₁-C₆)alkyl group, (f) a halo(C₁-C₆)alkyl group, (g) a (C₁-C₆)alkoxy group, (h) a halo(C₁-C₆)alkoxy group, (i) a (C₃-C₆)cycloalkyl(C₁-C₆)alkoxy group, (j) a (C₁-C₆)alkylthio group, (k) a halo(C₁-C₆)alkylthio group, (l) a (C₁-C₆)alkylsulfinyl group, (m) a halo(C₁-C₆)alkylsulfinyl group, (n) a (C₁-C₆)alkylsulfonyl group, (o) a halo(C₁-C₆)alkylsulfonyl group, (p) a (C₁-C₆)alkylcarbonyl group, (q) a carboxyl group, (r) a (C₁-C₆)alkoxycarbonyl group, (s) a R⁴(R⁵)N carbonyl group wherein R⁴ and R⁵ are as defined above, (t) a (C₂-C₆)alkynyl group, (u) a tri(C₁-C₆)alkylsilyl(C₁-C₆)alkyl group wherein the alkyl groups of the tri(C₁-C₆)alkylsilyl may be the same or different, (v) a tri(C₁-C₆)alkylsilyl(C₂-C₆)alkynyl group wherein the alkyl groups may be the same or different, and (w) an oxo group, or

- X can form, together with the adjacent R^2 or R^3 , (C132) a bicyclo ring, wherein the bicyclo ring optionally has the same or different one or more substituents selected from (a) a halogen atom, (b) a (C_1-C_6) alkyl group, (c) a halo (C_1-C_6) alkyl group, (d) a (C_1-C_6) alkoxy group, (e) a halo (C_1-C_6) alkoxy group, (f) a (C_1-C_6) alkylthio group, (g) a halo (C_1-C_6) alkylthio group, (h) a (C_1-C_6) alkylsulfinyl group, (i) a halo (C_1-C_6) alkylsulfinyl group, (j) a (C_1-C_6) alkylsulfonyl group, and (k) a halo (C_1-C_6) alkylsulfonyl group; or,
- X can form, together with the adjacent X on an aromatic ring, (C133) a bicyclo ring or (C134) a fused ring, wherein the bicyclo ring or fused ring optionally has the same or different one or more substituents selected from (a) a halogen atom, (b) a (C_1-C_6) alkyl group, (c) a halo (C_1-C_6) alkyl group, (d) a (C_1-C_6) alkoxy group, (e) a halo (C_1-C_6) alkoxy group, (f) a (C_1-C_6) alkylthio group, (g) a halo (C_1-C_6) alkylthio group, (h) a (C_1-C_6) alkylsulfinyl group, (i) a halo (C_1-C_6) alkylsulfinyl group, (j) a (C_1-C_6) alkylsulfonyl group, and (k) a halo (C_1-C_6) alkylsulfonyl group,
- Y is CH or a nitrogen atom, m is an integer of 0 to 4, and Hal is a halogen atom, or a salt thereof.