



(51) International Patent Classification:

H04L 29/08 (2006.01)

(21) International Application Number:

PCT/US2012/067239

(22) International Filing Date:

30 November 2012 (30.11.2012)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/565,134 30 November 2011 (30.11.2011) US

(71) Applicant (for all designated States except US): THOMSON LICENSING [FR/FR]; 1-5 rue Jeanne d'Arc, 92130 Issy Les Moulineaux (FR).

(72) Inventor; and

(71) Applicant : HERLEIN, Gregory, Charles [US/US]; 2034 Filbert Street, San Francisco, California 94123 (US).

(74) Agents: SHEDD, Robert, D. et al; Thomson Licensing LLC, 2 Independence Way, Suite #200, Princeton, New Jersey 08540 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM,


AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with a view to being republished upon receipt of that report (Rule 48.2(g))

(54) Title: METHOD, APPARATUS AND SYSTEM FOR ENABLING THE RECALL OF CONTENT OF INTEREST FOR SUBSEQUENT REVIEW



(57) Abstract: A method, apparatus and system for enabling the recall of content for subsequent review include communicating to a content provider an indication of interest in content displayed in proximity to a mobile communications device, wherein communication information of the mobile communications device is determined using information in the communicated indication of interest, in response to the communicated indication of interest, receiving at least one of the content of interest, content data of the content of interest and location information of the content of interest and storing the at least one of the content of interest, content data of the content of interest and location information of the content of interest in the mobile communications device.



METHOD, APPARATUS AND SYSTEM FOR ENABLING THE RECALL OF CONTENT OF INTEREST FOR SUBSEQUENT REVIEW

5 **CROSS-REFERENCE TO RELATED APPLICATIONS**

This application claims the benefit of the filing date of the following U.S. Provisional Application, which is hereby incorporated by reference in its entirety for all purposes: Serial No. 61/565,134, filed on November 30, 2011.

10 **FIELD OF THE INVENTION**

The present invention generally relates to the presentation of content, such as advertising content and, more particularly, to a method, apparatus and system for enabling the recall of content for subsequent review.

15 **BACKGROUND OF THE INVENTION**

Consumers are often exposed to product information on video screens during times when such consumers have little time to absorb the information being presented. For example, in a retail advertising environment, there may be a video ad playing on a screen in a store for a new product. The shopper is potentially
20 interested in learning more about that product but they are in a hurry. The problem is that the product message is fleeting. Without some means to store the information in the ad in a manner that can be easily recalled by the consumer, the consumer is left only with a vague memory about the product they saw in the advertisement. In fact, even in circumstances in which a means is available to
25 store the product information into a queue for later review, a consumer may still lack the ability to recall a particular advertisement from all stored advertisements.

Currently there exists a product called 'Instapaper' that provides a means for a mobile internet or internet user to see an article of interest and mark it for later reading when it is more convenient or on a reading device more suitable for
30 careful reading. However, that only works on screens for on which a user controls the media consumption (e.g., a PC or mobile communications device). In such an application, there is no way to tag things you see on a screen so that you can review that material later.

SUMMARY OF THE INVENTION

Embodiments of the present invention address the deficiencies of the prior art by providing a method, apparatus and system for enabling the recall of content of interest for subsequent review.

In one embodiment of the present invention, a method includes communicating to a content provider an indication of interest in content displayed in proximity to a mobile communications device, wherein communication information of the mobile communications device is determined using information in the communicated indication of interest, in response to the communicated indication of interest, receiving at least one of the content of interest, content data of the content of interest and location information of the content of interest and storing that at least one of the content of interest, content data of the content of interest and location information of the content of interest in the mobile communications device.

In an alternate embodiment of the present invention, an apparatus includes a memory for storing program routines and data, a processor for executing the program routines and a display for displaying at least one of content and content data. In the described embodiment of the present invention, the apparatus is configured to communicate to a content provider an indication of interest in content displayed in proximity to a mobile communications device, wherein communication information of the mobile communications device is determined using information in the communicated indication of interest, in response to the communicated indication of interest, receive at least one of the content of interest, content data of the content of interest and location information of the content of interest and store the at least one of the content of interest, content data of the content of interest and location information of the content of interest in the mobile communications device.

In an alternate embodiment of the present invention a system for enabling the recall of content for subsequent review includes at least one content provider for providing media content and an apparatus including a memory for storing program routines and data, a processor for executing the program routines and a

display for displaying at least one of content and content data. In the described embodiment, the apparatus is configured to communicate to a content provider an indication of interest in content displayed in proximity to a mobile communications device, wherein communication information of the mobile communications device is determined using information in the communicated indication of interest, in response to the communicated indication of interest, receive at least one of the content of interest, content data of the content of interest and location information of the content of interest and store the at least one of the content of interest, content data of the content of interest and location information of the content of interest in the mobile communications device.

BRIEF DESCRIPTION OF THE DRAWINGS

The teachings of the present invention can be readily understood by considering the following detailed description in conjunction with the accompanying drawings, in which:

FIG. 1 depicts a high level block diagram of a content distribution system in which an embodiment of the present invention can be applied;

FIG. 2 depicts a high level block diagram of an in-store advertising network for providing in-store advertising in which an embodiment of the present invention can be applied;

FIG. 3 depicts a high level block diagram of a mobile communications device capable of performing the various described inventive aspects of the invention described herein in accordance with an embodiment of the present invention; and

FIG. 4 depicts a flow diagram of a method for storing content of interest for easy recall and subsequent review by a consumer in accordance with an embodiment of the present invention.

It should be understood that the drawings are for purposes of illustrating the concepts of the invention and are not necessarily the only possible configuration for illustrating the invention. To facilitate understanding, identical reference numerals have been used, where possible, to designate identical elements that are common to the figures.

DETAILED DESCRIPTION OF THE INVENTION

The present invention advantageously provides a method, apparatus and system for storing at least one of content of interest, content data for the content of interest and location information for the content of interest for content exposed to a mobile communications device for enabling subsequent review of the stored information. Although the present invention will be described primarily within the context of a retail advertising environment, the specific embodiments of the present invention should not be treated as limiting the scope of the invention. It will be appreciated by those skilled in the art and informed by the teachings of the present invention that the concepts of the present invention can be implemented in any content distribution or communications network utilizing screens or displays to display media content, such as video-on-demand systems and the like. In addition, although the present invention will be described primarily within the context of a advertising content such as commercials for products, it will be appreciated by those skilled in the art and informed by the teachings of the present invention that in various embodiments of the present invention, the content described in conjunction with the various embodiments of the present invention can include service advertisements, media content such as on-demand content, coupons, personalized offers and the like. In addition, although the present invention will be described primarily within the context of storing content in a mobile communications device, it will be appreciated by those skilled in the art and informed by the teachings of the present invention that in various embodiments of the present invention, the concepts of the present invention can be applied to the storage of audio content, audio/video content data, location information for the content and the like, in any communication device for subsequent display on any audio or audio/video device.

The functions of the various elements shown in the figures can be provided through the use of dedicated hardware as well as hardware capable of executing software in association with appropriate software. When provided by a processor, the functions can be provided by a single dedicated processor, by a single shared processor, or by a plurality of individual processors, some of which can be shared.

Moreover, explicit use of the term "processor" or "controller" should not be construed to refer exclusively to hardware capable of executing software, and can implicitly include, without limitation, digital signal processor ("DSP") hardware, read-only memory ("ROM") for storing software, random access memory ("RAM"), and non-volatile storage. Moreover, all statements herein reciting principles, aspects, and embodiments of the invention, as well as specific examples thereof, are intended to encompass both structural and functional equivalents thereof. Additionally, it is intended that such equivalents include both currently known equivalents as well as equivalents developed in the future (i.e., any elements developed that perform the same function, regardless of structure).

Thus, for example, it will be appreciated by those skilled in the art that the block diagrams presented herein represent conceptual views of illustrative system components and/or circuitry embodying the principles of the invention. Similarly, it will be appreciated that any flow charts, flow diagrams, state transition diagrams, pseudocode, and the like represent various processes which may be substantially represented in computer readable media and so executed by a computer or processor, whether or not such computer or processor is explicitly shown.

Embodiments of the present invention provide methods and means for the storage on, for example, a mobile communications device, of at least content of interest, content data for the content of interest and location information of the content of interest, for example advertising content, for enabling subsequent review or display of the stored information. That is, in various embodiments of the present invention, a user/shopper is provided with a method and means to easily tag an offering for later review/display through the use of, for example a mobile communications device, such as a cell phone or a tablet computer. It should be noted that in various embodiments of the present invention, content data of content of interest as described herein can include information regarding the products and services or other objects depicted in the content of interest. It should further be noted that in various embodiments of the present invention, location information of content as described herein can include address information of where content is stored such as address information of a content server or internet locations from which the content can be accessed/retrieved. In

addition, although various embodiment of the present invention described herein describe the subsequent review/display of content and content data on a mobile communications device, in alternate embodiments of the present invention, information/content stored on a mobile communications device can be reviewed/displayed on an alternate playout device in communication with the mobile communications device.

FIG. 1 depicts a high level block diagram of a content distribution system in which an embodiment of the present invention can be applied. The content distribution system 100 of FIG. 1 illustratively comprises at least one server 110, a plurality of receiving devices such as tuning/decoding means (illustratively set-top boxes (STBs)) 120₁-120_n, and a respective display 130₁-130_n for each of the set-top boxes 120₁-120_n. FIG. 1 further depicts a mobile communications device 140 (illustratively a mobile phone) which can be carried throughout the content distribution system 100 by a user (e.g., customer or service technician) and can be used in accordance with the concepts of the present invention for determining content of interest to a user and to what content the mobile communications device and, as such the user, are exposed and recall the content for later review. That is, in accordance with various embodiments of the present invention, a mobile communications device of the present invention communicates, for example to a content provider, an indication of interest in content displayed in proximity to the mobile communications device, wherein an identity of the mobile communications device is determined by the content provider using information in the communicated interest indication. The mobile communications device subsequently receives from the content provider at least one of the identified content of interest, content data of the content of interest and location information of the content of interest. The at least one of the content of interest, content data of the content of interest and location information of the content of interest is then stored in the mobile communications device.

Although in the system 100 of FIG. 1, each of the plurality of set-top boxes 120₁-120_n, is illustratively connected to a single, respective display, in alternate embodiments of the present invention, each of the plurality of set-top boxes 120₁-120_n, can be connected to more than a single display. In addition, although in the

content distribution system 100 of FIG. 1 the tuning/decoding means are illustratively depicted as set-top boxes 120, in alternate embodiments of the present invention, the tuning/decoding means of the present invention can comprise alternate tuning/decoding means such as a tuning/decoding circuit
5 integrated into the displays 130 or other stand alone tuning/decoding devices and the like. Even further, receiving devices of the present invention can include any devices capable of receiving content such as audio, video and/or audio/video content.

In one embodiment of the present invention, the content distribution system
10 100 of FIG. 1 can be a part of an in-store advertising network. For example, FIG. 2 depicts a high level block diagram of an in-store advertising network 200 for providing in-store advertising. In the advertising network 200 of FIG. 2, the advertising network 200 and distribution system 100 employ a combination of software and hardware that provides cataloging, distribution, presentation, and
15 usage tracking of music recordings, home video, product demonstrations, advertising content, and other such content, along with entertainment content, news, and similar consumer informational content in an in-store setting. The content can include content presented in compressed or uncompressed video and audio stream format (e.g., MPEG4/MPEG4 Part 10/AVC-H.264, VC-1, Windows
20 Media, etc.), although the present system should not be limited to using only those formats.

In one embodiment, software for controlling the various elements of the in-store advertising network 200 and the content distribution system 100 can include
25 a 32-bit operating system using a windowing environment (e.g., MS-Windows™ or X-Windows operating system) and high-performance computing hardware. The advertising network 200 can utilize a distributed architecture and provides centralized content management and distribution control via, in one embodiment, satellite (or other method, e.g., a wide-area network (WAN), the Internet, a series of microwave links, or a similar mechanism) and in-store modules.

30 As depicted in FIG. 2, the content for the in-store advertising network 200 and the content distribution system 100 can be provided from an advertiser 202, a recording company 204, a movie studio 206 or other content providers 208. An

advertiser 202 can be a product manufacturer, a service provider, an advertising company representing a manufacturer or service provider, or other entity. Advertising content from the advertiser 202 can consist of audiovisual content including commercials, "info-mercials", product information and product demonstrations, and the like.

A recording company 204 can be a record label, music publisher, licensing/publishing entity (e.g., BMI or ASCAP), individual artist, or other such source of music-related content. The recording company 204 provides audiovisual content such as music clips (short segments of recorded music), music video clips, and the like. The movie studio 206 can be a movie studio, a film production company, a publicist, or other source related to the film industry. The movie studio 106 can provide movie clips, pre-recorded interviews with actors and actresses, movie reviews, "behind-the-scenes" presentations, and similar content.

The other content provider 208 can be any other provider of video, audio or audiovisual content that can be distributed and displayed via, for example, the content distribution system 100 of FIG. 1.

In one embodiment, content is procured via the network management center 210 (NMC) using, for example, traditional recorded media (tapes, CD's, videos, and the like). Content provided to the NMC 210 is compiled into a form suitable for distribution to, for example, the local distribution system 100, which distributes and displays the content at a local site.

The NMC 210 can digitize the received content and provide it to a Network Operations Center (NOC) 220 in the form of digitized data files 222. It will be noted that data files 222, although referred to in terms of digitized content, can also be streaming audio, streaming video, or other such information. The content compiled and received by the NMC 210 can include commercials, bumpers, graphics, audio and the like. All files are preferably named so that they are uniquely identifiable. More specifically, the NMC 210 creates distribution packs that are targeted to specific sites, such as store locations, and delivered to one or more stores on a scheduled or on-demand basis. The distribution packs, if used, contain content that is intended to either replace or enhance existing content

already present on-site (unless the site's system is being initialized for the first time, in which case the packages delivered will form the basis of the site's initial content). Alternatively, the files may be compressed and transferred separately, or a streaming compression program of some type employed.

5 The NOC 220 communicates digitized data files 222 to, in this example, the content distribution system 100 at a commercial sales outlet 230 via a communications network 225. The communications network 225 can be implemented in any one of several technologies. For example, in one embodiment, a satellite link can be used to distribute digitized data files 222 to the
10 content distribution system 100 of the commercial sales outlet 230. This enables content to easily be distributed by broadcasting (or multicasting) the content to various locations. Alternatively, the Internet can be used to both distribute audiovisual content to and allow feedback from commercial sales outlet 230. Other ways of implementing communications network 225, such as using leased
15 lines, a microwave network, or other such mechanisms can also be used in accordance with alternate embodiments of the present invention.

 The server 110 of the content distribution system 100 is capable of receiving content (e.g., distribution packs) and, accordingly, distribute them in-store to the various receivers such as the set-top boxes 120 and displays 130.
20 That is, at the content distribution system 100, content is received and configured for streaming. The streaming can be performed by one or more servers configured to act together or in concert. The streaming content can include content configured for various different locations or products throughout the sales outlet 230 (e.g., store). For example, respective set-top boxes 120 and displays
25 130 can be located at specific locations throughout the sales outlet 230 and respectively configured to display content and broadcast audio pertaining to products located within a predetermined distance from the location of each respective set-top box and display.

 The server 110 of the content distribution system 100 receives content and
30 creates various different streams (e.g., content channels) of audio, video and/or audio/video to be communicated to the various receivers throughout the store. The streams can be individual channels of modulated audio, video and/or

audio/video onto a radio frequency distribution or transmitted as data flows within a unicast or multicast internet protocol (IP) network. These streams can originate from one or more servers under the same logical set of control software.

As described above, the various embodiments of the present invention provide methods and means for a mobile communications device user to 'save' at least content, content data and location information of an advertisement or other media content on a mobile communications device for later review. As also described above, in one embodiment of the present invention a QR code scanned by a user is communicated to a URL of a server. In various embodiments of the present invention, such server can include the server 110 of the content distribution system 100 or the NMC 210 or NOC 220 of the in-store advertising network 200. The server identifies the user (i.e., through a cookie or javascript) and then communicates the product URL to the user's mobile communications device for storage in, for example in one embodiment, the personal information cache of the mobile communications device. It should be noted that in alternate embodiments of the present invention, an indication of interest in content, for example by scanning a QR code as described above, can be communication to any device capable of providing content to the mobile communications device.

More specifically, in one embodiment of the present invention, a respective quick response (QR) code is displayed on an advertising screen concurrent with advertising content. A user, if interested in the content can then scan the QR code using a mobile communications device. In such an embodiment, a user's mobile communications device must include scanning software to read the QR code. The QR code scanned by the mobile communications device is communicated to, in this embodiment, a uniform resource locator (URL) of the content provider, in this embodiment, the server (i.e., a server of a content distribution system or server of an advertising network depicted in FIG. 1 and FIG. 2, below). The server identifies the user/mobile communications device (i.e., through a cookie or javascript) and information to be used to communicate with the mobile communications device by, in one embodiment displaying a page on the mobile communications device browser. In one embodiment of the present invention, the mobile communication device receives from the server at least one

of the content of interest, content data of the content of interest or location information of the content of interest for content identified by the QR code communicated to the server by the mobile communications device. The content and/or related content information received from the server is then stored in the mobile communications device. For example, in one embodiment, a mobile communications device of the present invention receives from a server content for which the user has indicated interest, such as advertising content, to be stored in the mobile communications device. In an alternate embodiment of the present invention, a mobile communications device of the present invention receives from a server content data, such as product information for products presented in the content and the like to be stored in the mobile communications device. In yet an alternate embodiment of the present invention, a mobile communications device of the present invention receives from a server a URL of the content of interest to be stored in, for example, a personal information cache of the mobile communication device.

The user of the mobile communications device is then able to, at a later time, recall the information stored in the mobile communications device to review the stored content of interest, to review the content data (e.g., product information) of the content of interest, and/or to locate the content of interest in an alternate location, such as on an internet site. In accordance with various embodiments of the present invention, the information stored on the mobile communications device can be reviewed on an audio device or a video device (e.g., a screen) of the mobile communications device and/or can be communicated to an alternate audio device or video device, whether in the content distribution environment or an alternate personal audio device or video device in an alternate location for subsequent review. It should be noted that although in the embodiment of the present invention described above, the server/content provider determines the communication information of the mobile communications device from a received indication of interest in content, in alternate embodiments of the present invention, any device capable of communicating at least one of content, content data and content location information to the mobile communications device can use information in the indication of interest communication to determine

communication parameter for the mobile communications device. For example, in one embodiment of the present invention, a mobile communications device can communicate an indication of interest in content to a content provider and in response the content provider can communicate the content of interest to a set-top box, which can then forward such content intended for the mobile communications device to the mobile communications device. In such an embodiment, it can be the set-top box that determines communication parameters for communicating with the mobile communications device and not the content source.

10 In an alternate embodiment of the present invention, an advertising screen includes a near field communication (NFC) pad. In such an embodiment, a user taps an NFC-enabled mobile communications device to the NFC pad to indicate interest in a particular advertising content/product. The NFC capability and functionality of a user's mobile communications device is used by a server in
15 communication with the NFC pad to identify the mobile communications device and information to be used to communicate with the mobile communications device. The mobile communications device then receives from the server, using the determined communication information of the mobile communications device, at least one of the content of interest, content data of the content of interest and
20 location information of the content of interest for storage in the mobile communications device. For example, in one embodiment of the present invention, the mobile communications device stores a product URL of the content received from the server in, for example in one embodiment, a cache of the mobile communications device. In an alternate embodiment of the present
25 invention, the mobile communications device stores content of interest received from the server in a memory of the mobile communications device.

In yet an alternate embodiment of the present invention, a user's mobile communications device is tracked as it moves throughout a retail advertising environment and as it moves in and out of the proximity of advertising screens
30 (i.e., using address detection or other known mobile device detection means such as ESN detection). That is, in one embodiment of the present invention, a user can chose to provide the media access control (MAC) address of the mobile

communications device within an advertising environment such that communication can be established with the mobile communications device and such that the user's mobile communications device can be tracked as it moves throughout a store and as it moves in and out of the proximity of advertising screens such that it can be tracked to which content the user and the user's mobile communications device were exposed while in an advertising environment.

5
10
Even further, using information known by the server (e.g., the server 110, the NMC 210 or the NOC 220) such as playlist information, the location of advertising screens in the store, and the location of the user, the server can keep track of all of the advertising content presented to the user and exposed to the user's mobile communications device and at which location a specific piece of advertising content was presented to the user and the user's mobile communications device.

15
20
In an embodiment of the present invention, such information is supplemented using information collected on the user's mobile communications device to assist in identifying what content was presented to a user. For example, in one embodiment of the present invention, a user is encouraged to have an appropriate application executing on the user's mobile communications device that records the audio 'heard' by the microphone of the mobile communications device and acoustically match the recorded audio to known advertisements expected to be playing in the area in which the user was known to have been.

25
In an alternate embodiment of the present invention, a user is encouraged to use the camera or video camera capabilities of the user's mobile communications device to photograph an advertising screen in the proximity of the user to identify the advertising content being presented in the proximity of the user.

30
In an alternate embodiment of the present invention, network 'beacons' are used to identify to a user's mobile communications device what advertising content is playing and on which screen location. The mobile communications device informs the server of the present invention of what it has confirmed to have been exposed to using the beacons.

In various embodiments of the present invention such as those described

herein, information collected by a server of the present invention is used to make a list of what advertising content/products to which the user's mobile communications device and the user have been exposed. Such a list is communicated to the user's mobile communications device to enable the user to refer to the list of advertising content/products to which the user was exposed such that a user can quickly select which content to store or for which advertising content/product to store information, such as the product URL in, for example in one embodiment, the personal information cache of the mobile communications device.

10 An example will now be described to assist in the understanding of the above described embodiments of the present invention. For example, a consumer walks through a retail store to purchase a product, for example milk. On the way to the back of the store to pick up the milk, the consumer and the consumer's mobile communications device are exposed to advertising content being displayed on a screen; the advertising content directed to the description of a new video game. The consumer gets the milk and while standing in the check-out line refers to a list of content to which the consumer and the consumer's mobile communications device were exposed, the list being made available to the consumer's mobile communications device as described above.

20 In one embodiment of the present invention, the list is presented to the consumer on the consumer's mobile communications device in the form of a drop down menu. Using the drop down menu, the consumer is able to see on the mobile communications device a list of the advertising content/products to which the consumer and the consumer's mobile communications device were exposed during the consumer's time in the store. In one embodiment, the list of advertising content/products can be arranged in the order in which the consumer was exposed to the content. Using the list, the consumer is able to see the advertising content for the video game that the consumer saw being advertised on the screen.

30 In one embodiment of the present invention, the consumer can then elect to save information regarding that product or the advertising content for that product by tapping on the screen of his mobile communications device to save such information to a personal queue of the mobile communications device to be

able to review the saved data at a later time.

FIG. 4 depicts a high-level block diagram of a mobile communications device 140 capable of performing the various described aspects of the invention described herein in accordance with an embodiment of the present invention. More specifically, the mobile communications device of FIG. 4 illustratively comprises a processor 410 as well as a memory 420 for storing control programs, file information, stored media and the like. The processor 410 cooperates with conventional support circuitry 430 such as power supplies, clock circuits, cache memory and the like as well as circuits that assist in executing the software routines stored in the memory 420. As such, it is contemplated that some of the process steps discussed herein as software processes may be implemented within hardware, for example, as circuitry that cooperates with the processor 410 to perform various steps. The mobile communications device of FIG. 4 also contains input-output circuitry 440 that forms an interface between various functional elements communicating with the mobile communications device of FIG. 4. The input-output circuitry of the mobile communications device of FIG. 4 should be considered to include any antenna and mobile communication circuitry required for communication to and from the mobile communications device. The mobile communications device of FIG. 4 further includes a display 450 for displaying at least content and data.

FIG. 3 depicts a flow diagram of a method for enabling the recall of content of interest for subsequent review in accordance with an embodiment of the present invention. The process steps described herein are intended to be broadly interpreted as being equivalently performed by software executed by a processor, hardware, or a combination thereof. The method 300 begins at step 302 during which an indication is communicated using a mobile communications device to, for example a content provider such as a server, that a user/consumer is interested in specific content being presented in proximity to a mobile communications device, such as advertising content for a product. For example, in one embodiment of the present invention, a user, if interested in content, can scan, using the user's mobile communications device, a QR code, which is displayed on a display screen concurrent with content. The QR code scanned by

the user is communicated to a server, such as a content server, to indicate a user's interest in the content being presented. In an alternate embodiment of the present invention, an advertising screen includes a near field communication (NFC) pad and a user taps their NFC-enabled mobile communications device to the NFC pad to indicate interest, to, for example a content server, in content being presented. In yet an alternate embodiment of the present invention, a user provides a means of tracking the user's mobile communications device within an advertising environment as an indication of interest to a server of the present invention in keeping track of content to which the consumer and the consumer's mobile communications device are exposed during their time in, for example an advertising environment. The indication of interest communicated to the server by the mobile communications device is then used by the server to identify the mobile communications device for establishing communication with the mobile communications device. The method 300 then proceeds to step 304.

At step 304, at least one of the content of interest, content data of the content of interest and location information of the content of interest is received by the mobile communications device. That is, in one embodiment of the present invention, a server receiving an indication of interest in specific content communicated by a mobile communications device communicates at least one of the content of interest identified in the indication of interest, content data of the content of interest and location information of the content of interest to be received by the mobile communications device. The method 300 then proceeds to step 306.

At step 306, the information received from the server is stored in the mobile communications device. That is, the at least one of the identified content of interest, content data of the content of interest and location information of the content of interest received is stored in a memory of the mobile communications device. For example, in one embodiment of the present invention, content received for which the user has indicated interest, such as advertising content, is stored in a memory of the mobile communications device. In an alternate embodiment of the present invention, content data received, such as product information for products presented in the content and the like, is stored in a

memory of the mobile communications device. In yet an alternate embodiment of the present invention, a URL of the content of interest received from the server is stored in, for example, a personal information cache of the mobile communication device.

5 In an alternate embodiment of the present invention, a list of what advertising content/products to which the user's mobile communications device and the user have been exposed is received from the server and is stored in the mobile communications device such that a user can refer to the list of advertising content/products to which the user and mobile communications device were
10 exposed at a later time. That is, a user is able select for which advertising content/product to request information, such that a server of the present invention can communicate at least one of the identified content of interest, content data of the content of interest and location information of the content of interest for storage in a memory of the mobile communications device. The method 300 can
15 then be exited.

 Alternatively, the method 300 of the embodiment of the present invention depicted in FIG. 3 can further optionally include step 308 which includes reviewing at least one of the stored content of interest, content data of the content of interest and location information of the content of interest using an audio and/or video
20 device. In such an embodiment, the audio and or video device can be the mobile communications device in which at least one of the content of interest, content data of the content of interest and information regarding the location of the content of interest is stored.

 Having described various embodiments for a method, apparatus and
25 system for enabling the recall of content of interest for subsequent review on a mobile communications device (which are intended to be illustrative and not limiting), it is noted that modifications and variations can be made by persons skilled in the art in light of the above teachings. It is therefore to be understood that changes may be made in the particular embodiments of the invention
30 disclosed which are within the scope and spirit of the invention. While the

forgoing is directed to various embodiments of the present invention, other and further embodiments of the invention may be devised without departing from the basic scope thereof.

CLAIMS

1. A method, comprising:
communicating to a content provider an indication of interest in content
5 displayed in proximity to a mobile communications device, wherein
communication information of the mobile communications device is determined
using information in the communicated indication of interest;
in response to the communicated indication of interest, receiving at least
one of said content of interest, content data of said content of interest and location
10 information of said content of interest; and
storing said at least one of said content of interest, content data of said
content of interest and location information of said content of interest in the mobile
communications device.
- 15 2. The method of claim 1, comprising scanning a quick response code using
the mobile communications device as an indication of interest in content.
3. The method of claim 2, comprising communicating the quick response code
scanned by the mobile communications device to the content provider.
20
4. The method of claim 1, comprising storing a uniform resource locator of
said content of interest in a cache of the mobile communications device.
5. The method of claim 1, comprising using near field communication to
25 indicate interest in said content.
6. The method of claim 5, wherein near field communication capabilities and
functionality of the mobile communications device is used to determine
communication information of the mobile communications device.

7. The method of claim 1, comprising providing a media access control address of the mobile communications device to the content provider as an indication of interest in content presented in proximity to the mobile communications device.
8. The method of claim 1, wherein a location of the mobile communications device is tracked to determine content to which the mobile communications device is exposed.
9. The method of claim 1, comprising using functionalities of the mobile communications device to identify content of interest presented in proximity of the mobile communications device.
10. The method of claim 1, comprising using at least one of said stored content of interest, said content data of said content of interest and said stored location information of said content of interest to review said content of interest at a time later than an original presentation time of said content of interest.
11. The method of claim 1, comprising playing said content of interest on the mobile communications device at a time later than an original presentation time of said content of interest using at least one of said stored content of interest, content data of said content of interest and said stored location information of said content of interest.
12. The method of claim 1, comprising arranging information regarding to what content the mobile communications device is exposed in the form of a list.
13. The method of claim 12, comprising presenting the list on the mobile communications device as a drop-down menu.

14. The method of claim 13, comprising enabling the selection of at least one of which content to store in said mobile communications device, for which content to store content data and for which content to store location information in said mobile communications device using said drop-down menu.

15. The method of claim 1, comprising receiving network beacons to identify to the mobile communications device content that is playing on a respective display and a location of the respective display.

16. The method of claim 15, wherein the mobile communications device indicates to what content it has been exposed using the network beacons.

17. An apparatus, comprising:
a memory for storing program routines and data;
a processor for executing said program routines; and
a display for displaying at least one of content and content data;
said apparatus configured to:
communicate to a content provider an indication of interest in content displayed in proximity to a mobile communications device, wherein communication information of the mobile communications device is determined using information in the communicated indication of interest;
in response to the communicated indication of interest, receive at least one of said content of interest, content data of said content of interest and location information of said content of interest; and
store said at least one of said content of interest, content data of said content of interest and location information of said content of interest in the mobile communications device.

18. The apparatus of claim 17, wherein said apparatus is further configured to review information regarding said content of interest at a time later than an original presentation time of said content of interest using at least one of said stored content of interest, content data of said content of interest and said stored location information of said content of interest

19. The apparatus of claim 17, wherein said apparatus comprises a mobile communications device.

20. The apparatus of claim 19, wherein said mobile communications device comprises a mobile phone.

21. A system for enabling the recall of content for subsequent review, comprising:

at least one content provider for providing media content; and
an apparatus including a memory for storing program routines and data, a processor for executing said program routines and a display for displaying at least one of content and content data, said apparatus configured to:

communicate to a content provider an indication of interest in content displayed in proximity to a mobile communications device, wherein communication information of the mobile communications device is determined using information in the communicated indication of interest;

in response to the communicated indication of interest, receive at least one of said content of interest, content data of said content of interest and location information of said content of interest; and

store said at least one of said content of interest, content data of said content of interest and location information of said content of interest in the mobile communications device.

22. The system of claim 21, wherein said at least one content provider comprises a content server.




FIG. 1




FIG. 2

3/4

300




FIG. 3

4/4




FIG. 4