



Office de la Propriété
Intellectuelle
du Canada

Un organisme
d'Industrie Canada

Canadian
Intellectual Property
Office

An agency of
Industry Canada

CA 2479730 A1 2003/10/02

(21) **2 479 730**

(12) **DEMANDE DE BREVET CANADIEN
CANADIAN PATENT APPLICATION**

(13) **A1**

(86) Date de dépôt PCT/PCT Filing Date: 2003/03/21
(87) Date publication PCT/PCT Publication Date: 2003/10/02
(85) Entrée phase nationale/National Entry: 2004/09/17
(86) N° demande PCT/PCT Application No.: US 2003/008919
(87) N° publication PCT/PCT Publication No.: 2003/080808
(30) Priorité/Priority: 2002/03/21 (60/367,025) US

(51) Cl.Int.⁷/Int.Cl.⁷ C12N 15/12, A61P 35/00, A61K 45/00,
C07K 14/82, C12Q 1/68, C07K 16/32, G01N 33/574

(71) Demandeur/Applicant:
SAGRES DISCOVERY, INC., US


(72) Inventeur/Inventor:
MORRIS, DAVID W., US

(74) Agent: BORDEN LADNER GERVAIS LLP

(54) Titre : NOUVELLES COMPOSITIONS ET NOUVEAUX PROCÉDES POUR LE CANCER
(54) Title: NOVEL COMPOSITIONS AND METHODS IN CANCER

(57) **Abrégé/Abstract:**

The present invention relates to novel sequences for use in detection, diagnosis and treatment of cancers. The invention provides cancer-associated (CA) polynucleotide sequences whose expression is associated with cancer. The present invention provides CA polypeptides associated with cancer and provides diagnostic compositions and methods for the detection of cancer. The present invention provides monoclonal and polyclonal antibodies specific for the CA polypeptides. The present invention also provides diagnostic tools and therapeutic compositions and methods for screening, prevention and treatment of cancer.



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
2 October 2003 (02.10.2003)

PCT

(10) International Publication Number
WO 03/080808 A2

(51) International Patent Classification⁷: **C12N**

(21) International Application Number: PCT/US03/08919

(22) International Filing Date: 21 March 2003 (21.03.2003)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/367,025 21 March 2002 (21.03.2002) US

(71) Applicant (for all designated States except US): **SAGRES DISCOVERY** [US/US]; Suite 400, 2795 Second Street, Davis, CA 95616 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **MORRIS, David, W.** [US/US]; 2841 Emerald Bay Drive, Davis, CA 95616 (US).

(74) Agents: **BASU, Shantanu** et al.; Morrison & Foerster LLP, 755 Page Mill Road, Palo Alto, CA 94304-1018 (US).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: NOVEL COMPOSITIONS AND METHODS IN CANCER

(57) Abstract: The present invention relates to novel sequences for use in detection, diagnosis and treatment of cancers. The invention provides cancer-associated (CA) polynucleotide sequences whose expression is associated with cancer. The present invention provides CA polypeptides associated with cancer and provides diagnostic compositions and methods for the detection of cancer. The present invention provides monoclonal and polyclonal antibodies specific for the CA polypeptides. The present invention also provides diagnostic tools and therapeutic compositions and methods for screening, prevention and treatment of cancer.



WO 03/080808 A2

DEMANDE OU BREVET VOLUMINEUX

LA PRÉSENTE PARTIE DE CETTE DEMANDE OU CE BREVET COMPREND PLUS D'UN TOME.

CECI EST LE TOME 1 DE 2
CONTENANT LES PAGES 1 À 152

NOTE : Pour les tomes additionels, veuillez contacter le Bureau canadien des brevets

JUMBO APPLICATIONS/PATENTS

THIS SECTION OF THE APPLICATION/PATENT CONTAINS MORE THAN ONE VOLUME

THIS IS VOLUME 1 OF 2
CONTAINING PAGES 1 TO 152

NOTE: For additional volumes, please contact the Canadian Patent Office

NOM DU FICHER / FILE NAME :

NOTE POUR LE TOME / VOLUME NOTE:

NOVEL COMPOSITIONS AND METHODS IN CANCER

INVENTORS:

David W. MORRIS and Eric K. ENGELHARD

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application claims priority to U.S. provisional application Ser. No. 60/367,025 entitled "Novel Compositions and Methods in Cancer," filed March 21, 2002. This application is related to U.S. Applications entitled "Novel Compositions and Methods in Cancer," U.S. Ser. No. 09/747,377, filed December 22, 2000, U.S. Ser. No. 09/798,586, filed March 2, 2001, U.S. Ser. No. 10/004,113, filed October 23, 2001, U.S. Ser. No. 10/052,482, filed November 8, 2001 and U.S. Ser. No. 09/997,722, filed November 30, 2001, all of which are expressly incorporated herein by reference in their entirety.

TECHNICAL FIELD OF THE INVENTION

[0002] This invention relates generally to the field of cancer-associated genes. Specifically, it relates to novel sequences for use in diagnosis and treatment of cancer and tumors, as well as the use of the novel compositions in screening methods. The present invention provides methods of using cancer associated polynucleotides, their corresponding gene products and antibodies specific for the gene products in the detection, diagnosis, prevention and/or treatment of associated cancers.

BACKGROUND OF THE INVENTION

[0003] Oncogenes are genes that can cause cancer. Carcinogenesis can occur by a wide variety of mechanisms, including infection of cells by viruses containing oncogenes, activation of protooncogenes in the host genome, and mutations of protooncogenes and tumor suppressor genes. Carcinogenesis is fundamentally driven by somatic cell evolution (i.e. mutation and natural selection of variants with progressive loss of growth control). The genes that serve as targets for these somatic mutations are classified as either protooncogenes or tumor suppressor genes,

depending on whether their mutant phenotypes are dominant or recessive, respectively.

[0004] There are a number of viruses known to be involved in human cancer as well as in animal cancer. Of particular interest here are viruses that do not contain oncogenes themselves; these are slow-transforming retroviruses. They induce tumors by integrating into the host genome and affecting neighboring protooncogenes in a variety of ways. Provirus insertion mutation is a normal consequence of the retroviral life cycle. In infected cells, a DNA copy of the retrovirus genome (called a provirus) is integrated into the host genome. A newly integrated provirus can affect gene expression in *cis* at or near the integration site by one of two mechanisms. Type I insertion mutations up-regulate transcription of proximal genes as a consequence of regulatory sequences (enhancers and/or promoters) within the proviral long terminal repeats (LTRs). Type II insertion mutations cause truncation of coding regions due to either integration directly within an open reading frame or integration within an intron flanked on both sides by coding sequences. The analysis of sequences at or near the insertion sites has led to the identification of a number of new protooncogenes.

[0005] With respect to lymphoma and leukemia, retroviruses such as AKV murine leukemia virus (MLV) or SL3-3 MLV, are potent inducers of tumors when inoculated into susceptible newborn mice, or when carried in the germline. A number of sequences have been identified as relevant in the induction of lymphoma and leukemia by analyzing the insertion sites; see Sorensen et al., J. of Virology 74:2161 (2000); Hansen et al., Genome Res. 10(2):237-43 (2000); Sorensen et al., J. Virology 70:4063 (1996); Sorensen et al., J. Virology 67:7118 (1993); Joosten et al., Virology 268:308 (2000); and Li et al., Nature Genetics 23:348 (1999); all of which are expressly incorporated by reference herein. With respect to cancers, especially breast cancer, prostate cancer and cancers with epithelial origin, the mammalian retrovirus, mouse mammary tumor virus (MMTV) is a potent inducer of tumors when inoculated into susceptible newborn mice, or when carried in the germ line. *Mammary Tumors in the Mouse*, edited by J. Hilgers and M. Sluyser; Elsevier/North-Holland Biomedical Press; New York, N.Y.

[0006] Breast cancer is one of the most significant diseases that affects women. At the current rate, American women have a 1 in 8 risk of developing breast cancer by age 95 (American Cancer Society, 1992). Treatment of breast cancer at later stages is

often futile and disfiguring, making early detection a high priority in medical management of the disease.

[0007] The pattern of gene expression in a particular living cell is characteristic of its current state. Nearly all differences in the state or type of a cell are reflected in the differences in RNA levels of one or more genes. Comparing expression patterns of uncharacterized genes may provide clues to their function. High throughput analysis of expression of hundreds or thousands of genes can help in (a) identification of complex genetic diseases, (b) analysis of differential gene expression over time, between tissues and disease states, and (c) drug discovery and toxicology studies. Increase or decrease in the levels of expression of certain genes correlate with cancer biology. For example, oncogenes are positive regulators of tumorigenesis, while tumor suppressor genes are negative regulators of tumorigenesis. (Marshall, Cell, 64: 313-326 (1991); Weinberg, Science, 254: 1138-1146 (1991)).

[0008] SNL, which also known as fascin, is an actin-bundling protein that was first isolated from cytoplasmic extracts of sea urchin eggs (Kane, 1975: J. Cell Biol. 66:305-315) and was the first bundling protein to be characterized in vitro. Subsequent work has shown that fascin bundles actin filaments in fertilized egg microvilli and filopodia of phagocytic coelomocytes (Otto et al., 1980, Cell Motil. 1:31-40; Otto and Bryan, 1981, Cell Motil. 1:179-192). Fascin is a widely expressed protein found in a broad spectrum of tissues and organisms.

[0009] *In vivo*, AP-1, or transcription factor activating protein 1, is a heterogenous mixture of heterodimers of several related protein subunits in addition to c-Fos and c-Jun including FosB, Fra-1, Fra-2, c-Jun, JunB, JunD, etc. (The FOS and JUN Families of Proteins, Angel and Herrlich, eds., CRC Press, Boca Raton, Fla., 1994). While AP-1 has been implicated in abnormal cell proliferation and tumor formation, events that thus might be controlled by modulating the expression of c-fos and/or c-jun, the precise contribution of each of these proteins to cell proliferation or tumor formation is unclear.

[0010] The c-myc protein is a member of the helix-loop-helix/leucine zipper (HLH/LZ) family of transcription factors that forms heterodimers with Max. In general, trans-activating Myc:Max heterodimers are found in proliferating cells, while trans-repressing Mad:Max heterodimers are found in differentiated cells. The c-myc

protein level influences cell proliferation, differentiation, and neoplastic transformation, presumably by affecting the balance between Myc:Max and Mad:Max heterodimers.

[0011] Cyclin D1 is a protein derived from the PRAD1, CCND1 or bcl-1 gene on chromosome 11q13, which is involved in both regulation of the cell cycle. In the G1 (resting) phase of the cell cycle, cyclin D1 together with its cyclin dependent kinase (cdk) partner, is responsible for transition to the S (DNA synthesis) phase by phosphorylating the product of the retinoblastoma gene (pRB), which then releases transcription factors important in the initiation of DNA replication. The nuclear factor- κ B is an inducible transcription factor which participates in the regulation of multiple cellular genes after treatment of cells with factors such as phorbol ester, lipopolysaccharide (LPS), interleukin-1 (IL-1) and tumor necrosis factor- α (TNF- α). These genes are involved in the immediate early processes of immune, acute phase, and inflammatory responses. NF- κ B has also been implicated in the transcriptional activation of several viruses, most notably the type 1 human immunodeficiency virus (HIV-1) and cytomegalovirus (CMV) (Nabel, et al., Nature, 326:711, 1987; Kaufman, et al., Mol. Cell. Biol., 7:3759, 1987; Sambucetti, et al., EMBO J, 8:4251, 1989). NF- κ B is a dimeric transcription factor that binds and regulates gene expression through decameric cis-acting NF- κ B DNA motifs. Although a p50/p65 heterodimer has traditionally been referred to as NF- κ B and remains the prototypical and most abundant form, it has been recognized recently that several distinct but closely related homo- and heterodimeric factors are responsible for NF- κ B site-dependent DNA binding activity and regulation. The various dimeric factors are composed of members of the family of Rel-related polypeptides. One subclass of this family, distinguished by its proteolytic processing from precursor forms and lack of recognized activation domains, includes p50 (NFKB1) and p50B (NFKB2, p52), whereas the second subclass contains recognized activation domains and includes p65 (RelA), RelB, c-Rel, and the Drosophila protein Dorsal. All Rel-related members share a 300-amino acid region of homology, RHD, responsible for DNA binding and dimerization, called the Rel homology domain. In the cytoplasm, NF- κ B and Rel proteins form a "Rel complex".

[0012] NF- κ B gene regulation is involved in many pathological events including progression of acquired immune deficiency disease (AIDS), the acute phase response

and the activation of immune and endothelial cells during toxic shock, allograft rejection, and radiation responses. In addition, NF- κ B gene transactivation may be critical for HIV and CMV replication.

[0013] The PVT-1 locus is associated with the c-myc locus. Frequently, mutations in one or the other loci correlate with disease such as lymphoma. While rearrangements and amplification of the PVT locus have been found in lymphomas, the role of PVT-1 remains unclear.

[0014] Accordingly, it is an object of the invention to provide polynucleotide and polypeptide sequences involved in cancer and, in particular, in oncogenesis.

[0015] Immunotherapy, or the use of antibodies for therapeutic purposes has been used in recent years to treat cancer. Passive immunotherapy involves the use of monoclonal antibodies in cancer treatments. See for example, *Cancer: Principles and Practice of Oncology*, 6th Edition (2001) Ch. 20, pp. 495-508. Inherent therapeutic biological activity of these antibodies include direct inhibition of tumor cell growth or survival, and the ability to recruit the natural cell killing activity of the body's immune system. These agents are administered alone or in conjunction with radiation or chemotherapeutic agents. Rituxan® and Herceptin®, approved for treatment of lymphoma and breast cancer, respectively, are two examples of such therapeutics. Alternatively, antibodies are used to make antibody conjugates where the antibody is linked to a toxic agent and directs that agent to the tumor by specifically binding to the tumor. Mylotarg® is an example of an approved antibody conjugate used for the treatment of leukemia.

[0016] Accordingly, it is another object of this invention to provide antigens (cancer-associated polypeptides) associated with a variety of cancers as targets for diagnostic and/or therapeutic antibodies. These antigens are also useful for drug discovery (*e.g.*, small molecules) and for further characterization of cellular regulation, growth, and differentiation.

SUMMARY OF THE INVENTION

[0017] In accordance with the objects outlined above, the present invention provides methods for screening for compositions that modulate cancer, especially lymphoma and leukemia. The present invention also provides methods for screening for

compositions which modulate carcinomas, especially mammary adenocarcinomas. Also provided herein are methods of inhibiting proliferation of a cell, preferably a lymphoma cell or a breast cancer cell. Methods of treatment of cancer, including diagnosis, are also provided herein.

[0018] In one aspect, a method of screening drug candidates comprises providing a cell that expresses a cancer-associated (CA) gene or fragments thereof. Preferred embodiments of CA genes are genes that are differentially expressed in cancer cells, preferably lymphatic, breast, prostate or epithelial cells, compared to other cells. Preferred embodiments of CA genes used in the methods herein include, but are not limited to the nucleic acids selected from Tables 1-6. That is, they include but are not limited to PVT1, SNL1, CCND1, FOSB, MYC, or NFKB1. The methods further include adding a drug candidate to the cell and determining the effect of the drug candidate on the expression of the CA gene.

[0019] In one embodiment, the method of screening drug candidates includes comparing the level of expression in the absence of the drug candidate to the level of expression in the presence of the drug candidate.

[0020] Also provided herein is a method of screening for a bioactive agent capable of binding to a CA protein (CAP), the method comprising combining the CAP and a candidate bioactive agent, and determining the binding of the candidate agent to the CAP.

[0021] Further provided herein is a method for screening for a bioactive agent capable of modulating the activity of a CAP. In one embodiment, the method comprises combining the CAP and a candidate bioactive agent, and determining the effect of the candidate agent on the bioactivity of the CAP.

[0022] Also provided is a method of evaluating the effect of a candidate carcinoma drug comprising administering the drug to a patient and removing a cell sample from the patient. The expression profile of the cell is then determined. This method may further comprise comparing the expression profile of the patient to an expression profile of a healthy individual.

[0023] In a further aspect, a method for inhibiting the activity of an CA protein is provided. In one embodiment, the method comprises administering to a patient an

inhibitor of a CA protein preferably selected from the group consisting of the sequences outlined in Tables 1-6 or their complements.

[0024] A method of neutralizing the effect of a CA protein, preferably a protein encoded by a nucleic acid selected from the group of sequences outlined in Tables 1-6, is also provided. Preferably, the method comprises contacting an agent specific for said protein with said protein in an amount sufficient to effect neutralization.

[0025] Moreover, provided herein is a biochip/microarray comprising a nucleic acid segment which encodes a CA protein, preferably selected from the sequences outlined in Tables 1-6. That is, they include but are not limited to genes including PVT1, SNL1, CCND1, FOSB, MYC, or NFKB1. In different embodiments, a microarray of the invention comprises one, two, three, four, five or more human sequences from Tables 1-6 including, but not limited to, sequences related to PVT1, SNL1, CCND1, FOSB, MYC, or NFKB1.

[0026] Also provided herein is a method for diagnosing or determining the propensity to cancers, especially lymphoma or leukemia or carcinoma (including breast cancer) by sequencing at least one carcinoma or lymphoma gene of an individual. In yet another aspect of the invention, a method is provided for determining cancer including lymphoma and leukemia gene copy numbers in an individual.

[0027] Novel sequences associated with cancer are also provided herein. Other aspects of the invention will become apparent to the skilled artisan by the following description of the invention.

BRIEF DESCRIPTION OF THE FIGURES

[0028] Figure 1 depicts PCR amplification of host-provirus junction fragments.

[0029] Figure 2 shows an example of average threshold cycle (C_T) values for a housekeeper gene and target gene.

[0030] Figure 3 shows an example of the calculated difference ($\Delta\Delta C_T$) between the C_T values of target and housekeeper genes (ΔC_T) for various samples.

[0031] Figure 4 shows the $\Delta\Delta C_T$ and comparative expression level for each sample from Figure 3.

[0032] Figure 5 depicts mRNA expression of SNL1 in breast cancer tissue compared with expression in normal tissue. Samples 1-50 are breast cancer samples. Samples 51 and 52 are normal tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0033] Figure 5 depicts mRNA expression of FOSB in colon cancer tissue compared with expression in normal tissue. Samples 1-11 are normal samples. Samples 12-31 are colon cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0034] Figure 7 depicts mRNA expression of FOSB in lung cancer tissue compared with expression in normal tissue. Samples 1-9 are normal samples. Samples 10-43 are lung cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0035] Figure 8 depicts mRNA expression of FOSB in pancreas cancer tissue compared with expression in normal tissue. Samples 1-10 are normal samples. Samples 11-31 are pancreas cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0036] Figure 9 depicts mRNA expression of FOSB in ovary cancer tissue compared with expression in normal tissue. Samples 1-16 are normal samples. Samples 17-44 are ovary cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0037] Figure 10 depicts mRNA expression of FOSB in stomach cancer tissue compared with expression in normal tissue. Samples 1-10 are normal samples. Samples 11-39 are stomach cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0038] Figure 11 depicts mRNA expression of FOSB in breast cancer tissue compared with expression in normal tissue. Samples 1-9 are normal samples. Samples 10-30 are breast cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0039] Figure 12 depicts mRNA expression of FOSB in prostate cancer tissue compared with expression in normal tissue. Samples 1-7 are normal samples. Samples 8-37 are prostate cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0040] Figure 13 depicts mRNA expression of MYC in breast cancer tissue compared with expression in normal tissue. Samples 1-50 are breast cancer samples. Bars represent the mean of expression level. Error bars represent standard deviation.

[0041] Figure 14 depicts DNA amplification of MYC in breast cancer tissue compared with expression in normal tissue. Samples 1-49 are breast cancer samples. Bars represent the mean of expression level. Error bars represent standard deviation.

[0042] Figure 15 depicts mRNA expression of CCND1 in breast cancer tissue compared with expression in normal tissue. Samples 1-50 are breast cancer samples. Samples 51 and 52 are normal tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0043] Figure 16 depicts mRNA expression of CCND1 in colon cancer (sigmoid) tissue compared with expression in normal tissue. Samples 1-12 are normal samples. Samples 13-29 are colon cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0044] Figure 17 depicts mRNA expression of CCND1 in colon cancer (transverse) tissue compared with expression in normal tissue. Samples 1-12 are normal samples. Samples 13-30 are colon cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0045] Figure 18 depicts mRNA expression of CCND1 in lung tissue compared with expression in normal tissue. Samples 1-9 are normal samples. Samples 10-43 are lung cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0046] Figure 19 depicts mRNA expression of CCND1 in ovary tissue compared with expression in normal tissue. Samples 1-14 are normal samples. Samples 15-41 are ovary cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0047] Figure 20 depicts mRNA expression of NFkB1 in breast cancer tissue compared with expression in normal tissue. Samples 1-50 are breast cancer samples. Samples 51 and 52 are normal tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0048] Figure 21 depicts mRNA expression of NFkB1 in lung tissue compared with expression in normal tissue. Samples 1-9 are normal samples. Samples 10-44 are lung cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0049] Figure 22 depicts mRNA expression of NFkB1 in skin tissue compared with expression in normal tissue. Samples 1-9 are normal samples. Samples 10-46 are skin cancer tissues. Bars represent the mean of expression level. Error bars represent standard deviation.

[0050] Figure 23 depicts mRNA expression of PVT1 in breast cancer tissue compared with expression in normal tissue. Samples 1-50 are breast cancer samples. Bars represent the mean of expression level. Error bars represent standard deviation.

[0051] Figure 24 depicts DNA amplification of PVT1 in breast cancer tissue compared with expression in normal tissue. Samples 1-50 are breast cancer samples. Bars represent the mean of expression level. Error bars represent standard deviation.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

[0052] The present invention is directed to a number of sequences associated with cancers, especially lymphoma, breast cancer or prostate cancer. The relatively tight linkage between clonally-integrated proviruses and protooncogenes forms "provirus tagging", in which slow-transforming retroviruses that act by an insertion mutation mechanism are used to isolate protooncogenes. In some models, uninfected animals have low cancer rates, and infected animals have high cancer rates. It is known that many of the retroviruses involved do not carry transduced host protooncogenes or pathogenic *trans*-acting viral genes, and thus the cancer incidence must therefore be a direct consequence of proviral integration effects into host protooncogenes. Since proviral integration is random, rare integrants will "activate" host protooncogenes that provide a selective growth advantage, and these rare events result in new proviruses at clonal stoichiometries in tumors. In contrast to mutations caused by chemicals, radiation, or spontaneous errors, protooncogene insertion mutations can be easily located by virtue of the fact that a convenient-sized genetic marker of known sequence (the provirus) is present at the site of mutation. Host sequences that flank clonally integrated proviruses can be cloned using a variety of strategies. Once these

sequences are in hand, the tagged protooncogenes can be subsequently identified. The presence of provirus at the same locus in two or more independent tumors is *prima facie* evidence that a protooncogene is present at or very near the provirus integration sites. This is because the genome is too large for random integrations to result in observable clustering. Any clustering that is detected is unequivocal evidence for biological selection (i.e. the tumor phenotype). Moreover, the pattern of proviral integrants (including orientations) provides compelling positional information that makes localization of the target gene at each cluster relatively simple. The three mammalian retroviruses that are known to cause cancer by an insertion mutation mechanism are FeLV (leukemia/lymphoma in cats), MLV (leukemia/lymphoma in mice and rats), and MMTV (mammary cancer in mice).

[0053] Thus, the use of oncogenic retroviruses, whose sequences insert into the genome of the host organism resulting in cancer, allows the identification of host sequences involved in cancer. These sequences may then be used in a number of different ways, including diagnosis, prognosis, screening for modulators (including both agonists and antagonists), antibody generation (for immunotherapy and imaging), etc. However, as will be appreciated by those in the art, oncogenes that are identified in one type of cancer such as lymphoma or leukemia have a strong likelihood of being involved in other types of cancers as well. Thus, while the sequences outlined herein are initially identified as correlated with lymphoma, they can also be found in other types of cancers as well, outlined below.

Definitions

[0054] Accordingly, the present invention provides nucleic acid and protein sequences that are associated with cancer, herein termed “cancer associated” or “CA” sequences. In one embodiment, the present invention provides nucleic acid and protein sequences that are associated with cancers that originate in lymphatic tissue, herein termed “lymphoma associated,” “leukemia associated” or “LA” sequences. In another embodiment, the present invention provides nucleic acid and protein sequences that are associated with carcinomas which originate in breast tissue, herein termed “breast cancer associated” or “BCA” sequences.

[0055] Suitable cancers that can be diagnosed or screened for using the methods of the present invention include cancers classified by site or by histological type.

Cancers classified by site include cancer of the oral cavity and pharynx (lip, tongue, salivary gland, floor of mouth, gum and other mouth, nasopharynx, tonsil, oropharynx, hypopharynx, other oral/pharynx); cancers of the digestive system (esophagus; stomach; small intestine; colon and rectum; anus, anal canal, and anorectum; liver; intrahepatic bile duct; gallbladder; other biliary; pancreas; retroperitoneum; peritoneum, omentum, and mesentery; other digestive); cancers of the respiratory system (nasal cavity, middle ear, and sinuses; larynx; lung and bronchus; pleura; trachea, mediastinum, and other respiratory); cancers of the mesothelioma; bones and joints; and soft tissue, including heart; skin cancers, including melanomas and other non-epithelial skin cancers; Kaposi's sarcoma and breast cancer; cancer of the female genital system (cervix uteri; corpus uteri; uterus, nos; ovary; vagina; vulva; and other female genital); cancers of the male genital system (prostate gland; testis; penis; and other male genital); cancers of the urinary system (urinary bladder; kidney and renal pelvis; ureter; and other urinary); cancers of the eye and orbit; cancers of the brain and nervous system (brain; and other nervous system); cancers of the endocrine system (thyroid gland and other endocrine, including thymus); lymphomas (Hodgkin's disease and non-Hodgkin's lymphoma), multiple myeloma, and leukemias (lymphocytic leukemia; myeloid leukemia; monocytic leukemia; and other leukemias).

[0056] Other cancers, classified by histological type, that may be associated with the sequences of the invention include, but are not limited to, Neoplasm, malignant; Carcinoma, NOS; Carcinoma, undifferentiated, NOS; Giant and spindle cell carcinoma; Small cell carcinoma, NOS; Papillary carcinoma, NOS; Squamous cell carcinoma, NOS; Lymphoepithelial carcinoma; Basal cell carcinoma, NOS; Pilomatrix carcinoma; Transitional cell carcinoma, NOS; Papillary transitional cell carcinoma; Adenocarcinoma, NOS; Gastrinoma, malignant; Cholangiocarcinoma; Hepatocellular carcinoma, NOS; Combined hepatocellular carcinoma and cholangiocarcinoma; Trabecular adenocarcinoma; Adenoid cystic carcinoma; Adenocarcinoma in adenomatous polyp; Adenocarcinoma, familial polyposis coli; Solid carcinoma, NOS; Carcinoid tumor, malignant; Bronchiolo-alveolar adenocarcinoma; Papillary adenocarcinoma, NOS; Chromophobe carcinoma; Acidophil carcinoma; Oxyphilic adenocarcinoma; Basophil carcinoma; Clear cell adenocarcinoma, NOS; Granular cell carcinoma; Follicular adenocarcinoma, NOS;

Papillary and follicular adenocarcinoma; Nonencapsulating sclerosing carcinoma;
 Adrenal cortical carcinoma; Endometroid carcinoma; Skin appendage carcinoma;
 Apocrine adenocarcinoma; Sebaceous adenocarcinoma; Ceruminous adenocarcinoma;
 Mucoepidermoid carcinoma; Cystadenocarcinoma, NOS; Papillary
 cystadenocarcinoma, NOS; Papillary serous cystadenocarcinoma; Mucinous
 cystadenocarcinoma, NOS; Mucinous adenocarcinoma; Signet ring cell carcinoma;
 Infiltrating duct carcinoma; Medullary carcinoma, NOS; Lobular carcinoma;
 Inflammatory carcinoma; Paget's disease, mammary; Acinar cell carcinoma;
 Adenosquamous carcinoma; Adenocarcinoma w/ squamous metaplasia; Thymoma,
 malignant; Ovarian stromal tumor, malignant; Thecoma, malignant; Granulosa cell
 tumor, malignant; Androblastoma, malignant; Sertoli cell carcinoma; Leydig cell
 tumor, malignant; Lipid cell tumor, malignant; Paraganglioma, malignant; Extra-
 mammary paraganglioma, malignant; Pheochromocytoma; Glomangiosarcoma;
 Malignant melanoma, NOS; Amelanotic melanoma; Superficial spreading melanoma;
 Malig melanoma in giant pigmented nevus; Epithelioid cell melanoma; Blue nevus,
 malignant; Sarcoma, NOS; Fibrosarcoma, NOS; Fibrous histiocyoma, malignant;
 Myxosarcoma; Liposarcoma, NOS; Leiomyosarcoma, NOS; Rhabdomyosarcoma,
 NOS; Embryonal rhabdomyosarcoma; Alveolar rhabdomyosarcoma; Stromal
 sarcoma, NOS; Mixed tumor, malignant, NOS; Mullerian mixed tumor;
 Nephroblastoma; Hepatoblastoma; Carcinosarcoma, NOS; Mesenchymoma,
 malignant; Brenner tumor, malignant; Phyllodes tumor, malignant; Synovial sarcoma,
 NOS; Mesothelioma, malignant; Dysgerminoma; Embryonal carcinoma, NOS;
 Teratoma, malignant, NOS; Struma ovarii, malignant; Choriocarcinoma;
 Mesonephroma, malignant; Hemangiosarcoma; Hemangioendothelioma, malignant;
 Kaposi's sarcoma; Hemangiopericytoma, malignant; Lymphangiosarcoma;
 Osteosarcoma, NOS; Juxtacortical osteosarcoma; Chondrosarcoma, NOS;
 Chondroblastoma, malignant; Mesenchymal chondrosarcoma; Giant cell tumor of
 bone; Ewing's sarcoma; Odontogenic tumor, malignant; Ameloblastic odontosarcoma;
 Ameloblastoma, malignant; Ameloblastic fibrosarcoma; Pinealoma, malignant;
 Chordoma; Glioma, malignant; Ependymoma, NOS; Astrocytoma, NOS;
 Protoplasmic astrocytoma; Fibrillary astrocytoma; Astroblastoma; Glioblastoma,
 NOS; Oligodendroglioma, NOS; Oligodendroblastoma; Primitive neuroectodermal;
 Cerebellar sarcoma, NOS; Ganglioneuroblastoma; Neuroblastoma, NOS;
 Retinoblastoma, NOS; Olfactory neurogenic tumor; Meningioma, malignant;

Neurofibrosarcoma; Neurilemmoma, malignant; Granular cell tumor, malignant; Malignant lymphoma, NOS; Hodgkin's disease, NOS; Hodgkin's; paragranuloma, NOS; Malignant lymphoma, small lymphocytic; Malignant lymphoma, large cell, diffuse; Malignant lymphoma, follicular, NOS; Mycosis fungoides; Other specified non-Hodgkin's lymphomas; Malignant histiocytosis; Multiple myeloma; Mast cell sarcoma; Immunoproliferative small intestinal disease; Leukemia, NOS; Lymphoid leukemia, NOS; Plasma cell leukemia; Erythroleukemia; Lymphosarcoma cell leukemia; Myeloid leukemia, NOS; Basophilic leukemia; Eosinophilic leukemia; Monocytic leukemia, NOS; Mast cell leukemia; Megakaryoblastic leukemia; Myeloid sarcoma; and Hairy cell leukemia.

[0057] In addition, the CA genes may be involved in other diseases such as, but not limited to, diseases associated with aging or neurodegeneration.

[0058] "Association" in this context means that the nucleotide or protein sequences are either differentially expressed, activated, inactivated or altered in cancers as compared to normal tissue. As outlined below, CA sequences include those that are up-regulated (i.e. expressed at a higher level), as well as those that are down-regulated (i.e. expressed at a lower level), in cancers. CA sequences also include sequences that have been altered (i.e., truncated sequences or sequences with substitutions, deletions or insertions, including point mutations) and show either the same expression profile or an altered profile. In a preferred embodiment, the CA sequences are from humans; however, as will be appreciated by those in the art, CA sequences from other organisms may be useful in animal models of disease and drug evaluation; thus, other CA sequences are provided, from vertebrates, including mammals, including rodents (rats, mice, hamsters, guinea pigs, etc.), primates, and farm animals (including sheep, goats, pigs, cows, horses, etc). In some cases, prokaryotic CA sequences may be useful. CA sequences from other organisms may be obtained using the techniques outlined below.

[0059] CA sequences include both nucleic acid and amino acid sequences. In one embodiment, the CA sequences are recombinant nucleic acids. By the term "recombinant nucleic acid" herein is meant nucleic acid, originally formed in vitro, in general, by the manipulation of nucleic acid by polymerases and endonucleases, in a form not normally found in nature. Thus a recombinant nucleic acid is also an isolated nucleic acid, in a linear form, or cloned in a vector formed in vitro by ligating DNA

molecules that are not normally joined, are both considered recombinant for the purposes of this invention. It is understood that once a recombinant nucleic acid is made and reintroduced into a host cell or organism, it will replicate using the in vivo cellular machinery of the host cell rather than in vitro manipulations; however, such nucleic acids, once produced recombinantly, although subsequently replicated in vivo, are still considered recombinant or isolated for the purposes of the invention. As used herein a "polynucleotide" or "nucleic acid" is a polymeric form of nucleotides of any length, either ribonucleotides or deoxyribonucleotides. This term refers only to the primary structure of the molecule. Thus, this term includes double- and single-stranded DNA and RNA. It also includes known types of modifications, for example, labels which are known in the art, methylation, "caps", substitution of one or more of the naturally occurring nucleotides with an analog, internucleotide modifications such as, for example, those with uncharged linkages (e.g., phosphorothioates, phosphorodithioates, etc.), those containing pendant moieties, such as, for example proteins (including e.g., nucleases, toxins, antibodies, signal peptides, poly-L-lysine, etc.), those with intercalators (e.g., acridine, psoralen, etc.), those containing chelators (e.g., metals, radioactive metals, etc.), those containing alkylators, those with modified linkages (e.g., alpha anomeric nucleic acids, etc.), as well as unmodified forms of the polynucleotide.

[0060] As used herein, a polynucleotide "derived from" a designated sequence refers to a polynucleotide sequence which is comprised of a sequence of approximately at least about 6 nucleotides, preferably at least about 8 nucleotides, more preferably at least about 10-12 nucleotides, and even more preferably at least about 15-20 nucleotides corresponding to a region of the designated nucleotide sequence.

"Corresponding" means homologous to or complementary to the designated sequence. Preferably, the sequence of the region from which the polynucleotide is derived is homologous to or complementary to a sequence that is unique to a CA gene.

[0061] Similarly, a "recombinant protein" is a protein made using recombinant techniques, i.e. through the expression of a recombinant nucleic acid as depicted above. A recombinant protein is distinguished from naturally occurring protein by at least one or more characteristics. For example, the protein may be isolated or purified away from some or all of the proteins and compounds with which it is normally associated in its wild type host, and thus may be substantially pure. For example, an

isolated protein is unaccompanied by at least some of the material with which it is normally associated in its natural state, preferably constituting at least about 0.5%, more preferably at least about 5% by weight of the total protein in a given sample. A substantially pure protein comprises about 50-75% by weight of the total protein, with about 80% being preferred, and about 90% being particularly preferred. The definition includes the production of a CA protein from one organism in a different organism or host cell. Alternatively, the protein may be made at a significantly higher concentration than is normally seen, through the use of an inducible promoter or high expression promoter, such that the protein is made at increased concentration levels. Alternatively, the protein may be in a form not normally found in nature, as in the addition of an epitope tag or amino acid substitutions, insertions and deletions, as discussed below.

[0062] In a preferred embodiment, the CA sequences are nucleic acids. As will be appreciated by those in the art and is more fully outlined below, CA sequences are useful in a variety of applications, including diagnostic applications, which will detect naturally occurring nucleic acids, as well as screening applications; for example, biochips comprising nucleic acid probes to the CA sequences can be generated. In the broadest sense, use of "nucleic acid," "polynucleotide" or "oligonucleotide" or equivalents herein means at least two nucleotides covalently linked together. In some embodiments, an oligonucleotide is an oligomer of 6, 8, 10, 12, 20, 30 or up to 100 nucleotides. A "polynucleotide" or "oligonucleotide" may comprise DNA, RNA, PNA or a polymer of nucleotides linked by phosphodiester and/or any alternate bonds.

[0063] A nucleic acid of the present invention generally contains phosphodiester bonds, although in some cases, as outlined below (for example, in antisense applications or when a nucleic acid is a candidate drug agent), nucleic acid analogs may have alternate backbones, comprising, for example, phosphoramidate (Beaucage et al., Tetrahedron 49(10):1925 (1993) and references therein; Letsinger, J. Org. Chem. 35:3800 (1970); Sprinzl et al., Eur. J. Biochem. 81:579 (1977); Letsinger et al., Nucl. Acids Res. 14:3487 (1986); Sawai et al, Chem. Lett. 805 (1984), Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); and Pauwels et al., Chemica Scripta 26:141 (1986)), phosphorothioate (Mag et al., Nucleic Acids Res. 19:1437 (1991); and U.S. Patent No. 5,644,048), phosphorodithioate (Briu et al., J. Am. Chem. Soc. 111:2321 (1989), O-methylphosphoroamidite linkages (see Eckstein, Oligonucleotides and

Analogues: A Practical Approach, Oxford University Press), and peptide nucleic acid backbones and linkages (see Egholm, J. Am. Chem. Soc. 114:1895 (1992); Meier et al., Chem. Int. Ed. Engl. 31:1008 (1992); Nielsen, Nature, 365:566 (1993); Carlsson et al., Nature 380:207 (1996), all of which are incorporated by reference). Other analog nucleic acids include those with positive backbones (Denpcy et al., Proc. Natl. Acad. Sci. USA 92:6097 (1995); non-ionic backbones (U.S. Patent Nos. 5,386,023, 5,637,684, 5,602,240, 5,216,141 and 4,469,863; Kiedrowshi et al., Angew. Chem. Intl. Ed. English 30:423 (1991); Letsinger et al., J. Am. Chem. Soc. 110:4470 (1988); Letsinger et al., Nucleoside & Nucleotide 13:1597 (1994); Chapters 2 and 3, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook; Mesmaeker et al., Bioorganic & Medicinal Chem. Lett. 4:395 (1994); Jeffs et al., J. Biomolecular NMR 34:17 (1994); Tetrahedron Lett. 37:743 (1996)) and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, ASC Symposium Series 580, "Carbohydrate Modifications in Antisense Research", Ed. Y.S. Sanghui and P. Dan Cook. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids (see Jenkins et al., Chem. Soc. Rev. (1995) pp169-176). Several nucleic acid analogs are described in Rawls, C & E News June 2, 1997 page 35. All of these references are hereby expressly incorporated by reference. These modifications of the ribose-phosphate backbone may be done for a variety of reasons, for example to increase the stability and half-life of such molecules in physiological environments for use in anti-sense applications or as probes on a biochip.

[0064] As will be appreciated by those in the art, all of these nucleic acid analogs may find use in the present invention. In addition, mixtures of naturally occurring nucleic acids and analogs can be made; alternatively, mixtures of different nucleic acid analogs, and mixtures of naturally occurring nucleic acids and analogs may be made.

[0065] The nucleic acids may be single stranded or double stranded, as specified, or contain portions of both double stranded or single stranded sequence. As will be appreciated by those in the art, the depiction of a single strand "Watson" also defines the sequence of the other strand "Crick"; thus the sequences described herein also includes the complement of the sequence. The nucleic acid may be DNA, both genomic and cDNA, RNA, or a hybrid, where the nucleic acid contains any

combination of deoxyribo- and ribo-nucleotides, and any combination of bases, including uracil, adenine, thymine, cytosine, guanine, inosine, xanthine, hypoxanthine, isocytosine, isoguanine, etc. As used herein, the term “nucleoside” includes nucleotides and nucleoside and nucleotide analogs, and modified nucleosides such as amino modified nucleosides. In addition, “nucleoside” includes non-naturally occurring analog structures. Thus for example the individual units of a peptide nucleic acid, each containing a base, are referred to herein as a nucleoside.

[0066] As used herein, the term “tag,” “sequence tag” or “primer tag sequence” refers to an oligonucleotide with specific nucleic acid sequence that serves to identify a batch of polynucleotides bearing such tags therein. Polynucleotides from the same biological source are covalently tagged with a specific sequence tag so that in subsequent analysis the polynucleotide can be identified according to its source of origin. The sequence tags also serve as primers for nucleic acid amplification reactions.

[0067] A “microarray” is a linear or two-dimensional array of preferably discrete regions, each having a defined area, formed on the surface of a solid support. The density of the discrete regions on a microarray is determined by the total numbers of target polynucleotides to be detected on the surface of a single solid phase support, preferably at least about 50/cm², more preferably at least about 100/cm², even more preferably at least about 500/cm², and still more preferably at least about 1,000/cm². As used herein, a DNA microarray is an array of oligonucleotide primers placed on a chip or other surfaces used to amplify or clone target polynucleotides. Since the position of each particular group of primers in the array is known, the identities of the target polynucleotides can be determined based on their binding to a particular position in the microarray.

[0068] A “linker” is a synthetic oligodeoxyribonucleotide that contains a restriction site. A linker may be blunt end-ligated onto the ends of DNA fragments to create restriction sites that can be used in the subsequent cloning of the fragment into a vector molecule.

[0069] The term “label” refers to a composition capable of producing a detectable signal indicative of the presence of the target polynucleotide in an assay sample. Suitable labels include radioisotopes, nucleotide chromophores, enzymes, substrates,

fluorescent molecules, chemiluminescent moieties, magnetic particles, bioluminescent moieties, and the like. As such, a label is any composition detectable by spectroscopic, photochemical, biochemical, immunochemical, electrical, optical, chemical, or any other appropriate means. The term "label" is used to refer to any chemical group or moiety having a detectable physical property or any compound capable of causing a chemical group or moiety to exhibit a detectable physical property, such as an enzyme that catalyzes conversion of a substrate into a detectable product. The term "label" also encompasses compounds that inhibit the expression of a particular physical property. The label may also be a compound that is a member of a binding pair, the other member of which bears a detectable physical property.

[0070] The term "support" refers to conventional supports such as beads, particles, dipsticks, fibers, filters, membranes, and silane or silicate supports such as glass slides.

[0071] The term "amplify" is used in the broad sense to mean creating an amplification product which may include, for example, additional target molecules, or target-like molecules or molecules complementary to the target molecule, which molecules are created by virtue of the presence of the target molecule in the sample. In the situation where the target is a nucleic acid, an amplification product can be made enzymatically with DNA or RNA polymerases or reverse transcriptases.

[0072] As used herein, a "biological sample" refers to a sample of tissue or fluid isolated from an individual, including but not limited to, for example, blood, plasma, serum, spinal fluid, lymph fluid, skin, respiratory, intestinal and genitourinary tracts, tears, saliva, milk, cells (including but not limited to blood cells), tumors, organs, and also samples of *in vitro* cell culture constituents.

[0073] The term "biological sources" as used herein refers to the sources from which the target polynucleotides are derived. The source can be of any form of "sample" as described above, including but not limited to, cell, tissue or fluid. "Different biological sources" can refer to different cells/tissues/organs of the same individual, or cells/tissues/organs from different individuals of the same species, or cells/tissues/organs from different species.

Cancer-associated Sequences

[0074] The CA sequences of the invention were initially identified by infection of mice with a retrovirus such as murine leukemia virus (MLV) or mouse mammary tumor virus (MMTV) resulting in lymphoma. The CA sequences were subsequently validated by determining expression levels of the corresponding gene product (e.g., mRNA) in breast cancer and other cancer tissue samples. Retroviruses have a genome that is made out of RNA. After a retrovirus infects a host cell, a double stranded DNA copy of the retrovirus genome (a "provirus") is inserted into the genomic DNA of the host cell. The integrated provirus may affect the expression of host genes at or near the site of integration - a phenomenon known as retroviral insertional mutagenesis. Possible changes in the expression of host cell genes include: (i) increased expression of genes near the site of integration resulting from the proximity of elements in the provirus that act as transcriptional promoters and enhancers, (ii) functional inactivation of a gene caused by the integration of a provirus into the gene itself thus preventing the synthesis of a functional gene product, or (iii) expression of a mutated protein that has a different activity to the normal protein. Typically such a protein would be prematurely truncated and lack a regulatory domain near the C terminus. Such a protein might be constitutively active, or act as a dominant negative inhibitor of the normal protein. For example, retrovirus enhancers, including that of SL3-3, are known to act on genes up to approximately 200 kilobases from the insertion site. Moreover, many of these sequences are also involved in other cancers and disease states. Sequences of mouse genes according to this invention, that are identified in this manner are shown in Tables 1-6.

[0075] A CA sequence can be initially identified by substantial nucleic acid and/or amino acid sequence homology to the CA sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions.

[0076] In one embodiment, CA sequences are up-regulated in cancers; that is, the expression of these genes is higher in cancer tissue as compared to normal tissue of the same differentiation stage. "Up-regulation" as used herein means increased expression by about 50%, preferably about 100%, more preferably about 150% to about 200%, with up-regulation from 300% to 1000% being preferred.

[0077] In another embodiment, CA sequences are down-regulated in cancers; that is, the expression of these genes is lower in cancer tissue as compared to normal tissue of the same differentiation stage. "Down-regulation" as used herein means decreased expression by about 50%, preferably about 100%, more preferably about 150% to about 200%, with down-regulation from 300% to 1000% to no expression being preferred.

[0078] In yet another embodiment, CA sequences are those that have altered sequences but show either the same or an altered expression profile as compared to normal lymphoid tissue of the same differentiation stage. "Altered CA sequences" as used herein also refers to sequences that are truncated, contain insertions or contain point mutations.

[0079] CA proteins of the present invention may be classified as secreted proteins, transmembrane proteins or intracellular proteins. In a preferred embodiment the CA protein is an intracellular protein. Intracellular proteins may be found in the cytoplasm and/or in the nucleus. Intracellular proteins are involved in all aspects of cellular function and replication (including, for example, signaling pathways); aberrant expression of such proteins results in unregulated or dysregulated cellular processes. For example, many intracellular proteins have enzymatic activity such as protein kinase activity, protein phosphatase activity, protease activity, nucleotide cyclase activity, polymerase activity and the like. Intracellular proteins also serve as docking proteins that are involved in organizing complexes of proteins, or targeting proteins to various subcellular localizations, and are involved in maintaining the structural integrity of organelles.

[0080] An increasingly appreciated concept in characterizing intracellular proteins is the presence in the proteins of one or more motifs for which defined functions have been attributed. In addition to the highly conserved sequences found in the enzymatic domain of proteins, highly conserved sequences have been identified in proteins that are involved in protein-protein interaction. For example, Src-homology-2 (SH2) domains bind tyrosine-phosphorylated targets in a sequence dependent manner. PTB domains, which are distinct from SH2 domains, also bind tyrosine phosphorylated targets. SH3 domains bind to proline-rich targets. In addition, PH domains, tetratricopeptide repeats and WD domains to name only a few, have been shown to mediate protein-protein interactions. Some of these may also be involved in binding

to phospholipids or other second messengers. As will be appreciated by one of ordinary skill in the art, these motifs can be identified on the basis of primary sequence; thus, an analysis of the sequence of proteins may provide insight into both the enzymatic potential of the molecule and/or molecules with which the protein may associate.

[0081] In a preferred embodiment, the CA sequences are transmembrane proteins. Transmembrane proteins are molecules that span the phospholipid bilayer of a cell. They may have an intracellular domain, an extracellular domain, or both. The intracellular domains of such proteins may have a number of functions including those already described for intracellular proteins. For example, the intracellular domain may have enzymatic activity and/or may serve as a binding site for additional proteins. Frequently the intracellular domain of transmembrane proteins serves both roles. For example certain receptor tyrosine kinases have both protein kinase activity and SH2 domains. In addition, autophosphorylation of tyrosines on the receptor molecule itself creates binding sites for additional SH2 domain containing proteins.

[0082] Transmembrane proteins may contain from one to many transmembrane domains. For example, receptor tyrosine kinases, certain cytokine receptors, receptor guanylyl cyclases and receptor serine/threonine protein kinases contain a single transmembrane domain. However, various other proteins including channels and adenylyl cyclases contain numerous transmembrane domains. Many important cell surface receptors are classified as "seven transmembrane domain" proteins, as they contain 7 membrane spanning regions. Important transmembrane protein receptors include, but are not limited to insulin receptor, insulin-like growth factor receptor, human growth hormone receptor, glucose transporters, transferrin receptor, epidermal growth factor receptor, low density lipoprotein receptor, leptin receptor, interleukin receptors, e.g. IL-1 receptor, IL-2 receptor, etc. CA proteins may be derived from genes that regulate apoptosis (IL-3, GM-CSF and Bcl-x) or are shown to have a role in the regulation of apoptosis.

[0083] Characteristics of transmembrane domains include approximately 20 consecutive hydrophobic amino acids that may be followed by charged amino acids. Therefore, upon analysis of the amino acid sequence of a particular protein, the localization and number of transmembrane domains within the protein may be predicted.

[0084] The extracellular domains of transmembrane proteins are diverse; however, conserved motifs are found repeatedly among various extracellular domains. Conserved structure and/or functions have been ascribed to different extracellular motifs. For example, cytokine receptors are characterized by a cluster of cysteines and a WSXWS (W= tryptophan, S= serine, X=any amino acid) motif. Immunoglobulin-like domains are highly conserved. Mucin-like domains may be involved in cell adhesion and leucine-rich repeats participate in protein-protein interactions.

[0085] Many extracellular domains are involved in binding to other molecules. In one aspect, extracellular domains are receptors. Factors that bind the receptor domain include circulating ligands, which may be peptides, proteins, or small molecules such as adenosine and the like. For example, growth factors such as EGF, FGF and PDGF are circulating growth factors that bind to their cognate receptors to initiate a variety of cellular responses. Other factors include cytokines, mitogenic factors, neurotrophic factors and the like. Extracellular domains also bind to cell-associated molecules. In this respect, they mediate cell-cell interactions. Cell-associated ligands can be tethered to the cell for example via a glycosylphosphatidylinositol (GPI) anchor, or may themselves be transmembrane proteins. Extracellular domains also associate with the extracellular matrix and contribute to the maintenance of the cell structure.

[0086] CA proteins that are transmembrane are particularly preferred in the present invention as they are good targets for immunotherapeutics, as are described herein. In addition, as outlined below, transmembrane proteins can be also useful in imaging modalities.

[0087] It will also be appreciated by those in the art that a transmembrane protein can be made soluble by removing transmembrane sequences, for example through recombinant methods. Furthermore, transmembrane proteins that have been made soluble can be made to be secreted through recombinant means by adding an appropriate signal sequence.

[0088] In a preferred embodiment, the CA proteins are secreted proteins; the secretion of which can be either constitutive or regulated. These proteins have a signal peptide or signal sequence that targets the molecule to the secretory pathway. Secreted proteins are involved in numerous physiological events; by virtue of their circulating nature, they serve to transmit signals to various other cell types. The secreted protein

may function in an autocrine manner (acting on the cell that secreted the factor), a paracrine manner (acting on cells in close proximity to the cell that secreted the factor) or an endocrine manner (acting on cells at a distance). Thus secreted molecules find use in modulating or altering numerous aspects of physiology. CA proteins that are secreted proteins are particularly preferred in the present invention as they serve as good targets for diagnostic markers, for example for blood tests.

CA sequences and homologs

[0089] A CA sequence is initially identified by substantial nucleic acid and/or amino acid sequence homology to the CA sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions.

[0090] As used herein, a nucleic acid is a "CA nucleic acid" if the overall homology of the nucleic acid sequence to one of the nucleic acids of Tables 1-6 is preferably greater than about 75%, more preferably greater than about 80%, even more preferably greater than about 85% and most preferably greater than 90%. In some embodiments the homology will be as high as about 93 to 95 or 98%. In a preferred embodiment, the sequences that are used to determine sequence identity or similarity are selected from those of the nucleic acids of Tables 1-6. In another embodiment, the sequences are naturally occurring allelic variants of the sequences of the nucleic acids of Tables 1-6. In another embodiment, the sequences are sequence variants as further described herein.

[0091] Homology in this context means sequence similarity or identity, with identity being preferred. A preferred comparison for homology purposes is to compare the sequence containing sequencing errors to the correct sequence. This homology will be determined using standard techniques known in the art, including, but not limited to, the local homology algorithm of Smith & Waterman, Adv. Appl. Math. 2:482 (1981), by the homology alignment algorithm of Needleman & Wunsch, J. Mol. Biol. 48:443 (1970), by the search for similarity method of Pearson & Lipman, PNAS USA 85:2444 (1988), by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Drive, Madison, WI), the Best Fit sequence

program described by Devereux et al., Nucl. Acid Res. 12:387-395 (1984), preferably using the default settings, or by inspection.

[0092] One example of a useful algorithm is PILEUP. PILEUP creates a multiple sequence alignment from a group of related sequences using progressive, pairwise alignments. It can also plot a tree showing the clustering relationships used to create the alignment. PILEUP uses a simplification of the progressive alignment method of Feng & Doolittle, J. Mol. Evol. 35:351-360 (1987); the method is similar to that described by Higgins & Sharp CABIOS 5:151-153 (1989). Useful PILEUP parameters include a default gap weight of 3.00, a default gap length weight of 0.10, and weighted end gaps.

[0093] Another example of a useful algorithm is the BLAST (Basic Local Alignment Search Tool) algorithm, described in Altschul et al., J. Mol. Biol. 215, 403-410, (1990) and Karlin et al., PNAS USA 90:5873-5787 (1993). A particularly useful BLAST program is the WU-BLAST-2 program which was obtained from Altschul et al., Methods in Enzymology, 266: 460-480 (1996); <http://blast.wustl.edu/>. WU-BLAST-2 uses several search parameters, most of which are set to the default values. The adjustable parameters are set with the following values: overlap span =1, overlap fraction = 0.125, word threshold (T) = 11. The HSP S and HSP S2 parameters are dynamic values and are established by the program itself depending upon the composition of the particular sequence and composition of the particular database against which the sequence of interest is being searched; however, the values may be adjusted to increase sensitivity. A percent amino acid sequence identity value is determined by the number of matching identical residues divided by the total number of residues of the "longer" sequence in the aligned region. The "longer" sequence is the one having the most actual residues in the aligned region (gaps introduced by WU-Blast-2 to maximize the alignment score are ignored).

[0094] Thus, "percent (%) nucleic acid sequence identity" is defined as the percentage of nucleotide residues in a candidate sequence that are identical with the nucleotide residues of the nucleic acids of Tables 1-6. A preferred method utilizes the BLASTN module of WU-BLAST-2 set to the default parameters, with overlap span and overlap fraction set to 1 and 0.125, respectively.

[0095] The alignment may include the introduction of gaps in the sequences to be aligned. In addition, for sequences which contain either more or fewer nucleotides than those of the nucleic acids of Tables 1-6, it is understood that the percentage of homology will be determined based on the number of homologous nucleosides in relation to the total number of nucleosides. Thus homology of sequences shorter than those of the sequences identified herein will be determined using the number of nucleosides in the shorter sequence.

[0096] In another embodiment of the invention, polynucleotide compositions are provided that are capable of hybridizing under moderate to high stringency conditions to a polynucleotide sequence provided herein, or a fragment thereof, or a complementary sequence thereof. Hybridization techniques are well known in the art of molecular biology. For purposes of illustration, suitable moderately stringent conditions for testing the hybridization of a polynucleotide of this invention with other polynucleotides include prewashing in a solution of 5x SSC ("saline sodium citrate"; 9 mM NaCl, 0.9 mM sodium citrate), 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50-60° C, 5x SSC, overnight; followed by washing twice at 65° C for 20 minutes with each of 2x, 0.5x and 0.2x SSC containing 0.1% SDS. One skilled in the art will understand that the stringency of hybridization can be readily manipulated, such as by altering the salt content of the hybridization solution and/or the temperature at which the hybridization is performed. For example, in another embodiment, suitable highly stringent hybridization conditions include those described above, with the exception that the temperature of hybridization is increased, e.g., to 60-65° C, or 65-70° C. Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide.

[0097] Thus nucleic acids that hybridize under high stringency to the nucleic acids identified in the figures, or their complements, are considered CA sequences. High stringency conditions are known in the art; see for example Maniatis et al., *Molecular Cloning: A Laboratory Manual*, 2d Edition, 1989, and *Short Protocols in Molecular Biology*, ed. Ausubel, et al., both of which are hereby incorporated by reference. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in Tijssen, *Techniques in Biochemistry and Molecular Biology--Hybridization with Nucleic Acid Probes*,

“Overview of principles of hybridization and the strategy of nucleic acid assays” (1993). Generally, stringent conditions are selected to be about 5-10°C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength pH. The T_m is the temperature (under defined ionic strength, pH and nucleic acid concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T_m , 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30°C for short probes (e.g. 10 to 50 nucleotides) and at least about 60°C for longer probes (e.g. greater than 50 nucleotides). In another embodiment, less stringent hybridization conditions are used; for example, moderate or low stringency conditions may be used, as are known in the art; see Maniatis and Ausubel, *supra*, and Tijssen, *supra*.

[0098] In addition, the CA nucleic acid sequences of the invention are fragments of larger genes, i.e. they are nucleic acid segments. Alternatively, the CA nucleic acid sequences can serve as indicators of oncogene position, for example, the CA sequence may be an enhancer that activates a protooncogene. “Genes” in this context includes coding regions, non-coding regions, and mixtures of coding and non-coding regions. Accordingly, as will be appreciated by those in the art, using the sequences provided herein, additional sequences of the CA genes can be obtained, using techniques well known in the art for cloning either longer sequences or the full-length sequences; see Maniatis et al., and Ausubel, et al., *supra*, hereby expressly incorporated by reference. In general, this is done using PCR, for example, kinetic PCR.

Detection of CA Expression

[0099] Once the CA nucleic acid is identified, it can be cloned and, if necessary, its constituent parts recombined to form the entire CA nucleic acid. Once isolated from its natural source, e.g., contained within a plasmid or other vector or excised therefrom as a linear nucleic acid segment, the recombinant CA nucleic acid can be further used as a probe to identify and isolate other CA nucleic acids, for example additional coding regions. It can also be used as a “precursor” nucleic acid to make modified or variant CA nucleic acids and proteins. In a preferred embodiment, once a

CA gene is identified its nucleotide sequence is used to design probes specific for the CA gene.

[0100] The CA nucleic acids of the present invention are used in several ways. In a first embodiment, nucleic acid probes hybridizable to CA nucleic acids are made and attached to biochips to be used in screening and diagnostic methods, or for gene therapy and/or antisense applications. Alternatively, the CA nucleic acids that include coding regions of CA proteins can be put into expression vectors for the expression of CA proteins, again either for screening purposes or for administration to a patient.

[0101] Recent developments in DNA microarray technology make it possible to conduct a large scale assay of a plurality of target CA nucleic acid molecules on a single solid phase support. U.S. Pat. No. 5,837,832 (Chee *et al.*) and related patent applications describe immobilizing an array of oligonucleotide probes for hybridization and detection of specific nucleic acid sequences in a sample. Target polynucleotides of interest isolated from a tissue of interest are hybridized to the DNA chip and the specific sequences detected based on the target polynucleotides' preference and degree of hybridization at discrete probe locations. One important use of arrays is in the analysis of differential gene expression, where the profile of expression of genes in different cells, often a cell of interest and a control cell, is compared and any differences in gene expression among the respective cells are identified. Such information is useful for the identification of the types of genes expressed in a particular cell or tissue type and diagnosis of cancer conditions based on the expression profile.

[0102] Typically, RNA from the sample of interest is subjected to reverse transcription to obtain labeled cDNA. *See* U.S. Pat. No. 6,410,229 (Lockhart *et al.*) The cDNA is then hybridized to oligonucleotides or cDNAs of known sequence arrayed on a chip or other surface in a known order. The location of the oligonucleotide to which the labeled cDNA hybridizes provides sequence information on the cDNA, while the amount of labeled hybridized RNA or cDNA provides an estimate of the relative representation of the RNA or cDNA of interest. *See* Schena, *et al.* Science 270:467-470 (1995). For example, use of a cDNA microarray to analyze gene expression patterns in human cancer is described by DeRisi, *et al.* (Nature Genetics 14:457-460 (1996)).

[0103] In a preferred embodiment, nucleic acid probes corresponding to CA nucleic acids (both the nucleic acid sequences outlined in the figures and/or the complements thereof) are made. Typically, these probes are synthesized based on the disclosed sequences of this invention. The nucleic acid probes attached to the biochip are designed to be substantially complementary to the CA nucleic acids, i.e. the target sequence (either the target sequence of the sample or to other probe sequences, for example in sandwich assays), such that specific hybridization of the target sequence and the probes of the present invention occurs. As outlined below, this complementarity need not be perfect, in that there may be any number of base pair mismatches that will interfere with hybridization between the target sequence and the single stranded nucleic acids of the present invention. It is expected that the overall homology of the genes at the nucleotide level probably will be about 40% or greater, probably about 60% or greater, and even more probably about 80% or greater; and in addition that there will be corresponding contiguous sequences of about 8-12 nucleotides or longer. However, if the number of mutations is so great that no hybridization can occur under even the least stringent of hybridization conditions, the sequence is not a complementary target sequence. Thus, by "substantially complementary" herein is meant that the probes are sufficiently complementary to the target sequences to hybridize under normal reaction conditions, particularly high stringency conditions, as outlined herein. Whether or not a sequence is unique to a CA gene according to this invention can be determined by techniques known to those of skill in the art. For example, the sequence can be compared to sequences in databanks, e.g., GeneBank, to determine whether it is present in the uninfected host or other organisms. The sequence can also be compared to the known sequences of other viral agents, including those that are known to induce cancer.

[0104] A nucleic acid probe is generally single stranded but can be partly single and partly double stranded. The strandedness of the probe is dictated by the structure, composition, and properties of the target sequence. In general, the oligonucleotide probes range from about 6, 8, 10, 12, 15, 20, 30 to about 100 bases long, with from about 10 to about 80 bases being preferred, and from about 30 to about 50 bases being particularly preferred. That is, generally entire genes are rarely used as probes. In some embodiments, much longer nucleic acids can be used, up to hundreds of bases. The probes are sufficiently specific to hybridize to complementary template sequence

under conditions known by those of skill in the art. The number of mismatches between the probes sequences and their complementary template (target) sequences to which they hybridize during hybridization generally do not exceed 15%, usually do not exceed 10% and preferably do not exceed 5%, as determined by FASTA (default settings).

[0105] Oligonucleotide probes can include the naturally-occurring heterocyclic bases normally found in nucleic acids (uracil, cytosine, thymine, adenine and guanine), as well as modified bases and base analogues. Any modified base or base analogue compatible with hybridization of the probe to a target sequence is useful in the practice of the invention. The sugar or glycoside portion of the probe can comprise deoxyribose, ribose, and/or modified forms of these sugars, such as, for example, 2'-O-alkyl ribose. In a preferred embodiment, the sugar moiety is 2'-deoxyribose; however, any sugar moiety that is compatible with the ability of the probe to hybridize to a target sequence can be used.

[0106] In one embodiment, the nucleoside units of the probe are linked by a phosphodiester backbone, as is well known in the art. In additional embodiments, internucleotide linkages can include any linkage known to one of skill in the art that is compatible with specific hybridization of the probe including, but not limited to phosphorothioate, methylphosphonate, sulfamate (*e.g.*, U.S. Patent No. 5,470,967) and polyamide (*i.e.*, peptide nucleic acids). Peptide nucleic acids are described in Nielsen *et al.* (1991) *Science* 254: 1497-1500, U.S. Patent No. 5,714,331, and Nielsen (1999) *Curr. Opin. Biotechnol.* 10:71-75.

[0107] In certain embodiments, the probe can be a chimeric molecule; *i.e.*, can comprise more than one type of base or sugar subunit, and/or the linkages can be of more than one type within the same primer. The probe can comprise a moiety to facilitate hybridization to its target sequence, as are known in the art, for example, intercalators and/or minor groove binders. Variations of the bases, sugars, and internucleoside backbone, as well as the presence of any pendant group on the probe, will be compatible with the ability of the probe to bind, in a sequence-specific fashion, with its target sequence. A large number of structural modifications, both known and to be developed, are possible within these bounds. Advantageously, the probes according to the present invention may have structural characteristics such that they allow the signal amplification, such structural characteristics being, for example,

branched DNA probes as those described by Urdea et al. (Nucleic Acids Symp. Ser., 24:197-200 (1991)) or in the European Patent No. EP-0225,807. Moreover, synthetic methods for preparing the various heterocyclic bases, sugars, nucleosides and nucleotides that form the probe, and preparation of oligonucleotides of specific predetermined sequence, are well-developed and known in the art. A preferred method for oligonucleotide synthesis incorporates the teaching of U.S. Patent No. 5,419,966.

[0108] Multiple probes may be designed for a particular target nucleic acid to account for polymorphism and/or secondary structure in the target nucleic acid, redundancy of data and the like. In some embodiments, where more than one probe per sequence is used, either overlapping probes or probes to different sections of a single target CA gene are used. That is, two, three, four or more probes, with three being preferred, are used to build in a redundancy for a particular target. The probes can be overlapping (i.e. have some sequence in common), or specific for distinct sequences of a CA gene. When multiple target polynucleotides are to be detected according to the present invention, each probe or probe group corresponding to a particular target polynucleotide is situated in a discrete area of the microarray.

[0109] Probes may be in solution, such as in wells or on the surface of a micro-array, or attached to a solid support. Examples of solid support materials that can be used include a plastic, a ceramic, a metal, a resin, a gel and a membrane. Useful types of solid supports include plates, beads, magnetic material, microbeads, hybridization chips, membranes, crystals, ceramics and self-assembling monolayers. A preferred embodiment comprises a two-dimensional or three-dimensional matrix, such as a gel or hybridization chip with multiple probe binding sites (Pevzner et al., J. Biomol. Struc. & Dyn. 9:399-410, 1991; Maskos and Southern, Nuc. Acids Res. 20:1679-84, 1992). Hybridization chips can be used to construct very large probe arrays that are subsequently hybridized with a target nucleic acid. Analysis of the hybridization pattern of the chip can assist in the identification of the target nucleotide sequence. Patterns can be manually or computer analyzed, but it is clear that positional sequencing by hybridization lends itself to computer analysis and automation. Algorithms and software, which have been developed for sequence reconstruction, are applicable to the methods described herein (R. Drmanac et al., J. Biomol. Struc. & Dyn. 5:1085-1102, 1991; P. A. Pevzner, J. Biomol. Struc. & Dyn. 7:63-73, 1989).

[0110] As will be appreciated by those in the art, nucleic acids can be attached or immobilized to a solid support in a wide variety of ways. By “immobilized” herein is meant the association or binding between the nucleic acid probe and the solid support is sufficient to be stable under the conditions of binding, washing, analysis, and removal as outlined below. The binding can be covalent or non-covalent. By “non-covalent binding” and grammatical equivalents herein is meant one or more of either electrostatic, hydrophilic, and hydrophobic interactions. Included in non-covalent binding is the covalent attachment of a molecule, such as streptavidin, to the support and the non-covalent binding of the biotinylated probe to the streptavidin. By “covalent binding” and grammatical equivalents herein is meant that the two moieties, the solid support and the probe, are attached by at least one bond, including sigma bonds, pi bonds and coordination bonds. Covalent bonds can be formed directly between the probe and the solid support or can be formed by a cross linker or by inclusion of a specific reactive group on either the solid support or the probe or both molecules. Immobilization may also involve a combination of covalent and non-covalent interactions.

[0111] Nucleic acid probes may be attached to the solid support by covalent binding such as by conjugation with a coupling agent or by, covalent or non-covalent binding such as electrostatic interactions, hydrogen bonds or antibody-antigen coupling, or by combinations thereof. Typical coupling agents include biotin/avidin, biotin/streptavidin, Staphylococcus aureus protein A/IgG antibody F_c fragment, and streptavidin/protein A chimeras (T. Sano and C. R. Cantor, Bio/Technology 9:1378-81 (1991)), or derivatives or combinations of these agents. Nucleic acids may be attached to the solid support by a photocleavable bond, an electrostatic bond, a disulfide bond, a peptide bond, a diester bond or a combination of these sorts of bonds. The array may also be attached to the solid support by a selectively releasable bond such as 4,4'-dimethoxytrityl or its derivative. Derivatives which have been found to be useful include 3 or 4 [bis-(4-methoxyphenyl)]-methyl-benzoic acid, N-succinimidyl-3 or 4 [bis-(4-methoxyphenyl)]-methyl-benzoic acid, N-succinimidyl-3 or 4 [bis-(4-methoxyphenyl)]-hydroxymethyl-benzoic acid, N-succinimidyl-3 or 4 [bis-(4-methoxyphenyl)]-chloromethyl-benzoic acid, and salts of these acids.

[0112] In general, the probes are attached to the biochip in a wide variety of ways, as will be appreciated by those in the art. As described herein, the nucleic acids can

either be synthesized first, with subsequent attachment to the biochip, or can be directly synthesized on the biochip.

[0113] The biochip comprises a suitable solid substrate. By “substrate” or “solid support” or other grammatical equivalents herein is meant any material that can be modified to contain discrete individual sites appropriate for the attachment or association of the nucleic acid probes and is amenable to at least one detection method. The solid phase support of the present invention can be of any solid materials and structures suitable for supporting nucleotide hybridization and synthesis. Preferably, the solid phase support comprises at least one substantially rigid surface on which the primers can be immobilized and the reverse transcriptase reaction performed. The substrates with which the polynucleotide microarray elements are stably associated may be fabricated from a variety of materials, including plastics, ceramics, metals, acrylamide, cellulose, nitrocellulose, glass, polystyrene, polyethylene vinyl acetate, polypropylene, polymethacrylate, polyethylene, polyethylene oxide, polysilicates, polycarbonates, Teflon®, fluorocarbons, nylon, silicon rubber, polyanhydrides, polyglycolic acid, polylactic acid, polyorthoesters, polypropylfumerate, collagen, glycosaminoglycans, and polyamino acids. Substrates may be two-dimensional or three-dimensional in form, such as gels, membranes, thin films, glasses, plates, cylinders, beads, magnetic beads, optical fibers, woven fibers, etc. A preferred form of array is a three-dimensional array. A preferred three-dimensional array is a collection of tagged beads. Each tagged bead has different primers attached to it. Tags are detectable by signaling means such as color (Luminex, Illumina) and electromagnetic field (Pharmaseq) and signals on tagged beads can even be remotely detected (e.g., using optical fibers). The size of the solid support can be any of the standard microarray sizes, useful for DNA microarray technology, and the size may be tailored to fit the particular machine being used to conduct a reaction of the invention. In general, the substrates allow optical detection and do not appreciably fluoresce.

[0114] In a preferred embodiment, the surface of the biochip and the probe may be derivatized with chemical functional groups for subsequent attachment of the two. Thus, for example, the biochip is derivatized with a chemical functional group including, but not limited to, amino groups, carboxy groups, oxo groups and thiol groups, with amino groups being particularly preferred. Using these functional

groups, the probes can be attached using functional groups on the probes. For example, nucleic acids containing amino groups can be attached to surfaces comprising amino groups, for example using linkers as are known in the art; for example, homo-or hetero-bifunctional linkers as are well known (see 1994 Pierce Chemical Company catalog, technical section on cross-linkers, pages 155-200, incorporated herein by reference). In addition, in some cases, additional linkers, such as alkyl groups (including substituted and heteroalkyl groups) may be used.

[0115] In this embodiment, the oligonucleotides are synthesized as is known in the art, and then attached to the surface of the solid support. As will be appreciated by those skilled in the art, either the 5' or 3' terminus may be attached to the solid support, or attachment may be via an internal nucleoside. In an additional embodiment, the immobilization to the solid support may be very strong, yet non-covalent. For example, biotinylated oligonucleotides can be made, which bind to surfaces covalently coated with streptavidin, resulting in attachment.

[0116] The arrays may be produced according to any convenient methodology, such as preforming the polynucleotide microarray elements and then stably associating them with the surface. Alternatively, the oligonucleotides may be synthesized on the surface, as is known in the art. A number of different array configurations and methods for their production are known to those of skill in the art and disclosed in WO 95/25116 and WO 95/35505 (photolithographic techniques), U.S. Pat. No. 5,445,934 (in situ synthesis by photolithography), U.S. Pat. No. 5,384,261 (in situ synthesis by mechanically directed flow paths); and U.S. Pat. No. 5,700,637 (synthesis by spotting, printing or coupling); the disclosure of which are herein incorporated in their entirety by reference. Another method for coupling DNA to beads uses specific ligands attached to the end of the DNA to link to ligand-binding molecules attached to a bead. Possible ligand-binding partner pairs include biotin-avidin/streptavidin, or various antibody/antigen pairs such as digoxigenin-antidigoxigenin antibody (Smith et al., "Direct Mechanical Measurements of the Elasticity of Single DNA Molecules by Using Magnetic Beads," *Science* 258:1122-1126 (1992)). Covalent chemical attachment of DNA to the support can be accomplished by using standard coupling agents to link the 5'-phosphate on the DNA to coated microspheres through a phosphoamidate bond. Methods for immobilization of oligonucleotides to solid-state substrates are well established. *See Pease et al.*,

Proc. Natl. Acad. Sci. USA 91(11):5022-5026 (1994). A preferred method of attaching oligonucleotides to solid-state substrates is described by Guo *et al.*, Nucleic Acids Res. 22:5456-5465 (1994). Immobilization can be accomplished either by in situ DNA synthesis (Maskos and Southern, Nucleic Acids Research, 20:1679-1684 (1992) or by covalent attachment of chemically synthesized oligonucleotides (Guo *et al.*, *supra*) in combination with robotic arraying technologies.

[0117] In addition to the solid-phase technology represented by biochip arrays, gene expression can also be quantified using liquid-phase arrays. One such system is kinetic polymerase chain reaction (PCR). Kinetic PCR allows for the simultaneous amplification and quantification of specific nucleic acid sequences. The specificity is derived from synthetic oligonucleotide primers designed to preferentially adhere to single-stranded nucleic acid sequences bracketing the target site. This pair of oligonucleotide primers form specific, non-covalently bound complexes on each strand of the target sequence. These complexes facilitate *in vitro* transcription of double-stranded DNA in opposite orientations. Temperature cycling of the reaction mixture creates a continuous cycle of primer binding, transcription, and re-melting of the nucleic acid to individual strands. The result is an exponential increase of the target dsDNA product. This product can be quantified in real time either through the use of an intercalating dye or a sequence specific probe. SYBR® Greene I, is an example of an intercalating dye, that preferentially binds to dsDNA resulting in a concomitant increase in the fluorescent signal. Sequence specific probes, such as used with TaqMan® technology, consist of a fluorochrome and a quenching molecule covalently bound to opposite ends of an oligonucleotide. The probe is designed to selectively bind the target DNA sequence between the two primers. When the DNA strands are synthesized during the PCR reaction, the fluorochrome is cleaved from the probe by the exonuclease activity of the polymerase resulting in signal dequenching. The probe signaling method can be more specific than the intercalating dye method, but in each case, signal strength is proportional to the dsDNA product produced. Each type of quantification method can be used in multi-well liquid phase arrays with each well representing primers and/or probes specific to nucleic acid sequences of interest. When used with messenger RNA preparations of tissues or cell lines, an array of probe/primer reactions can simultaneously quantify the expression of multiple gene

products of interest. See Germer, S., et al., *Genome Res.* 10:258-266 (2000); Heid, C. A., et al., *Genome Res.* 6, 986-994 (1996).

Expression of CA proteins

[0118] In a preferred embodiment, CA nucleic acids encoding CA proteins are used to make a variety of expression vectors to express CA proteins which can then be used in screening assays, as described below. The expression vectors may be either self-replicating extrachromosomal vectors or vectors which integrate into a host genome. Generally, these expression vectors include transcriptional and translational regulatory nucleic acid operably linked to the nucleic acid encoding the CA protein. The term "control sequences" refers to DNA sequences necessary for the expression of an operably linked coding sequence in a particular host organism. The control sequences that are suitable for prokaryotes, for example, include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

[0119] Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is accomplished by ligation at convenient restriction sites. If such sites do not exist, synthetic oligonucleotide adaptors or linkers are used in accordance with conventional practice. The transcriptional and translational regulatory nucleic acid will generally be appropriate to the host cell used to express the CA protein; for example, transcriptional and translational regulatory nucleic acid sequences from *Bacillus* are preferably used to express the CA protein in *Bacillus*. Numerous types of appropriate expression vectors, and suitable regulatory sequences are known in the art for a variety of host cells.

[0120] In general, the transcriptional and translational regulatory sequences may include, but are not limited to, promoter sequences, ribosomal binding sites, transcriptional start and stop sequences, translational start and stop sequences, and enhancer or activator sequences. In a preferred embodiment, the regulatory sequences include a promoter and transcriptional start and stop sequences.

[0121] Promoter sequences encode either constitutive or inducible promoters. The promoters may be either naturally occurring promoters or hybrid promoters. Hybrid promoters, which combine elements of more than one promoter, are also known in the art, and are useful in the present invention.

[0122] In addition, the expression vector may comprise additional elements. For example, the expression vector may have two replication systems, thus allowing it to be maintained in two organisms, for example in mammalian or insect cells for expression and in a prokaryotic host for cloning and amplification. Furthermore, for integrating expression vectors, the expression vector contains at least one sequence homologous to the host cell genome, and preferably two homologous sequences that flank the expression construct. The integrating vector may be directed to a specific locus in the host cell by selecting the appropriate homologous sequence for inclusion in the vector. Constructs for integrating vectors are well known in the art.

[0123] In addition, in a preferred embodiment, the expression vector contains a selectable marker gene to allow the selection of transformed host cells. Selection genes are well known in the art and will vary with the host cell used.

[0124] The CA proteins of the present invention are produced by culturing a host cell transformed with an expression vector containing nucleic acid encoding a CA protein, under the appropriate conditions to induce or cause expression of the CA protein. The conditions appropriate for CA protein expression will vary with the choice of the expression vector and the host cell, and will be easily ascertained by one skilled in the art through routine experimentation. For example, the use of constitutive promoters in the expression vector will require optimizing the growth and proliferation of the host cell, while the use of an inducible promoter requires the appropriate growth conditions for induction. In addition, in some embodiments, the timing of the harvest is important. For example, the baculoviral systems used in insect cell expression are lytic viruses; and thus harvest time selection can be crucial for product yield.

[0125] Appropriate host cells include yeast, bacteria, archaeobacteria, fungi, and insect, plant and animal cells, including mammalian cells. Of particular interest are *Drosophila melanogaster* cells, *Saccharomyces cerevisiae* and other yeasts, *E. coli*, *Bacillus subtilis*, Sf9 cells, C129 cells, 293 cells, *Neurospora*, BHK, CHO, COS, HeLa cells, THP1 cell line (a macrophage cell line) and human cells and cell lines.

[0126] In a preferred embodiment, the CA proteins are expressed in mammalian cells. Mammalian expression systems are also known in the art, and include retroviral systems. A preferred expression vector system is a retroviral vector system such as is generally described in PCT/US97/01019 and PCT/US97/01048, both of which are hereby expressly incorporated by reference. Of particular use as mammalian promoters are the promoters from mammalian viral genes, since the viral genes are often highly expressed and have a broad host range. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter, herpes simplex virus promoter, and the CMV promoter. Typically, transcription termination and polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. Examples of transcription terminator and polyadenylation signals include those derived from SV40.

[0127] The methods of introducing exogenous nucleic acid into mammalian hosts, as well as other hosts, are well known in the art, and will vary with the host cell used. Techniques include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, viral infection, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

[0128] In a preferred embodiment, CA proteins are expressed in bacterial systems. Bacterial expression systems are well known in the art. Promoters from bacteriophage may also be used and are known in the art. In addition, synthetic promoters and hybrid promoters are also useful; for example, the tac promoter is a hybrid of the trp and lac promoter sequences. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. In addition to a functioning promoter sequence, an efficient ribosome binding site is desirable. The expression vector may also include a signal peptide sequence that provides for secretion of the CA protein in

bacteria. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). The bacterial expression vector may also include a selectable marker gene to allow for the selection of bacterial strains that have been transformed. Suitable selection genes include genes that render the bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin, neomycin and tetracycline. Selectable markers also include biosynthetic genes, such as those in the histidine, tryptophan and leucine biosynthetic pathways. These components are assembled into expression vectors. Expression vectors for bacteria are well known in the art, and include vectors for *Bacillus subtilis*, *E. coli*, *Streptococcus cremoris*, and *Streptococcus lividans*, among others. The bacterial expression vectors are transformed into bacterial host cells using techniques well known in the art, such as calcium chloride treatment, electroporation, and others.

[0129] In one embodiment, CA proteins are produced in insect cells. Expression vectors for the transformation of insect cells, and in particular, baculovirus-based expression vectors, are well known in the art.

[0130] In a preferred embodiment, CA protein is produced in yeast cells. Yeast expression systems are well known in the art, and include expression vectors for *Saccharomyces cerevisiae*, *Candida albicans* and *C. maltosa*, *Hansenula polymorpha*, *Kluyveromyces fragilis* and *K. lactis*, *Pichia guillermondii* and *P. pastoris*, *Schizosaccharomyces pombe*, and *Yarrowia lipolytica*.

[0131] The CA protein may also be made as a fusion protein, using techniques well known in the art. Thus, for example, for the creation of monoclonal antibodies. If the desired epitope is small, the CA protein may be fused to a carrier protein to form an immunogen. Alternatively, the CA protein may be made as a fusion protein to increase expression, or for other reasons. For example, when the CA protein is a CA peptide, the nucleic acid encoding the peptide may be linked to other nucleic acid for expression purposes.

[0132] In one embodiment, the CA nucleic acids, proteins and antibodies of the invention are labeled. By "labeled" herein is meant that a compound has at least one element, isotope or chemical compound attached to enable the detection of the compound. In general, labels fall into three classes: a) isotopic labels, which may be

radioactive or heavy isotopes; b) immune labels, which may be antibodies or antigens; and c) colored or fluorescent dyes. The labels may be incorporated into the CA nucleic acids, proteins and antibodies at any position. For example, the label should be capable of producing, either directly or indirectly, a detectable signal. The detectable moiety may be a radioisotope, such as ^3H , ^{14}C , ^{32}P , ^{35}S , or ^{125}I , a fluorescent or chemiluminescent compound, such as fluorescein isothiocyanate, rhodamine, or luciferin, or an enzyme, such as alkaline phosphatase, beta-galactosidase or horseradish peroxidase. Any method known in the art for conjugating the antibody to the label may be employed, including those methods described by Hunter et al., *Nature*, 144:945 (1962); David et al., *Biochemistry*, 13:1014 (1974); Pain et al., *J. Immunol. Meth.*, 40:219 (1981); and Nygren, *J. Histochem. and Cytochem.*, 30:407 (1982).

[0133] Accordingly, the present invention also provides CA protein sequences. A CA protein of the present invention may be identified in several ways. "Protein" in this sense includes proteins, polypeptides, and peptides. As will be appreciated by those in the art, the nucleic acid sequences of the invention can be used to generate protein sequences. There are a variety of ways to do this, including cloning the entire gene and verifying its frame and amino acid sequence, or by comparing it to known sequences to search for homology to provide a frame, assuming the CA protein has homology to some protein in the database being used. Generally, the nucleic acid sequences are input into a program that will search all three frames for homology. This is done in a preferred embodiment using the following NCBI Advanced BLAST parameters. The program is blastx or blastn. The database is nr. The input data is as "Sequence in FASTA format". The organism list is "none". The "expect" is 10; the filter is default. The "descriptions" is 500, the "alignments" is 500, and the "alignment view" is pairwise. The "query Genetic Codes" is standard (1). The matrix is BLOSUM 62; gap existence cost is 11, per residue gap cost is 1; and the lambda ratio is .85 default. This results in the generation of a putative protein sequence.

[0134] In general, the term "polypeptide" as used herein refers to both the full-length polypeptide encoded by the recited polynucleotide, the polypeptide encoded by the gene represented by the recited polynucleotide, as well as portions or fragments thereof. The present invention encompasses variants of the naturally occurring proteins, wherein such variants are homologous or substantially similar to the

naturally occurring protein, and can be of an origin of the same or different species as the naturally occurring protein (*e.g.*, human, murine, or some other species that naturally expresses the recited polypeptide, usually a mammalian species). In general, variant polypeptides have a sequence that has at least about 80%, at least about 81%, at least about 82%, at least about 83%, at least about 84%, at least about 85%, at least about 86%, at least about 87%, at least about 88%, at least about 89%, usually at least about 90%, at least 91%, at least 92%, at least 93%, at least 94%, at least 95%, at least 96%, at least 97%, at least 98% and more usually at least about 99% sequence identity with a differentially expressed polypeptide described herein, as determined by the Smith-Waterman homology search algorithm using an affine gap search with a gap open penalty of 12 and a gap extension penalty of 2, BLOSUM matrix of 62. The Smith-Waterman homology search algorithm is taught in Smith and Waterman, *Adv. Appl. Math.* (1981) 2: 482-489. The variant polypeptides can be naturally or non-naturally glycosylated, *i.e.*, the polypeptide has a glycosylation pattern that differs from the glycosylation pattern found in the corresponding naturally occurring protein.

[0135] Also within the scope of the invention are variants. Variants of polypeptides include mutants, fragments, and fusions. Mutants can include amino acid substitutions, additions or deletions. The amino acid substitutions can be conservative amino acid substitutions or substitutions to eliminate non-essential amino acids, such as to alter a glycosylation site, a phosphorylation site or an acetylation site, or to minimize misfolding by substitution or deletion of one or more cysteine residues that are not necessary for function. Conservative amino acid substitutions are those that preserve the general charge, hydrophobicity/ hydrophilicity, and/or steric bulk of the amino acid substituted. Variants can be designed so as to retain or have enhanced biological activity of a particular region of the protein (*e.g.*, a functional domain and/or, where the polypeptide is a member of a protein family, a region associated with a consensus sequence). Selection of amino acid alterations for production of variants can be based upon the accessibility (interior vs. exterior) of the amino acid (see, *e.g.*, Go *et al*, *Int. J. Peptide Protein Res.* (1980) 15:211), the thermostability of the variant polypeptide (see, *e.g.*, Querol *et al.*, *Prot. Eng.* (1996) 9:265), desired glycosylation sites (see, *e.g.*, Olsen and Thomsen, *J. Gen. Microbiol.* (1991) 137:579), desired disulfide bridges (see, *e.g.*, Clarke *et al.*, *Biochemistry* (1993) 32:4322; and Wakarchuk *et al.*, *Protein Eng.* (1994) 7:1379), desired metal binding sites (see, *e.g.*,

Toma *et al.*, *Biochemistry* (1991) 30:97, and Haezebrouck *et al.*, *Protein Eng.* (1993) 6:643), and desired substitutions within proline loops (see, e.g., Masul *et al.*, *Appl. Env. Microbiol.* (1994) 60:3579). Cysteine-depleted muteins can be produced as disclosed in USPN 4,959,314.

[0136] Variants also include fragments of the polypeptides disclosed herein, particularly biologically active fragments and/or fragments corresponding to functional domains. Fragments of interest will typically be at least about 8 amino acids (aa) 10 aa, 15 aa, 20 aa, 25 aa, 30 aa, 35 aa, 40 aa, to at least about 45 aa in length, usually at least about 50 aa in length, at least about 75 aa, at least about 100 aa, at least about 125 aa, at least about 150 aa in length, at least about 200 aa, at least about 300 aa, at least about 400 aa and can be as long as 500 aa in length or longer, but will usually not exceed about 1000 aa in length, where the fragment will have a stretch of amino acids that is identical to a polypeptide encoded by a polynucleotide having a sequence of any one of the polynucleotide sequences provided herein, or a homolog thereof. The protein variants described herein are encoded by polynucleotides that are within the scope of the invention. The genetic code can be used to select the appropriate codons to construct the corresponding variants.

[0137] While altered expression of the polynucleotides associated with cancer is observed, altered levels of expression of the polypeptides encoded by these polynucleotides may likely play a role in cancers.

[0138] Also included within one embodiment of CA proteins are amino acid variants of the naturally occurring sequences, as determined herein. Preferably, the variants are preferably greater than about 75% homologous to the wild-type sequence, more preferably greater than about 80%, even more preferably greater than about 85% and most preferably greater than 90%. The present application is also directed to proteins containing polypeptides at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to a CA polypeptide sequence set forth herein. As for nucleic acids, homology in this context means sequence similarity or identity, with identity being preferred. This homology will be determined using standard techniques known in the art as are outlined above for the nucleic acid homologies.

[0139] CA proteins of the present invention may be shorter or longer than the wild type amino acid sequences. Thus, in a preferred embodiment, included within the

definition of CA proteins are portions or fragments of the wild type sequences herein. In addition, as outlined above, the CA nucleic acids of the invention may be used to obtain additional coding regions, and thus additional protein sequence, using techniques known in the art.

[0140] In a preferred embodiment, the CA proteins are derivative or variant CA proteins as compared to the wild-type sequence. That is, as outlined more fully below, the derivative CA peptide will contain at least one amino acid substitution, deletion or insertion, with amino acid substitutions being particularly preferred. The amino acid substitution, insertion or deletion may occur at any residue within the CA peptide.

[0141] Also included in an embodiment of CA proteins of the present invention are amino acid sequence variants. These variants fall into one or more of three classes: substitutional, insertional or deletional variants. These variants ordinarily are prepared by site-specific mutagenesis of nucleotides in the DNA encoding the CA protein, using cassette or PCR mutagenesis or other techniques well known in the art, to produce DNA encoding the variant, and thereafter expressing the DNA in recombinant cell culture as outlined above. However, variant CA protein fragments having up to about 100-150 residues may be prepared by *in vitro* synthesis using established techniques. Amino acid sequence variants are characterized by the predetermined nature of the variation, a feature that sets them apart from naturally occurring allelic or interspecies variation of the CA protein amino acid sequence. The variants typically exhibit the same qualitative biological activity as the naturally occurring analogue, although variants can also be selected which have modified characteristics as will be more fully outlined below.

[0142] While the site or region for introducing an amino acid sequence variation is predetermined, the mutation per se need not be predetermined. For example, in order to optimize the performance of a mutation at a given site, random mutagenesis may be conducted at the target codon or region and the expressed CA variants screened for the optimal combination of desired activity. Techniques for making substitution mutations at predetermined sites in DNA having a known sequence are well known, for example, M13 primer mutagenesis and LAR mutagenesis. Screening of the mutants is done using assays of CA protein activities.

[0143] Amino acid substitutions are typically of single residues; insertions usually will be on the order of from about 1 to 20 amino acids, although considerably larger insertions may be tolerated. Deletions range from about 1 to about 20 residues, although in some cases deletions may be much larger.

[0144] Substitutions, deletions, insertions or any combination thereof may be used to arrive at a final derivative. Generally these changes are done on a few amino acids to minimize the alteration of the molecule. However, larger changes may be tolerated in certain circumstances. When small alterations in the characteristics of the CA protein are desired, substitutions are generally made in accordance with the following chart:

Chart 1

<u>Original Residue</u>	<u>Exemplary Substitutions</u>
Ala	Ser
Arg	Lys
Asn	Gln, His
Asp	Glu
Cys	Ser
Gln	Asn
Glu	Asp
Gly	Pro
His	Asn, Gln
Ile	Leu, Val
Leu	Ile, Val
Lys	Arg, Gln, Glu
Met	Leu, Ile
Phe	Met, Leu, Tyr
Ser	Thr
Thr	Ser
Trp	Tyr
Tyr	Trp, Phe
Val	Ile, Leu

[0145] Substantial changes in function or immunological identity are made by selecting substitutions that are less conservative than those shown in Chart I. For example, substitutions may be made full length to more significantly affect one or more of the following: the structure of the polypeptide backbone in the area of the alteration (e.g., the alpha-helical or beta-sheet structure); the charge or hydrophobicity

of the molecule at the target site; and the bulk of the side chain. The substitutions which in general are expected to produce the greatest changes in the polypeptide's properties are those in which (a) a hydrophilic residue, e.g. seryl or threonyl is substituted for (or by) a hydrophobic residue, e.g. leucyl, isoleucyl, phenylalanyl, valyl or alanyl; (b) a cysteine or proline is substituted for (or by) any other residue; (c) a residue having an electropositive side chain, e.g. lysyl, arginyl, or histidyl, is substituted for (or by) an electronegative residue, e.g. glutamyl or aspartyl; or (d) a residue having a bulky side chain, e.g. phenylalanine, is substituted for (or by) one not having a side chain, e.g. glycine.

[0146] The variants typically exhibit the same qualitative biological activity and will elicit the same immune response as the naturally-occurring analogue, although variants also are selected to modify the characteristics of the CA proteins as needed. Alternatively, the variant may be designed such that the biological activity of the CA protein is altered. For example, glycosylation sites may be altered or removed, dominant negative mutations created, etc.

[0147] Covalent modifications of CA polypeptides are included within the scope of this invention, for example for use in screening. One type of covalent modification includes reacting targeted amino acid residues of a CA polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N-or C-terminal residues of a CA polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking CA polypeptides to a water-insoluble support matrix or surface for use in the method for purifying anti-CA antibodies or screening assays, as is more fully described below. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, for example, esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-[(p-azidophenyl)dithio]propioimide.

[0148] Other modifications include deamidation of glutamyl and asparaginy residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of seryl, threonyl or tyrosyl residues, methylation of the α -amino groups of lysine, arginine, and histidine side chains [T.E. Creighton, *Proteins: Structure and Molecular*

Properties, W.H. Freeman & Co., San Francisco, pp. 79-86 (1983)], acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

[0149] Another type of covalent modification of the CA polypeptide included within the scope of this invention comprises altering the native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended for purposes herein to mean deleting one or more carbohydrate moieties found in native sequence CA polypeptide, and/or adding one or more glycosylation sites that are not present in the native sequence CA polypeptide.

[0150] Addition of glycosylation sites to CA polypeptides may be accomplished by altering the amino acid sequence thereof. The alteration may be made, for example, by the addition of, or substitution by, one or more serine or threonine residues to the native sequence CA polypeptide (for O-linked glycosylation sites). The CA amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the CA polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

[0151] Another means of increasing the number of carbohydrate moieties on the CA polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330 published 11 September 1987, and in Aplin and Wriston, *LA Crit. Rev. Biochem.*, pp. 259-306 (1981).

[0152] Removal of carbohydrate moieties present on the CA polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al., *Arch. Biochem. Biophys.*, 259:52 (1987) and by Edge et al., *Anal. Biochem.*, 118:131 (1981). Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo-and exo-glycosidases as described by Thotakura et al., *Meth. Enzymol.*, 138:350 (1987).

[0153] Another type of covalent modification of CA comprises linking the CA polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol, polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192 or 4,179,337.

[0154] CA polypeptides of the present invention may also be modified in a way to form chimeric molecules comprising a CA polypeptide fused to another, heterologous polypeptide or amino acid sequence. In one embodiment, such a chimeric molecule comprises a fusion of a CA polypeptide with a tag polypeptide that provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino-or carboxyl-terminus of the CA polypeptide, although internal fusions may also be tolerated in some instances. The presence of such epitope-tagged forms of a CA polypeptide can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the CA polypeptide to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. In an alternative embodiment, the chimeric molecule may comprise a fusion of a CA polypeptide with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule, such a fusion could be to the Fc region of an IgG molecule.

[0155] Various tag polypeptides and their respective antibodies are well known in the art. Examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; the flu HA tag polypeptide and its antibody 12CA5 [Field et al., Mol. Cell. Biol., 8:2159-2165 (1988)]; the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies thereto [Evan et al., Molecular and Cellular Biology, 5:3610-3616 (1985)]; and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody [Paborsky et al., Protein Engineering, 3(6):547-553 (1990)]. Other tag polypeptides include the Flag-peptide [Hopp et al., BioTechnology, 6:1204-1210 (1988)]; the KT3 epitope peptide [Martin et al., Science, 255:192-194 (1992)]; tubulin epitope peptide [Skinner et al., J. Biol. Chem., 266:15163-15166 (1991)]; and the T7 gene 10 protein peptide tag [Lutz-Freyermuth et al., Proc. Natl. Acad. Sci. USA, 87:6393-6397 (1990)].

[0156] Also included with the definition of CA protein in one embodiment are other CA proteins of the CA family, and CA proteins from other organisms, which are cloned and expressed as outlined below. Thus, probe or degenerate polymerase chain reaction (PCR) primer sequences may be used to find other related CA proteins from humans or other organisms. As will be appreciated by those in the art, particularly useful probe and/or PCR primer sequences include the unique areas of the CA nucleic acid sequence. As is generally known in the art, preferred PCR primers are from about 15 to about 35 nucleotides in length, with from about 20 to about 30 being preferred,

and may contain inosine as needed. The conditions for the PCR reaction are well known in the art.

[0157] In addition, as is outlined herein, CA proteins can be made that are longer than those encoded by the nucleic acids of the figures, for example, by the elucidation of additional sequences, the addition of epitope or purification tags, the addition of other fusion sequences, etc.

[0158] CA proteins may also be identified as being encoded by CA nucleic acids. Thus, CA proteins are encoded by nucleic acids that will hybridize to the sequences of the sequence listings, or their complements, as outlined herein.

CA antigens and antibodies thereto

[0159] In one embodiment, the invention provides CA specific antibodies. In a preferred embodiment, when the CA protein is to be used to generate antibodies, for example for immunotherapy, the CA protein should share at least one epitope or determinant with the full-length protein. By "epitope" or "determinant" herein is meant a portion of a protein that will generate and/or bind an antibody or T-cell receptor in the context of MHC. Thus, in most instances, antibodies made to a smaller CA protein will be able to bind to the full-length protein. In a preferred embodiment, the epitope is unique; that is, antibodies generated to a unique epitope show little or no cross-reactivity.

[0160] Any polypeptide sequence encoded by the CA polynucleotide sequences may be analyzed to determine certain preferred regions of the polypeptide. Regions of high antigenicity are determined from data by DNASTAR analysis by choosing values that represent regions of the polypeptide that are likely to be exposed on the surface of the polypeptide in an environment in which antigen recognition may occur in the process of initiation of an immune response. For example, the amino acid sequence of a polypeptide encoded by a CA polynucleotide sequence may be analyzed using the default parameters of the DNASTAR computer algorithm (DNASTAR, Inc., Madison, Wis.; <http://www.dnastar.com/>).

[0161] Polypeptide features that may be routinely obtained using the DNASTAR computer algorithm include, but are not limited to, Garnier-Robson alpha-regions, beta-regions, turn-regions, and coil-regions (Garnier et al. *J. Mol. Biol.*, 120: 97 (1978)); Chou-Fasman alpha-regions, beta-regions, and turn-regions (*Adv. in*

Enzymol., 47:45-148 (1978)); Kyte-Doolittle hydrophilic regions and hydrophobic regions (*J. Mol. Biol.*, 157:105-132 (1982)); Eisenberg alpha- and beta-amphipathic regions; Karplus-Schulz flexible regions; Emini surface-forming regions (*J. Virol.*, 55(3):836-839 (1985)); and Jameson-Wolf regions of high antigenic index (*CABIOS*, 4(1):181-186 (1988)). Kyte-Doolittle hydrophilic regions and hydrophobic regions, Emini surface-forming regions, and Jameson-Wolf regions of high antigenic index (i.e., containing four or more contiguous amino acids having an antigenic index of greater than or equal to 1.5, as identified using the default parameters of the Jameson-Wolf program) can routinely be used to determine polypeptide regions that exhibit a high degree of potential for antigenicity. One approach for preparing antibodies to a protein is the selection and preparation of an amino acid sequence of all or part of the protein, chemically synthesizing the sequence and injecting it into an appropriate animal, typically a rabbit, hamster or a mouse. Oligopeptides can be selected as candidates for the production of an antibody to the CA protein based upon the oligopeptides lying in hydrophilic regions, which are thus likely to be exposed in the mature protein. Additional oligopeptides can be determined using, for example, the Antigenicity Index, Welling, G.W. et al., *FEBS Lett.* 188:215-218 (1985), incorporated herein by reference.

[0162] In one embodiment, the term "antibody" includes antibody fragments, as are known in the art, including Fab, Fab₂, single chain antibodies (Fv for example), chimeric antibodies, etc., either produced by the modification of whole antibodies or those synthesized de novo using recombinant DNA technologies.

[0163] Methods of preparing polyclonal antibodies are known to the skilled artisan. Polyclonal antibodies can be raised in a mammal, for example, by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include a protein encoded by a nucleic acid of the figures or fragment thereof or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Examples of adjuvants that may be employed include Freund's complete adjuvant and MPL-TDM

adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art without undue experimentation.

[0164] The antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein, *Nature*, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized *in vitro*. The immunizing agent will typically include a polypeptide encoded by a nucleic acid of Tables 1-6, or fragment thereof or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell (Goding, *Monoclonal Antibodies: Principles and Practice*, Academic Press, (1986) pp. 59-103). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

[0165] Monoclonal antibody technology is used in implementing research, diagnosis and therapy. Monoclonal antibodies are used in radioimmunoassays, enzyme-linked immunosorbent assays, immunocytopathology, and flow cytometry for *in vitro* diagnosis, and *in vivo* for diagnosis and immunotherapy of human disease.

Waldmann, T. A. (1991) *Science* 252:1657-1662. In particular, monoclonal antibodies have been widely applied to the diagnosis and therapy of cancer, wherein it is desirable to target malignant lesions while avoiding normal tissue. See, e.g., U.S. Pat.

Nos. 4,753,894 to Frankel, et al.; 4,938,948 to Ring et al.; and 4,956,453 to Bjorn et al.

[0166] In one embodiment, the antibodies are bispecific antibodies. Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. A number of "humanized" antibody molecules comprising an antigen-binding site derived from a non-human immunoglobulin have been described, including chimeric antibodies having rodent V regions and their associated CDRs fused to human constant domains (Winter et al. (1991) *Nature* 349:293-299; Lobuglio et al. (1989) *Proc. Nat. Acad. Sci. USA* 86:4220-4224; Shaw et al. (1987) *J Immunol.* 138:4534-4538; and Brown et al. (1987) *Cancer Res.* 47:3577-3583), rodent CDRs grafted into a human supporting FR prior to fusion with an appropriate human antibody constant domain (Riechmann et al. (1988) *Nature* 332:323-327; Verhoeyen et al. (1988) *Science* 239:1534-1536; and Jones et al. (1986) *Nature* 321:522-525), and rodent CDRs supported by recombinantly veneered rodent FRs (European Patent Publication No. 519,596, published Dec. 23, 1992). These "humanized" molecules are designed to minimize unwanted immunological response toward rodent antihuman antibody molecules which limits the duration and effectiveness of therapeutic applications of those moieties in human recipients. In the present case, one of the binding specificities is for a protein encoded by a nucleic acid of Tables 1-6, or a fragment thereof, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit, preferably one that is tumor specific.

[0167] In a preferred embodiment, the antibodies to CA are capable of reducing or eliminating the biological function of CA, as is described below. That is, the addition of anti-CA antibodies (either polyclonal or preferably monoclonal) to CA (or cells containing CA) may reduce or eliminate the CA activity. Generally, at least a 25% decrease in activity is preferred, with at least about 50% being particularly preferred and about a 95-100% decrease being especially preferred.

[0168] In a preferred embodiment the antibodies to the CA proteins are humanized antibodies. "Humanized" antibodies refer to a molecule having an antigen binding site that is substantially derived from an immunoglobulin from a non-human species and the remaining immunoglobulin structure of the molecule based upon the structure and/or sequence of a human immunoglobulin. The antigen binding site may comprise

either complete variable domains fused onto constant domains or only the complementarity determining regions (CDRs) grafted onto appropriate framework regions in the variable domains. Antigen binding sites may be wild type or modified by one or more amino acid substitutions, e.g., modified to resemble human immunoglobulin more closely. Alternatively, a humanized antibody may be derived from a chimeric antibody that retains or substantially retains the antigen-binding properties of the parental, non-human, antibody but which exhibits diminished immunogenicity as compared to the parental antibody when administered to humans. The phrase "chimeric antibody," as used herein, refers to an antibody containing sequence derived from two different antibodies (*see, e.g.*, U.S. Patent No. 4,816,567) that typically originate from different species. Typically, in these chimeric antibodies, the variable region of both light and heavy chains mimics the variable regions of antibodies derived from one species of mammals, while the constant portions are homologous to the sequences in antibodies derived from another. Most typically, chimeric antibodies comprise human and murine antibody fragments, generally human constant and mouse variable regions. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues form a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues that are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework residues (FR) regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones et al., *Nature*, 321:522-525 (1986); Riechmann et al., *Nature*, 332:323-329 (1988); and Presta, *Curr. Op. Struct. Biol.*, 2:593-596 (1992)). One clear advantage to such chimeric forms is that, for example, the variable regions can conveniently be derived from presently known sources using readily available hybridomas or B cells from non human host organisms in combination with constant regions derived from,

for example, human cell preparations. While the variable region has the advantage of ease of preparation, and the specificity is not affected by its source, the constant region being human, is less likely to elicit an immune response from a human subject when the antibodies are injected than would the constant region from a non-human source. However, the definition is not limited to this particular example.

[0169] Because humanized antibodies are far less immunogenic in humans than the parental mouse monoclonal antibodies, they can be used for the treatment of humans with far less risk of anaphylaxis. Thus, these antibodies may be preferred in therapeutic applications that involve *in vivo* administration to a human such as, *e.g.*, use as radiation sensitizers for the treatment of neoplastic disease or use in methods to reduce the side effects of, *e.g.*, cancer therapy. Methods for humanizing non-human antibodies are well known in the art. Generally, a humanized antibody has one or more amino acid residues introduced into it from a source that is non-human. These non-human amino acid residues are often referred to as import residues, which are typically taken from an import variable domain. Humanization can be essentially performed following the method of Winter and co-workers (Jones et al., *Nature* 321:522-525 (1986); Riechmann et al., *Nature* 332:323-327 (1988); Verhoeyen et al., *Science* 239:1534-1536 (1988)), by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non-human species. In practice, humanized antibodies are typically human antibodies in which some CDR residues and possibly some FR residues are substituted by residues from analogous sites in rodent antibodies.

[0170] Human antibodies can also be produced using various techniques known in the art, including phage display libraries [Hoogenboom and Winter, *J. Mol. Biol.*, 227:381 (1991); Marks et al., *J. Mol. Biol.*, 222:581 (1991)]. The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies [Cole et al., *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, p. 77 (1985) and Boerner et al., *J. Immunol.*, 147(1):86-95 (1991)]. Humanized antibodies may be achieved by a variety of methods including, for example: (1) grafting the non-human complementarity determining regions (CDRs) onto a human framework and constant region (a process referred to in the art as "humanizing"), or,

alternatively, (2) transplanting the entire non-human variable domains, but “cloaking” them with a human-like surface by replacement of surface residues (a process referred to in the art as “veneering”). In the present invention, humanized antibodies will include both “humanized” and “veneered” antibodies. Similarly, human antibodies can be made by introducing human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks et al., *Bio/Technology* 10, 779-783 (1992); Lonberg et al., *Nature* 368 856-859 (1994); Morrison, *Nature* 368, 812-13 (1994); Fishwild et al., *Nature Biotechnology* 14, 845-51 (1996); Neuberger, *Nature Biotechnology* 14, 826 (1996); Lonberg and Huszar, *Intern. Rev. Immunol.* 13 65-93 (1995); Jones et al., *Nature* 321:522-525 (1986); Morrison et al., *Proc. Natl. Acad. Sci. U.S.A.*, 81:6851-6855 (1984); Morrison and Oi, *Adv. Immunol.*, 44:65-92 (1988); Verhoeyer et al., *Science* 239:1534-1536 (1988); Padlan, *Molec. Immun.* 28:489-498 (1991); Padlan, *Molec. Immunol.* 31(3):169-217 (1994); and Kettleborough, C.A. et al., *Protein Eng.* 4(7):773-83 (1991) each of which is incorporated herein by reference.

[0171] The phrase “complementarity determining region” refers to amino acid sequences which together define the binding affinity and specificity of the natural Fv region of a native immunoglobulin binding site. See, e.g., Chothia et al., *J. Mol. Biol.* 196:901-917 (1987); Kabat et al., U.S. Dept. of Health and Human Services NIH Publication No. 91-3242 (1991). The phrase “constant region” refers to the portion of the antibody molecule that confers effector functions. In the present invention, mouse constant regions are substituted by human constant regions. The constant regions of the subject humanized antibodies are derived from human immunoglobulins. The heavy chain constant region can be selected from any of the five isotypes: alpha, delta, epsilon, gamma or mu. One method of humanizing antibodies comprises aligning the non-human heavy and light chain sequences to human heavy and light chain sequences, selecting and replacing the non-human framework with a human framework based on such alignment, molecular modeling to predict the conformation

of the humanized sequence and comparing to the conformation of the parent antibody. This process is followed by repeated back mutation of residues in the CDR region that disturb the structure of the CDRs until the predicted conformation of the humanized sequence model closely approximates the conformation of the non-human CDRs of the parent non-human antibody. Such humanized antibodies may be further derivatized to facilitate uptake and clearance, *e.g.* via Ashwell receptors. *See, e.g.*, U.S. Patent Nos. 5,530,101 and 5,585,089 which are incorporated herein by reference.

[0172] Humanized antibodies to CA polypeptides can also be produced using transgenic animals that are engineered to contain human immunoglobulin loci. For example, WO 98/24893 discloses transgenic animals having a human Ig locus wherein the animals do not produce functional endogenous immunoglobulins due to the inactivation of endogenous heavy and light chain loci. WO 91/10741 also discloses transgenic non-primate mammalian hosts capable of mounting an immune response to an immunogen, wherein the antibodies have primate constant and/or variable regions, and wherein the endogenous immunoglobulin-encoding loci are substituted or inactivated. WO 96/30498 discloses the use of the Cre/Lox system to modify the immunoglobulin locus in a mammal, such as to replace all or a portion of the constant or variable region to form a modified antibody molecule. WO 94/02602 discloses non-human mammalian hosts having inactivated endogenous Ig loci and functional human Ig loci. U.S. Patent No. 5,939,598 discloses methods of making transgenic mice in which the mice lack endogenous heavy chains, and express an exogenous immunoglobulin locus comprising one or more xenogeneic constant regions.

[0173] Using a transgenic animal described above, an immune response can be produced to a selected antigenic molecule, and antibody-producing cells can be removed from the animal and used to produce hybridomas that secrete human monoclonal antibodies. Immunization protocols, adjuvants, and the like are known in the art, and are used in immunization of, for example, a transgenic mouse as described in WO 96/33735. The monoclonal antibodies can be tested for the ability to inhibit or neutralize the biological activity or physiological effect of the corresponding protein.

[0174] In the present invention, CA polypeptides of the invention and variants thereof are used to immunize a transgenic animal as described above. Monoclonal antibodies are made using methods known in the art, and the specificity of the antibodies is

tested using isolated CA polypeptides. Methods for preparation of the human or primate CA or an epitope thereof include, but are not limited to chemical synthesis, recombinant DNA techniques or isolation from biological samples. Chemical synthesis of a peptide can be performed, for example, by the classical Merrifield method of solid phase peptide synthesis (Merrifield, *J. Am. Chem. Soc.* 85:2149, 1963 which is incorporated by reference) or the Fmoc strategy on a Rapid Automated Multiple Peptide Synthesis system (E. I. du Pont de Nemours Company, Wilmington, DE) (Caprino and Han, *J. Org. Chem.* 37:3404, 1972 which is incorporated by reference).

[0175] Polyclonal antibodies can be prepared by immunizing rabbits or other animals by injecting antigen followed by subsequent boosts at appropriate intervals. The animals are bled and sera assayed against purified CA proteins usually by ELISA or by bioassay based upon the ability to block the action of CA proteins. When using avian species, e.g., chicken, turkey and the like, the antibody can be isolated from the yolk of the egg. Monoclonal antibodies can be prepared after the method of Milstein and Kohler by fusing splenocytes from immunized mice with continuously replicating tumor cells such as myeloma or lymphoma cells. (Milstein and Kohler, *Nature* 256:495-497, 1975; Gutfre and Milstein, *Methods in Enzymology: Immunochemical Techniques* 73:1-46, Langone and Banatis eds., Academic Press, 1981 which are incorporated by reference). The hybridoma cells so formed are then cloned by limiting dilution methods and supernates assayed for antibody production by ELISA, RIA or bioassay.

[0176] The unique ability of antibodies to recognize and specifically bind to target proteins provides an approach for treating an overexpression of the protein. Thus, another aspect of the present invention provides for a method for preventing or treating diseases involving overexpression of a CA polypeptide by treatment of a patient with specific antibodies to the CA protein.

[0177] Specific antibodies, either polyclonal or monoclonal, to the CA proteins can be produced by any suitable method known in the art as discussed above. For example, murine or human monoclonal antibodies can be produced by hybridoma technology or, alternatively, the CA proteins, or an immunologically active fragment thereof, or an anti-idiotypic antibody, or fragment thereof can be administered to an animal to elicit the production of antibodies capable of recognizing and binding to the

CA proteins. Such antibodies can be from any class of antibodies including, but not limited to IgG, IgA, IgM, IgD, and IgE or in the case of avian species, IgY and from any subclass of antibodies.

[0178] By immunotherapy is meant treatment of a cancer with an antibody raised against a CA protein. As used herein, immunotherapy can be passive or active. Passive immunotherapy as defined herein is the passive transfer of antibody to a recipient (patient). Active immunization is the induction of antibody and/or T-cell responses in a recipient (patient). Induction of an immune response is the result of providing the recipient with an antigen to which antibodies are raised. As appreciated by one of ordinary skill in the art, the antigen may be provided by injecting a polypeptide against which antibodies are desired to be raised into a recipient, or contacting the recipient with a nucleic acid capable of expressing the antigen and under conditions for expression of the antigen.

[0179] In a preferred embodiment, oncogenes which encode secreted growth factors may be inhibited by raising antibodies against CA proteins that are secreted proteins as described above. Without being bound by theory, antibodies used for treatment, bind and prevent the secreted protein from binding to its receptor, thereby inactivating the secreted CA protein.

[0180] In another preferred embodiment, the CA protein to which antibodies are raised is a transmembrane protein. Without being bound by theory, antibodies used for treatment, bind the extracellular domain of the CA protein and prevent it from binding to other proteins, such as circulating ligands or cell-associated molecules. The antibody may cause down-regulation of the transmembrane CA protein. As will be appreciated by one of ordinary skill in the art, the antibody may be a competitive, non-competitive or uncompetitive inhibitor of protein binding to the extracellular domain of the CA protein. The antibody is also an antagonist of the CA protein. Further, the antibody prevents activation of the transmembrane CA protein. In one aspect, when the antibody prevents the binding of other molecules to the CA protein, the antibody prevents growth of the cell. The antibody may also sensitize the cell to cytotoxic agents, including, but not limited to TNF- α , TNF- β , IL-1, INF- γ and IL-2, or chemotherapeutic agents including 5FU, vinblastine, actinomycin D, cisplatin, methotrexate, and the like. In some instances the antibody belongs to a sub-type that activates serum complement when complexed with the transmembrane protein

thereby mediating cytotoxicity. Thus, cancers may be treated by administering to a patient antibodies directed against the transmembrane CA protein.

[0181] In another preferred embodiment, the antibody is conjugated to a therapeutic moiety. In one aspect the therapeutic moiety is a small molecule that modulates the activity of the CA protein. In another aspect the therapeutic moiety modulates the activity of molecules associated with or in close proximity to the CA protein. The therapeutic moiety may inhibit enzymatic activity such as protease or protein kinase activity associated with cancer.

[0182] In a preferred embodiment, the therapeutic moiety may also be a cytotoxic agent. In this method, radioisotopes, natural toxins, chemotherapy agents, or other substances (such as biological response modifiers) are chemically linked or conjugated to a monoclonal antibody to form "immunoconjugates" and "immunotoxins" which target the cytotoxic agent to tumor tissue or cells resulting in a reduction in the number of afflicted cells, thereby reducing symptoms associated with cancers, including lymphoma. Cytotoxic agents are numerous and varied and include, but are not limited to, cytotoxic drugs or toxins or active fragments of such toxins. Suitable toxins and their corresponding fragments include diphtheria A chain, exotoxin A chain, ricin A chain, abrin A chain, curcin, crotin, phenomycin, enomycin and the like. Cytotoxic agents also include radiochemicals made by conjugating radioisotopes to antibodies raised against CA proteins, or binding of a radionuclide to a chelating agent that has been covalently attached to the antibody. Targeting the therapeutic moiety to transmembrane CA proteins not only serves to increase the local concentration of therapeutic moiety in the cancer of interest, i.e., lymphoma, but also serves to reduce deleterious side effects that may be associated with the therapeutic moiety. A number of investigators have used monoclonal antibodies as carriers of cytotoxic substances in attempts to selectively direct those agents to malignant tissue. More particularly, a number of monoclonal antibodies have been conjugated to toxins such as ricin, abrin, diphtheria toxin and *Pseudomonas* exotoxin or to enzymatically active portions (A chains) thereof via heterobifunctional agents. See, e.g., U.S. Pat. No. 4,753,894 to Frankel et al.; Nevelle, et al. (1982) *Immunol Rev* 62:75-91; Ross et al. (1980) *Eur. J Biochem* 104; Vitteta et al. (1982) *Immunol Rev* 62:158-183; Raso et al. (1982) *Cancer Res* 42:457-464, and Trowbridge et al. (1981) *Nature* 294:171-173.

[0183] In another preferred embodiment, the CA protein against which the antibodies are raised is an intracellular protein. In this case, the antibody may be conjugated to a protein that facilitates entry into the cell. In one case, the antibody enters the cell by endocytosis. In another embodiment, a nucleic acid encoding the antibody is administered to the individual or cell. Moreover, wherein the CA protein can be targeted within a cell, e.g., the nucleus, an antibody thereto contains a signal for that target localization, e.g., a nuclear localization signal.

[0184] The CA antibodies of the invention specifically bind to CA proteins. By "specifically bind" herein is meant that the antibodies bind to the protein with a binding constant in the range of 10^{-4} - 10^{-6} M⁻¹, with a preferred range being 10^{-7} - 10^{-9} M⁻¹.

[0185] In a preferred embodiment, the CA protein is purified or isolated after expression. CA proteins may be isolated or purified in a variety of ways known to those skilled in the art depending on what other components are present in the sample. Standard purification methods include electrophoretic, molecular, immunological and chromatographic techniques, including ion exchange, hydrophobic, affinity, and reverse-phase HPLC chromatography, and chromatofocusing. For example, the CA protein may be purified using a standard anti-CA antibody column. Ultrafiltration and diafiltration techniques, in conjunction with protein concentration, are also useful. For general guidance in suitable purification techniques, see Scopes, R., Protein Purification, Springer-Verlag, NY (1982). The degree of purification necessary will vary depending on the use of the CA protein. In some instances no purification will be necessary.

Detection of cancer phenotype

[0186] Once expressed and purified if necessary, the CA proteins and nucleic acids are useful in a number of applications. In one aspect, the expression levels of genes are determined for different cellular states in the cancer phenotype; that is, the expression levels of genes in normal tissue and in cancer tissue (and in some cases, for varying severities of lymphoma that relate to prognosis, as outlined below) are evaluated to provide expression profiles. An expression profile of a particular cell state or point of development is essentially a "fingerprint" of the state; while two states may have any particular gene similarly expressed, the evaluation of a number of

genes simultaneously allows the generation of a gene expression profile that is unique to the state of the cell. By comparing expression profiles of cells in different states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained. Then, diagnosis may be done or confirmed: does tissue from a particular patient have the gene expression profile of normal or cancer tissue.

[0187] "Differential expression," or equivalents used herein, refers to both qualitative as well as quantitative differences in the temporal and/or cellular expression patterns of genes, within and among the cells. Thus, a differentially expressed gene can qualitatively have its expression altered, including an activation or inactivation, in, for example, normal versus cancer tissue. That is, genes may be turned on or turned off in a particular state, relative to another state. As is apparent to the skilled artisan, any comparison of two or more states can be made. Such a qualitatively regulated gene will exhibit an expression pattern within a state or cell type which is detectable by standard techniques in one such state or cell type, but is not detectable in both. Alternatively, the determination is quantitative in that expression is increased or decreased; that is, the expression of the gene is either up-regulated, resulting in an increased amount of transcript, or down-regulated, resulting in a decreased amount of transcript. The degree to which expression differs need only be large enough to quantify via standard characterization techniques as outlined below, such as by use of Affymetrix GeneChip® expression arrays, Lockhart, Nature Biotechnology, 14:1675-1680 (1996), hereby expressly incorporated by reference. Other techniques include, but are not limited to, quantitative reverse transcriptase PCR, Northern analysis and RNase protection. As outlined above, preferably the change in expression (i.e. upregulation or downregulation) is at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably, at least about 200%, with from 300 to at least 1000% being especially preferred.

[0188] As will be appreciated by those in the art, this may be done by evaluation at either the gene transcript, or the protein level; that is, the amount of gene expression may be monitored using nucleic acid probes to the DNA or RNA equivalent of the gene transcript, and the quantification of gene expression levels, or, alternatively, the final gene product itself (protein) can be monitored, for example through the use of antibodies to the CA protein and standard immunoassays (ELISAs, etc.) or other

techniques, including mass spectroscopy assays, 2D gel electrophoresis assays, etc. Thus, the proteins corresponding to CA genes, i.e. those identified as being important in a particular cancer phenotype, i.e., lymphoma, can be evaluated in a diagnostic test specific for that cancer.

[0189] In a preferred embodiment, gene expression monitoring is done and a number of genes, i.e. an expression profile, is monitored simultaneously, although multiple protein expression monitoring can be done as well. Similarly, these assays may be done on an individual basis as well.

[0190] In this embodiment, the CA nucleic acid probes may be attached to biochips as outlined herein for the detection and quantification of CA sequences in a particular cell. The assays are done as is known in the art. As will be appreciated by those in the art, any number of different CA sequences may be used as probes, with single sequence assays being used in some cases, and a plurality of the sequences described herein being used in other embodiments. In addition, while solid-phase assays are described, any number of solution based assays may be done as well.

[0191] In a preferred embodiment, both solid and solution based assays may be used to detect CA sequences that are up-regulated or down-regulated in cancers as compared to normal tissue. In instances where the CA sequence has been altered but shows the same expression profile or an altered expression profile, the protein will be detected as outlined herein.

[0192] In a preferred embodiment nucleic acids encoding the CA protein are detected. Although DNA or RNA encoding the CA protein may be detected, of particular interest are methods wherein the mRNA encoding a CA protein is detected. The presence of mRNA in a sample is an indication that the CA gene has been transcribed to form the mRNA, and suggests that the protein is expressed. Probes to detect the mRNA can be any nucleotide/deoxynucleotide probe that is complementary to and base pairs with the mRNA and includes but is not limited to oligonucleotides, cDNA or RNA. Probes also should contain a detectable label, as defined herein. In one method the mRNA is detected after immobilizing the nucleic acid to be examined on a solid support such as nylon membranes and hybridizing the probe with the sample. Following washing to remove the non-specifically bound probe, the label is detected. In another method detection of the mRNA is performed *in situ*. In this method

permeabilized cells or tissue samples are contacted with a detectably labeled nucleic acid probe for sufficient time to allow the probe to hybridize with the target mRNA. Following washing to remove the non-specifically bound probe, the label is detected. For example a digoxigenin labeled riboprobe (RNA probe) that is complementary to the mRNA encoding a CA protein is detected by binding the digoxigenin with an anti-digoxigenin secondary antibody and developed with nitro blue tetrazolium and 5-bromo-4-chloro-3-indoyl phosphate.

[0193] In a preferred embodiment, any of the three classes of proteins as described herein (secreted, transmembrane or intracellular proteins) are used in diagnostic assays. The CA proteins, antibodies, nucleic acids, modified proteins and cells containing CA sequences are used in diagnostic assays. This can be done on an individual gene or corresponding polypeptide level, or as sets of assays.

[0194] As described and defined herein, CA proteins find use as markers of cancers, including lymphomas such as, but not limited to, Hodgkin's and non-Hodgkin's lymphoma. Detection of these proteins in putative cancer tissue or patients allows for a determination or diagnosis of the type of cancer. Numerous methods known to those of ordinary skill in the art find use in detecting cancers. In one embodiment, antibodies are used to detect CA proteins. A preferred method separates proteins from a sample or patient by electrophoresis on a gel (typically a denaturing and reducing protein gel, but may be any other type of gel including isoelectric focusing gels and the like). Following separation of proteins, the CA protein is detected by immunoblotting with antibodies raised against the CA protein. Methods of immunoblotting are well known to those of ordinary skill in the art.

[0195] In another preferred method, antibodies to the CA protein find use in *in situ* imaging techniques. In this method cells are contacted with from one to many antibodies to the CA protein(s). Following washing to remove non-specific antibody binding, the presence of the antibody or antibodies is detected. In one embodiment the antibody is detected by incubating with a secondary antibody that contains a detectable label. In another method the primary antibody to the CA protein(s) contains a detectable label. In another preferred embodiment each one of multiple primary antibodies contains a distinct and detectable label. This method finds particular use in simultaneous screening for a plurality of CA proteins. As will be appreciated by one

of ordinary skill in the art, numerous other histological imaging techniques are useful in the invention.

[0196] In a preferred embodiment the label is detected in a fluorometer that has the ability to detect and distinguish emissions of different wavelengths. In addition, a fluorescence activated cell sorter (FACS) can be used in the method.

[0197] In another preferred embodiment, antibodies find use in diagnosing cancers from blood samples. As previously described, certain CA proteins are secreted/circulating molecules. Blood samples, therefore, are useful as samples to be probed or tested for the presence of secreted CA proteins. Antibodies can be used to detect the CA proteins by any of the previously described immunoassay techniques including ELISA, immunoblotting (Western blotting), immunoprecipitation, BIACORE technology and the like, as will be appreciated by one of ordinary skill in the art.

[0198] In a preferred embodiment, *in situ* hybridization of labeled CA nucleic acid probes to tissue arrays is done. For example, arrays of tissue samples, including CA tissue and/or normal tissue, are made. *In situ* hybridization as is known in the art can then be done.

[0199] It is understood that when comparing the expression fingerprints between an individual and a standard, the skilled artisan can make a diagnosis as well as a prognosis. It is further understood that the genes that indicate diagnosis may differ from those that indicate prognosis.

[0200] In a preferred embodiment, the CA proteins, antibodies, nucleic acids, modified proteins and cells containing CA sequences are used in prognosis assays. As above, gene expression profiles can be generated that correlate to cancer, especially lymphoma, severity, in terms of long term prognosis. Again, this may be done on either a protein or gene level, with the use of genes being preferred. As above, the CA probes are attached to biochips for the detection and quantification of CA sequences in a tissue or patient. The assays proceed as outlined for diagnosis.

Screening for CA-Targeted Drugs

[0201] In one embodiment, any of the CA sequences as described herein are used in drug screening assays. The CA proteins, antibodies, nucleic acids, modified proteins

and cells containing CA sequences are used in drug screening assays or by evaluating the effect of drug candidates on a “gene expression profile” or expression profile of polypeptides. In one embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, Zlokarnik, et al., Science 279, 84-8 (1998), Heid, et al., Genome Res., 6:986-994 (1996).

[0202] In another embodiment, the CA proteins, antibodies, nucleic acids, modified proteins and cells containing the native or modified CA proteins are used in screening assays. That is, the present invention provides novel methods for screening for compositions that modulate the cancer phenotype. As above, this can be done by screening for modulators of gene expression or for modulators of protein activity. Similarly, this may be done on an individual gene or protein level or by evaluating the effect of drug candidates on a “gene expression profile”. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, see Zlokarnik, supra.

[0203] Having identified the CA genes herein, a variety of assays to evaluate the effects of agents on gene expression may be executed. In a preferred embodiment, assays may be run on an individual gene or protein level. That is, having identified a particular gene as aberrantly regulated in cancer, candidate bioactive agents may be screened to modulate the gene's regulation. “Modulation” thus includes both an increase and a decrease in gene expression or activity. The preferred amount of modulation will depend on the original change of the gene expression in normal versus tumor tissue, with changes of at least 10%, preferably 50%, more preferably 100-300%, and in some embodiments 300-1000% or greater. Thus, if a gene exhibits a 4 fold increase in tumor compared to normal tissue, a decrease of about four fold is desired; a 10 fold decrease in tumor compared to normal tissue gives a 10 fold increase in expression for a candidate agent is desired, etc. Alternatively, where the CA sequence has been altered but shows the same expression profile or an altered expression profile, the protein will be detected as outlined herein.

[0204] As will be appreciated by those in the art, this may be done by evaluation at either the gene or the protein level; that is, the amount of gene expression may be monitored using nucleic acid probes and the quantification of gene expression levels,

or, alternatively, the level of the gene product itself can be monitored, for example through the use of antibodies to the CA protein and standard immunoassays. Alternatively, binding and bioactivity assays with the protein may be done as outlined below.

[0205] In a preferred embodiment, gene expression monitoring is done and a number of genes, i.e. an expression profile, is monitored simultaneously, although multiple protein expression monitoring can be done as well.

[0206] In this embodiment, the CA nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of CA sequences in a particular cell. The assays are further described below.

[0207] Generally, in a preferred embodiment, a candidate bioactive agent is added to the cells prior to analysis. Moreover, screens are provided to identify a candidate bioactive agent that modulates a particular type of cancer, modulates CA proteins, binds to a CA protein, or interferes between the binding of a CA protein and an antibody.

[0208] The term "candidate bioactive agent" or "drug candidate" or grammatical equivalents as used herein describes any molecule, e.g., protein, oligopeptide, small organic or inorganic molecule, polysaccharide, polynucleotide, etc., to be tested for bioactive agents that are capable of directly or indirectly altering either the cancer phenotype, binding to and/or modulating the bioactivity of a CA protein, or the expression of a CA sequence, including both nucleic acid sequences and protein sequences. In a particularly preferred embodiment, the candidate agent suppresses a CA phenotype, for example to a normal tissue fingerprint. Similarly, the candidate agent preferably suppresses a severe CA phenotype. Generally a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration or below the level of detection.

[0209] In one aspect, a candidate agent will neutralize the effect of a CA protein. By "neutralize" is meant that activity of a protein is either inhibited or counter acted against so as to have substantially no effect on a cell.

[0210] Candidate agents encompass numerous chemical classes, though typically they are organic or inorganic molecules, preferably small organic compounds having a

molecular weight of more than 100 and less than about 2,500 Daltons. Preferred small molecules are less than 2000, or less than 1500 or less than 1000 or less than 500 D. Candidate agents comprise functional groups necessary for structural interaction with proteins, particularly hydrogen bonding, and typically include at least an amine, carbonyl, hydroxyl or carboxyl group, preferably at least two of the functional chemical groups. The candidate agents often comprise cyclical carbon or heterocyclic structures and/or aromatic or polyaromatic structures substituted with one or more of the above functional groups. Candidate agents are also found among biomolecules including peptides, saccharides, fatty acids, steroids, purines, pyrimidines, derivatives, structural analogs or combinations thereof. Particularly preferred are peptides.

[0211] Candidate agents are obtained from a wide variety of sources including libraries of synthetic or natural compounds. For example, numerous means are available for random and directed synthesis of a wide variety of organic compounds and biomolecules, including expression of randomized oligonucleotides.

Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant and animal extracts are available or readily produced. Additionally, natural or synthetically produced libraries and compounds are readily modified through conventional chemical, physical and biochemical means. Known pharmacological agents may be subjected to directed or random chemical modifications, such as acylation, alkylation, esterification, or amidification to produce structural analogs.

[0212] In one embodiment, the candidate bioactive agents are proteins. By "protein" herein is meant at least two covalently attached amino acids, which includes proteins, polypeptides, oligopeptides and peptides. The protein may be made up of naturally occurring amino acids and peptide bonds, or synthetic peptidomimetic structures. Thus "amino acid", or "peptide residue", as used herein means both naturally occurring and synthetic amino acids. For example, homo-phenylalanine, citrulline and norleucine are considered amino acids for the purposes of the invention. "Amino acid" also includes imino acid residues such as proline and hydroxyproline. The side chains may be in either the (R) or the (S) configuration. In the preferred embodiment, the amino acids are in the (S) or L-configuration. If non-naturally occurring side chains are used, non-amino acid substituents may be used, for example to prevent or retard in vivo degradations.

[0213] In a preferred embodiment, the candidate bioactive agents are naturally occurring proteins or fragments of naturally occurring proteins. Thus, for example, cellular extracts containing proteins, or random or directed digests of proteinaceous cellular extracts, may be used. In this way libraries of prokaryotic and eukaryotic proteins may be made for screening in the methods of the invention. Particularly preferred in this embodiment are libraries of bacterial, fungal, viral, and mammalian proteins, with the latter being preferred, and human proteins being especially preferred.

[0214] In another preferred embodiment, the candidate bioactive agents are peptides of from about 5 to about 30 amino acids, with from about 5 to about 20 amino acids being preferred, and from about 7 to about 15 being particularly preferred. The peptides may be digests of naturally occurring proteins as is outlined above, random peptides, or “biased” random peptides. By “randomized” or grammatical equivalents herein is meant that each nucleic acid and peptide consists of essentially random nucleotides and amino acids, respectively. Since generally these random peptides (or nucleic acids, discussed below) are chemically synthesized, they may incorporate any nucleotide or amino acid at any position. The synthetic process can be designed to generate randomized proteins or nucleic acids, to allow the formation of all or most of the possible combinations over the length of the sequence, thus forming a library of randomized candidate bioactive proteinaceous agents.

[0215] In one embodiment, the library is fully randomized, with no sequence preferences or constants at any position. In a preferred embodiment, the library is biased. That is, some positions within the sequence are either held constant, or are selected from a limited number of possibilities. For example, in a preferred embodiment, the nucleotides or amino acid residues are randomized within a defined class, for example, of hydrophobic amino acids, hydrophilic residues, sterically biased (either small or large) residues, towards the creation of nucleic acid binding domains, the creation of cysteines, for cross-linking, prolines for SH-3 domains, serines, threonines, tyrosines or histidines for phosphorylation sites, etc., or to purines, etc.

[0216] In one embodiment, the candidate bioactive agents are nucleic acids. As described generally for proteins, nucleic acid candidate bioactive agents may be naturally occurring nucleic acids, random nucleic acids, or “biased” random nucleic

acids. In another embodiment, the candidate bioactive agents are organic chemical moieties, a wide variety of which are available in the literature.

[0217] In assays for testing alteration of the expression profile of one or more CA genes, after the candidate agent has been added and the cells allowed to incubate for some period of time, a nucleic acid sample containing the target sequences to be analyzed is prepared. The target sequence is prepared using known techniques (e.g., converted from RNA to labeled cDNA, as described above) and added to a suitable microarray. For example, an *in vitro* reverse transcription with labels covalently attached to the nucleosides is performed. Generally, the nucleic acids are labeled with a label as defined herein, especially with biotin-FITC or PE, Cy3 and Cy5.

[0218] As will be appreciated by those in the art, these assays can be direct hybridization assays or can comprise “sandwich assays”, which include the use of multiple probes, as is generally outlined in U.S. Patent Nos. 5,681,702, 5,597,909, 5,545,730, 5,594,117, 5,591,584, 5,571,670, 5,580,731, 5,571,670, 5,591,584, 5,624,802, 5,635,352, 5,594,118, 5,359,100, 5,124,246 and 5,681,697, all of which are hereby incorporated by reference. In this embodiment, in general, the target nucleic acid is prepared as outlined above, and then added to the biochip comprising a plurality of nucleic acid probes, under conditions that allow the formation of a hybridization complex.

[0219] A variety of hybridization conditions may be used in the present invention, including high, moderate and low stringency conditions as outlined above. The assays are generally run under stringency conditions that allow formation of the label probe hybridization complex only in the presence of target. Stringency can be controlled by altering a step parameter that is a thermodynamic variable, including, but not limited to, temperature, formamide concentration, salt concentration, chaotropic salt concentration, pH, organic solvent concentration, etc. These parameters may also be used to control non-specific binding, as is generally outlined in U.S. Patent No. 5,681,697. Thus it may be desirable to perform certain steps at higher stringency conditions to reduce non-specific binding.

[0220] The reactions outlined herein may be accomplished in a variety of ways, as will be appreciated by those in the art. Components of the reaction may be added simultaneously, or sequentially, in any order, with preferred embodiments outlined

below. In addition, the reaction may include a variety of other reagents in the assays. These include reagents like salts, buffers, neutral proteins, e.g. albumin, detergents, etc which may be used to facilitate optimal hybridization and detection, and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used, depending on the sample preparation methods and purity of the target. In addition, either solid phase or solution based (i.e., kinetic PCR) assays may be used.

[0221] Once the assay is run, the data are analyzed to determine the expression levels, and changes in expression levels as between states, of individual genes, forming a gene expression profile.

[0222] In a preferred embodiment, as for the diagnosis and prognosis applications, having identified the differentially expressed gene(s) or mutated gene(s) important in any one state, screens can be run to test for alteration of the expression of the CA genes individually. That is, screening for modulation of regulation of expression of a single gene can be done. Thus, for example, in the case of target genes whose presence or absence is unique between two states, screening is done for modulators of the target gene expression.

[0223] In addition, screens can be done for novel genes that are induced in response to a candidate agent. After identifying a candidate agent based upon its ability to suppress a CA expression pattern leading to a normal expression pattern, or modulate a single CA gene expression profile so as to mimic the expression of the gene from normal tissue, a screen as described above can be performed to identify genes that are specifically modulated in response to the agent. Comparing expression profiles between normal tissue and agent treated CA tissue reveals genes that are not expressed in normal tissue or CA tissue, but are expressed in agent treated tissue. These agent specific sequences can be identified and used by any of the methods described herein for CA genes or proteins. In particular these sequences and the proteins they encode find use in marking or identifying agent-treated cells. In addition, antibodies can be raised against the agent-induced proteins and used to target novel therapeutics to the treated CA tissue sample.

[0224] Thus, in one embodiment, a candidate agent is administered to a population of CA cells, that thus has an associated CA expression profile. By “administration” or “contacting” herein is meant that the candidate agent is added to the cells in such a manner as to allow the agent to act upon the cell, whether by uptake and intracellular action, or by action at the cell surface. In some embodiments, nucleic acid encoding a proteinaceous candidate agent (i.e. a peptide) may be put into a viral construct such as a retroviral construct and added to the cell, such that expression of the peptide agent is accomplished; see PCT US97/01019, hereby expressly incorporated by reference.

[0225] Once the candidate agent has been administered to the cells, the cells can be washed if desired and are allowed to incubate under preferably physiological conditions for some period of time. The cells are then harvested and a new gene expression profile is generated, as outlined herein.

[0226] Thus, for example, CA tissue may be screened for agents that reduce or suppress the CA phenotype. A change in at least one gene of the expression profile indicates that the agent has an effect on CA activity. By defining such a signature for the CA phenotype, screens for new drugs that alter the phenotype can be devised. With this approach, the drug target need not be known and need not be represented in the original expression screening platform, nor does the level of transcript for the target protein need to change.

[0227] In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of either the expression of the gene or the gene product itself can be done. The gene products of differentially expressed genes are sometimes referred to herein as “CA proteins” or “CAP”. The CAP may be a fragment, or alternatively, be the full-length protein to the fragment encoded by the nucleic acids of Tables 1-6. In a preferred embodiment, the CAP is selected from the human protein sequences shown in Tables 1-6 embodiment, the sequences are sequence variants as further described herein.

[0228] Preferably, the CAP is a fragment approximately 14 to 24 amino acids in length. More preferably the fragment is a soluble fragment. Preferably, the fragment includes a non-transmembrane region. In a preferred embodiment, the fragment has

an N-terminal Cys to aid in solubility. In one embodiment, the C-terminus of the fragment is kept as a free acid and the N-terminus is a free amine to aid in coupling, e.g., to a cysteine.

[0229] In one embodiment the CA proteins are conjugated to an immunogenic agent as discussed herein. In one embodiment the CA protein is conjugated to BSA.

[0230] In a preferred embodiment, screening is done to alter the biological function of the expression product of the CA gene. Again, having identified the importance of a gene in a particular state, screening for agents that bind and/or modulate the biological activity of the gene product can be run as is more fully outlined below.

[0231] In a preferred embodiment, screens are designed to first find candidate agents that can bind to CA proteins, and then these agents may be used in assays that evaluate the ability of the candidate agent to modulate the CAP activity and the cancer phenotype. Thus, as will be appreciated by those in the art, there are a number of different assays that may be run; binding assays and activity assays.

[0232] In a preferred embodiment, binding assays are done. In general, purified or isolated gene product is used; that is, the gene products of one or more CA nucleic acids are made. In general, this is done as is known in the art. For example, antibodies are generated to the protein gene products, and standard immunoassays are run to determine the amount of protein present. Alternatively, cells comprising the CA proteins can be used in the assays.

[0233] Thus, in a preferred embodiment, the methods comprise combining a CA protein and a candidate bioactive agent, and determining the binding of the candidate agent to the CA protein. Preferred embodiments utilize the human or mouse CA protein, although other mammalian proteins may also be used, for example for the development of animal models of human disease. In some embodiments, as outlined herein, variant or derivative CA proteins may be used.

[0234] Generally, in a preferred embodiment of the methods herein, the CA protein or the candidate agent is non-diffusably bound to an insoluble support having isolated sample receiving areas (e.g. a microtiter plate, an array, etc.). The insoluble support may be made of any composition to which the compositions can be bound, is readily separated from soluble material, and is otherwise compatible with the overall method of screening. The surface of such supports may be solid or porous and of any

convenient shape. Examples of suitable insoluble supports include microtiter plates, arrays, membranes and beads. These are typically made of glass, plastic (e.g., polystyrene), polysaccharides, nylon or nitrocellulose, Teflon®, etc. Microtiter plates and arrays are especially convenient because a large number of assays can be carried out simultaneously, using small amounts of reagents and samples.

[0235] The particular manner of binding of the composition is not crucial so long as it is compatible with the reagents and overall methods of the invention, maintains the activity of the composition and is nondiffusible. Preferred methods of binding include the use of antibodies (which do not sterically block either the ligand binding site or activation sequence when the protein is bound to the support), direct binding to “sticky” or ionic supports, chemical crosslinking, the synthesis of the protein or agent on the surface, etc. Following binding of the protein or agent, excess unbound material is removed by washing. The sample receiving areas may then be blocked through incubation with bovine serum albumin (BSA), casein or other innocuous protein or other moiety.

[0236] In a preferred embodiment, the CA protein is bound to the support, and a candidate bioactive agent is added to the assay. Alternatively, the candidate agent is bound to the support and the CA protein is added. Novel binding agents include specific antibodies, non-natural binding agents identified in screens of chemical libraries, peptide analogs, etc. Of particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including labeled *in vitro* protein-protein binding assays, electrophoretic mobility shift assays, immunoassays for protein binding, functional assays (phosphorylation assays, etc.) and the like.

[0237] The determination of the binding of the candidate bioactive agent to the CA protein may be done in a number of ways. In a preferred embodiment, the candidate bioactive agent is labeled, and binding determined directly. For example, this may be done by attaching all or a portion of the CA protein to a solid support, adding a labeled candidate agent (for example a fluorescent label), washing off excess reagent, and determining whether the label is present on the solid support. Various blocking and washing steps may be utilized as is known in the art.

[0238] By “labeled” herein is meant that the compound is either directly or indirectly labeled with a label which provides a detectable signal, e.g. radioisotope, fluorescers, enzyme, antibodies, particles such as magnetic particles, chemiluminescers, or specific binding molecules, etc. Specific binding molecules include pairs, such as biotin and streptavidin, digoxin and antidigoxin etc. For the specific binding members, the complementary member would normally be labeled with a molecule which provides for detection, in accordance with known procedures, as outlined above. The label can directly or indirectly provide a detectable signal.

[0239] In some embodiments, only one of the components is labeled. For example, the proteins (or proteinaceous candidate agents) may be labeled at tyrosine positions using ^{125}I , or with fluorophores. Alternatively, more than one component may be labeled with different labels; using ^{125}I for the proteins, for example, and a fluorophore for the candidate agents.

[0240] In a preferred embodiment, the binding of the candidate bioactive agent is determined through the use of competitive binding assays. In this embodiment, the competitor is a binding moiety known to bind to the target molecule (i.e. CA protein), such as an antibody, peptide, binding partner, ligand, etc. Under certain circumstances, there may be competitive binding as between the bioactive agent and the binding moiety, with the binding moiety displacing the bioactive agent.

[0241] In one embodiment, the candidate bioactive agent is labeled. Either the candidate bioactive agent, or the competitor, or both, is added first to the protein for a time sufficient to allow binding, if present. Incubations may be performed at any temperature which facilitates optimal activity, typically between 4 and 40° C. Incubation periods are selected for optimum activity, but may also be optimized to facilitate rapid high throughput screening. Typically between 0.1 and 1 hour will be sufficient. Excess reagent is generally removed or washed away. The second component is then added, and the presence or absence of the labeled component is followed, to indicate binding.

[0242] In a preferred embodiment, the competitor is added first, followed by the candidate bioactive agent. Displacement of the competitor is an indication that the candidate bioactive agent is binding to the CA protein and thus is capable of binding to, and potentially modulating, the activity of the CA protein. In this embodiment,

either component can be labeled. Thus, for example, if the competitor is labeled, the presence of label in the wash solution indicates displacement by the agent.

Alternatively, if the candidate bioactive agent is labeled, the presence of the label on the support indicates displacement.

[0243] In an alternative embodiment, the candidate bioactive agent is added first, with incubation and washing, followed by the competitor. The absence of binding by the competitor may indicate that the bioactive agent is bound to the CA protein with a higher affinity. Thus, if the candidate bioactive agent is labeled, the presence of the label on the support, coupled with a lack of competitor binding, may indicate that the candidate agent is capable of binding to the CA protein.

[0244] In a preferred embodiment, the methods comprise differential screening to identify bioactive agents that are capable of modulating the activity of the CA proteins. In this embodiment, the methods comprise combining a CA protein and a competitor in a first sample. A second sample comprises a candidate bioactive agent, a CA protein and a competitor. The binding of the competitor is determined for both samples, and a change, or difference in binding between the two samples indicates the presence of an agent capable of binding to the CA protein and potentially modulating its activity. That is, if the binding of the competitor is different in the second sample relative to the first sample, the agent is capable of binding to the CA protein.

[0245] Alternatively, a preferred embodiment utilizes differential screening to identify drug candidates that bind to the native CA protein, but cannot bind to modified CA proteins. The structure of the CA protein may be modeled, and used in rational drug design to synthesize agents that interact with that site. Drug candidates that affect CA bioactivity are also identified by screening drugs for the ability to either enhance or reduce the activity of the protein.

[0246] Positive controls and negative controls may be used in the assays. Preferably all control and test samples are performed in at least triplicate to obtain statistically significant results. Incubation of all samples is for a time sufficient for the binding of the agent to the protein. Following incubation, all samples are washed free of non-specifically bound material and the amount of bound, generally labeled agent determined. For example, where a radiolabel is employed, the samples may be counted in a scintillation counter to determine the amount of bound compound.

[0247] A variety of other reagents may be included in the screening assays. These include reagents like salts, neutral proteins, e.g. albumin, detergents, etc which may be used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used. The mixture of components may be added in any order that provides for the requisite binding.

[0248] Screening for agents that modulate the activity of CA proteins may also be done. In a preferred embodiment, methods for screening for a bioactive agent capable of modulating the activity of CA proteins comprise the steps of adding a candidate bioactive agent to a sample of CA proteins, as above, and determining an alteration in the biological activity of CA proteins. "Modulating the activity of a CA protein" includes an increase in activity, a decrease in activity, or a change in the type or kind of activity present. Thus, in this embodiment, the candidate agent should both bind to CA proteins (although this may not be necessary), and alter its biological or biochemical activity as defined herein. The methods include both *in vitro* screening methods, as are generally outlined above, and *in vivo* screening of cells for alterations in the presence, distribution, activity or amount of CA proteins.

[0249] Thus, in this embodiment, the methods comprise combining a CA sample and a candidate bioactive agent, and evaluating the effect on CA activity. By "CA activity" or grammatical equivalents herein is meant one of the CA protein's biological activities, including, but not limited to, its role in tumorigenesis, including cell division, preferably in lymphatic tissue, cell proliferation, tumor growth and transformation of cells. In one embodiment, CA activity includes activation of or by a protein encoded by a nucleic acid of Tables 1-6. An inhibitor of CA activity is the inhibition of any one or more CA activities.

[0250] In a preferred embodiment, the activity of the CA protein is increased; in another preferred embodiment, the activity of the CA protein is decreased. Thus, bioactive agents that are antagonists are preferred in some embodiments, and bioactive agents that are agonists may be preferred in other embodiments.

[0251] In a preferred embodiment, the invention provides methods for screening for bioactive agents capable of modulating the activity of a CA protein. The methods

comprise adding a candidate bioactive agent, as defined above, to a cell comprising CA proteins. Preferred cell types include almost any cell. The cells contain a recombinant nucleic acid that encodes a CA protein. In a preferred embodiment, a library of candidate agents is tested on a plurality of cells.

[0252] In one aspect, the assays are evaluated in the presence or absence or previous or subsequent exposure of physiological signals, for example hormones, antibodies, peptides, antigens, cytokines, growth factors, action potentials, pharmacological agents including chemotherapeutics, radiation, carcinogenics, or other cells (i.e. cell-cell contacts). In another example, the determinations are determined at different stages of the cell cycle process.

[0253] In this way, bioactive agents are identified. Compounds with pharmacological activity are able to enhance or interfere with the activity of the CA protein.

Applications of the invention

[0254] In one embodiment, a method of inhibiting cancer cell division is provided. In another embodiment, a method of inhibiting tumor growth is provided. In a further embodiment, methods of treating cells or individuals with cancer are provided.

[0255] In one embodiment, a method of inhibiting carcinoma cancer cell division, is provided. The method comprises administration of a carcinoma cancer inhibitor. In one embodiment, the carcinoma cell is a lymphoma carcinoma, in another embodiment, the carcinoma cell is a breast cancer carcinoma.

[0256] In another embodiment, a method of inhibiting tumor growth is provided. The method comprises administration of a carcinoma cancer inhibitor. In a particular embodiment, a method of inhibiting tumor growth in lymphatic tissue is provided comprising administration of a lymphoma inhibitor. In another embodiment, a method of inhibiting tumor growth in mammary tissue is provided comprising administration of a breast cancer inhibitor.

[0257] The method comprises administration of a cancer inhibitor. In particular embodiments, the cancer inhibitor is an antisense molecule, a pharmaceutical composition, a therapeutic agent or small molecule, or a monoclonal, polyclonal, chimeric or humanized antibody. In particular embodiments, a therapeutic agent is coupled with an antibody, preferable a monoclonal antibody.

[0258] In other embodiments, methods for detection or diagnosis of cancer cells in an individual are provided. In particular embodiments, the diagnostic/detection agent is a small molecule that preferentially binds to a CAP according to the invention. In one embodiment, the diagnostic/detection agent is an antibody, preferably a monoclonal antibody, preferably linked to a detectable agent.

[0259] In other embodiments of the invention, animal models and transgenic animals are provided, which find use in generating animal models of cancers, particularly lymphomas and carcinomas.

(a) Antisense molecules

[0260] In one embodiment, the cancer inhibitor is an antisense molecule. Antisense molecules as used herein include antisense or sense oligonucleotides comprising a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target mRNA (sense) or DNA (antisense) sequences for cancer molecules. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment generally at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein is described in, for example, Stein and Cohen, Cancer Res. 48:2659, (1988) and van der Krol et al., BioTechniques 6:958, (1988).

[0261] Antisense molecules may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell. Alternatively, a sense or an antisense oligonucleotide may be introduced into a cell containing the target nucleic acid sequence by formation of an oligonucleotide-lipid complex, as described in WO 90/10448. It is understood that the use of antisense molecules or knock out and knock in models may also be used in screening assays as discussed above, in addition to methods of treatment.

(b) Pharmaceutical Compositions

[0262] Pharmaceutical compositions encompassed by the present invention include as active agent, the polypeptides, polynucleotides, antisense oligonucleotides, or antibodies of the invention disclosed herein in a therapeutically effective amount. An "effective amount" is an amount sufficient to effect beneficial or desired results, including clinical results. An effective amount can be administered in one or more administrations. For purposes of this invention, an effective amount of an adenoviral vector is an amount that is sufficient to palliate, ameliorate, stabilize, reverse, slow or delay the progression of the disease state.

[0263] The compositions can be used to treat cancer as well as metastases of primary cancer. In addition, the pharmaceutical compositions can be used in conjunction with conventional methods of cancer treatment, *e.g.*, to sensitize tumors to radiation or conventional chemotherapy. The terms "treatment", "treating", "treat" and the like are used herein to generally refer to obtaining a desired pharmacologic and/or physiologic effect. The effect may be prophylactic in terms of completely or partially preventing a disease or symptom thereof and/or may be therapeutic in terms of a partial or complete stabilization or cure for a disease and/or adverse effect attributable to the disease. "Treatment" as used herein covers any treatment of a disease in a mammal, particularly a human, and includes: (a) preventing the disease or symptom from occurring in a subject which may be predisposed to the disease or symptom but has not yet been diagnosed as having it; (b) inhibiting the disease symptom, *i.e.*, arresting its development; or (c) relieving the disease symptom, *i.e.*, causing regression of the disease or symptom.

[0264] Where the pharmaceutical composition comprises an antibody that specifically binds to a gene product encoded by a differentially expressed polynucleotide, the antibody can be coupled to a drug for delivery to a treatment site or coupled to a detectable label to facilitate imaging of a site comprising cancer cells, such as prostate cancer cells. Methods for coupling antibodies to drugs and detectable labels are well known in the art, as are methods for imaging using detectable labels.

[0265] A "patient" for the purposes of the present invention includes both humans and other animals, particularly mammals, and organisms. Thus the methods are applicable

to both human therapy and veterinary applications. In the preferred embodiment the patient is a mammal, and in the most preferred embodiment the patient is human.

[0266] The term “therapeutically effective amount” as used herein refers to an amount of a therapeutic agent to treat, ameliorate, or prevent a desired disease or condition, or to exhibit a detectable therapeutic or preventative effect. The effect can be detected by, for example, chemical markers or antigen levels. Therapeutic effects also include reduction in physical symptoms, such as decreased body temperature. The precise effective amount for a subject will depend upon the subject's size and health, the nature and extent of the condition, and the therapeutics or combination of therapeutics selected for administration. The effective amount for a given situation is determined by routine experimentation and is within the judgment of the clinician. For purposes of the present invention, an effective dose will generally be from about 0.01 mg/kg to about 5 mg/kg, or about 0.01 mg/kg to about 50 mg/kg or about 0.05 mg/kg to about 10 mg/kg of the compositions of the present invention in the individual to which it is administered.

[0267] A pharmaceutical composition can also contain a pharmaceutically acceptable carrier. The term “pharmaceutically acceptable carrier” refers to a carrier for administration of a therapeutic agent, such as antibodies or a polypeptide, genes, and other therapeutic agents. The term refers to any pharmaceutical carrier that does not itself induce the production of antibodies harmful to the individual receiving the composition, and which can be administered without undue toxicity. Suitable carriers can be large, slowly metabolized macromolecules such as proteins, polysaccharides, polylactic acids, polyglycolic acids, polymeric amino acids, amino acid copolymers, and inactive virus particles. Such carriers are well known to those of ordinary skill in the art. Pharmaceutically acceptable carriers in therapeutic compositions can include liquids such as water, saline, glycerol and ethanol. Auxiliary substances, such as wetting or emulsifying agents, pH buffering substances, and the like, can also be present in such vehicles. Typically, the therapeutic compositions are prepared as injectables, either as liquid solutions or suspensions; solid forms suitable for solution in, or suspension in, liquid vehicles prior to injection can also be prepared. Liposomes are included within the definition of a pharmaceutically acceptable carrier. Pharmaceutically acceptable salts can also be present in the pharmaceutical composition, e.g., mineral acid salts such as hydrochlorides, hydrobromides,

phosphates, sulfates, and the like; and the salts of organic acids such as acetates, propionates, malonates, benzoates, and the like. A thorough discussion of pharmaceutically acceptable excipients is available in *Remington: The Science and Practice of Pharmacy* (1995) Alfonso Gennaro, Lippincott, Williams, & Wilkins.

[0268] The pharmaceutical compositions can be prepared in various forms, such as granules, tablets, pills, suppositories, capsules, suspensions, salves, lotions and the like. Pharmaceutical grade organic or inorganic carriers and/or diluents suitable for oral and topical use can be used to make up compositions containing the therapeutically-active compounds. Diluents known to the art include aqueous media, vegetable and animal oils and fats. Stabilizing agents, wetting and emulsifying agents, salts for varying the osmotic pressure or buffers for securing an adequate pH value, and skin penetration enhancers can be used as auxiliary agents.

[0269] The pharmaceutical compositions of the present invention comprise a CA protein in a form suitable for administration to a patient. In the preferred embodiment, the pharmaceutical compositions are in a water soluble form, such as being present as pharmaceutically acceptable salts, which is meant to include both acid and base addition salts. "Pharmaceutically acceptable acid addition salt" refers to those salts that retain the biological effectiveness of the free bases and that are not biologically or otherwise undesirable, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid and the like, and organic acids such as acetic acid, propionic acid, glycolic acid, pyruvic acid, oxalic acid, maleic acid, malonic acid, succinic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, p-toluenesulfonic acid, salicylic acid and the like. "Pharmaceutically acceptable base addition salts" include those derived from inorganic bases such as sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts and the like. Particularly preferred are the ammonium, potassium, sodium, calcium, and magnesium salts. Salts derived from pharmaceutically acceptable organic non-toxic bases include salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, and ethanolamine.

[0270] The pharmaceutical compositions may also include one or more of the following: carrier proteins such as serum albumin; buffers; fillers such as microcrystalline cellulose, lactose, corn and other starches; binding agents; sweeteners and other flavoring agents; coloring agents; and polyethylene glycol. Additives are well known in the art, and are used in a variety of formulations.

[0271] The compounds having the desired pharmacological activity may be administered in a physiologically acceptable carrier to a host, as previously described. The agents may be administered in a variety of ways, orally, parenterally e.g., subcutaneously, intraperitoneally, intravascularly, etc. Depending upon the manner of introduction, the compounds may be formulated in a variety of ways. The concentration of therapeutically active compound in the formulation may vary from about 0.1-100% wgt/vol. Once formulated, the compositions contemplated by the invention can be (1) administered directly to the subject (*e.g.*, as polynucleotide, polypeptides, small molecule agonists or antagonists, and the like); or (2) delivered *ex vivo*, to cells derived from the subject (*e.g.*, as in *ex vivo* gene therapy). Direct delivery of the compositions will generally be accomplished by parenteral injection, *e.g.*, subcutaneously, intraperitoneally, intravenously or intramuscularly, intratumoral or to the interstitial space of a tissue. Other modes of administration include oral and pulmonary administration, suppositories, and transdermal applications, needles, and gene guns or hyposprays. Dosage treatment can be a single dose schedule or a multiple dose schedule.

[0272] Methods for the *ex vivo* delivery and reimplantation of transformed cells into a subject are known in the art and described in *e.g.*, International Publication No. WO 93/14778. Examples of cells useful in *ex vivo* applications include, for example, stem cells, particularly hematopoietic, lymph cells, macrophages, dendritic cells, or tumor cells. Generally, delivery of nucleic acids for both *ex vivo* and *in vitro* applications can be accomplished by, for example, dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei, all well known in the art.

[0273] Once differential expression of a gene corresponding to a CA polynucleotide described herein has been found to correlate with a proliferative disorder, such as neoplasia, dysplasia, and hyperplasia, the disorder can be amenable to treatment by

administration of a therapeutic agent based on the provided polynucleotide, corresponding polypeptide or other corresponding molecule (e.g., antisense, ribozyme, etc.). In other embodiments, the disorder can be amenable to treatment by administration of a small molecule drug that, for example, serves as an inhibitor (antagonist) of the function of the encoded gene product of a gene having increased expression in cancerous cells relative to normal cells or as an agonist for gene products that are decreased in expression in cancerous cells (e.g., to promote the activity of gene products that act as tumor suppressors).

[0274] The dose and the means of administration of the inventive pharmaceutical compositions are determined based on the specific qualities of the therapeutic composition, the condition, age, and weight of the patient, the progression of the disease, and other relevant factors. For example, administration of polynucleotide therapeutic compositions agents includes local or systemic administration, including injection, oral administration, particle gun or catheterized administration, and topical administration. Preferably, the therapeutic polynucleotide composition contains an expression construct comprising a promoter operably linked to a polynucleotide of at least 12, 22, 25, 30, or 35 contiguous nt of the polynucleotide disclosed herein. Various methods can be used to administer the therapeutic composition directly to a specific site in the body. For example, a small metastatic lesion is located and the therapeutic composition injected several times in several different locations within the body of tumor. Alternatively, arteries that serve a tumor are identified, and the therapeutic composition injected into such an artery, in order to deliver the composition directly into the tumor. A tumor that has a necrotic center is aspirated and the composition injected directly into the now empty center of the tumor. An antisense composition is directly administered to the surface of the tumor, for example, by topical application of the composition. X-ray imaging is used to assist in certain of the above delivery methods.

[0275] Targeted delivery of therapeutic compositions containing an antisense polynucleotide, subgenomic polynucleotides, or antibodies to specific tissues can also be used. Receptor-mediated DNA delivery techniques are described in, for example, Findeis *et al.*, *Trends Biotechnol.* (1993) 11:202; Chiou *et al.*, *Gene Therapeutics: Methods And Applications Of Direct Gene Transfer* (J.A. Wolff, ed.) (1994); Wu *et al.*, *J. Biol. Chem.* (1988) 263:621; Wu *et al.*, *J. Biol. Chem.* (1994) 269:542; Zenke *et*

al., *Proc. Natl. Acad. Sci. (USA)* (1990) 87:3655; Wu *et al.*, *J. Biol. Chem.* (1991) 266:338. Therapeutic compositions containing a polynucleotide are administered in a range of about 100 ng to about 200 mg of DNA for local administration in a gene therapy protocol. Concentration ranges of about 500 ng to about 50 mg, about 1 µg to about 2 mg, about 5 µg to about 500 µg, and about 20 µg to about 100 µg of DNA can also be used during a gene therapy protocol. Factors such as method of action (e.g., for enhancing or inhibiting levels of the encoded gene product) and efficacy of transformation and expression are considerations that will affect the dosage required for ultimate efficacy of the antisense subgenomic polynucleotides. Where greater expression is desired over a larger area of tissue, larger amounts of antisense subgenomic polynucleotides or the same amounts re-administered in a successive protocol of administrations, or several administrations to different adjacent or close tissue portions of, for example, a tumor site, may be required to effect a positive therapeutic outcome. In all cases, routine experimentation in clinical trials will determine specific ranges for optimal therapeutic effect.

[0276] The therapeutic polynucleotides and polypeptides of the present invention can be delivered using gene delivery vehicles. The gene delivery vehicle can be of viral or non-viral origin (see generally, Jolly, *Cancer Gene Therapy* (1994) 1:51; Kimura, *Human Gene Therapy* (1994) 5:845; Connelly, *Human Gene Therapy* (1995) 1:185; and Kaplitt, *Nature Genetics* (1994) 6:148). Expression of such coding sequences can be induced using endogenous mammalian or heterologous promoters. Expression of the coding sequence can be either constitutive or regulated.

[0277] Viral-based vectors for delivery of a desired polynucleotide and expression in a desired cell are well known in the art. Exemplary viral-based vehicles include, but are not limited to, recombinant retroviruses (see, e.g., WO 90/07936; WO 94/03622; WO 93/25698; WO 93/25234; USPN 5, 219,740; WO 93/11230; WO 93/10218; USPN 4,777,127; GB Patent No. 2,200,651; EP 0 345 242; and WO 91/02805), alphavirus-based vectors (e.g., Sindbis virus vectors, Semliki forest virus (ATCC VR-67; ATCC VR-1247), Ross River virus (ATCC VR-373; ATCC VR-1246) and Venezuelan equine encephalitis virus (ATCC VR-923; ATCC VR-1250; ATCC VR 1249; ATCC VR-532)), and adeno-associated virus (AAV) vectors (see, e.g., WO 94/12649, WO 93/03769; WO 93/19191; WO 94/28938; WO 95/11984 and WO

95/00655). Administration of DNA linked to killed adenovirus as described in Curiel, *Hum. Gene Ther.* (1992) 3:147 can also be employed.

[0278] Non-viral delivery vehicles and methods can also be employed, including, but not limited to, polycationic condensed DNA linked or unlinked to killed adenovirus alone (see, e.g., Curiel, *Hum. Gene Ther.* (1992) 3:147); ligand-linked DNA (see, e.g., Wu, *J. Biol. Chem.* (1989) 264:16985); eukaryotic cell delivery vehicles cells (see, e.g., USPN 5,814,482; WO 95/07994; WO 96/17072; WO 95/30763; and WO 97/42338) and nucleic charge neutralization or fusion with cell membranes. Naked DNA can also be employed. Exemplary naked DNA introduction methods are described in WO 90/11092 and USPN 5,580,859. Liposomes that can act as gene delivery vehicles are described in USPN 5,422,120; WO 95/13796; WO 94/23697; WO 91/14445; and EP 0524968. Additional approaches are described in Philip, *Mol. Cell Biol.* (1994) 14:2411, and in Woffendin, *Proc. Natl. Acad. Sci.* (1994) 91:1581.

[0279] Further non-viral delivery suitable for use includes mechanical delivery systems such as the approach described in Woffendin *et al.*, *Proc. Natl. Acad. Sci. USA* (1994) 91(24):11581. Moreover, the coding sequence and the product of expression of such can be delivered through deposition of photopolymerized hydrogel materials or use of ionizing radiation (see, e.g., USPN 5,206,152 and WO 92/11033). Other conventional methods for gene delivery that can be used for delivery of the coding sequence include, for example, use of hand-held gene transfer particle gun (see, e.g., USPN 5,149,655); use of ionizing radiation for activating transferred gene (see, e.g., USPN 5,206,152 and WO 92/11033).

[0280] The administration of the CA proteins and modulators of the present invention can be done in a variety of ways as discussed above, including, but not limited to, orally, subcutaneously, intravenously, intranasally, transdermally, intraperitoneally, intramuscularly, intrapulmonary, vaginally, rectally, or intraocularly. In some instances, for example, in the treatment of wounds and inflammation, the CA proteins and modulators may be directly applied as a solution or spray.

[0281] In a preferred embodiment, CA proteins and modulators are administered as therapeutic agents, and can be formulated as outlined above. Similarly, CA genes (including both the full-length sequence, partial sequences, or regulatory sequences of the CA coding regions) can be administered in gene therapy applications, as is known

in the art. These CA genes can include antisense applications, either as gene therapy (i.e. for incorporation into the genome) or as antisense compositions, as will be appreciated by those in the art.

[0282] Thus, in one embodiment, methods of modulating CA gene activity in cells or organisms are provided. In one embodiment, the methods comprise administering to a cell an anti-CA antibody that reduces or eliminates the biological activity of an endogenous CA protein. Alternatively, the methods comprise administering to a cell or organism a recombinant nucleic acid encoding a CA protein. As will be appreciated by those in the art, this may be accomplished in any number of ways. In a preferred embodiment, for example when the CA sequence is down-regulated in cancer, the activity of the CA gene product is increased by increasing the amount of CA expression in the cell, for example by overexpressing the endogenous CA gene or by administering a gene encoding the CA sequence, using known gene-therapy techniques. In a preferred embodiment, the gene therapy techniques include the incorporation of the exogenous gene using enhanced homologous recombination (EHR), for example as described in PCT/US93/03868, hereby incorporated by reference in its entirety. Alternatively, for example when the CA sequence is up-regulated in cancer, the activity of the endogenous CA gene is decreased, for example by the administration of a CA antisense nucleic acid.

(c) Vaccines

[0283] In a preferred embodiment, CA genes are administered as DNA vaccines, either single genes or combinations of CA genes. Naked DNA vaccines are generally known in the art. Brower, Nature Biotechnology, 16:1304-1305 (1998).

[0284] In one embodiment, CA genes of the present invention are used as DNA vaccines. Methods for the use of genes as DNA vaccines are well known to one of ordinary skill in the art, and include placing a CA gene or portion of a CA gene under the control of a promoter for expression in a patient with cancer. The CA gene used for DNA vaccines can encode full-length CA proteins, but more preferably encodes portions of the CA proteins including peptides derived from the CA protein. In a preferred embodiment a patient is immunized with a DNA vaccine comprising a plurality of nucleotide sequences derived from a CA gene. Similarly, it is possible to immunize a patient with a plurality of CA genes or portions thereof. Without being

bound by theory, expression of the polypeptide encoded by the DNA vaccine, cytotoxic T-cells, helper T-cells and antibodies are induced that recognize and destroy or eliminate cells expressing CA proteins.

[0285] In a preferred embodiment, the DNA vaccines include a gene encoding an adjuvant molecule with the DNA vaccine. Such adjuvant molecules include cytokines that increase the immunogenic response to the CA polypeptide encoded by the DNA vaccine. Additional or alternative adjuvants are known to those of ordinary skill in the art and find use in the invention.

(d) Antibodies

[0286] In one embodiment, a cancer inhibitor is an antibody as discussed above. In one embodiment, the CA proteins of the present invention may be used to generate polyclonal and monoclonal antibodies to CA proteins, which are useful as described herein. Similarly, the CA proteins can be coupled, using standard technology, to affinity chromatography columns. These columns may then be used to purify CA antibodies. In a preferred embodiment, the antibodies are generated to epitopes unique to a CA protein; that is, the antibodies show little or no cross-reactivity to other proteins. These antibodies find use in a number of applications. For example, the CA antibodies may be coupled to standard affinity chromatography columns and used to purify CA proteins. The antibodies may also be used therapeutically as blocking polypeptides, as outlined above, since they will specifically bind to the CA protein.

[0287] The present invention further provides methods for detecting the presence of and/or measuring a level of a polypeptide in a biological sample, which CA polypeptide is encoded by a CA polynucleotide that is differentially expressed in a cancer cell, using an antibody specific for the encoded polypeptide. The methods generally comprise: a) contacting the sample with an antibody specific for a polypeptide encoded by a CA polynucleotide that is differentially expressed in a prostate cancer cell; and b) detecting binding between the antibody and molecules of the sample.

[0288] Detection of specific binding of the antibody specific for the encoded cancer-associated polypeptide, when compared to a suitable control is an indication that encoded polypeptide is present in the sample. Suitable controls include a sample known not to contain the encoded CA polypeptide or known not to contain elevated

levels of the polypeptide; such as normal tissue, and a sample contacted with an antibody not specific for the encoded polypeptide, e.g., an anti-idiotypic antibody. A variety of methods to detect specific antibody-antigen interactions are known in the art and can be used in the method, including, but not limited to, standard immunohistological methods, immunoprecipitation, an enzyme immunoassay, and a radioimmunoassay. In general, the specific antibody will be detectably labeled, either directly or indirectly. Direct labels include radioisotopes; enzymes whose products are detectable (e.g., luciferase, β -galactosidase, and the like); fluorescent labels (e.g., fluorescein isothiocyanate, rhodamine, phycoerythrin, and the like); fluorescence emitting metals, e.g., ^{152}Eu , or others of the lanthanide series, attached to the antibody through metal chelating groups such as EDTA; chemiluminescent compounds, e.g., luminol, isoluminol, acridinium salts, and the like; bioluminescent compounds, e.g., luciferin, aequorin (green fluorescent protein), and the like. The antibody may be attached (coupled) to an insoluble support, such as a polystyrene plate or a bead. Indirect labels include second antibodies specific for antibodies specific for the encoded polypeptide ("first specific antibody"), wherein the second antibody is labeled as described above; and members of specific binding pairs, e.g., biotin-avidin, and the like. The biological sample may be brought into contact with and immobilized on a solid support or carrier, such as nitrocellulose, that is capable of immobilizing cells, cell particles, or soluble proteins. The support may then be washed with suitable buffers, followed by contacting with a detectably-labeled first specific antibody. Detection methods are known in the art and will be chosen as appropriate to the signal emitted by the detectable label. Detection is generally accomplished in comparison to suitable controls, and to appropriate standards.

[0289] In some embodiments, the methods are adapted for use *in vivo*, e.g., to locate or identify sites where cancer cells are present. In these embodiments, a detectably-labeled moiety, e.g., an antibody, which is specific for a cancer-associated polypeptide is administered to an individual (e.g., by injection), and labeled cells are located using standard imaging techniques, including, but not limited to, magnetic resonance imaging, computed tomography scanning, and the like. In this manner, cancer cells are differentially labeled.

(e) Detection and Diagnosis of Cancers

[0290] Without being bound by theory, it appears that the various CA sequences are important in cancers. Accordingly, disorders based on mutant or variant CA genes may be determined. In one embodiment, the invention provides methods for identifying cells containing variant CA genes comprising determining all or part of the sequence of at least one endogenous CA genes in a cell. As will be appreciated by those in the art, this may be done using any number of sequencing techniques. In a preferred embodiment, the invention provides methods of identifying the CA genotype of an individual comprising determining all or part of the sequence of at least one CA gene of the individual. This is generally done in at least one tissue of the individual, and may include the evaluation of a number of tissues or different samples of the same tissue. The method may include comparing the sequence of the sequenced CA gene to a known CA gene, i.e., a wild-type gene. As will be appreciated by those in the art, alterations in the sequence of some CA genes can be an indication of either the presence of the disease, or propensity to develop the disease, or prognosis evaluations.

[0291] The sequence of all or part of the CA gene can then be compared to the sequence of a known CA gene to determine if any differences exist. This can be done using any number of known homology programs, such as Bestfit, etc. In a preferred embodiment, the presence of a difference in the sequence between the CA gene of the patient and the known CA gene is indicative of a disease state or a propensity for a disease state, as outlined herein.

[0292] In a preferred embodiment, the CA genes are used as probes to determine the number of copies of the CA gene in the genome. For example, some cancers exhibit chromosomal deletions or insertions, resulting in an alteration in the copy number of a gene.

[0293] In another preferred embodiment CA genes are used as probes to determine the chromosomal location of the CA genes. Information such as chromosomal location finds use in providing a diagnosis or prognosis in particular when chromosomal abnormalities such as translocations, and the like are identified in CA gene loci.

[0294] The present invention provides methods of using the polynucleotides described herein for detecting cancer cells, facilitating diagnosis of cancer and the severity of a cancer (*e.g.*, tumor grade, tumor burden, and the like) in a subject, facilitating a determination of the prognosis of a subject, and assessing the responsiveness of the subject to therapy (*e.g.*, by providing a measure of therapeutic effect through, for example, assessing tumor burden during or following a chemotherapeutic regimen). Detection can be based on detection of a polynucleotide that is differentially expressed in a cancer cell, and/or detection of a polypeptide encoded by a polynucleotide that is differentially expressed in a cancer cell. The detection methods of the invention can be conducted *in vitro* or *in vivo*, on isolated cells, or in whole tissues or a bodily fluid *e.g.*, blood, plasma, serum, urine, and the like).

[0295] In some embodiments, methods are provided for detecting a cancer cell by detecting expression in the cell of a transcript that is differentially expressed in a cancer cell. Any of a variety of known methods can be used for detection, including, but not limited to, detection of a transcript by hybridization with a polynucleotide that hybridizes to a polynucleotide that is differentially expressed in a prostate cancer cell; detection of a transcript by a polymerase chain reaction using specific oligonucleotide primers; *in situ* hybridization of a cell using as a probe a polynucleotide that hybridizes to a gene that is differentially expressed in a prostate cancer cell. The methods can be used to detect and/or measure mRNA levels of a gene that is differentially expressed in a cancer cell. In some embodiments, the methods comprise: a) contacting a sample with a polynucleotide that corresponds to a differentially expressed gene described herein under conditions that allow hybridization; and b) detecting hybridization, if any.

[0296] Detection of differential hybridization, when compared to a suitable control, is an indication of the presence in the sample of a polynucleotide that is differentially expressed in a cancer cell. Appropriate controls include, for example, a sample that is known not to contain a polynucleotide that is differentially expressed in a cancer cell, and use of a labeled polynucleotide of the same "sense" as the polynucleotide that is differentially expressed in the cancer cell. Conditions that allow hybridization are known in the art, and have been described in more detail above. Detection can also be accomplished by any known method, including, but not limited to, *in situ*

hybridization, PCR (polymerase chain reaction), RT-PCR (reverse transcription-PCR), TMA, bDNA, and Nasbau and "Northern" or RNA blotting, or combinations of such techniques, using a suitably labeled polynucleotide. A variety of labels and labeling methods for polynucleotides are known in the art and can be used in the assay methods of the invention. Specificity of hybridization can be determined by comparison to appropriate controls.

[0297] Polynucleotides generally comprising at least 10 nt, at least 12nt or at least 15 contiguous nucleotides of a polynucleotide provided herein, such as, for example, those having the sequence as depicted in Tables 1-6, are used for a variety of purposes, such as probes for detection of and/or measurement of, transcription levels of a polynucleotide that is differentially expressed in a prostate cancer cell. As will be readily appreciated by the ordinarily skilled artisan, the probe can be detectably labeled and contacted with, for example, an array comprising immobilized polynucleotides obtained from a test sample (*e.g.*, mRNA). Alternatively, the probe can be immobilized on an array and the test sample detectably labeled. These and other variations of the methods of the invention are well within the skill in the art and are within the scope of the invention.

[0298] Nucleotide probes are used to detect expression of a gene corresponding to the provided polynucleotide. In Northern blots, mRNA is separated electrophoretically and contacted with a probe. A probe is detected as hybridizing to an mRNA species of a particular size. The amount of hybridization can be quantitated to determine relative amounts of expression, for example under a particular condition. Probes are used for in situ hybridization to cells to detect expression. Probes can also be used *in vivo* for diagnostic detection of hybridizing sequences. Probes are typically labeled with a radioactive isotope. Other types of detectable labels can be used such as chromophores, fluorophores, and enzymes. Other examples of nucleotide hybridization assays are described in WO92/02526 and USPN 5,124,246.

[0299] PCR is another means for detecting small amounts of target nucleic acids (see, *e.g.*, Mullis *et al.*, *Meth. Enzymol.* (1987) 155:335; USPN 4,683,195; and USPN 4,683,202). Two primer oligonucleotides that hybridize with the target nucleic acids are used to prime the reaction. The primers can be composed of sequence within or 3' and 5' to the CA polynucleotides disclosed herein. Alternatively, if the primers are 3' and 5' to these polynucleotides, they need not hybridize to them or the complements.

After amplification of the target with a thermostable polymerase, the amplified target nucleic acids can be detected by methods known in the art, e.g., Southern blot. mRNA or cDNA can also be detected by traditional blotting techniques (e.g., Southern blot, Northern blot, etc.) described in Sambrook *et al.*, "Molecular Cloning: A Laboratory Manual" (New York, Cold Spring Harbor Laboratory, 1989) (e.g., without PCR amplification). In general, mRNA or cDNA generated from mRNA using a polymerase enzyme can be purified and separated using gel electrophoresis, and transferred to a solid support, such as nitrocellulose. The solid support is exposed to a labeled probe, washed to remove any unhybridized probe, and duplexes containing the labeled probe are detected.

[0300] Methods using PCR amplification can be performed on the DNA from a single cell, although it is convenient to use at least about 10^5 cells. The use of the polymerase chain reaction is described in Saiki et al. (1985) *Science* 239:487, and a review of current techniques may be found in Sambrook, *et al.* Molecular Cloning: A Laboratory Manual, CSH Press 1989, pp.14.2-14.33. A detectable label may be included in the amplification reaction. Suitable detectable labels include fluorochromes, (e.g. fluorescein isothiocyanate (FITC), rhodamine, Texas Red, phycoerythrin, allophycocyanin, 6-carboxyfluorescein (6-FAM), 2',7'-dimethoxy-4',5'-dichloro-6-carboxyfluorescein, 6-carboxy-X-rhodamine (ROX), 6-carboxy-2',4',7',4,7-hexachlorofluorescein (HEX), 5-carboxyfluorescein (5-FAM) or N,N,N',N'-tetramethyl-6-carboxyrhodamine (TAMRA)), radioactive labels, (e.g. ^{32}P , ^{35}S , ^3H , *etc.*), and the like. The label may be a two stage system, where the polynucleotides is conjugated to biotin, haptens, *etc.* having a high affinity binding partner, e.g. avidin, specific antibodies, *etc.*, where the binding partner is conjugated to a detectable label. The label may be conjugated to one or both of the primers. Alternatively, the pool of nucleotides used in the amplification is labeled, so as to incorporate the label into the amplification product.

[0301] The detection methods can be provided as part of a kit. Thus, the invention further provides kits for detecting the presence and/or a level of a polynucleotide that is differentially expressed in a cancer cell (e.g., by detection of an mRNA encoded by the differentially expressed gene of interest), and/or a polypeptide encoded thereby, in a biological sample. Procedures using these kits can be performed by clinical laboratories, experimental laboratories, medical practitioners, or private individuals.

The kits of the invention for detecting a polypeptide encoded by a polynucleotide that is differentially expressed in a cancer cell may comprise a moiety that specifically binds the polypeptide, which may be an antibody that binds the polypeptide or fragment thereof. The kits of the invention used for detecting a polynucleotide that is differentially expressed in a prostate cancer cell may comprise a moiety that specifically hybridizes to such a polynucleotide. The kit may optionally provide additional components that are useful in the procedure, including, but not limited to, buffers, developing reagents, labels, reacting surfaces, means for detection, control samples, standards, instructions, and interpretive information. Accordingly, the present invention provides kits for detecting prostate cancer comprising at least one of polynucleotides having the sequence as shown in Tables 1-6 or fragments thereof.

[0302] The present invention further relates to methods of detecting/diagnosing a neoplastic or preneoplastic condition in a mammal (for example, a human).

"Diagnosis" as used herein generally includes determination of a subject's susceptibility to a disease or disorder, determination as to whether a subject is presently affected by a disease or disorder, prognosis of a subject affected by a disease or disorder (*e.g.*, identification of pre-metastatic or metastatic cancerous states, stages of cancer, or responsiveness of cancer to therapy), and therametrics (*e.g.*, monitoring a subject's condition to provide information as to the effect or efficacy of therapy).

[0303] The terms "treatment", "treating", "treat" and the like are used herein to generally refer to obtaining a desired pharmacologic and/or physiologic effect. The effect may be prophylactic in terms of completely or partially preventing a disease or symptom thereof and/or may be therapeutic in terms of a partial or complete stabilization or cure for a disease and/or adverse effect attributable to the disease.

"Treatment" as used herein covers any treatment of a disease in a mammal, particularly a human, and includes: (a) preventing the disease or symptom from occurring in a subject which may be predisposed to the disease or symptom but has not yet been diagnosed as having it; (b) inhibiting the disease symptom, *i.e.*, arresting its development; or (c) relieving the disease symptom, *i.e.*, causing regression of the disease or symptom.

[0304] An “effective amount” is an amount sufficient to effect beneficial or desired results, including clinical results. An effective amount can be administered in one or more administrations.

[0305] A “cell sample” encompasses a variety of sample types obtained from an individual and can be used in a diagnostic or monitoring assay. The definition encompasses blood and other liquid samples of biological origin, solid tissue samples such as a biopsy specimen or tissue cultures or cells derived therefrom, and the progeny thereof. The definition also includes samples that have been manipulated in any way after their procurement, such as by treatment with reagents, solubilization, or enrichment for certain components, such as proteins or polynucleotides. The term “cell sample” encompasses a clinical sample, and also includes cells in culture, cell supernatants, cell lysates, serum, plasma, biological fluid, and tissue samples.

[0306] As used herein, the terms “neoplastic cells”, “neoplasia”, “tumor”, “tumor cells”, “cancer” and “cancer cells”, (used interchangeably) refer to cells which exhibit relatively autonomous growth, so that they exhibit an aberrant growth phenotype characterized by a significant loss of control of cell proliferation (i.e., de-regulated cell division). Neoplastic cells can be malignant or benign.

[0307] The terms “individual,” “subject,” “host,” and “patient,” are used interchangeably herein and refer to any mammalian subject for whom diagnosis, treatment, or therapy is desired, particularly humans. Other subjects may include cattle, dogs, cats, guinea pigs, rabbits, rats, mice, horses, and so on. Examples of conditions that can be detected/diagnosed in accordance with these methods include cancers. Polynucleotides corresponding to genes that exhibit the appropriate expression pattern can be used to detect cancer in a subject. For a review of markers of cancer, see, *e.g.*, Hanahan et al. Cell 100:57-70 (2000).

[0308] One detection/diagnostic method comprises: (a) obtaining from a mammal (e.g., a human) a biological sample, (b) detecting the presence in the sample of a CA protein and (c) comparing the amount of product present with that in a control sample. In accordance with this method, the presence in the sample of elevated levels of a CA gene product indicates that the subject has a neoplastic or preneoplastic condition.

[0309] Biological samples suitable for use in this method include biological fluids such as serum, plasma, pleural effusions, urine and cerebro-spinal fluid, CSF, tissue

samples (e.g., mammary tumor or prostate tissue slices) can also be used in the method of the invention, including samples derived from biopsies. Cell cultures or cell extracts derived, for example, from tissue biopsies can also be used.

[0310] The compound is preferably a binding protein, e.g., an antibody, polyclonal or monoclonal, or antigen binding fragment thereof, which can be labeled with a detectable marker (e.g., fluorophore, chromophore or isotope, etc). Where appropriate, the compound can be attached to a solid support such as a bead, plate, filter, resin, etc. Determination of formation of the complex can be effected by contacting the complex with a further compound (e.g., an antibody) that specifically binds to the first compound (or complex). Like the first compound, the further compound can be attached to a solid support and/or can be labeled with a detectable marker.

[0311] The identification of elevated levels of CA protein in accordance with the present invention makes possible the identification of subjects (patients) that are likely to benefit from adjuvant therapy. For example, a biological sample from a post primary therapy subject (e.g., subject having undergone surgery) can be screened for the presence of circulating CA protein, the presence of elevated levels of the protein, determined by studies of normal populations, being indicative of residual tumor tissue. Similarly, tissue from the cut site of a surgically removed tumor can be examined (e.g., by immunofluorescence), the presence of elevated levels of product (relative to the surrounding tissue) being indicative of incomplete removal of the tumor. The ability to identify such subjects makes it possible to tailor therapy to the needs of the particular subject. Subjects undergoing non-surgical therapy, e.g., chemotherapy or radiation therapy, can also be monitored, the presence in samples from such subjects of elevated levels of CA protein being indicative of the need for continued treatment. Staging of the disease (for example, for purposes of optimizing treatment regimens) can also be effected, for example, by biopsy e.g., with antibody specific for a CA protein.

(f) Animal Models and Transgenics

[0312] In another preferred embodiment CA genes find use in generating animal models of cancers, particularly lymphomas and carcinomas. As is appreciated by one of ordinary skill in the art, when the CA gene identified is repressed or diminished in

CA tissue, gene therapy technology wherein antisense RNA directed to the CA gene will also diminish or repress expression of the gene. An animal generated as such serves as an animal model of CA that finds use in screening bioactive drug candidates. Similarly, gene knockout technology, for example as a result of homologous recombination with an appropriate gene targeting vector, will result in the absence of the CA protein. When desired, tissue-specific expression or knockout of the CA protein may be necessary.

[0313] It is also possible that the CA protein is overexpressed in cancer. As such, transgenic animals can be generated that overexpress the CA protein. Depending on the desired expression level, promoters of various strengths can be employed to express the transgene. Also, the number of copies of the integrated transgene can be determined and compared for a determination of the expression level of the transgene. Animals generated by such methods find use as animal models of CA and are additionally useful in screening for bioactive molecules to treat cancer.

(g) Characterization of CA sequences

[0314] The CA nucleic acid sequences of the invention are depicted in Tables 1-6. The sequences in each Table include genomic DNA sequence, sequence corresponding to the mRNA and amino acid sequences of the proteins encoded by the mRNA for both mouse and human genes. The different sequences are assigned the following SEQ ID Nos:

Table 1 (mouse gene: Fscn1; human gene SNL)

Mouse genomic sequence (SEQ ID NO: 1)

Mouse mRNA sequence (SEQ ID NO: 2)

Mouse coding sequence (SEQ ID NO: 3)

Human genomic sequence (SEQ ID NO: 4)

Human mRNA sequence (SEQ ID NO: 5)

Human coding sequence (SEQ ID NO: 6)

MOUSE SEQUENCE - GENOMIC (SEQ ID NO: 1)

CCTCTCAAACCTCTGGTAATTCTCCTGCTTCGGCAGCTGGGGACTGGGACTACACCTGTGTGCCACCATGGCTGGCTATTTCTCT
CTCTTGAACACTGGAAGAGTGCTCAGAGTTTACTGGATCTGGGAGAAGCTCGAGGCTGGGTTATGGAAGCCGGCTCTGCTTGCTCC
AGCTCAGGGAGGAGTTGCCCTGAGGGCCAGGCACCTCGAAGGACAGATGGGACCCAAGGCCAGACACTGGGCCCCAGCTCACCAGAA
GTGGAGCCCTGACTGTCTCTGAGAGGGTAAGCTGGGGTGGCTGCCAGGCGGGCAAGGCCAAAGCCTGGCAGCAGCCGGTGGCCCT
CTTCTGGCAGAGATATCTTGGCATGAGCCTGGCTCTGCCATGACACTAAAGTGCCCTCTTAATTAGCCAGGCTCTTGCCAAGCAC
TGGCCACGATTGCCTTGTTTCACAGAATTCACCTTGGACTGGCACAGATGGGGAGGGTGGATAGCCCGGTGTTTTGTCTTTCTTCT
AGGGGAGCTGGGCTCAAGGGCAGGACTCCTGGGCCAGCCAGGTTTTTCCCTCAGAAACCACAGCATGAATACTGGCATGATGGAG
CACACCTGTAATCAGCAGAAATTGAGACAGGAAGATTGTTGAGAATTTGAGGCCAACCTAGGCTAAATAGGGAGACCCTATCTCTA
CACACTCCCCCTCCCCCGCCCTGGAAATGCTGGAGGGTCTGGGGAAGATGGCTCAGTGTTAAGGGCACTTGCTGCTCTTGCA
GGGACCCAAGTTTGATTCCAGCATCTATAACTTGGTGGCTCACAATTCAGTTCCAGGCACCTTGACACCTTCCTGTGGTCTGCA
AGGCACCTGCATTCAATCTCACGTGCATGCGCACACATGCGCGCGCACACACACACACACACACACATCTCATAAA

96

97

98

AAAGAAAAGGGAAAAAGAAGGTGGAGCCTGGTGGTGGTGGTGGCGGCGGGCGGGCGGCACACGCCTTTAGTCCCAGCACTCAAGAGGC
AGAGGCAGGTGGGTCTCTGAGTTCTTGCCAGCCTGCTCTACAGAATACATTCTAAGACAGCCAGAGCTATGCAGAGAAACCCTGTC
TCAAAAACAAACAAAAAAGGGGGTGGGGAGAGAAGATAGAAGATAAGGATATTCCCTTCTTAGCTAGCTGTGGGACCAAAACCAGT
GAGAGGACACAGCAATCCAGAGGTGTGAGTCAGAATCAGAGCCCTGTGCTGTGTGTGGCCTTAGCAAGGCAAACGGGACTCCTTTC
TTACAGTGCTGAGGACTGGACTCAGAGCTAAGATCCAGCCCCCTCCCTGGGGGATTCTAGGCAGGGGCTCTACCACTGAGCCACGCC
CCCAGCCCCCTCACTGGGGGATTCTAGGCAGGTGTTCTACCACTGAGCCACGCCCCAGCCCCCTCACTGGGGGATTCTAGGCAGGGG
CTCTACCACTGAGCCACACCCCCAGCCCCCTCACTGGGGGATTCTAGGCAGGGGCTCTGCTGCTGATATATGTCCTTTTTTGTGTGT
TACTTGT
AAATGTTGGATTTAAAGGCATGTGCCACCATGCCCCACCCTAGCCTAGCCCTCTTATGTTTTTGTAGTTTGAGATGGCATGTGAGTA
GATTTCCCAGGATGGCCTTGAATCTAGGTAATCCTCCTGCCTCAGTTTTCTTGAGTATTTGAATTATGGGACTGTACCTTACATCCA
GCTGAGCCCACTCAGTTCTGGAAGCTGACAGCGGGAGGGAGTGTAAATCCTTTGGGGACTGACAAGGTGGGGTTAACATGTAGTCT
CCCTCCTCAGACTCCACGGGCAAGTACTGGACGGTGGGTAGTGTATCCTCGGTACCAGCAGCAGCGACACCCCTGTGGATTTCTT
CCTTGAGTTCTGTGACTACAATAAGGTGGCTCTCAAGGTGGGCGCGCTACCTGAAGGGGGACCACGCTGGGGTCTGAAGGCCT
GCGCGGAGACTATCGACCCCGCCTCACTCTGGGAGTACTAGGGCCACCTGCCCTCTGCAGGCCGCTCTCGTCAGTCCCTCCTGTTA
TCCTTACTCATCGGGTGGCCCTGCAGCAGGTGGCAAACCCCTTGCCCTTTCAAAGTGGAAACCCAAGAGAAAACGGTGCCCTTGCTG
TCACCCCTCTGTGGACCCCTTTTCCCTAACTCACTGCTCCCCATGGGTGCGGTGGCTGCAGACTGTCCCAGGAGGGACTCTGGTTCC
CTCTGTCCCCTTCTTCCATGGGGAACCTCTGGCACCTTTCTTCTGACCTCAGTCAACTCTGAGCCTTATTTCCCCCCAGGAAGTGG
CCTAGGAGAAGCTACAGGGCCTAGGGACTTACCCTGAGCTTGTAACTGGAAGACCCCGTCCCTATCCCCGCTCCCCCCCCACCCC
ACCCACCCCTGCTCTGGCCCCAGCCTCTGGAGGCCAGCCTTTTGGCGGGAGCTGAAGCCGGGCATGGCCAACCTTGCCCAAGT
TTTTTCTGGATCTTGGCTGGAAGGCAGTCTGTCCCATCCTGCAGTGTGTGGGCTGGCTCTTTGACTCAAAGCTAGCTAGGTGGCA
CTCCGTGTGCTCCTGCACATTCTGGAAGGGGCGGGCCTCTACCCACCTCATTCTTTTCCCCCTGGCCTGACTGGAAGCAGAAA
AATGACCAAATCAGTATTTTTTTTTTTTTTCTTTAAGGAAATGTACTGTTGAAAGGCCCTAGGCAAGCCTGCCCTGTTGGTTGTA
GTCGTGAGTGGTCTTGGGGGAGATGCTTGGCTCCTGTCCCTGCCCTCCCAGCGGGTTCCTCCCTCCCTCCTGCTGCTGACCACCCC
AGCTCTGGCTCTGTGATTGGTGCTCCACGTCTTCCAGACACCTCGGGGCTCCTGGGCGGGAGAAAGCCGGATGTGCCCTCCCTG
GGAGCCCTGGAGTAAACCTCAGGGGGCCCTTTCCCAATCACCCCTTCCACCGACCCCTCAACACCATGCATCTCACTCTGGGTGT
CTCGCTCCTTTATTTTTTTTGTAACTGTCAATCTATAACTCTGAAGACCCATGATAGTAAGCTTTGAACTGGAAAATAAAGTAAAA
TCAAGTCTGCGGCCCGTGTGTGTCTCAGGGGAAGTGGATGCTGGAGTGGGCAGAGGGCCGCTGGGAGGGAGGCAGCGCTGATTGA
TTGGCAGCCCGCAGACTCTTGTTCGGTCTCGGACCCTAGCGGCTTACGCATATGCCCTAGTAACCTCTGGACTGAGAAATGGCTGA
CACGAGGTTCCCAGCCTTACAAGCTGGGCAGGCTAGAGGGTTCAGCAGGTAAAGTTGTGTGCTGTCAAGCTTGATCAGACTGAGT
CCCCAGCACCGTGTGAAAAGTTGGGCACAACGTTGTACACCCACCCAGGGCCTCTGGCAAGCACAGAGACAAGAGGATCCTTGGA
GCCTGCTGGCGGCCCAACCTTGCCCAATCTGTGATTCCCATTGAGTGAGCCATAAGGTGGAGATGGGTTTTGGAAGATACCCACA
TAGGCCTGCGGCCCCCACACCCGGAATAAAAACAAGCCAGGCTTGTATCCAGTTATTTCCGGGAGCTGAGGCAGGAGGATCAC
AGATTTAAGACTGCCCAGGTTGAAGAGTAAGTTCAAGGGCAGCCTGGACATCTTGCTAGATTGTTTTTTTTTGTGGTTGGTTGGTT
TTGTTTTGTTCTTTTTTTTCGAGACAGGGTTCTCTGTGTAGCCCTGGCTGTCTGGAACCTCACTCTGTTGACCAGGCTGGCCTCGA
ACTCAGAAATCCGCTGCCCTTTGCCCTCCGAGTGCTAGGATTAAGGTGTGCGCCACCATGCCAGGCTTAGATGTTTTAAATGAAG
GGCTGTGGAGTGTGGTTCACGGGTAGCCTCGCTCAGACAGGCTGGGGCAGGAGAAATGGATGGCTCAGCATTGGCTGCTGCCCTAG
GGTTTTCCATTGCTGTGAACAGACACCATGACCTGGCAGCTCTTCTGAAGGACATTGGACTGGGGCTGGCTTACAGGTTTCAAGG
CAGGAAGCAAAGCACAGGCATGGTGCAGGAGGGGCTCAAGTCTACGACCCGGGTCTCAAAGCCACCCCCACAGTGACAGACTTTC
TCCAACAAGGCCACACCCACTCCATCAAGGCCACACCTCCTAGTAGTGCCACTCCTTGAGCCAAGCTTATTCAAACCACCAATCAC
AACTGCTTTTCTAGAGGACCCAGGTTCAATTTCCAGCATCCACATGACAGCTTACAATTTGTAACATAAATCCAGGGGATCCAACA
CCCTTACACAGGCACACTTACAGGAAAAGCACCATCAGTGCACATAAAAATACATAAATCGTTAGAGAGAAGAGACCATTAGCTA
CCTTACCCCTTAACAGGCAAGCTGAGGTCTGGGAGTGTGTAGAGTCCGACAGCTTGGAGTCTATAGGGTAGTGGCATCGTCTAT
ACGTTTCCTTCCCTGACAGGTAGGTACTTAGCTGAGACCTCTGGGGTATCCAGAGACCCATTTTACAGAGGGAGGCAGTGGCGG
AGGGAAAAGACAACCTTGTTTTGCTGGCTCAGAAGAGTGCCAGTGGGGTATCCACCCACAAGGCTCAGCATCCCGAGGCAGTGTGA
GGCAGTTACAAAGCCGCATTGATTGGCTGCTGATGACGAAATGAAGAGCCCCGCGTGTGATTGGCGGTCCCAGAGGGAAGGCATG
TGGGGAGATTGACAGGGGCAGATGGCCACAAAGGTTCCAGTGACTTCCCGCAGGGTGGAAGCTCTGGGCCCCAAGCCAGTAAAGTGT
CAATGACATGGAGAGACAGATGAATCCTTCCAGTTGAATTTCTCAGGCTCTGGTGGGGCCGCGCTGGGGAGAAAAGACACCCCTGTC
CGTTACAACCACCAAGCGCAGCCAGGCTACGTGATGACTGGGGGAAGTCCAGACGTGACTTCCCTGCAGCACTGGAGGGGAGGGTCT
CGACGGAGGAGGCTGAGAGTCTGTTGGAGGCAGCCGAGGATCGGAGGGGAAGAGGCACAGGTCTTACATGGGAGGCATAAAGTCTGG
TGGGAGTCCAAGGGAGGACGGATGTAGGGTGTAGGGAAGAAAGGACCTAATCCAGAAAAAGGAACAGAAGAGCCACCTACCTGGTT
AGGGGACGCTGGCCCTCCGCAGGGAAAGCTGTCAAAGAAAGGCCCTGGCTAATGAGACCATGTCGTGGGGGGCCAGGCAACTGTGG
AGGCATCAGACACCTTGGGGCAAGGAGGGCACCCTAGAGCTAGTACACACCCTAAGTATCTCAGAGTCTTGCACACACACTCAT
GACACAGGTGGGTGAGCAGCACCCACGGGCAGCTGAAGCTGAGTATCCTGCCCCCCCCCTTTGTTTTCTTCCAAGTGAAGAGGACAA
GAAGGATCCCTATGAATATGGCTTTTTTTGTTTTGTTTTGTTTTGTTTTGTTTTGTTTTGTTTTGTTTTGTTTTGTTTTGTTTTG
TAAAGACATACACCACCATAAACCAGCTTTGTAAATCTGGTTTTTGTGTGTGAACCTATGAATTCACCTCCTGTTGCACTGATGGG
AAATTGAGGCAAAGTCTCAAAGAAGCTGACAGCACAGGCTAGTGTGTTTCTCTCTACAAAAAGAGGAAAAATTTGGGGCTGG
TGAGATGGCTCAGCGGTTAAGAGCATTGACTGCTCTTCCAAAGCAGGTCCCGAGTTCAAATCCAGCAACCACATGGTGGCTCACA
ACCATCTATAATGAGATCTGAGACCCCTCTTCTGGGGTATCTGAAGACAGCTACAGTGTACTTAGATATAATAAATAAATAAATCTT
TAAAAAAGGAAAAATTATTTATTTATTTATTTATTTATTTATTTATTTATTTATTTATTTATTTATTTATTTATTTATTTATTTAT
TTTATTTTGTGTGCATGAGTGTGTTTGCCTGCATGTGTGTGCACCTACCTGTGTGTGTTCCACTGCCTATGGAGGTCAGAAGAAGGCGTTG
GGTCCGGGAAGTGGGGTTGTATGGTTGTAGCCGCGCGGTTTCATGCTGGTTCTCTGCGAGGCGGCAGCTTAGTCTGAGCCATCTTC
TGTGAGCTCCTCTACTTTCTTTTAGACAGGGTCTCCTGAGTCTAGGCTGGGCTTTCAGCTTGCCTGGTGGTTAAGGGTGAAGTAAAGT
TAAATCATCTTACATTTCTGCCTCACTTCCACCTCCTGAGTGCTGGGCTTGCAGGCATGTGCCACTGGGATGGGTTTTGTTTTCTG
CTGGCTTCTACCCCGTAGCTCCGTGTGTGGGTGAGGGCCAGCCCTGTGCCCACTGAGCCATTAACCCCTACTGAGCCCACTGTAG
GGAAAAACCATAGAGGAGCTTCTATGACCCCTCATGGGTCCCTCCAGGTCTGTGAGGTTTCCAGGAGGCATGGATCTCTCTGCGCAGG
AGCTGTTGACTTTAGCCTTGGAAATTTCCCAACCAAGTCTACACTGAGCACCCCTGTGACGACCTGCTTCTGACTCCTCCTGTGAGG
CTCTTTTGGAGTGATCTTAGTCCCCACAGGGCCCCCATCTTCTCCAGAGCTGAGTGGCCTCTCCTACTGGACAGAGAAGAGCTGTC
CTGACTTGGTTAAAATGTTGAATGCAAGGAGCGGAGGAAACGGCCAGCTGGTGAAGTGTGTTGGCTCGATCCCCAGAGCTGTGGAG
TTCCCAACAGGATGGGGCTCACTGGCTGCCCTGATCAGCAAGCTCAGAAACCAAGATGGATAGCTCCTAAGGACTGGAATTGGAGG
ATGACCCCTGGTGACAGACACACTTGCAATATGCATCTGTCTGCACACATACACATATGCATGTAAAACCCCTGATCCACGTGGTAGT
GCCTGACTGTAATCCCAGTACTTGGGAGACAGGAACAGAGAATCACCTTCAGTTTGGAGCCAACCTCGTCTACATATCCAGCACCT
TAGGAGACTCTGTTTCCAACCTTTCAGGGTGGCTCACATCTAATCTCAACCCCTCAAGAAGCCAAGACTGGAAGATGCCTAGAGA
GGAAGGTTTGGCTGGGTTTCACTGCCAGCCTCCAGAGGCAGAGGCAAGCAGATTTCTGAGTTTCCAGGCCAGCCTCTACAGAGTGAGT
TCCAGGACAGCCAGGCAGCCAGGGCTATACAGAGCAACCCCTGTCTCAAACAACAACAATAACAACAACAACAAGAAAACCTT
GAGTGTGCGTGTGCGTGTGCGTGTGCGTGTGCTGTGCTGTGCTGTGCTGTGCTGTGCTGTGCTGTGCTGTGCTGTGCTGTGCTGTGCT
AGGCAGCCAAAGTAGGCGAGGAACCTTGTCCCTGCTGGGCTCTCTGGGTTGAGATCTTGTCTTGATGGGGAGATAGGAAGGGA

MOUSE SEQUENCE - mRNA (SEQ ID NO: 2)

MOUSE SEQUENCE - mRNA (SEQ ID NO: 2)

GAGCTAAGCCGTGTTGAACAAAGGAGGTCGGGCACAGCTATCCAAGCTCCCGGGGCCACCGGGCCGCCCTCCGCCACCATGACCGC
CAACGGGCACGGCAGAGGCTGTGCAGATTCACTTCGGGCTCATCAGCTGCGGCAACAAGTACCTGACAGCCGAGGCGTTTCGGGTTCA
AGGTGAACGCATCCGCTAGTAGCTTGAAAAAGAAGCAGATCTGGACGCTGGAGCAACCTCCCGATGAGGCGGGCAGCGCGGCCGTG
TGTCTGCGCACGCACCTGGGTGCTACCTGGCCGCCGACAAGGACGGCAACGTGACCTGCGAGCGCGAGGTGCCCGACGGCGACTG
CCGCTTTCTCGTCGTGGCGCACGACGACGGCCGCTGGTTCGCTGCAGTCCGAGGCTCACCGGCGCTACTTTGGCGGCACCGAGGACC
GCCTGTCCTGCTTCGCGCAGAGCGTGTGCGCGGCCGAGAAGTGGAGCGTGCACATCGCCATGCACCCGCAGGTTAACATCTACAGC
GTTACCCGCAAGCGCTACGCGCATCTGAGCGCGCGGCCGGCCGACGAGATCGCGGTAGACCGCGACGTGCCTTGGGGCGTCGACTC

GCTCATCACCTTGGCCTTCCAGGACCAACGCTACAGTGTGCAGACGTCCGACCACCGCTTCTCGGCCACGACGGGCGCCTTGTGG
CACGGCCGGAGCCCGCCACGGGCTTCACGCTGGAGTTCCGCTCCGGCAAGGTGGCCTTTTCGCGACTGCGAAGGTCGCTACCTGGCT
CCGTCCGGGCCCCAGCGGCACCCCTCAAGGCTGGCAAGGCCACCAAGGTGGGCAAAGATGAGCTCTTCGCCCTGGAACAGAGCTGCGC
TGAGGTGGTGCTGCAGGCGGCCAACGAGGGGAACGTGTCCACGCGCCAGGGAAATGGACCTGTCAGCCAATCAGGATGAAGAGACCG
ATCAGGAGACCTTCCAGCTGGAGATCGACCGCGACACAAGAAAGTGTGCCTTTTCGCACCCACACGGGCAAGTACTGGACACTGACG
GCGACCGGAGGTGTGCAATCCACTGCGTCCACCAAGAACGCCAGCTGCTACTTTGACATCGAGTGGTGTGACCGCCGGATCACTCT
GAGAGCCTCCAACGGCAAGTTTGTGACCGCCAAGAAAAATGGCCACGTGGCCGCTCGGTGGAGACAGCAGGGGACTCGGAACCTCT
TCCTCATGAAGCTGATTAACCGCCCCATCATTGCGTTCCGGGGGGAACACGGGTTTATTGCGTGCCGCAAGGTCACGGGCACTCTG
GATGCCAACCGTTCCAGTTACGATGTCTTCCAGTTGGAATTCAATGACGGCGCCTACAACATCAAAGACTCCACGGGCAAGTACTG
GACGGTGGGTAGTGATTCTCGGTCCAGCAGCAGCGACACCCCTGTGGATTTCTTCCCTTGAGTTCTGTGACTACAATAAGGTGG
CTCTCAAGGTGGGCGGCCGCTACCTGAAGGGGGACACGCTGGGGTCTGAAGGCCTGCGCGGAGACTATCGACCCCGCTCACTC
TGGGAGTACTAGGGCCACCTGCCCTGTCAGCCGCTCTCGTCAGTCTCTGTATCCTTACTCATCGGTGGCCTGCAGCAGGTGG
CAAACCCCTTGCCTTTCAAACCTGGAACCCAAGAGAAAAACGGTGCCCTTGTGTACCCCTCTGTGGACCCCTTTTCCCTAACTCAC
TGCTCCCCATGGGTGGTGGCTGCAGACTGTCCCCAGGAGGACTCTGGTTCCCTCTGTCCCTTCTTTCCATGGGGAACCTCTGGCA
CCTTTCTTCTGACCTCAGTCAACTCTGAGCCTTATTTCCCCCAGGAAGTGGCTTAGGAGAAGCTACAGGGCCTAGGGACTTACCC
TGAGCTTGTAACCTGGAAGACCCCGTCCCTATCCCCGCTCCCGCCCCCACCACCCACCCCTGCTCTGGCCCCAGCCTCTGGAGG
CCAGCCTTTTGGCGGGACTGAAGCCGGGCATGGCCAACCTTGGCCACAAGTGTTTTTCTGGATCTTGGCTGGAAGGCAGTCTGTCC
CATCCTGCAGTGTGTGGCCTGGCTCTTTGACTCAAAGCTAGCTAGGTGGCACTCCGTGTGCTCCTGCACATTCTGGAAGGGGCG
GGCCTCTACCCACCTCATTCTTTTCCCCCTGGCTGACTGGAAGCAGAAAAATGACCAAATCAGTATTTTTTTTTTTCTTTAA
GGAAATGTTACTGTTGAAAGGCCCTAGGCAAGCCTGCCCTGTTGGTTGTAGTCGTGAGTGGTCTTGGGGGAGATGCTTGGCTCCT
GTCCCTGCCTCCCCAGCGGTTCCCTCCCTCCCTGCCCTGACCACCCAGCTCTGGCTCTGTGATTGGTGTCCACGTCTCCAGA
CACCTCGGGGCTCCTGGGCGGAGAAAGCCGATGTGCCCTCCCTGGGAGCCCTGAGTAAACCTCAGGGGGCCCTTTCCCAATCACC
CCTCCACCGACCCCTCAACACCATGCATCTCACTCTGGGTGTACTCGCTCACATTTATTTTTTTGTAAGTGTCAATTTCTATAACTC
TGAAGACCCATGATAGTAAGCTTTGAACTGGAAAAATAAAGTAAATCAAGTCTG

MOUSE SEQUENCE - CODING (SEQ ID NO: 3)

ATGACCGCCAACGGCACGGCAGAGGCTGTGCAGATTTCAGTTCCGGGCTCATCAGCTGCGGCAACAAGTACCTGACAGCCGAGGCGTT
CGGGTTCAAGGTGAACGCATCCGCTAGTAGCTTGAAAAAGAAGCAGATCTGGACGCTGGAGCAACCTCCCGATGAGGCGGGCAGCG
CGGCCGTGTGTCTGCGCACGCACCTGGGTGCGTACCTGGCCGCGGACAAGGACGGCAACGTGACCTGCGAGCGCGAGGTGCCCGAC
GGCGACTGCCGCTTTCTCGTGGCGCACGACGACGGCCGCTGGTGGTGCAGTCCGAGGCTCACCGGCGCTACTTTGGCGGCAC
CGAGGACCGCTTACCCGCAAGCGCTACGCGCATCTGAGCGCGCGGCCGGCCGACGAGATCGCGGTAGACCGCGACGTGCCTTGGGGC
TCTACAGCGTTACCCGCAAGCGCTACGCGCATCTGAGCGCGCGGCCGGCCGACGAGATCGCGGTAGACCGCGACGTGCCTTGGGGC
GTCGACTCGCTCATCACCTTGGCCTTCCAGGACCAACGCTACAGTGTGCAGACGTCCGACCACCGCTTCTGCGCCACGACGGGCG
CCTTGTGGCACGGCCGAGCCCGCCACGGGCTTCACGCTGGAGTTCCGCTCCGGCAAGGTGGCCTTTTCGCGACTGCGAAGGTGCGT
ACCTGGCTCCGTCCGGGCCAGCGGCACCCCTCAAGGCTGGCAAGGCCACCAAGGTGGGCAAAGATGAGCTCTTCGCCCTGGAACAG
AGCTGCGCTGAGGTGGTGTGCAGGCGGCCAACGAGGGGAACGTGTCCACGCGCCAGGGAATGGACCTGTGAGCCAATCAGGATGA
AGAGACCGATCAGGAGACCTTCCAGCTGGAGATCGACCGCGACACAAGAAAGTGTGCCTTTTCGCACCCACACGGGCAAGTACTGGA
CACTGACGGCGACCGGAGGTGTGCAATCCACTGCGTCCACCAAGAAGCCAGCTGCTACTTTGACATCGAGTGGTGTGACCGCCGG
ATCACTCTGAGAGCCTCCAACGGCAAGTTTGTGACCGCCAAGAAAAATGGCCACGTGGCCGCTCGGTGGAGACAGCAGGGGACTC
GGAACCTCTTCTCATGAAGCTGATTAACCGCCCCATCATTGCGTTCCGGGGGGAACACGGGTTTATTGCGTGCCGCAAGGTACGG
GCACTCTGGATGCCAACCGTTCCAGTTACGATGTCTTCCAGTTGGAATTCAATGACGGCGCCTACAACATCAAAGACTCCACGGGC
AAGTACTGGACGGTGGGTAGTGATTCTCGGTACACAGCAGCAGCGACACCCCTGTGGATTTCTTCTTGGATTCTGTGACTACAA
TAAGGTGGCTCTCAAGGTGGGCGGCCGCTACCTGAAGGGGGACACGCTGGGGTCTGAAGGCCTGCGCGGAGACTATCGACCCCG
CCTCACTCTGGGAGTACTAG

HUMAN SEQUENCE - GENOMIC (SEQ ID NO: 4)

TTGCATTTGAAGCTACCATGACTGCAAGAGGGAGTTCCCGAAGGGGTCTGGGAATGGCCAGGGAAATAGGGGTGAGGTGAGACTC
CACTGCCCCGACAGTGCCCATGTATGAATTAGAAAAAGTGGGCCAGGCGTGGTGGCTCACACCTGTAATCCCAGCATTTTGGGAGG
CTGAGTGGGCAGATCATGAGGTGAGGAGTTCGAAACCAGCCTGGCCAACATGGTGAAACCCCATCTCTACTAAAAATACAAAAAT
AGCTGGGCTTGGTGGCACACATCTGTAGTCCAGCTACTCAGGAGGCTGAGGCAGAAGAATCGCTTGAACCTGGGAGGTGGAGGTT
GCAGTGAGCCGAGGTGATGCCACTGCACTCCAGCCTGGGTGACAGAGTGAGACTTTGTCTCAAAAAAAAAAAAAAAAAAAAAAGA
AAAGAAAGAAAGAAAAAGAAAAAAGTGGGCCAGGTGTGGTGGCTCATACCTGTAATCCCAGCACTTTGGGAGGCTGAGGTGGGAG
GATTGCTTACAGCCAGGAGTTTGGAGACCAGGTTGGACAACATGGTGAGACCTTGTCTTTACAAAAAATACAAAAACCTATCTGGG
CATGGTGTGTCATTCTTTAGTCCAGCTACTTAGGAGGTTGAGGTGGAAGGATCACTTGAGTTAAGGGAGGAGACCACCCCTCAT
ATTGTCTTATGCCCAATTTCTGCCTCCAAAGAAAGAAAAAGTAAAAACTAAAAGGCAGAAATGAAAACCACAGGCAGACAGCCAG
CGCCACACCCCTGGGCTCGTAGTTAAAGATCGACCCCTGATCTAATCGGTGATGTTATCTATAGACTACAGACATTGTATAGAAAT
GCACTGTGAAAAATCCCTATCTGGTTTTGTCTGATCTAATTACCGGTGATGTCAGCCCCCAGTCACGTACCCCTGCTTGCTCAAT
CACGACCTCTCAGTGCACCCCTTAGAGTTGTGAGCCCTTAAAAGGGACAGGAATTGCTCACTCGGGGAGCTTGGCTCTTGAGA
CAGGAGTCTTGTGATGCCCTGGCCAAATAAACCCCTTCTTCTTTAACTCGGTGTCTGAGTTTTGTCTGCGGCTCATCCTGCTA
CAGAGTCTAGGAGCAGAGGTTGCAGTAAGCCAAATTCACGCCACTGCACTCCAGCCTGGGTGACAGAGCAAGACCCCAACAAAA
AAGAAAGAGAGCCAGGCGCAGTGGCTCACGCCAGCTAATTTTGTACTTTTAGTAGAGACGGGGTTTACCATGTTGGCCAGGCT
GATCTCAAACCTCTGCTCAGGTGATCGGCCACCTTGGCCTCCCAAAGTGCTGCGATAACAGGAGTGGAGGCTCAACTTTTAA
AGAAGAAAGAGCAATCAGGACAGGAGACAATTACAAGCTCTGTTCAATTCGGAATTTCTCATTGGCTTACAGAAATAACTTTGGCT
AGTGATTGGTTATATGTTGTAGACAGACCCACAGGGTGGATGGCGTCTGTGGCCACTTGGGCATTAGCTGGTCCAGAGCCAGAGT
CCATGTAGCAAGTAGCTTCAGGACGTAATTAATTTAGCTCAATAGAAAGTGAGATGTGACTGCTGTTACTTTTTTTTTTTTGGAGA
CGGAGTTTCACTCTTGTGTTGCCCAAGCTGGAGTGCAATGGCGGATCTCGGCTCACTGCAACCTCTGTCTCCAGGTTCAAGTGATT
CTCCTGCCTCAGCCTCCCGAGTAGCTGGGATTACAGGCGTGTGCCACCAAGCCCGGCTAATTTTTGTATTTTGTAGTAGAGACAGGG
TTTCACTATGTTAGCCAGGATGGTCTCGAACTCCTGACCTTGTATCCACCGGCTCGGCCTCTCAAGGTGCTAGGATTACAGGCA
TGAGCCACACGCGCCGCTTTTAACTGCTGTTACTTTTTTTTTTTTAAATCATTTTTTATTCTGCTAGTTCCATAAAAGCAATGTAA
ACACCAGCATTTATACATCTTGTGGTGAACCTACATAATGCTTAGTTCCCTGATCCTTTGACCTCCTTGTCTTCTCCAGTTATT
TTCTGTTTGGACCACTGGCCACAGGAATGGAGTGGGGTTGGGGCTTAGGAGAGAGCAATGTGGCTTTTGGTATGACTTGTTCAT
TGACTGCTGTTACATTTTAAATGCCTTTCTGGGCTGATAATTTAAGGGGGCTGGCATTCTCACATCAAAGGGCAAAGGGTTTTT
TTGTTTGTCTCACTATTGCTCAAAAGCCACATGTGTCAAGGACAGCTCTTGTTAACGGGCAGAGAAGCTTATAGAACCTTTCCA
GGGCTGGCGCGGTTGTTTATGTCTGGGGGACAAGAGCGAAACTCCATCTCAAAAAGAAAAAAGAACATTTCCAGGCCA
GGCACAGTGGCTCACACCTGTAAGTCCAGCACTTTGGGAGATTGAGGTGGGAGGATCACTTGAGGCCAGGAGTTTGGAGCCAGCA
TAGGCCACATGGCAAGAACCAGTTTCTACAAAAACATTTTTTTTTTTTAAATTAGCTGGGCTCGGTGGTGCACACTTGTGGTCCCAG

CTACTCGGGAGGCTGAGGTGGGAGAATCGCTTGAGCCTGGGAGGCGGAGGTTGCAGTGAGCTGTGATCGCACCCTGCATTTCAGC
CTGGGCAACAGAGGGAGACTCTGTCTCAAAAAAATCAAATAAAGAAAAAGAACATTTCCATTATTGCAGAATGTTCTATTGGAC
GGCGCTGGGCCAGATGCCTGCCCCAAGCCCTGGGACACCCAAACCTGGTGAAAGTGCCAAGCTCCCATCTGGGGGTGCTCACGGAA
GGGGCCGGGAGCTGGGATTACAAGCGTGGAGGCAGGCGCCACCCAGAGGAGGTGGGTGATGTCTGAGCCAGAGTCTTTGGGATGA
GCAGGGCTTTGGCAGGCAGCTTTGTTGGGCAGGCAACAGGCACAGCAGGTGCAATGGCATCGAGGTTGGAGAGGTGGACTGGCGGG
GAGAAGAGAAGGGAGGGTGGCAGGAGAGATGGGCAGAGGGCCCCCAGGAGCCCAGAGCCTTCAGGGCTTTGGGCCCTCTTGGGGCA
CTGGGGAGCCACGGGAGAAGTGTGGGGTGGAGAGGGGCGCCCTGGATTGACCACCTTCAGGAACCTACCTTGGCTGCCCGGGTGG
GTGGGATGGAGGTGATGAAGGTGGAGGTGCTAGCATTGTCACTGAGAGCGATGCTTATTCTGATTTTTGCCCCCTGAGCCTCAGA
AATCGGTCAGAACAGTGCTCGGGCTGGGCGTGGTGGCTCACGCCTGGAATCCCAGCACCTTTGGGAGGCCGAGGCGGGATCACC
TGAGGTCAGGAGTTTGAGACCAGCCTGGCCAACATGGCAAAACCCCGTCTCTACTAAAAACACAAAAATTAGCTGGGTGTAGTGCT
GCATGCCTGTAATCCAGCTACTCCAGAGGCTGAGGCCTCCCTGGGAGGCGGAGTGCACTGAGCCAAGATTGTACCACGCCCCCTCC
AGCCTGGGTAAACAGAGTGAGACTCTGTCTCAAAACAAACAAAAAAGAACAAACCAACAGTGCTCCAATTCACCTTGCTGAATT
GGAGAAGAACAGGTGCCTGGGTCTCCCGGTGACGGTGACGTCACTATGAGCCACCACGCCTGGCCCCGTGGGTGTTTACAGCAG
AGGTGGTTTCAGGGAGGAGTGAGTGGCAGATGGTGCAGGCTCAGGGAGGAGTGAGTGGCAGGTGGGGCCTGAGGCCAGAGGCAGGAG
GACCGTTCAAGACTGAGGTGTCTTGGGCACTGGTGCCGGGGCCGGGGAGAGCCCTGGCATGCCGGGGCCCCGGCCCTCAGTGAAAGC
AGGATGAGGTGGCGGCCAAGCAGGGAGGCCAAGGCCTGGCAGCAGCCGGCAGCCCCCTCTCCTGGCAGGGACATCTTGGCAGGAGCC
GGGCTCTGCCAGGGCGCTAATGTCTCTTAATTAGCCAGGCACCTTGCCAAGCACTTGCCGCTGCGGCCCTCACTTTGCAGAACGCA
CTTGGGTGTTGGAGCAGGACCAGCATCGGCCACCGGTGAGTAGGGGGGATGGCCAGGTGAGTACCATGGCCAGAAGGTGCGGCCCTC
TGAGTCCCCACTGAAGCCAATCCAGGCCCCGACCTCTGGTCATCATCAACAGAAGAGTGACAGAAACAGAAAAGATATCAAGGAAC
ACGTTTTTCAGGGCCAGATTCAGGTCCCCCACCCTATTTTCTTGTCTCTGCCTTGCTTGGCTCTGCCCCCTGAACTCTTATTCA
CCCAGTGTAGGCATCACCTCCTCCTGAAGGCCCTCCTGGACTGCACAGTTAACTCTGGAGCCTCCCCTGCACAGGGCAGCTCATGT
ATGGATCCACAGGTGAGTTCTGTCTTTGAAGGGTTACAGTTTAGGTCCTGGAGCAGTGGTGGGGAGGTACACCTCCACCCACAT
CCCTCTTTGCAAATCCCATGGGAATATGAGCCTGGGTCCCCCAAACCTGCATGTTCCCCACTTAAAGCTGGGCCAGATCCTGTTTG
CTGTATCCAGGCCTCAGTTTCCCTGCTTGTAAACCAGAAGTCCATGCAGCCAGAAATGTGAGGGAGCTGGGCACGGTGGCTCATGC
CTGTAATCCCAGCACTTTCAGAGGCTGAGGCAGGAGGTTCACTTGTGATCAGGAGTTTGGGACCCAGCCTGGGCAATACAATGAG
ATCCCTGCCTCTACCAAAAAATTAAAAACAATTAGCCAGGCCTGGAGGCATACACTTGTAGTCTTAGCTATTCAAGGGAGGCTGAG
GTGGGAGGATCACTTGAGTCCAGGAGTTTGTGGCTGGGGTGAAGTCTGATTGTACCCTGCACTCCAGCCTGGGTAAAGAGAAATGAG
ACCTTGTTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTTATTTT
GGTTCAGTGAACCTCTGCTTCCCGGCTTCAAGAGATTCTCCCGCTCAGCCTCCCAAGTAGCTGGGATTACAGGCGTGTGCCACC
ACGCCTGGCTAATTTTTTGTGTTTTTAGTAGAGACAGGGTTTCACCATGTTTGCCAGGCTGGACTTGAACCTCCTGACCTTAGGTGA
TCCATGCCCCCTTGGCCTCCTAAATTGCTGGGATTATAGGCATGAGCCACCGGGCCTGGCCGAGACCCTGTTTTAAAAAATTAAT
CAGGTCCAGTGCGGTGGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCCGAGGAGGGCAGATCACCTGAGATCGGGAGTTTCGAGA
CCAGCCTGACCAACATGCAGAAACCCCGTCTCTACTAAAAATACAAATTAGCAGGGCGTGGTGGCGCACACCTGTAATCCCAGCT
ACTTGGGAGGCTGAGGCAGGAGAATCACTTGGACCTGGGAAGCAGAGCTTGTGGTGGAGCCGAGATTGCACCATTCACCTCCAGCCT
GGGCAAAAAGAGTGAACTCCATCTCAATA
GAGGCAGGACAGTGGGAGTGACAGCCTGGTCTGTCTCCCGGGCTCTGGCTGACCATGCTGTAGTGTGGCTCAGGGCCCTGGAGG
GCACAGCTGTCTGTGGCCCTGTGGTCAGCCGGGAAGCCAGGCCTGGCAGGACTCCTGCCCTAGAATCAGCTCCTCCCACTCCCCA
GGGTCCCATGCAGGGCGCTGGCCGTACCAGGCCTCCTCGCGGGTGGCACAGAGCCAGCGGCTGCACAGCAACAGAGACGCCATTCA
CAGGCTCTCGGCCACGAGGCCGCTCATTTACAGAGGGCTGAGCCGCTGACATCTGTGCGTTTGTAAATGGACAGCATTCTGGTC
CCATACAGACGCCTGGGCCAGCCACATTTATCTCCCTTGAGAGAAGGGAAACGAGGCTCGGGAGGGAAATGAGGGATTGGCTTGGG
GTCACACAACCTTTAATGATGACCCTGGGCAGGAAGCTCCCAGGATGGCAACAGAGACTCAGGGCAGGCTGGGCATGGTGGCTCACA
CTTGTCTATCCAGCCCTTTGGGAGGCAGAGGTGCAAGGATCACTCGAGCCCAGGAGCTCAAGGCCAGCCTGGGGAATATAGTGAGA
ACCCATCTCTAAAAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAA
TCACGAGGTGAGGAGATTGAGACCATCCTGGCTAACACGGTGAAACCCCGTCTCTACTAAAAATACAAAAATAGGCCGGGCGTGG
TGGCTCATGCCTGTAATCCCAGCACTTTGGGAGGCTGAGGCCGGCGGATCACGAGGTGAGGAGTTGAGATCAGCCTGACAAACAT
GACGAAACCTGTCTCTACTAAAAATACAAAAATTAGCCGGGCGTGGTGACACGCGCCTGTAGTCCCAGCTACTCAGGAGGCTGAG
GCAGGAGAATCGCTGAACCATCGAGGTGGAGGTTGCGGTGAGCCGAGATCGCACTACTGCACTCCAGTCTGGGAGACAGAGTGAG
ACTCCGTCTCAAAAAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAA
GAATGGCGTGAACCCGGGAGGCGGAGCTTGCAGTGAGCCGAGATCGCGCCACTGCACTAAAGCCTGGGCAACAGAGCGAGACTCTA
TCTCAAAAAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAA
GCTTAAGCCCAGGAGTTTGGAGCGGGAGTGAGCTGTGATGGCACCCTGCACTCCAGCCTGGGTGACAGAGTGAGACCCCGTCTCT
CCCTATCCCCCGCAAAAAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAAATAA
GGTATATTTTGGCCCCAGGCCCAATCCTGGTCTTTGGACTACAGTCAAGACCTAGCACAGGGCTCAGGCCTAAAAAAGCTGT
TGAGGAGGGTGTGAGGCTGCAACGTTGCGGTGAGAAGGGGGTCCCCAGGGAGGGCGCAGCAGGAAGCCCCAGGGAAGTGCCCTGGGA
GAGGGAGGTTGTGAGCCAGAAAGGAGCAGCCCGCAGCCTTTGGTTGTTGACTCCTGCTTTGTAAGTGGCAGTCTGGTTGGGTAGGA
CAGGGTCCGAGTCTCACTCAGGGAAGTGAAGTCCAGGGTGAAGTCCAGGAGCCCTTCCCTGGTGGCCTCACTTTCCCTGACAGCCT
GCTGCATGGTGTCCAGTGGCCAGCCTGGGAGGAGCTCAGGACTGGCCTCACCTCGTGCCACGCCCTCGTACCAAGGTGGCTCAGAT
GGCACCTGGGTTCGGAAGGGCCAGGAACACAGCGTCCATGTCCCCTCCTTCCCGGAGGGACTTGGGGTGGGGCCTGCAGGA
GGATCATGTGACTTGTCAAGGGCAGCTTGTCTGCCCCGGACACAGAGGTGCCATCGTAAGCGAGATGCAGGCAAGGTGAGGAC
AGGGCATGGTGGCGAGCAGGAATGATTTTCGAAAATGCTACTCTGTGGTGGGGCAGGTTGGCTCACTCCTGTAATCCCAGTACTTT
GGGAGGCCCAGGCGGGCAGATCATGAGGTGAGGAGTTCAAGACCAGCCTGGCCAACATGGTGAAACCCCTTCTCTACTGAAAATAC
AAAAACTACCCGGGCGTGGTGGTGGATGCCTGTAATCCCAGCTACTCAGGAGGCTGAGGCAGGAGAATCGCTTGAACCCCTGGAGG
TGAAGGTTGCAATGAGCCGAGATTGCACCACTGCACTCCGACCTGGGCGACAGAGAAAGACTCCGTCTGAAAAAACAACAAACAA
ACCCGAGATTCTCTTTTCCCCCGTCCGGAGCTCTATGGCCATCTGGAGCTCGTTCTGTCCACAAGGACACATTTCTTGGCAGCAG
CTGTGGACCAGGGCTCACTCACTCACATCTGTACCAATCTAGAGCAGGACAAACACCTATCACCTGCACTGGCAATGGACAGAGG
ACAGTGGCAGCCCCATCACAGAGGCAATCAAGCCAAGGCATTTTCTATCGTCTATTTATCTATCTATCTATCTATCTATCTATCT
ATCTATCTATCTATCTATCTAGATGAGATCTTGCTATGTTGCCAGGTTGAACTCCTGGCCTCAAGCGATCCTCCTGCTTCAGCCTCCCA
AAGTGTTGGGATTTAGGTGTGAACCACTGTACCTGGCTGGAGTGCACTGTCATAGCTCACTGCAGCCTCCACCTCCTGG
GCTCAAGGAATCCTCTTTTCTCAGCCTCCTGAGTAGCTGGGACCACAGGCATGCACCATCACACCCAGCTAAACCTTGATTTTTC
CATAGTATATGGCTCAGGGCAGAGCAAAGAAGCACAAAAACATGTTGGCTTGGCGTTGAGGGCTGATGGGAGGGGGTTCTGGCCAA
AGCCCAAAATTAACAGCCACAACGTAGTGTCTGTGGGAGGGGTTGCCAGGGGCGTGCGGGTTCTGGGGCTCAAGGCCCTGCCGGT
AAACCCATTTGAAGCAGGATGGCAAGAAGGTGACACCATCTTCCCCCGCGCACTGAAAGCCCTGGCTGGGATTGCTTGGGGCAGA
CACAGGCTCGGACCAGCCCCAGCAATCCCAGTTTATCAGCGAGCCGGCTGAGGGCCCCGAGTTATCTCAGTGCCCCGGCCTGAGACC
TTGTGGGCAGCCTGTGGTCATGCTGGCATTCCAGGGGCTTTTGGCATGTGGGGAAATGTCCAGGAAAAGCCTCAGCCTTCGGTGAG
GCGCAGAAAAGGGAAGTGTCCTAGAGGGGGTGGGTGAGGGCGTGGGAGGTGGTGTCTGCAGGGAATGTCCCCTTTGGGGGAGGAG
GATGGAGGGTTGGGATTCTGAGGATGGGGGGGGGGGCTGTAGCCAGCACCATGTCCCTCCTGTGTGACCAGCTCAGAGTCCCATGA

AATTGGGGCTTTGGGAGGGGAAGGGACACTGGCCTGGGAACCAGAGACCTGGGCTGGTCTGGCTCACAGTTGCTGGACCTCTGTGAT
CCGTGTCAAAAAACGAGAACCAATTCTGTCTGCCCCTCACCACCAGGTGGGACCTGAACCCTGGCATCGCCAGCATTGGGA
ATGTCGGCCACTGACTCAACCCTCTCCCGGAGACCTATTTGGGCCACCCGAGGCGGGTGCCTGGGCCACACGGAGGGGTCTTGGT
GGTCTTCAGGGCAGCGGCTGTGGGGCTGAAGCCTCAAGGAACCACATCTCTGCATAGGAGGGCCAGGCTGCAGGGCCCTCGGAGACA
ACCTAGTTGGGCGTGTGGGGTCTGTGGGTCCCAGGTCTGGCCTCACCGGGTCCCCACCGCGCTGTGAGCTCCCAGCCTCTTTCC
CTCGTCTGCCTCTGGGCTTCTGTAAAGCTATGTGCTCCAAGGCCACCTCCTCCAGGCAGCCCTCAGACCCCACTTCCGCCAGTA
CCGATCTGCACCGTGGTCTCTGAAGTCTCCATCGTGACCTCAAACCTCGCTCGTCTTGGCTCCTAGCGAGGCTTGGGGTCCGGGTG
TCCGAGGTGGGGGACATCCGGGGGGGTAGGTGGCTGGCGCGGGGAGCCGGGGTGTGAGGGGTGATGTCTCAGCGCGCGCGCT
GCGGGGTGCGGCGAGGACACCGGTGGGGTGAGAGCACCGGCGGGGAGCAGCGGGGGCCGAGCGCCGGGTCCCTCGGCCCGGGG
CCCTCCCGCGCGGAGCCAGGGGCGGGACAGGGGGCGGTGGCCTGGTGGCGCTGACGTACCTCGCCTATAAAATGTCCGGGGCGCC
GCTAGCTGGGCTTTGTGGAGCGCTGCGGAGGGTGCCTGCGGGCCGCGGCAGCCGAACAAAGGAGCAGGGGCGCCGCGCAGGGACC
CGCCACCCACCTCCCGGGGCGCGCAGCGGCCCTCTCGTCTACTGCCACCATGACCGCCAACGGCACAGCCGAGGCGGTGCAGATCC
AGTTCCGGCCTCATCAACTGCGGCAACAAGTACCTGACGGCCGAGGCGTTCGGGTTCAGGTGAACGCGTCCGCCAGCAGCCTGAAG
AAGAAGCAGATCTGGACGCTGGAGCAGCCCCCTGACGAGGCGGGCAGCGCGGCCGTGTGCCTGCGCAGCCACCTGGGCCGCTACCT
GGCGGCGGACAAGGACGGCAACGTGACCTGCGAGCGGAGGTGCCCGGTCCCGACTGCCGTTTCTCATCGTGGCGCACGACGACG
GTCGCTGGTCTGCTGAGTCCGAGGCGCACCGGCGCTACTTCGGCGGCACCGAGGACCGCCTGTCTGCTTCGCGCAGACGGTGTCC
CCCGCCGAGAAGTGGAGCGTGCACATCGCCATGCACCTCAGGTCAACATCTACAGCGTCACCCGTAAGCGCTACGCGCACCTGAG
CGCGCGGCCGGCCGACGAGATCGCCGTGGACCGCGACGTGCCCTGGGGCGTGCCTCGCTCATCACCTCGCCTTCCAGGACCAGC
GCTACAGCGTGCAGACCGCCGACCACCGCTTCTGCGCCACGACGGGCGCCTGGTGGCGCGCCCCGAGCCGGCCACTGGCTACACG
CTGGAGTCCGCTCCGGCAAGGTGGCCTTCCGCGACTGCGAGGGCCGTTACCTGGCGCCGTGGGGGCCAGCGGCACGCTCAAGGC
GGGCAAGGCCACCAAGGTGGGCAAGGACGAGCTCTTTGCTCTGGAGCAGAGCTGCGCCAGGTGCTGCTGCAGGCGGCCAACGAGA
GGAACGTGTCCACGCGCCAGGGTGAAGTGGGGACGCTGCCCCCGCCTCTCTGGTCCGTGCACAAAGCGCACCCCAACCCGCGCCCT
CCAGCCTCCCGCCCTTTCTCGCTCGCGGCGCCGCTGCGGTCCGGAGCACTGCCATTGCGCCCCCGCTAGGCACGCGGGCTACCCC
GCCTGGAGGGGGCGAGGAGTGGGGCTTTGCCATCCTCGGTGCCGTGCCACCTCCCAACCCCGGGCTGGGATCATGGGCTCCCC
TAGGCCCCCGGAGTGCACACCGTACGTGCACCTCCTAACCCCCCCCCCGCCCAATCTTGGCTCTCCCCACGCGCGCTGATCCC
TCGGATCAGCTGTCCAGCTCTTGGCGAGTGGGAGCCCCCACCACATTTCTCGTGGCCCTCCCCCGCCGGCTGTCTTGGAGCTC
GGGGGTCCGAGGCAAGGGTCGCCACCCGCAAGGGCGCGCCTCCACCCCAACCGGCAGCCTTTCGCGGGCGAGATGGGGGAGGTTAG
CCAGGCTTTGATCCCGGCGGGGCGCGCCTCCACCTCCCGTCTGCCCCGCTTCTCCACCTCCTCCCGCTGCGGGGCGGGGTGCG
GCCTCCGCTGGTGGGGGGGGGCGCGGGGTGTGAGCCCTTCCCCCAGCCCCCTCCTCCCGCGCTGCCCCGCGCTCGAGGCCGCGGC
CTTTGTGAGCAGGGGGGCGGGTGCCTCGACTGGGTCTCCTCGCCCCCTTTGTCTGCTCCATCTCTGCAGATGGGAAAACAG
ATGCGGCGGGGCGGGGAGGGGATCGGCTTTTGGGTTACCCCTGCAGAGGAGCCCCCGCGCCGCCCGCCCGGGGCCAGGGCTCGG
GTCCCGAGGTTCCCAAGGAGCGGTCTCCTCCTCGCGCCGCGGCCCGGGAACGGCGTGGCGCGGATGGCGGCCCTCCAGGCACCC
CGCCCTTCGCCCCGCGCGCGCTCTCCAGGCCGGTGCCTGAGCTCCGCTCCGCGGGCGACCGAGGGCGGCTTCAGCGCGAGCCGG
GAGACCCAGGCCAGCTCCCTCGGGAAGCCCTACCTCTGGTGAACCCATCCCTAGGGCGCTCGCCGGGAACAATTGACTGCAA
CTCGATCCGTCCCTCCGGGGCTCCTGCAGGCACGGCTATTTGCGACCGGCCGTGTGCGCCACTCTTTCCCTTCTTTCTCAGATTC
TCCCCGAGGGGCTTTCTCTTCTTTTGGCGTCTCTTCCACTCCTGGCGGAGAAGCTGTTCTTGTGCTGCAGACAGAGGCCCGCT
GGAGGGAGGGGCTGGGGGGATCTTTTCCCTGGATAGGAAGTCGGACCCCAAGGCTTGGAGATGGCTGGACGGGAGCCAGTTG
TGTCTCATCCCTCCTCTTGGAGAGCCCTCCTGACGGCCCCCTCTTGGCTGTGGGCTCTGCAGGAGGGGGAAGACCCCCAT
GGCAGTGGGGGTGAGGGTGGAGGCCCTGGGTGGGGTAATGGCCATTTTGTGCTGAAGTTTGTACCTTAAGTCCCAGAGAGGTGAA
GCTGCTGTGATGGGTACACAGCAAGTGACCACAAGGAAGCAGCATGCAGAAAGTGGGTGCATTTGGCTCCAGAAACCCCGTTCC
TGTTTCCACAGCGCATGGCGGGCAGAGCTCCTCACCTGATCAGCAGGCATTGAGCCCTACTAAGGGGACCTGCTGAGCCATGAGT
GAACAGTGGGGTTCAGTTCTCTTGGGGACATTACGAAGTGTCAAGGAAAAGGCAGCGGGTACAGGTTATTAGATGGCTGAGTCC
TTTCTGAGCAGGACATTTGAGCTGGCCTGAAGGATGAATAGAAGGTGGCAGGTATGGGGGGGGTGTGTGTGGACCAGCGTTGTAG
GCTGTGGGTGTCTCCTGTGCAAAGGTCTTATGGCAGGAAGGTACAGAGAAAGCCAGTGTGGCTGGGAGGAAGCTTGTGAGGTCTG
GGCCACGGGACCTTGGGTGAGAGCTTAGTGAGGGCTATGGTCTTGCCTTGGGGTTCAGCCACAGCCTCCCGTGGGGAAGAAGT
CGCAGAAAGTAGGTGGCCTTGGCCCTGGGGGCCAGGAAGTTGCAGAGAGCCTGAGGGTGTTTTGGCGAGCCTGGGCAGATAACTCC
CCTCTCCTGAGAAGCTTGCTGGGGGCGTCTGGTGTGTGATTACGGCTGATAGGGTGGGAGGAACAGAAATTGCAGCAGGAGAGG
TGGTGGTGATGGCTCAGCTTGGAGTTGAAAGGGATGTGGGACGGCGCGGGGGTGGGGTACTTGGGGGCCGAGGTTGGGGCTCCTC
TGGCCTCAGATCTTGGGGTCTTATCTCGTTTCTATGTGACCAACTCCCGGGGGGCTTTTGGGAACCTGGAGTCTGCAGGGGTGGG
CGTGGGGGGCGTGTCTGCAGAGGCCATTTTGGACGGGCTGCGTGGCAAGGGGGAGGCGTCTGCTTCCGACACACATGCTGGGGAA
CGCCAGCCAGGAAGGGGAGGATCCGGACTTAGCTGGCAGGGGGGATGTGAATCATCTCTGCAGGCCTGCAGGGCGGGGCCGGTGG
GGGACGGGTGCTCCCTTTGAAAAACGCTGCGCCCTGCTCTTCAGCCTCAGTTCCCCATCTGTAAAGTGTGCATTCCAGGCCTCC
TTGGGCTGGCCAGAGCTGCCCTGGGCAGGGGCTTTCAGCCCTTCACACCAGAGGCTGGGTGAGCTGAGTGAAGTCTCTTTGTCC
TCCCGCCATGCCCCAGGCTCCTCCCTGCTCCCCAGGATCCACACCTACCTTGGCCCCGACCCTGGGCCATGCCACACACTTCC
TGTCTTCTCTCACATCTCTCACATCTGGGAGTCTCTCCCGCCAGCCTGTGCTTGATCTGGGGATCCATGCCAGGGATAGGACCT
GTCTCTCTGCTGGCTTGGGACATGCCCTCTCCAGCCACTCTGAGGAGGGCTGACTGAGGAAGGGCTCGTCAAGCTGGGCTTTGC
AGGATGTGTAAGAGTTCTCCCCACGAGGCGCAGGGCATTTCTGAGCCCAAGGAATGGCTTGTATAAGGATGCAGAGGCATTTGAAAT
GGCCAAGTAGTTGCAGGAATCGACTGGAAACCGGGGTGGTAAGGTGAAGCCATAGAACATTCCAGGCCCCCTCCCTAAATGAGAT
GGAAGGAGTGCTGTTTGAACAAGCCAGGGGCATCTGGGGACCGTTAAGGCCTGGGGGTGGTGATGGGGACTGGAGGGTGTGAGG
CAACCAGGGGGTGGCCCTCTGAGCCACCACAGACAGAATGGTTTCAAGGCCAGGCACACTGGCTCTCGCCTGTAATCCAAGCACT
TTGGGAGGCCAAGGAGGGAAGATGGCTTCGGCCAAGGAGGGAAGATGGCTTCAGCCCAAGGAGTTCAAGGCCAGCCTGGAAAACATG
GCAAAACCTCTGTCTACAAAAAATACAAAAAATTAGCCAGGCATGGTGATGCACGCTGTCTGCTCCAGCTACTCAGGAGGCTTAGA
TGGGAGGATCACTTGAGCGGGGAGTTTGGAGCTGCAGTGAGCCGAGATCGTGCCACTGCACTCCAGCCTGGGCAACAGAACGAGA
CCCTGTCTTAAAAAATTTTTTTGGCCTGGTGGGGTGGCTCACGCCTGTAATGCCAGCACTTTGGGAGTCCAAGGTGGGTGGATC
ACCTGGAGGTCCGGAGTTTGGAGCAGTCTGACCAACATGGAGAAACCCATCTCTACTAAAAACACAAAAAATTAGCCGGGCGTGG
TGGCGCATGCCGTGAATCCAGCTACTCTGGAGGCTGAGGCAGGAGAATCCCTTGAACCCGGGAGGCGGAAGTTGCAGTGAGCCGA
GATCGCACCATTTGCACTCCAGCCTGGGCAACAAGAGTGAACTCCATCTCAAAAAACAAAAACAAAAACAAAAACAAACCAAAACA
AACAAACAAAAAATGTAATTAATAAATTAAGAAAAAAGTTAAAAAAGAGAGGATGGCTCAAAGGCTGGAAACAG
GGAAGGCCACTGTGAGGGGAGGACAGGCAGGGCTAGACCTCTCTGGAAGGAGGAGGGAGAGGTACCCGTGGGCCGGCACAGGAGA
CTCTTAATCTCCTGGCTCCCGGGGGCTTCTGTGGGCTGTGACTCAGGATTTCTGTGCTCTGTTGATGAAAAGAAAAATCCTGAA
GAAAACACTGTTCCCATAGTAACACAGCTCTAATTAGAGACTCCAAGGCCAAGCGAGGGCCTTGGAGCCAGGAGGGGCCCTGCTCT
ACTGGGGGGACGACACCCCTTTCCCTATCCCTCCCTGCTGGGGTGTGGCCTGATGTCTACGTGGCACCAAGGCCCTAAATCCTTT
CAACATCCTGGCGGAGCGGAGAGGCTGGGCCCTTTTGACAGGTGGGGAACTGAGGAAGGTTGCAGGGAAGGCACTCATCAAGGG
TGCCCTGGCCCCCGCGGTGGGTGCCCTCACTGGCTGGCCTAAACCTTTGCATCAAACCAGTTCCAGGATTGAACGCAACAGGCTGAT
GGGGACTGAGTCGTGGTACAGATGGCGGCAGTTGTGTGGCCCTGGGCCCAGGAATGGCTGGGAAGCTCCCTTTCTTCTCTGGCTTG
GGGATGAGGTTAGTGTAATTTTCATGGAGTTGCCAGGAGGATTAAGGCCAGCTGCATTACACAGTGGCCCCGTGGCTGCCGCCA

104

TGATCCGCCCACCTCAGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACTGCGGCCGAGCAGAACACGTTCTAGGACCCCTTGT
 TCATGTGTCCATCATGGACAGGAGGACGTGCGGGCCATAGGGACCCCTGGCTCATTCCGGAGCCGGGACTGGAGGGTGGGGCGTCAC
 CCTTGGGAACACCCGTGCCACCCCTCCGCTGCCAGGGTAGGGGTGGGGAGCCAGGCTTTGGGCCCCACTTGATAAAGTCCCCCTCC
 CCAGACTCCACAGGCAAATACTGGACGGTGGGCAGTGAATCCGCGGTCAACAGCAGCGGCCGACACTCCTGTGGACTTCTTCTTCGA
 GTTCTGCGACTATAACAAGGTGGCCATCAAGGTGGGGCGGGCGCTACCTGAAGGGCGACCACGCAGGCGTCTGAAGGCCCTCGGCGG
 AAACCGTGGACCCCGCTCGCTCTGGGAGTACTAGGGCCGGCCCGTCTTCCCCGCCCTGCCACATGGCGGGCTCCTGCCAACCC
 TCCCTGCTAACCCCTTCTCCGCCAGGTGGGCTCCAGGGCGGGAGGCAAGCCCCCTTGCCCTTTCAAACCTGGAAACCCCAAGAGAAAAC
 GGTGCCCCCACCTGTGCCCCATATGGACTCCCCACTCTCCCCCTCCGCCCCGGGTTCCTACTCCCCCTCGGGTTCAGCGGGTTCGCGCCT
 GGCCCTGGGAGGGATTTAGATGCCCTGCCCTCTTGTCTGCCACGGGGCGAGTCTGGCACCTCTTTCTTCTGACCTCAGACGGCT
 CTGAGCCTTATTTCTCTGGAAGCGGCTAAGGGACGGTTGGGGGCTGGGAGCCCTGGGCGTGTAGTGTAACTGGAATCTTTTGCCTC
 TCCCAGCCACCTCCTCCAGCCCCCAGGAGAGCTGGGCACATGTCCCAAGCCTGTGAGTGGCCCTCCCTGGTGCAGTGTCCCCGA
 AACCCCTGCTTGGGAAGGGAAGCTGTGCGGTGGGCTAGGACTGACCCCTGTGGTGTTTTTTTTGGGTGGTGGCTGGAAACAGCCCCCT
 CTCCACGTGGCAGAGGCTCAGCCTGGCTCCCTTCCCTGGAGCGGCAGGGCGTGACGGCCACAGGGTCTGCCCGCTGCACGTTCTG
 CCAAGGTGGTGGTGGCGGGCGGGTAGGGGTGTGGGGGCGCTCTTCCCTCTGTCTCTTTCTTTTACCCCTAGCCTGACTGGAAGCAG
 AAAATGACCAAATCAGTATTTTTTTTAAATGAAATATTATTGCTGGAGGCGTCCCAGGCAAGCCTGGCTGTAGTAGCGAGTGATCTG
 GCGGGGGGCGTCTCAGCACCCCTCCCAAGGGGTGCATCTCAGCCCCCTCTTCCGCTCCTTCCCGTCCAGCCCCAGCCCTGGGCGTG
 GGCTGCCGACACCTGGGCCAGAGCCCCCTGCTGTGATTGGTGTCTCCCTGGGCTTCCCGGGTGGATGAAGCCAGGCGTGCAGCCCCCTCC
 GGGAGCCCTGGGGTGGAGCCCGGGGGCCCCCTGCTGCCAGCCTCCCCCGTCCCCAACATGCATCTCACTCTGGGTGTCTTGGTCT
 TTTATTTTTTTGTAAGTGTCAATTTGTATAACTCTAAACGCCCATGATAGTAGCTTCAAACCTGGAAATAGCGAAATAAAATAACTCAG
 TCTGCAGCCCCAGGCCGGCCTGTGTGTGTCTTGGGGCTGAGGTGGGTGGGGGGGCTGAGGTGGGTGGGAGGGCTGGCGGGACAGGT
 AGGCGCCCTGGCTCCCCAGCTCAGTGTGGGAGTGTGCAGTGGGAGGGAGGCGTGGCTCCAGTGGGTGTCCGGAGCTCGTGGGC
 CCAGCACACCTCCTTAAGCGGGGGATGGAGCGCTGGGAGGGGGTGGACTGTGGCCCATGCGACCCCCAGAGCCATTAGGAGGAGTT
 CTGTGGTGAGAAGTGGCTGTGGCTCCTCGTAGGCTACGTCCACCATGCGGGGGACCTCGGGGGTGTCTGGCGGTGGCACGCTGGAT
 GTTGAGAAGGCGCAGCCAGGGAACACTCAAACCAGGAGACCCACATTATCCTCTAGTTGACATGTGCCCTTCGACTAGGGGACT
 TGGTGGTAGGGGAGCTCCGCCCCCATACTGCGAGGATCCGGGCTTCCACTTCCCCAGACACAGCAGGTGGGGTGGCCCTGGGG
 CTGGGAGATGCTGCCCTGGGCCCCCTCAGGGGGCGGCCGTGGTAGGATGGACCGGGCCGAGCGTGCAGACCCCTGGGCAGGTCCCTAC
 ATCGGAACCAGCAGCCCTGGGGATATCTGGCATATCAGAGGCTGAGGACTGTTTCCAGACTTTACCAAGGCCACAGTCAGGGCGAC
 CTGGGTCTGAGCCTCCCTTTGCATCCTAGGCTGCAGGGACAGGGGCTGGGCAGAGGCTCGCGGACCTCGTGCAGCTTCATTCACT
 CCCAGGTGCCCTAAGGATAGCAGCTGCGAGAAGACTGAGGGGAGGAGCAGTAAGGCGCAGCCTGGAGCGGAGGGACCTGGCGTCC
 AGTCATTGTGCGCTGGGAAGGCGGTGATGGCGACGGAATTTGGGACACGCGGGGCGTCCCGGGGGCAGCCAGGGGACTGCAGGCCG
 GAGCCCCCTGTTCCCCCGCATCTCCCCGCGCTCGGCAGCAGAGCAAGCGCTGATTGGCTGTGATGACGCAACTGGGAGGGCTGC
 GCTGTGATAGGTGGTCCCTCGGGGGCGTGGGGCGCAAGTCTTGAGATTGGCAGGGGCGAGGTGGCTGCTGCAGAGGGAAGTGGGGT
 CACCTCAGCGAGGTTCGGGGCGCCACCCCTCTCCCCCTCCCCCATGAAAGCCAGGCTGGAAGCCAGAAAAATCCCAGTGAAGTGAAG
 GGACAGATTAATCCTCCGGAACCAAACCTCTTTGAGACCTGGGGAGGAGGGTGGGAGGCACTGGGAAGGGGGATTGGGGGGAGCCTG
 GCTCATTTCACCCATGGAGCTGACCTAGAATGACCCCTAAGGTCCCGGAGCCACCAGCTGATTCCGAATTCATTCTATCTGCAA
 AATTTGGCGCCTACCAGCTGGCCGAGATTCCCGAGGCTGCAGCCAATGAGCAGCATAGTCCGATGGGGGAGGCTGGAAGGGCGCTT
 CACGAGATCTCTCGGGAGGAATCGGTAGGAGCTGCCCAACTGAAAGGGACGGGGGAATAACCCGGGGCGAGGGACCTGCCAGGCC
 CTGCCCTCTGGGGGGAAGCCAGGCCAGGGGCGGGGGCATCTCTGGGGTCCCAGGTGAGATGCGGGTTCGAGGGAGCCAGGCCACGG
 TTCTCCAGACTCGCGTGGAGGCCACGAGCGTCTTCTGGAGGAGCGGGCACTGCGCGGACCGGCAGACTCTGGGGCGCTCGTGTCTCC
 CCATCTCCTGACCTTTTCTTACCTTCAGTTCCTCTCTGTCAGGACAGGTTCTTGGGGCTCGCCGGGGCAGGGAGCCAGGGCAGAGGG
 TGCAGTTTCCGCTCCTGCCTGAGTCACCTTCGCTTTCTCAGCGATTCTTCATTCAAAAGGGCGTGGCCCATCACACGCACTCACAC
 ACTTGTGAACCTGCACGCACACACATATGGACCTGTGCAAGAGCCCCATGCACAGGCAAGTACACGTGCATGTAGGCGTGCAC
 ACAGACACGCACAGATGCAGGCAGACCAACTCCCAGGAATCTGTCTCCAGCCTACAGGGATTACAGCACTCAGGGTACCAGCCTCTG
 TCCCGTGCACCCCCATTCCCGGCAGTCTCCCAGGTGGGTGGGGGGCACTAGGGACCCCATACCCCGAGGGTGGCTCCTCCATTA
 AGCCTGCCATGGGGTGGGAGTGAGAGTCCACCTCCCACTTGAGAGTCCCGAGTGAAGTCAAGGCAAGTGCAGCCAGGGCTCCAAG
 ATCCTTGTGGGATTCACTGTGATCCCCAAAGATCACGACTTAAGGGAACAACTTCAATTAAGTGTAGAGCAAGAAAGGAGA
 GACTGGGCTGGGAGCAGTGGCTAACGCTATATAGTTTCACTACTCAGGAGGCCAGGTGTGAGGATTGCTTGAAGTCCAGGAGGCT
 GAGGCTGCAGTGAAGTATGATGGCACCAACCACTGCACTCCAGCCTGGGTGACAAAGCAAGACCCCTGTCTCAAAAAAAAAAAAAA
 AAAAAAAAAAAGGAAAAAGAGGCCGGGCACAGTGGCTCACACCTGTAATCTACTAAAAATAAGAAAAATTAGCCAGACATGGTGGT
 GGGTGCCTGTAATCTCAGCTACTTGGGAGGCTGGGGCAGGAGAATCGCTTGAACCCAGGAGGCGGAGGTTGTGTGAGCCGAGATTA
 CACCACTGCACTCCAGCCTGGGGCAGAGAGTGAAGTCTGTCTCCAAATAATAATAATAATAATAATAATAAAGAAAAAAGA
 AAGAAAGAAAGGAGAGACTGAGCTATATTGCCAGTCCAGGCATGTGGGCAGTCTGGGGGACAGTGGGGCATACTCGGTGTCTCAG
 GGTCCCAGCCCTGGGTGCCCCACTGCTGTCTGTGTGACCTCCTCAGGAGGCCTCATTGGGAGGGACCCCTGAGTCTTCCGGGGGG
 CTGTGGAGCTGTACCCAGCCCCAGGAGGACTCAGGCAAGTCCCTCTGGTGGTTCGAGGCTCTGAGCTTCCAGTGTGTCTCCACGG
 GACACCCCCCTCCAGACCTTCTGCCCCAGCTCAGCCTCTTCCAATTCATTATCAGGGGGTGGGGGAGGGGACAGGAAGCCCCAGA
 CCCAGCTGGGCCCCATTTCTCCAGGGCCACAGTGGCCTCTCCAGAGTACAGAGGATGGGGGCTGATCTCACTCTTTTTTTTTTTT
 TGAGACGGACTCTCACTCTGTGCTTTTTTTTTTTTTTTTTTTTTTTTGGAGACGGAGTCTCACTCTGTGCGCCAGGCTGGAGCGCAGT
 GCGTGTATCTCGGCTCACTGCAATCTCCACCTCCACGTTCAAGCGATTCTCTGCTCAGCCTCCTGAGTAGCTGGGACTACAGG
 TACGTGCCACCACACCTAATAATTTTTGTATTTTTTTAGTAGAGATGGGGCTTACCATAATTAGCCTCCCAAAGTGTGGGATTAC
 AGGCATGAGCCACCATGCCCCGCTTGAATTCCTTTTAAAAAGTCAAATACTTGGTGTCTTGAATCCCAGCACTTTGGGAGG
 CTGAGGCAGGAGAACTGCTTGAAGTCTCAGGAGTTTGAAGCAGCCTGGGCAACATGGTGAAGTCTCTGTCTGTAAAAACTACGAA
 AATTAGTCAGGCATGGTGGTGCCTGTGTGCTCCAGCTGCTCAGGAGGCTGAGGTGGGAGGATGGTTTGATCCTGGAAGGTTGA
 GACTGCAGTGAAGTGTGATTCCACCACTGCAGTCCAGCCTGGGCCGAGAGCAAGACTCTCTCTCAAAAATAAATAAATAAATAA
 AAAAGTCTAAACTTTTCTTTCAAACGACGGCTTTTGGGGCTCATAAGGTGCGTGAAGATGGAAAGGGGGCCCGGCACTGCCATTT
 TCGGCTCCCTTGGGACCCCGGCTTCCCTGAAGACCCCTGAGCAATGGTTGGCTGGGTGCTTCCCTGAACGGGCTGTGGGCA
 ACAAGTTGTCTGGATGGGGGAGGGGCTCTGAGACCCCTGGGGGCGAGCAGAGGGAGAAGGGAAACAGATGGGGTCTCCAGGCAGAG
 AGGCTGGAGGGGTGGGGCGGGGAGGGCATTGGGCGTGAACCCCAAGCCCCCTAACGGGGGCCCTAGCTTAAACGGGGAGGAGGG
 CCTCTGTGATGTGCAATAATTAACACAGAAAGCCTTCACTGTGCTCCCCCTCCTCATCCCAGGACCCAGGTCTGACCCCTCAGGAGGG
 GAGGAGGTGAGCAAGGGGGGAACCCACCTTCCAGGGAACCCCAAGATAGTGCCAGGCACAGGCAAGTGTCTAAAGGCTTTACT
 AATATTATTTGAAGAACTAAGCTAATAAATAAATACGGTATAAATCAAAGGGTACCCACAGATATAAACAATAAATCCACAGCTA
 ACCCGGCCCCAGCCCTCTTCTTTGGAGGTAAGTGTGTTAATGGTTTTTTTACACCCCTCTGGAATTTTTTTTTTTTTTTTTTTT
 TTTTTTTTTTTTTTGGGAAGGAGTCTGGCTCTGTGCGCCATGCAGCGCAGTAGCGTGTATCTCGGCTCACTGCAACTTCCACATCCCG
 GGTAAAACGATTCTCCTGCTCAACCGCCTGAGTAGCTGGGACTACAGGGGCGCACCACCATGCCCGGCTAATTTTTTTTTTTTTTT
 TTTTTTTTTTTTTTGGAGTCTGCTGTGCTGCGCCAGGCGGGAGTGCAGTGGCGCAATCTCGGCTCACTTGAAGCTCTGCCCT
 CCCGGGTTACGCCATCTCCTGCTCAGCCTCCTGAGTGGGTGGGACTACAGGCTCCAGCCACCACGCCCCGCTAATTTTTTTTGT
 TTTATTTTTTTAATAGAGATGGGGTTTCACTGTGTTCGCCAGGATGGTCTCGATCTCCCTTTTTTTTTTTTTTTTTTTAGACGGAGT

CTCGCTCTGTCGCCCAGGCTGGAGTGCAGTGGCATGATCGTGACTCACTGCAAACCTCCACCTCCCGGGTTACGCCATTCTCCCGC
 CTCAGCCTCCCGAGTAGCTGGGACTACAGGCGCCACCACCACACCCGGCTATTTTTTTGTATTTTTTAGTAGAGACAGGGGTTTCA
 CCATGTTAGCCAGGATGGTCTCGATCTCCTGACCTTGTGATCCTCCTGCCTCGGCCTCCCGAAGTGCTGGGATTACAGGCGTGAGC
 CACCGCGCCCGGCTCTTGTTTTTTTTTTTTTTTTTTTTATAGACTTCTAAGGAAAGCAACACTAAGAAAATATATTTTTTAAGAA
 ATTATTCAGCCAGGCGTGGTGGCTCACGCCTGTAATCCCAACACTTTGGGAGGCTGAGGCGGGTGGATCACTTGAGGCCAGGAGTT
 TGAGACCAGCCTGGCTCACATGGTGAACCCCTGACTCTACTAAAAATACAAAAAATTAGCCGGGCACAGTGGCATGCTCCTGCAAT
 GCCAGCTACTTGGGAGGCTGAGGCAGGAGAATCCCTTGAACCTGGGGAGGCAGAGGTTTCAGTGAACCAAGATCGAGCCACTGCACT
 CCAGCGTGGGTGACAGACTGAAACTGTGTCTCAAAAAAAATTTTTGTTTTTGGAGATGGGGTCTTGCTCTGTCAACCAGGCTGGA
 GTACAATGGGGTGATCTAGGCTCACTGCAACCTCAAACCTCCTGGGCTCAGGTGATCTTCCTGCCTCAGCCCTGGAGTAACGGCA
 CTACAGGTGCATGTGAGAACACCTGGCTAGTTTTTAACCTTTTTTGTGTGTAGACAGGGTCTTGATATGTTGCCAGGCTGGTCTCC
 ATCACCTTCTGGGCTCAGTGATCCTCCTGCTTCAGCCTCCCAAAATGCTGGGATTACAGGTGTGAGCCACCATGCCCGACCTGAG
 GGATACCTTAATGTTTATTTCTCACATTTCTTCTAGAACAACATTGCCAGCGCATCCAGACTCTGAACTGTGGCTGGGGACTGC
 AGCATGGAGGTCTTTGCAGGCACTCTGGGAAACATGCCACAAGCAGGGTATTAACCCAAAGACAGTCAGTCCCTCCAATGAGAAAA
 GGAGCCGAGGGACTGTGCATGCCTCAGAGCCAGATGCAGCAGAACTGGTGGGTTGAGGGGGCACTGAGCGCCTGGTGCCTCCTGCT
 GCGGCTCTGAGGTTGGGCAGGCTGGGGAGCCCCAGACATGGCTTGGTGCCTCCTGAGGCTTAGTTCCAGGCTCTGC
 CCGATCCTCTGAGGGTGTGGCTTCAAAGCCCTGCTTGGGCCTAAGGCCATCCAGGGCAGTGACTGAGGGTAGACTGAGATGTCCC
 TTGGGCACCCAGTCTAGGGTACCTGGGCTGGGGTCTTCAGCTCAGGCCCCCTAGTGCCCGTCTTTGGGCTGTGGGCAGGTTTCC
 ACAGCACTGGCCCTTTCTGACCTTACACCCCTGTGCATCCTCACTGGGGCTCTGTGAAGGTGAAAGTCACACTAAGGACTGTGCCT
 ATGGTGGCCAGGGCACCCACCGGCAGCACACCTCAGAGGCCTCATCCTAGGCGCTGCTCACTTTTTTTTTCTTTTTTTTCTTTTTT
 TTTTTTTTTTTTTTTTTTCCGAGACAGAGTCTTGCTCTGTACCTAGGCTGGAGTGCAGTGGCATGATCTCGGCTCACTGCGACCTCC
 TCCTCCTCCTGGGTTTAAAGCAATTCTTCTGCTCAGCCTCCTGAGTAGCTGGCATTACAGGTGCCCGCCACCACGCCCGGCTATTT
 TTGTAGTTTATAGTAGAGACGGGGTTTACCATGTTGGCCAGGCTGGTCTCAAACCTCCTGACCTTGTGCTCTGCCCGCTTGGCCTC
 CCAAACCTGCTGGGATTACAGGCGTGAGCCACTGTGCGTGGCCCTGCTCATTTTTCTTACCACAGCTTTCCAGAAATAAAGTTAGGAT
 GGAAAGAGAGAGAGAGAGATTGAGAGAGAGAGAGAGACACCACATTACAGATAGAGACAGGAGAGTTCTCAGCAAGAAGAGAATCAG
 CTCAGAGTTGAGAATGTCTCAACTCAGCTGTCTCCCTGCTGAGACGTCCTGGGCTGAAGTGTCCCTCACCCTGCGGGGCTGTGA
 CTGCACACTGCACACATGGGTACAGCAGGGCTTGGCGTTTGGAGCAGGCCGGGTTGGTGGCTTGTCTCATCTCTTGCCTGGAGC
 TGTGCTGGCCTGTGGTTTGTCTTGGCTGCTACCATGTGGAGGGAGAGGTGCTTGTGTCCATGCCTGGCCTCTTGGAAAGGCCACCAC
 TGTGATGGAGAGAGGAAGGCCACCCTGTGATGGAGAGAAGCCGGGGCCAGACCGATGAGGGCTGAGAGCCCATGGGCAGGGGTTG
 TGGTCTCGGCCAAACCCAGCTGGCAGCTGATGGCAGCCACCCCGGGTCTCAGATATGGCACAGCTGCCTGGCTGAGCCTCGGC
 AAAGGGAAGCCTTGTGGAAAATAGCAACTCAGGGATGTTGTGAGTAGTGGGCTGAGCTGTGGTTTATTTTTTAGAGACAGGGTCTT
 GCTCTGTCAACCAGGCTAGAGTCCAGTGGTGTAAATCATAGCTCACTGCAGCCTTGACCCCCAGGCTCAAGTGATCCTTGTGTCTT
 GGCTCCTGAGTAGCTAGGACTATAGGTGCATACCACCATGCCTCGCTTGTTTTTTGTTTTGTATAGAGATGGGGTCTTGTAGGT
 TGCCCAGGCTGGTCTGTAACTCCTGGGCTCAAGTGATCCTCCTGCTTTGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACT
 GTGCTGGCCTTGGGGTGTGGTTTTATGTGGCCATAGATGACTGAGATGGGTGAGAAGCGGGACCTAGGGGAATATACAGGCGAGGG
 GGATCCGACAGGGGGACAGGAGGGCAGACAGCTCCTGGAAGGCCTGGGAAAGAGATATCAGGGCTGGACCCTGGAGAAAGTGGGCT
 TTGAGGGAGGGGAGGAGATGGGGCTGGCGGGGTACGGGCGCTGCTCCTAGGTCTGAGGGCATCGGCGGTCTGAGAGCTTGCGGGA
 GGGAGGGCTGCCTCCCGGTGCTCGGTGCCCTGGCTCTCCTCCTTGTGCTGGCTGGCCTCCTCCTCATGCATCTGTGTCTCT
 GGAACACAGGGCACTGTCCCTCTGCCTGTCCAGAAAAGCAGTGTCTCCTTGGGGCTGGCCTGCTCAGCCCTATGTCCACCCGCT
 CCCTGCTGCTATTCCAGGCCCTTGGGGCTCACTGCCTGGGGTGGCCGTGCTCAGCCCCACCCCTGTGGTGCCATGGCCTCCCCACC
 CCTGCCCGCAACTGCCCTGGGACCAGTTCTTTCAGCTCCAGGACAGGGCCTGGCCATCCCTGTGGATTCTCCCTGTTCGTGGAC
 CCCCATTGGTGGCCAGTCTCCTTGGACTGTCTTCTGAGCCTCTCTCAGATGTACCCCCAACTGTACCCTTTTACCCAGAGGCCATT
 TGGCAGCGTCTCCAGGACTCCTGCCGTGGGGGAAAGTCTCCACCAAGGCCAACGCGTGACTGCATCCCGAGGAGCTGATTTAAGAT
 CTGGTTCTCAGGAACACCTGGAACCTGGCCAGTCAGCATCCCGGGCCCTGCGGTCTGCACCTTGGACAAGGGTCAAGCAATGAGGATG
 AGCAGCAGGCGGGGCTTCTCCTGGAAGCCTTCCAGCCTCCTGGGCCACTCCAGTGGGTCCCCCTCCACAGACTCAGCCTGTTCCCT
 GCCACCTGGTGGCGGTTTCTCTGTGGCACCTACTAGGGGCGGAGTGCCCCGGGACTGCCAGCTGAGCAGCGCGCTCCAGGTCTGC
 ACCCAGCTACACTCAGGGCACGTGCACAGGTGAGCAGCCGGGCACGCAGGCACCTGCCAGGTGTGGGTGTGGACTAGGTGCTCCCG
 G

HUMAN SEQUENCE - mRNA (SEQ ID NO: 5)

GCGGAGGGTGCCTGCGGGCCGCGGCAGCCGAACAAAGGAGCAGGGGCGCCGCCGAGGGACCCGCCACCCACCTCCCGGGGCGCG
 CAGCGGCCCTCTCGTCTACTGCCACCATGACCGCCAACGGCACAGCCGAGGCGGTGCAGATCCAGTTCGGCCTCATCAACTGCGGCA
 ACAAGTACCTGACGGCCGAGGCGTTCCGGTTCAAGGTGAACGCGTCCGCCAGCAGCCTGAAGAAGAAGCAGATCTGGACGCTGGAG
 CAGCCCCCTGACGAGGCGGGCAGCGCGGCCGTGTGCCTGCGCAGCCACCTGGGCGGCTACCTGGCGGGGACAAGGACGGCAACGT
 GACCTGCGAGCGCGAGGTGCCCGGTCCCGACTGCCGTTTCTCATCGTGGCGCACGACGACGGTCTGCTGGTCTGCTGCTGCTGCT
 CGCACCGGCGCTACTTCCGGCGCACCGAGGACCGCCTGTCTGCTTCCGCGCAGACGGTGTCCCCCGCGAGAAGTGGAGCGTGCAC
 ATCGCCATGCACCTCAGGTCAACATCTACAGTGTACCCGTAAGCGCTACGCGCACCTGAGCGCGCGGGCCGGCCGACGAGATCGC
 CGTGGACCGCGACGTGCCCTGGGGCGTGCAGTCTGCTCATACCCCTCGCCTTCCAGGACCAGCGCTACAGCGTGCAGACCGCCGACC
 ACCGCTTCTGCGCCACGACGGGCGCCTGGTGGCGCGCCCCGAGCCGGCCACTGGCTACACGCTGGAGTTCGGCTCCGGCAAGGTG
 GCCTTCCGCGACTGCGAGGGCCGTTACCTGGCGCCGTGCGGGGCCAGCGGCACGCTCAAGGCGGGCAAGGCCACCAAGGTGGGCA
 GGACGAGCTCTTTGCTCTGGAGCAGAGCTGCGCCAGGTCTGCTGTCAGGCGGCCAACGAGAGGAACGTGTCCACGCGCCAGGGTA
 TGGACCTGTCTGCCAATCAGGACGAGGAGACCGACAGGAGACCTTCCAGCTGGAGATCGACCGCGACACCAAAAGTGTGCCCTTC
 CGTACCCACACGGGCAAGTACTGGACGCTGACGGCCACCGGGGCGTGCAGTCCACCGCCTCCAGCAAGAATGCCAGCTGCTACTT
 TGACATCGAGTGGCGTGACCGGCGCATCACACTGAGGGCGTCCAATGGCAAGTTTGTGACCTCCAAGAAGAATGGGACAGTGGCCG
 CCTCGGTGGAGACAGCAGGGGACTCAGAGCTCTTCTCATGAAGCTCATCAACCGCCCCATCATCGTGTTCGGCGGGGAGCATGGC
 TTCATCGGCTGCCGCAAGGTACGGGCACCTGGAGGCCAACCGCTCCAGCTATGACGCTTCCAGCTGGAGTTCAACGATGGCGC
 CTACAACATCAAAGACTCCACAGGCAAAATACTGGACGGTGGGCGAGTGAATCCGCGGTACACAGCAGCGGCGACACTCCTGTGGACT
 TCTTCTTCGAGTTCTGCGACTATAACAAGGTGGCCATCAAGGTGGGCGGGCGCTACCTGAAGGGCGACACGCAGGCGTCTTGAAG
 GCCTCGGCGGAAACCGTGGACCCCGCTGCTCTGGGAGTACTAGGGCGGGCCGCTCCTTCCCCGCCCCCTGCCACATGGCGGCTC
 CTGCCAACCTCCTGCTAACCCCTTCTCCGCCAGGTGGGCTCCAGGGCGGGAGGCAAGCCCCCTTGCCTTTCAAACCTGGAAACCC
 CAGAGAAAACGGTGCCCCACCTGTGCCCCCTATGGACTCCCCACTCTCCCCCTCCGCCCCGGGTTCCCTACTCCCCCTCGGGTCAAGC
 GCTGCGGCTGGCCCTGGGAGGGATTTAGATGCCCTGCCCTCTTGTCTGCCACGGGGCGAGTCTGGCACCTCTTTCTTCTGACC
 TCAGACGGCTCTGAGCCTTATTTCTCTGGAAGCGGCTAAGGGACGGTTGGGGGCTGGGAGCCCTGGGCGTGTAGTGTAACTGGAAT
 CTTTGTGCTCTCCAGCCACCTCCTCCAGCCCCCAGGAGAGCTGGGCACATGTCCCAAGCCTGTGAGTGGCCCTCCCTGGTGCA
 CTGTCCCCGAAACCCCTGCTTGGGAAGGGAAGCTGTGCGGAGGGCTAGGACTGACCCCTTGTGGTGTTTTTTTGGGTGGTGGCTGGA
 AACAGCCCCCTCTCCACGTGGGAGAGGCTCAGCCTGGCTCCCTTCCCTGGAGCGGCAGGGCGTGACGGCCACAGGGTCTGCCCGCT

GCACGTTCTGCCAAGGTGGTGGTGGCGGGCGGGTAGGGGTGTGGGGGCGCTCTTCTCTGTCTCTTTCTTTTACCCTAGCCTGA
CTGGAAGCAGAAAATGACCAAATCAGTATTTTTTTTAAATGAAATATTATTGCTGGAGGCGTCCCAGGCAAGCCTGGCTGTAGTAGC
GAGTGATCTGGCGGGGGGCGTCTCAGCACCCCTCCCAGGGGGTGCATCTCAGCCCCCTCTTTCCGTCTTCCCGTCCAGCCCCAGC
CCTGGGCCTGGGCTGCCGACACCTGGGCCAGAGCCCTGCTGTGATTGGTGTCTCCCTGGGCCTCCCGGGTGGATGAAGCCAGGCGT
CGCCCCCTCCGGGAGCCCTGGGGTGAAGCCCGGGGCCCCCTGCTGCCAGCCTCCCCGTCCCCAACATGCATCTCACTCTGGGT
GTCTTGGTCTTTTATTTTTTGTAAAGTGTATTTGTATAACTCTAAACGCCCATGATAGTAGCTTCAAACCTGGAAATAGCGAAATAA
AATAACTCAGTCTGC

HUMAN SEQUENCE - CODING (SEQ ID NO: 6)

ATGACCGCCAACGGCACAGCCGAGGCGGTGCAGATCCAGTTCGGCCTCATCAACTGCGGCAACAAGTACCTGACGGCCGAGGCGTT
CGGGTTCAAGGTGAACGCGTCCGCCAGCAGCCTGAAGAAGAAGCAGATCTGGACGCTGGAGCAGCCCCCTGACGAGGCGGGCAGCG
CGGCCGTGTGCTTGCAGCCACCTGGGCCGCTACCTGGCGGGGACAAGGACGGCAACGTGACCTGCGAGCGGAGGTGCCCGGT
CCCGACTGCCGTTTCTTCATCGTGGCGCACGACGACGGTCTGCTGGTCTGCTGAGTCCGAGGCGCACCGGCGCTACTTCGGCGGCAC
CGAGGACCGCCTGTCTGCTTTCGCGCAGACGGTGTCCCCCGCCGAGAAGTGGAGCGTGCACATCGCCATGCACCCCTCAGGTCAACA
TCTACAGTGTACCCGTAAGCGCTACGCGCACCTGAGCGCGCGGCCGGCCGACGAGATCGCCGTGGACCGCGACGTGCCCTGGGGC
GTCGACTCGCTCATCACCCCTCGCCTTCCAGGACCAGCGCTACAGCGTGCAGACCGCCGACCACCGCTTCTGCGCCACGACGGGCG
CCTGGTGGCGCGCCCCGAGCCGGCCACTGGCTACACGCTGGAGTTCGCTCCGGCAAGGTGGCCTTCCGCGACTGCGAGGGCCGTT
ACCTGGCGCCGTGCGGGCCAGCGGCACGCTCAAGGCGGGCAAGGCCACCAAGGTGGGCAAGGACGAGCTCTTTGCTCTGGAGCAG
AGCTGCGCCAGGTGCTGCTGCAGGCGGCCAAGCAGAGGAACGTGTCCACGCGCCAGGGTATGGACCTGTCTGCCAATCAGGACGA
GGAGACCGACAGGAGACCTTCCAGCTGGAGATCGACCGCGACACCAAAAAGTGTGCCCTCCGTACCCACACGGGCAAGTACTGGA
CGCTGACGGCCACCGGGGGCGTGCAGTCCACCGCCTCCAGCAAGAATGCCAGCTGCTACTTTGACATCGAGTGGCGTGACCGGCGC
ATCACACTGAGGGCGTCCAATGGCAAGTTTGTGACCTCCAAGAAGAATGGGAGCTGGCCGCTCGGTGGAGACAGCAGGGGACTC
AGAGCTCTTCTCATGAAGCTCATCAACCGCCCCATCATCGTGTCCGCGGGGAGCATGGCTTCATCGGCTGCCGCAAGGTACGG
GCACCCCTGGACGCCAACCGCTCCAGCTATGACGTCTTCCAGCTGGAGTTCAACGATGGCGCCTACAACATCAAAGACTCCACAGGC
AAATACTGGACGGTGGGCGAGTACTCCGCGGTACCAGCAGCGGCGACACTCCTGTGGACTTCTTCTTCGAGTTCTGCGACTATAA
CAAGGTGGCCATCAAGTGGGCGGGCGCTACCTGAAGGGCGACCACGCAGGCGTCTGAAGGCCTCGGCGGAAACCGTGGACCCCG
CCTCGCTCTGGGAGTACTAG

Table 2 (mouse gene Fosb; human gene FOSB)

Mouse genomic sequence (SEQ ID NO: 7)

Mouse mRNA sequence (SEQ ID NO: 8)

Mouse coding sequence (SEQ ID NO: 9)

Human genomic sequence (SEQ ID NO: 10)

Human mRNA sequence (SEQ ID NO: 11)

Human coding sequence (SEQ ID NO: 12)

MOUSE SEQUENCE - GENOMIC (SEQ ID NO: 7)

CTCACTCCGCCAGTCTGAAGCATCCGGGCTCTGTCTGTGAAACAGTCCGCGAACTGGGAGGGTCTACCCACTGGCCCCAGCACCCC
TCCTCCCAAGGCCCCCATGCTGCTGCTTTCATGTGACCAGGGCTGGGCGGAATCTCTGAGCAGACAGAGAGAAGCATGGTGTGACC
GCATGAGTGGAGTGAGTTCTGGGGACAGTGCCAGTTGTGCGATAGACAGCAGATTCCGGAGGACCCTGTGCATGTGTGTGTGT
GTTGTATTTGGTTTGTGTTTGTGAGTATGTCTGTGTGTGTGTGTGTGTGTGAGAGAGAGAGAGAGAGAGAGAGAGAGACAGACA
GACAGACAGAGACAGAGACAGAGACAAAGAGAGTTGTGTGAGGACCCTGTGCATGTGTGTGTGTGTGTGTAATGTTTGTGAGTGT
GTGTGTTGTTGTATTTGGTTTGTGTTTGTGAGTGTATCTGTGTGTGTGTGAGAGAGAGACAGAGAGACAGAGAGAGAGAGAGAGAG
AGAGACAGACAGACAGACAGACAGAGAGACAGACAGAGAGAGACAG
CTCCAGGTGATCTGGGAAGCTTGTGAATGTGAAAGTGCCTGTGGGTGGCTTCACCTCTGGCAGAGGCATTCTGCCTCCTGTATAT
TAACTATGTGTGCTCAGACAATCCACTCAAAGATGCTCTGGGGCTGCAGCTGATAGAGCAGCTTACTTAGTGTGCACAAGGCCGTG
GGTGCAAACACCCAGAACTACAATCCCAGAACTCTCTGCGCACTGAACTCGACTTCCTCATTTGTTTCTTGTCTTTTTTTTTT
GACGGAGTCTAACATTTGTCCGATTGCTTCAAACCTTTATAGCGGAGGAAGATCGATGGCAATTCCTTCTGCCTCCACCTTCTGAGTG
CTAGGATTGCAGGCATGTACCCTCATGCCCAGTTGAGACAGTATCAGTGATTGAACCCAGGGCCTCACGCCTCCTGGAGAAGCCCT
GTACCATGGAGCTACAAGTCTAGTTCTTTCTTGTCTTAAAAAAAATAAAAAGCTGGGTCTTCTTATAGCCAGGCTGGCTTTG
TACTCCCCATCCTCCTGCCTCAGCCTCCCAAGTGTGGGATGATAGGCTTATGGCACGGCCATGATAGCACCTACAATTTCCAGAG
TTGCCTGTCTTTGCAGTGTACTATGCCTTGTGAGGGACAGGCTCTGAGGGTCTGCTTGTGATCACACACCTGAGGACCTGTTTGC
TGGGAGTTCTGTCCCCATTTCTTTGCCAGGCTGGAAGACACTGACACACCCACCATGGTGACAGTACCCATGGACTTAAATGGTGT
GACTCCCTCTGCTCTAATGGGAGGGTCTCAGTGCCCCGTATCTGCTGTTTCTCAAATGGGGTAGGTAATACAGAGATAGGAGGGCT
GACACAAAACATATCAAACACCAAGATAGCAAAGGCTAGAATGAGACCCTGTCTCAAAGCTTTCCCATAGAGAAGGGGAGTGATATAA
TTGCACCCACTCACAAGACTGTTGGCCATAAACAAGTTTGTATGGAAAATGTTTACAAAAGTGCTTGGCACATCCAGGGGTGGTGGC
GCACACCTGGATTCTCATACTTGGAGAGAAGAGCCAGGAAGATTAGGGACGGTTCCAGTCAGGCCTACATATTGAGACCTTATCTC
AAAAACAAAACAACACAACACACACACACACACACACACACCTCAAAAACCTCTGGAAGTTACATTTTGGGAAAGGC
ATCTGAATGGTAAAGTGTAGGGATTAAGAGTAGAGACTAGAGTCCCTCCATGGGACCGAGATGTAGAAAAGAAAGAAAAGAGAGCT
TGCTAAAGCAGGCCAGCCTAAGGGCAGACTCCTGAAAGGACTTGCTCCAAATGATTGTTGAGGGTGGAGGACTCTAAGAAACTGGA
ATTGTGGGAAAACTCTCGGGGAATGACAAAAGCCGGTTTGCAGTTGGTGTGAGATTAGAAAGTAATGGCCACAATATAGGGCACAA
TATACAGGCTGGTCTTGAACCTGTAATCCTCCTGCCTCAACCTCCCAACTATTATAGGTATATGTCACCAGCTGGATGCTTTTGCC
TGTCTTGTCTTCTTCTGTGCCCCAGGGCTTCAGTGAATAGGGATGGCTGCCGATTAAATAACTGAATTGCTAGCAGGGTGGGTGAG
TCAGGGCTTTAATCCAGCCTTCAGGAGGACAGGACACAGATCTTTGTGAGTTTCAGGGCTAACCTGGTTAACAGAGAGAGTTCC
AGGACAGTCAGAGCTACACAGAGAAACCTTGGCTCAAAAAACAACAAAATATCTGAATGGCTGATTGAATGACTGGGCAGATGGAC
AGATAGACAGATGGACATGTACGATCCACAGACATGTACGATCTTTGGGATGGTGGGGAAGGCTTGGTAGCTAACACAGGCTGGCT
CAAGACCTGCTCTGGGAACCTTTCTTTCTTTGTATCCTCAGCTCTGGGTCTATGAAGGTGTGGAGTGGGCCGGGAAGGGAGTG

108

TATACCCCTCTCGCCAGAATCTGCACTGGGGACCTTGCTCTTTTTCACCAGCAGGGGCGCTGCACCGGTTTGGGGAGGGTGGGGTC
CCAGGGGTATAAGCAGACCTGGGATCTGGAGTTGCACCTTCTCCAACCCGGGTACGACGGGGCCTTCTGAGGGAGTTTAGGCGCCT
GTCAATCTCAGCCTCCGGGACAGCGTGGAACCTGCGCAGGCGCGGGCGGGTTCCGCACAGCGCAACAGCGGGCGCGCGGGAGCGA
GGGATTCCCTCTGACGTAATTGCTAGGATACCAAACAAACACTGGGCCGCGCTGGCCGAGCTCCTTATATGGCTAATTGCGTCACA
GGAACCTCCGGGAGGGCGGGGCGGGATCCCTCCCGCAAGCCCTCAGAACGCAGCCTTGGGGACCCCGAGACCCCGAGGGTCA
CACTATGGGCAGGTGGCAGGTGCACGAGGCCCTGGAGGGCGCCACAAGGAGCTCAGTCGGCGGGGAAGGGAGAGTTTGGGAGGTTCG
TGCATGGAGTTGCGGGTGACGCAAGCGCGGGGGCGGGTCCCGGAGGCATAAATTCAGCCCGGCAGCTCCCGGTTTCATTTCATAAG
ACTGGAGCGGCTACGCCGGGGACACGCGGAGCCGGGGCTTGCTGGACTTGACTACTGGTGACTCTTCTTTTTCTTCTTCTTGAG
GCCGTGAAAAATTTATATATATATATTTTATATATATTTTAAACTGGAGAGAAAGTTTTGTGGGTTCCTTTTTTGCAAGACTCTTT
CTAGATCGTTCTTCCGATTCTGTCGGAGGATAGACTTTCTTTCTGTGGGCTTCTGGATCGCGCCCCCTCTGCTCTCCCTCATTTCTT
GGGACGCTTCGACAGGATTGGAACCTGCATCTGAAGCGCACGCTGCACCECGGCACCTGCCCGCGGGTTCCTGGGCGGGGAGCGATC
CCCGCTCGCCCCCGTGAACCGACAGAGCCTGGACTTTTCCAGGAGGTACAGCGCGGTCTGAAGGGGATCTGGGATCTTGCAGAG
GGAACCTGCATCGAACTTGGGCAGTTCTCCGAACCGGAGACTAAGCTTCCCCGAGCAGCGCACTTTGGAGACGTGTCCGGTCTAC
TCCGGACTCGCATCTCATTCCACTCGGCCATAGCCTTGGCTTCCCGCGGACCTCAGCGTGGTTCACAGGGGCCCCCTGTGCCCAGG
GAAATGTTTCAAGCTTTTCCCGGAGACTACGACTCCGGCTCCCGGTGTAGCTCATCACCTCCGCCGAGTCTCAGTACCTGTCTTC
GGTGGACTCCTTCGGCAGTCCACCCACCGCCCGCCGCTCCAGGTAAGTTCTAGATCGTAAAGATTCTACTTTAGTGGTTGGGGGG
GGGTGTTTCTTTCAGGCTAAAGTGTAGATTGAGCATCCTCTCAAATAGAGACGCGCCAAAACCCAGGATCTGGGATTGCAATAGTT
CGGTTTGCACCTTGGTTTTTTGTGTTTGTCAAAGTGAAGAATGGAGTGATGTTGCAAAAGGTTATTTGCGCGGAGCGCGGGAA
AGGAATGCAGCTGGGCAAACGTTGGCGATGCCCGGTGCAAAGTATATACCCGGTGGTTAGCAGAAGCTGAGAATTTTAGCCGAAA
GCCGGCTCCCTAAGCCGAAGCTAGGCAAGTAGGGGAAGAAAAAGAAACAAAAAATTCAGAGAAGCTTCCAGGAGCCTCCTCCTCT
TCCCTCTTCTTCAAAACGCGGACTGCAAGTCCGCGAGTCAACCTCCACCCAGCAAGAGTTAGGGCCTCGAACCCCGGTACGCTGC
CTCCGCTCCTGCGCGGAGACGTAACGGGGGACCCGTGCGTAAAGGCTGACGCGCTGGAATCCTCCGTCTGACGCGGGGCACGCAC
AGCGCGCAGCGCCCCCTCCGCCCCCGCCCGCCCTGACGTCCCGGGCAGCTTCTATTTTGGAAACGCCGAGGCCACGTTGCTAAGGGA
GGGGGCAGCGTGGCTTTTGTGATTGGCTGTGCGGGCGCGAGCTTTAGCCAATCAGCGTTCCTTCTTCTATTTGTAGAGCGTAGCTCCC
TTCCTTGCTTTTTGTGGTCTTCCCGTGTGCGGGGTCTCCAAGAGGGAGAGCTAGGGGATTCTTGTGCGGATCGGGGGACTCGTTG
TCACCCCATGGGTCTGCGAGGACCTTGTGTGGACCTGGTCTGTGTGTCATAAGCTAGAGGCTTTTGGCTGAGTGTAGCGCCTCTA
AGGGGGAAGTGAAGGCCTCATCCCTTCTCCAGGCACACATATACGTGCTCCCTGAGCTCTAGACACTCAGTCTTCCGAGGTGTTT
AAACACTAGATGAGCTAGCCTACGGAGAGGCAGCCAGGTGGTCTCTAAAAGGTCCGCTTCCCTTAGTTCCAGGGCTCTGATTGG
CCAGGGATTAGCCCTTCCCTCGCCACGCCCCCTAGAGTAGTTAAGCCTCTAGGATTCCACTTGCGGGAAGGGGGGGGGGGCGTG
ATGGACGCTTCTTGGGTTCCGGGACGCAGATCCTATGTACCCCATCCCTGCAAGACAGTCTGAGAGATTCTCGCTGTCACTTTT
CTCTGCCTATCAGTTCAGTGAACCTGTCTAGTCTCACTGGGGAAGAGACAGACACTCGGAAGGGATGCTCTCAACTCTTAGGCCGG
TCCCCCAACACCGTTGGAACCTGGGATCTCCGCCCTGCGGGAGCCCTCATGCAAGTGGGGGTGTGTTTGTGTGTGAGTGGAGGAGA
GGAAGGCTTGGGCTAAGGCCTCTCCCTCTCCCTACCTACTGTGGTGGGGGTGGGGTGTGTTTGGCTGTATGTGTGTGTGANNNNNN
NNNNNNNNNNNNCTGACTTGAAGGGGGTAGTGTGTGTACATTTTTCTTTTTGAGACAGGATCTCACTGTATAGGCCAGACAGGCC
TGGAACCTCAATCTGTAGACTAGGCTGGTCTCGAACTCACAGAGATCCACCTGTGTCTGTGGCTCCAGTCCCGGGATTAAAGGTTTG
CATCACCAGGTTCTGTCCAGCCTCCGTCTCCACCCACCCCCCACCTAAGAGTCACCAACCCGGGGTGTGATTACACACCCGC
TGGAACCGTGCAACCTTTCCCGAGGAAGAAGGAGGAGGTAGAAGGCAGTTGAACAGAATCTCTCATTAAACCACTGCGTCACGGTG
TAGTGGAAGGGTGGGTGTTGTGGCTTTTTGCGCTGTGACACACACATCCACACCCGCTCACCCTGTGCTCACTCACAGGGGTCCGTG
TGTGTTATGTGTGTGGGCGTGTGTGTGTGCGGTGGCTTTGTTTGTGTGTCTACGCTGTGTGTGTATGTCTCACCCTGAGGAGTG
CGCCGGTCTCGGGGAAATGCCCGGCTCCTTCGTGCCAACGGTCAACCGCAATCACAACAGCCAGGATCTTCAGTGGCTCGTGCAAC
CCACCTCATCTCTTCCATGGCCAGTCCCAGGGGACGCCACTGGCCTCCAGCCTCCAGCTGTTGACCCTTATGACATGCCAGGA
ACCAGCTACTCAACCCAGGCCTGAGTGCCTACAGCACTGGCGGGGCAAGCGGAAGTGGTGGGCCTTCAACCAGCACACCACAG
TGGACCTGTGTCTGCCCGTCCAGCCAGAGCCAGGCCTAGAAGACCCCGAGAAGAGACAGTAAGTATGAGGCCCTCAGGAGTTGGGAT
GGAGGAGCCTAGCTAGGGATGTGGGCTCAGTTTGTACAGTGCTTGCTGCCATGCATGAAGATCCCTAGCACAGCATAAGCCAGGAG
TGGTTATGCAGACCTGTAACCCAGCTCTCAGAAGGTGGAGGCAGGAGGAGGAGTTCGAGGCCAGCCTGTGCTACTTATGGAG
TCCAGCCTGCACTGCAAGAGATCATTATTTTCAAAGTTGGCCTTGGGGGGAGGTGGGTGAGGGAAGTAAGAGAAAAGTGACAGTAA
TTTTATCACTAATAGTTGGAGGTTCTCTGAGGCCTCAAGTCTGAAGGAACCTTTACCATTTCTGGCCAGTGAGGAGTAGGGGTTAT
TATTTGGGGTTAGGAGGAAGGAGTTTCTTAGGGCTGATAGAGGTACCCCGAGATCTCATGGTCTTATCTCTGACTCAGCTTAC
CCCAGAAGAAGAAGAAAAGCGAAGGGTTTCGAGAGAGCGGAACAAGCTGGCTGCAGCTAAGTGCAGGAACCGTCGGAGGGAGCTGA
CAGATCGACTTCAGGCGGTAAGGAGGAGTCTGGGGGTGTCTTGAGGGCGGTGCTGGGAGCACTCTGCCTTGTCTTCCCCGTTTCT
CACTGTGCCTGTGTCTTAAACGAGGAAAACCCCTCTTAGGGAAACAGGGGTGAGTATAGGCTGATGGAGTGGCTCCATATGCATGCT
CAGACCCATGCCCCTTACTTTTCTGACTGTTCCCACTTTCCCTGAATATGTCCCCACATGTACCCCTCCTGGCTTTCTCTCAGCCT
AAGGAGACAAGCTGGAGGAGGTAATTCTCTCACCTTCTTTCTTCTTCACTAAATAATAATCCATTTTGCCTTCTTGCCTCCATTTTTT
TTTCTGAGCTGGGGATCTACCTGTGTAGTTAGCCCTCCTCCCCCACTTGATAGCCTCAAGTTTTCAGCCCTTGGCTGAGATGCC
ATCATCCTGACTGGCTCTGGCTGGAACTATTTTGTGCTAAGTCAATTCCTTACCTGCTACTCCAGCTATCTACAGTTCTGCCGAA
CTTGAGCTGGTGGCGCCACCAAGCCCACTTCTTTCTCTTCTTACCTCAGTGCAACCCCCACACACACACACACCTCATGCCT
GCCCCTTGAAACAGGGTGTGTCTCTGATTTCCCGTCCGGGAGGCTGAAGGAGATGGGTAAACAGAACCTCATTAAAAACAACACATA
AGCATTACCTACTGACTCAACAACTGTAGTGTTTTTCTTTTTCTCTCAAAAAATTTATTTCTGTTTGTATTTATTTATTTGCTT
ATGTTTGTAGTGTGCTGGTGCACACAGCACACATACGAGGTGAGAGGGAAATTTTCATAGTTTGTCTCTCCTTCCGTGTTGTG
GGTGTCTGCTGGCAATCTCCTTCACTCAGTGAGCTACAATGCCCCCTTCTGCCCTTTAAGGCAGAGTACTCCTTAGTACAGGGGGA
CCCTTCTCTCGGCCCTCTCAAAGTTGAGATTACAAATGTTTACCATCACACCAGGCTTGGAGTTCTTGCCTATCAGTGACGTCCACT
CCTGCCTAGCTTCTTCCCAACCATCTCTTAGTCTGATGGGGAAACCGAGGCACGAGTAGCATGGTCTACCAGGATTTCTCTTAGG
GGACGGTCCCTCAGTTGGGAGGGAGCTGTCCAGCCCCCTGGATCAGCAGCAAGAATGTATGAGTGTGGGGTTGGGCGGGTGAAGC
TACTCTGTGTGGTCTGACAGCAATTCTCCTTTCTCTGTCTCCTATGACCTGGCCCTGCTGGGATCCATTAGGAAAAGTATCAG
CTTGAAGAGGAAAAGGCAGAGCTGGAGTCCGAGATCGCCGAGCTGCAAAAAGAGAAGGAACGCCTGGAGTTTGTCTGGTGGCCCA
CAAACCGGGCTGCAAGATCCCTACGAAGAGGGGCGGGGCCAGGCCCGCTGGCCGAGGTGAGAGATTTGCCAGGGTCAACATCCG
CTAAGGAAGACGGCTTCGGCTGGCTGCTGCCGCCCTCCACCAACCGCCCTGCCCTTCCAGAGCAGCCGAGACGCACCCCCAAC
CTGACGGCTTCTCTCTTTACACACAGTGAAGTTCAAGTCTCGGCGACCCCTTCCCGGTTGTTAGCCCTTCGTACACTTCTCTGTT
TGTCCTCACCTGCCCGGAGGTCTCCGCGTTCCCGGGCGCCCAACGCACACAGCGGACGAGCAGCGCTCCGACCCGCTGAACCTCGC
CCTCCCTTCTTGCTCTGTAACTCTTTAGACAAACAAACAAACAAACCCGCAAGGAACAAGGAGGAGGAAGATGAGGAGGAGAGG
GGAGGAAGCAGTCCGGGGGTGTGTGTGTGGACCCCTTTGACTCTTCTGTCTGACCACCTGCCGCTTCTGCCATCGGACATGACGGAA
GGACCTCCTTTGTGTTTGTGTCTGTCTGTGTTTCTGTGCCCGGCGAGACCGGAGAGCTGGTGACTTTGGGGACAGGGGGTG
GGGCGGGGATGGACACCCCTCCTGCATATCTTTGTCTGTTACTTCAACCCAACTTCTGGGGATAGATGGCTGGCTGGGTGGGTAG
GGTGGGGTGCAACGCCCCACTTTGGCGTCTTGGCTGAGGCTGGAGGGGAAAGGGTGTGAGTGTGGGGTGCAGGGTGGGTGAGGT
CGAGCTGGCATGCACCTCCAGAGAGACCAACGAGGAAATGACAGCACCGTCTGTCTTCTTTTCCCCCACCCACCCATCCACCC
TCAAGGGTGCAGGGTGACCAAGATAGCTCTGTTTGTCTCCCTCGGGCCTTAGCTGATTAACCTTAACATTTCCAAGAGGTTACAACC

110

AATAATTCTTATTTTGACACTACCAAAAATAGTCACCTGGAAAACCCGCTTTTTGTGACAAAGTACAGAAGGCTTGGTCACATTTA
 AATCACTGAGAACTAGAGAGAAATACTATCGCAAACCTGTAATAGACATTACATCCATAAAAGTTTCCCCAGTCCTTATTGTAATAT
 TGCACAGTGCAATTGCTACATGGCAAACACTAGTGATGACATAGAAGTCAAAGCAAAAACAAACCAAAGAAAGGAGCCACAAGAGTAAA
 ACTGTTCAACAGTTAATAGTTCAAACCTAAGCCATTGAATCTATCATTTGGGATCGTTAAAATGAATCTTCCTACACCTTGCAAGTGA
 TGATTTAACTTTTACAGAACACAAGCCAAGTTTAAATCAGCAGTACAGATATTTAAATGAAAAGGTTTGCTAATAGAGTAACATT
 AAATACCCTGAAGGAAAAAAACCTAAATATCAAATAAATGATTAAATTTCACTTGCAAATTAGCACACGAATATGCAACTTGGA
 AATCATGCAGTGTTTTATTTAAGAAAAACATAAAACAAAACCTATTAAAAATAGTTTTAGAGGGGGTAAAAATCCAGGTCCTCTGCCAGG
 ATGCTAAAATTAGACTTCAGGGGAATTTTGAAGTCTTCAATTTTGAAACCTATTAAAAAGCCCATGATTACAGTTAATTAAGAGCA
 GTGCACGCAACAGTGACACGCCTTTAGAGAGCATTACTGTGTATGAACATGTTGGCTGCTACCAAGCCACAGTCAATTTAACAAGGC
 TGCTCAGTCATGAACCTAATACAGAGAGAGCACGCCTAGGCAGCAAGCACAGCTTGCTGGGCGCCACTTTCCTCCCTGTCTGACACA
 ATCAATCCGTGTACTTGGTGTATCTGAAGCGCACGCTGCACCGCGGCACTGCCGCGCGGGTTTCTGGGCGGGGAGCGATCCCCGCG
 TCGCCCCCGGTGAAACCGACAGAGCCTGGACTTTCAGGAGGTACAGCGGCGGCTCTGAAGGGGATCTGGGATCTTGCAGAGGGCAACT
 TGCATCGAAACTTGGGCAGTTCTCCGAACCGGAGACTAAGCTTCCCCGAGCAGCGCACTTTGGAGACGTGTCCGGTCTACTCCGGA
 CTCGCATCTCATTCCTACTCGGCCATAGCCTTGGCTTCCCCGGCGACCTCAGCGTGGTACAGGGGGCCCCCTGTGCCAGGGGAAATG
 TTTCAAGCTTTTCCCCGAGACTACGACTCCGGCTCCCGGTGTAGCTCATCACCTTCCGCCGAGTCTCAGTACCTGTCTTCGGTGA
 CTCCTTCGGCAGTCCACCCACCGCCGCGCCTCCAGGAGTGCGCCGGTCTCGGGGAAATGCCCGGCTCCTTCGTGCCAACGGTCA
 CCGCAATCACAACCAGCCAGGATCTTCAGTGGCTCGTGCAACCCACCCTCATCTCTTCATGGCCCAGTCCCAGGGGCGAGCCACTG
 GCCTCCAGCCTCCAGCTGTTGACCCTTATGACATGCCAGGAACCAGCTACTCAACCCAGGCCTGAGTGCCTACAGCACTGGCGG

CACTAAGACAGCTACACCACCCCAATGCCTGGAGTGGTTGTAGTCAGTGAGTGACACATTGCACAGTGTGTGCCCCCTGGATTGGGGG
 TGGGTGAGAGACACCCCCACAGTGAGTGGCACCCTGGCCAGGGCCTGGGACAAGTCTGTATCCAAGGGTGGCTCTCTGCTTAGG
 TCTGTGTTTGTACCTGGGTGTGTCTGTGTCTGCCCTACTCTGTGCATACTCATATATGTGAACCCGTGTGTGTGTGTGTAGTTGTG
 AGTGTGTGTGGAAGAGGCTGCATGGCAGTGGAAGCTAGGTGTGTGATTCTGTGTATCTGTGTGCCTAGAGTGCCTTGTTCTATAGAT
 TTGGATGCCACTCCAAGCAAGTCAGTGGGTCTTTTTGTTTTTGTTTTTTGTAGATGGAATCTCACTCTGTTGCCCAGGCTGGAGTG
 CAGTGGCAGCATCTTGGCTCACTGCAACCTCTACCTCCTGGGTTCAAGTGATTCTCCTGCCTCGGCCCCCGAGTAGCTGGGATTA
 CAGGTGCCACCAATACACTCAGCTAATTTGTTGTATTTTTAGTAAAGATGGGGTTTCACCATGTTGGCCAGGCTGGTCTCAAAC
 CCTGACCTCATGATTCTCCTGCCTCGGCTCCCAAAGTGCTGGGATTACAGGCATGAGCCACCGCGCCCGGCCAAGTCAGTGGGTC
 TTTAGGAGCTGTTTCGTACGGTGTGACTGTGAGTGAACCTTCGCACACGTGTCTGTACGGATATCTAAGAAATTCTTCAAGTAGGC
 CGGGCACAGTGGTTCAGGCCTGTAGCCTTAGCACTTTGGGAGGCCAGGTGAGTGGATCGCTTGAGCTCAGGAGTTCGAGAACAGC
 CTGGGCAACATAGTGAGACTTCGTATCTATAAAAAATATGAAAATTAGCCAGGCATGACAGTGGGCACCTGTAGTCCCAGCTACTA
 CTTGGGGGGCTGAGGCAGGAGGATCCCTTGAGCCTGGGAGGTGGAGGCTGCAGTGAGCTGAGATCGAGCCACTGCACTCCAGCCTG
 GGCGACAGAGGGAGACCCTGTCTCAAAAAAAGAAAAGAAAAAGAAAAGAACATTTCTTCAAGTCCACAACCTCTGAGGGTAT
 CACTGTGAGAGCAGGGGTCTAGCTCTACCCATTTGTGTGTGTGTGGAGATGTGTAAGTCTATGTAGACAAAAGTGTGTGTCTTTT
 ACTGTGTTTGGGGTGTGAACACCTATGTGATGTGTTTGCACAACTGCACGTGTTTTGTTCTGTGTGTGTGTGATCGTGTGTTCAAATA
 AGTCATCTTGTGCGCGGGCGTGGTGCCTCATGCCTATAATCCCAGCACTTTGGGAGGCCTAGGCAGGAGGACCATTTAGCCAGGA
 GGTCCAGACTGCAGTGAGCCGAGATTGCGCCACTGCACTCCAGCCTGGGCGACAGCAAGACCTTGTCTCAAAAACAAAAGCAAAAAC
 AAAAATAAACAAATAGTCATCAGGTGCCCTGCACAGACAAAGGTGAAAGGTGTCTGCCTGTTGAGATCTGTGGATAGGGTGTATATA
 TGGACATCTCAGCCTGTCTACGTGTGTATCTGTCTCTGTCTCACGGCAAAAGAGAGGTTGGCCGGGTGTGTGGTGGCTCACGCCT
 GTAATCCCAGCACTTTGGGAGGCTGAGGCGGGCGGATCACCTGAGGTGAGGAGTTCAAAAACAGCCTGGCCAACATGGCGAAACTC
 CATCTCTTCTAAAAATACAAAAAATTAACCGGGCGTGGTGGCACACGC'TTGAATCCCAGCTACTCAGGGAGGCTGAGGCATTAG
 AATTGCTTGAACCCAGGAGGTGGAGGTTGCAGTGAGCCAAGATTGCGCCACTGGACTCCAGCCTGGGCAACAGAACAAGACTCCGT
 CTCAAAAAAGAGAGGCTCAGATATGTTTCTGTCTGAGAGTCTGTGAGAGTTTAGGAATTAGTAAATGAATG
 AATGGTGAAGATCCATTTACTCAACAAACATTTATTTATTTATTTATTTATTGAGACAGAGTCTCGCTCTGTACCCAGGATGGAG
 TGCAGTGGCGCAATCTCGGCTCACTGAAGCCTCTGCCTCCTGGGTTAAGAGAGTCTTGTGCCTCAGCCACCAAGTAGCTGGGATT
 ACAGGTGTGTGCCACTGCGCCAGCTAATTTTTGTATATTTAGTAGAGATGGGGTTTCACCATGTTGCCCAGGCTGGTCTCGAATC
 CCTGGCCTGAAGTGATCTGCTCACCTCAGTCTCCCAATATGCTGGGATTACAGGCATGAGCCACAGTCTGCCTCATTTATTCTT
 ATATTATATTATATTGTTTTTATTTTAAATTTTTTTGTAGTGACAGGCTTTACTATGTTGACTGGGCTGGCCTCAAACCTGGCCTC
 AAGTGATTCTCCTGCCTCAGCCTCCCAAAGTGCTGGGATTACAGGCATGAGCCACTGTGCCTGGCTTGAACAAATATTTAATAAC

113

114

GATCCTCTTTACTCTGGGCAGAAAGTGAGCCCCCCCCCTTAAAGGGAATTCGATGCCCCCCTAGAATAATCTCATCCCCCACCAGAC
 TTCTTTTGAATGTGAACGTCTTCCCTTGACTGTCTAGCCACTCCCTCCAGAAAACTGGCTCTGATTGGAATTTCTGGCCTCCT
 AAGGCTCCCCACCCCGAAATCAGCCCCCAGCCTTGTTTCTGATGACAGTGTTATCCCAAGACCTGCCCCCTGCCAGCCGACCCTC
 CTGGCCTTCCCTCGTTGGGCCGCTCTGATTTTCAGGCAGCAGGGGCTGCTGTGATGCCGTCTGCTGGAGTGATTTATACTGTGAAAT
 GAGTTGGCCAGATTGTGGGGTGCAGCTGGGTGGGGCAGCACACCTCTGGGGGATAATGTCCCCACTCCCGAAAGCCTTTCTCGG
 TCTCCCTTCCGTCCATCCCCCTTCTTCCCTCCCCTCAACAGTGAGTTAGACTCAAGGGGGTGACAGAACCAGAGAAGGGGGTGACAGT
 CCTCCATCCACGTGGCCTCTCTCTCTCTCCTCAGGACCCTCAGCCCTGGCCTTTTCTTTTAAAGTCCCCGACCAATCCCCAGCCT
 AGGACGCCAACTTCTCCACCCCTTGCCCCCTCACATCCTCTCCAGGAAGGGAGTGAGGGGCTGTGACATTTTTTCCGGAGAAGATT
 TCAGAGCTGAGGCTTTGGTACCCCCAAACCCCCAATATTTTTTGGACTGGCAGACTCAAGGGGCTGGAATCTCATGATTCCATGCCC
 GAGTCCGCCCATCCCTGACCATGGTTTTTGGCTCTCCACCCCGCCGTTCCCTGCGCTTCATCTCATGAGGATTTCTTTATGAGGCA
 AATTTATATTTTTTAAATATCGGGGGGTGGACCACGCCGCCCTCCATCCGTGCTGCATGAAAAACATTCCACGTGCCCTTGTGCG
 CGTCTCCCATCCTGATCCCAGACCCATTCTTAGCTATTTATCCCTTTCCTGGTTTCCGAAAGGCAATTATATCTATTATGTATAA
 GTAAATATATTTATATATGGATGTGTGTGTGTGCGTGCGCTGAGTGTGTGAGCGTTCTGCAGCCTCGGCCCTAGGTACAGTTGGCC
 CTCAAAGCGAGCCGTTGAATTGGAACTGCTTCTAGAACTCTGGCTCAGCCTGTCTCGGGCTGACCCTTTTCTGATCGTCTCGGC
 CCCTCTGATTGTTCCCGATGGTCTCTCTCCCTCTGTCTTTTCTCTCCGCTGTGTCCATCTGACCGTTTTCACTTGTCTCCTTTC
 TGAAGTGTCCCTGCCAATGCTCCAGCTGTCTGTCTGACTCTGGGTTCTGTTGGGGACATGAGATTTTATTTTTTGTGAGTGAGACTGAG
 GGATCGTAGATTTTTTACAATCTGTATCTTTGACAATTCGGGTGCGAGTGTGAGAGTGTGAGCAGGGCTTGCTCCTGCCAACCACA
 ATTCAATGAATCCCCGACCCCCCTACCCCATGCTGTACTTGTGGTTCTCTTTTTTGTATTTTGCATCTGACCCCGGGGGGGCTGGGAC
 AGATTGGCAATGGGCCGTCCCCTCTCCCCCTTGTTTCTGCACTGTTGCCAATAAAAAAGCTCTTAAAAACGCATTCCGCCAGGCTACAG
 TGTATTTTCTCTTAACACCCATTGCTTGGCTTCTCTTTTAGTAAGAGAGGATGAGGTTAGATTGTCGAAGGACTACACACACACA
 GAGATCATACACCCATGCACACACACACACAGACACACACCTATGCAGGAACCTCTTCTAGTCAATGGGTCTACAGCAGGATAAAA
 GGAAGGCAGACAGTCAGGAGGACTTCTGTACTCGCAGGCAGTGCCCTCTACTAGAAAAAGTAAGTGGCTACAGCTGGGCGCAGTG
 GCTTGGCCTGTAAATCCCAGCATTTTGGGAGGCCAAGATGGGCGGATCACTTGAGGTCAGGAGTTTGGAGCCAGCCTTGCCAAGAT
 GGTGAAACCTGTCTCTACAAAAAATACAAAAATTAGCCTGGTGTGGTGGTGCACACCTGTAATCCCAGGCTACTTGAGAGGTTGA
 GGCAGGAGAAATCACTTTAACTTAGGAGGCAGAGGTTGCAGTGACACAAGATTGCACCCTGCACTCCAGCCTGGGTGACAAAGTGA
 AACTGTCAAAAAAAGAGTAAGGGGTGAGAAGGTTAGCCTGCAGGTGTGGGATCACAGAGGCTCCTAGTGATGGAGCTT
 GTATGCTCTATGGGTTAAAAACAGACGCTAAGGAGATAAACTATACACAGAAGAAGCTTAATGGGCTGTGCAGAGTGGCTTGCAGT
 TGCAATCCCAGCTCTTTCGGAGGCCGAGGTAGGAGGCTAGGAGTTCGAGAACAGCCTGGGGCAACATAGTGAGACACCCCCACCC
 CAACCCATCTCATTTATGTTGAGAAAAAAGAGGATCTTGAGAACTTGACAGCAAACTACTAAAGACCACTCAGGCTA
 GGAATGAGGCGTCATCTTGGATTTTTTACAACTACAACTACAAAAACAATTTTACACTGAAGATGTGTTTCTTTTGTGTTTT
 CCATATGACCACTATTGGGGCCAACCAAGACTGACTGAAGCAATATATGACCATTTTTTTTTTTTACACATAGAGTGGAGCCAT
 CCCCATTGCAAAATCCTAGCCGTCTCTTATTTGCATAACAGCAAGTCTCTGGGAATTGAGGTGAGGGTCCAGGGGTCTGCTCAGAC
 GCTTTGGTAAATCAATAAGCAAGGGAATTTGTCTATGGTGGAAATCCATTTATTAATTCACCTCAAAAAAATGTGCTAAGCACCTACCC
 AACTGTGCTGGGAGTTGGGGACACTATAGGGACTGAGCCTCAGGTCTTGGCCTCCTGGGGCTCACAGTCCATTGGGGGACACACAC
 CGTTGCCAGTCAGGGACAACCTAAAGTGGATTGGGTTTGGGAAGCCCATGGGGGAGGCAAGCAGCAGGAGCACCTAGCTTGGGA
 CTGGGAGTCGGGAAAACTTCTTGGCGGAGGGGACAGCTGAGCTGAGTCTAGAGGAGGATAGAGAGTATAGAAAGAAATAGAAAA
 AGGCCAAGGCCAAGAAAAATAGCACAGCCATAGATCTGTTGGTGGGGAGAAGGCTTGATACATTGAGAACGCTTAGAGGGTCTGGGTG
 CGATGGGCTCATGCCGTGTAATCCCAGCACTTTGGGAGGCCGAGGTGGGTGGATCACCTGAGGTGAGGCATTCAAGACCACTCTGGCC
 AACGTGGCGAAACCCCGTCTCTACTAAAAAATATATATATATATATACAAAAAATTAGCTAGGCATGGTGGTGGGCACCTGTGATC
 CCAGCTACTCGGGAGGCTGAGGCAGGAGAAATCGCTTGAACCTGGAAAGTGGACATTGCAGTGAGCTGAGATTCTGCCACTGCACTC
 CAGCCTGGGCAACACAGCGAGACTCTGTCTCAAAAAAAGAAAGAAAAAAGAGAAACTCAGAGATTCTGTGGAGAC
 TGGAACCACGGGTGTGGAGAGAGGGGTTAGTAGAGACCAGATTCTGCAGGTACTATAATGACATTCCAGGCTAAGGAGTTTAGAT
 CTTTTCTTCAAGGCCTGGGGAGCTATTGCAGGTTTTTGAACACGAGAGGGGCAGGGGCAGGTTTTGTGATTTAGGAAAGACCCCTCT
 GGCCCCAGACTGAGCGTGAAGAGGGAGAGGAGTGAGACTGAGCAGGAGACCAGGGAGGAAGTGGGGTGGGGACCCCTGCAGGGT
 GGGGTGAGGAGGAGTCCAGAACAGGGCCAGGGACATGGGACAGAGAGGAGGGGAAGGATTGAGGAGCACTCGGGAGGCAGGACAG
 TTGGGCTTGGTGAGCAGCCGGCTTGGGAAGGAAAAATACAGGGCAGTAATAAATAGCATGGGTCAAGTGGTCTGAGTGAGGCTGGGA
 GTGGTGGCAGCACCTATGGTCCCAGCTACTCAGGAGGCTGAGGTGGGAGGATTGCTTGAGCCTGGAAGTTTGGAGCTGCAGTGAG
 CTATGATCGTACCGCTGCACTCCACTTTCCGTGACAGAGTAAGACCCCTGTCTCAAAAAAAGGAAAAAAGGAAAAAAGGAAAAAAG
 AACTGCCTATGAGTTAACCCTGCTCTACAAGGAGCAGTTTTTAAAGTAAATTAAGAAAAAAGGAAAAAAGGAAAAAAGGAAAAAAG
 AAGAAAGAGAGAGAAAAAAGAAAAAGGCTGGGTTGCCTTGGACAACAGACTTCATCTCCCTGAGCCTCCATTTCTCATCTGTAG
 AATGGGGGCTGTTAAGAGGAGTTGCAAGGCTTGTGCATGCCAGCAGTAAGTGCAGAGTGACGGTGAATTTATCATTTACCCCATCA
 TCTTTATTGGGGTCAAGCCTCGATATCCCATATATTCACCCCATCCTTCAAGGCTGTGCCCTAATGTTCCCATGACAC
 CCGACCAGCTCAGCTCTCCTTATGAGAGGGCCTCACTTTTTCTATTCCCTTTTGCAGCCGTTATCCCTTTTGTAGTTGTTAATTAAGT
 GTGTAATTACATGATGGCTTAATGTTTGTCTCCCCACTGGGCTGACTGCACCAGGAGACCAAGGCCAGGGCTGTCAACCCACCGCT
 GCGTCTCAGCAAAATGCTTGTGTTGATGAGTGAATGACAGATGAACAAATGGGCAAGTATTTGACTGATTAATCACGGCATGCGTGA
 TTAAATAAATGAGTGAGCAACGACTGAATGAGTAAGCAATTGAAGGGGAGAGATCTAGGATAATTTCCAACTGCCAATATCCCA
 GAACTGGGTAGATGACTTTTTCTCCGTCTTTTGGAGTGGGTTTTTATCTCCGGAGGGGGAAATAAGTAACGACAATCAGAGATCG
 GAGTGACAGAGAATGAGTTTGCATGCGGAAGGCCGAGCGACCTCTCCAGGTGACGGCTGGAGGAGCGCCTCCCGGGCAACAAGC
 AAAATAAGTCCGGTTCGATAAGTAAGATTCAAGGCGCTTAGTTACTACCGCCCGAAAGGTGGAATTGAACCACTCTGTGCTAGAC
 AGCTACAGGTTTGAAGCCTGCACCCAGACCACTGAGGATCATCCGGGCAGGACAACCTTCTTCCCGCGCAGCTATATAAGGATCG
 CAAAAGCTTACCTTTTAGAGTTATGGTCCGCTCCTTTGGAAAGGTGTGAGATGGTTGACTTCAAGGGCTATAAGTTCTCCCACTC
 ATTTATCGTGAGAGATGTCTTGTAAAACGTTGCCCTTCACTTCATATAGTATGAATCATCCTCGCTCCCAACCCGTCTCATTTAC
 ATAGCGCCACGCATTCTGGGAAGCAGCGTTTGGACACCTGGCAAGCTGTAAAGGGGCCAGGACCCCTTTTTTCCAAAATGAAAAG
 TCAGCTTTTTAAGAGGAGAGATTGATGATTGCGCATTCAGAAGCGCCTTCTCGGAAAATTCGGAATTCTCTTTCTGCGGAGGAGTG
 GTGAGTGGGTTCTGTAGAGTCTGATTACCCCTGGCCCCAAAGGCGCTGAGCAGGCGGCTATAGGGCTGGTGCACACCTGTCTGT
 TCTTTTATGGAATTGCGTAGGCCGATGGAGCTCCGCGTTTCAATCAAAACGTTTATTGAGCGTCTACTGAGTCCAGGAACCTGTCTCG
 GTGCTGGTGACGACAGACATCCTGTCCCGATTGAGTTTAAACACTAGACATAACCAATTTCTGCATTGCGTTTTATGGTTGGAGA
 AACTGAGACAGACTCAGAAACGGATAGTACCATATTCGGGTTAAAAACAGCCATCCACTTAGGGAAATCGAATTTGTGTTACAATT
 TTTATTACAAAAAGGTGATTCTTTTTTCTTAAATTTTTTACATATTTAGGAGGTACAGGTGCCGATTTCTACATGCATATGTTGAT
 TGCATCGTGGTGAATCTGGGCTTTTAGGTGTACTCATCAGAAAAATTTATCAATATTCTAAGTCAGTGATTCTTTGACAATACC
 ATTCTCCTGCATGAACTCTCCCATGACTTCCATTTTCAAGATAAAAGTCAAAGTACTCACCTGCTTTACAAATCCCTGTAATCCA
 GCCCCCTTGGTCCCTCTGACCCCTGTCTCACATACTCCTCTTCCCTTGGATATTATTGGATTAGGCACACAGATGTCTTGGCTGCAC
 ACATGGATCATGCTACCAACACAGGGACTTTGTGCTTGGCGATCCCCCTAGCCTGGATCTCCTCTTCAATGTTCCCATGGCTCATC
 GCCTCCCTTCACTCTGTCTCATCTGATCAATGTCAATACCAAAAACTCACTGAGTGACCAGCACTCAGTGGGGCCTTCCCTGATCCC
 AGTTTAAATAGCGAGTGGCGGCCGGGCGGGTAGCTCACGCCTGTAACCCAGCACTTTGGGATGCCAAAGCGGGTGGATCACGA
 GATCAGGAGATGGAGACCATCCTGGCTAACACGGTGAACCTTGTCTCTACTAAAAAATACAAACATTAGCTGGGCGTGGTGGCGG

CGGCTCTAGTCCAGCTACTCGGGAGCCTGAGGCAGGAGAATGGAGTGAACCCGGGAGGCGGAGCTTGCAGTGAGCTGAGATTGGT
TCCACTGCACTCCAGCCTGGGGGACAGAGCGAGGCTCCGTCTCAATAAATAATAAATAAAATAGCTAGTGGCTGGGATCGGT
GGCTCAGGGCCTGTAATCCCAGAACTTTGGGAGGCCGAGGCGGGTGGATCACCTGAGGTGAGGAGTTCGAGGCCAGCCTGGCCAAC
ATGGTGAAACCCCGTCTCCACGAATGATACAAAAATTAGTCAGGCATAGTGGCTCACGCCTGTAATCCCAGCTACTCGGGAGTTTG
AGGCAGGAGAACCCTTGAACCGGGGAGGCAGAGGTTGCAGTGAGCTGAGATGGTGCCATTGTACTCCAGCCTTGGTGAAAAGAGC
AAAACCTCCATCTCCAAATAAAAGTAATAATAATAATAAATAAAAAATTTTTAAAAAGCGAGCTCTGTCACTCTATCCCCTTA
CCCTGCTAGACATTTCCCCACCACTCTGATCACCACCTGCCATTTTCTGTGTCTATTTGCTTACCGTCTGTCTGCTTCTGTAGAAT
ATCAGCACCATGAAACTATGCACTTTATTTTTGATCATTGCTGTATCTCTAGTGCCTAAAAAGTGCTTGAGAACATAGCAGATGTT
CAGTAAATGTTTGTGGAATGAATAAAAGAATATCATCACTGTCTTTTTTTTCATTCTTCTTCCAGACAGGATCTTACTTTGTCACCC
AGGCTGGAATGCAGTGGCGCAAAAACGGCTCACTGCAGCCTCGACCTCCCAAGCTCAAGTGATCCTCTTGCCCTCAGCCTCCCTGGG
ATGACAGGCATATACCATCACGCCCAGCTAATTTTAATTTTTTTTTGTAGAAACAGGGGCCCTCACTTTGTTGCCCAGACTGGCCTCG
AACTCCTGGCCTCAAGTGATGCTTCTGCCTTGGGCTCCTAAAGTGCTGGAATTTACGCGTGAGCCACAGCACCTGGCCTCACAT
CCTTCTTTTCAGCCTCAGTTTTCTCATTTGTATAACCAGACTAGTACAACCTGATCTCACTGGAGAAATCATGATATAAAATTTCTGAC
ACTGGCTGAGGCAACTGGGAGGAGCTCAGTAAAGGCTGTTTCTGCTGGGCACGGTGGCTCACACATGTAATCCCAGCACTTTGGGA
GGCCGAGGTGGGTGGATCACAGGAGATTAGAAGTTCAGACCATCTGGCAAGCATGGTAAACCCCATCTCTACTAACAATTCAAA
AAGTAGCCAGGCATGGTGGCTCACACCTGTGATCCAGCTACTCGGGAGGCTAAGGCAGGAGAATCCCTTGAACCCAGGAGGCTGA
GGTTGCAGTGAGCCAAGATTGTGCCACTGCACCTCCATCCTGGGCGACAGAGCAAGACTCTGTCAAAAAAAAAAAAAAAAAAGTTTTTT
TTTTTGGCTGGAATTACAGGCGCCTGCCCCACACCTGGCTAATTTTTGTTTTTTTGTTTTTTTTAGGAGAGACGGGGTTTTACCATG
TTCACCAGACTGGTCTTGAACCTCTGACCTCAGGTAATCCAACCTGCCCTCAGCTTCCCAAAGTGCTGAGATTACAGGCGGGAGCCAC
TACACCTGGCCAATAAAGGCCGTTTCAGTCTTCAATCTGTTTTGAGCTTGGAGGCTTTAGTCATTCCAGACCCAAAATCTCAATC
AGACCCTCTTCCACCACTTTTTGTGATAGATCAATAAACATTTTGTCTTATGGGAAGTTTAACTAAGAGTATCTTTAGAAAGTTTT
GGACAGGCGCTGTAATCCAGCACTTTGGGAGGCCGAGATGAGCGGATAGCTTGAGCCAGGAGTTAGAGACAAGCCTGGGCAACA
TAGTGAGACTCTGTCTCAAAAAAAAAAAAAAAAAAGAAAGAAAGGAAAGAAAAAGAAAAAAGATATCCCTCTGCTTGGCAAATC
CAGATTCAAGATATATCCCTAAACCCCTCTTTGTTTTTAATTAGATAGTTGCTGCTAGGCACCTCTGTATACAAATTCTGAGGATGT
AAGGACTCCTTGGAACACCGTTATCTGTCTCCTAATATGTGACGTGTGTATGACGAACAAGTGAGTTTTTTTTTTTTTTTTTTCTT
TTTTTTGGTTTTTTTTGTGTTTTGAGACGCGAGTCTCGCTCTGTGCGCCAGGCTGGAGTGTAGTGCGCGCATCTTGGCTCACTGCAAGCTC
TGCCTCCAGGTTACGCCATTCTCCTGCCCTCAGCCTCCCTAGTAGCTGGAACACTACAGGCGCCCGCCACCCTCCCGGCTAATTTT
TTTGTATTTTTTAGTAGAGACGGGGTTTTACCGTGTTAGCCAGGATGGTCTCGATCTCCTGACCTCATGATCTGCCCCTCGGCCCT
CCCAAAGTGCTGGGATTACAGGCGTAAGCCACCGAGCCCGGCTTTTTTTTGTAGATGGAGTTTTCCCTCTTGTTGCTCAGGCTGGAGT
GCAGTGGTGTGATCTCGGCTCACTGCAACTCCGCTCCCGGGTTCAAGCGATTTTCTGCTCAGCCTCCCAAGTAGCTGGGATT
ACAGGCATGCACCACCACGCCCGGCCAATTTTGTATTTTTTAGTAGAGACATGGTTTTCTCCATGTTGGTCAGGCTGGTCTCCAATC
CCGACCTCAGGTGATCCACCTGCCTTGGCCTCCTAAAGTGCTGAGATTACAGGCGTGAGCCACTGCGCCTGGCTGCACAAACATTT
TAAACGTCAATATTTTTGTGTTTTATTTTTTACTATTGTCTTCTATTTCTGGCAAGCAATACTGGTTTCTGGTGGCAAGGTAACCTTT
CTTCTTAAAATACATTTGTTATTATATTATAAATATTAAACCAATTTTCAAGAAAAATATTAGATAAATAGCAGAACAGGTTGTA
GAAAGATGAAGGTCATGTGGGGAATGACTGAGGTTTGGGAAACAATATTATAACTCCTTACTGTGATTTATTATATGCCAGGCC
AATGCCAAGGGCTTTACATGTAGGTATAGTTATGGTTGACAGTTTTCTCTTTTTCTTTTTCTTTTTTTTGAACAGGGTCTTGCT
CTGTGCGCCTGTCTGGAGTGCAGTGACGCAATCTCAGCTCACTACAACCTCCACCTCCTTAGTCAAGTGATTCTCCTGCCCTCAGC
CTCCCGTGTAGCTGGTCTTACAGGTGCCACCACCACATCCGGTATTTTTTAGTAGGGACGAGGTTTTACCATGTTGGCGAGGCTTG
TCTTGAACCTCCTGACCTCAGGTGATCCACCTTCCTTGGCCTCCCAAAGGCTGGGATTACAGGTGTGAGCCACTGCACCTGGCCTCT
TTTTTTCTTACTTAATTTTTTTTGTAGAGATGAGGTCTATGTTGCCCAAACCTTGCTCTGAACTCCTGGCCTTAAGTGATCCTCCCTC
CTTGGCCTTCCAAAGTGCTGGGATTGCAGACGTGAGCCATCGTGCCCGGCTAATAAGTTTTCCATTTGAGGAACTGAGGCTTTG
AGAGATGAAGTCATATGCTCAAGGTCATACAGCGAAGGGGTAGTAGAGCCAGGATTCAAACCCAAGTCTGTGGATCTTTAGACCTC
AGTGTTCTCCCAGTCTCCCCACGGGTCCCTTTGCTTCATCCTTTCCGAGTTTAGTTGTCTTTTTTGTGTTGTTGTTCTTGTGTTGCT
GTTTTTTGATAGAGTCTCGCCCTGTTGCCCAGGCTGGAGTGCAGCGGCATGATCCTGGCTCACTGCAACCTCTGCCTCCTGGGTTT
AAGTGATTCTCCTGCCCTCAGGCTCCCGAGTAGCTGGGATTACAGGTATGCGCCGCCACACCCAGCTAATTTTTGTATTTTTTAGTAG
AGATGGAGTTTCATCATGTTGGTCAGGCTGGTCTGGAACCTGACCTCAGTGATCTGCCACCTTGGCCTCCCAAAGTGCTGGGA
TTACAGGCGTGAGCCACTACGCCCAGTATGTAGTTTTTTTTGTGTTTTGTTTTGTTTTGTTTTAGAGACAGGGTCTCCCTCTGTAA
CTCAGGCTGAAGTGCAAGTGGTGTGATCATAGCTCTCTGTAACCTCGAACTCCTGGCCTCAAGCAATTTTCTGTCTTAGCCTCCCA
AGTACCTGGGACTACAGGCATGCACCACCACGCCCGGATAAATTTTTTTTTTTTTTTAGAGACGGGGTCTTGTTATGTTGCTCAGG
GTGGTCTCGAACTTTTGGCCTCAAGTGATCTTCCACATTGGCCTCCCGAAGTGTTGGGATCACAGATGTGAGTCATCATGCCAGG
CCTCAGATTAGTGTTGAAACTGGAAGTCCAGGAGGGCCTGTATTTGTTCCCGAGGCAATCAGGGTGGGGAGACGTGGGTGGATGA
GAGAAGTTTTGTGAGGCAGGATAGACACAGCATTTGTGACTGATTGTTTGTGGGAGGTGAGTGTGTAGAAGTCCAGAGCCATACCTGG
GTGTCTGGCCTGGTGACACCGTGGGCAGTGAAAACATCTCTGAGTTGGAATCAGGTAGGATGAAGAAGACGTTTGGTTAGATTTA
GGGTGGAAGGGGCATCCAGAGGCCGTTGGACACGTGGGTTTTGGGCTCAGTTGAGGTGGCTGCACAGTAGGCAGGGTGTGGGATCCA
TTAGTGATGTCTGCCCTGAGCACAGGCATGGGAAGTGGCTGCCAAGGCTTGGCTAACCTGGAATGGGTGGTCTGTCTCAGCATCTTC
CCCTCAATCATTTCTTTCTTTTTTTTTTTTTTTTGGAGACAGAATCTCGCTCTGTCTGCCGAGGCTGGAGTGCAGTGGCGCAATCTTGGC
TCACTACAACCTCCATCTCCAGATTCAAGCGACTCTCATGCCTCAGCCTCCCGAGTAGCTGTGATTACAGGCATGCACCACCACA
CCCGGCTAAATTTTTGTATTTTTTAGTAGAGATGAGGTTTTACCATGTTGGCCAGGCTGGTCTTGAACCTCTGGTCTCAAGTGATCCG
CCCTCCTCGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACTGCGCCCGGCTCCCTCAATCATTTTATAACCTACACAGA
TGGCAGAG

HUMAN SEQUENCE - mRNA (SEO ID NO: 11)

CATTTCATAAGACTCAGAGCTACGGCCACGGCAGGGACACGCGGAACCAAGACTTGGAACCTGATTGTTGTGGTTCTTCTTGGGG
 TTATGAAATTTTCATTAATCTTTTTTTTTTTCCGGGGAGAAAGTTTGTGAAAGATTCTTCCAGATATTTCTTCATTTTCTTTTGGAG
 GACCGACTTACTTTTGTGTTCTTTATTACTCCCTCCCCCGTGGGACCGCCGGACGCGTGGAGGAGACCGTAGCTGAAGC
 TGATTCTGTACAGCGGGACAGCGCTTTCTGCCCTGGGGAGCAACCCCTCCCTCGCCCTGGGTCTACGGAGCCTGCACTTTCA
 AGAGGTACAGCGGCATCCTGTGGGGGCTGGGCACCGCAGGAAGACTGCACAGAACTTTGCCATTGTTGGAACGGGACGTTGCTC
 CTTCCCCGAGCTTCCCCGGACAGCGTACTTTGAGGACTCGCTCAGCTCACCGGGGACTCCACGGCTCACCCTGGACTTGCACCTT
 ACTTCCCCAACC CGCCATAGCCTTGGCTTCCCGGCGACCTCAGCGTGGTTCACAGGGGGCCCCCTGTGCCAGGGAAATGTTTCAG
 GCTTTCCCCGGAGACTACGACTCCGGCTCCCGGTGCAGCTCCTCACCCTCTGCCGAGTCTCAATATCTGTCTTCGGTGGACTCCTT
 CGGCAGTCCACCACCGCCGCGGCCTCCAGGAGTGCGCCGCTCTCGGGGAAATGCCCGGTTCCTTCGTGCCACGGTCACCGCGA
 TCACAACCAGCCAGGACCTCCAGTGGCTTGTGCAACCCACCTCATCTCTTCATGGCCCAGTCCAGGGGCGAGCCACTGGCTCC
 CAGCCCCCGGTCTCGACCCCTACGACATGCCGGGAACCAGCTACTCCACACCAGGCATGAGTGGCTACAGCAGTGGCGGAGCGAG
 TGGCAGTGGTGGGCTTCCACCAGCGGAAC TACCAGTGGGCTTGGGCTGCCCGCCAGCCCCAGCCCGGCCTAGGAGACCCGAG
 AGGAGACGCTCACCCAGAGGAAGAGGAGAAGCGAAGGGTGCGCCGGGAACGAAATAAACTAGCAGCAGCTAAATGCAGGAACCGG
 CGGAGGGAGCTGACCGACCGACTCCAGGCGGAGACAGATCAGTTGGAGGAAGAAAAAGCAGAGCTGGAGTCGGAGATCGCCGAGCT

CACGGGATCCAAAACCCCTCTCCTGACTTCTGCAAGCGCTGCACACACATGGGTACATAGACATGCACACGCACGTGCGTAAACATGCTGGCTTTCTGATCCTACGGCTTCTAATTTAGCACTAACACTTAGACTTTTTATTCCCTGTTGCTGCCATGACTGACCCCAGACCCTGCCTTTCAGGCTTCTCCTTGCTTTTCAGACATGGGACAGTTCTGGGGTCTCTTTTGCAAATFGAGACCTGTGCTCACCTAGCACACATGTGGCCTTGGGTTCCATCCCCAGAAGTGAAGTGAAGGCATGGTGGCTCACCTGTGATTCCAATATTGAGATGTGGAGACA GTAGAATGAAGAGTTCCAGTTTCAGGTACACCAAACCTTGTACCAGAAAGAAGAGGGGGGAAGAGAAGGAAGAGGGAGAGAAATCT AGCAAAAGATGGAGGAAGCATACAGTGACTTTGAAGATGTGTTAACTTTCCCTTGCTGTAAGGAAATACCTGCGGTAATTAACCTA TAAAGAACAGAGGTTATGTGAACTCACAGTTTGGGGATTTTAGTCCAGAACAGGACTCTATTCTACTTCGAGTCTCTAATGCAGAT GATGAGAGCGAAATGCTGAGCAAACAGAAGTGAAGTGCCTGTACTACATGGCAAATCAGAGGAAGAGTAGTCCCATCGTCTCTC TGAGGCCACCTTCAGTAACCTAAGGACTGCCAGGCTGTGCTGTTTGTTTGTCTCTGTCTCTAGGGTGTTTGTTTTCGGGTTTGT TTGGTTTTGTTGGTGGTAGGTTTTGTTTCATTTGCTTGTTTGTTTTGATATAGAATCATGCTATGCAGCCCAGGCTGTTCTCAAAC TTGTAATCCTCCTGTCTTCGCCCCCTGACTACTAGGATCACAGTATGCGCCACCACACCTGGCTCTAGAATCCATCTCTTGGAAGT CTACCACCTCCCAATAAAGCCACCCTGAGAATGAAGCCTTGGAACAACAGAGAATATTGCTGAGCCAAACTACAGCAAGAAGGCT GACCAGAAGGCTCTGCCAAATTCACAAGCCACTGGCCCATCTGCAATAGATGCCATCTGTAAAGGAGTCACTTCTCCCAGGGTGA CAGATTCAATGCAACCTCAATCAAACCCCTAGCTGTGGTGGGTTTGT

118

119

ATGTGTATGGGTAGTGGCATGTGAAGCCCGGTCTGGCCCAGCCAGCATAGGACCATATCTCCCTCAGTGCAGACGTTGGGGATTGA
ATCCATAAAGGACTCTGGTATAGACCTACACATTCTAGAACTTTCTTTGTGTGAGAGAGGGGTTTGCATCAGGCAGACTGTGCTAC
GTCTAACTGTACCTTTCTGCCAAGGAGTACAGCTGATCATGCTTGGGGCTCTGGCCGTGAATGTTTTCTCAAGGGCATCACAAGTT
GGCATAGACAGGCAAAAGTCCAGTTCTGGCTTGAACCTCAGTTGGGGGTTCAATGGAGGTCAGAGCCACTGGCATGTGGAAGGCTT
CCAGGTGTGACAGCTGTTCTGCCCTGCCCTGGCATCAGCCACAGGGACACCCCGTGGCCCATTCCTACATATCTCAATTGTAGAACA
TGCAGCCCCCTTCCCCTAAGTGTCTGGGGCTCCTGAGAACTGAGAATAGGGTATGTGGGCAGGTTGGAGCCACAGGCTTCAGAGA
GGGAAGGGTGTCTGTGGGTCCATACTAGGCTACTTGGGCCCTCACTTTCTCCATCTGTGAAATGGGGCCATTGCCCTTCCATCCTCT
AGCCATGGTGTTCATCAAACAAAGGGGGAACAATACACAAGTTTTGAATGTGGGGGCTTCCCAGGTGTTCCCAGGAATCCTCCTG
GCTTCAGGAATATAGACAGTGGCCTAGCTTCAGCCTGCCCTAGGCAGGGCTTCAGTTCATGAGTCTTATTCCTGGGCAAATGCTTTC
CAGACCCTACCTGTGCTGGAGCTGTCTCTCTCAGAGGCCACCCAAGGCAAAAAGTTATGAGAGATAGACGCTCCTTGTGGGGAAG
TTCAGGGTACAGCCTGGGAGGAGGAACCTAGAGAGTAGCAGTACCTTTCTAGTCTCTGGCAGCTCTCACCAGATTAGGGGTGGCT
TGGGGAGTTTCTCAAGCCTTGCTCTTAGCAAAGCCTGCCCTCGCAGGTCAAGGCCCTGGCCACCGGCTCTGGCTAAACAAGGACC
CCCTCCATCTCCGCCCGCTCTCCAGGACTGCCCTCCGTGCCCTGCCAGGAACAGATTGAAGCCCTTCTGGAGTCAAGCCTGCGCCAG
GCCAGCAGAACGTGACCCCAAGGCCACTGAGGAGGAGGGGGAAGTGGAGGAAGAGGCTGGTCTGGCCTGCACGCCACCGACGT
GCGAGATGTGGACATCTGAGGGCCACCGGGCAGGCGGGAGCCACCAAGTAGTGGCACCCGCAAAGAGGAAGGAGCCAGCCCGGGTG
CTCCTGACGACGTCCCCCTTGGGGACATGTTGTTACCAGAAGAGGAAGTTTTGTTCTCTTTGTTGGTTGTTTTCTTAACTCTTTC
TCCTTTCTATCTGATTTAAGCAAAAGAGAAAAAATATCTGAAAGCTGTCTTAAAGAGAGAGAGAGAGAGATAGAATCTGCATC
ACCCTGAGAGTAGGGAGCCAGGGGGTGCTACAAAAATAGAATTCTGTACCCAGTAATCAACTAGTTTTCTATTAATGTGCTTGTC
TGTTCTAAGAGTAGGATTAACACAGGGGAAGTCTTGAGAAGGAGTTTTGATTCTTTTATATGTTTTAAAAAAGCTTAAGAAA
CATTGCTTTAAAAAGGAAGGAAAAAATACAGCAAAACCATGTTAAAGTAGAAGAGTTTTTAGGTTGAGAAATGTACTCTGCTTT
GCTGAAAAGCCACAGCTTAGGCCCTCAGCCTCACTCCCTGGCTGCTCAGTGCCTACAGCCCTGTTACCTGATACCTGTGCTTTAT
CCCAGGGGTGGGCAGACCTCTAACCTTATAGATGGTCAGTGCAGCTCTAGTGGTCTCATGGCGTGTGGCACAACCCCCCTCCCC
AGGGCTCAGCTTAATGTGCCCTCTCCCCCAACAACCTGCAGGTTACAGCGCCAGCCACACAGCGGTAGGGATGAAATAGTGACA
TAATATATTCTATTTTGTAACTTCTATTTTGTAGCTCTGTTTAGAGAGATGCTGGTTTTTGCCTGAAGGCCCTGCAGCCTGCC
CACATCAGGTTAAACCCACAGCTTTTGTGTGTGGTTTGT
GCACTTTTGGTCAGCTAGCTGGAGGCAGT
ACGCATTAGATGGCTGTACAACAGGTTGTAGGGCTGGTAGTATGAGGTGCTTGGGAAGTTTTGTTGGGTCAAGAAGAGAGAACTC
TGTTCTCGCACCACCGGGATCTGTCTGCAAAGTTGAAGGGATCCTTTGGTGCCAGCTGGTGTGTGTGTGTGTGTGTGTGTGTGTGT
ATTACCTGGACAAGGAGATTGGGGACAACCTTAAAGTCTCACACAGGAGGCTTTTAAACACTAAATGTCTAATTTATACTTAAGG
CTACAGAAGAGTATTTATGGGAAAGGCTGCCCATGACCAGTGTGACTCAAAGCAATGTGATCTCCCTTGATTCAAACGCACACCTC
TGCCCTGCTGGAGAAGGTTTAGGGCCATGTCTGAGAGATTGGTCTTTTATTGGGCAACGGGGGGGGGGGGGGGGTCCTTAAAAAAA
AAAACCACAAAGACAGAGATTTGGTCTGCTTGACTTTCCCAACCCAATTGGCCCCATTGGAGAGCCATCCAAACTGAGGAAAATTA
GGGACTCCAAAAGAGTTGATTCTGGCACATTCTTGCCGCTGCCCCCAAGTTAAACAACAGTAGGTAATTTGCACACCTCTGGCTC
TGTGCTTTTCTATTAGGACTTTTTGGCAAAAGGTGGAGAGCGGGAGGCTTAAGAGGGGATGTGAGGGAAGAGGTGAAGGTGGGACC
ACATGGGACAGGCCACGGCTCCTCTCATGGCGTGTCTACCGATGACTCCCAGGATCCCAGGCGTTCAGAACCAGATTCTCATTGCT
TTGTATCTTTACGTTGTTTTCGCTGCTATTGGAGGGTCAGTTTTGTTTTGTTTTGTTTTGCAATGTCAGACTGCCATGTTCAAGT
TTTAATTTCTCATAGAGTGTATTTACAGATGCCCTTTTTTGTACTTTTTTTTTTTAATTGTGATCTATTTTGGCTTAATGTGATT
ACCGCTGTATTCCAAAAAAGAGGTTTCTGTTTCAATAACCTCATGTATCATCTAGCCATGCACGAGC
CTGGCAGGCAGGTGGGCGTCTGCCCTCAGGGATCCTGGGACCCTGATGGCGATCGTCTGTGATGCTGGGCCCTTCATTTGATCT
GGGACATAGCATCACAGCAGTCAGGGCACCTGGATTGTTCTGTTATCGATATTGTTACTTGTAGCGGCCTGTTGTGATGCCACCA
TGCTGCTGGCCCGGAGGGATTGCTCTGAGTCTCCGGTGCATCATTTAATCTGTTAGGTTCTAGTGTTCGGTCTTGTGTGTGTTA
ATTACAGCATTGTGCTAATGTAAAGACTCTGCCCTTGCGAAGCCAGCTGCAGTGTGTAGGCCCCCAAGTTCCCTAGCAAGCTGCC
AAACCAAAACGGGCACCACCAGCTCAGCTGAGGCATCCCAGCCAGGCAGGACCCTTGAGGGCCGCTGTGTCCATGGTGATGGGGTG
AGGTTTTGGCCAAAAGGCCAAAGACTGGTGGTGGGTCCACGGAATCTGCCCTGTGACATGAAAGGCTTTGAGGGACTCTGGCTGGT
GGCCAGGTTGGCTTTTTGTATTTCTGGTTGACACACCATGGCGCTTCCAGCACAGACATGTGACCAGCATGGTCCAGGAAAAAA
AAAGACAAAAAATCTAGAAAATAAAATTGGTAAATCTCAGCTCACTGTGTCTGTGTTTTCTGGGAACAGGAGTGGGGTGATGCC
ACAGCCATGTGGGGTGGCATCTCTGGCCCTGGCACCAACCTGGGATTCCCAAGGGGAAGGGTGATGCAAGTGACAGCCAAGAGCA
AAGTGGGAGCCTCTGGCGTCAGGGAGGCCAGCGACAGCCACTGATCAGAAGCGGCTCTGGGTCCATCACTGCCAGCTCACCTCCT
GCTTATTTGCAGATGGAAGATCAACAGAACCCGCGTTCAGTCCCCCTTGTCTGGCGCAAATGGGTGTTTGCTCTGGGTGAATCACC
GTTTCTTAGGTGCTGCCAAGCGCCCAGAGAGCCATGCTTAGTGTTAGGGCCAAGACCCAAGGTGGCCTTTCACATAGTTCTGCAGA
CCTGAGTGGCCTGGCAAGACTCCTGTGATGTCTTCGGGGTGGCAGTTACTCATGACTAGTATTGTTTCCAAACCCTGTGGGGACAG
GTGGCTTTTAGACATCATCTTCTACAAGGTAGCTTTTGGGTCTCAGCTTGGCTGTTTTTGGTGCCTGGTGGGCCCCCTGCCCTTCTGG
AAAGTGGAGGGTGTAGAGGACACCTGGTCTGAGTGGTGCCACCCAATGATGAAAGCAGAAAGAGATGGACGGAGGGAAGCCACAG
TGACCTTGCCAGGCGACCTACTCAATGAGAGTATATGGGAACACCAGAGCCAGAGGTGGCTTATGAAGACACAGTACTCATCTTGT
ACCAAATTGCTGATGGCAGGATCCAGAAGGTATTTTGTGAGCCAGCTCCATATAAGCATCCGAGCCGGGTCCACAGTCACATGG
CATCCAGGAGAATGGGCATGGGGCCGTGAGCATTCCAGGAAATGGCCAAAGGGCATTGAGGTGGAAGAGTGCTTTCCCCCTTGGTT
CTTAGAAGCACTGGGGAGCGAGCTTATCGTGTCCAGGTAGGCTGACATGAGGAAATCCGCTGGGGTGACAGCCAGGCAGCCAGT
GCAGCAGAGTGGTACTAGGAATGCAGACACAAATAGCAAGGGGCTAAGCATCCACTCAAAGGCTGCTGCTGCTGCTGCTGCTGCTG
CTTTCCACCACTGCCTATCAAAGGTGCTCATGGAAGGGCGCCCAACTGGAATGGGCAAGCATCACCATCAACTGCACAGGGCTCAC
ACATGGTGCCGTCTCTTAACGGTGCAATTGGCTTGTCTCGTCATCCAGTGGTCTGTGATTCCCAGCTGTGGCTGATAGCCAAGCCT
CTTTTCTTGGTTTTAGCAGTGAAACCCAGATACCCTGGCCACTCCAGGCTCCAACCCTCAAGTTTAACTGGTAACACTGGAGGC
TAGATCCTCTGCTGGGTGTAGAGATACTCCTGTTCTAAGGGTGATGGTAAATAGCTTTTTTGGGGCCCTCAGAGATAAGGACTCA
GGGAGCCAGCACACCCAACCTGTCTCCTCTCAGAAGCTCAATGGCTGGTTCTCTCTCTGCTCTACCACTCCATGGTCCCCCTGCC
TGTGTCTTGGCCAGGCTCTCCTTTTGCAGGCGGCTCCATCCTGCTGAGCCATCCTACCTCTCTCAGCCAAGCCAAGCTCTTGAAC
CTGCCTGGCCTCTCTGAGCCTCAGCTCCCTGAACTGGAAGATTGCCCTGGCTCCCCATTCTGTGTTGCCCCACTGCCTGGACCT
GCTCCAGCCTTCTGTGTTTGTCTACAGGACTCACAGTGAATGTGGCCCTGTGGAGCATGTGGAGCATGACATTGCACAGGTGACT
CTGTGTAGCCTCTCCCCCTCTGACTCCACATCCTAGAACCAAGTGTGAGGAAGTTAGCCTGTTGCCCATGGGTGAGCTCAACTGCT
GCACTTTGTCCAGAAAGCAGGCCAACTTCACCAACCCTACAGAGGATCTGGGCTGCTGGGGCCCAAAAATGCCAGCAGTGGGAG
CTGAGGACTCCAAGGGGTGGGACACAGGCAGAAGAGTAGGACTGTGTGTTCTCCCTGCAGTGCCCCAAAGCCCTGGCCACAACATC
CCAGGAGACAGTCAATGCGGGTTGGGCTGTGTGTTTGGTGGCAAGGCTATGCAGGCCACATAAGGCCAGTGTGGGAGCTGGCACT
GCCAAGTGTGCTTGGCAAGCAAACCTGTACTTGAGCTGATAAAGCAGTCTGTTGAGTGTGTGGGGTGGGGTGTATAGGTAACATGA
GGCGGGCATGTTGTATACAGGGCCCCACGTGGGCACAGCAGTGTGGTGGGATGCAGTACCCCTAGTTCTGAGCTGATCTGGCC
TCTCTTACTCAGGGATGTCATCCCAGGAATGTATTTGATCAAACAGTTGTGCAAGAGGACAAAGCAAGCACAGGANNNNNNNNNN
NN
NN
NN

121

TCCAATAGTTCCCCTAATGCCACTTTTTGTTTGGTTTTGAATTCACCTTTGTAGACTAGGCTGACCTCAAACCTGAGAGATCTG
 CCTACTATCTCTTGAGCACTGGGATTAAGGGCTGCACCACCAGCACCAGCTCCATTGCCACTCCTTAATGTATAGAGCTCACC
 CACACCTGTTAGGAGCAGCATGAAGGCCCTGCTTCAGCTTCCCTCCCTTGTCTCGTCACCTTGTCTTCTCAGCTGGGCATCCAGAG
 GCAAACCAAGTCCAGTGGAGCCTGAGTCCTGTGCAGATAGCAGGAATCAGGTCCTCCAGTGGTGTGGCAATGACAGCGCATGTTG
 GAGGCAGAGGCACCATGTGGTACTTCAGGGCATGGACCTGGGGTGGGGGCCAGCTCTGCCACCAGGCCCTTAGACTAGATGGGTCT
 ATTTTATCACTTCTAAGCCATAAGGTATCCTCCACCTCTGGGGCTGCCAGAGGGATGGAGTGAAACAAGGAGGCCCAAGCATGGCC
 AGCAGAGGCTCAGCAGGCAGCAAAGATCCTGTACGGCTTCCCATGACCCATTTACATCGGCCCTGCCTCTGTGAGTCCCACCCTC
 AGGGTAACCTTACCCAGGGCCACTCACTCTGGCCAGTGACAAGCGGTCTTTTGTGAGTGTGTTGCCCTGTGCAGAAGGCAGGGTGGT
 CAGGTAAGCCACCTAGGCAGAGACTCAGGGAAGAGGCCAAGCTGGTCTCCACAGAACAATGGATTCTCTCAGGCTTGCCTTTA
 ATCACTGTGACACTTAATGTGCAGACATCTGCTCTTCTGTGGGTCTCAAAACGCAAGTCCAGAGCCTCCTGGAGTCACCTGAAG
 TCTGGCTGCACGTTGAGCAGTGAGCACAGCTGAAAGTACCCAAGAGCCCATGCCTTACACCTCCTGCACTTCTGCTCAGCTTTCCC
 TATCCCAGCACAAAGCCCAAAGGCTATGTGCGCTTAACGTCCCCAACCCACTTTTCACTGATTCTACAAGGGCCAAGGAAACAAGTTC
 CTCTGGGTCTATATCTGGGCACACATTGCCCAACACAACCATCACATGAACCTAGGGCCACGCCAACCTGGCCTTCAAAGCCCC
 CTCAGGCACACCCCATAGAC

MOUSE SEQUENCE - mRNA (SEQ ID NO: 14)

GAGGGCTGTGCGCGCAGTAGCAGAGAGCTACAGACTCCGCGCGCTCCGGAGACCGGCAGTACAGCGCGAGGCAGCGCGCTCAGCA
 GCCGCCACCGGAGCCCAACCGAGACCACAGCCCTCCCCAGACGGCCGCGCCATGGAACACCAGCTCCTGTGCTGCGAAGTGGAGAC
 CATCCGCGCGCGTACCCTGACACCAATCTCCTCAACGACCGGGTGTGCGAGCCATGCTCAAGACGGAGGAGACCTGTGCGCCCT
 CCGTATCTTACTTCAAGTGCCTGCAGAAGGAGATTGTGCCATCCATGCGGAAAATCGTGGCCACCTGGATGCTGGAGGTCTGTGAG
 GAGCAGAAGTGCAGAGAGGAGGTCTTCCCGCTGGCCATGAACTACCTGGACCGCTTCTGTCCCTGGAGCCCCTGAAGAAGAGCCG
 CCTGCAGCTGCTGGGGGCCACCTGCATGTTCTGTCCTCTAAGATGAAGGAGACCATTCCTTGACTGCCGAGAAGTTGTGCATCT
 AACTGACAACCTCTATCCGGCCCCGAGGAGCTGCTGCAAATGGAAGTGTCTTCTGGTGAACAAGCTCAAGTGGAACCTGGCCGCCATG
 ACTCCCCACGATTTTCATCGAACACTTCTCTCCAAAATGCCAGAGGCGGATGAGAACAAGCAGACCATCCGCAAGCATGCACAGAC
 CTTTGTGGCCCTCTGTGCCACAGATGTGAAGTTTCAATTTCCAAACCCACCCTCCATGGTAGCTGCTGGGAGCGTGGTGGCTGCGATGC
 AAGGCCTGAACCTGGGCAGCCCCAACAACTTCTCTCTGCTACCGCACAAACGCACTTTCTTTCCAGAGTCATCAAGTGTGACCCG
 GACTGCCTCCGTGCTGCCAGGAACAGATTGAAGCCCTTCTGGAGTCAAGCCTGCGCCAGGCCAGCAGAACGTCGACCCCAAGGC
 CACTGAGGAGGAGGGGGAAGTGGAGGAAGAGGCTGGTCTGGCCTGCACGCCACCGACGTCGAGATGTGGACATCTGAGGGCCAC
 CGGGCAGGCGGGAGCCACCAAGTAGTGGCACCCGCAAAGAGGAAGGAGCCAGCCCGGGTGTCTCTGACGACGTCCTTGGGGAC
 ATGTTGTTACCAGAAGAGGAAGTTTGTCTCTTTGTTGGTTGTTTTCCTTAATCTTTCTCCTTTCTATCTGATTTAAGCAAAAG
 AGAAAAAATATCTGAAAGCTGTCTTAAAGAGAGAGAGAGAGAGATAGAATCTGCATCACCTGAGAGTAGGGAGCCAGGGGGT
 GCTACAAAAATAGAATTCTGTACCCAGTAATCAACTAGTTTTCTATTAATGTGCTTGTCTGTTCTAAGAGTAGGATTAACACAGG
 GGAAGTCTTGAGAAGGAGTTTGTATCTTTTATATGTTTTTAAAAAAGCTTAAGAAACATTGCTTTTAAAAAGGAAGGAAAAAA
 AATACAGCAAACCATTTGTTAAAGTAGAAGAGTTTTTAGGTTGAGAAATGTACTCTGCTTTGCTGAAAAGCCACAGCTTAGGCCCTC
 AGCCTCACTCCCTGGCTTGTCTAGTGCCTACAGCCCTGTTACCTGATACCTGTGCTTTTATCCAGGGGTGGGCAGACCTCTTAACC
 TTATAGATGGTCACTGCGACCTCTAGTGGTCTCATGGCGTGTGGCACAACCCCCCTCCCCAGGGCTCAGCTTAATGTGCCCTCTCC
 CCCCACAACTGCAGGTTTACAGCGCCAGCCACACAGCGGTAGGGATGAAATAGTGACATAATATATTCTATTTTGTAACTTCTC
 CTATTTTGTAGCTCTGTTTAGAGAGATGCTGGTTTTTGCCTGAAGGCCCTGCAGCCTGCCACATCAGGTTAAACCCACAGCTTTG
 TGTGTGGTTTTGTTTGTGTGTTTTCTTTCTCTATGTTCCAAACCATTTCCATTTCAAAGCACTTTTGGTCACTAGCTGGAGGCA
 GTGTTGCTGGTGTGTGTTGGGGGAGGGGTTCTAATGGAATGGATGGGGATGTCCACACACGCATTCAAGATGGCTGTACAACAGGT
 TGTAGGGCTGGTAGTATGAGGTGCTTGGGAAGTTTTGTTGGGTCAAGAAGAGAGAACTCTGTTCTCGCACCACCGGGATCTGTCCCT
 GCAAAGTTGAAGGGATCCTTTGGTGGCAGCTGGTGTGTTGGAAGTAGGAACCATGATGGCATTACCTGGACAAGGAGATTGGGGACA
 ACTCTTAAGTCTCACACAGGAGGCTTTTAAACACTAAAATGTCTAATTTTATACTTAAGGCTACAGAAGAGTATTTAGGGAAAGGC
 TGCCCATGACCAGTGTGACTCAAAGCAATGTGATCTCCCTTGATTCAAACGCACACCTCTGCCCTGCTGGAGAAGGTTTAGGGCCA
 TGTCTGAGAGATTGGTCTTTTATTTGGGCAACGGGGGGGGGGGGGGGGGGTCTTAAAAAACCACAAAGACAGAGATTTGG
 TCTGCTTGACTTTTCCCAACCCAAACCAATTGGCCCCATTTGGAGAGCCATCCAACTGAGGAAAAATTAGGGGACTCCAAAAGAGTT
 TGATTCTGGCACATTCTTGCCGCTGCCCCCAAGTTAAACAACAGTAGGTAATTTGCACACCTCTGGCTCTGTGCTTTTCTATTTAGGA
 CTTTTTGGCAAAAGGTGGAGAGCGGGAGGCTTAAGAGGGGATGTGAGGGAAGAGGTGAAGGTGGGACCACATGGGACAGGCCACGG
 CTCCTCTCATGGCGCTGCTACCGATGACTCCAGGATCCAGGCGTTTCAAGAACAGATTCTCATTTGCTTTGTATCTTTACGTTGT
 TTTGCTGCTATTGGAGGGTCAGTTTTGTTTTGTTTTGTTTTTACAATGTGAGTGGCATGTTCAAGTTTTTAATTTCTCATAGAG
 TGTATTTACAGATGCCCTTTTTGTACTTTTTTTTTTAAATTTGTGATCTATTTTGGCTTAATGTGATTACCGCTGTATTCCAAAA
 AAAAAAAAAAAAAAAAAAGAGGTTCTGTTCACAATACCTCATGTATCATCTAGCCATGCACGAGCCTGGCAGGCAGGCTGGGCGG
 TCTGCCTCCAGGGATCCTGGGACCTTGATGGCGATCGTCTGTCTGCTGGGCCCTTCATTTGATCTGGGACATAGCATCACAGCG
 GTCAGGGCACCTGGATTGTTCTGTTATCGATATTGTTACTTGTAGCGGCTGTTGTGATGCCACCATGCTGCTGGCCCGGAGGGA
 TTTGCTCTGAGTCTCCGGTGCATCATTTAATCTGTTAGGTTCTAGTGTTCGTTGTTTTGTTTAAATTACAGCATTTGTGCTAAT
 GTAAAGACTCTGCCTTTGCGAACGCAGCTGCAGTGTGAGGCCCCCAAGTTCCTTAGCAAGCTGCCAAACCAAAACGGGCACCAC
 CAGCTCAGCTGAGGCATCCAGCCAGGCAGGACCCTTGGAGGCGCTGTGTCCATGGTGTGAGGGTGGGTTTGGCCAAAAGGCC
 ATAGACTGGTGGTGGTCCACGGAATCTGCCCTGTGACATGAAAGGCTTTGAGGACTCTGGCTGGTGGCCAGGTTGGCTTTTTGTA
 TTTCTGGTTGACACACCATGGCGCTTCCAGCACAGACATGTGACCAGCATGGTCCAGGAAAAAAGACAAAAAATCTAGAAA
 ATAAAATTGGTAAAATCTCAAAAAAAAAAAAAAAAAAAAAA

MOUSE SEQUENCE - CODING (SEQ ID NO: 15)

ATGGAACACCAGCTCCTGTGCTGCGAAGTGGAGACCATCCGCCGCGCTACCCTGACACCAATCTCCTCAACGACCGGGTGTGCG
 AGCCATGCTCAAGACGGAGGAGACCTGTGCGCCCTCCGTATCTTACTTCAAGTGCCTGCAGAAGGAGATTGTGCCATCCATGCGGA
 AAATCGTGGCCACCTGGATGCTGGAGGTCTGTGAGGAGCAGAAGTGCAGAGAGGAGGTCTTCCCGCTGGCCATGAACCTACCTGGAC
 CGCTTCTGTCCCTGGAGCCCCTGAAGAAGAGCGCCTGCAGCTGCTGGGGGCCACCTGCATGTTCTGTGGCCTCTAAGATGAAGGA
 GACCATTCCCTTGACTGCCGAGAAGTTGTGCATCTACACTGACAACCTCTATCCGGCCCCGAGGAGCTGCTGCAAATGGAAGTCTTC
 TGGTGAACAAGCTCAAGTGAACCTGGCCGCCATGACTCCCCACGATTTTCATCGAACACTTCTCTCCAAAATGCCAGAGGCGGAT
 GAGAACAAGCAGACCATCCGCAAGCATGCACAGACCTTTGTGGCCCTCTGTGCCACAGATGTGAAGTTTCAATTTCAACCCACCCTC
 CATGGTAGCTGCTGGGAGCGTGGTGGCTGCGATGCAAGGCTGAACTGGGCAGCCCCAACAACTTCTCTCTCTGCTACCGCACAA
 CGCACTTTCTTTCCAGAGTCATCAAGTGTGACCCGGACTGCCTCCGTGCTGCCAGGAACAGATTGAAGCCCTTCTGGAGTCAAGC
 CTGCGCCAGGCCAGCAGAAGCTGACCCCAAGGCCACTGAGGAGGAGGGGGAAGTGGAGGAAGAGGCTGGTCTGGCCTGCACGCC
 CACCGACGTGCGAGATGTGGACATCTGA

HUMAN SEQUENCE - GENOMIC (SEQ ID NO: 16)

CATGCCTGTAATCCCAGCACTTTGGGAGGCCAAGGCGGGCAGATCACCTGAGGTCAGGAGTTCGAGACCAGCCTGGCCAACATGGT

GAAACCCGTCTCTACTAAAAATACAAAAAAGAAAAAAGAAAAAAGAAAAATAGCTGGGCATGGTGGCGCATGCCTC
 TAATCCCAACTACTTGGGAGGCTGAGGCAGGAGAATCGTTTGAACCCAGGAGGTGGAGTTTGCAGTGAGCTGAGACCGCGCCACTG
 CACTCCAGCCTGGGAGACAGAGCAAGCCTCTGTCTCAACAAAAAAGGGGAAAAATCACTCCAAT
 CATCCCAAGTCTCAGCTCCTACTCTTTTGCTATATGTCTTCAAACAGCTATGTATTTATTTTGTGAATTTATGCTGGTTTTAT
 CTTTTGTATCTTGCTTTTTTTCATTTAATGTTTTTCCATCCAGTGAACACACCCTAATTTGCCATTCCCCCTCTTCTGAACATGAG
 ATTGTCTCTAGGGTATCTCTTGCAAATAGGATAATTGTCAATGATGTAACGGGTCTCTATGCAACTTGCAAAGTGATCAGTCTTG
 GTGTCTCTCATCCTAGTGTGTGGTTCCAAGCAACAGAAACCAATGCTGGCAGATTTGAGCAGAAAAGGAAAAATCAGATGCAGAA
 GATAGGCAGGAACAAGGGAGGCAAGACAGCACGAATCACAATGGAAGCATGCTGCAGATCTTCTCTGATGAGAAGCCAGGGCTACC
 CCTACCCATCCCAACACCAGACCCCTCCAGTAAACTGCAGCGGCCACACCACCTTGTCAACAGAGCCCACAGCTCTATGATGGGC
 AGCACAGATACTGCTGCTCATAAACTTGAATGCCTCACCAGTTCTACACTAGAAAACATTTCTACCTTTTCTGATTCTTCCCAC
 CACCAGCTCCCAATTCAAATCTTGATCCAAAAGATGAAATGTATAAATAATACTATTTATAATGACATCAAATATCAAGTACT
 TAAGAAGAAATCTAATAAAAGATGCACAACACCCAAACACACACACACTCACACACACACACCTGCAATTAATTAAGGACAA
 TCTAAATAAACAGAGGTCTATATCATGCCCATGAATTGAATGACTCTGTAGTAAAAGTGTCAATTCCTCAAATTTGATCTATAG
 ATCCAATACAATCCCAATCAAATTCAGCATTTGTGTGTGTGCACATGTGTAAGTTGATTCTGAAATGTTTATGGAGCCCCAAGGG
 CCAGGAGTAGCCAGGGCAACCATAAAAGAGAAGTGGGTGGAGGATTTAGCCCGCCAGATATCAAGAATTCGTAGCGTATAGCTTC
 CATGATGCTTCTGGGGTAAGGACTGAAAAGAGACCAGTGGAACGGGATAGAAAGTCCAGAAACAAGAGATTTGTGTTAAGTGAGC
 AGATTTTAGCTGCTCTGTTCAAAAAAAGTAAGTATGTGAGATGACAGGTATGTTACACTAATTCATATGGTAACCATTTTAC
 TATGTATATGTATCTTATAACATCATGCTGTCAAGTTTATTTCAAAAATAAATTTTACATAAAATCTTAGCAGTGTATTTCATAAT
 AGACAAAAAGTGGGAAATTTCTATTTTTTTAAAGTACAGAACTTTATTTCTCAAAGGGGAAATAGGTTAATAATAATAAGAAGAA
 GAATTAAGGCCAGGTGTGGTGGCTCATGCCTATAATCCCAGCACTTTGGGAGGCCAAGGCCAGAGGATTACTTGAGCCAGGAGTT
 TGAGACCAGCCTGGGCAACATAGTGAGACCCCATGTTTACAAAAATTAATAAATAGCTGGGTGACGTGACAAGTGCCTATAGTCC
 CAGCTACTTGGGAGGCCAAGGCAGGAGGATTGCTTGAGACCAGGAGGTCAAGGCTACAGTAAGGTATGATCGTGCCACTGCACTCC
 AGCATGGGCAACAGAGCAAGACCCGTGTATCTAGGGGGAAAAAATGATAAGCCTTGTGAAAGAGAAATGAAAACAGCATCCACACA
 TAAACTTGTACCTCTGTGTTTCATCGGCAGCATTGTCCACAGTAACCAAAGGTAGAAACCATCCTAAGGCCCATTTGACTGATGAATG
 GATAAGCAAAATGTGGTCTATCAATACGATTGATAGTATTTCAACCATAAAGAGGAATGAACCATGGACACATGCCACATGTGGGCC
 TTGAAAACGTGATGCTAAGTGGAAAAGCCAGATGCAAGAGGCTGCATAGCATATGATTCCATCTGTTGGAAATGTCCAGAAAAGG
 CAGATCCACAGAGAAAGATTAGTGGTTGCCAGGGGCTGGGGAAAAGGGGGAAGAAAAGGGTGAATAACTACAAATGGGTACAGGGT
 TTCTTTGGCGGATGATGAAAATGTTCTCAGATGGTGATGGTGGCTGTCCAACATAACAAAATCCATCGAAGTATATACTCTAAACG
 AGTGAACTTTACGGTATGTAAGTTATTTTTCAATAAAGTGGTTTCAAAAAATAAAGGTGAACCTACCATTTCTAGGTGCTTT
 GGAGTTTACCCTTTTTCTCCTTGCATTCTGGAGTCAGAGTGAGAAGGCATCTCAGCTCTACCACAGCTGAATGATGTGTTGGGCTT
 CGGTTTCCCTCATCTGTAAATGGGGATAAAGGGCCTCTCCTTGGAGCTGCCATGAAGATTGAATTAGATGCCCTCTGTGAAGATGC
 AGGGCAGGTGGAGAGCACAGTAAGCGTCTCGGGGGGCCACGCCATCACCAGCCAGCAGGGCTCACCAGTATCTTTGCCAGAGAATA
 GCCGGGGTCTAGGGAGCAGCCAGGGTCTAGGGAGAAGGGCTGCTTCCCTGTGGAGGCTCCTAACTTTCCCATCTCCTCCCTGTTTC
 TCCCTGCCCCACCCCTTACTCCTGGAAGTGTGACTCGCTGCCCTCCTCCCTGACTCCCTACATTGCATCTCCCCAGTTACTGTCTG
 TTATCTCTCATCTCTTTCTTTCCAAACAGCCTCTGTCTAGCACCTTGGAGCTCGCATGGGAATTCATGGGTGGGTGGATTCCAAGCT
 TGGCTTCATCAGATGACAACTAAAAGGCAGAGGCTGGGGGGGCAAGGGAGCTCCAGGATCTGTCTCCCTTTGGAGAAGCCCAGGT
 TCACCTTCCCAGCAAGCTGCTCCGGCCCCACGCCCTGGCCCTCAATAACCTTCAGTGGCTCCCTTCTTGCAGCTATAATTCCTCT
 CTTGGGATGCTACAAAAGGGATTCCAGAGATTTTTTTTCAATAACTCAAAGGGATGGAGTAAACGATATATGTGCCAGGACAA
 GGCAGCTAAGGGAAGGCCTCAGGCTTCTTTGCTTGGCTTGGAGTATAACACCCGAGCCCGAGGGCCAGCAGAGAACCAAT
 GCTCAGAGCCTGGGGGCCAAGGAATGCTTTCCAGGCTGGCGGTCCCAGGAGCCCCCTCTCCCTTCCCTATAGCAAGATACTAAGA
 GCAGAGGCTGGCCTGGCAGGCGGTGTCGAGGCGCTGAGCTCACATGGCCTTGGCAGCTTCTTGACAGTCGTGTCTTTTTGTTCCTCA
 GCAGTGACACTCACTGACCCACACCTTTGGCCAGCGTCCCTTGTGACTGCCCCCTCCCGCTTGAGCAGAATGGCTCCTATTACACA
 ATGGGTGCCAGGAACCTGGCCAGTCCATCCAGAGACAGGGCAGAGCCCTGGGCTACCGACCCCTCTGGGGCCAGCAGAAACCCCTCC
 TATGGCTCTGCCTCTCATCCTGGCATTGACACTTGTGCCCTTAATTAAGTGCTTCTTTTTTAAATCAACATTTCTACTCCTTTTG
 CAGAGTAAGAGAAAGAAGAGTTAGGGGAGAAGAAAGAAGGAAGGATTTCATGGGGTTATTTTTTTTTTTTCATGTAAAAGTTTGTTC
 CGTGATTTAAATCTCATGTCCACAAACAGCTCAGGAGAAGTCAGCATAGAGAAGCAAGCTGACAGATTATAAAGTCATTTGTAAAA
 TCCTCTTTCTGCATATAAACTGAAATGTGTAATTAATTCACATACTGCGTGTGGCACATGGCCTTCATCCTGCATAAGAACAAAT
 ACATGAATGAATAAATCGAGCAGGCCTTGACACTCACCAGGCCCTGTGCTAAATGCTTTCTACATATTACCTTAATTACTCCTCAC
 CGTGGCCTTGCGAAGAAAACGATCACAGCCCGTTTTACAGATGGGGACAGAGATTTGTCCAAGGCCACACAAGTGTGGCAGATGT
 AGGTCTGTATGTGACATTCTTGTTCAGTTTCATAAATGTGGCTGCCACCTGCCGAAATTTTGAGGGAAAAAAGTGGTTTGGCT
 TTGCATGAATTTCTGAAAAAGTAGATTTTTATCTTTACCAGCTTCTAAGCAAGCTGGATTTATTTCTGACAGTGTCCATGAAATGGC
 TACAGACCATCACCGTTGCCAATGTTGTGAACCTGAACAAGGCACCTGGTTTCTCTGTGCTCGGTTTCTTACCATTAAACGCAT
 TTCCCTGAGATTAAAGTGTGTGAACTATAAGTTGGCTGGAGGAAACACCTCATAGAAGTGAGAAGATGAGGATGGGTGGTGAGTGA
 AGGCTTTTTCTCAAACCCCTACAGGAGATGGACCTCAAAGCAAATGGCCATGCTTCCCTTAGACTGGGTGAAGTGGTGCTGCTCAG
 GGCTAGAAGTGTGTCTAGAAGCATGGGGACCAATGCAGCCCCCTCCACCTAGGGCACATAACCTGTCTCTCTCCCATAGGATAGC
 AGAGACAGCTCTCTAAGTCAGGATTCAGCGAGATGGTCCAGGAGGGGCTAAGGATTCCTCTGACTTATCCAAGCCTGGGGAGGCA
 ACACAACCTAGCCTGTGTCTCAGGGGGCCCCAATCATGCCCTGAACCTCATGAGCCCAGGCAGGCATCCTGTTGGTTAAGGTGGC
 CTCAGGGTCCAGGGATGCAGTAGATTCTTTATCTTAAAGTGACCTCAAGAAAAAATAAATGTAGCTATAGGCAGTTTCTG
 GACGTTTTCTATTTGTTAAGCACCTTCTTGCTCCGAGCTTTCCAGCCACAGTGCAGTGGACGCCATCGGAAGGCTGCAGCTGCTA
 TTTGGTGCTTTTACCACCGCTGAGAAGGTGGAATGGTCACGGCCCGGTTCTGTCACTTTCTTACGCCGACAGTGCCTTATTACGG
 ATTCCAGTAGGGCCGAGCACACTCCTTCTGCCCCGCTTTACAGATGAACATGCTATCGCTCCAGCAGTACAACCCGCTTATTAC
 GTAAAAAGCAGCCCTATCTACCCGAGGGAAGGAGTATGTTCCGCACACAGCTGGACTGGTGCTCGAGTTAAGCGTCTGGGA
 GGTCCGCATGCGCTCCGGAACCGTAATGCGCGCTTTTTCTAAGCCTTACGGTAAACGCGGACGCAGGGCAACCACTGGCGGTGGA
 ACCGAGGCCCGCGGGGAATGCGCGGAATGCGCGGCGCGGCTCGCGCGGTTCGCGAGCCAGGCCAGGGTCCGCGCGCGCGCGCT
 CTCGCTCCTCCCTCACCTCTCCAGCCGACCCCGGCCCTGGCCCTGCCACCCAGAAGTCTGGGCAAGTCTGCCCCGCGTG
 AACACACAGAAGGGGCTTGGGGACCGAGCGCGGCCCATCAGTCCCTCAGACCTGAGGACCCAGAATTCCTAAGGGGTCCGAATC
 CGAGTCTTCCCCCAGCCCTTAAGGCACGGGCTCCAGGGACCCAGGGGAAGGGCGCGGGGCATTAGGTACGCAACCCGTTTCCCC
 GCACCTGGAAAAAACTCCCTTTCCCTCCCTCCCTGCTTGTGAGTGTGCGGATAACCAAGAACTCTAAGGCGCCCCGTAATAAC
 GACCCCGCTGTCCCTCCACCCACCCCAAGTGCCAAAGCGAGGGATGGAAGCGCTTTCAAGCGTTCCAAGGGCATTGAGGAGCGAG
 CTGGAGAGGGCGGGGATGCGGGTCTCCCCGAGTCTTCCGGAAGGGCGGGGAGGGCGCGGCAAGTTCCGGAGTGGGGCATG
 CCGTGGGAGGCCACGAGGGCCTCAGCGCGGATCCTCCGCGGAAAAACGGCTCCGCGAGCCGCGCGCGCAGGTTTCTAGGCCCC
 GCGAGTCCCGCAGCGAAGCCCTGCGTCTCCGTCCGACGCGGGGTCTGCTCAGCCTCGGGTGGGCGCGGCGGCGGAGGCTGACTGCGG
 GGGAGAGGGCCGAACGTGACCTCCGAGGTCAACCCAGCCAGCTTTCTCTCTGTGGTGGGAAGTGGTTTTCTTCTCGATCTGGGC
 GCCTACTCCCCACCACTTGGTCTGAGAGGGGCTGGGGCCGGAAGGCCAGGGAATCTCTGGTGGATTTGGGGGTTTATATTGCTCAG
 GGTACCAGCCGATGCGTTTTGAGGGGCGGGAGTCGAGGAATTAGAATCGCCTTTAACCCTCAAGAGTTGCGCCTTACGCTCGGGA
 TCCCAGATGCGTCTGTTGGAGCCAGGGCCGCCCCCTACCTGTTGGGTTCGCTTTTAACTCCAGCGCACACCTTGCCGGCAGCCCT

CGGAGCTAGGGGAGGGGTCTCGTTTCCCCGACGCCCGCCGACAGACGACTGGGGCACGGGAGGGGCGGTGGCAGGGTGGTCTGTG
TGTGGCTGAAACTAATTGATCTGGAGCGGAAACGCACGTCTGCGGTGGGGCGATGGGGGGGGCGGTGCGGCTGTCCATGTGCCGA
GCGTGTGGCTGTCTCGGGTGGGCACTGGGGCCGGAGTTGCCCCGGCCACCTCGCAGTTTGGGGCGCCTGGGATCGGCGCTACG
TAAGCGAAGCAGAGCTGCCATAGCACGTGGGCCGCCACGCGCACCCCAAAAGCAAGCAGTGTGGGGGGAAGGGGAGCTCGAGCGCC
TTCGGAGCCCAGGGGCGGGCTTTCGGAAGCGTTTCCCCGGGCGACTTAAGGGCTTAACAAATGGAAAACCTCGCGGAGCCTGAGCCAA
GTCCTTTCAAGTCGCCGCCAGGTATGCGGCTGCAGGTGACCCACCTGGGTGCGCCCGCCGAGCCGCCCTGGTGAAAAAGCGG
GTGCGGGAGGTGCTGGCGAAAGGTGCGGACTGGTCCCTGCACCAACCCGCCCCCAACCCAGCCCCGAGCCCCGCGGGCGCGCAGCC
GCGCTGAGTCCCGGGGTCTGCGTCGCGGGCGCGCCGGTTCCCTGAATGAACGCGCTCCCTTCCCCCGCTGAATGAAGGTTCACACAG
CCAGGGACGGTGGCGAACACGCGCCTGCAGCGGAATTCGCTTTCTCTGACCGACCATCCGCCAGGCCGCGGTCACCGGGGCGGG
GGCCAGGGGGCGAGGAAAGCGTGAAGGTGATTTAGTTAATTTTGGATTTTCTTTTCAAACAACGTGGTTACCTTCCGACTGGGCC
ACTTGCCCTTTGTCTCCAAATGGTCACCAAGAAATAAGAACAGAGCACTTTAAATGAGCCCAAGATCCGCGAGTTCTGTCTCGTGG
TGGGTTTAAAGAAGACAGTGTAAAGTAAACTGCAACCGAAAAGTTTTTTAAAGTTGCTTTTCTCTTTGGAAAAAATAAAATCAA
ATGCTTTCTCTGCGCTTCTTGAAGCAATGACCTTCAAAGGCCAGAGGTATTTGGCCCCCTCGGGGGACCCGGGGGCGCCAAGCAG
GGTTCCCCCAGGTGGGGGCTGGGCAGCTGGCGCTCCCCGCGGGGCCCCAAATTCAGCGCCGGGGCCGCAAATTCAGCGCCTCCC
CCGCGGGTTCTTGACGGCTCTTTACGCTCGCTAACCGGGCTTGCAATTTTGCCTCGTCCCTGAGCCGGGAAATCAACGAAGTTC
CTAGTCGAGATCTGCCCGGTCCGCCAGTAACAGCGCCGCGCCCCCATTTGGCTCATGCTAATTCAGTTTCTCTGTCTTGCGCC
GGGATGGGGGGGTGAAGCTCCCTCCTGGACCCAGAGCCGGTTGTGCGGAGTGGGCGAGCCTCTTTATGCCCTGCTGCCCTAGCC
GACTTCGGCCCCGCTTCGCGCCTCGGGCTGGGCCAGGGCGCACGCGGGGCTCGGGGCCCTCGCCCCACGGGATGGGAGAGGCCGGG
TGATAGCTCCGGGGCCCATAAATCATCCAGGCGGGCGCGGGGTGCGGATTTTATGAATGAAAAAGCAGCTGGGCGGCCCTTGTGCG
CGGGCTGATGCTCTGAGGCTTGGCTATGCGGGGGCCACGCGATTGTGGGTGCTCGGGGAGTGGGGGGGGGCACGACCGTAGGTGC
TCCCTGCTGGGGCAACCCATCGCTCCCCATGCGGAATCCGGGGGTAATTAACCCCCCAGGACCCGGAATATTAGTAATCCTAATTC
CCGGCGGGGGAGGGGGCGCGGGGAGGAATTCACCTGAAAGGTGGGGGTGGGGGGGTGCGATCTTGCTGTGAGCACCTTGGCGAAG
GGGAGAGGGCTTTTTCTATCAGTTTTCTTTGAGCTTTTACTGTTAAGAGGGTACGGTGGTTTGTATGACACTGAATATATCAA
GGAAGTAAATGAACAGTTTTCTTAATTTGGGGCAGGTACTGTAAAAATAAAACAAAAGTTAAGACAGTAAATGTCTTTTATTT
TTTAATGCACCAAGAGACAGAACCTGTAAATTTAAAACTGTGTATTTTAATTTACATCTGCTTAAGTTTGCATAATATTGGGG
ACCTTCTCATGTAACACGAACACCTATCGATTTTGCTAAAAATCAGATCAGTACACTCGTTTGTTTAATTGATAATTGTTCTGAA
TTATGCCGGCTCCTGCCAGCCCCCTCACGCTCACGAATTCAGTCCAGGGCAAATTCATAAGGTGAAGGGACGTCTACACCCCA
CAAAACCAATTAGGAACCTTCGGTGGTCTTGTCCAGGCAGAGGGGACTAATTTCCAGCAATTTAATTTCTTTTTTAATTA
AAAATGAGTCAGAATGGAGATCACTGTTTCTCAGCTTTCATTTCAGAGGTGTGTTTCTCCCGTTAAATTGCCGGCACGGGAAGG
AGGGGGTGCAAGTTGGGGACCCCCGCAAGGACCGACTGGTCAAGGTAGGAAGGCAGCCCGAAGAGTCTCCAGGCTAGAAGGACA
TGAAGGAAATGCTGGCCACCATCTTGGGCTGCTGCTGGAATTTTCGGGCATTTATTTTATTTTATTTTGGAGCGAGCGCATGCTA
AGCTGAAATCCCTTTAACTTTTAGGGTTACCCCTTGGGCATTTGCAACGACGCCCTGTGCGCCGGAATGAACTTGCACAGGGG
TTGTGTGCCCGGTCTTCCCGTCTTGCATGCTAAATTAGTTCTTGCAATTTACACGTGTTAATGAAATGAAAGAAGATGCAGTC
GCTGAGATTCTTTGGCCGTCTGTCCGCCCGTGGGTGCCCTCGTGGCGTTCTTGAAATGCGCCCATTTCTGCCGGCTTGGATATGGG
GTGTGCGCCGCGCCCCAGTCACCCCTTCTCGTGGTCTCCCCAGGCTGCGTGTGGCCTGCCGGCCTTCCCTAGTTGTCCCTACTGCAG
AGCCACCTCCACCTACCCCTTAAATCCCGGGGACCCACTCGAGGCGGACGGGGCCCCCTGCACCCCTCTTCCCTGGCGGGGAGA
AAGGCTGCAGCGGGGCGATTTGCATTTCTATGAAAACCGGACTACAGGGGCAACTCCGCCGACGGGACGGCGCGGCTCAGGGA
TGGCTTTTGGGCTCTGCCCTCGCTGCTCCCGGCGTTTGGCGCCCGCGCCCCCTCCCCCTGCGCCCGCCCCCGCCCCCTCCCGCT
CCCATTCTCTGCCGGGCTTTGATCTTTGCTTAAACAACAGTAACGTACACGGACTACAGGGGAGTTTGTGTTGAAGTTGCAAGTCC
TGGAGCCTCCAGAGGGCTGTGCGCGCAGTAGCAGCGAGCAGCAGAGTCCGCACGCTCCGGCGAGGGGAGAGAGCGCGAGGGAGC
GCGGGGCGAGCAGAAGCGAGAGCCGAGCGCGGACCCAGCCAGGACCCACAGCCCTCCCCAGCTGCCAGGAAGAGCCCCAGCCATGG
AACACCAGCTCCTGTGCTGCGAAGTGGAAACCATCCGCCGCGCGTACCCCGATGCCAACCTCCTCAACGACCGGGTGTGCGGGCC
ATGCTGAAGGCGGAGGAGACCTGCGCGCCCTCGGTGTCTACTTCAAATGTGTGAGAAGGAGGTCTTCCGTCCATGCGGAAGAT
CGTCCGCACTGGATGCTGGAGGTGCGGGGCTTCCGGCGGCTCTCTTAAGACTTCCCTGCAACTTGTGCCCAGACCCACGTTCT
TTGCTACTCACCCCTTCCCTTCTCTCCCGCTAGAACTTTGAAGTTTCCCGTGGTGTCTTAGGGATCCGTATTTTCAAATAAAA
ATTGCGGGTATTTTCTGAAGGAGGAAGGGGTGGGGGTGGGGGTGCTAGAAAGTAGCGTTTCTGTTGGGAGGGGAGAAGGGGTCCGGGA
GGGGTGCTTCGGGAGAAGCCAGTGCCAGGGGACCCCAATGGGCCCGAGGGTGCGGGCTGGCAGGCTGGGTGCGCTTTGTGTCCC
CCGCTGCGCCCCAGCCCGGCTGCGCCTCAGCGGCCGGGAGCCGCCAACTCCGGGGGGAGGGGGCATAGATTTGATTTTAAATTA
ATATCCATGGACACGTATGCAAGGGCCGCTCGTGCCAGTATTATGCGCCATCTTTGCTCTTTTATTTGCAAAGCAAAAGTGTATT
AATAATTGGGGGCGAGGTGGGGGCGGGGAGCGGCCCGGGGCGCTGGGGCCGAGCTAAGGGCCGCGGGCTGCCGGGAGCCCCGCG
GGAGGGGCGCAGGGACGCGGCATGGGTAGTTTTGGGGGAGCCCCGCTAGGGAAGGGGGGGCCTTTGTTCAAGCAGCGAGTCCCGGG
GCGCCCCGAACGGGACGCTGGGCCGAGAGCACGGCGAGCTGCAAGGTGCGGTGGCCCCCAAGACGCCAGGGCTTGATCCCCGTC
TGCAGGGATATCGGCTTGGAGGACCTTCTCCGAGCGAGCCGGGGGCTGGGAGCACATTTTACAGACCTTCGGTGGGCGCCTGAGGG
GCCCCGAAGTATTTTAAATAATTTTGAAGTGCGGCGTGGTGCCCTTGCGAGAGGGAAACGCCGCCCGCGCCAGGGGGAAGGG
GGGGCCCCGAGTTTGAATTCCTGGGGCTCCCCCGGAGCCTGTAACGAACTCCCAACCCCGGCTGGGTAAAGGGTGCCTCCGAG
GGTCATTTTACAGGGTTTTTTTATGCACCTTAGTTATTTTAAATATTTTGAAGAGATGACGTCTGGGGAAATGC
GGCGCGGGCCTGGGACGCCACCTTTGTGTCTCGCAGGCGCGGGCGCCCAACCCCGCGGGCCGTTCCGCGGGCCCGCACCCAGTT
GGTGTGACCCCCAGTCAGAGGGACACGGAGCTCCAGGGCGGGCCAGGGTCCCGGGGGCCGGCAGCCCGCGCCCGCGCGCACGCC
GCCAGCTGTGCCCGCTCCCGCCCCACCGTGCCAGCTCGCGGGGACTTTCCCTTTAGTTTTCGGGGAGGGTGGGTACTGGGGAC
GCGCGGGGGAGGGGGCGCATCACGGGAAGCTCCTGCCGCCCCAGCCCCGACCCCTCGGCGCCCTCCAGACCTGGCGGGCCTGCCA
AGCGCGATGGGGGGTGGGGGGCGTGGGGGGGGCGGCGGACCTGGCGGGCGGGTACGGGGCCCCGTGCCCTCCGTAGGTCTGCG
AGGAACAGAAAGTGCAGGAGGAGGTCTTCCCGCTGGCCATGAACACTGGACCGCTTCTGTGCTGGAGCCCGTGAAAAAGAGC
CGCTGCGAGTGTGGGGGCCACTTGCATGTTCTGTGGCTCTAAGATGAAGGAGACCATCCCCCTGACGGCCGAGAAGCTGTGCAT
CTACACCGACAACCTCCATCCGGCCCCAGGAGCTGCTGGTAACCACTGGACCCCGCGCCCCCGCCCCCGCGAGCCGCACGCAGG
ACCACGGGGCCGGGAAGGTGCAGGCGGTGGCGGGCGGGCCGCTCTGACATATCTGCTCCTCCGAGGGAGGGCGGGCCCGCGCC
GGGCGTCCCTGTCCGGGGAGCGGGCGGGATCCTAGCCGCCCTCGTCCCGCGCCCTGTGTGCGCTTGCTGCGACTCCACCCGCGT
TCGCGCCCCCGGGTGTGGCCGAAAAGTGGGCGGCGCGCGCCCTCCAGCGGTGCACGAGGAGCGCCGCGCTCGGCGCTGAGCCTCC
AGTTCCAGGTGGTGGGAGGTCTTTTGTTCCTACTTGACAGTCTTTTACGCGGGCGGGCGCCTTTTCTGTTTTGATCTGGGATTG
CGTGTGCCCCAGCTCCCTTGAGTCCCCAGCATTCGCCAGCCCTCCCTTCAAACATCCAGGACCGCACGAGACGCGAGGGGCCAGTG
CTCTGAGCCGGAGGTGCGGGCTGGCCCCGGCCCCGCTGCTGCCGGCTTCCCCGCGCCCCCGGGCTGGCCCGCACCTCCCTGATGGC
CGCTCACCTGTGTTTCGAGCAAAATGGAGCTGCTCCTGGTGAACAAGCTCAAGTGAACCTGGCCGCAATGACCCCGCACGATTTTC
ATTGAACACTTCTCTCAAATGCCAGAGGCGGAGGAGAACAACAGATCATCCGCAACACGCGCAGACCTTCGTTGCCCTCTG
TGCCACAGGTAGGGCAGGCCCGGCAGCCCCCGGCTCCCTTGAGAGCCGGCTCCTTAGGTGACCTGGCCGGCTTCTTGTCTCTCC
ACCTGGGTGCTGTCTGGGAAGATGTCCCCAGACCCCTCCTGCGCTGGAGAGCGCTCTTCAGCTCTGGTGAGCAGAGGGCCCTGGA
TTGTTTGTGCGCTGGATGGAGGGAGATTGCTCCCTCACGGCCACCATGCAGTACCTTGGGCATTGGTGTGGACGGCTCAGCCTG
CCTGTGTCCTTACTCTGGCCTCGTCTTCAGGCCAGGCAGCCTGTGGCCACTCCATGCTGAAAGGGTTTACCTTGGCCACAGG

GCCGCCTCCTTTCTCCACCCACCTCCAGCCCTTCTTGTGTCTTAAGGAGCCTGAGCTGCAGAGGCCCCCTCCTGGCCTCTCCCAG
GCTGGGCCACCTGCCAGAGGCGCCTCCAGGGGCGGGGAGAGCTGTGGCCTGCCTGCACCACGTGCTCTGGGCAGCCGAGTGCAGG
GGTGTCCAGCAGAGGAGCTCGGCTGCCTGAGGCCCTGCCAGGGGTGCCGGCAGCCAGCCGGGCTCAGCTGAGCCCTGAGGGGGCGC
TTCAGAGCACTCTCAGCTTGGGCCGCCACCGTGGGCAGCAGAAGCACCCAGTCTCACTTCCCCTGGCATGGCCCCAGAGGCCCT
CCCTGACATGGCCTTGGCCCCAGAACCCAGTGGGGACAGACTCGCACATAACAGGGGTGCCGCCTCCTGCTGTCCCCAGCCCTGCC
TCTGACCCCCCTGTGACCGCCTCCTTCCCTGGCCCAGGAGGCCCTGGTTACCTTCATGGGGGAGCATGGCCCCATCCCACCCAGCTC
TGCTGTGGCCCCACCTTGGTCAAGCCTCAGTTGTACATCTGTTTGGGGGCTCACTCTGGGTGACCTAGGCCACAAGGCCACGGG
GCATCAAAGAGGCAGTAGCATCTTCTCCCTCCCCAGAGGGCAGAGCCCCCAAGCCTACTTCAGAGCTCCCTTCTGACACCGGTA
GCCCCGAGCCGGTATTCCAGAATGGGTTCTGGTTTAGGCGTGAGGCCCTCCCCACCTCCTCCACCTGCTTGGGGCATGAACCCCTC
CCCCACGTTTCCAAGCGAGTCCCCAAGGTGGGCAGATGAAGATGCCAAGGATGTCGACCAGTCTGGATGGGTCTGGGGTGGGGGGG
CATGCGGCAGACAGGGAGGCATTCTCTGGCTGGTGCTCCTCAGAGGAGAGAGGCCCTCCGGAGACTCCAGACAGCCTTTTATGGAGC
TGAAAGTGGCTTCAGAGAAATGCAAAGTTTCCCTGGAGAGAACGTGGGGCGTGTTCTTGACAGCCTCCCTACAGGGTGGCTCCAG
CAGTGGAGCTCCCCCTCCAGGACCCCTGGGTGCTAGTGGGAGGCAGTGGGCAGGTGCAGATTCTCGTCTTCCCCTACTGCACAC
CCTTTGTCTGCGAAGGCGCCCCCAGCGGTGGGTGAAGGAGGAGGGACACTTGGGGACCCAGCTGTGCACGTGCTCTCAGTACTGT
GGAGTCCACTCCAGGGTGGGTCCCCGAGGGAGGGGCAGGAGACCAGGGGACCCACCCCTGCAAAGTGTCCGGGTCTGACCCGTGG
CCACCCCATGGAACGTAACCTGAGCAGCCAGTGCCTTGTCTCTGCTGGACATCTGTGGAGACAAGAGTGAATTACGGCTGCTTAAAG
TCAGAAACAGGTTGAAGGAGGTGGAGGCGTGGGAAAGAGTCTAGGAAGGTGTTTTTGGCCTCCACGTGGCAAAGGTTACATTTAAA
GGTGATGCTGGGTGTTCTCCCTGCACTAGGCATTCTGGCCCCAGGTCCCCAGCAGGTGTGCACATGCTGCATACACTCACGCATG
GGGGTTTTCAGGGCAGGTGCGCCCTTGGCTCCGTGGGAGGCCAGGTGAGGAACGTCCAGTGCCAAGGAGCTTCCGGGACAGCTGTCA
CTTCCCTTTACAACCAGGCAGCGGATAGGGTCAAATCCTGGAGCTTGGGTGTCTAATTCTGGGTGGCTCCTAATCTAAGCACAGAC
AGCACACACACTGGGGTGGGGGCACGAGCTTCTGAAACAACGTGGCCCCAGTGACTCCACGCTGTGTGTGCCCTGGAGACGGGG
GGGTGCACAAGGTGCGGAGCCAGCTAGAACCTGTCGCTCCCTGCAGAAGCGGTTTTCTGTGTGCGGTTCTGATTTGCCCTCAATGAGA
AGGTTTTTCATTTCATGGCTCCCGGCTCTCAGACTGGGTGGAACCTGCTCCCATTTAAAGGGGAAAAGAGGTGGCTCGGCTCGTTAAGG
ATTTCTTTTTCTAAGTTGTTACGGCGCCAGCAGCCGGCTTTGTCTCCCTTCAGGGTGGCTGCCTTTCTTCCCGGCCCTCGCCG
GCGGCCCTCTCTTTAACAAGGCCGAAGTTGTTTATTCTCTCGGGATGAAGTCTCGGATGGGCCGCCACACCCCTGGCGGCCCTGG
GGGCCCTCTCCCTTTGTGCTGGGTGGGTCCCATTCAGCTCCCCGACCCCTTGTTCGGGGCGCTCAGTGGCGCGAGATGA
GGCGATGGGGCCGACAAAGATGCCACACTCATCCCTGCCGACCTCCGGCTCCAGCCCAGGGCCCCCTGGTTCTGTGCAGAATTCC
TCGTGGGTGTGACAAAAGGCTGCCCCAGGCTCCGCTGGGGTGGGGGCCAGGCCAAGAGGCACATCCACACTGGCCACCTGTCC
ACGGTAGGCGCATGACTGCCCTGAGGAGGGGAGGCCGGCATTTCCCGCCACAAACCAGGACGTAATTGGTGGCAGGGCTCTCTGTG
GAAAGAGCCAGTCTGCTGTTTGTCTAGGAGGTGAGTACAGAGGCCCCGAGACGCCCCACTACTGCAGCCTGGCAGGCGGATGAGCC
CAGTATCTGGCAGTGACCAGAGGGAGTTTGTGTCAGACCACAAAGGCTGATGGGCTGCCCTAGATTGGTGTCCCTCTTGAAGTGG
GCCAGATGTGCGGGACAGTCCCCAGGAAGCCCCAGGTGAGGGCACTGGTGCCCTCTTGGGAAAGCTGCTCCCTCCTGGGGCCCCG
CTCCCGGCCAGTCTCCAGGGGTGTCCCATGGTGACTGGTGCTAGGAACCCACACCTCTTCCCTTACTTGGGAAGTCACTGGAA
TTGTTGGGCTACATCAGACGGGCCAGAAAAGTGTTTTTGTCTATCGGCCAGAAATAGGAGAGTTGTGAGTAGAGGGCCCGGGTGGAG
TTGGGGTGTACTTGGTCTGTGCTCTGAAGGTCACTGTGACAGTCACTGGTCCCATGGTAAGGGGCATGGGTGCTGGAAGAGCTCTT
CCTTCCCGAGTGAGCCAAGCCGGGCTCTCTGGCGCCAGGGCCTGAGCCGAGCCACACCACAGCCGCCCTGAAGGCTGCCGGCCA
GGGCTTACCCTCAAGGGACACGGAATGGCTTCATCAGTACCCTGCAGCCCCGTGGCCTGGCCCGGTGGAGGCCCTAGGCTTCAGC
CATGCGATGTCCCTTCAGAATATGACTTGTCTGCAATCCCTGCTGCTGGGGGGTGGCAGGTACTTGGGGTGGGGTTAGGGTCATA
GAAGCGACATCTCTACGTCTCATATTTGCGTCACTAATTTTGTTTTTGTGAATACGTGATAACATTACAAGGCTCAAGATGCT
AAAAGGATGAGAAGGCAGTGATGTCCCCATCACCTGTCTGTCTTCCCGTGGCTTTCTCTTTCTTGGTTATGTTTGTGAGTCAAC
AGTGGGGCTGACGTTCCAGGAGGGTCCGTGGGCCAGGCTCTTGCTCTCCGAGTGCCAGGGATGGCTGGAGGCTGAGGAGGGCCTG
GATGTGGAGCCTCAGATACCAAGTGTCTCCCTTCAGGCCGGGGCGCTTGCTCAGAGCCAGCACACAGGGATGCCGGGATCACGGGG
GCCCTGAGAGGGTCCCCTGCTCACAGCCTCCTTCCCTCTCTCCTTCTGCCTCAGATGTGAAGTTCATTTCCAATCCGCCCTCCATG
GTGGCAGCGGGGAGCGTGGTGGCCGAGTGCAAGGCCTGAACCTGAGGAGCCCCAACAACTTCCTGTCTACTACCGCTCACACG
CTTCTCTCCAGAGTGATCAAGTGTGACCCAGTAAGTGAGGGTGATGTCCAGGCAGCCTTGCCGGGGCTTACAGGGGGAGACACC
TAGTGCCACGGAATGCCGAGGCTGGTGCCAAGGCCCCCAAGGGTGACAAGGTTGGGGCTGGGGCTGGGGCCCCCGGACCCAGGC
CACAGACTGACAGGGCACCGGCTTCTTCCACTGCTCCTAGAACTTACTGACTGGCTGGGAGGTCTCACAGCCTTCTCACGTCCCC
TGGGGCTTCCAGGAGCCGTAGAGTTTCTGGGCGAAGCGTCCGGGACGGAGGCCCCAGGCGGGCCCCAGCCAATGGTCTGTGTGGTGA
TGGTGTGTGGGGTTAGGCCAGGCGAGCTTGTGTTGGGCCACAATGTGCGTGGCCAATAAATAGATGCTTGAAAAGGGCTCCTGTG
AGGTCCGAGACACCGGACAACGGGCGGATAGAGACAGCCTTGTGTTTACGGCCTCTTTGAGAGGCTGCTGCTGTTAAACCTGGG
ATGACTGTGTCTTTCTTTAAAATGCCATTGTTTTATTCCCGAGTCTTTTTCTTAAAGAAAGAATTAAAATGACAATCAAAGGG
TTTGTGGCATTACCAAATTAGACCAGAGAGGTGGCCGGGTGAGCCGCCGGCCCCGCGGTGTGTGAGGGAGTGACCGCTGACCCC
AGCTTGGGGCTGGGTGGGCCTGCAAGACCCGTTTTGGCTCTGGCCTGGGCCGCTCTTGGTGGTCTGCCCTCGAGCCTCCCGGGGA
CTCCGCACGGGTCTCAGCAGATGCTATCTAGGGTCCACCTGCCTGTCCCCTGCCTAGTGGTGCCTCTGTCCCGGGGACACTGGGAG
TAGCGGCTGCCAGCCCAGTGTGTCTCGGAAGAGGAAGAAGCTTTTTTGGCGTGGGACACCGAAGTTGGCAGGGGCCCTCCCTTCT
GTGTTCTCGGCCATGGCCTCCCTTGCACCTGCCCGTGTATCCTTTGGGGGTGGTGAGGTGCTCCTCACCCGCTGTAGGGTGGAG
GCCAGCAGCCCGCAGCTCTCTCAGGAAAATGGCTCAGAAACACCATCGAGGCCTCCAGAAGCCCAGCAAAGAGAAAGCCCCCTCCAT
CAAAATGAAACTCGCGTCTGCACTTTTCATTTCGAACCTCCACGCCCTGAGTGAACCCGCTTCCCCGCCAGGGGTGACTGCCCTGG
GATGTTGCTGTCTTCGGGCAGTTGTGGGAAGTTGGGGCTGGCCCTTATTTGAGTAGAGACCATCTTAAGTAGATTGGAGGCACAC
GTCTCACAGCTGACAGACACACGGGGTGAAGTTACCCGAGGCGGAGTCCACTCTGCCTGATCAGCTAGTGACCAACGTAGCTGAGC
CCAGACTCAGAAAACCGTCCACAGCAGAGGCCCTGCATTTTCTAGGGCGTGTCTAGAAATTTCTTTTGGTGGGTGGAATGTCCA
TCTGTGCAATCGGGTGGCAGTGCCACACACCAAGTACTTTTCCGGAGGAGCGTGTGCTGCTTTTGGAGCTTCTGGCTGTGGGA
GAACAGCTTTGTCCACCGGGGTAGCCTTGCAGGCAGCTGTGGGGCCAGAGGAATGAAGGAAGGTCTGGAGTCTAGCTGCATGTGT
GACCTGGAGTGGGTGATGGGCGAGGGACGGGCCGAGGTGAAGAATCCCTGGATGGAGCTGCCAGGGCCCTGGGGCTGAGAAATG
AAGCTGGCTGGTGTGTTTAGGTTGAACGTGAGGAGTCTGTATCTCACCCAGGCCTCTGGCTCAGTTTCCCCTCTGTACAGTGG
GACTGTTTGTGACGCCAGCCGGCCAGCTTCATTTGCCATGATGAGAATTTATCTGAGGGGCGGGAGAGGAAAGCCCTCCCTATAA
AGGTACAGGCGCTAAAATGTCATGACCTCAGTGGTCCACCTAAAAGTCTGCTTGGCTGGGTGATCGCCTGTGCTGCTATGCCCTT
GTCCAGCCCCCTCTGGTTGGGAGTTAAGTGGCACCTGTGCGGCAGTGGTGGGGCTGTGGCCAGCCCTGCTCCTGTGGAAGGTC
TGTTTCTGGGCTGCCCTAGAGACTTGGCTTGAAGCCCTAGCGTGGCTTCTTGGCAGTTGGGACACACACAGCCCCAACACATGGAG
CCGGTTCTCCATCCAGAAGCCCCCGGGCAGTAAGCAGCCACTTCAGGCTGCGTGGGACTTGGCCGTGGTGGAGCCTAGGAGAGGCC
CCTGGCTGGGCGTGGCGTTCCAGATTTACGGCTGCTCTTCCCCTGACAGTGTGGTGTGGACGCTGCCAAGGGAGTCTGGAGCC
CCAGAGGGTGGAGGTGACGAGTTCAGGAGCGTCCGTGCGACTCCACCCGAGGGCGAGCACCTCAGTGGCCGAGTGGGTGGATG
CATGCTGTGCCAGGCTGATGGCTGGCCCCGGGGCACAGGCCCTGAGCGGGAGAGGATGGAGGGGAGGGATCAATGGTCCAGGTCCCC
CTGGCCACCCAGCATTCATCCTCAGTCATGCAGGCCCAAGGCTTCGACAGCCATTGATCATGGAAGGCCAGGTTCACTCAAGGG
CTGCCACATGGAGAGGTTAAGTCTGAAAAGGCTGAAAAGGCAGGGTTAAAAGGGCTCCTGTCCAGATCAGATGGCACTGAATCC
CCAGGGAGCTGGCACGGCCAGTGGGAACAGGCGGTGAAGGCGCTGTTGGACATGGGGACGGGCAGGGGGTGTGAGGGTGGGCGGG

126

TGAGGGCTTCCCCACCCACAGCAGGCAGGTGGTTCTGGGAGTCTGGGATTGTCATGCCTGGGCACCTTCCTGCTCTGGCTGAGCC
CCTCCAGGACGGAATCTCCAGATTTCTCTCTGCTCCGTCTCCCCACCTTGGCATAACAGTGGGTCTAGGAAGGGGGCCGAATG
GAAGGGAGGTCTGTCTGGCTCCTACAGGGCAGCCCCAAGCTGCTGGGCTGAGGTGCAGAGCCATGGGTCCAGCCTGACCCGCATGC
CGGGAGCTGATTCATGGCTGGAAGGGTCTGGGGTTCCCCAGGAGCCAGACAGCACCTAGAGTTGTCACAAGGAGTGAAAGGCC
TGAGGGGACAGAGGAAGGAGGCTGGGCAGAGTGGGCACGTGGACTTCGGACCGCGCTTGTGGGATAACAGTGGCTAGGGCTGTGCA
GAGGGTGGTGCCTGCCCATGGGAGTCCAGAGAAGCCAGGTCCAGTGGCAGTGGCATGCATCCGGCAATCCCTCCGGCTACCCCTGC
ATGCAGCGTGACCCCTCCTTGAAGCACCCAGGAAGCAGTCACAGCCTCGCTCTGCCAGCATTGGGGGCTGGCCTCTGAATCTGG
TGGGGAAGGCTGTGTTGCCTGCTGGCACCCGCTCTATCACCAGTCCCACCATAAGGCTAGTCCCCAAAGTCAGCACTGCAGCCAGG
GCCAGCGAGGGCCAGCAAGGGCAGGCCTGTGCAGGGGCTGCAGCGTGGGGTGTGCGTCCCGCACTCTGGGCCAGCCTCGCAGCTCA
CAGGGCTCTGTATCCAGGAATGTCTTTGATCAAGAGTTTATGCAAGACGAGGAAAGCAAGCCCAGGACCTCTAATCCGTTCCCA
CAGTCCCCCTGCCCGCCAGGGCCCCACAAGCCAGCGCCACACCGCCAGGCCTGAGCAGACAATAGCAGGCGGACGGGTGGGCGGGC
AGCTCTGGGGCCGCTGGCCTTGGGGCCACATCCGGGAGCATTGTACCGCCACTCACGAGGGCACACAAGGAGGGCTGGGGAAGA
GAGAATGCAGAGCCCTCTGCTGAAGGGGCTTCGGTGGGCCTTGAGCCTTTCAAAGACGGCGGTGTCCATTAATCCTTTTAATTTGC
ACCTAGCGGCAGCTGAGACAAGCCTCTCAACCGGCAGCCACTTTAAGAGCTGAGTGGTCTAACCCGAGGATCAGCTCCTATTCCAG
ACCCTGGGCCCCCTCTGAGCCTGTGAGGCAGTCTCCTTGCCTTTGTTAATCACGGGAGGAATCGCAGCTGGAGGTTACTGAGCAC
GCACTGTGTGCTTGTGCTCAACACCGAACACAGTTTCTCTCTGAGTTTGTCAACGACCCCATGGGTGGTGACAGGGAGGGGACA
CTCTGGTGGCAGCCACAGACACAGCCCTGCCCTCCAGAGCCTACACTCTCCCGCACACAATCATCCATCTGCTAGGTGAGGGAT
TGGCAGGTTTCTGGAAAGGGCCACAGAGAGAGGCTTCAGGCTTTGTGGGCCACAGGTTCTCTTGGCCTGTGCAAAAGCAGCTGCA
GCCGCTCTGTGAATGAGTGAGCATGGCTGTGTGCCAATAAAGCTTTATTTACAAAATAGGCAGCAGACTGGATTGAGGCTGAGGG
TGGTAGTTTGGCGACCCCTGTTGTAGATGAGTAAACCGAGGGCCAGAGAGGTAAAGTAACTGAGCCAGGACTGCACAGCTAGTGTG
TGACCAAGCCAGCCTGGTGGGTGAGCCTCATGGAGAAGAAAAGGCTCAAGCTTCAAAAAGGGAAATGCACGGAGGCTTCATTGGGC
CATTTGCAGCCAGGCCCCACGCACACAGCTCAGGGCCCTGCTTCGCCAGCTCCACCTGTTTCGAGGCTCCCAGTAGGTTGCCCTG
CGGGCGGCCTGTGTCTTGGCTGCTGGCCTGGAGAAGGGCAGCCAAACAGGCCGGCAGTGGACATCTGAGGGTGACCAGCTGTTTA
AAAAGAAAACCTACCGGCATGTATAGGCACACATTAAGCACACACGTTTGGAGTAAAGGCCCTGGGGTGGATCTCGGATCTGC
AGCTTTCAGCTGTGCGGCCCTCATTTCTCTGGGCCTCAATGTTTACACCTATAACATGGGGAAATCCTGCAAGAACACAGCCCATG
ATGGGGAGTCTGCTCCATCTCCTACTCACGACAACGACCAGCACAGAACGGGGGCTCCATAAATCTCTGTCAATAACTGAATTTCT
TCTGGGGTGTGAGGATTCTATGGCTCAATGTGTGTGAAGCACTGCTGAGCACCGAGCTTGGGGTGCAGTGATCACTCAGGGAACG
CCATCATCCCCCTCGGCGCATCCGCATAATCACCATCAGCATTCCATGCACTGCCAGGTCTGGAAGCACAGGCCTCCATGCCACGG
CGGCCGCTGGGTGGTGGCACCAAGCCGATCTTACTTCCCTCCTTTGGCACATTAAGTAGACAGTTCTGGGTCTTCTTGACACCA
CGGATGCCCCCTCCTGGTGTGACAGACCCAGACTTTGCTCCAGGGAACCACTTCCAGATCTGTGGTTTGAGTGGGACCGAA
CCCATCCCCAGCTCCAGGCCAGGTCTTCATAGGCTGAAACCCAACTGCACATCCACACCCACCAGAAGAGCAGCAAGTTAATGGAT
GGGTGAGAAATCAAATAGAGCCATTGAGTCTTGAGGAGACATTTTCTGGAGCTTCTGAAAAAGATAATGCTTCCCCCTTCTTAGG
ATTCCAGCAGGGAAACACAAGCCCAGGGGTGGCACTGCCCCCTGCAGCCCTAAGGGAAGACTGAGCTGCTCCCAGGACCTCACA
GGGGAGGCTGAGCGTAAGGCCAGCCCTGAGGGAAAGCAGGGAATGGGTCTCCAGACAACTGCTGGATCAAGCCTCTCCTGAAGTC
ATCCCCCTTTTGTTCAGAAAGCCAATCATTGTCTTCATTAAGTCAGTTTGATATGGGCACTGTGTCAATTTGGTTTTCAAAGACAC
TTAACTATTACAGCTTGTGTGTGTTTTCTTTTTTTTTTTTGGAGACGGAGTCTCACTCTCGCCCAGGCTGGAGTGCAGTGGCCTGCT
CTCGGCTCACTGCAAGCTCTGCTTCCCGGATTACGCCAATTCCTGCTCAGCCTCTCGAGTAGCTGGGACTACAGGCGCCCGCT
ACCACGCCAGCTAATTATTTGTATTTTAGTAGAGACCGGGTTTACCGTGTAGCCAGGATGGTCTCGATCTCCTGACCTCGTGA
TCCACCCGCTCGGCGTCCCAAAGTGCTAGGATTACAGGCGTGAGCCACCGCACCCGCGCTTGTGTGTGTTTTCTACCTCTTCT
AGATCTAACATGTTATGATTGATATAAACAACAGGAGCGACTGACAAAGTTACCATGTGATCTTGGAAATTTCAACATGCCTGTCTT
GCTTAGCTGGGAGTTCCACAGGGTCAGGGAATGACTCCTCTTGGGGCCACCAGTGGCCAGAAGTATGCCTAGAACTGCTCTGTCTG
AAGGGACAGGTCCCTCTTCCATGGCACACACTCTGTGTGTAACAGAGCACACGTGTGACCAAACTGACCTGGAGAAAGGGCCTGAC
CACATCCATATCCCAAGTTCTGAGGCCGGATAGTGCTGCAGGGGCTGAGACCAGGGGAGAGGCTCAAGCCAGCCTTCTCTGGTGG
ACCCTGACTCAGTCTCTGTGCAGGGCAGCTGCGCCTCCAGAAGGCAGAGGCCCTCTGGAGAGTGAGCCTTGCGGTCACAGCGCC
TTTCGGGGGCTCCCGCCACTTGCCCTCAGTGGCGGCTGAGACCTGGGGGAGTCCAGGCAAATCCCTGAGGAGGCCCCACATGCAAG
GCCAGAAGTGTCTGGATGGTGTGGCCGGCACCCCTTACCCTCCAGACCAGCAAACGAAGCCCAGGCAGGGAGAGGGGCTTGTAGTT
TTCTGTGGCTGCTGTAATGAATTTTACACACTCAGCAGCTTAAACAACCAACATTTCTCTCATAGTTCCAGAGGCCAGCAGTGT
CTGCAGTGGCCGCTCTCTCCAGCTTCTGGTGGTTTCGGGCGACCTTCGGCTCTTCTCAGCTGGTCCATGTGCA

HUMAN SEQUENCE - mRNA (SEQ ID NO: 17)

GCAGTAGCAGCGAGCAGCAGAGTCCGCACGCTCCGGCGAGGGGAGAGAGCGCGGGGAGCAGAGAAGCGAGAGCCG
AGCGCGGACCCAGCCAGGACCCACAGCCCTCCCCAGCTGCCAGGAAGAGCCCCAGCCATGGAACACCAGCTCCTGTGCTGCGAAG
TGGAACCATCCGCCGCGGTACCCCGATGCCAACCTCCTCAACGACCGGGTGTGCGGGCCATGCTGAAGGCGGAGGAGACCTGC
GCGCCCTCGGTGTCTACTTCAAATGTGTGAGAAGGAGGTCTGCCGTCCATGCGGAAGATCGTCGCCACCTGGATGCTGGAGGT
CTGCGAGGAACAGAAGTGCAGGAGGAGGTCTTCCCGCTGGCCATGAACTACCTGGACCGCTTCTGTGCTGGAGCCCGTGAAAA
AGAGCCGCTGCAGCTGCTGGGGGCCACTTGCATGTTGCTGGCCTCTAAGATGAAGGAGACCATCCCCCTGACGGCCGAGAAGCTG
TGCACTTACACCGACGGCTCCATCCGGCCCGAGGAGCTGCTGCAATGGAGCTGCTCCTGGTGAACAAGCTCAAGTGAACCTGGC
CGCAATGACCCCGCACGATTTCAATTGAACACTTCTCTCCAAAATGCCAGAGGCGGAGGAGAACAACAGATCATCCGCAAACACG
CGCAGACCTTCGTTGCCTCTTGTGCCACAGATGTGAAGTTCATTTCCAATCCGCCCTCCATGGTGGCAGCGGGGAGCGTGGTGGCC
GCAGTGCAAGGCCTGAACCTGAGGAGCCCCAACAATTCCTGTCTACTACCGCTCACACGCTTCTCTCCAGAGTGATCAAGTG
TGACCCAGACTGCCTCCGGGCTGCCAGGAGCAGATCGAAGCCCTGCTGGAGTCAAGCCTGCGCCAGGCCAGCAGAACATGGACC
CCAAGGCCGCGGAGGAGGAGGAAGAGGAGGAGGAGGAGGTGGACCTGGCTTGCACACCCACCGACGTGCGGGACGTGGACATCTGA
GGGGCCAGGCAGGCGGGCGCCACCGCCACCCGACGAGGCGGAGCCGGCCAGGTGCTCCACATGACAGTCCCTCCTCTCCG
GAGCATTTTGATAACCAGAAGGGAAAGCTTCATTCTCCTTGTGTTGGTGTGTTTTTCTTTGCTCTTTCCCCCTTCCATCTCTGAC
TTAAGCAAAAGAAAAAGATTACCCAAAACTGTCTTTAAAAGAGAGAGAGAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAA
AAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAAAGAAAAA

HUMAN SEQUENCE - CODING (SEQ ID NO: 18)

ATGGAACACCAGCTCCTGTGCTGCGAAGTGGAACCATCCGCCGCGGTACCCCGATGCCAACCTCCTCAACGACCGGGTGTGCG
GGCCATGCTGAAGGCGGAGGAGACCTGCGCGCCCTCGGTGTCTACTTCAAATGTGTGAGAAGGAGGTCTGCCGTCCATGCGGA
AGATCGTGCACCTGGATGCTGGAGGTCTGCGAGGAACAGAAGTGCAGGAGGAGGTCTTCCCGCTGGCCATGAACCTACCTGGAC
CGCTTCTGTGCTGGAGCCCGTGAAAAAGAGCCGCTGCAGCTGCTGGGGGCCACTTGCATGTTGCTGGCCTCTAAGATGAAGGA
GACCATCCCCCTGACGGCCGAGAAGCTGTGCATCTACACCGACGGCTCCATCCGGCCCGAGGAGCTGCTGCAATGGAGCTGCTCC
TGGTGAACAAGCTCAAGTGAACCTGGCCGCAATGACCCCGCACGATTTCAATTGAACACTTCTCTCCAAAATGCCAGAGGCGGAG
GAGAACAACAGATCATCCGCAAACACGCGCAGACCTTCGTTGCCTCTTGTGCCACAGATGTGAAGTTCATTTCCAATCCGCCCTC
CATGGTGGCAGCGGGGAGCGTGGTGGCCGAGTGAAGGCCTGAACCTGAGGAGCCCCAACAATTCCTGTCTACTACCGCTCA

128

129

130

GGATCGATTTCAGAAGACAGAGGTTTATTTTAAACAATGAAGCCTGGGCTAGAGATGTCGTTTCAGTGATAAGACACTTGTCTAGCAT
GTATAAGGACCCATGCTTGACACCACAGGAATAAAATAAAACCAAAATGAGGTTCTACTCATTCCCCAACTTTAGCAATTTTGG
TGGTGGTGGTGGTGGTGGTTCGACGCTTTTCCAGAGAAATCCAACAACTGCCAATTTAGGGAAAACATCTAGCTCTAGCGACTTT
GCCAACTGGTGTGAGTTGACTCAATGACTGAGTGGATTTCTTTTGGGTTTACTTCACTCAATATTGGTCTACACTAAGCTCT
TTAGGAAGACAGGGTTGAGAGAGGAACAAGTGTAAATGGGATGTAGATCCTCTGAGGCTGAAAGGAATGTCCTTTGTCTCTAAACA
ATGCCGAGGGGCTCAGGAACACTCTCTTCCAGTCTTACCCGACCATCTCATTAAGGCTAAACTCTCCAGTTCGGGTCTATATGG
CTAGGAAAAGAGGAGCTTTGGGGAAAGCTCTGTGAGAATATACCTGCTTTCTGCAGGGGGCGGGAGGACCCCAACAACTCAGC
TGGAGAACAATTGTTAGATGTGACAATACTGAAGTTTGTACACAGACATGTGAAATTGCTGGCCTGAAGTCACATAAGCACTAAT
AACGATAATAGCAATTAATGTTTACTGTGTGCTAAAAGTTTGCATACATTATCTCCTTTTATTCCCAAAGCAACCCCTATACAC
ACACACACCTCCTTTTGGTTTTGGTTTTACTTTTAAATTTTACTATTAAATTTTAAATATGTTTTTTTTTAAATTTACTGCAC
TAGAGAGGGAACTTAGAACCTCCTGCATGCAAGGTAAAGTATCAATGGGTGAGTCACATCTCTATAGAGATTGTAGGTTGTTTCAC
CAAAAGTATTAGGGCATTCTCTACAGAGTGGTGGAGTTTCGAGTCTGGGAACATGGAATAAGGATGGAATCCAGTAAGTCTTGAG
AAAGAAGCTAAAGGAGAAAATGTCAGCAGCAGATGGCAGGGAAGCAAGAAGAAGGAGAGCTAAAACCAACAAGCTAAAACCAAAA
ACGCTTGCTATTGTAAGTGTGCCTAAGGTAGCAGGAAGTACAGCAAGGATCCACTGGCTTAGTGAGGGAATGCTTCTCTAGGCCTC
TCCTATCCACTTCCCCTTCCACCCAGTATCCTCCTACTCCTTCATCTGCTAGAGACAACCTGCCCATAGGTAGTTAATTAGCTGTCC
CAGCACCACACTCTCCTGCAGTACTTTGGTCTGTGTTATTTGTTTTGGCAATAGGATCTCATTAGGCAGGCCATACTGGCCTCAAA
CTCTGGAATTTCTTGCCTCAGCCTCTTAAGTGTGTTGTTGGGATTACAGTTTGGGACACTTATTCTCCAGCTTTTCATGCAGGGCT
TTATTTCAGGAATTTCCACTGTGTGATTCTAGGATGCAATACTAGTTCTCATTTCCCTGAGGGTTTAAATTGTTGTTGTTGTTTCGTT
AGTTGGTTGGTTTTGGGTTTTGTTTCAATTGGGTTGGTTTGGGTTGGTTTTGGTTTTTCAAAACAGGGTTTCTCTGTGTCTGAGAACC
ATTGTCTTTTCTACCCTGCAAAACCAACCATCTTTTCAAACCACTGGTAAGCCAAGTCTTTCTGGATTAAAGTCTGAAGCCATTCT
TCCACTCCTATTTCGATACACTTACTACCTACCACAAACACGGCAGCCTGGCAGCCTCAATGCCAGTTTGGGGCTTCTCCTTGTATG
CTTGGAGACCAGTTGTCTTTCATCATCAGATCAACCCCTTGAAGAATGGAAGTTTCATTGGTCTTGTCTTAATCATGCCTGACAAGAAA
GTGCAATTCACTAATTCTGTAAACATCTAAGTGAAGGGCTCTTTGATGGGCTCAATGGTGCATCAGACCTGAGTAAGGGGTGGAGT
AGAAGCAAAAGTTGTTTCAAGTTGCATAGCGAGAAAAGTCAAGGAAAGAGATGGGGGTTTCATCAGGTGAAGGGAAGGATTTTGATTA
GACTTGCTTTGCTTGATTTGGTTTTTGGCTGAAAAGACAGGAAGCCTAATTCATTTCCATGATAGTAGGCTAGACTTGAGAGGGA
AAGAAGTGTGACAGAAAAGGAGGGGAATTGTACTGACTGGTTTTG
TGTGTGTGTGTGTGTGAACTTGACACAAGCTGGAGTTATCACAGAGCCTCACTTGGGGAAAAGCCTCCGTGAGATCCAGCTGTAAG
GCATTTTCTCAATTAGTGGTGAAGGAGGGCCTATGTGGTGGTGGCATCCCTGGGCTGGTAGTCTTGAGTTCTCTAAGAGAGCAAG
CTGAGCAAGCCAGGGGAAGCAAGCCAGTAAGTAACATCCTTCCAAGACCTCTGCATCAGCTCCTGCTTCTGACCTGCTTGAGTTC
CAGTCTTGACTTCTTTGGTAATGAACAGCAGTGTGTAAGTGGACAGTGAATAATCCTTTTCTTTCCCAACTTGCTTTTTTGGACAT
GATGTTTTGTGCGAGGAATATAAACCTGACTAAGACAAGAATCAAAGTGTCTAGTTCAGGTGAGTTACTGGACCGGTAGGTAGCTTT
GTTTTGCTTGCTTGATGTCTGGAGCCCTCTCTTAGCTGGGTATGGCTGAACAAATGAAAAAGAATATGTTCCCCCTACTTAGGTA
AGTATTCTTCCAGGTGGTGTGATGTCACTGGCCAAGCTGTTCTCCCTTGGCTTCCACAGCTCTCTTCCCTTACCAGATACCATGTCC
ATCTTTACACAAATGACTCTAAACCTCTTCTCTCCACAGACACCTTCAATCCACATGAGATAAAGCCTCCACATTTTGTAGCTCTG
GCTGACCTGGAACCTACTATGCAGACCAGCCTTGCATTGAACCTTTCAGAGATCTGCCTATATCTTTCTTAGGAGTGCTAGGACTAA
AGGCATGCACCACATTTAGTCTGTAAACTTCTTTTTTGTTTTTTGGTTTTTTCGAGACAGGGTTTCTCTGTGTAGCCCTGGC
TGTCTGGAACCTCACTCTGTAGACCAGGCTGGCCTCAAACCTAGAAATCCACCTGTCTCTGCCTCCCAAGTGTGAGATTAAAGAT
GTGTGGTACTACTGCTTAGACTGACACACAAAATATTGTTGAAGCCAGTGAGATAAAGCTCACCTTCAATCTCAGAGGTAGGCCAG
GCAGACTTTTGTGAGTTCTGGGCCAGCCAGAGCTTCATATGAAAAGTAATAATAATAATAATAATAATAATAATAATAATAATAA
ATGGGTGTATGAAAGAGTAAATGTGCACATATTTCTGGCATCTGTTTTAAGATTCTACTTCTTAGGCTGTGAGTCAATCTCACCC
CATTCAACCTTTGCTCTGCAGTGTGATTGACAAATCTTCTCTCCCTCTGGTGACTACCTAATTCATCCCAGACAGCATCAGCCTT
GGCAACAACCTTCTCTATGCAGGGACTGTAAGTTCCAGACAACAGAACTCTGTTCCAATTCACAAAATCAACTAGGAAAGGAGAAG
AGACAGAGGACAGAGGAAAGGAAGGAAGAAGGGAGAAAAGGAGGGAGGGAGGGAGGGAGGGAGGGAGGGAGGGAGGGAGGGAGGG
GTTTTCATGATTCATCCAAGGATCCTCTCTGATTCTTTTTTGGTTGTTGTTGTTTTTGGTTTTTTCGAGACAGGGTTTCTCTGTATAG
CCCTGACTGTCTGGAACCTCACTTTGTAGACCAGGCTGGCCTCGAACTCAGAAACCCACCTGCCTCTGCCTCCCAAGTGTGGGAT
TAAAGATGTGTGCCACCACGCCCAGCTAAACCTCTTCTCTAGCCAGAAGAACACAGCAGAAAGAACTATGATCAGTCTTCTGGA
ACCATGTGCTTACCCTTAAACAGACAATTCACTTGGTTCCAGGACCACACTCCTCCTGCAAAAGTTGGAACCTGTGATTCTCA
GCTTCTGAGGCAAGGGGAAGACCTATCCAAGATAAAAAACCAACAACAACAAAAAGTCAATATAAGAAAAGAAAAAATGTTCTC
TAGATACATTCTGGGTAGTGATGGTTCTCACTGTTTCAGAGATATAAGAAAAGAGCAGATGCTTAAACCCCTGACTCTTGAGAACA
CTTTTGGTAAGAGAGACTCCTTTTTTTTAAATTTTATTTATTTATTTACTTACTTATTATATGGTAAGTACACTGGTAGCTG
TCTTCAGACACTCCAGAAGAGAGTATCAGATCTCATTACAGATGGTTGTGAGCCACCATGTGGTTGCTGGGATTTGAACTCAGGAT
CTTTGGAAGAACAGTCAGTGTCTTAACCACTGAGCTATCTTACCCAGCCCCCCCCACCCACCCCGTTAAGAGAGATTC
GAATGGTCCATCTTAGAGGTATTGAAATTGAGTCTGAAGTGGGAGGCCTAGGGGCTGTTTTGAGCCAACTCAGCCAGGTGATTTG
CAGTGAGGTGGGAATTCCAAGGGCAAACAAGGATCAGCAAAAGCTATACCCCTCTACCACAGATTTGGAGAGAATTGAGATGGGAG
GCCTGTTCCAGCCATTGCTCAGTAAGTAAGCAAGAGTCTAGCTACCTCTTCATCTCCCTCCTTCTACCACACCATTAAGTCCCTCC
AGGCCATCAGCCTCAATGATTCTTTCTTTTTTTTTTTTTTAAATTAGGTATTTTCTCATTTTACATTTCCAATGCTATCCCAAAAGTC
CCCCATACCCCTCCCCTCCACTCCAACCTTTTTGGCCCTGTTGTTCCCGCCTCAATGCTTCTTGGCTCTATCCATGTCTCCTTGCC
CACTTTGCTTCTGCAACCGATATTCTTTTACCTGGGACTCTCTAGCAGATGCCAAGTGCCTGTCTCTCATCTGGTTTCTCTCAAAGG
TAGAAAAATGGTCTCCCAAATAAGCCGATCAGTTTACTCCCTGGCGTAGGAGAACTTGATGATTGATGTGCTCTGCTTCTAAAT
ACAGATCTGTGGGCTGGTAGTGAGATGTTAATCCCAACTACTCTACTTGGGAGGCCTAGGGAATGGACTCCATGTTCAAGGTCT
GCCTGGACAGCAAGATGAGTGTGGGGAAGCCAGAGAAAATGAGTAAACTTTCTGAAAAGTAAAGCATTTATAAAACAAACAAAC
AAAGGTCCAGAGAACTGGGGAGATGATTGGCTGGTTAAGAGTACTTGCTCTTCTGCATGGGACCCAAGTTCAGTTCTTAGAAGCCG
AGTAGCTTGCACCTTCAATTATGGCCCCCTCTTCTGTTTTCTCAGGACCAGGTGCACACAGTGCATATAACATACATGTAAGCAAA
ATACTCACACACATAAAATTAATAATAATAATACTTTTCCAGGCAAACTGACCTGGGATATAGCTCAAGGATAGAGGATTTGCATG
GGATGCTAGCAGCCCTGACTTCCATCTACAGTCCAGAAAGACAAGTAAATCAGAAATGCCTTTGAGGGACTGAAGAGATGATTGAG
AGGTTAAGAGCACTGGCTGCTCTTCCAGAAGACCTGGGTTCAATTCCTAGTACCTGCATGAGAGCTGACTCCAGTTCCAGGGAATC
TGACCCATCACTCAGACACTGTCTTGTCTATCTGCACACGGGATGATCAGACACATATCATTTTACATGTGGGATACTGAGAAT
GAGAGTCAGCAGGTAAGTGTCTCAACTTCAACTAAGCAGGGCAGTTTGTAGCAGGGATGGAATCTGGATTCTTATTGCCCCCAG
CTTCTTCACTTCTGCTGCCTCTCTACAACCACACCATATTGAAATTACCTTCTTCCCTCTCTTGGCTTCCGCACCTGAAACTGGGGC
TGAATCTAGCTGGCTACCTGACCTGATTCTCTCCTATCAGATGGATGACTTGCTGTCTCCTGGGTCTATCTCCCGTGTTTAGCAAG
ACAGGGTATAGAGTTTTTAAATGAGTGTAGGAGAGTGCATGAATCATCACACTTTTAGGCAGAGTGCATGAATCATCAGACTTTCC
TACGCCAGGGAGTAACTGAGCACGCATATTTTGGAGACCCTTCTCTACTCCTAGGGTCAAGAGAGCCTGCAGATGATCTACTCA
AAGCAATTTTATCTGCCATTCTGTTGAGTAGTGAGGCAAGGATCATGTTACCTGCAACGGGGCAATCTTTGCCCTCTGTTTTTGA
GTCTCTGGAGAAGTAGCCGTCTTCTGCGCTGGGGATATGATTAAGCAGTAGAACATGCACATAATTTATGAGGCTAACATACAG
CTCTTCAGAGATCAGCCTACTTATTTATGACACAATTGTTTTAAGACATCAGGTATTCTAGGAGATAAGATTCTTCTCTTGGCTTT
CCTGGTACCCAGAATGATCTCTTAAACCACAAGTAATTGGCACAGAGATGGATCTTCCAACTGACCCAGATCTACACAGATCTTA

133

TAGAGGAGATGATCCTTTTCTAAGAACAGCAACATTCAGTAAACAACTTCCTTACTAATGTGTGTGGATCAAGAGATGGTGAGGA
AAGTAGAGTCAGTGATATTTTGAATCAATTATGAGAAGGCCACCATGCTATTGCTCAGTAATATTAGATGCCCATGGACAGTAAG
ATTCATCGATGGTCCGTCTTTATTATTAGGTCACTACTGAGTGGCTTTTGCAATAAAAATACACCATTGGCAGAATAAAAATATTCT
CTAATGCAAAAACATAGCATGGATTGTTTTTAAGGGGCACAATAGTGTGCTTGATCAGACTGGAATAGCAACATTGTAATCTGAAA
AAAGCTCAACAGTGGTGAGGCATATTCAAAGCCCCAAGAGGAGAGTCAACAGTCAGATCCATCAGAGTTGAGAGGTTGCCACAAC
TTATGTAATGACGTCTCCACGCCATGAAACACATGTGTGAGCTTTTGTGAGGAGTCACAGATCTGGCATGCAGCAGGAGATTCTGC
ATTAGATATATAAAGTCAGGCCCAATCATCCCCCTTGATTAGTTAGTCTCATCAGAGAATGAGCCCTTGCCATGGGTCTGTATATGA
GGAATCCAGGCAGTTCAGTAAGTAGTCAAGATTTGTTTCCACATGCGGTCCCAAAGAAGTCTTTAATCTGACAGACTAGTTTTCCA
AGTGGCATACCAAAGGCTGGACCATTGGTAGTGTCCCAAGAATTGGGTCTGACCATTGAGCAGAGAAAACCAAGTCTCTTTTTTA
TTTCTGCATAGCTGGTTCAGAGGCTGAACAGACACAGGAGCCAGTGAACACCATCAGTTTTTCAGCTTAGCCAATCCTTCACTGAGG
CAAGCCCAGATATTTGGGGAAACCTCTGTAAACAGGGTCCAATTGAACTAGTAGTGTGTTTCAAGCAGGAGAATAAAGGTTAAG
TTTTCCCCCAGAGAGACAGTTGCCACTCTTACATATAAAGCAGAGATGCAGAAGAAATTCGAGTTGATGCCATCGCCCACCCACCAA
CCCACCCCGCATTTCCGCCCAGACTAGGATCCCAGCGCCAGGGACCCAGACCCTGGGATTGATCGCACAGAGCCGTGATCCGG
AGAGTGCGCCGGGGATGAGACGGAATCTCGGGGCCACTCGAGAGCTTGGGGCAGGAACCATGCATCCATTGTCCATCGTACTGCA
TGTGGAGCAGCTATTTGGCCTGGGAACAGCTGTAGAGAGCGGGGAGCGACTGGCTCGCCACTGGCGCGCCCTGGGGGAACCCGCCC
AAGGTGCCCTCCTCCCCAGACTGCCCTCCCAGCCTCGAAGACGGCAATCCAGCGCCCACTGCTCCCTGGACTCTGGGCAAGGCCAA
GACTCAGGCCTGCTCCAGATTTGAGAACCCAAACAACCTCAGAGGGTGAGGAAATTGACCTTGTGACAGCAAAGAAAAGGCAGATTG
GGTTTACAGAAGTCGATCACCATCATGGTTCGAGTAGACCGTCTGAACCCCTGCATGAAACACTTCCATACCTCCATCCACCAGCA
ACAACACAACCTGCGCTGCCCATATTTCTCCAGAAAGCTGCTCCCAAGAAGAGGCTCCAGAGAGAGGTCTCCAAGAAGAGGTTCTGG
AGGGAGATGCTCCAGGGGAAACGGAAGATGAGGAGGATGAGGGGATTGTGAGCCCTCACCTATAGAAAGCAAGGCTGCCAGTGC
TGCCAGTTCTGACACTGAGGATGTGACCAAGAGGAAGGGCCACAGCTTCTGCAGCACAAGAGGTGGAATGACCTGCGCGTTCTCA
GTTCTTGGCCCTGAGGGACCAGGTACCCACCTTGGCCAGCTGCTCTAAGGTCCCCACGGTAGTGATCCTAAGCAAGGCCTTGGGAT
ACTTGCAAGACCTGGCGTGAACCGAGAAAAGATGTCTATGGAGAAAACGCAGCTCCAACGCCAGCAACAGCAATTGCAGAAATGA
ATTGCGTACCTCAGTGGCTACTAAGTGAACAAAAGCCTGACTGTTCTATCTTACAAAGACACAAGTTTATTTTTGACCTCCCTT
TCCCCTTTAGTAATTTTCACATTTTGGTTATGACGGGACAGTCTTTGCAGTAGGTCCCAGAATGCATTGCAGCCAGTACACACAGA
ATAAGGGCTTGCAATCTTGGAAACCTTGAAACCCAGCTCTTTCTCTCCCTGACTCATGCTGTGTCTTCTCTGGCGCTTTGGCTT
CTCAGCAGATAGCTGACTGAGGAGATTTGGGGTCTGTTTACCTCACTAGCTCCGAAGAAAAGGCTGACAGATACTATGCAACAGGT
GGTGTATGTTGTGCGGGACTCCAGCCTGCATGAAATCTCACACTCCGCGTGAGCCTTAGACTAGGAAAGAATGCTCCCTGGTATCT
CTGGGGTGATGCTAGAATGCTCCCTGGTATGCTGCGGGTGCATGCAAGGACAGCTGGGCCCTGGACAGCACTCTCGCTGTGGCTTTTT
TTTCCAGGAGACACACAAGCTGTCTTGGGTGATGACAAGCTTGAAGATTTGATCAACATGACCATTGCTTCACTGTCAGACACTTT
ACAGTATCTGAGGAGTTGGAAACCTTTAACGTATATATTGTGATATTAGCTGACACCTCTCCTTCCAGTTTCAATGCTGAGACCTT
GAGAACATTTAAAGAGCTTGCACTCTAGGTTGCTGTCTCAGAGCTCTCTGGGCCTTCTCTGATGAAGGGACCTTCTGTCTCAT
GAGAGACTTTTGTTCATTTTGCCTTTGTTGTGCAATGGGCTTTACAGCATCCTTTCCACAGGTTAGAAATGTTTCCCCAAGTTA
CAGGGAAGTGGGGATCCTAGCCTGGGGCCTGAGGAAATCTTGGAGTCTGGCTCCTGAACCTGTTCCCTGTCCGAGTGGCACTTGA
GGCCACCCATCTTATAATCTCTTCTCAAGGCAGATGTAAGTCACCTCAGAAGGGAGAACTGTACCGCTTCTCTTTTCCATGAAGC
TCTCATCTCAATCTTTGACTGATGAGTGTGAAATCTACCGGAACCATGCAAAACAGTCCACCTTGGGCATCTCCAAGGAACCTGT
GGGGTCTGCAGCATACTTGGCTCCCTACCAGCCTGCCATGAGTCATATTTCTTTTCCAGAAGGTGGACTTGCTTCTGGTATGTTT
TAAAGGAGCCTGCAGGAGCTCTGCTTAGCCAATCATGATGGATTTTGGCCCAGCTGGACTCTGCATGTCCAAGGAGAATCCAGGT
ACAGCCTCCATTCCGGGAAAGACATCCAGCCCAGCAGTTGTGATGTGGGTAACTCAGGAACCCCTAACCTGTCTGGAAAAAGG
ACAAGCCCTCCAGAACTCTGCCAAAATAGCAGGTGCTTGATGGTCTGAATTTGGAAAGGGATGGGGGGTGATAAGTACTATCT
GTGGCTCTGGAAAACAGCTGCTACATTCAAATCTATTTTCCATAATGGTTTCTTTCTGAGGTTGCTTCGTGGCCTCAGAGAATCC
CAGAGGATGTTTTGAAATAGCCTCTCTACCCCTCAGGAGCATGGTAGTTTACAGGAACCAACTGACTTCTGGAACGTCTATGGAG
GGAGAACAGGCCAGGTGTAGGTTACTAATGTCTTACATGAATAGCTTGGTTTTATAAGCTGCTGTTGGGTATTATGTTGGGGCAGT
CTTTTTAATATATTGTATTTTGTACGCATTTTGCAAAGTGGAGTTAACTGTTTTGTAAAAGAAAAAAGAAACCCCTGGGTGCT
TCTTCTGTTTTCAAGGGTCTGATTTATTTGGAAAGGCAAGTTTATCTGAAATTTTGTATTATTGATTGCCCAATTTTAAATGTTGC
CTTCTGGGACATCTTGACAAAAATATTTCTCAAACATGAAGAAAAATAATATAATAAAAAAGAAATGTCTGTGGGATCAGATGAC
TGTTCTTGATTTTACCGTTTCCATTTTATAAGCCAAGCTTATTGACCCCTTCTACCTGCTAGTCATTGAGTCTGAGTTGACCAAC
TCAAAGATGGAAATATCGAGCCAGATGGTAACAAATCTCCATGAATCGATTGTTTCACTTTTGACAGAATCCCAATTGCAAGCCAT
TAGCTGCTTTTCAAAGGGATGTACCCCTGTAGCCATATTAGGGAGGCAACAAGTCCAGTTCCCCAAGGGATCTCTCTGGGTGTTGA
CTGCTTCCCCTTGCCAGGTGCCCCCATCGGCAAAATCATCAGTTACACAGATTTGTCTGTATGTAATATTCAAGGAGTTGATTGA
GGTCTGAGCCTCTTTTTCGGTGGCAGGTGTATGAAGAGACGTCAATTTTTTCTCTGTAGAGGGATCTAATGTTGTGAATTTGCC
TGCTTAGTCCCAAGAGATTACTTGGCAAGCAGGCCCTGTATTTGGGAGCATAAATCAGCCACCCTTGCTGACAGATATGTAATAA
CACTGCATTGAGGACCCTTGAGACTGAGACTTCTAGCCGGCCAGCTGACACAATTATTATGTATATAGTGAATAATTGAACATTA
GAAGGTAGAGACACTAATGCTAAATCCTGAGCCAACCACTGCTGACAAATCTCATTGGAGTTTGTTCCTAACACTTCCCTCTAC
CTCTGTCTCTGTGATGGGGATGACTTTATATGAGACCTGTAGAATGAGAAATTACAAGCATATGACCCATCAAATCCTGCCATT
TATAAGTAGAAGCAACAAGAACAGTTTATTCACCTTTCCCAAAGGCGTCCCTGTACAAAGTCATATTGGCTTCCAAACCCCACTGT
GAACCATGCCCAAACCCCAACAATTGCTTTTCTGGACTTTTTTCCCTTAAATGAACTCAGACCTAGAGTTCACTACAGGAATTTCA
GGGGTTACAGCAAGAGCTGTTAGGGGATTTCCCTATGTCCAGGCCAGAAATGTAGGGATTGCAAGGGAGTCTTGCGATGAGGCGAGG
GGTGGGGACTGTAAAGCCTTTTTTGTAAATCCCTCTGGCTCTTTGCCCCAGCTTGTATGCTAAATCCTCTCCTGTGTACCTCCATTG
TGCAGAACTGTAAAGGCTCAGGGATTCTTCCATTCTGTCCCTTGATTTCCCAGCAGCTCTGCTCCAAGTCTTGGTGTCTTTCATC
TACCTCATACCTATTACCCCTTCCCTCCACTCCCCAGAAAATCAGATAAGATAGTGTGATGGGAGATTATATGTAACAGTTCTGTG
AACATGTGAGTCCGTCCCTTTCTGAAGTACCCTACCATGCATATGCCCTTTTAGTCTGTCTTGAGGACAGAGAGACTTCTGGCTCA
CCACTAATCATCTTTCTTCTTATAGCACCCTGAAGTGAGAAAAGGAAGAGAACCAGGAGTTAGGAAATGCAGAGAGAGAGAGAGAAA
AGACTCTGTCTATACCTAGTAAGCAAGGCATGTTTGCATTTGGTTTCCAGTAGCCAGCAGTGTGGTTCAACCAAAACAACTTCAGAT
GGTTTTTTTTTCCACTGAAAACCTCTATATCTTCACTGCTGACGCCACTTATTAGGTTTGGCAAGTCATTGACTCAGCACCATGACA
TCATCCCTTCTTCTCCCATGCAGAGGAGAGTGAACAACAACCAACCATGATTCAAACAGCTTGGTTTAAATCTGCATCCTGCCC
CTCAGCTTCATTAATAGGTAGGAGAGTGAGTGGGGAAGGGCCTTAAATGCACTTAGTGCCAATCCATTGGGAAAAAGCAATTTGCT
CTCCAATCCCGAGGAGTCTTCTCATATCCCCTAACCAGGCCAGTGAAGCACCTTGTTTTATCACTTTCCAGAATGCTATGTTTCA
TCTTCATTACCAAAATGGCAAGAAATGTGAAGAGTTTGAGACTGTACCCTACTTGCAAGCTCACAACTAGCATACCTCAGTTTC
ACAGATGTTGGCAGAATATATGAGATTCTTGGGTGAGAGTTTGTGTTTGGTTTGTGTTTGCATTAAATCCCTTGGCCCTCTGCCCCA
AATCACACAGGAGAAATGAGGAGCAGCCAGTCAATGTTGACATAAAGTATTCTTCAAACCTATAGTTAGAGACAAAAGCTGTTAC
AATAAATGTAGAAAGGCCATGGAACAATTATCTCAACAATATCTGACCATTGTTTCTCCACTATCTTGGCTTCTGACAAAGTTTGCC
ATTAAGTATGTGTGTTGATTTTCTGGATATCAGGGCTGAGCAAGGAAAAAGTCTGACCATTAGATGGCAGTAGCACACAACATGC
TTTTTTTGGTTGGCCCTTTGAAAGGTTTCAAGGAGTGGAACTTCCCTCACAGCAGGAGACCTTCCAGAGGCAGCAGCAAGAGGCC
ACCACCCAGAAGAGGAAGAGTTCAAGGCAACTTCCAAAGGAGAGAAGAAATGGACAGGAGGCTCATGTGTCTATGGGATGTTACTC
AGCAGCCAGGTGTGGAGTCTCTGTGTCAGAGAGTCCCATGGGCATCAGAGGCTTGGGGCTTTTGTCCAGCCCCAGAGTATGTCT

ATCTACGGCTAGCAGATGGTGTGTCTGGTTTTACAGAGGGTGCAATGTGGGTGGGTCTAAAGGGCCAAAAATGTGCTTACTGGGG
GCCATATTTAAAGCAATTGGGTGTGTAAACATTTGATTTTAGTTCCAAATGAGCTTTGAGCTAATGGTCTTAGCTGTCTCTGAATAT
AGGGAACAAGATACAAGGCACCATCTAAAGATATTAATCCACTTATTTAACAGTCCATGCCCTTGGCCCCATGTTGTTTTACAATCT
AAGTTGTATGCTATTTTCATGGAGTCTCAGTTGGGAGCCAGCGATGAAGCATCCTCAAGACCCAGAATGCTATAAGGCTACAAATTA
GGATTTTAAAAGCCAGTTCTCAGCCAATCTGCCACTTGGGCAGCCAGTAGAATAAATTTGAAAGGAGACAATTTTGTGTTTGACCA
GTCCGTTTAGTCAATAGAGTGGCATTATATATCCCTTTGGTACATGACCCAGCTATCTGTAAAACCTGGTGTATCTACGCACAT
GCAGGAAGATAATTTTAGCAAGCACACAGCCCCGTGTGCCCTGTGACCCCTCCAGCAGCCTGACCTAGGGCTATGCAGTTATCTCAC
ACCATGGCCACTAAAGTACAGTGAAGTTTACAGCAAAGAGTTTACAGTCCCTGGGCTGTTTATCTAATTTCTGTGGGTAAATTCCTGCAA
CATGGCTATGTGTTTCTCTTAATTTGTGGTGTGCTGTTCCACACATATGCTGTTCCCTACTGCCTCCAAAATTAGTGATCCTAGGGAA
GTTAGTACCATGAGGAACATTTTGGAAAGCTCATTTGTGACATTGGGGAGTCACATCTAGTGTGGTTTGGTGGCGGAAAGTACTTG
AGGAGAGGGGTTCCACTGTTGAATAAAATTTACTGGAATTTTGCACCAATCCCAAGTGCAGGAAATATTCTTCAGGGTTGGATGA
GGAGAAGATTGTGATAGGGAAGCCATCTGATTCCCTTACAGGACCTCCAGGCTCCCTCTGCTGCCTGTATTCTCTGTGTTCCACTG
AAGGGAAGTTTACATGGCTTTGTGAAGTTCCAGAAGTTCCAGGTTGTGTTAATAGGAGCAGAAAATGGTATAGTCAAAACAAGCTTG
TGTATCCACCTTGCAATTCAGCACCTGGGTTAACTAAATTTGTGCTGGGCTCAGCCCCACCATTTGTCTATACATTTATGTGAGATAA
GCCTCTGGATAAGGTTGTGAATGTCAATGGTTAGGGGAATCGGCTCATCTAAATAAGTGAGGTATATGATGCAGCGTTGCCAGGA
AAGAAGTATTACACTATGTTTTCTAAAATCAGTTGGCAGAAGCAAACCCCTGCATTAGGTTAGATTTACCATCTTATATGTTGCTG
TGGCTAAGGCTATAGGCACGTTTGGTGTAGTCTGGCAATTGCATGTTCCCTCTGCTGTGACTGTTGTGTGTTGTGCTTGAGTTTCC
TGTTGATTGCCAATAATAAATAGCATTGATGTGTTCCCATGAGTGTGGGATAGGTTTTGCAGGTGTTATTGGCAGTCCAAGAAGAA
CGTTGTTAGTCTAGCCACACACCAAAATTAGATTCTGAATTATGAGGCACTCGCATATGAGTGAACAAAACAGGTAAACCAAGTATT
TTTTAAAAAATAGATATCAGCTGGGCACAGTGGCTCATGCCTGAAATCCCAGCACTTTGGGAGGCGAAGTGGGCAGATCACGAG
GTCAGGAGTTCCAGACCAGCCTGGCCAATATGGTGAAACCCCGTCTCTACTAAAAATACGAAAAAAAAAAAAAGATTACCCGGGTG
TGTTGGCATGCTCCTGTAGTCCAGCTACTTGGGGGCTGAGGCAGGAGAATCACTTGAACCCAGGAGGCAGAGGTTTCACTGAGCC
GAGATCACGTTACTGCCTCCAGCCTGGGCGACAGATCCAGACTCTGTCTCAAAAAAAAAAAAAAAAAAGATATCAATTGTATCA
AGGCATAGGTCCTTTTATGTTCCCTTGTATTGCAACATTATTGTGTTTCACTGGGGGACCAAAAGCTTTATGGACTCCATTTTAG
CGGAAACTTTTCATAGGGAAGAGGTTTGTATACCTTTAATAACCTCAGGAGTGGCCCCCTTGGGAGGTGGCAGTGTGACTACACCAAT
AAATTTCCCTCCCAAGTACTCATGGACATAAAGTGTCTACTGAGACACTGGAGACTACTAGAGGGGGACGGGGAGGGGAGCAAGGG
TTGAAAAACAACTGTTGGGTACTATGCTCAATACCTGGGTGATGGGATCATTTGTACCCCAACCTCAGCATCATGCAATATACC
CAGGTAACAAACCTGCACATGTGCCAATGAATCTAAAATAAAGTTGAAAAAGAAATGACAAGGCATAAAAAATGTTTTAATGAAG
ATGAAAACATTCCTCCCAAGTTAGTTTCATTACATGTCTTCTCATTATCGTTTTATGTCTTCTGTAGGTTTGGAGTGTGTATGGATT
TTTAAGGAGCCCTCAGAAAAGTAACATTGGGCAACAACTGCCCTCAAATAGTTTCTAAGTTTTTAATAACTGTGGTTTTGGACAAA
TTTCACAATAGCTATAAGCAAATAGTTATCAATGTGGGTGGAGAACTCCCATGCAACAGTAGTTAGATTTCTCCCTGAGATCAA
ATATGTTTCTTGTGAAGAACTGTCTGTGCTGTGACACCACGAGCTATGAGTTGTTCACTGTGGGTAGCCAGCATTGCAATTGCTGTA
GAGTTCACTTCCATTGAGTGTTATGTAAAACCTGCGATTAGTATATTAAGATTAGGTTAGGGAAGAATTCCCAAGCTGGTTGTTTT
GTGTGTGTGTGTGTGTGTGATTTTTTTTTTTAAGAAATGTCTTGGCCAGGTAATGTCATGTAGTATGCATTGCCCTTAGAAGCCA
ATAATTGTAAAGGTATACACTGTGGGTGTGATTTGCACTTATTATAATTCCAGGGATAAGAAAAAGCTATCATTTTTATCTATGCAA
TCCCGTAATGGCTTGTGGGTATTGTATCTGGATTATAGTATTAATAACAACACCAATCACAAGCATCCTGGTTGTAATATTTGGTG
CATACTCTCTGGGCATTCTTAAACGAGGCTCAATAGATAGTGGCCATTGCTCCATTTGTTTTAATGGCACATGAGTTAATAAT
AGTGGGTATCATCTGATGTGAAGGAAAGGCGGCCACAGAGCTTAGAAGGCATCTATGAGTCACAAGTGAAATTGTACAATCTGA
CTTAGCTGGAAGGATGTTACTAAGTGGTAGTAGAGAGAGGAGGAGAAGTGCTAACCTCAGTGTGATGTCTGTGGACTGACCCAGT
GAAATGGGAGCATGTTCCCTTTGTTCCAGTCTGACCTATGTTGGGTGTCCCTGTGGTGTGATGAGGCATGCTGTTCCATACA
TACTCTGCCAGCAGTAGGGTGTGGATTACCAGGGATAGGGTGTATCCCAATCGAGGTATAATTGACATTGGTGAAGGTAGGAACT
TTCTCAGGTAAGGAAAGGGCAGAACACAGCATAGGCATAAATGTTGGAGGTCAATTTGCAGCCAGCAGTAGGGAATCTGATTGTCC
TCTGGGAGTCACCCAAATGGTGTTACCAGATACAAGGGTTGTTGGTTCAATCTCCTGGGTGTCCGGAGCAGGTCAAGGTTTGTTC
ATAGTGCCCTTAGTGGAGCAAAGTACATGGGCAGAAAATGAGGATGCTTCCCTCTCCAGATAGTGGTGGGTGGTTTGTAGTTTTA
TGCTGGGTAATGAGCAGACTAAGACTGAGAATGCACCCAGAGTGAGTGGTCCATGCCAGATCCTTGTGAGGATTGAGAGGGGAAAA
AAATGGCCAGGCTCTGGATTTTCTATGAGGGAGAAGGAAGAGGTGAAAGAGCCAAAGTTCCCTTTGCTGTGGGCAGTCACTTCAGGGC
CCCCATGTTGCTGAATACTGGTAAATCATGTTGTGTCCAGTGGGTACATACATTACCAGAGGTTGCAGCATCTCTGTTGGTGGTCT
CCTCATTTGTGTGAATTAATAATATGGTGCATTTATGCCAGAGAGGTATGGATTTAATGTAAGCATGACTATGGGCAGTATTTTTG
GCTACGGGGAATGCTATTGTCTGCTGATGTTCTTTCAATATCCCTTGTTTTTAAAAAGCCCATTTGTGTCACTTCTGTGACACCTGCTAC
TGTAGGACCAGAGAATAAATGAGAAATCCAAGCAGTGTTCTTTGGTAATGCCTATGGTTGAATCTTCTTTGCAGAGAAGTGAGAGT
CTTGATCTGACTGGATAACTTTGTGTAACTTTGTACTCCCAAAGGCCATACAAACTATTTTATCAGTTCCCTCAATAACATTAGCA
GAGCTTGGTGCCCTTTCGTGGGTAAAGCAAGAGTAAGCCTGTGTAGGAATTACTACATTTGTTGTGGCATATGTAATAGTTCCCTGCTG
CTTCAGAGAGGGGGCCCAATAAAATTGACTGGATTTGCCAGCTCTGATATAGCCCTTCTCCTGTGCAGTAGGTCCAAGTCTCTAGAT
TTCTGGTCTATGGTACGGTCCCTAACAGCTTCATGTAAATGTCTCTCTGCTGGGTCTATTTCTCATTAACAGTTGATTTTCATGGT
CTCATGATGCCCCAAATGCCCTGACCTCTCCTTTATAGGGTGAAGGGTAGCTCTTACCAAAGTTCTGCTGTCTCCCTTCTTTTCAA
AGGATTAACACTACTTTGGTACTTTAGCTAGTTTGTGAGTTTCCAGGTTGTATTGTTTGTGCTGTGAGCTGAGGTATGGTGTACAAAGAT
GTGCAGAGTGGAGGCAATGTGCTGATATTTTCCCCACATCTCCTTACCCCAAATGTGTCAGCCTTGTATGTTCCAGCCCTGATT
TTGTCCAAGTCCCAACCCAATAGCCTATTAGCCACTGACCAGGAGTTGCCAAAAATGTGAACTTAGTAAATGTTTGTGCAAGGC
CTTCTCTATTTCTAGGGGTGTTGCACACAGCCTGGCCCATTTGGGCATTTGGCCCATCCCATATGGAAGTTGGAGTATTTGAATA
AGGGTAGTAGGCTGTTGCTGTCTTTTATCTGACTCCCTTATACCTGTGCTCACTCCATTGGTAAAGAAAAACATTAATTTTCTTG
TTATGAAAGTGCTGGCCATACTCCCTCCATTCCCAATGAGCAAGAGCCAGGGGCATTTCCAGGGGTTTTGGCAAGTTAACCTCAC
TGACAGAGTATGTGGCCATTTCTCACACAGTAGTGACACTCCAGGAGGGCCAGGTGTAGTTCAATCCTGTAGATACCATTTTCAT
TTTAATAAAGAGCTTCTGTTGCTGATCCAAATTTTATGGGCAGCTCTGTCCATTACCCAGGGCATAACAGGAATCTCGGTCCATAG
GGTAATTTTCTCTGCCCCACAGGGCTTCAGTTTTGATAAGTGCCCCATATGCTGCCAGTGGGTGTCTGTCTAGTGAATACCTTTAG
GCTGAGGCTGAGAGCTACTTACACCAAAAGCCCATGGGTAGGCATTTACCTGTCCATTTGGTCCAGAGGCTCCAGGAAGCAATTT
GGGAGCAGTGGAACTTATAATTGCAAGTCTTGTCTTGGGAGCCTAGAGGGAGAGCCAAAGTATTAGCTCCTTTAGCTCAACC
AGTGACTGTAGATGTTTCAAGTCCCTACTGAAAAAAGGAAGCTTTAGAGGTGTCTCGATAGACAATTCAGCAAGGGTCAGCAATAT
TGGAGGTGAGGAAGGCATTGTGCTATAATTCCTAATGAATGTTGGGGGTTCTTTACTGATGTGAGCGGTTTAAGCATGAGGAGCTT
GTCTTTTATCAGATTGGAATAAGTCTGAACACTATTTCTGTCTGTCAAAGTGTAGAGATCTTATTCCTAGATTTAGACTGCCCTT
AGGAATCGGCTCAGATAATGGGCCAGCGTTTGTGGCTGACTTGGTACAGAAAAACAGCAAGGTATTGAGGATCACATGGAACTGC
ATGCTGCCCTACCGACCGCAAAGTCTGGAAGGTGACCGAGTGTGGATCAAAGACTGAAACATAGCCCCCTTGCATGCACGGTGGG
AAGGACCCAGCCCATCTCTGACCACTCTCACTGCTGTGAAGGTAGAAGGAATCCCGGCCCTGGATCCACCTCAGCAGTGTAAAA
CCTGCAGCGCCTGAAACTTAGGAGGCAAGACCAAGACCGGATAACTCAGGCCGTGCTCCGCTGTGAGATAGTAAATCCAGGTGA
TGTACCTGCTGTGAGCAGATCTAGGCTTTCTTCTTGGACACCTTATACCCACAGTCCCTCCAGGTGCCAAAGTAGGGCATCCGTTCC
CTTGGCAAACCCGACTGCTGTGGGTGTCTTAGCAGAAGGTCTCGACGTAAGTGGAGCAACACGACCCCTGGGTCTCTGGCAGGAA
ACTTCTGGAAGTCCCGAACCAATGTTTCCCTCGAAGAGATGGTGGGGGAGTTCTTGAACCTTTGGGGAAGGCGGGTTCACTGTACT

GAGTGGTGACACCCGACCCAGATCTTCCCACTGAAAGGCAAACAGTTTCTGGCTCTCAGGGGCTAGTCTGATGCTAAAGAAAGAG
TCTTTTCAAGGTCCAAGCAGGTGAACAGCTGTCTCAGCTGACAGCAACCCTAACAAACATGTACAGTTAGGCACTGTTGGATGTAAA
CTCACTGTAGCTTGATTAAACCAAGCACAAGTCTGTACTGGCCTGTAGTCTTGGTCTTGGCTTGGGAACAGGCAGGAGGAAAGT
GTAGTATTCTGAGGTCTGAACAGGCAGGAGTGGAAAAACACCCTTCCGAGTTCTAGTGTAGCCTTCAAATTTTACAGACTTATAC
CTTACATGGTGTAAATTGCCAATCCACTCTCAGTGAGAGGTGGTTTACTGAGGGTGTGATCAACTGTGAAACAGAGTCTTGGTCAG
GTTCTGCGAGGAGGATGTCACCGATATAATGCCAAAGCATAGTTTCTGGTGAAATTGAGGGGAGGTGTCTATGTCTTGGTGGCAA
TGACTGTGCAATTGGAGGGCTATTAAGTATCCCCAAAAAGCTAGCATCACAATGAAGATGAGGGGAAACAAAATACCCCAAAGCA
AGTGGGTAAAGGCGTACTATTGACTCTCAAAGGTGGAAGTGAAATGTGTTTACTCAACTGTGAAATTTTACTAAACAGAACATG
TTAGCCAAGTCTACAACCTCCAGATTCAAATTTCTGGTGGCTTTAGATGCCCTGGATTAATATAAACTTACCACTGATGTTTTGAATG
ACACCCATTAAGGCAACAATGTCTTATACAGGTGCTCTAATAAAGGAAACAGCCCTGCTGAACCTCTATGGTCTATAGTCTCCAC
TGATTAGTAGTGTCTCTTAGGGCAGGCCATATGGGGAATTGATAGGTGAGGTAGTAGGAGTCAGTGTTCCTTGTATTATCTATGTCA
CCTGTGACAGGCCATAATCCTTCACTGTCTGCTTCACTGCTGTGGTATATGAACCACCTGAACCAGGAGGGGAGGTTAAC
TGGTTCCCTCCGGGAAGTGGCCACAGTAGCATAAAAACCTTAGTCTTATGTATGAGTTTATCTGCGGCTCAGGAGGTCTCTTC
CAATAATGGGGAATGGATAATCTTGGAGGGGAGGCAAGCAGGACAGAAGCATATTTTGTAGCAAACTGAGCCAATTTTAATAGTT
AAGAGGGGAATTATCCCTTTAATTAATCCCTTTAATTAACCCCTTCCAAGCAGGTAGCCTACTTGGCAGGAGGGGGTCTCTTTTA
AAGCATGTGTGTGTGTGGCATTAGGGAGATTGGGCACCCCTGACTGACAGAGTTAGCCAGTGTGTTTGTGTCAGTGGCCAAGCCA
CAGTTAATATGGTGAAAGGGCAACTGTCTGTGAGAAGGGGCTTCCGACACTGCAGGATCCCTGTGTGAGAGAAGATTCTTAGCCA
TTTGGCAAGCATCAGAGACAGGTGTGGAAGATAAGGTTACCTCCAAAGGGAAAGCCAGCTGGGGTGGGAGGGGGTCTGTAATCTAAC
CCTAGTAAGTATTGCAATTGCTCCAAACATTACCCAGAGATCATCAAATTTGGGACCTTCTTGTGCTTAGGGTCTAACATAACCT
CTTTTCGTCTCTCGTGGTGTGATGCATACATGGGATCCTGGCCACAGGTGGTTTGTGTTGGCCAGGAGGGGAGCCCTGAGTGGTGA
TAGTAACCTTTGATTTAGGCCAGGTAGGGTATTATAGTGTAGCAGGACAGCCTGACTCTGAGTTTGTCTTTTATGAGTTTCTATT
AAATCCAGTGCAGCTATGGTCTCTTGAATTGTTTGTAGCAGTAGCCACCATGCCAGTAAAGAAGATTTTCCAGGAGCCCCGCCCC
CCGAGGAACAATTGAGTGGACTCAGGACTCAATTCAGACTCCTCCAGTCTTGTCAAGTCATCCTGCCCCACCTCATTTGTTGCCTC
CACTCCAACATGTCCAACCTGGTGGAGGAGATGTTTGGCCTTGGCTAACCTTTTCCCTGGACAGTCTTCCCAGGCCATTATGAGGTC
TAATGGTGGGAGTCTTCTAATCCACAAAAATACACATCAGCAATAAAGATGTGAACAGAGGTCCAATGTGGCTTCTTCCCAAATT
CTGCTCTAATTATACAGGTTCTTTAGTGGGGACACAATTTTCCATCATGTACTATCGCTCCTAATTGTTTAAATTTTATTCCCA
TTAGGTGGAATCAGTTCCTTCCAGATGCATTCTGTAGAGCCAGGCAGCCCTTGTGTTTATTTGGTCTTGGCCTGGGTACTTAAGG
AGAGACTGGGGCTCGGGTAAGAGAGAGGATAGGACTCCTCCTCTGAGCAGGAACAGACCCCTTCTTCTTGGCTCTCCCTTTTTTTC
TTTTCCATTTTTTATTACTTTCTGGGTGGCTACAGGCAAGCAGAGGGTAAGTTTTCCAGTCCCTACCGTGGTGACACTGTGCTGC
CTTTTCTTCTGGAGACACCTATTCTCCTCTCCAGGGACCTCTTGTCCAACTGTCTCTCCCAAGAGTTTGGGCTCTTACCTCTTC
TCCAGGTGGCATCCTGGTGATAAATTGCTGCCAGCAAGGTGAGCAGATGCCTCATGGTTAGGAATCCTTCTTCGACCTGACAGCAA
CCTCCTGTAGGGTTCCGGGAGGGGTAGGAATATAAATTTCTTTGCCCTTCACTCACTTTAAGTACCCTCTAGCTAGCTCAGTCCAA
AGGTTGAGATATTAAATATCCCTCTGGAGAGGGGATAGCATGATGACAACATCATAATTGAGTGTAAACAACAGTAGAGGCA
TGCTACCTGCTTGCAAAGGCCCTTCCACCAGCTGCCCTTAGGAGACCAGCCTTGGCCTGATGTCTCTGCCCTTATTGGCTCATTTAC
TTGCCATCTGTCTCCGGGGAGGAGGAAATCCTCACATCTCAGACTACCCCAAATCCTCAACCCAGCCACAGGGAGCACTTCCAC
CATAGCCTGTTATGCAGTCCAGGGTGGTTACCCCTTATTCCAGAGGCATGCACTCCCTCTCCTTTTCTATTTCAGGTACACAGGTGC
ACAATGTCCAATGTCAACTGAGGGGGGACCCAGGTAAGTGGGCTGACCTCCTTCCCAAGTACCTTGGCATCTAAGACCCCAAAAG
TCAGTTCTAGTGGTGTGGGTTCACTCAACTACTGGTGCTACCTCTGGGCCAGGTCAATGAGGTATAGAAGGAGACTGCAAAAAGTA
TATTGTTGCGGTACAGCAATGAGCGATGCTAAGCAAACTGCTACAGAGGCATTCTAAATGTAGAGTCTGAGCACTTAAGGCTGCC
TAGGACTGATTTTTCAATTGATTGTCTACTGACTGGGTAGACGCTATGCCAATTTCTTGTTCACGAAAATCCCATCCTCCTCACC
ACTTGTGGTGAGTTCCAAGATTTCTGGGCTGATCAATGAAGAAGACATGACCACGAGGTGGCAGTAGCGCCCAAAACATTTTTTTT
TTTTTTTTTGAGAAGGGAGAAGGAGTCTCACTCTGTTGTCCAAAGCTGGAATACAGTGGCGCAACCTCTGCTCACTGCAACCTCCGCC
TCCCGGGCTCAAGTGATTCTCCAGCCTCAGCCTCCGAAGTAGCTGCGATTACAGGCTCCCGCCACAATGGCGGGCTAATTTTTTGTA
TTTTTTTAGTAGAGAGGAGGTTTACCCTATTGGCCAGGCTGGTCTCAAACAGCTGACCTCAGGTGATCCACCCGCCCTCGGCCTTCC
AAAGTGCTGAGATTACAGGTGTGAGCCACCGCGCCAGCCAAGAAGCTTTTTTATTTTCGGCGGTGCTTTGACAGGTGGCAGAAAGG
GGAGGTCTCTCACATCAGACCTTCCAGAGGCAGCAGCAGAGGGCCACTGAGCAGAAAGGGGAAGAAGGCAAGGTAATCCTGGGGTA
GAGGAGAATAGGAGAGGGCCTTATGTGTCTGGGCGATATGACTCAGCAGCAGGAGAGGGAGTCTCTGGGTGAGAGGTTCTGGAGG
CAAGCAGTGGCATGGGGTCTTTTTATAGCCCTGTGTTTTCTTTAAATGTGGCTAGCAGATGTGAGTGCAGTTTGTGGGGCATGCA
AGGCAGGCAAGCCCTAAGTGGCTACACATATGCTTACTTGGCTATATTTAAAGCAATTGCATATGTGAAAAATTCGAGTTTGGCG
TTGGCAGGCTTTCTGCCCTGCTGTGAGGAAGTATAATGGCAATATAAAGGCTAATATATGGAGGTGATCTTTAACCCTGATATAA
TAACATGCCACTTAGTCAGCCACTCTGATTAAATCCGACTAGCATGGTCTGAGATAAAATCCATTCAATCTGTACTGTCAACAGTAC
TCTAAGCAGCAAGGTGAGATCAATCTGCAACGTTAACCCGAACTTAAACGTTAAGCGCACACGTACAATACTACTGCTCCTGAGT
TTTTATCTAAGAGAAATGAAAGCATAGGTCCACATAAAGACTTGTATGTGAATGTTTATAGCAGCTTCAATTGTGCTAGTGAAAAA
CTGGAAACAATCCAAATTACCATACAATGAAATACTATACTATGACAAATAGTAATGAATATTGATAGAAATAACAGCATGGGTG
AATCTGAAAAATACTACGCTGATTTTTAAGAAGACAAAAAGAGTATACAGTGTATAATTTCTATTTATATAAAATTTCTATAAAGCAC
AACTAATCTATAGTGAGAGAAAGTAGATCAGTGGTTGCCTAGGGACAGGGATGGGATGGGGATGGGTAGGGAGGGGAAGCAACATA
AAGGGGCTAGAGAAAGCCTTAGGAGGTGATGAAAATGATCGTCATTTTGAATGTGGTAAGGGCTTATGATTATTGGTAAGGAGTTA
TGCTTATAAAATATAAATAATTTGATTTTTATATAAATTTACATATAATTTTCAATTTAGTTTTAAATTTAAGGAATGGCAA
TATGTCTTGCACTCAAAGAACCCTCAAAAACACCTTAAGTACTGCAAGTCTTTGACGATGATTTTGGCAGTTAACTTATCTTTA
AACATCAATAATAAATAAATGGTCAAGACTTATTTGTTTCTATGTGTTTATTTTAGTGTGCTATTGCTTTTTCACATTCTGGGT
CATATTTTCAAAGTATTATTTTACATTGTGTAAATGTATTTTTTTTTTCACTATTAGTAAAGAGCATCTCAAGTAAGGTCTACTTT
CTACTTTGATGGTATAGGAGCATGTTTGACTCAGATATGAACCCTTGTGGACAGAGTTATGGGTGAGAAATCTGATATTTAAGGA
ACACTCTGGATTAGTTTCCACTGGTGAGAAAATAAAAAAGTGATGAGCACTTTTCCAAATACCACGTGATGAATCAAGTACTCAA
ACATGCTAACTGCATTTAGACTATTCTATTACCAAATAATTCCAATCAATGCCTGTGGACAGTTTGTAAACTGTCAATCCCAATGC
CTCCTCATTTCTCAAGTTCCCACTGAAAGGTCTCATAGCTTATCAGACCTTTGGGGGAAGTGCTTTTTTTTTTTTAAATTAAGTTA
AGTCATGTGCAGGGCAGAGTGAGGCAAAATGCAGCCAGTGGTTAGGACCTAAAGACCTCTCCTTACCTGGGGCTTGGAGTTTGA
GAGAAGCTCAGGAAGAAAGCCAACCATCTGAGTCCAGTGGGCTTTGAAGCAGTGGTCTTGATCTGTACATGTGGGATAAATGAT
GTGAAAACCATTAACCTCTGCTGCTGATCCAGCTGCAGGGAAAAGCATTTCTCTGATCAAGGTGAACATCTGGCTGGTGGACCTCA
TTTTGCAACAGTCTCTGATGAGTGTGAGCTGAGCCTGAGTCCACAGTTTACCTGATGGAGAATCAGAGTCAAAGCCAGGCCCAAGT
GAGGCTGTCTGACTGCTGCTTGGAGGCTAGGGACACACCCCTGGAGTCAGGAGGGCAGAGGTGAGGATGACAGTGAATGGCCAA
GAAGGTAAAGATACATGTGAATATTCTATCTCCATTAGGTACATGGATGAAAGGCAAGAGAAAAGTAGCATATACATTTTTGAGA
AGTTAAAGCTGATAGGACACAAAGATGGTTGATTGTTCTACAGACGTGGAAGGCAGGGCTTAGGTCTGTAAAGTCCCCACTGA
GCAATAACTGAGACAGTACTTCTAGTGTGATTCTGCTGTCAAACAGTGTGAAATTTTCTGGAGAAGGCTCAGGCCATCAGT
CCCTGGTCCATCTTCTGGCCCCACAGAGATGCTGATCGAACACCCCTCCACAGGGAGAGCATTTGCACAAGTGATTCCCTTTTTTAGAA
ATTCTTCTAAGCCAGTCAGAAGAAGACAAGCTTGCAGATGGAAGGGAATCAGAACCTGGGCAATATCTTGTAGTGGCCGAGCTATC
CCTGTGTGTGGTTTGGAGTGTTTTCACTAAGACAAAACAGTGGGAGAAAGAAAAACCTTACACCCATACAACTTTGAGGGAATAC

TGGAGCTTATTGTAACAGACACTGGTCATGCTATGAAATTTTATTACCTTTTCTGGAGGGGTGCGAGGGCTTTGTGTTTGGGCTGC
TTTCCGTGGTGCAGTAATTGTCAAGCTTGCCAAAAGTGTGACAGAATCACGGAATTACCTTGGCAGAAACGCAGAATTACTCCTA
ACCTCTACTCTCATCCTCCACCTGGACCAGACAGAGAAACAACCTTCTTGAGTTTTAGAAAACCTACCAAATCTTGGCTCTAGCTCCG
CATCCTTGGCCAGAGCATGGAAGGTTGGGGTGAGGGACACGGTGAACAAAACTGCATCCTCGAGCTGCTCGCACTTCCCTCTTCC
CTCTTGGTCTTGTGTGTGGGGTCAGAGGTTACCAGGCAGGGGTCACTAAGGTTGTCAGTGGGAGGATGTGAGCCCTAGTGGGTTT
CTCCAGGCAGCTCAACATGGGAGGCTCCCAATTCCTCTCTGCAAGGAAAGATACCACAGCTGTGTCTCTCTCAGAG
ACTGCAGATTGGAGGCTGTGTTTTCCACAAAACCTAGTTCTAAGACATTTCTAGCAAGTGAGAGTGACTGATTGGAAGTCTAGTGG
TGACAGCTACCCATGGGGCAGGCTTAAATAGCGACTCCTCCTTGTAGTGAACGAATTTAGATTTCACACAAGAAGGGCAAAACCA
TGGGCTATTTTCTCCCATGAATTTTTGCCTATTTTGGGCCCTAAATCAAATTGAGAAAAGTGTGACTAAAACACTCAAACCTGCCAA
TATAGTTAGAGATATACACTTTGTGAGACTAACTCGGGAATCTACTGCCCTGCTTCTGCAAGGATAAGGCTCTGTAAGGCATGACT
TGAAATGAAATCCAAGCACCTTTTATCTGTTTAACTCTGGTGCAGGAGAACAGAGCAGCATTTAAGGTATAAATTAATTAGTCTA
TTCTTGAAGAGAACATTTGCTACTCACATTTATGGTGGAAAGATGCAATCTCACAAACACAACAAAGCTCTCCTTGTGAGTGGAGCAG
GCCAATACTGGGTAGGGCTAGACTATAGGGCTCACAGGCTCTATGCCCTAAGCTACTGATGCCCTTTGTGCCAGAGGCTGGGTTT
TGCAACAACTCAGTTCAGGTCTGGGAACACTGGGCCACCGAGAATCCTAAATAGTCAACTAAAAATCCCTGAAATACCCAGGCCT
GTTTCTTTAATCATTAGTATTGTTTGCATACCTTTAGGAGGTACAAGCGCAGTTTTTGTACATGGTTATATTACCCACTGGTGAAG
TGTAGGCTTACCAAAGCAAAAACAGGGTGGTAGATAATCTCCCTTGTGCAATCAACAACATAACCTGGCAGGTAGGGTGCCCTAC
TATTCATACTGACTACAGAGAGCCTGGACTCCTCTAACCTGATAAAGGATATGAAGCCAGTTATCTATTTATTACCTCTTAGCTCC
AAATTCACCACTCAATATATATCTTTCGATAATAGAGGGATTCTTTAAGCATCTCTCCTTTAAAGTAGCATCAAAGAGCACGATGT
TACACTTACTTAATAGAGGGCTCTGGAGGGACAGACATTGAAAAAGGAAGGGTACTTCTATGATTTCTGGCTCTCAGAGGTGTGGA
GGTAAGGACATTCAGGATGCTTTGTCCCAGGCCTGGGCCCAGAACAACTGTCCCTCAGTAAACCTGCAGTCTGGTGTGCCCTGAT
GATCAGCTTCTTGTGGCCCTCTTGATAGGGACATCCTGTACTCCAAGTCATCTGCCCACTGCTTCCCTCTGCTCACTTGTCTCCGCA
GCCAGCAGGTTTCTGTAGTCCCTTCAATACTGCAGCCCTCTCAAC
ACCGAGCCCCCACCCTGATCCTGTGCAAGGGGCATTTGTTTACTCCAGGCCTCCAACCTGAGACAGGACTCCCAACCCCTACTTCACA
CCACATACTAGGCACCAGCTATGGCTTGTCCACACTACCATGCTCCAAAGGGTGCCTTCTTGTCTCCTCTGCGACCGTAGACCAGT
TCTGCCCTCTGTAGACCAGCTTAGGTACTGGCAAACAGTGGAACCTTCTCTGCCATCCAGTAGGTTCTTCTCCAATTAGGTATAAAA
TCCATCCTTGGGGAGAAGCTTTCATTCTAAGCTTGTCTTTCCCTTGGGTACTCTCTCCCAGCCCCAGAAAACCCACATAGAGTTGT
CTTGTATCCTATACAAGATCTTTTATCATCGCTTAATGATTCTTTATATTAATTTTCCCCTTCTAGATCACTGTGTGCTTCTAT
CTCCTGATTGGATCCATATTGCTGCAGAACACAACATCTACAGCAAGCATATTCTTAATGGAGAATCACTGAAAGCTTCTCTTC
AAGAGCTACATCAAGTAAGGATATCCACTATCACCACCTTCTATGCAATAGTTTACTGGGGTAGGGGCGGGGTCCAGGCAGAGCA
GTAGGGCAAGAAAAGGAATAAGATATTTGGAAAGGAAGAAGAAAGACTGGAACATATTTTTCAGATGATATGACAGTGTATATAAAA
TTCTACAAAGTATTACAGACAAAATTATTAGAATCGATAGAAGAGTTTATATGCTTATAGGATAAAATCTTAACGAACAAAAGCCAA
TTGTATGCTATTTAGAGCTATAAAATTTAGACAATAAAAATTTCAAACATATGATTTGCAAAATATTAATGCCTAGGATAAAAAAG
TTGCCCTGTGGGAAAAATATAAAATAATATTTGGGCAAATTAAGGTGATCTTATTAACAGAAGAGATAGACCATAACCACGAATC
GAACATTCATATTGAGAAGTCAAATCTAAAATATCAGCACAAATTCAAATTAGAACCCCAAACCTAGCTGTTGGTTGAAGTTTTCAC
GATTAGTTTATAATTTAAATGGAATTGAAATGGACCAAAGTAGCCAAAGACACTTTTGAAGAGCAAGGTAGAATTGATTGCTTAA
TCCAAATATCAGAATTGACTATGGATCTGTAGTAATTAAGACAGTGTGGTATTTCAAACAGACAAGTGCTTAATAGAGAGTATAGA
ACTAGCCACATATGTGTAGATACTTGATTTATGGCACTGTAAATCAACTGGCAAAAGGCAGACTTTTCAATAAGTGGTTCACTGA
GAAAACCTGGATATTCACCTACTTACATACATATATACATAAATGGAACCTCTACTTAACACAATACACAAACATCAATTGCAGGTGG
ATTAAGACCTGACTATGAAGGACAATAGCAGACATATTTTGAAGAAAAATATAGAGAATGCTTTCATGGTCCAGGGTCTCTTAAAA
CAGAAAAGATTTCTTAAACAAAAAAGCACTAACCATCAGGAAAAGAAATGATGAAATTGACTATATTATAATTAATAGCTTCTGTT
CACAAACCGGAGCACAAAGCAAGTGAATATACAAACAGAGCAAGGGAGTATTTTGGCCGCAGGTGTGGAAGAGTATTTAAATATTT
TAACAGACTCATTAAGTCAGTATCAGATGAACAATAAAATAGAAACGTGGGTAAAGAGGTAAATTTGAATAGGCCTTCTCTCAA
ATAGAACTCCAAAAGGCTCATTAACACAAAAATGTGCTAAAGCTTAATAGTAATTTGGATATTGCCACCAGTAGACCGGCAAAA
TTTAAATTCGGGCAATACTTGGTGTAGGTGAACATGTGGATCAGTAAGGACTCTCTATGCTGCTGGTGGGATTGACAACCTCTCCCA
ATCACTACAGAGAACAATTTGGCATCATCTAGTAAGCTGAGGATATCCATTCCCTATGGCCCTGTGATTCTATTCTTGGATATAT
ACCCTAGAGAGATTTTTACACGTGTCCCATTAGAAATGTGCAAGAATGTTTCAACAATAATCATTGAAAAGTAGAAGCAATCCTAATC
TCCATCTGCTGTAGAATGGAGTGGAAATAATCATACAATAATCACTTTGCTATAAGCATATGCTGGAAAGACAGTCGATGGAGACAA
AGGATCTACTTACTTATAGCTATTATGAACAACATGGACGAGTCTCTCAAGTATAATACAGAGTGAAAAAGCAAGCTATAAAAGG
AAGCATGCCGTATGATTCCACTTATACAACTTCATATCAACTCTATTGTTTAGGGATGCGTACAAAAGTGATAAAGCTATAAAGGA
AAGCAGTGAAATGATTATTACAAAGTCGGAGCAATTACTATATCTATATAGGAGAGTGTGGTTTGTGACTGGAAGGAGTACAGCAG
CTGTATTCTGGGAGGTTGGCAGTGGTCTATTGCTTGACCTTGGTCTGCTGCTTTTGTAAAATAATCTAAACT
ATACAGATACGTTATATGCACTCTTCTAATTTTTCAGATTTGAAAAGTGCTTCCCTCCAGAAAAGTAATAGAAAAGAAAGTATGTGGA
GTAGAAAATTTTGTAGAGGTTTGAATAGTTTATGGTTGAAAACTTGATTTTCAAGAGACCAAGTGCTCCACTGTTATTAAAGAGGGC
GAGAGAGCTGGGAGTATTTAAACAACAGGTTACACCCCCCACCACCACCACCAATCTGTTTCATCACTCTAAGCCTTCTCATC
TCAGATATTTACCCCTATATTTGTGTCAATTCCAAACCTCATTGCTGACAGACAAATTGGAGGATTGTGCTCATCATTAATAAGGAC
ATTAGGCACCAAAGGCCCAGCAAGACTGGGCCACCACACTTAAATGTGAGCAGGTACACCGGGGCGAGTGGACAAGATCGTCTGTG
CACATTACTTGGCAGAGTCCATTGAGTGACTGAGGGTTTAACTTAAACATTTAACTGGAACCTCCTGCCAGAGAATGTGCTGGA
GAATGCAGAAATAAACTGAGCAATGCCCTCATTGTGCTATGAGAGTGGACATGAAGTTTATCATGGTACAACCGATCGTGAAGGGC
AAAGAGTTGGTTTAGGTTGTGCACTGTATAGGGAGAAGCCAGGGGCGGGTGGGTTTTTTTTCCAGATTTTCAATATAAATTTGTTTCA
TCCTCCAGACTTTTGCATTTGTAGGCTGAAGAGTGCTAATCTGTTTTGGCCGCATCTCTCACTCATTCTAATCTCTGTTATCAGCAG
ACAAAAATGAACTATGTGGCAAAATTTGTACCGAGCACTTTGCTCAAGACAATTTGTGAGTATGGAAGTTGTCCCGCGCAGAGGTGGG
AAGGGGAAGGGCAATTTCCGCAGAAATGCCAGCACTATGGTGGTTTAAATGCTGACACAGAGACAGTTTTTCTCTCAGGAATTTGTC
TTTCATCCATCAATCCAGCCAGGTAGCCAGCCAATAAACAAATTTTAAACACACAAAAAGTATGAAGCAACATGTCFAACACTGGGA
GGGGCTGGCGTGTGTTTATTTGGGTATATACAATGAGTCACGGATTAAAATTTGCTTTTACCAGATAGATACCTAGGTGTTCCACAG
CATTATTGAACAAGATGTGCTCATTTCCCATTTACTTCAGAAGACCTCCTTAATTTACTTATATTAATTTGTAGAATATATTTATGCA
TACCAGGCTCTACCTCTGGGCTTCTATTCCGTTCCAGAGACCCAGTACCAGAATATTTAAATCACTGTGGCGTTGAATACATTTT
AATATCTGATAGGGCCAGTTTCTGCGCATTTGCACATTTTTTTTTCCCTTTTCAGGAACGTGTTTACAGCCCCGCGCAGGGGGCGGGA
TCGCGCCTCCTCCTCGGCTCTGGTTCCAGCCGAGCCTCTCGGACGCAGAGATGGAAATCCCGAAGCTGCTCCCGGCTCGCGGGACA
CTACAGGGCGGCGGGCGGGCGGGTATCCCCGCGGGTGGCGGGCGAGTCCACCGAGGCCCTGACTCGCGGGCTGGCCAGGTCCCCAC
GCGCCGCTCCTGCTGCCCCGGGGCCCCCAAGATGGCGGGCCGGGGCGGGCGGGCGAGGAGGCCAGCACGGCATCACGGGGCCCTG
GCCAAGCCTGTTTCGCGCCGAGGCCCCATCAACCTAGCGGGCGGGCGGACGACTTCTTCTGCTGCTGCTTGACCCGGTGGGTGGC
GACGTGGAGACCGCGGGCTCCGGTCAGGCCGCAGGGCCTGTGTTGAGGGAGGAGGCCAAGGCGGGCCGGGGCTCCAGGGGGACGA
GAGCGGCGCGAACCCCGGGGCTGCTCTGCGCAGGGCCCCACTGCTGTCCGCGGTTCCCACTCCGGCCCCGATCTCCGCCCCCG
GCCCCGCGCGGCTTTCGCGGGCACAGTCACTATCCACAACCAGGACCTGCTGTGCGCTTTGAGAACGGCGTCTCACCCCTGGCC
ACGCCCCCACCACAGCCTGGGAGCCAGGGGCGCTCCTGCCAGCAGCCAGGTGTCTGATCGCCCCCAAGCTGGGTTCCCGCA
AGCCGCGCACCCGGGTGACTGCCCAGAGCTGCGGTCCGACCTCCTGCTAGCCGAGCCCGCAGAACCCGCGCCTGCTCCGGCGCCCC

AGGAGGAGGCGGAGGGCCTGGCCGCCGCCCTGGGCCCCCGCGGACTGCTGGGCTCTGGTCCAGGCGTGGTGCTGTACCTGTGCCCC
 GAGGCGCTGTGCGGGCAAACCTTCGCCAAGAAGCACCAGCTGAAGATGCACCTGCTGACGCACAGCAGCAGCCAGGGCCAGAGGCC
 CTTCAAATGCCCCCTGGGTGGCTGCGGCTGGACCTTCACCACCTCTTACAAGCTCAAGAGGCACCTGCAGTCGCACGATAAACTGC
 GGCCCTTCGGCTGCCCTGCGGAGGGCTGTGGCAAGAGCTTCACCACCGTGTACAACCTCAAGGCGCACATGAAGGGCCATGAGCAG
 GAGAACTCGTTCAAATGTGAGGTGTGCGAGGAGAGCTTCCCCACGCAAGCCAACTCGGCGCCACCAGCGCAGCCACTTCGAACC
 CGAGAGGCCTTACCAGTGCGCGTCTTCTGGCTGCAAGAAGACATTTATCACAGTGAGTGCTCTGTTTTCCATAAACGCGCCCATTT
 TCAGGGAACAGGAACTGTTTTCTGCTCTTTCCCTGGCTGCAGCAAGCAATATGACAAGGCTTGTAGGCTGAAAATTCACCTGCGG
 AGTCACACCGGCGAGAGACCTTCCCTTTGTGACTTTGATGGCTGTGGCTGGAACCTTCACCAGCATGTCCAAACTCTTAAGGCACAA
 AAGGAAGCACGACGATGACCGGAGGTTTCATGTGCCCTGTGGAAGGCTGTGGGAAATCTTTCACGAGGGCCGAACATCTGAAAGGCC
 ACAGCATTACCCACCTGGGCACAAAGCCTTTTCGTGTGCTTGTGGCAGGCTGCTGTGCCAGGTTCTCTGCTCGCAGTAGCCTCTAC
 ATTCACCTCCAAGAAACACCTGCAGGATGTGGACACTTGGAAAAGCCGTTGCCCGATCTCCTCTTGTAAATAAACTCTTCACATCCAA
 GCACAGCATGAAGACGCACATGGTTAAAAGGCATAAGGTGGGCCAGGATCTCTTAGCTCAGCTAGAAGCAGCAAAATCTCTCACAC
 CCAGCAGTGAACCTTACCAGCCAGAGACAGAATGATCTCAGTGATGCAGAGATAGTGTCTCTCTCTCTGATGTACCTGACAGTACT
 TCTGCTGCATTGCTGGACACAGCATTGGTGAACCTCTGGAATCTTGACTATTGATGTGGCTTCTGTGAGCTCGACTCTGGCAGGGCA
 CCTCCCTGCTAATAATAATAATTCCGTAGGGCAGGCTGTGGACCCTCCGTCTTGTATGGCCACCAGCGACCCCTCCTCAAAGTCTGG
 ATACCTCTCTCTTTTTTGGAACGGCGGCCACTGGTTTTTCAGCAGAGCTCCTTAAATATGGATGAGGTCTCAAGTGTAAGTGTGGGG
 CCATTGGGATCTCTGGACTCTTGGCCATGAAAACTCCAGTCCAGAGCCTCAGGCTTTGACACCCAGCAGTAAGCTAACAGTGG
 CACAGATACTCTGACTCCTTCGAGCACCCCTTTGTGAAAACAGTGTCTCAGAACTACTGACACCAACCAAGCGGAGTGGAACGTAC
 ATCCTAACTCTGACTTCTTTGGACAGGAGGGAGAAACCCAGTTTGGATTCCCCAATGCAGCAGGAAACCATGGTTCTCAGAAAGAA
 AGAAATCTTATCACTGTGACTGGCAGCTCATTTTTGGTATGAAGCAACTCTATTCACTTCCCTGGCATGTGGCTAACTTTTATTACA
 GTCAATTTTGAGGATATTCTGGACTAAATATTTAAGTGCAGTCATTTCTTTTTGGTTTGCAAAAAGAGCACAGCCCTGGACTATGA
 GTTTTGGAGATCTAAATCTGATCTTGAGTCTGGAACGACAAGTTGTGTGACCCTCAGCAAGTCACCTAACCTATCTGAGCCTTAA
 TTTCTTATTTATAAATTGTGGTGGTTTGAACACATTGCTCATAAGGTCTTTTCAGTTTTGTTTGTGTTTTGTGTTTTGTGATTTTGTG
 CTTTTCTTGAAAATTTTCGGGCATTTTGCAATTATTATTGTTTGTACTGTAAATCAGAAGCGGTTTGAGCCCTGTAGCACTAAAT
 AATGAAAGATTGAGGAACTGGTGTTTTACATTAATAAATTTAATGGAATTTTACACAGTACGAAAATCTAATGATAGAGCTCAAAA
 AAAAAGAGCTAAAAATAGGAGTTGGTTCTTCTTAGCTGTTTATCCTTCTAACCTTTTTTTTAAATGATGAAGGTATGTTTTTGTG
 TGGAAAATACAAGGGCTTTTGTATCACTCAGACCCAGAGTGAAATGTTGCTTTGTGGTTTTGAATAAGTTGGCCTTAAATAAGT
 TATTTAGTCTCTCTTAGCCTCAGTTTTCTATCTGTAAAATGGTCATAGCAATGTGAACATATGTGTTACATCCTAGACTTATTTTT
 CTACCCAGTAGGTTGTATTGAAAGGAAAATGTTATATGTGTTTTCAGCATGTTTTGGTGAATCTTCATTCCCTTCTGCCCCCTTG
 TTTTCCCTCCTCAAAGGGGAGAAATTAGCACAAATAGTATCAGGATTGTGCAGGAAATAAACATTTGTGAAGGTTAAGAAAGAGG
 AAAAGGAAGTTATTTCTTCAACAGATTAAGGATTTTCTACACACAGTCTTTTTGTGGCATTTGGCCACATGTCCATTAGACCAATT
 TGATAGTATCTTCGGTCTGCATTCAAAGCCAGCTCATGCAATGAGTATTCAGCCTATTCTTCCAAGACAATCTGGACATAGACCAG
 AGGGAGATTTTCTCCCTCTGTGCCCTAGAGAGCTCATTGCTGGCTTACTCTTAGAGTTGAAATGAGAGGGTTTTG

HUMAN SEQUENCE - mRNA (SEQ ID NO: 23)

CTGCTCGCGGCCGCCACCGCCGGGCCCGGCCGCTCCCTGCTGCCCTCGAGAAGGGCAGGGCTTCTCAGAGGCTTGGCG
 GGAAAAAGAACGGAGGGAGGGATCGCGCTGAGTATAAAAGCCGGTTTTTCGGGGCTTTATCTAACTCGCTGTAGTAATTCAGCGA
 GAGGCAGAGGGAGCGAGCGGGCGGCCGGCTAGGGTGGAAGAGCCGGGCGAGCAGAGCTGCGCTGCGGGCGTCCCTGGGAAGGGAGAT
 CCGGAGCGAATAGGGGGCTTCGCCCTCTGGCCAGCCCTCCCGCTTGATCCCCCAGGCCAGCGGTCCGCAACCCCTTGCCGCATCCAC
 GAACTTTGCCCATAGCAGCGGGCGGGCACTTTGCACTGGAACCTTACAACACCCGAGCAAGGACGCGACTCTCCCGACGCGGGGAG
 GCTATTCTGCCCATTTGGGGACACTTCCCGCCGCTGCCAGGACCCGCTTCTCTGAAAGGCTCTCCTTGACGCTGCTTAGACGCTG
 GATTTTTTTCGGGTAGTGAAAACCCAGCAGCCTCCCGCGACGATGCCCTCAACGTTAGCTTCACCAACAGGAACTATGACCTCGA
 CTACGACTCGGTGCAGCCGTATTTCTACTGCGACGAGGAGGAGAACTTCTACCAGCAGCAGCAGAGCGAGCTGCAGCCCCCGG
 CGCCAGCGAGGATATCTGGAAGAAATTCGAGCTGCTGCCACCCCGCCCCCTGTCCCCTAGCCGCGGCTCCGGGCTCTGCTCGCCC
 TCCTACGTTGCGGTACACCCCTTCTCCCTTCGGGGAGACAACGACGGCGGTGGCGGGAGCTTCTCCACGGCCGACCAGCTGGAGAT
 GGTGACCGAGCTGCTGGGAGGAGACATGGTGAACAGAGTTTTCATCTGCGACCCGACGACGAGACCTTCATCAAAAACATCATCA
 TCCAGGACTGTATGTGGAGCGGCTTCTCGGCCGCCGCAAGCTCGTCTCAGAGAAGCTGGCCTCCTACCAGGCTGCGCGCAAAGAC
 AGCGGCAGCCCGAACCCCGCCCGGCCACAGCGTCTGCTCCACCTCCAGCTTGTACCTGCAGGATCTGAGCGCCGCGCCTCAGA
 GTGCATCGACCCCTCGGTGGTCTTCCCCTACCCCTCTCAACGACAGCAGCTCGCCCAAGTCTGCGCCTCGCAAGACTCCAGCGCCT
 TCTCTCCGTCTCGGATTCTCTGCTCTCCTCGACGGAGTCTTCCCGCAGGGCAGCCCCGAGCCCCCTGGTGCTCCATGAGGAGACA
 CCGCCCACCACCAGCAGCGACTCTGAGGAGGAACAAGAAGTAGGGAAGAAATCGATGTTGTTTCTGTGGAAAAGAGGAGGCTCC
 TGGCAAAAGGTCAGAGTCTGGATCACCTTCTGCTGGAGGCCACAGCAAACTCCTCACAGCCCACTGGTCTCAAGAGGTGCCACG
 TCTCCACACATCAGCACAACTACGCAGCGCCTCCCTCCACTCGGAAGGACTATCCTGCTGCCAAGAGGGTCAAGTTGGACAGTGTC
 AGAGTCTTGAGACAGATCAGCAACAACCGAAAATGCACGACCCAGGCTCCTCGGACACCGAGGAGAATGTCAAGAGGCGAACACA
 CAACGTCTTGAGCGCCAGAGGAGGAACGAGCTAAAACGGAGCTTTTTTGGCCCTGCGTGACCAGATCCCGGAGTTGGAAAACAATG
 AAAAGGCCCCCAAGGTAGTTATCCTTAAAAAAGCCACAGCATACATCCTGTTCGCTCCAAGCAGAGGAGCAAAAGCTCATTTCTGAA
 GAGGACTTGTGCGGAAACGACGAGAACAGTTGAAACACAACTTGAACAGCTACGGAACCTTGTGCGTAAGGAAAAGTAAGGAA
 AACGATTCTTCTAACAGAAATGTCTTGAGCAATCACCTATGAACCTGTTTCAAATGCATGATCAAATGCAACCTCACACCTTGG
 CTGAGTCTTGAGACTGAAAGATTTAGCCATAATGTAACTGCCTCAAATTGGACTTTGGGCATAAAAGAACTTTTTTATGCTTACC
 ATCTTTTTTTTTTCTTTAACAGATTTGTATTTAAGAATTGTTTTTAAAAAATTTTAA

HUMAN SEQUENCE - CODING (SEQ ID NO: 24)

ATGCCCCCAACGTTAGCTTACCAACAGGAACTATGACCTCGACTACGACTCGGTGCAGCCGTATTTCTACTGCGACGAGGAGGA
 GAACTTCTACCAGCAGCAGCAGCAGAGCGAGCTGCAGCCCCGGCGCCAGCGAGGATATCTGGAAGAAATTCGAGCTGCTGCCCA
 CCCCCCCCTGTCCCCTAGCCGCGGCTCCGGGCTCTGCTCGCCCTCCTACGTTGCGGTACACCCCTTCTCCCTTCGGGGAGACAAC
 GACGGCGGTGGCGGGAGCTTCTCCACGGCCGACCAGCTGGAGATGGTGACCGAGCTGCTGGGAGGAGACATGGTGAACCAAGATTT
 CATCTGCGACCCGGACGACGAGACCTTCATCAAAAACATCATCATCCAGGACTGTATGTGAGCGGCTTCTCGGCCGCGCCAAGC
 TCGTCTCAGAGAAGCTGGCCTCCTACCAGGCTGCGCGCAAAGACAGCGGCGAGCCGAACCCCGCCCGGCCACAGCGTCTGCTCC
 ACCTCCAGCTTGTACCTGCAGGATCTGAGCGCCGCGGCTCAGAGTGCATCGACCCCTCGGTGGTCTTCCCCTACCCCTCTCAACGA
 CAGCAGCTCGCCCAAGTCTGCGCCTCGCAAGACTCCAGCGCCTTCTCTCCGTCTCGGATTTCTCTGCTCTCCTCGACGGAGTCTCT
 CCGCGCAGGGCAGCCCCGAGCCCCCTGGTGCTCCATGAGGAGACACCGCCACCACCAGCAGCGACTCTGAGGAGGAACAAGAAT
 GAGGAAGAAATCGATGTTGTTTCTGTGGAAGAGGAGGCTCCTGGCAAAAGGTGAGAGTCTGGATCACCTTCTGCTGGAGGCCA
 CAGCAAACTCCTCACAGCCCACTGGTCTCAAGAGGTGCCAGCTCTCCACACATCAGCACAACTACGCAGCGCCTCCCTCCACTC
 GGAAGGACTATCCTGCTGCCAAGAGGGTCAAGTTGGACAGTGTGAGAGTCTGAGACAGATCAGCAACAACCGAAAATGCACAGC
 CCCAGGTCTCGGACACCGAGGAGAATGTCAAGAGGCGAACACACAACGCTCTTGAGCGCCAGAGGAGGAACGAGCTAAAACGGAG
 CTTTTTGGCCCTGCGTGACCAGATCCCGGAGTTGGAACAATGAAAAGGCCCCCAAGGTAGTTATCCTTAAAAAAGCCACAGCAT

ACATCCTGTCCGTCCAAGCAGAGGAGCAAAAGCTCATTTCTGAAGAGGACTTGTTCGGAAACGACGAGAACAGTTGAAACACAAA
CTTGAACAGCTACGGAACTCTTGTGCGTAA

Table 5 (mouse gene: Nfkb1; human gene NFKB1)

Mouse genomic sequence (SEQ ID NO: 25)

Mouse mRNA sequence (SEQ ID NO: 26)

Mouse coding sequence (SEQ ID NO: 27)

Human genomic sequence (SEQ ID NO: 28)

Human mRNA sequence (SEQ ID NO: 29)

Human coding sequence (SEQ ID NO: 30)

MOUSE SEQUENCE - GENOMIC (SEQ ID NO: 25)

TCTTCTGAATATCATGTTTAGATTATGTAAGTATTCACCGGCTTCTGTCACTATAAACCATACTGAGTTGATTAATGAATAAA
GAAAAAAGGTTTAGTTGATGAGTTTTGAAGGTTCCAGTCTACCAGTCTGTTACTGCAGACGTCCACCGTGATAGTATGTCATGGC
CAGAGCACCTGGCAAAGCATAAACTACCTGCTCGTCAATCAGGAAGCAAATAGAAAAGAGAACTGGTTGCGGTCCCACAACATCCT
TCCAGGTCATGTCTTAGTAGAGCACTTCTCCAGGAGAAGCACCTGTTGGCCTTGCCGTCAACACATGAACAGCTTGGGGACTCC
TACTGAGGTAAACAGTACCCATTCTGCATACATCCCTGAGATTAAGTGAAGTCTGATTCATGGCCCCGCTGTTTTGTCTGCCTTTGT
GAGTGTCTGCTTGCAGCCCTACTAAACACAGATGGCCAATGTGGTATTCAGAGTAGTGGCCCTTAAAGAGGTTATGAGGTCATAG
CACATACCCCTGCCCTGCCATGAATAGGATTTTAAAGGGGGCTGATGAAGGAGGGTTGTCCCTCTGACTCTTCCACCTTACTGT
GTGACAATAGAGTGATTGTTTCCCTCGTGACATTCCTCATTGCGTGCTTTGACCTTGCCTTCTTGCCTCCAGAGTGATAAAAAAT
AACTTATGTTTTTTATAAACTACCCAGACTCAAGTACTGTTTAAACAGTACAGACATATGAAGACAGTTGGTCGTGTTGTAGTCA
GCACCGAAAGAGGAAAGTTGAAAACCTCCACTCTACTTGTGGATTTCTGTCTCTTCCACAAATGTTTAGGTCTACTACTTGTACT
TCATGTATTTTGGAGACCTATTAATAAGTGCATGCAGGTGGAGGTCATATTTTTATAAGGGCTCAGTAGTGCATACATATAAGGT
TCCAACACTCAGCATCTAGAGGCAGGAGGGTTGCTGGGAGTTTGAAGCCAGCCAGAGCTATCTATAGAGACCTGTCAATAACAA
CAAAATTATTACTGCCCATTTGATGACCTGGCCCTTTATCTTATATATATATCCTTCTTGGCCCTTAGTAATATTCCACCCCTG
ATCTTCTCTATTGGTGGTTATGATATAAACTACTTTGCTGTGTTTAGTATTTGTATTATTAGCACAGTATCCAGGCTTCTGCTTT
TAAACACTTTGCGTCTTTCATGTTAAAAATAATTCATAGGAAAAGCATTTTCTTGCCTCTGCTTTTTCTGTACTGTTTACCATGA
ATGCTTTTTTATAGCTGAGTTTATTTTATTTGCATTTAATATTGGACCTCTTCTTTATCCACATTTTGTCTTTTATTGTCTTTT
AAATGAAATAAACGTAGCACTTGAAGAGTTCATTTTATCTCCCGTCTGGTAGTTCTGTAAAACGGTGGCTTTCTGTAGTAGGACT
TTCTGCATCCTGCGTCTATAGCGAGTGAAGCGCTATGTACCTAATGTGGAAGCTTTGATTTGTCTCACCTCTCTGCTAGTGCTGG
TAGACTTTTTTCCCTCCATGGGTTTCAAGTACTCCATAATATATTGTGTTGTTCAATGTGTTTGTGTACAGTAAGTTTGAACATA
CTGCAAAGCGAAAGCCCATGTGCCACACCTTTATCACCAGTAGTGTTTCCCTTGTCTTAAAGGTCCAATTCTATCTCATTTTCT
CCTTCACCACAAAGATCTGCTTTTAGGATGTCTTCTGTCACTTCTACGCGTTATGAATTCTCTCAGCTCTGCTTTATTAGAAAGTG
TCAGTTTACCTTTATTGTCAAACCATCTGGGACAAAGCTACCTGCTTCTTGTGGCTTCAATGTTTTTGTGTTTATTATAGATA
TCATGATGTGAAGAGTTTGCATGTTTTCTTTTATTTCAGAGTTGAGTTTTGTCTCCTAGTAGGCCTTACTAAGATGCATTTAAAGTCG
CCCTTATTTTATGATGTGTTCTTGAATCTTATAACACGGTTTTCCCTAGACTGCTATAAGCACACATGTTTCAAGACGTTTACTGA
TGCTCTTTCAGCCACGTGATTGACCCCTCAGTGTCTCTCAGCTCTGTATGGCGTCTGTAATCTTATCAGAGCATTTAGAGAACAA
CAGTGGCTTTTCACTGAGCTTTTTGGGATCTCTGTAGGATTTTATCAGAGTAAAGGTGGGCTGATTATAGATTTTTGAGGCTTTGC
ACATATACCATTTCTCTGACCAATGAGATCACTGCTCTTTTGAAGTCTGCTTCTGCTGGCTGGATTAGAAAGTGCCCTCAGT
CAGAAGGTGAGCTTGGAGTTCACTTAAACTGTGCAGCCTGTATCTCTGTTTGTGCTCAGGCTATTGTGTTTTCATATTTACATA
TGAATTTGGCAAGATCAAATAGTGGTTGATTTATAATGACTGAAATTAGATTTGTGTGGATTTTAAAGATTTTTTTTTTCAAGAC
AGGTTTTCTCTGTGTAGCCCTGGCTGTCTGGAACCCACTCTGTAGACCAGGCTGATCTTGAAGTCAAGATCTACCTGCCTCTGCCT
CTGGAGTGCTAGGATTAAGGCATGCTCCACCACTGCCAGCTGTAGCATGCTATTAATGATTTTGAAGACATTATCCAGGGCA
TTTATATATTCAATATGTTGGCTAGCTAGCATTTCTCTACAGCTTTGTTTTGAAGCTTTCTCATCATCCCAGAAGAGTGCCCTGAA
TGTGTTAAATGATGGCTCCCTTCCAGTCTTCACTCACTCCCTGCGCTCTGGCAAGCAATGATGTGTTCTCTCTCTCTACGAATGT
GCTTGTCTTCTGTTGTTTCAATGTGAAGGAATTGAGTATAGGTGAGCGACCTTTCTGTCTGCTTTCAGTATAAATCATTTAGTCTA
CTGGTTTTGAAATACAAAATCAAACTCCCATTTGCTGGCTGTAAAGGCACACCATTTAAGGAGACTGTAAATATATAATGTATGATT
AAGTTGCATAGAAACAGTGAACCATAGTGCAAAACCACAGGAAATGTTATAGACCTTATGGACTGAGGCGATAACAGTGGAAGAG
AAAATACAGGTTTTATGGAAGAAGTTGATTTTGAAGTACCATTGTTGTGGAATACATAATATCTAAACAGGATAGAATCTCGAGTGT
GAAGAGATGTACACACTGGAAAGAAATGACATAGAGCTGTTACATGTGTGTGTGTACACATGCGTGTGTGCTGTATGCAGTGAGC
ATTACATGTGTAGAGGTCAAAGGACAATTTTGAAGCTGGTTCTTTCTTCCAGCATGTAAGTTCCAAGTAAGGACTTAGGCTCCT
TGGGCTTAGCAGCAAGTGTTTTTACCTGCAGAGCCCTCTGTTGGCCAAGCAATGCATCTTTAAATGATTGATTTCCCTATAGTAA
AGTGCTTGTGTGTTGGATCATGGTGATAGTTGTGGTGCTTATATAATATAATAATAATATATATATATATATATATATATATATAT
GACTTCATATGTAAAGCACCTGGCTGTGATCTGAAAGATATTTAATCAGGAAGATACCCTGCCATGGGGGTGAGCGGTAGAAAAG
CTGTTCTGTGCAGAGTGAGGTAATAAGGTCTGCCCTAGGGTGTGGCTATGGACATAGAAAGGAAGTGCACACACAAGAAACAGTGT
GAGGAAGAAGTGAAGGACACAAGACTGTTCACTGCATTGGTTGGAGAAGGCTACATTTGCAAGAATGAGACAGTCAGGAGTCGG
GCTTGTGTCGAGTAGTAACTGTAGACATTAGGGTTGATGGGTTTAAATGTATCATTAAGTGTGTTTCTAATGGCATCGTTACCTA
AAGCTAACAGGGGCTCATTACCAAATACACCTTCAGAGCCTAACAGTTCTAATCATGTACTGATGTCACGGGGGTGGGCTCGTA
TCTTGGATAGCTTGGGTTTTTTGTTTTGTTTTGTTTTCTTTTTTGTCTTTTTTAAAAAAATTTATTTATTTTTTGTTCAT
TGAGAACTCAGTAGCCGATGGAGAAAAGCCAGTGCAAAGTCCAGACCGTGACTAAGAGTGTAATTAAAGCTGTGATACTGAATTGC
CAGGGTAATTAACCCATGCTCCACACGCCCTCTGTTCCCATGACACTGACCAAGCTGTATCGTGTAGGCTGCTGTCTTTCCATT
CTAACCGTTCTGATTGGCTAGCCTTTGCTGCGGCGAGATAAATCATGAAGAAGCACATAGAAACACAGATATGCCTCATTTCTTGC
GACCTGTGACTGTGTGTGGTGATTTGTCTGGCTGCTCTGTGGAGGTCCTCAGCTGCTCTGCCACCGAGGGCTCAGCCTGGGAAGTC
TTGGCTGAGCTCTGCTGCGTTTTCCACTCCACACGTGGGTTCTCATCTCCACTGGGCTGGCCAGGCCCTTTCCCTCCAGGAAAGAA
AATCCAGTCATTGAACGGCTTCTTGAAGCCATGTTATGACTCATGTCTGCATCCTCCTGTTGGTCAGGGCCTGCCAAGGGCCTG
ACAACATTCAAGGGGCAGAGATGTCAATTTTATTGTCCCTGTGTTGTGAGGGATAGAAAAGGGCAGTGCCATTGTTTTGAGCCTA

140

CCTCAGCCTCTCAACCGAGTCTAGACAGTCCTAGGACCATCTCAGAGTTCATGAGAAAAAATGCACAAAGTAGAAGTGGCCACA
GGGTCCATCTGGACCTGATTTTTTACCCAGAGGTAGGACCAGCTGTATCAAACCGAGGACCCTGAGCTTAGCCAAAGGGTTTAGAT
CCCGTGGTCTCCCTACAATGAGAGGTAGATGCCAAGGAGGTACAGCACGCATGATGCCCTCCTACAGAGGTCTTTTTTGCAGACAT
TTGTGGTCCCTGTAGAAATACAGCCTAGCCCTGCATATGTGCCAGAGTTGTAGGATCTTTAAGATTCACTCCAGTGCTACAGCTTT
CATTTCTTGTCTCTGTTTTGTACAGCTTCACCATGGCAGACGATGATCCCTACGGAACCTGGGCAAGTAAGTCTCAGCTCACTAGCA
ACTTTGTTTTCAACGCGTTCTTATCCCAAACACACAGAGGCAACGCTAGTAACTCAGTATCAAGCAAACCTAAATTAGTAAACACT
ACTCTTAATTTATTTTCAGTTTTTCTGTTCTTCCAGAGTTGGAGAGGGCCCTTTCTTATGTATTTTTGCATAAAACCGTATATACT
ACATGCCAGAAAGTAGCCACTGAGTCAGTTGTGGTGTGAAGGTCTGACCCAGTATTTTCATATGGTGACTGGTATATTAATAAAAA
TTGCTATTTCAGTGAGATTTCTAGGGCTGCTATTAACATCGCTACAAACCTGGTGACTTGACACAATAGAAGTGTATCCTTTCATAG
GTCTGGAGGCAAGAACTCTGAATTTGGGGCTGGCAGAATAGTTCACACCTCCTACCAGTCTGGGTGTGTTAGAGATCCTTGGCA
TCACACCAGCCACAGTCTGTGTTGTGTGGCTTTCCCTCCACGTCTTCACACATACCATCTCCTCTGTCTTAAAAACACATCACTTT
TTGGATGTAGGATCCATCTCTGTCTAGTGTGAATTCATCTTAACATATATAAAGGCCAAAGGCTGCCGTGTCCAAATAAGTCACATG
AAGGAGGAGCACTTATGAATTCGAATATATTTTTTTTTCAAAGGTACTGTAGTTAAGCCCACTGCAGTCTGTGGGAGTGAGTGTGC
TTTGAGAGCGGAGCAGTGTATCATCACGTCAATTGTGCTGTCTCATAGGTGTGACAGCAGCCATGACACAGACTGACACGAGG
ATATCTGTATCTTCACTTTCTTCTAGTTTTTCTCTTAAAAAATCTAAACCCATAGAAGTGTAGACAGTCTGATGATACTTCCA
TTTCTTTCTCTCTCCCCATAGAGAATATAGGGAGCATAGAAGTCTTGAAGCAGTTTCTAGCTGCTAGCATGATTACAGTG
GCAATATTAAGTGGACTCTAATGGTCTATTAAATTATTTAAAAATACTGGTATCTCTTGGCTCCTCAGCTATCTACTGAGACTTT
ATAGAAGACTTTATGCCAGAACATTAGCATCCTAGAGACGAAGGGACAGGTGATATGCTCACTGGGCTCAGGACTGCATCCCGGC
TGGAGTAACGGAACCACACTTTACACAGTCTGTGGATGTTGCCATGGTTCAGTGTGAGAGACAGAAGCAGTTGGAGGGATTGCTGTGT
GTTCCCTTAGGGAAAGAGCAGGTTAAGGATGACTTTGCAAAGGAGGACTAAGCTGAGCTTTGAAAGCTACAACCAGTGCAGGGGCA
CTATTTACCAAGGTAGCCCTGCCACAACATTCATTACTACTTCACATTTAAATTTTGGTGGTAAACACCCGAGACTACCATTTCCC
AAATTTATGCTCGCAAAGAGTCAGCCAAAAATAAACTGAAAATGAAATATTTGGGGGAGACCTGGTGTCTTATAGTCACACAGC
CCCAGAGCCGAGTCAGAGCTGCCATGGCTGCACCGTAGTGACAGCTGCAGTGGCCTCAGAGCTGCAGTGCAGGCCGAGTGGCC
CTCTTCTCTCACCCAGCGGGCGGAGTGAGCATGCACCATCCGCTCCTGACCATGTTATAAAGATGGTGGTACTGGGTAAACCTAA
GGATGTTTTCTTTTATGGCAGCATAAAAGACACCTGGCAACCATACGCTCAAACCCCTTGTTTAACTTTCACTTTTAAATGGGCCT
CCTCTAACACAGGCCAGCCCTCACCACCATGAGAGCTGTCTGCTTGGTTTTCAAACCATGCTTTTCTGTCTGTACACAGGAAATCTT
AGCAACCAGAGATGGTCTTTTATGCCACAAAAGAGTAAGACCTGCCAAGGACAGTCATTTGAAAGTGTCTCATGTGGGCAGCAGT
TCTGAGCTCATTAGCAGGGTGGGCATGTTCTGATAGTTTCACTTGTGGGGGAAGGGGAGGCCCTTGAGGGCTTTAAGTTTTGTCT
TTGGGTTGGTTTTTCTTCTCTGTCTTAAGCTTTAAGTCTATCTCTCTAAAGTTTGGGATTTTTGAGGGAGGTGTCTCCGTGTTT
TAGCCACACTGGAGTTTGTCTCCACCTGTCACCAAGCAAACACCACATGCCGCCTTCAACAGGACGTCTGTCTTAGTGGGCTTCT
CCCCCAGCCAGATCACTGCAGACAGAGGCGGAACCACAGCAAAGGACTTCTTTGTGAGGTCGTTCTCTTTGCTCAGAGATGGAGGC
CTGGAGCTTATTATAAAACCTAGTTTTCCCATTCAGTGTGTCTTTTCAATGGTTAATAGCGAATGGCACAGATGCGCTTGTCTTTAAG
GATTGAAATATAACACACTCTTTGCTCCTCAGTTGAAAATTTGCATCCCTCAAAGTGGATTGAAAGTACTCGCATTTAAACATC
ACATTTTAGGGGCCAGTAAGATTTTTTCAAGAGCAAAGTGCTTACTAAGTTAGCTTGACTTCTCCTCCACTACCCACACATA
AGCACACTCATGTTACACACACACACATATCCATCTCATGTTAAACACACATACTACACATACATATGCACTCTTACACTATGCAC
ACATACACACCTTACACAAACATATATGTGCATACACTCAAACACACACACTCACATACTCCCACTACACATACATACACTTTTAC
ACTATACACACATACATGCACACACACTCACACTACATATACATACATACTTTTACTACTACATGCATACACACATACTACGCAT
ACATATACACTCTCATACCACACACACATACACTCACACTACACACACACATACATTTCTCACACTACACACACAAATGTAATAA
ACATGCAAGCATTAATCTTCTTATTCTTGAATTAAGTACATAGTAGGATTTGAGGTACCCAAGAATATCTAGTGATTTACTAAT
AAGGACAAAAAATCCCAAAAACCAAAAACCAAAAAAAGAAAGAAAGAAAGAAAGAAAGAAAGAAAGAAAGAAAGAAAGAAAG
GTAAAGAAATAATTTGGTTTTCTATGTTGTCCATAAACATTTCAACAAGTCACCTTCTGGTGAGTGAGACAGATAGTAAGCTCACAC
ATACAAATGTGATTTTCTAAATGAGCTAACTGGGAAAATCTTTTGGAGTAATTTATAGTCATAACTTACCAAGGTAGAGCTTAA
TTCTATCAAAACGTTATATGTTCACTTTTTCAGTTTTCTTAGTTGTGTGTTGTTTCTGTAAACAAGTTACCATAGTATTTGAAACAA
CACAAATATCTTCTAAAGATTAGAATAAAAAATGTCAGAGTCGAGGCATCAACAGGGCTACACTCCTAGCAGCGTTTATTTCTTGTCT
TTCCAAGCTCTAGGGGCTGCCGTGTAAGTCTGTATCATCCCCAGTCTGCTCTGTAGGCCTGGGTGAGTCTGCTAGCATCCC
TGACTCCTGCTTCTGTAGGCACACTGCACCTTGTATTTCTCACTCTCCTAAGTAGCTCACTTGGATATTCCAGGATAATCCTGTCTAT
TTAATTGTCTTACATTGATGGCACATGCAATATATCTTTTGGCACAGAAAGCATAGGTTCTGGGGAATAGGAAGGTTCTGTGGAGT
AGCATGTAGACATCTTTAGAGCCATTGTTTCACTGTGCTTTCATCTACTAGATTCAAGTATTTATATTGTAATAGAAAATAGAGCTG
GGCAGTGGTGGCACATGCCCTTAACTCTCAGCACTTGGGAGGTAGAGGCAGGTGGATTTCTGAGTTCGAGGCCAGCCTGGTCTACAA
AGTGAGTTCCAGGACAGCCAGGGCTACACAGAGAGACCCTGTCTCGATAAAAAAAGAAAGAAAGAAAGAAAGAAAGAAAGAAAG
GAAAG
TGAGCCCTCTGCTCCATCATGTTCTCAGTTGTATTGCCAGTCATTTTGTAAAGTTGTGTAACCTCCTGCCTGTAATTTCTTCAAGGCC
TTGAAGTTCTGTAGCTCAGTAAGTAATCTATTTATCATCAGAACAGAAGCATACATATCTAAGATCATGTGCACGTATGTGCTGTC
TGTCTGTACGTGTACATTCACAAGTGTGTGGAGGCTGAAGGTGGCTCCCCATCTTTGATTTTGAAGAACGGTGTCTAACCTAACCT
ACAGCTCCTGGATTCACTAAGACCTCCAGCCAGCAAATCTTCATGTCTCCACCTTCTGTAGCTGGGACTGCAGACAACCTGCCGC
CAGCCAGCTTTTCACTGGGGTACTGGGGCTCTGGACTCAGGTTCTTGTGCTCTACAGCAAGCACCTTATCAACTGGGCCATCTCC
CCACCTCTGGGATGTAATGAATCAAGTTCCCTAAGAGGGTGGCAGATTCAGATCACTTACTCTACACATTTTCTGAAGGGTCCA
GCATGCCCTGAAGCTCTCTTGGCTCCGAAGATGCACAGCTTGGGGATCCACCAGGCCCTTGTCTTTAGGGACCCCATAGCCATTAT
TCTCCTCAAATTTCTTGTACATAAGTTACACACACAGGGGCTAAGAAGGTCCAGAAAGGCACGTTAAATTTTGAATTCAGG
AATCCTATTTTTGCGTTTTTATTTCTAGTTTTCAATCATGTAATTAGTTTTCTGGCTTTGTGTATTAGTGCAAGAAGAGAAATTA
AATATTTGTATTTCTTCTTTACAGATGTTTCAATTTGAACACTGCTTTGACTCACTCAATATTTAATGCAGAATTATATTCACCAG
AAATACCAGTGTCAACAGGTAAGAAAAACACCCCTTTTCTGTTGTTTTGCTTTCCCTTAAAAATATTTGGGGTCAGGAGTCAGG
GAGATGTGGATCAACCAAATAAGTATATATGAAATTAATAAGGAAATCTGTTGCTTTGTGGGTGCTTGGGACTAGCCAGGC
CCTCTGGAAGAGCCACAAGCACTTTTAAACCACAGAACCATCTCTTTAGCCACAACAGTCTCTTTTAAATTTCAACAATATTCATAG
GAAGGAAGTGGTGATCCGTGTTTTTAAACCACCTTTTCAAGTATGCTTTCTGGAATGTGTCTCACAAAATGCTCCGGCGTGCGCG
CACACACATCGTTTTAGCAAGTGTGGTTTTCTGGTCTCTGTTAGAATAACCTGAAGCCCTGTCTTACCCCGTGTAAGGACTTTCTCT
CTTCTCCGTATCTCATACCCATTAGTGCTCCTTTTTGCTTTACCGCAGCTCACAGAGAGCCAGTCTTAGCCCTCAGTTCTGTAT
CTGAGGGCCAGTCTTGTGACCCAGGACACGAGGCTCTGGGGAACAGTAGGAAAGTAACCTTTATATTCTGACCAGACCAAGCGTA
CAGAATAATGCTCCTGACATGACTGCTAATTAACGAACCCACAACTGTTTAAAGGTCCCTTTATGCTATAGCGCACGGGCTTCCT
TTAGACTCATTATTGACTGGCATGTGTGTAGCCTTGGCCTGATGGCTCTTTGCTGCTTTGATCACCTGTTGGAGCTAAGCCGTCT
TCAGCAGCCACTTGTAGTTGGTGGAGATGCGTATGGAAGTGATTGTCCATTACTGAGGTGGACAGCAGGTGCTTTGTGTGCTCCG
GATTTCTGTGTCTCGTGATGTAGTTTTTATCATCTCATTTAAATGACTATGGTTTTGCCAGCGCCTGCCTTACGGAAAGTTTTT
TACAGACGTGGGAGGAAGGAGAGTTAGTATGTCACCTCCTCACTGGTGCCAGAGTTACATCACGGAGGCCTGTCTGTCTTAC
CCCAAATAACCACCACAGTTTATCTGTAATCTTAAGCTGTCCAACACGCTCTAGGTCCCTTCTTGTGACCAAGTAATGCAGGGG
AGGCAACCGTGTTCCTGTGAACCTCTAAACTCTGAGACCCCAAGAGCTTCCTTTAGCATTTCTGCTTTATTGAAATGTTGCAGA
CTCGGTTCTGCCCTCAGGGAAGCACAGGTTTCTAGAAAATGCCTCTAATTAGTTAGAATACTAAACAGCATCCTGCAGGCAGATG

142

143

144

145

TCTGACTCCAACGCCTGTGTTCTTATGGTGAGAGGACTCACTAGTTTCAGGTCTTGGAAGTTCAGCCCTATATCATAGCAGGATGA
GAACTTTGAGGGAGGTCCATCTGTCCATCAGAGAAGGATGCTCTAATATATTGGTTCTCAACCTACCTAATGCTGTGACTCTTTAA
TACAGTTCCCTCATGTTGTGGTGACCCCCAACTATAAACTTATCTTTGTTGCTACTTCATTGCTGTAATTCTGCTACTGTTATGAAT
CATAATGTAAATATCTGATAGCAGGATGATCTTGGGTAACCCCTGTAAAAGGGTGGTTTCAGCCCCCAAAGAGTCTCTACCACGGG
TTGAAAACCTGCTGCTCTCGTGAGAAATTGTGAGGCTGAGAAATTGGGGTGGAAACAAACTGTAGACCCTGTAAGTCTGACAGAAGT
TAAGATAAATGGACAGAAGACAATGTGAGGCAGATGCAGGAGACAAGAGGCCCTCAGGTCAGCAGCCAACTGGAACAGGAGGGAAG
GCAAAGGAGGGTTCTGACTTCATGGGGACAGCTGTTGGCTTGACTTGACTTTCTGGTGGTGATGACTGAAGACTTATTTCCACAG
CTGCTGTGATTTCTTTGGAGGTTTCGGTACCAATTCTGGTCTAGAGACAAGACCAGGGTCCCTAGACACACAGTTAAGCTTAGGTTG
TTCTCTGGTATTTAATAAAACAAGCTGTAACTCAAATAGCTTGTGAGAGGCTGTGTTGGGATCCAGGTATCTTTAAAGGCAAAGA
AAAAGCATATATCACTTTAATTTCTTCTACCTAATATAACTGTTTACACTTTAGTAGTTTGCCTTCGATAAAGAACATTTAGTGC
TATCTCAATTGTTAGTCACGCCCACGTTAACAAGGTAAAGTTACAGGAAGTACTGTGAGCACAAGGAATAGGAAGGACGGGTGAAA
GGAACGCTTCTGTTCTTATAGTCCCTTCCATTCTCACATAGAAGATAGGACATTATTGATACAGGGGACATGTTACATACTTAACAG
TTATTAACATACAGAGAAAAGATGAAGCAGGGCAGAGAGCAGAAGATGGGGTGGTGGAGCTTAGGTGGAGGAAGATTGCAAAAAC
ACTTGTCTGAGAAGAGAGCTGTGCACAGACTGGAGCTGGACAGAAGACAGCAGACATCCTGGAACAATGTCCCAGCTAAGCAGCA
AGTCCAAAAGCTCTCTGGTGGGAGCCCTCTTGGCAAGTTCTGGAACAGCAGGGTCTACTATAGATGCATTGGAATAACAAGATCA
AGGTTGAATCAGGACCCCACTCCCCCAAACCCCGAGGCTCCCTCAGCCGCTGTGAGGCTTTTAAAGAATAGAGACATTAAAT
GTTTTATTTACTTCTGTTCTTTAACATGGGAAATTGTAACCATGTATTCCCAGATCTGTGTGTTGAGGCCCTTGTGCTAATCACTC
AATTAACATGGGAAATTGTGATGTATTACACAACCTGTGTGTTGAGCCCCGTGTGCTAATCAGGCTTCAAGTGTTCATTTTT
GGAATTTTGAAGTGAAGAAATGATGACTTAGCATGTCTGACTTGAACAAAACCTCACTCAGAACAGGTTCTGAGGAGGCAGGCAGGG
AGCCAGGGAGTAGCCTGAGAAGTGGTTATTTGGGGCTTCGTTTGAAGATCTGGCTTGATTTTATTTATTTTCTAATTTTTTCAA
AGAAGAACTGAAAAGGCAAATAGAACAGTGAAAAGAGAAAGGTAATAAAGAGGACCAGCCAGGGAGCACCCCTTCACACTTCAC
CTTCTACCTAGACGTGTACCTGCCTGGCAAAGGGCTGGCAGAGGGAATATTCTAACACCATCCTATAAATGACAAGCCACATTCC
TATGCTCTTATGGAATCATGGAGTATTAAGCCCCACACAAGGTGAGGATTTGTACATGTCCCAAAGCATTGAGACCAATTG
TACCTGAGGTACCTAGGGGCGCTTGACCTCTAGATATTTATGATGCATGTGATAAGTTTGAATAATAAAGGAAACCAAAAAGAAA
ACAAGGAAGCCCTGCATCAAGGCTGATGAGGTGAAACCTTTCAGAACAGGGGTACATGCAGGTAGAGGTGTTTCTCTCTCTCTCT
CTTCTCTTCTCTTCT
TGT
AGGGTAGTGGAGTCAGAGAAAAGCAGAGAGAGGGGAGAGTAGAGAAGTAGTTGCTGGCCATGACCATGTGGAGAGAGAGGAGAAG
GGAATGGGGAGAGAAGGGGAGCAAGAGGGAGAGGCAAGAGAGCAAGGCAAGAGTGAAGTGTACCCCTCTTCAGAGCAGGATGTCT
GCAGGTAGAGGTATTACCTTCTTTCAGAGCAGAGGTGTGGGCAGTTAGAGGTGTTACCCCTCTTCAGGGCAGGGGTGTAGGCAGAT
AGAGGTTTTACTTGCCTGCTCTATATGAAACCCTCCTATCTGAGTGGTGGTTGCCATTGTAGTTGCAGCCTGACTCTTGAGATGT
TGATCACACTAGTAGGGAGTGTGAGGAACAGTGCAATCCATGAACCCTGGTGAAGTCCAAGTGTGCCAGCAATAGTGGTGAATC
AAAGAGGTTTTCATGTATCCTGTCCCTGCTTTGCATTCCACACCAATATTCAGAGGGCTAAGAGTGAAGTCCACAGTGTCTGCA
TCTTGGCTGTCTCTCCAAAGCTTACATCACTTGCTCAGGCTGTCTAAACTTGCTTCTTATCTGCAAGTTAGGGTACTACTAGTGC
CAACCCTGCCTATCTCAGGGTCATCAGAAAGCCAGATGTTCTCCATAGATAAGAGGGAAGGACAAANNNNNNNNNNNNNNNNNN
NN
NN
GCTTGATCTGTGCTTCCCTGGTTGCACAAATAAATAAAGAACAGTAACTGACTCCCTGTGATCCTTGAGAGGACATACATTAT
TAAACCAATATACTATTTGCTCTCTCTCCCTCCCTCCCTCTTCTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCTTCT
AGCCTTTTTTTTTTTTTTTTTTTTTTCTTTAAATGAAAAGACTTTCAGGATGACAAGGGGACTTGTGCTCCTCCTTTTTCACACCTAGCATGA
GGCCTTTCTCACAATATGCCTCACCAGTGCCAACAAACAAGCAGGAGTCTCTGTAGCTGTACCTGTGCTCAGATCGGTGATTACAG
CCATGGCGCATTAAGGCCAGTTAGAGAGAGAAAATAACCGAGCCGAGTGTGACATGGTGGCGTGGAAATGTGAATAGACTTTGG
GGAGGCAATGGCAGACCCCGAGTTTCAGGGCACCACCACCTTACCCCAAACCATGGAACAGGTGGTGCATGTTACTTGAGCTTGC
AAAGGGCTGGTTCTTTCCCCGGTGATATGGGGTGCCACTACTGACCCACATGGCTATTGTGGGGATTCTCCCTCCTCGGCTGTA
GAGACAGAATATGCACATAGACTTAGATGAGCACGTGCTCTGGGAAATGAACAAGCATGCGAAGTAAGGCGTTATTTAACTCTTAC
TAGCCAGTCACATATCACTTTCTTACCCTATGTCTCCAGTCATTCTCGAAAAGGGCACAGTCGTGGAGCCATGATGGGCTGACAT
TGTGAGGAAGGTGGGAAACACAAGAGACACGGGCTATTGGTGCAGCTGCTTGAAGGAACCTCCTCTGTGCGCTGTTAATGAGCAGG
ATGAGGGCTCGAGAGCACTGAGCACCCCTGCGAGCATGACTGCGCTCGACCTGCTGAGAATGCCTTTCGAGCATGCGCTCTACCCGC
CCGCAGAGAACGCTGCCAAGCTGCCTCATCTCCACTTGCTCCTTGCTTACTCAGCTCAACTCTGCCTTCAAATCTCAGTCCGCA
TGAGTTAAACACACGGAAGCTTTCTCTCACTTCCCAACCGTGCCAGACACTGTTATTAGACATTCTGTTGATGAGTTCTCCAGTT
AGGTTTTACCTGTATTGTTGAAGTTATCCAGTTAGCGTCAGTCCCAGTGTAAATTCGCTGAGAGAAAAGAAATTGGGCTTGTCTG
AACGAGGTGTAGCCCCACTCTCTGACCTTCTACAGTGTGGGGCTCTTAGAAAGGGGCGTAACAAACTAACTGGTAAACTTTAGT
ACTCAGTGAAATAATGGGCTAGATAAGAAACAATTTTCTGAGATTGTTGATATCATCAGGAACCAAGTGTGTCTTAACTCCTTTA
ATCTTAAACAGTCCGGTGATACTTCGTCAATTAATTTGATTTTGAAGGTGGAGAAGCTGACACACGTCACTCCACGACAGCTGGG
GGATTTGAGCCTGGCTTTGAGAGATCTTAACCTAACCATGACCTGCTGTGGTAAAGAGCAAGGTTGGGTTTACAAGCAGAGCCAGG
CCCTGTTAGAACCCTGAGGATGTTTCGAAAGAAAAATCAGCAGAAAAGAAATGATTTTAGGTATGATGTCTTACATTTATGCTGCTT
CTGCTTTCTGTGAGTACGTTAGCCGAATTCACCCAGAGAGCAGCCTGGCTTTTGAAGTGTGATTCTGAGGAAGTTCTAGGCCA
CTCATCTCTTGTACCCCTTTGAAGAAACAGCAAATGCTTTTCCACAGTAGGTGAGGGCTATCTGAGGTTAAAAAAGAAAGT
ACGTGGCTGACTAAGAGGGGCTATACCTGAGCCCATGACTTGTAGTTTATTATTCTAAAAGGAGCTCTGACCCATGGACCCAGAATTC
TAGAAGAGTTTCTTTCATCAGGGAAGGCCAAGGAAGTCTGATTGTCCCAAGAAGGGCAGCTGACACTAGAATAACATAGTATTT
TGTAAGAAAATAAAACATAGCAAAAAGAAAGAAATAAATGTATTTGTAGAAAACCTAACAAAACACTGCATGTAAGAAAAGAAA
AACCTTCCCTTGGAAATTGATGTGGGCCAAGTATCTTCCAGCCACTTGCTTCAAATGGACCTATTAGACATCCTCTAAGTGAGGGA
GCATCTGACAGTCTGAGATAGCCCTGAGGGTTGTCTCTCTCTCTGCTGAGTACTGTTGTGAAGTGTGTTGTGTAATTGAATGTATA
TATTCCTCATTAACAGCCCTTGAACATTACTGAACAGGTGAAGAGACCAAGCAAGGTACACAGACTGGAACCTGCCTCTCGCCCC
CAGCCAGCCTAGCCTGTCTCTGAAGTCCACACTCTTCCATTCCGAGCAGCTGACTATGCAGGATGGCTCCTTGGCTTCTTACCT
GTGCTTGAGTGTCTTACAATTAAGAGTCTCTGTTTCAAGATTCTACTCTCAGAAAGACCTTCCCTAGTAGACAGTTGCCCTCTATAAACT
TTATCTTCAAGAGACGTAATACTTCCATTCCCTTCCAGAAATAAGTTTCTACATTGGTGTGTAATACCTCTTGGCCACTATGGCAT
GATAAATGATGGTTCCAAGAAATCGTTGTCAAGGTTTGCCTGTGCCGCACAGCTGTCCCAAGTAAGGCTTCTTTCTCTCAGA
TGGCATCTTGGAAAGTACAGAAAGCCAGGGCCCTCCCTGTTTTTCACTCTGTGGTCTGTGTAATAAACCAGGCTTACCATCCCGAC
TACACTCTTTCAGATGGATCAAACAGCACATTGGTCACTGGCAGATCTTTCAGGTCCCTCACCTCAGAGTCCCTCCAGTTCTCTCAT
TCTTGGCGCCCTTCAACCATGAAGTTAGTGTGTAAGAAAACAGTAAGTGCTTCTTGAATGCACCTCCACCTCCACCTCTTCCATCAGCGC
CAGTGACTAACTAGCCTGTGAGCGCAGCTTCAGAAAGGCTCGGATTCCAACTCTCAGGCTTCTTCCATGAGGCTTCTTCTGCTTAA
GTGGAAAGCCTGCCTGATTTACCCAAAGTGAAGCGCTTCTTGGAGCTTCTGTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCTGCT
TGGGATCAGTGAAGTGTGCT
TTGTAGGAAGAGCATCATCAGCCTTGGAGCAAAACCAGAACTTGGTATTTCATTGTCTTACCTTAAATGGGGAAGTATTGGCCT
GTGAAGAAAGACGACTTGCTAAATTCACCTTCAATTTTAAATATCAGAGAGAGTTTTAAGTCTGTGCTAAGAAAGCAACTCATGCTT

TGGGACAGTCAAGGTTAAAGTTAGTACAAAACCTTTCTCTGAATTAGGTCACCTCTGTAACCTATGGGAAGGCAGTCTCTGCTGATGGC
CTCGCCGCTCTGGAAGAAGTATGCCCTGGTCTGTTTTATGTTGTGTTGGTTGACAAGCAAATTACACAGGATTAAAGTTTGCTTGG
GCTGGGGTTTGAAGCCTGGGAGGGTTTACAGTTGTTGGTCAGCCATATCTGACAGGAACCTTTCAGCCCAGGACAAGACAGGAAATT
ACATAACAAGAGAGGCCATCTTGGCTGAAGTATCTCTTCTCTTTGTATAGCTCACAGCTCCGTAGATGAGGGCTGGCTCTTATGG
TGTATTGATTTTTACCTCCTAAAGATCAACTTCCAGACACCATCACTGGATTACATTTCTAGGCTCAAACGTCTCATGAGTTTCG
GGGTGGGTTTCAAGCAACTCATTATAATGTTGTATCAGGGCTCAGGCAGGCAGGCCTCCTTGGGGAGTCTAGAGAGCTGGCTCGC
TGGCCAGAAGGGAGACCGTTCTGTTGTTTCAAGGCAATGGTATCTTTTCTCCATACTCTCTGGGGAGTTACGCGAGCAGTGATCAGCT
TCCCGGCTCTGACCATCAAAGGTTACACTGGAGAAAATCCATATTGAGAGCAAACCTCTGTAGAGCCCTGCCTCCGTGGAGTCTGGA
CCCCGCTGATAGTAGTGATATTATAAGTGAGCAGGCTGAGGAAGGCTGTGTCTTTTACAGGAAGCTCCTTTAGCAGATGCAGGCT
CTTCACGTTTACGTTGACATTTATCCAGAGAGGGGACGTACCTCATGCATTTCTAACAATAGGTGGGATTTATGGCAGGTTCTGAC
TTAATCGAATTCAGAGGGGAGTAATGCCTCCGAGCTACTCATGGTGTGAGTCTCATGGTGTGATTCCACGGTGTGATTCTCATGG
TGTGGTTCTCATGTTGGGCCATCTTGACGAAAAGTTCTACACTGTAGAGGTCGGGATGGTCAACTAGACAAGAAAGACTTGGTCAT
CTCCTCTCTCTCTGTCTGTCCATTGCTGTTCTTACCACGTTACAAATACACAAGTGAAATGATCGCCTCACATGGAAAACCTAACT
TTGTAAAACAAGAGCTAAACAACCAAATGTGAAACCTACAAATTTTGTAGTCAGAAAGTTTGCTTTTTTATTTAAGAACTCACAG
ACTCCTGAACATATACAGTATAATGTCAGAACCCATGCCTGGGGAACTACTGAAGAGTAGTGGGTGTCCTGTTAGGTGATGTGGA
CCAAGCCATGGGCTTATGTCATTAAAAACAGCCTCCAGAGCCAAGCCCCCTGAACAAGACTACCTTTCTGGTAATCACATGACAAGG
AGTTAGGACTCAGTCTTTGTTGTCTCTCTTACTTCATCAGTCACCCATTCCCTTCTCGTGCATGGTTTGGCCAGTTTTTCATCACT
GAAAATCGTGACAAGGTTTCAAGAGAAGAAACAGTGTGGTTAGTAAGGACCCCTGTGACAGTCTACCTAATGAGGCATACTCTGT
TTTCAGTGACTTGTTCCTGGACATATAAACAACCCCCACTACCATTTTGATTTATTTCCATCCTGTCTGTGTTTATTGTATATT
TTTTAAGTTGAGCTATAGTCAAAATATGTATATATCTGCAAAATGTTGTATTTATGCTGATTGGTTCCATGTTACAGTCAGGTCAGA
TGTAATAACTGTTGAAAATGTGCTTCTCATATAGATTTGCAACTATGTGGGGCTGCAAAAGGTTATCGTTCAGTTGGTCACAAATG
GAAAAACATCCACCTGCACGCCCACAGCCTGGTGGGCAAGCACTGTGAGGACGGGGTATGCACCGTAACAGCAGGACCCAAGGAC
ATGGTGGTTGGGTAAGTGGGCTGTGTGGTATGGAGGGAGCGGGAACACGCGGGTGTGAAATCCATAGGCCCTTTCTTGTGGACC
TGTGCAAGCCTGAGAGGGTCTCACACACGCGCAAGCAGATAAAGCCAGGGGAATGTGTGTCTCTCTCTTGAAGTCTAAGGAAA
TAGAGGTGACCAGATATCTGTCTGCTGAGACAATCCTTGCATCTGTAGTCTTGGCCTCTCAAGGATGGGTTTGGACAATGTTAT
AATTATAAGCCCTTGACCTAAGAGGCATTTGTGCCACTTTCAATTATATTTTCTTCTCTGGAATTAAGATGAAGAAAAGAATG
AAACAACCTAATTAATATAGAAATGATTACCATGGAGATGCTTTTTGCTTCTTGAACAGCATCTCCACTATAGTTTAAGCT
TACCTTGAAGTCAATAGATCCTGTTGTCTCTACCTCCCAAGTGTGGGTGCTGGGATTAGAGATGTGTACCCCCCACACACAC
ACAGAGCTCTGATTTTTGCTATTTGGGATTTTCTTAATAGAGTTCTAGTGGGAACATTTGAGACATGAAGCAGATAAGTAAATAT
TGTTTTCAACTCTGCGCTACTTATAAAATGTGTGCTTTTTAAGTCAACAAGACATGCAAAATGGTTTGGGCACTCATTTGATCTGGA
ACATAAGTAGAAATTAGTGTATTCTTTCAAAGTCAGTCAAATACAACAATTTTGTAGTGAATGAAATTTTATAGAAGTAATCTTACT
TCAAAAGAATCACAAAATATTTAATAAGACATAATTATGGGCTGAGAGAGGATGAGTTTAGTTTGCAAGTATGATGGCCCAAGTTC
AAACCCCTGGCCTCTCATAGCAGCGCTTTTTCAGAGCACAGGCATTTATCCTCCCAGCTCCTGCAGGGGAGCAAGAGGCAAGACAG
GAGAATCTGGAATCTCATGCAGTAGCTGGCCTGGTGTGGTGGACAGACACCAAACAGATCCCATGTCAAACCTGAAGTTCTCCTCA
GACCTCCATATGCACAGCACATCACATAGTCAGCTGCGTTTCGCACACATAAAAATAAGGGCACTCACTATGCTAAGGTTTTATATTT
CATTATCCTGAAACACTAAAATAGCAGACAATGTAGTAACCTAAACAGCAAAAATGATGTAAGCATTTCAGTCATCTCAAATACAG
ATAACTCCTATTTTCCAGACTCTTAAAAAGCAAAGGGGATGATTCAGTGGGTAAAGTGCATTTTCCACCAAATCTGAGAGCCTGAGT
CCAACCTCTGTAAGCCACATGGCAGGAGAGAACCAACTTCCACAAATATTCTCCAACCTCCACATGCAACAAAGGTATAAGTGCA
CACACACACCATGTAATATAATTTTAAATAAAAAAAGTTAACTAAAATATTTTAAAGCCAGAAGGTAAAGAACTGGGGAGACAG
GTCAGTGGGTAAAGTATTTGCAATGCAAACTTCAAGGGCTGAGTTCTGAGCTCCAGCGCCACATGAAAATCCAGGTGTTAAAAA
ACCAAACCTGATAAATAAATAAAACCGGGAAGGGCAGAGCACAGCGGTGCATGCCTTTAATCCTAGCACTCAGGAGGCAGAGTCT
AAGGCCAGCCTGGTCTACAGAGTGAAGTTCCAGGACCGCCAGGGCTACACAGAGAGAGTCTGTCTCACTGCCCCCAAAGCCAGGTG
TAGTGATGCACCTGGAACCCCAATGTCTGGCCACAGGGATGGAGCAGATCCGCGGGGCTCACAAGCCAGTCAGAAAGCACGGCCCA
GTCCATGACCCCTGTCTCAAAAACCCGAGAAGTGACTGAGGAAAATTCCTGCTGTGTTCTGTGGTGCATGCAGATACATTGTT
GTTAATTTTATTTAATTGTGTACATCATCATTACAGAGTTCTCCAGTCTTAGATCAAGTAGTGTCTGGGAAGACCCCAAGTGAATGTG
TGCTTTTTTTTAGGAGATTGCTTAGCCAGCCTTGATGAAGTCTGACTCTGTTGCCCTGCAATCTTGGGAGGTTTCAAGTCT
CCAGGCATCATTTCTTCATTTGACGACGAAGATGCTCAAGTGTGAGAAGCTCCAGAGAGAGGGGCCCTTCCCTTTAAGTCATTCAT
CTCTGGTGTCTTTTGAAGTTAGGGAGAAAAGTATCCGAATTGGAGGAAGCTGAAGTTAGTTCTCGTGGACTTCAGCTTGTCTCGGC
ATCTCCTGGCTGCCCTGCTTCTCAATCTGCCGAACTGACATGCAGGGTGAAGTGTAGTCTTGTAGCAACTGATCGGTTAGTGTATT
CCCTGATTGATTGGCCACATCATAGCCAATCGTTTTGAAGCATTTCCGTTCTTTTCTGCTTGTCTTAACTGTCTTACAATCATATG
TTCTTAAGGAAATCACAGGTGAAGTTTCTATCAGTATTTCTGTGAGTAATATTTATTTATATAAACTTGCAGAGTGTGCTTCT
CTGTTGGGTTTAAATAATCTTTTATGATTTAGAAAGAACTAATGGTGGCTGTGTCTGCTGCTCTGAGGTAGACACAAGGCCCTTGGGT
TGCTCTCCCCCTGCAGCACTACCGCCACTAAAAACACTAATGGCTGTTTTATGCTGGAGCCTAGGTTGCAGCGATGGAGGTAAATTCA
GTACCTGTAAGCAGAGCGGAGAGGTCCGTCGGTGTCTTTTAGTGATGTTGGGGCACGCGGCTCTAGAGTTGGGAGTGTGCATTACTC
ATGATTTAGCAAAACATTTTCGACATCCGATTCCTGACTAGGCTCCCTGTGGTTTGATCTAGTCATAGCTGGGTGGGATTTTCTAAG
GTGAGGAAACTTTCTCGGAGAGATGCAGTCGAGGAGATGCCGCTGAGTGATAGGGGGTAACCACAGTAGCTTTTCCCACCAAGA
ATCTCTCACTGTAGAATGTCTGCAGTCGCTTTCCCGGTTGGCATTTAGCTGAGAGAATTCGTCTCATGGTATTTTCCCAGACACC
ATTTTCTTCTGATTCCTTGTCTCTGTGTCTCTGAGTTTCTAACACGGTCTTACACCTTTTGCCTTTTCTTCTGTCTCTTCTGGA
TGGAAAAGCAGCGTGTAGCAGCCGGGAAGTCAGAGCTCTGTATGCTTCTGTCACTCTGCACGGCAGAAGGGATGGAGGCCAAGT
TGCACTGACTTTCTAAAGACTTGAATTCCTTTCTTACAATAACAGAAAGACAGGCTCTGTCTATCTCCAGGCCTCAGTGTGTTA
ACCTCTAGACCAAGCCACATTAGCTAATGTTATAAAACAGCAGGAGGAACTTGGCACTATCTCCTCATGGTATGACATCGGTT
ATTTTATTTAGTCTGACTTGTAGGCCAGAAGTTTAGGAAGGCAGCCAAAGGTGTTTCTTAGACTTGTCAATACTAGAAATAGAAC
CAAGATAACATTTTCCAATACTACAGATTAGACTGAATATAGATTCAACAACAAGGCACCAAGTCCAAACTATCAACATATGTA
ATGACCCCAAGAAGACCAAGCTTTGAACACATCAAAACCAACGAGCCCTTTGTTTACAGTGTCTTTACACTTCTTCTCTGT
TTGAATTCCTTAATAAGTTTATGTTTCTATTTTCCAAATATTTTATCAGTATTAGAATATCATCTCTTGGGGTTGATTATGGAT
TTGATTGTTTTAATATAGGGTCATTAACCTCAGTTAGCTTTTATAGACCTCTTGTCTCTTATGCACTTAGTTAGACTTCACTGCC
TTTCTTAATAAAAAAAGAAGAAGATCCTGTTTATGATTTCTATTTTGAACAGAATGTTAATATTTTATAGCAACACTCTAGTTCTC
TGAAATTTTTTGTTCAGTGGAAAATGTCTGTGCATTTCTACTTTGCTGTGCGGCCACGTCCACCAAAAGTCACCAACCCCTGTTTGC
TTACTGGCAACCTGGGTTGAAAGAGATGTACAGTTCTTTTATTTCCCTTCCCACTAATTTATGTAGCTTATTGCAAGTTGGTAA
GCAGGAGAGCAGAGATTCTCAACCTGTGCTGTTGCAACCCCTTTGGGCGTCAATGGTCTTTTACAGAGCATGCCATGGAGATTT
ATATTAAGCTTTAATAACAGTGGCAAAATTACAGTTATGAAGCAGCAATGGAATAATTTTATGGTTGGAGGTCACCAACAGCATGAGG
AACTGTTAAAGTGTGAAGCATGAGGAAGGCTGAGAGCCACTGCCCTGGATGATAGTAGATATGAGAACACACAGGAGAGCCTTTG
GGCTCCCTCAGGAGAACTGCTACCTTAAATTAAGTGTGACAGATCCAGTGAATTTGTGTAGCTAAACACTAGCCACAGGAGAGG
CACTGCCCTAGAGAAGGTTGGACAAATATGACTTAGGTTCAAGGTGTGCCGTACCAAGTTGGTGTATGCACTGTGAGACGAGAGCT
GCTTTTGAACACTGAAATCAAGGTCTGAAACAACAAGGCCAAAGAGGGGCCACTGTGAGCCCCAACCCAGTGTAGACACATCAA
AATTTGAGCAACAGCTTCCAAATGATGATGAAGATGAAACATCTGACCTACTTCAGCATGTTTATTGATGGCTACAGGTTGAGTC

148

GATCATCCGCCAGGCAGCCGTGCAGCAGACCAAGGAGATGGACCTGAGCGTGGTGCGCCTCATGTTACAGCCTTCCTCCCTGACA
GCACTGGCAGCTTCACTCGGAGACTGGAGCCTGTGGTGTGACAGCCATCTATGATAGCAGTGAGTACTCGTTCCCCAAGATGGGAC
AGTTTCATCTAGCTGCATGGAGGGCAGGGCCACCATGTCACTTACTCCCCAGAGCTGAGGCCTGCAGACTGGGACCTAGTCACATA
GAGCCTCTAGTTTATTGTCTACAAAGTTAATACTGCAGTCTAGGGTAAAGGGTCAATATCCAGTTAAGCGTCTTAAGAACATGTCT
GCCAAGGTAACACGTCTTCTCAGAGAGTGCATTATATTCTTACATGTAACACCAGTTTCTTACTATGAACACATGACTGTAAGG
ATAGATTGCTGGTGTCTAAAAAAATTACCTTAATTTTTTGACCTGGCAGCACGGAAGAAAAATTGATAGAAGACAAGTATCCCT
CTTGTCTCTTTTATCCCCAGTTTGAAATACATTTATTAAGACAGGAACGTCAAGGTAACATAAATAAGTATGTCAAAAT
CATCTTTCAGGCTGCAGATAATAGAATGTGCAGGGTTTCCAGTAGCTTGTAGAATTTACTGTGTGGCTCTATTGTTGATATGCAT
TGGGCTTAACAAACAGTTGTTTCAGGAACCTGCAAGCCTCACTGAATGGTCAATAGAATACGATGCACAAGGAAATCCCATGTTCT
GCATCCAGCCACGCATGGGTCTGTCTGATTTAAACAAGTGTGAAGGGAAGTGAAGAGTTTATTGAATGGAAAAGAGTCTTACTGAA
CAGAGATGAGCTACAGCTGTTGGAGTTTTTAAAGGGGGAAGCTTTGCCCACTCACCCTATGGGCAGCTTTGCCCCAAACCACAC
AGAATGCTAATTTAGGTTGGGGGAAAAAAACCAGAACATCTTCACTTTTCTTTGAAGAATATGTGTGTGTGTGTGTGTGTGTGT
AATGTGTGTGTAT
TTTACAAATGACATAAAGTTAGCATGAAACAAGCCATTGGTCCAGAAACATCAGACAGCTCTCTCCTTCCCTCATCAGCCTGTGTGT
TAGAGAAGCCATATGCCACCATCCCTCCCTGACCTGCTCTTCTGGGGAACCATGAGTGCCCAAGACCCAAGAAGTGTCTCCTAGT
ACCTTGGAAGTCTTTCTGTCTCTATTTGTGTCTTGTAAAGGCAGTAAGAGTGAGCACCATCATGGAATCTTTGTGAGGCTAATGC
TAAGCCAGGGTATGCATTCTCTTCTCCCTTTGAACAGAAGCCCCGAATGCATCCAACCTGAAAATCGTGAGAATGGACAGAACAGC
AGGATGTGTGACGGGAGGGGAGGAGATTACCTTCTCTGTGACAAGTTTCAAGAAAGGTACGTACACACCTGGTCTCTAGATGTAGG
GTGTGGCTGTGAGAGTCTCTGGAACAGCGGACCAGGGGTGTTCTCCTTTTGTGTGGGAGTCTCAAAAAGACAGCGTTCTTCAA
CACCATTACACGCATTGCAATCACATGCTTGAATACGCCCGTTTGCAGATGACATCCAGATTCGGTTTTATGAAGAGGAAGAAAAT
GGCGGAGTTTGGGAAGGATTGGGGACTTTTCCCCACGGATGTTTCATAGACAGGTAGGTGGGTATTATTGCGGGTTTTATTTTA
ATGCACCTTCTGCCTTGGTGAATTCAGTGCTCAGTTTCCACATATTAACAAAGAAACCGTCATAAGTCTCTTTGACATCCATACAG
CAATGCTATGTTTATGGCTCTTCCAGTACTCTGACATAGAGGCTGAGAAGTCTAAAGGGCTGAAGCTGATGCTGTCTGTGATGAGCT
GGTGTCTCTGGCTGATTGGTTACATGACCAGGGTCTCCAGCTGATGACATGAGCCACCACAGTAATAGTCACTCTTTGACAGTGA
CTGAGAAATGGTGTTCAAATAATTGGCAACAACCCAAATGTTAGCCAGTAAATGACTAATTAGATAGTGGTGTATCTATGTAATG
GAACATCATACAGTTACTAGAAAAGAAGGCTCTGTGAATGAACAAAGACCTCAAAATAGAATGCAAAGATTTGTAACAATCGATAT
GGAACACACTGTATGTAGAAACAATTCTATGTAGAAACAATTCTGTGTTTACAGTGCACAGGAAGCCTGAGACAATAACAACATCAG
CTCCCTCTAGGATCTCAAGTTAGTGCATGAGTGGGAAGCGGGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGG
ATATTTGATGACATCTTGATCCTTATAAACATAGAAAGACCGAACTAAGTCTGTCCAGTTCCTTATTATCCCAGCACTGCCCAGG
ACTAGCATGTGACACCTCTGCGCAGCCTCACTTAGCATGACTGTCTGCGGGCTGTGAGGGGAGCCCTGGTCTGTCTGTCTGTCTCCA
CATCCACTCCTTCTCTTGTCTGCTGGCAGTGATCCTGGATGTTTCAAGGCTAATCTGAAAGAGAAATGGCTGAGTCGCGTGATCCG
CCATCATGCTGTTGTGTTTTACTTTACGGGGGAGTATAAGTGTGGGTATAAGGTACTAAGTGGGAAGTCTTCTCCAGGTGCTGGG
TTTGCACACACTTTATTTAAGTTCAGAGTATACATAGACGTGTATAGAATGTGCCTGATGCTCACCAGACACTAGAAAACAAATGTC
CTACACTAATGTTTGGGTCTTTTGCACCCTGCAGTTTGGCATTGTCTTCAAACGCCAAAGTATAAGGATGTCAACATTACAAAGC
CAGCTTCCGTGTTTGTTCAGCTTCCGAGGAAATCAGACCTGGAACCTAGTGAACCGAAACCTTTCTCTACTACCCTGAAATCAAA
GGTACCTGGGTGGTTTAGACTCTTGTGCTTGTCTGAAAGACCAGTGGGCCCCCTCTCTACTCAGCCTCCAGAGCTGCTGCCTG
GATGCCTGGATGCACGCTGCATAGTGTAGGGGCAAGGAAGGTCAATGCCAAGGTCAATGGAATTAGCCCCAGGAATTTATGTTAC
TATATTGCTGCCAACTTATATGAGACTTAGACATTTGGCTATTGTTGGGTATTAGAATCTAGTATGGAGCCAGCAAGATGGGTAA
AAGCACTTGCTGTGAGGGCTGACCTGAGCCTGAGTCCCAAAGCTGTGTGCTGAAAGGAGAGACGTACCTGCCAGAAGATGTGGGTG
GTCCTCCACCAGGAGGGGGCTGGGCGGGGAAGAAAGGGAAGTAAAAAAGGTAAGGATTTTTTTCAGCTACTCAG
AAGCCCTTAAGAATTAACCAGAAGGCTTAGCCACTGTCCAGCCCAGAACTATAAAATGAGATGGTCACTATACTTTCTCTCAAAAA
GACACCTCAGGAAAGGTGCACTATAGTTAAATGCAGATTACGATTTCTTTTTGACGTGCTAGACATCATATTCTCTGGGCCTTGTA
GACACTAGGCAGCTGCTCTACCATTGAGCTGTAACCTGGTTCTCAAATGATAAGTACCCAAAGGGAAGCATCCACAAACTGTATG
AAATAGTTGAGGAGACAGTCTGGATTCTTGGTCTAAAGAATCAGCCAAAGAATTTCTCTTCAGTGGGAAGCCACTTACCACATT
ATGAAGGTGAATGGAAGTCAAGGCTCTGTTTATGAAAGAGAGATGTTTCAGAGGCAGAGGTGTGGCAGCTGGTGTGTTGCTGGGAG
AAATGATTACTGTGAATCTGTGTGGACTGAGGAAGGTTGATTAGGCGAGGGAGGCCAGGTCCACGCAGTGAAGCGTTTCTGTGGT
AGCTGGAGGTTTTTGTCTTGTGCTGATGGCTAGGCCTGCCTGCTCACTGTCTGGAATGATGTGGTCAAGATGTTGCTAGAATTCA
GTGGTGCCTCAGCAGAGTTAGAAAGGGTTCTAGCAGCCAGAAGTTAGCATCCAGCAGATACTTCTATGTTGGTGTGTGGAGACCT
GGACCTTGGGTGAAGAGAAAGGAAGAGAGACTCGAGAGTCTCAGATTGTTCTAGGGTTTCCAGACTAGAAGTGTATGTATGGAGTG
GTTAAGTGGATAAGAGGAACAAGAGAGAAGGTCTGAGAATGAAAGAGAAGCTTAGTGTAACATATTTTCAGTTGGGGTCAAGTGC
AGGAAGGGGGCCAGTCAAAGGCATGACTCAAGTGGGTGGGGCTCAGCACTGAAGAGAATCCCGGCCCCACAGAGTTTAAGTGTAG
GGACGCACAGTGCTGCCGTCAACCTCTCTGTACCTCTGTTTCTGTAAGTTTTGTCTTGACGGCCATGGTTCTGAGAAGAGATCCATG
AACTTGGAGGCTACACAAGGCCTGGGATCTGATAAAATCAGAAATGTCTGGCTCAGAGAGAATGGGGCTGGAGAGGATGTCAACAG
GTACAGGGTCCTAGGTCCAGGGCCACCAAGGCCCCAGGTATCGGTCCCTTGAAGGCAAGCGTGATGGTGGCCAGGAGTTTCTGG
GAGGCCATGTCTCTTTTTGAGGTATGGCCTCCCCATTCTCTGGTTCAGGCTTATGGTGAGCTCTGTGGCTGGCCTACTTCTCTCTC
ACCAGCTTGAGGTCTTCTAGATCCTTCTGTCCAGACAAGGCCAATCATGAAATTAAGTCTTACCTGAAGCCTCTGCCCTCTGAAAAC
AGGAAAAAAGATTATTTTTCTAAGAAAAAAGAAAAAAGAAAAAAGTATCTCTGAAATGTGCCTTTAAAAGAGCGTTGTCTAT
TGCTGATGCAGAATCATGAGAAAAAGAAAGAACTGCAGGTTCCCTGTGAGGATGTGAGCCTTGAAACGCTGAGAGTTTGGTTGC
CAGGCAACCTCTCTGCTAGTGTCTGCT
GAGTTTTCTAATGCCTGGATTAGAGGATTGGGGTTCCCTGAAGTCTGGTTACCTCACATCTTCTAGGTTCATCATGAATACAAATG
GTATACTTGAAATACAAATGAGGCTCCACCTACACACAGGATGGCTGAGGTACCTGTTGTGTTCCGTGTTTCTACACTGGAAACAT
TTTCTCTGTGAGATCCACAGTTTCACTCACTGACTAAATGAATATAGCTATTGGTTTTGGTATAACTGGTGGGAAAACCTTTATAAAT
ATTTCTCCGAGCCATCAGTTAGAAAGTAGACAGTCTCTTCACTCAGCTCACTCCTTTCTGGCCGAAGCCGTTTTCTTCTCTAAT
CATCTGGTGTGCCAGGGTTGGTTTCCCAGGGACTGGCAAAGTCCACCATGCTCTCTCTGCTTTCCCATCAGCTGCAGTAGACAG
TCCAACATAGTCCAAAAGTCTTGTGCCACACCGTGGGGTGATGGAAACACCCACAGAACTAGAGAAGTAGGGATCTTTCTGAACA
TAGACCATGATGAAAGCCAGCATTAATCAGTCAGACACAGGACGATTGTTTCAATATTGGCCTATTCTCTGGATAGAAAGCACCATG
TTGACTATTTAATGTAACACAAAACACCTTCACTTCTCAGCCCCAAGACAAAGAAAACAAACAAACAAATATCTGCTAGGATA
CTCCAGACCACAAAGGAACAGGAGCACCATGTGAGATCTCCACACAGTAACAGGACTGAGAACATGGTGGCTGAAGATCACACG
GGCCATGACAGAATGAGGGCACATGGCTGTGATCAGATTGCAAGTAACAGAAATTAGGGGGGCTGTCTGGTTAGTAAGGAACACA
GACAGTGAAAGACAAGAGGAACACAGAATCTGTGAAGAGCACCAGATAAGTCTCGGAGCACCTGGACCTGGGCAGGCCACTGTCT
CCAGAGGTCACTCACTGTCCCAGAGGCCATCTTTATTTTGGAGTCCGAGATCTCAGGAGCCAAAACATCTCTGTACACCCCTCTCTG
TGTTTTCTAGGATCGACATTATATCTCTTACCACAATAACAGTAAGGACTCGGTCTCCATTGCCTCATGCCTGCAGTGTCTTCTT
AGAGTTTGACTCTAGATGTCTGTATACAGTGATAGATGTAGCTCCTAAAATGCTGTCTCTATGTCTCTCTGAGACATTCTCAGC
AAGTCCCTCACATTCTATCCCTGAGGCTCTCTCAGCATGGGTGACCCAGTCTCTCTTTAACCTTTATTTATCAAAGCAGCCACCC
ATGTTATCCCTCTGAGAAGCCCTGTGTCTTCCAGAATATCATGTTCTTCCGCCATAGTTGTTAGCCTTTATAGAGGCTTGTCTATG
CTGTAAATCTGTTTTACAGTGAATTCACATGATGGTATGATGCATACCACATAATCCATCCCACTAAATCCCTCTTTGCCTTGAA

ATTGACGGTCCTTGACAGCAGAGATGTGTGTTATGTTTCTGTCCATCCCAGCACCTTGCTCAGTGTATGTACGGAATAAATGTAAG
CTGGTTATTATAGTTGTCTTAGGTGAACAAGGACAACCTGTTCTGAACGTTAGCTGGGTGTGGTGGTGACACCTCTAATCCTAGTG
TTCACGAGGCAAAGGCAGTTTTGAGTCTTGTTCAAAAACCAAGCTAGTCTACATAGTGAGTTCCAGGCAGCTAGAGTTACATGGTGA
GACCCTATCTCAAAATAAAGAAGTAAAGTGCTTTAAAAAGAAAAAATATGTGTATCTTTGGGTATCTGAATCTTGAGAAGCAA
TGAGATCTCTCACCATCTTGTTAGCACTGGGAACCTTAGGAGGGGGCGCTCAGGAGAGTTGGGTGTGTGCCGCACTGTGGTCTCTGA
GGCGTGCTCTTGCTCTTCTCGTCCATTGGAATAAAAAACCATGCTTCCTCCTCGGGTGCTGTTATTTCCCTTTAATGCATTTAAAA
ATATCATGAGAATCAATCGTCTCTCTGCGGCTGCTGGTGGAACCCGATCAGTCTTTCCCCCTGGTTTCCCTTCTGTAAATACAG
ACAAAGAGGAAGTGCAAAGGAAACGCCAGAAGCTTATGCCGAACCTTCTCGGACAGCTTCGGCGGCGGCAGTGGAGCGGGAGCCGGT
GGTGAGGCGATGTTTCGGTAGTGCGGTGGCGGAGGGAGTACCGGAAGCCCTGGCCCAGGTACGAGAAACATCTCTTCTATCTAAAG
CCTTTCATGAAGAGGAGGGGGTAGTTTTCTTTCCAGGTTGCCAAACATGTCTGCCCATGGAGTGATGGTGTCTTACTAATTATT
AGATTTCAATTAATGGAAAATTTCCACAGATGTAAAGAATTTTTGTTCTCAAAGAAATGTATGTCCAACCTCAAGGCACAGCCAC
TCCCCACCCACCCACCCATCAAGTTTCACTTTCTGTGGTTTTCAGTTACACGCGGTGAGCTTGAGTCTAAAAATATTACCATTGTGT
TGACAGAGAGAGACCACACACACAAAACCTGTCTTACAGTCTGCTGTTGTGACTGCCCTATTACTCTGTGTTCTTGGTCTCCTTCT
GTCTTTTTTACGTGTGTAACCTTACCAGGTCTGTATGCATCTGCAGTTTTAGGGATACACTGGGGGTCTCGGACGTTCTCTTTTCA
GATAATATGTGTCTAGTCCCGAAAAGTGTAAGAAAAAGTCAACTGAAGGGTTTCTGGAAGAAAACCTTTCTCAAATCATTTTTGA
GTGTTTTCCCTCCTCCCCCTCCCCCTTGGCTTTTGGAGAAGCAGTTAGTCTATTATTCTGAGAAAAATATTAACAACACTATCATACCC
ACCGCATGGTAGATGGGTATAATATGCCTACACAGCATACTGTGGGCTGGAGACACTGTACTGTAAACAAACTGAGTCACAGAAAA
TCATGCCAGGGAAGCACTTCAATGGTGTGTAAACTACTGCTCCTAACTGCCACGCATACGGCACAGTCAGTATTTATGTGTTCCCTC
TCGGGTCCGGCTATGATCCCCGTGCGTGGATTTCAGCCATCTAGTTACACTCAGTTTTTAAGCATCGTTGCATCATGCTTGTGGA
TGCTGAGTAACGCTGCTTTTGCCTCAGATCTAGCTAGCTTAAGCATTTCAATGGAAATACAGTCTTATAGCAGCATAAGTGTGCT
GTTTAATGACTCACACCTGTAGCGTAAGTGAAGTGTGTTTCTGTCTCCTGTGTAAAATAACTGTGCTGAGCATGGCCTTT
CTTTATTCAGATAACATGTAAATGCTTTAAATGTGAGAGTGTAGTGCTAAGTGCTGGCTGCCCTCTAAATTTATCATTCATT
TCTCCACTAAAGTATCATTATATTACGTATTGGGTCTTCTCACCAGGGGTCTTCATATTTAACTATTTTTTTTCTGTAGGTCTAAG
TCTTGGTGTGAGTACTTACCGTTAGCTTTTCCCTTACCTGGAAGAAAGGGACCTGCTCAGCCTTAAGTCTCCAAGCTGCTAGTC
TGGGCACTGCCTGTTTGTTCAGCTGTCTGTTTCCACAGTGATTCTGCTAACTCTCGGGCAGAGCCAGCCTGTGTAGGCTTGTGCC
TCCCCATGCCACAGCCTGCCTCCCTGAGTGGGTCCCCATACTGTTAACAATCTCCCTGATGTTCCCTTTGTCTCATTGCTGGTTCA
GGGTATGGCTACTCGAACTACGGATTTCCTCCCTACGTTGGGATTACATTCATCCCGGAGTCACGAAATCCAACGCAGGGGTAC
CCATGGTAAGTCGGATCGGAATACCCAGAGCACTGCTCGGGCAACAGGATCATCTCTAAAAGCTTTGGAAAATTACTTTCCAATAA
ATTAATATTCTCAGGTTATTCTAGGACAGCATAAGGGACACCCCTGACACGTATTTGCTCATCACATTGTGTGGAAGCAGGACAGA
GGCTCTAGACAAAAGATGAGACTTGACTACGCAAAACACAAAATACCACCTTCACATCTGTCCCTTTACCCCAAGTCTATCCTTC
TGAAATCAGTTTTCATTTTTGTAGGGTTGGCCTTTTCCACTCTTGGGCATCCTCTGAGTAGCTGTGGCTACAGGCTGCTCGTGGTT
TATATAAAGCTGCATTCTTCTGTACCATGGAATATTTCTATAAAGTCTTTCCATATATAATGCCAATTCATGCCAGATGCGTACA
TCACTGTAATCTTTTTTAAAGATTTTTAACTGGCATTTGTCTGTTTATCCTATAATCGGGTAACCATTCATCCATAAAATAGAATA
TTCTTTCCATTACCTATAACCTCATGACCCTGTGCAAGGCCAGTGTAGGCTTGGCACCTTCTGGACAGAGGTGAGGTTTCAAAA
CTTGACTTTCAGAACCACTGTAGCAGGATTGGGTTTTGTCTCAGGTTTGGCCAGGAGTCTTACTGTCACTCTGTACATAACGAG
GTTCTCAGCAACCACAGTCAGTCTAGTGATGGTCCCTAGAGCCCTCCTGGCCACACAGAATGGAAATGAGCTCTGCTCGGCTC
CCTTTCCCTTGCCACTCAGGATTAGGAAAGAAAATAACTGCTTTTCGAGAACCTTCCAACCTGGCTATCAGCGCACAGAACCTTTATCT
CATTTTTCTTCTCAGATAAACAATAAGATCCATGCCTTGTCTGTTTGTGTTTTGTTTTGAGAGAGAGAGAGAGAGAGAGAA
TATCACTGTGTAACCTTGACCTTCTGGGACATTGTGGGTGGAGCTCACTACAGCTGGCTACAGAATGAGTTTTGGGAAGGCAGGCT
TTTTAAATGTTTTCTGAATATTTAAAGTATTTCCGAAACATCCAGGTTTTTTTTTGGTACACACCTTTAATCCAGCACTTTTTGTGA
GTTTAAGGCCAACCAAGCTACACAGCAAGACCCTGTCTCAAAAAGTAAATAGAGAAGGAAATATAAATATGTCCAGAACATATT
ATTTGTGTATAAATCATTTATAGTTTTCCATTTCTGCAGATAAGCCTTCTTCCATTTTTTCTGCTTTTTTCTGCCCTATGTTGAGACA
GTGAGCTATAGCTTAATAGATTTTCTACGTTTTTTTTTCCCTAGGCACCATAAACACCAAATTTAAAAATGGCCCTAAAGATTGTGCC
AAGAGTGATGACGAGGAGAGTCTGACTCTCCCTGAGAAGGAACTGAAGGTGAAGGGCCAGCCTGCCATGGCCTGCACCAAGAC
GGAACCCATCGCCTTGGCATCCACCATGGAAGACAAGGAGCAGGACATGGGATTTTCAGGGTAGGTGAGCTTGGCCACGAGGGCTTC
CAGGGACAGCTGGGGTGGGGTTTTCAGGGTAGGTGAGCAAGGCCACAAGGGCTTCCAGGGACAGCTGGGTAGGGGCAATTTCTAGGTA
CAGGAAGCTGTCTCCAGAAGACAGGTTTTCTTCTGTTAATCTAAAGCTGATGAGTCAGCATCTCCTCTGAGTGCTCTGCACCGTG
CCCTGTGCCCTGCAAGAGAGGGCTCCTGTGGATCCAGTCATCTTTCAGCCTCAGCTCTGATTATAAAGTGCAGAAAATTTGCATGT
ACATTGCCTAGTCTGTGCAGTTCTGGGTATGAGAAGAGGCAACTCACTTTGTCCCTGGCCAGGTAACAAGTCTCCATGTCTTTCG
CGCACCTCCCTCCAGCAGCCGGCTCAGCTGCCACACTGAAGACGTTTGCCTGAAAATGGGAGTTTTCTTTTATTCTCTTGTCTC
CTTGAAGAAGTAGAATTGAAAGGGAACGTTCCATCTGAGCAGGCCTCATTGGCATATGAGTCATGATTCTCGATCAGACGCCATCT
GTAAAGAGATAGTAACATTTTACACATAGTGGCCGTACACATGGTTACTATCACATATTTTTTTTCCCTTTTTTCTGTTTTTAAAT
ACTTCTTCTGAGATGCACAGTATATGTGTACAGAGCCATATGGAACAGGGTAGATTTGCCCATTTGGGTGAGGTTAGTCTGCTG
TCCCTTGACCTTAAGATAATAAAATTTTCAAAAACCCCTGGGGTTTTCTGAGACTGCCTGGCACCCAGGGTGTGTTTTCTCCTCACTTTG
ACTCAGACAGGATTCCAGAAGAGACTTTTGTGTTGTAAAGTGATTGGCTATTTAAATTTATGGCAAAAGCCAAGTACCCCTGAGATTGG
TTGCTCCCCCTTCAATCATAGACACTGATTGTTCTTCTCAAAAATAGCAGATGTTTCTAGATTGTTCTCAGACACTTTAAATCA
ACCTCTTAACTGTATTATCTGTCTGAGTGAACAATGCCCGAAATGCCCGATTGTGCTTGTCTAGTCAACACAATCCAGAGGCAGCA
AAAGGAGCATTTTTCAGCTAAAATGGTGTGCCATGCCGCACACGCGGGGCGAGCAATGACACTCAGCTGTGCTTGTGGGCATTACC
TTGCAGATAACCTCTTTCTCGAGAAGGCTCTGCAGCTCGCCAGGCGACACGCCAAGCCCTTTTCGACTACGCAGTGACGGGGGAT
GTGAAGATGTTGCTGGCCGTGCAACGCCATCTCACCGCCGTGCAGGATGAGAATGGGGACAGGTGAGTTGAGTGGGGACTGTTGCA
CAGCAAGCTCTGTTTTCAGGACGGGGAAAGGCAAGGATACTGCCCCACAAAATGCTTTTGAAGGGAGCTGCCCTCATCTGACAAG
ACCTCGAGTATGCTGTCTCCCTAGGCAAGAAGGCTCAGATGTGTGTAATCATGCTAATTTTACACCCCTGCTTTGTGTACTAAAAT
AGTAATTGAGAAAATTTATTGACAGCCCTGCAAGTCCCTGAAGTGTTATTGTCTATAGTGTACCCAGAAAGCCAGGTAAGAACAAC
ATTAGTAGAGTAACATAAGAGGAAATGCCATTCTCTCCTAGCTACTAGCTGCTTCTCTGTGGCCTCTGTTAAGGGTCACGAGGATGT
GAGTGGGTGAGGCTCTGCCTCAGCTCCAGGCCAGGCTGTGTGGGAGTCTGACATTCAGATGCCATGCCTGCTGTCTCTTCTCTGAG
GTTCTGTGCATAGCTACCTGGCTCCTTCTTAAATGTTTCTTAGTCTTCCATTGAGACTTCTGAAATGATCTAAAAGCCTAT
AAATATAGCCAGAGACAGCAGTCTTGAGATTCAAGTGCTTTATCTAAGTGATCCTAAAATAGCGTTAACTGAAAAGAGCCCTT
TGCTGTGGAAGCATTTCTGGAGTGCTGTGTGCTGAGTCTCAGTTTAAAAACAAAGCGCTTTAGGAGAATGCCAACCTCAGGGGTTTC
GTACAAGGACCTTTGTCTCGTCACTTGCAGTGTAACTAAGGATGTGGTATAACCGCTGGTCTTATCCTACACAGTACAAGAGGAA
CCCAGACGACCTTCTGTGAAAAAGCTCTGAATAACAGAAGGCGCCTTTAGAAGGAAATCATCCAGTTAGCATTCAATAGCAAATA
ACCACAAAACAGAGCAGATAACCAGAGCAGGACACCGGTGCTCCAAGGGTCATCTTTAAGGACTGGCGAAATTCATGAGTAGTGAG
GGCGAGTGGATTAAAGCAATTAGGAAGTGAGATGCTGTCTGTAAGGAGAGGCTGTGGAAAGGGATGCCAGGCACATGCAGTCCAG
CAAGTGCTGTGAGAGGAATGCAGGAACATGTGTGTAAGGACCTGGGTGTTCATGGGGCAGCTGAGACACTGGCCTTCATTTCCCAAG
TGGGTACAATACCAGAGCCCTCGTCAAGCCAAGACTTAAACAAGCAGGCTCCGTGTAAGGTTAGGGGTATGAGACCTGGGAGACAC
AGAGGACCCACTCAGGAGTATACATAAGGGACTATTCTGGTTTTCTTCTTTATTCTTGTCTATTTGGCTTATAATCTGGAC
CCTGTCAACATTAGTCATCATAGAAATACAATAAAGAGAACTATAGAACCCTCTGGTATCGGGGAACCTCCCCAGGGGTATGAA

GATCTGAAGGGGAGGGGACGTGCTTCTGTGAAGTGCTGAGCTGCACATGGAAATGTTGAAGTAGCTTTTGAAGCCCTTTTACTCGA
CGTGTGTCTGTCCGCATCACCTCTCACAAGCCTCCTGTCAGGGTCCCATCAGGAGCACCACAGGAGCCTGAGGTGTGGCTGCGGTG
CTTCTCGTCAAAGCGTGCGTGCTTCACTTGAGTTAACACAGGCCTGGGGTCACTCTAAAGAGGCCACCATGATCTTCCCTGAGAAG
TATTGCTAAGTGAAATATCTCAGGGATAAATAACAAGACCTTGTTTGTAGAAATAGAAGTCACTTCTCATTTGTTACGGAGGAAGAGAG
CTCGGCAGCTGAGTTTTTCCCAAGCTGCTCCTAAGCCTAGGCATTACCTTTCTTCATGGTCTTGTATGTCAGGGAGAGACCAGGGAG
AGCTGCCAGGGACAGAGGCATGGAGACAGAGCTGGCTTGGAGCTTAATGCCATTTGGTTTCCGACCCGGCAGGTGCCTTTGCACTT
CATGTGTCTGCTCAGATGTTAACACTCCGGGGGCGAGGTGGGCACGATCAGTGTGTAGTAGCCTGCGATAGGCAGTGGAGAGGAAGT
TCTCCAGAGAAATAATGTCACCTCTGATCAGTACATTGATACATGGTAGGGCCAAGGAAAGCTACACATAGTAGCTAGTCTTCAG
CTCCAGTCATTTCTTGACATGTTTTTGTCTGTCGCTTGCTACATCCCCAGTTAATTATTGCCACTGTGTGTCATTCCAGTGTCT
TACACTTAGCCATCATCCACCTCCACGCTCAGCTTGTGAGGGATCTGCTGGAAGTCACATCTGGTTTGATCTCTGATGACATCATC
AACATGAGAAATGACCTGTATCAGGTAAGCAGCCACCACAAGGCCGTGAGAAAGAGAAAAGGTTGCCTTAGTAACACGTGCGTGAG
CTGTTCTCAGTGATGGGAAACAGGAAAACAGCATCTTCTCAGAAGTGGCATCTTAAAAGCATCCTTAGTTGGGAATGTCATTTTAC
AGAGAGATGGGTTGGGATCATGGGTTTGATGGCAATCACACTCCATGGAATTCACCATCTTCTAGAAAAGGCAGACTTTAAGACC
TAGAAGTCAGAGTTGATAAAGTTTTGAGGGCAAACCTCAGAGGGGAAAAAGTCAAGCTGTCAGGAGAGACATGTTAAAAAGAAAT
CCAAGTTTCAAAGCCAGAGTTACAGAGACAAAGTTTTGGAGCTGAGATGAAAGGATGGACCATCCAGAGACTGTCCAGCCGGGGA
TCCATCCCATAAATCAGCCACAAAACGCAGACACTATTGCATATGCCGTGCAAGATTTTGGCGAAAGGACCCTGATATAGCTGTTTCT
TGTGAGGCTATGCTGGGGCTAGCAAACACACAAGTGGATGCTCACATTGAGCTATTGGATGGATCACAGGGCTCCAAATGGAGGA
GCTAGAGAAAACACCAAGGAGCTGAAGGGGTCTGCAACCTATAGGTGGAACAACAATATGAACAACTAACCAATACCCCCAGAGCTC
ATGTCTCTAGCTGCATATGTAGCAGAAAATGGCATAAGTCGACCATCACTGGAAGAGAGGGCCCCCTGGTCTTACAACTTTATATG
CCCCAGTACAGGGGAACGCCAGGGCCAAGAAGCAGGAGTGGGTAGGTAGGGGAACAGGGCGGGAGGAGGGTATAGGGGACTTTTCGG
GATAGCATTTGAAATGCAATGAAGAAAATACCTAATAAAAAAATTGGAAGAAAGAAATATTTTCAAATTAAGAAAGAAAGAAAT
TTTGAGGTCTGCGGAAGGAAGGGTATTCGCACAGCAACTGGATCAAGTGTATGTCAAAGAAAGGCTCTGAGGTGAGCTCCTGGAGA
GGTGAAAGGCTGTAAGAACAGGAAGAGGCACCTCAGAGTCCCATCCAGCTCAGGTGTGAGAAGGTAAGGGAGCCCCGAAAACCTCCA
GAGGAAACCACCTGGAGATGGCACAGTGAGCTGAGGACAGAGGCAGATGGTAGGGGAAAGCAAACCAGAACTCCACTGGCAGACA
CAGTCTGGGAGCTGTGGCCTGGCCCAGGATGGTGGCCTGCTCTACGGCTCCTTCCCTCTCTCACCTCTATTTCTCTCAACCTTTT
GTGCCCCACCCCTCTCTCTGGCCTGTTGGTCTTATCCTCTTGTGGCTTCTAAGTTCTCTGCACTCTCTTGCCAGAGTGTCA
TTCTGATCCCCACAGCCAGGCCCATGCTGAGACCTCTGCTTCCAGGTCTATTTGCTTTCATTGAAAACTGTGGCCAGCAACCGTG
AATAATTTGTTATTTAGAAGAGATGAGATGAGAACTAGTGAATTTCTACTTGTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTTGTT
GTTGTTGGTTTTTTTGGTTTGGTTTGGTGCTTGGGACTGTACCCAAAGCTGAGCACAACCCCTCCAGCAATCTACAACCATGTTA
CTCCATTTTAAACAAGTTATTCAAGTTGTTATCTCTTATCCATGCTTCTCTCTGTCTCCCTCTGTGTCTCTCTCTCTCTCTCTCT
CTCTTGTCT
TGTGTCTGTGTATCTCTCTCTATCAATCTCTCTCTGTCTCTCTGTCT
AATCTCTCTCTGTCT
AGGCTGGCACTGAGCCATCAGTGTCTTACCTCAGCCTCCCAAATCATAGGCTTGACAAGCATGTGCTGGCATGTTATCTCATTTTT
TAATTTAAAAAAATCATTATTTTAGAAGAAATTAAGAAAGAAACAAAGAGATGACTCAGTGGACGAAGTATCTGCTGTACAAGTG
TGAAGACCATGTTTCAATCAGATCCCCAGACCATCGCCAGCCAGATTTAGTACCACACCCCCCACACCCCGCCCCCGCCCCCTCCCC
AGTCAGGGCAGGAGACAAGCATCTTGCATATCGGGGGGGGGGGGGGGGACAAAAGACCCTGCCTTATAACCTTGACAAGGCAGGG
GGCAGTACACACGTTGCCCTCTGACCTCATGCACGTCCTTGCAACCCACACGCTCAGAGAAGGAAAGGAAGGAAGGAAGGAAGGAGG
GAGGGAGGGAGGGAGGGAGGGAGGAAAGGAAGGAACTAAGTGCACATACACACTAAAACAAAAGAGCTAAAAATTTTTATTTTA
AAGGAAATCATTAAATTTCTATTTTTTAATACAATATTTTAAAGTTACTTTGAAAATATGAATTGGAGGCTGGAAGTGGCTCACAT
GCTTAAAGCCTTGAGTTTCGTTTCGCTCCCCACACCAAGAAAGGGCTGAAGCTGTTAGTTTCGTTGGCCTGTAGCTCTCAGACTTTTC
CGTTTTTCAAGGAGCACAGCTGCTTCTGCACAGCACTCTGCACTTCTCTGTCTGCACTGATTCCATCCAGGGGAGATGACTAGG
CTAAGGTGTTATTTTAGATGTGTTCTTCAAGATCTGTCTTCCCTCGGGCTTCCATGCCATCTTGGGATACTATTGGTATTTGGAAG
TCATTGGGCCCCGAAAGTTGAATTTCTCAAACCTTTTAGGCAGATGGCACTTTTAAAAACTTTGTATTGATTCTCTGTGAGTTTTG
CATCCTTT
TTTGTAGACTAGGCATCATGCACCCAGTCCCACTCATCTCCCTGTCCCTCATATCTGCCCTCTGCCCTTGCCAGCCTCCCTCCCA
CAAAATAAACACTCAAGTAACAGGAAAGACAAAAACAAAAAAGCATAGAGAACATCTCGATGTGGGAGCGATAGTGTGTACCCGG
GCATCCACAGTGTATCCCTCTGTCCACACATCTTCACTTGCAATGAGTGTGTTGGTTCTCTGTGACACGGTAATTCTGAGTTCCCC
AAAGTATAAGCTTTTATGTTATTTCAAGATTATGCTTATACTGAATTTACAATAATAACAAACATGTGGCAAAAGTGAGAGCCTGA
GAACATAACGACATAAAAGGCCGTGTACATGCCGAGAAATGCAAGAAGAGAACGCAGTTTAAAGACTCACACTTGGGCTAGTCTAG
AGAGTGGGTGGGTTCCAACAGGGATCTGATAGTGACAGATGGTCAAGAAATGTACTATGGTTAGTGAAGATGTTTGGGGAGAAT
GTTTGAGATAATTTACAAATAATCCAAATTACTTAGAGAACTGTATACTTTTCTGCCAAGAATAGTTATTATGTATGTCATGATGG
TGCATATCTATAATTCAGCCCAGAGGAGTCTGAGGCAGGAGGATTTGTTGTGAGTTTTGGGCCATTCTGGCCTATACAGTGGGTTCT
CAATTTTGTCTGTATTTATATATAGGGTCTTGTTTAAACAAACAAGAACAACAACAACAACAACAACAACAACAACAACAACAACA
CCTCCAAATTAAGAAAGAACTAGTTCCCAAGCTGGGTGTGGGGCACACATTTGTAGTTCTAACACCCCAAGAGACACAGGAGGACT
GACAGCTTCATGTCAATCTGGGCTACACAGCAAGTTCTGGGCCAGCCTCAAACACAGGAAGACCCTCTCTCAAACAAAACAAGCA
AAACAACCTCCACAAGCCAAACAAGAAACCCAAAGTTATGAGAATCAACAACGCTGCCTGTCTATGTCTTGGGCTAAGAAGC
TGGTATGGCAGGGAATGTTGTGCCATTAACTGAGTGAAGCCAAGGTGGGAAAACTGGGGAGAAAGGTCTGAGGGCTCCAAATC
AGAGCAGCTTTGCCCTTGAGCTCAGGGGAGAGGTTCCATCCACAAGAGCTGGGTGCGACACAATAGAGCCTGCTTCCGAGATCCT
ATCACCAACAGCCAGCAGGGCTTCCCTGAATCCAACCTCCAGCAGCCGAGGGAAGCAGGTTTTGCAAAGAGGATTGGGAAGTAGCAA
CTTCTCTCTCTTCAAGTTTATTTCTTATACTTGTGATGTTTAAATGCAATCTGCCACTTGTCTGCTATGAGGTAGCCTGGGTGCAG
GGGTGATGCCCTTCTCCACCTCGCCTCTCACTACCTGTACAGGCAGTCAAGAGAGCTGGCCTGGGGTCATGCAAGGGGGTGAGCTA
GCCCTGTCTTCCAGGCTTTCGAGAGCAGGCCTTGCACTTAGCCTGTGCTGCAGAGTAGAGAGGACCCTCGTGGAGGGAGCACAG
TGAGCAGCCCTGAGGGTGTGAGAGCAGGAGAACTGGCCCTGCCCTCACTCACAGGCTGTAGTGTATGGGAGAGTGGGTCTGCCC
TTTGGGCAGCACAGTGGAGCCAGCTCTGGAGGCATAGGGAGATCCGACAGCTCCCTATTTCCAGATGTGACTGTTGCATGTATACA
GGAAGAGTGCTCTTCCAGTGTGGCTACAGACAGCTGCTCTGGGAAGACATGTATTCTTTAGTGTGCTCACATGCACTCCACACGG
TTTTATACATACATTTCTATCCACATCAGCCTTTCCCTTTTAAAGTTTCAATTTAAATACTTTCTCAATTCATAATTTTTCGAAA
ATTCAACTGAGAGGACCTGTATTTTCTGAGATTGAACAGACGCTTACCTCTAAGTTCCCCCAGCAGTTACATCTACTTAAC
ACAATAATACAATTAGGAATTGCAACAGATTCTAGTCAGATCTCAATATTTGTATGTACTCATATGCATGGATAGCTCTGTAAGAT
TTTTTTTTCTCTAAGCTGAACATGGTGGTATTGTGTTTTAGTTCTCTGTTATTCAGGTAGCTAAGGCAGGAAGAGTCTTGAATATAG
ATGTTCCGATGTAGCCTGGGCAGAAAGCAAGACTGTTCTAAGCAGAGTGAATGAATGAATGAATGAATGGTCAATCCATGTGCTT
GTGGATGTGTATGTAGCATGTACTGTGTCCCTGTCTTGGGTCTTACGCTGTATTATCCTTTAGTTTCATAGACAGCTGGTTGTT
CTCATTTGCTCCTGAAGAGAATGCTGTCTATGTCCCTAACTAGCTGCTCACTGTCCACAGGCTGTGCACTGCACTGAGCAGCTGCAC
TGTACCCATGGGTGCCACAAGTGGGTTTCAAGGGCAGTGTGAGCCCTGAGCTCCACAGATGGATTCTAGGGATTCTTGGAGCAGC
CATTTTATGCGTGTGTAAGTGAACCTTGGGTGTGGTGGGCCACCAGCCACTGCTTCCAGCAGGAAGAACTCCCTGAATGGG
AGGTGCGGCAAGTCTCACTACACAGCCTGGGCTTCAAGTGTAAAGCGCCTACAACACAGACTGGCTGGCATTGAGAGTTGGTGCTA

152

DEMANDE OU BREVET VOLUMINEUX

LA PRÉSENTE PARTIE DE CETTE DEMANDE OU CE BREVET COMPREND PLUS D'UN TOME.

CECI EST LE TOME 1 DE 2
CONTENANT LES PAGES 1 À 152

NOTE : Pour les tomes additionels, veuillez contacter le Bureau canadien des brevets

JUMBO APPLICATIONS/PATENTS

THIS SECTION OF THE APPLICATION/PATENT CONTAINS MORE THAN ONE VOLUME

THIS IS VOLUME 1 OF 2
CONTAINING PAGES 1 TO 152

NOTE: For additional volumes, please contact the Canadian Patent Office

NOM DU FICHER / FILE NAME :

NOTE POUR LE TOME / VOLUME NOTE:

CLAIMS

WHAT IS CLAIMED IS:

1. An isolated nucleic acid comprising at least 10 contiguous nucleotides of a sequence selected from the group consisting of the human polynucleotide mRNA sequences of SEQ ID NOS: 5, 11, 17, 23, 29 and 32 shown in Tables 1-6, or its complement.
2. A host cell comprising a recombinant nucleic acid of claim 1.
3. An expression vector comprising the isolated nucleic acid according to claim 1.
4. A host cell comprising the expression vector of claim 3.
5. The polynucleotide according to claim 1, wherein said polynucleotide, or its complement or a fragment thereof, further comprises a detectable label.
6. The polynucleotide according to claim 1, wherein said polynucleotide, or its complement or a fragment thereof, is attached to a solid support.
7. The polynucleotide according to claim 1, wherein said polynucleotide, or its complement or a fragment thereof, is prepared at least in part by chemical synthesis.
8. The polynucleotide according to claim 1, wherein said polynucleotide, or its complement or a fragment thereof, is an antisense fragment.
9. The polynucleotide according to claim 1, wherein said polynucleotide, or its complement or a fragment thereof, is single stranded.
10. The polynucleotide according to claim 1, wherein said polynucleotide, or its complement or a fragment thereof, is double stranded.
11. The polynucleotide according to claim 1, comprising at least 15 contiguous nucleotides.
12. The polynucleotide according to claim 1, comprising at least 20 contiguous nucleotides.
13. A microarray for detecting a cancer associated (CA) nucleic acid comprising:

at least one probe comprising at least 10 contiguous nucleotides of a sequence selected from the group consisting of the human polynucleotide sequences of SEQ ID NOS: 5, 11, 17, 23, 29 and 32 shown in Tables 1-6, or its complement.

14. The microarray according to claim 13, comprising at least 15 contiguous nucleotides.

15. The microarray according to claim 13, comprising at least 20 contiguous nucleotides.

16. An isolated polypeptide, encoded within an open reading frame of a CA sequence selected from the group consisting of the human genomic polynucleotide sequences of SEQ ID NOS: 4, 10, 16, 22, 28 and 31 shown in Tables 1-6, or its complement.

17. The polypeptide of claim 16, wherein said polypeptide comprises the amino acid sequence encoded by a human polynucleotide selected from the group consisting of SEQ ID NOS: 5, 11, 17, 23, 29 and 32 shown in Tables 1-6.

18. The polypeptide of claim 16, wherein said polypeptide comprises the amino acid sequence encoded by a human coding sequence selected from the group consisting of SEQ ID NOS: 6, 12, 18, 24, 30 and 33 shown in Tables 1-6.

19. The polypeptide of claim 16, wherein said polypeptide comprises the amino acid sequence of an epitope of the amino acid sequence of a CA polypeptide selected from the group consisting of SEQ ID NOS: 6, 12, 18, 24, 30 and 33 shown in Tables 1-6.

20. The polypeptide of claim 16, wherein said polypeptide or fragment thereof is attached to a solid support.

21. An isolated antibody or antigen binding fragment thereof, that binds to a polypeptide according to anyone of claims 16-20.

22. The isolated antibody or antigen binding fragment thereof according the claim 21, wherein said antibody or fragment thereof is attached to a solid support.

23. The isolated antibody or antigen binding fragment thereof according the claim 21, wherein said antibody is a monoclonal antibody.

24. The isolated antibody or antigen binding fragment thereof according to the claim 21, wherein said antibody is a polyclonal antibody.

25. The isolated antibody or antigen binding fragment thereof according to the claim 21, wherein said antibody or fragment thereof further comprises a detectable label.

26. An isolated antibody that binds to a polypeptide, or antigen binding fragment thereof, according to any of claims 16-20, prepared by a method comprising the following steps of: (i) immunizing a host animal with a composition comprising said polypeptide, or antigen binding fragment thereof, and ii) collecting cells from said host expressing antibodies against the antigen or antigen binding fragment thereof.

27. A kit for diagnosing the presence of cancer in a test sample, said kit comprising at least one polynucleotide that selectively hybridizes to a CA polynucleotide sequence selected from the group consisting of the polynucleotide sequences of SEQ ID NOS: 4, 10, 16, 22, 28 and 31 shown in Tables 1-6, a fragment thereof, or their complement.

28. A kit for diagnosing the presence of cancer in a test sample, said kit comprising at least one polynucleotide that selectively hybridizes to the sequence of a polynucleotide sequence selected from the group consisting of the polynucleotide sequences of SEQ ID NOS: 5, 11, 17, 23, 29 and 32 shown in Tables 1-6, a fragment thereof, or their complement.

29. An electronic library comprising a polynucleotide, or fragment thereof, comprising a CA polynucleotide sequence selected from the group consisting of the polynucleotide sequences of SEQ ID NOS: 4, 10, 16, 22, 28 and 31 shown in Tables 1-6.

30. An electronic library comprising a polynucleotide, or fragment thereof, comprising a CA polynucleotide sequence selected from the group consisting of the polynucleotide sequences of SEQ ID NOS: 5, 11, 17, 23, 29 and 32 shown in Tables 1-6.

31. An electronic library comprising a polypeptide, or fragment thereof, comprising a CA polypeptide encoded by a polynucleotide of a sequence selected from the group consisting of the polynucleotide sequences of SEQ ID NOS: 6, 12, 18, 24, 30 and 33 shown in Tables 1-6.

32. A method for screening for anticancer activity in a potential drug, the method comprising:

(a) providing a cell that expresses a cancer associated (CA) gene encoded by a nucleic acid sequence selected from the group consisting of the sequences of SEQ ID NOS: 4, 10, 16, 22, 28 and 31 shown in Tables 1-6 or fragment thereof;

(b) contacting a tissue sample derived from a cancer cell with an anticancer drug candidate; and

(c) monitoring an effect of the anticancer drug candidate on an expression of the CA gene in the tissue sample.

33. The method of screening for anticancer activity according to claim 32, wherein the CA gene comprises at least one nucleic acid sequence selected from the group consisting of the sequences of SEQ ID NOS: 5, 11, 17, 23, 29 and 32 shown in Tables 1-6.

34. The method of screening for anticancer activity according to claim 32, further comprising:

(d) comparing the level of expression of the in the absence of said drug candidate to the level of expression in the presence of the drug candidate.

35. The method of screening for anticancer activity according to claim 33, wherein the drug candidate modulates the activity of a CAP sequence selected from the group consisting of SNL, FOSB, CCND1, MYC, NFkB1, and PVT1.

36. A method for detecting cancer associated with expression of a polypeptide in a test cell sample, comprising the steps of:

(i) detecting a level of expression of at least one polypeptide having an amino acid sequence encoded by a human coding sequence selected from the group consisting of of SEQ ID NOS: 6, 12, 18, 24, 30 and 33 shown in Tables 1-6, or a fragment thereof; and

(ii) comparing the level of expression of the polypeptide in the test sample with a level of expression of polypeptide in a normal cell sample, wherein an altered level of expression of the polypeptide in the test cell sample relative to the level of polypeptide expression in the normal cell sample is indicative of the presence of cancer in the test cell sample.

37. A method for detecting cancer associated with expression of a polypeptide in a test cell sample, comprising the steps of:

(i) detecting a level of activity of at least one polypeptide having an amino acid sequence encoded by a human coding sequence selected from the group consisting of SEQ ID NOS: 6, 12, 18, 24, 30 and 33 shown in Tables 1-6, or a fragment thereof, wherein said activity corresponds to at least one activity for the polypeptide listed in Table 130; and

(ii) comparing the level of activity of the polypeptide in the test sample with a level of activity of polypeptide in a normal cell sample, wherein an altered level of activity of the polypeptide in the test cell sample relative to the level of polypeptide activity in the normal cell sample is indicative of the presence of cancer in the test cell sample.

38. A method for detecting cancer associated with the presence of an antibody in a test serum sample, comprising the steps of:

(i) detecting a level of an antibody against an antigenic polypeptide having an amino acid sequence encoded by a human coding sequence selected from the group consisting of SEQ ID NOS: 6, 12, 18, 24, 30 and 33 shown in Tables 1-6, or antigenic fragment thereof; and

(ii) comparing said level of said antibody in the test sample with a level of said antibody in the control sample, wherein an altered level of antibody in said test sample relative to the level of antibody in the control sample is indicative of the presence of cancer in the test serum sample.

39. A method for screening for a bioactive agent capable of modulating the activity of a CA protein (CAP), wherein said CAP is encoded by a nucleic acid comprising a nucleic acid sequence selected from the group consisting of the polynucleotide sequences of SEQ ID NOS: 5, 11, 17, 23, 29 and 32 shown in Tables 1-6, said method comprising:

a) combining said CAP and a candidate bioactive agent; and

b) determining the effect of the candidate agent on the bioactivity of said CAP.

40. The method of screening for the bioactive agent according to claim 39, wherein the bioactive agent affects the expression of the CA protein (CAP).

41. The method of screening for the bioactive agent according to claim 39, wherein the bioactive agent affects the activity of the CA protein (CAP), wherein the CAP is selected from the group consisting of SNL, FOSB, CCND1, MYC, NFKB1, and PVT1.

42. A method for diagnosing cancer comprising:

a) determining the expression of one or more genes comprising a nucleic acid sequence selected from the group consisting of the human sequences outlined in Tables 1-6, in a first tissue type of a first individual; and

b) comparing said expression of said gene(s) from a second normal tissue type from said first individual or a second unaffected individual;

wherein a difference in said expression indicates that the first individual has cancer.

43. The method for diagnosing cancers according to claim 42, wherein the difference in said expression indicates that the first individual has a propensity towards cancer.

44. The method for diagnosing cancers according to claim 42, wherein the gene comprises SNL1 sequences corresponding to SEQ ID NOS: 4, 5 and 6 and the tissue is breast cancer tissue.

45. The method for diagnosing cancers according to claim 42, wherein the gene comprises FOSB sequences corresponding to SEQ ID NOS: 10-12 and the tissue is selected from the group consisting of colon cancer, lung cancer, pancreatic cancer, ovarian cancer, stomach cancer, breast cancer and prostate cancer tissue.

46. The method for diagnosing cancers according to claim 42, wherein the gene comprises MYC sequences corresponding to SEQ ID NOS: 22-24 and the tissue is breast cancer tissue.

47. The method for diagnosing cancers according to claim 42, wherein the gene comprises an CCND1 sequences corresponding to SEQ ID NOS: 16-18 and the tissue is selected from the group consisting of colon cancer (sigmoid), colon cancer (transverse), lung cancer, ovarian cancer, and breast cancer tissue.

48. The method for diagnosing cancers according to claim 42, wherein the gene comprises an NFKB1 sequences corresponding to SEQ ID NOS: 28-30 and the tissue

is selected from the group consisting of lung cancer, skin cancer, and breast cancer tissue.

49. The method for diagnosing cancers according to claim 42, wherein the gene comprises PVT1 sequences corresponding to SEQ ID NOS: 31-33 and the tissue is breast cancer tissue.

50. The method for diagnosing cancers according to claim 42, wherein the gene expression in the cancer tissue is up-regulated relative to the gene expression in the normal tissue.

51. The method for diagnosing cancers according to claim 50, wherein the difference in said expression indicates that the first individual has a propensity towards cancer.

52. A method for diagnosing cancer or a propensity towards cancer comprising determining the amplification of one or more genes comprising a DNA sequence selected from the group consisting of the human sequences outlined in Tables 1-6, in a first tissue type of a first individual relative to a second normal tissue type from said first individual or a second unaffected individual, wherein an amplification of the DNA indicates that the first individual has cancer or a propensity towards cancer.

53. The method for diagnosing cancer or a propensity towards cancer according to claim 52, wherein the gene comprises MYC and the DNA sequence is SEQ ID NO: 22, or a fragment thereof.

54. The method for diagnosing cancer or a propensity towards cancer according to claim 52, wherein the gene comprises PVT1 and the DNA sequence is SEQ ID NO: 31, or a fragment thereof.

55. A method for treating cancers comprising administering to a patient an inhibitor of a CA protein (CAP), wherein said CAP is encoded by a nucleic acid comprising a human nucleic acid sequence selected from the group consisting of the sequences outlined in Tables 1-6.

56. The method for treating cancers according to claim 55, wherein the inhibitor of a CA protein (CAP) binds to the CA protein.

57. The method for treating cancers according to claim 55, wherein the inhibitor of a CA protein (CAP) modulates the activity of a CAP sequence selected from the group consisting of SNL, FOSB, CCND1, MYC, NFKB1, and PVT1.




Figure 1

Average Ct	Housekeeper	Target
Sample		
Human Genomic_clontech	23.40229767	24.718297
Malignant mammary adenocarcinoma pleural effusion	24.57459367	25.62105175
Mammary ductal carcinoma plueral effusion	23.935565	25.064095
Mammary ductal carcinoma_human_45537	24.06496275	24.8361145
Mammary ductal carcinoma_human_45523	24.286542	25.59857167
Mammary ductal carcinoma_human_45535	24.271219	25.62112767
transformed primary embryonal kidney_human	24.136573	25.86051867

Figure 2.

Target Normalized with Housekeeper

Sample

Human Genomic_clontech (Calibrator)

Malignant mammary adenocarcinoma pleural effusion

Mammary ductal carcinoma plueral effusion

Mammary ductal carcinoma_human_45537

Mammary ductal carcinoma_human_45523

Mammary ductal carcinoma_human_45535

transformed primary embryonal kidney_human

ΔCt	Stdev (ΔCt)
1.69	0.22
-1.85	0.14
1.12	0.24
1.02	0.16
0.49	0.26
1.03	0.18
1.81	0.15

Figure 3.

Target Normalized with Housekeeper				Comparative	
Sample	Δ Ct	Stdev (Δ Ct)	$\Delta\Delta$ Ct	Stdev ($\Delta\Delta$ Ct)	expression level
Human Genomic_clontech (Calibrator)	1.69	0.22	0	0.22	1
Malignant mammary adenocarcinoma pleural effusion	-1.85	0.14	-3.54	0.14	11.60
Mammary ductal carcinoma plueral effusion	1.12	0.24	-0.57	0.24	1.48
Mammary ductal carcinoma_human_45537	1.02	0.16	-0.67	0.16	1.59
Mammary ductal carcinoma_human_45523	0.49	0.26	-1.20	0.26	2.30
Mammary ductal carcinoma_human_45535	1.03	0.18	-0.66	0.18	1.58
transformed primary embryonal kidney_human	1.81	0.15	0.12	0.15	0.92

Figure 4.

5/24

SNL1 RNA Expression - Breast Cancer (Ductal Adenocarcinoma)




FIGURE 5




Figure 6




Figure 7




Figure 8

9/24




Figure 9

10/24




Figure 10




Figure 11

12/24




Figure 12

MYC RNA Expression - Breast (Ductal Adenocarcinoma)




FIGURE 13

MYC DNA Amplification - Breast (Ductal Adenocarcinoma)





FIGURE 14

15/24

CCND1 RNA Expression - Breast (Ductal Adenocarcinoma)



Sample

FIGURE 15




Figure 16




Figure 17




Figure18




Figure 19

NFKB1 RNA Expression - Breast (Ductal Adenocarcinoma)




FIGURE 20




Figure 21




Figure 22

PVT1 RNA Expression - Breast (Ductal Adenocarcinoma)




FIGURE 23

PVT1 DNA Amplification - Breast (Ductal Adenocarcinoma)




FIGURE 24