

(19) World Intellectual Property Organization
International Bureau(43) International Publication Date
12 July 2007 (12.07.2007)

PCT

(10) International Publication Number
WO 2007/078634 A1(51) International Patent Classification:
H04N 5/445 (2006.01) *H04N 7/16* (2006.01)

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(21) International Application Number:
PCT/US2006/047092(22) International Filing Date:
8 December 2006 (08.12.2006)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
11/324,192 29 December 2005 (29.12.2005) US

(71) Applicant (for all designated States except US): UNITED VIDEO PROPERTIES, INC. [US/US]; 6922 Hollywood Boulevard, Los Angeles, CA 90028 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): ELLIS, Michael D. [US/US]; 1300 Kingwood Place, Boulder, CO 80304 (US).

(74) Agent: CARROLI, Christopher; FISH & NEAVE IP GROUP, ROPES & GRAY LLP, One International Place, Boston, MA 02110 (US).


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: SYSTEMS AND METHODS FOR PROVIDING CHANNEL GROUPS IN AN INTERACTIVE MEDIA GUIDANCE APPLICATION



(57) Abstract: The present invention relates an interactive media guidance application that provides channel groups. Channel groups may include media channels, such as television channels, radio stations, Internet web sites, etc. Channel groups may be organized around a common characteristic, by utilizing user profile information, and by human editorial selection (e.g., by a service provider or by a user). The guidance application provides information on the channel groups, including media listings, reminders, pending and completed recordings, purchased programs, and previously accessed programs for the channel group. The guidance application enables the user to focus a guidance application function on the channel group. In response to a user initiation to execute the function on the channel group, the function may be executed on all the media channels belonging to the channel group. Information on the channel group and access to functions that are executable on the channel group may be concentrated in a channel group portal screen of the guidance application.

WO 2007/078634 A1

SYSTEMS AND METHODS FOR PROVIDING CHANNEL GROUPS IN AN
INTERACTIVE MEDIA GUIDANCE APPLICATION

Background of the Invention

This invention relates to interactive media systems, and more particularly, to interactive media guidance applications that provide a user interface for receiving information about and requesting access to media. In particular, the present invention relates to providing groups of media channels in an interactive media guidance application to enable improved user guidance and functionality in the guidance application.

Media delivery systems, such as cable, satellite, and broadcast television systems, the Internet, and satellite radio systems, provide users with a large number of media channels, such as television channels, radio stations, and Internet web sites. These media channels provide programming in a number of different media, such as video programming (e.g., broadcast television programming, on-demand video programming), audio programming (e.g., music channels, audio-on-demand programming), and interactive applications (e.g., games and shopping applications). In view of the myriad media channels provided to users,

interactive media guidance applications are needed to provide a user-friendly interface that organizes information, such as media listings, enable access to the media programming, and provide other advanced functions that improve the user's media experience.

5 A common type of interactive media guidance application is a television program guide application, which is typically implemented on a user set-top box. Such program guides allow users to view program 10 listings for multiple television channels in different display formats. For example, a user may instruct the program guide to display a grid or table of program listings organized in a channel-ordered or a time-ordered list. Users may also search and sort program 15 listings by genre (e.g., movies, sports, etc.) or by title (i.e., alphabetically). A user may obtain additional information for a program by placing a highlight region on a desired program listing and pressing an information request button. The user may 20 set a television channel as a favorite channel, lock access to a program or channel, and purchase a pay program or pay channel from the program guide. The user may select a program for recording or set a reminder to watch a program. However, with the advent 25 of other types of platforms for accessing media programming (e.g., personal digital assistants, personal media players, cellular phones, personal computers, gaming platforms), the need for media guidance now extends beyond television and television 30 program guides. Interactive media guidance applications are now implemented on any platform that enables the user to access media programming. Even in television systems, the type of media programming

provided is no longer limited to television programming, and interactive television program guides now also provide guidance for other types of media programming (e.g., music programming, interactive 5 gaming applications, etc.).

With so many media channels available to the user, what is needed is a sophisticated approach for organizing media channels, media listings, and descriptive information in an interactive media 10 guidance application such that the user is more easily and naturally guided to media programming of interest to the user.

Therefore, it would be desirable to provide an interactive media guidance application that focuses 15 the user's attention on a group of media channels, that provides focused information on a group of media channels, and that executes a function of the guidance application on a group of media channels.

20 Summary of the Invention

These and other objects of the invention are accomplished in accordance with the principles of the present invention by providing an interactive media guidance application that provides channel groups.

25 A definition of a channel group may include a plurality of media channels. The channel group definition (also referred to as the channel group roster) may also include individual media listings. The media channels belonging to a channel group (also 30 referred to as group channels) and any individual media listings belonging to the channel group may share at least one common characteristic around which the channel group is organized. A channel group may be

organized around any distinguishable characteristic of a media channel or of a media listing. For example, channel groups may be organized around programming content, tier of service (e.g., cable, premium), media 5 type (e.g., video, audio, interactive), etc. Channel group rosters may be populated using human editorial judgment independent of any objective criteria. Channel groups may be organized by the user or by the system (e.g., by the service provider or the guidance 10 application). The system may utilize user profile information (e.g., on which media channels and programming are accessed by the user) to determine the channel groups to be provided to the user and their group rosters. The guidance application may enable the 15 user to create a channel group by selecting the media channels and media listings for the channel group roster and may also enable the user to edit channel group rosters initially set by the system.

The guidance application may provide the user 20 with information on the channel group, such as information on the common characteristic for the channel group, and video clips promoting the channel group and its programming. The guidance application may also provide the user with the channel group 25 roster, media listings for the group channels (e.g., broadcast television programs, on-demand programs, pay-per-view programs), a list of viewing reminders, pending and finished recordings, and purchased programming from the group channels, and a viewing 30 history of programming previously accessed by the user through the group channels. The guidance application may also provide the user with a reduced scale video of live group channel broadcasts and other media

programming sourced from the group channels (e.g., recorded programming, on-demand programming).

The guidance application may also enable the user to focus the functions of the guidance application on one or more selected channel groups. The guidance application may enable the user to initiate a guidance application function (e.g., set as favorite, lock, purchase) on one or more selected channel groups. In response, the guidance application may execute the function on the media channels of the selected channel groups (e.g., set all the group channels as favorite channels, lock all the group channels, and purchase all the group channels). The guidance application may execute the function on the media listings included in the selected channel groups (e.g., lock the media listings, purchase the media listings).

Further features of the invention, its nature and various advantages will be more apparent from the accompanying drawings and the following detailed description of the preferred embodiments.

Brief Description of the Figures

FIG. 1 is a diagram of an illustrative interactive television system in accordance with the present invention.

FIG. 2 is a diagram of illustrative user television equipment in accordance with the present invention.

FIG. 3 is a diagram of additional illustrative user television equipment in accordance with the present invention.

FIG. 4 is a diagram of an illustrative remote control in accordance with the present invention.

FIG. 5 is a diagram of illustrative user computer equipment in accordance with the present invention.

5 FIG. 6 is a generalized diagram of illustrative user equipment in accordance with the present invention.

FIG. 7 shows an illustrative channel group selection screen in accordance with the present invention.

10 FIG. 8 shows an illustrative channel group edit screen in accordance with the present invention.

FIG. 9 is a diagram of an illustrative channel group selection screen in accordance with the present invention.

15 FIG. 10 shows an illustrative channel group portal screen in accordance with the present invention.

FIG. 11 shows an illustrative channel group portal screen in accordance with the present invention.

20 FIG. 12 shows an illustrative channel group on-demand media listings screen in accordance with the present invention.

FIG. 12A shows an illustrative channel group video mosaic screen in accordance with the present invention.

25 FIG. 13 shows an illustrative channel group multi-purpose screen in accordance with the present invention.

FIG. 14 shows an illustrative channel group recording screen in accordance with the present

30 invention.

FIG. 14A shows an illustrative channel group play list screen in accordance with the present invention.

FIG. 15 shows an illustrative channel group viewing history screen in accordance with the present invention.

5 FIG. 16 shows an illustrative channel group roster edit screen in accordance with the present invention.

FIG. 17 shows an illustrative channel group selection screen in accordance with the present invention.

10 FIG. 18 shows an illustrative channel group portal screen in accordance with the present invention.

FIG. 19 shows an illustrative channel group portal screen in accordance with the present invention.

15 FIG. 20 shows an illustrative flow diagram for providing channel groups in an interactive media guidance application in accordance with the present invention.

20 FIG. 21 shows an illustrative flow diagram for defining the channel group in accordance with the present invention.

FIG. 22 shows an illustrative flow diagram for providing information on the channel group in accordance with the present invention.

25 FIG. 23 shows an illustrative flow diagram for executing a function of the interactive media guidance application on the channel group in accordance with the present invention.

Detailed Description of the Preferred Embodiments

30 The amount of media available to users in any given media delivery system can be substantial. Consequently, many users desire a form of media guidance - an interface that allows users to

efficiently navigate media selections and easily identify media that they may wish to access. An application which provides such guidance is referred to herein as an interactive media guidance application or, 5 sometimes, a guidance application.

Interactive media guidance applications may take various forms depending on the media for which they provide guidance. One common type of media guidance application is an interactive television 10 program guide. Interactive television program guides are well-known guidance applications that, among other things, allow users to navigate among and locate television programming choices and, in some systems, digital music. The media programming (e.g., television 15 and music) organized by an interactive television program guide may be provided via traditional broadcast, cable, satellite, or any other suitable communications channel. The media programming may be provided on a subscription basis, as pay-per-view 20 programs, and may be provided on-demand upon user request (e.g., video-on-demand (VOD) systems). The media programming provided on a subscription basis may be organized into tiers of service by a provider. For example, a group of basic cable television channels may 25 be authorized for user access in return for a monthly fee. Additional premium channels such as HBO, Showtime, and Cinemax may be authorized individually, or as part of a package, in return for additional monthly fees. Subscription programming may also 30 include media channels that are normally broadcast over the air free of charge. On-demand media programming may be provided to users as part of a subscription

service or may be purchased upon user request (e.g., pay-per-view on-demand programming).

With current systems, media programming may be provided through a myriad of media channels. Some media channels are organized around a central content theme, such as news, sports, movies, music, etc. Some media channels specialize in a particular medium, such as digital music channels that concentrate primarily on audio programming. Some media channels share a common media programmer. For example, the media programmer HBO may provide programming for a number of media channels such as HBO, HBO Signature, HBO Family, etc. Some media channels are local affiliates of a national network of media channels (e.g., NBC, ABC, CBS, FOX) that provide a mix of national network programming and local programming. Some media channels are national cable channels (e.g., DISCOVERY, TNT, FX) that uniformly provide the same media programming across the nation. Some media channels are only locally available in certain geographic locations (e.g., local public access channels).

In addition to providing guidance on the programming available through the myriad of media channels, interactive television program guides also provide other functionalities to aid the user in the enjoyment of media programming. For example, the interactive program guide may enable the user to block access to programming that is inappropriate for children using a pass code. The guide may enable the user to set favorite channels and receive targeted information on the favorite channels. The guide may enable the user to authorize or purchase access to media channels or programming that require payment

(e.g., subscribe to a premium channel or order a pay-per-view program).

Although the foregoing generally refers to television program guides, it should be understood that, with the advent of the Internet, mobile computing, and high-speed wireless networks (which allow users to access media on non-television devices such as cell phones), interactive media guidance applications are not limited to television program guides. Non-television-centric platforms (i.e., platforms that distribute media with equipment that is not part of the user's television delivery network) allow users to locate and access a mix of media, which may include video clips, full motion videos (which may include television programming), images, audio, interactive applications (e.g., games and shopping applications), Internet web sites, and other suitable media. Consequently, media guidance is also necessary on modern non-television-centric platforms (e.g., cell phones, personal digital assistants (PDAs), Blackberrys, etc).

Interactive media guidance applications may be provided as online applications (i.e., provided on a web site) on a personal computer, or as stand-alone applications or clients on hand-held computers, PDAs, or cellular telephones. In some systems, users may control equipment remotely via an interactive media guidance application. For example, users may access an online media guidance application and set recordings or other settings on their in-home media equipment. This may be accomplished by the online guide controlling the user's home equipment directly or via another media

guidance application that runs on the user's home equipment.

The present invention relates to an interactive media guidance application that provides 5 channel groups for media channels (e.g., broadcast television channels, audio channels, on-demand media channels, interactive game channels, Internet web sites). The media channels belonging to a channel group (i.e., the group channels) may share at least one 10 common characteristic around which the channel group is organized. For example, media channels dedicated to a common type of content may be grouped together. Channel groups may be organized around other channel 15 characteristics such as tier of service (e.g., the status of a media channel as a free broadcast channel, a basic cable channel, or a premium channel), type of service (e.g., whether a media channel is a subscription channel, on-demand channel, or pay-per-view channel), programmer identity (e.g., whether the 20 media channel is provided by a common programmer such as HBO or DISCOVERY), channel authorization (e.g., whether the user is authorized to receive the media channel), parental control setting (e.g., whether the user has selected the channel for parental control), 25 channel origination (e.g., whether a media channel originates from a cable network, a broadcast network, is unaffiliated, or is local only), favorite channel status (e.g., whether the user has set the channel as a favorite channel), type of media (e.g., whether the 30 channel is a television channel, an audio channel, or an interactive application channel), etc.

It should be understood that the above examples of common channel characteristics are only

illustrative and are not exhaustive. The system (e.g., the service provider) may use any characteristic of a media channel to organize a channel group. It should also be understood that individual media listings may 5 also be included in a channel group roster. For example, the service provider may organize a channel group around a common characteristic (e.g., sports content) shared by both media channels and individual media listings. It should also be understood that the 10 system may populate a channel group roster without strict adherence to any objective criteria (e.g., shared characteristic) and may exercise editorial control over the channel group roster. The system (e.g., the service provider) may utilize user profile 15 information to organize channel groups and populate their rosters. For example, the service provider may use profile information on the media channels most accessed by a user to create a channel group filled with only those channels. The guidance application may 20 enable the user to create a channel group by selecting the media channels (and individual media listings) for the channel group roster and may also enable the user to edit channel group rosters initially set by the system.

25 The guidance application of the present invention provides information on channel groups to better guide the user through the myriad of media channels and listings available in current systems. In one aspect, the guidance application may provide the 30 user with information on the channel group itself. For example, the guidance application may provide information on the common characteristic for the channel group, promotional information describing the

channel group in a manner enticing to the user (e.g., a video clip promoting the channel group), and promotional information on programming offered through the group channels. The guidance application may also 5 provide the user with the channel group roster, media listings for the group channels (e.g., broadcast television programs, on-demand programs, pay-per-view programs), a list of viewing reminders, pending and finished recordings, purchased programming and 10 previously accessed programming from the channel group. The guidance application may also provide the user with a reduced scale video of live group channel broadcasts and other media programming sourced from the group channels (e.g., recorded programming, on-demand 15 programming).

In addition to providing information on the channel groups, the guidance application of the present invention enables the user to focus the functions of the guidance application on one or more selected 20 channel groups and the media channels of the channel groups. For example, the guidance application enables the user to initiate a guidance application function (e.g., set as favorite, lock, purchase) on one or more selected channel groups. In response to the user 25 indication, the guidance application may execute the guide function on the channel group rosters of the one or more selected channel groups (i.e., all the media channels and listings belonging to the channel groups). In one embodiment, access to information on a channel 30 group and guide functions that are executable on the channel group are concentrated in one guidance application display screen to create a portal-type guide experience for the user.

An illustrative interactive media guidance system 100 in accordance with the present invention is shown in FIG. 1. System 100 is intended to illustrate a number of approaches by which media of various types, 5 and guidance for such media, may be provided to (and accessed by) end-users. The present invention, however, may be applied in systems employing any one or a subset of these approaches, or in systems employing other approaches for delivering media and providing 10 media guidance.

A first approach represents a typical television-centric system in which users may access television (and, in some systems, music) programming. This includes programming sources 102 and distribution 15 facility 104. Media such as television programming and digital audio may be provided from programming sources 102 to media distribution facilities, such as distribution facility 104, using communications path 106. Communications path 106 may be a satellite path, 20 a fiber-optic path, a cable path, any other suitable wired or wireless communications path, or a combination of such paths.

Programming sources 102 may be any suitable sources of television and audio programming, such as 25 television broadcasters (e.g., NBC, ABC, and HBO) or other television or audio programming production studios. Programming sources 102 may provide television programming in a variety of formats in high definition and standard definition, such as, for 30 example, 1080p, 1080i, 720p, 480p, 480i, and any other suitable format.

Distribution facility 104 may be a cable system headend, a satellite media distribution

facility, a television broadcaster, or any other suitable facility for distributing video media (e.g., through television channels, video-on-demand channels, pay-per-view channels) and audio media (e.g., through analog or digital music channels) to the user equipment. In some approaches, distribution facility 104 may also distribute other media to users, such as video and audio clips, web pages, and interactive applications (e.g., games, shopping applications), that may be offered to subscribers of a given cable or satellite system. There are typically numerous media distribution facilities 104 in system 100, but only one is shown in FIG. 1 to avoid overcomplicating the drawing.

15 Distribution facility 104 may be connected to various user equipment devices 108, 110, and 112. Such user equipment devices may be located, for example, in the homes of users. User equipment devices may include user television equipment 110, user computer equipment 20 112, or any other type of user equipment suitable for accessing media (e.g. television and music programming, web pages, etc.) or interactive media guidance application functions. User equipment 108 may be any type of user equipment (e.g., user television 25 equipment, user computer equipment, etc.) and, for simplicity, user equipment devices may be referred to generally as user equipment 108.

User equipment devices 108, 110, and 112 may receive media programming (e.g., television programming 30 from television channels) and other data from distribution facility 104 over communications paths, such as communications paths 114, 116, and 118. User equipment devices 108, 110, 112 may also transmit

signals to distribution facility 104 over paths 114, 116, and 118. Paths 114, 116, and 118 may be cables or other wired connections, free-space connections (e.g., for broadcast or other wireless signals), satellite links, or any other suitable links or combination of links.

5 A second approach illustrated in FIG. 1 by which media and media guidance are provided to end users is a non-television-centric approach. In this 10 approach media such as video (which may include television programming from television channels), audio, images, web pages, are provided to user equipment 108 by server 130 via communications network 126. This approach is non-television-centric because 15 media is provided by, and delivered at least partially to, and sometimes exclusively to, equipment that is not part of users' traditional television delivery system. In non-television-centric approaches, television programming may not be included among the media 20 provided to the user and, even when included, may only represent one medium among a plurality of media.

In some embodiments for this approach, communications network 126 is the Internet. Server 130 may provide, for example, a web site that is accessible 25 to the user's equipment and an on-line guidance application for the user. In such approaches, the user's equipment may be, for example, a personal computer or a hand-held device such as a PDA or web-enabled cellular telephone that incorporates a web 30 browser. In other embodiments, server 130 uses the Internet as a transmission medium but does not use a web browser or web sites. In such approaches, the user's equipment may run a client application that

enables the user to access media. In other approaches, communications network 126 is a private communications network, such as a cellular phone network, that does not include the Internet. In yet other approaches, 5 communications network 126 includes a private communications network and the Internet. For example, a cellular telephone or other mobile-device service provider may provide Internet access to its subscribers via a private communications network, and may provide 10 media such as video clips or television programming to its subscribers via the Internet and its own network.

The aforementioned approaches for providing media may, in some embodiments, be combined. For example, a distribution facility 104 may provide a 15 television-centric media delivery system, while also providing users' equipment (e.g., 108, 110 and 112) with access to other non-television-centric delivery systems provided by server 130. For example, a user's equipment may include a web-enabled set-top box or a 20 television enabled personal computer. Distribution facility 104 may, in addition to television and music programming, provide the user with Internet access whereby the user may access server 130 via communications network 126. Distribution facility 104 25 may communicate with communications network 126 over any suitable path 134, such as a wired path, a cable path, fiber-optic path, satellite path, or combination of such paths.

Media guidance applications may be provided 30 using any approach suitable for the type of media and distribution system for which the guidance applications are used. Media guidance applications may be, for example, stand alone applications implemented on users'

equipment. In other embodiments, media guidance applications may be client-server applications where only the client resides on the users' equipment. In still other embodiments, guidance applications may be 5 provided as web sites accessed by a browser implemented on the users' equipment. Whatever the chosen implementation, the guidance application will require information about the media for which it is providing guidance. For example, information on media 10 programming (e.g., title, channel, and time), media channels (e.g., channel characteristics), and channel groups (e.g., group roster) may be necessary to guide users to desired media programming.

In some television-centric embodiments, for 15 example, the guidance application may be a stand-alone interactive television program guide that receives program guide data via a data feed (e.g., a continuous feed, trickle feed, or data in the vertical blanking interval of a channel). Data source 120 in system 100 20 may include a program listings database that is used to provide the user with television program related information such as scheduled broadcast times, titles, channels, ratings information (e.g., parental ratings and critic's ratings), detailed title descriptions, 25 genre or category information (e.g., sports, news, movies, etc.), program format (e.g., standard definition, high definition), related video clips, etc. Data source 120 may also include information on television channels (e.g., channel name and type), and 30 channel groups (e.g., channel group roster, video clip promoting a channel group, information on programming from the channel group that is to be featured). Data source 120 may also be used to provide advertisements

(e.g., program guide advertisements and advertisements for other interactive television applications), real-time data such as sports scores, stock quotes, news data, and weather data, application data for one or 5 more media guidance applications or other interactive applications, and any other suitable data for use by system 100. As another example, data source 120 may provide data indicating the types of information that may be included in interactive media guidance overlays 10 (e.g., at the request of the user, absent user modification, etc.).

Program guide data may be provided to user equipment, including user equipment located on home network 113, using any suitable approach. For example, 15 program schedule data and other data may be provided to the user equipment on a television channel sideband, in the vertical blanking interval of a television channel, using an in-band digital signal, using an out-of-band digital signal, or by any other suitable data 20 transmission technique. Program schedule data and other data may be provided to user equipment on multiple analog or digital television channels. Program schedule data and other data may be provided to the user equipment with any suitable frequency (e.g., 25 continuously, periodically, daily, in response to a request from user equipment, etc.).

In some television-centric embodiments, guidance data from data source 120 may be provided to users' equipment using a client-server approach. For 30 example, a guidance application client residing on the user's equipment may initiate sessions with server 140 to obtain guidance data when needed.

There may be multiple data sources (such as data source 120) in system 100, although only one data source is shown in FIG. 1 to avoid overcomplicating the drawing. For example, a separate data source may be 5 associated with each of a plurality of media channels or channel groups and may provide data that is specific to the media channel or channel group (e.g., media programming listings for the channel or channel group, advertisements for programming of the channel or 10 channel group, logo data for displaying the media channel or channel group's logo in program guide display screens, etc.). Data source 120 and any other system components of FIG. 1 may be provided using equipment at one or more locations. Systems components 15 are drawn as single boxes in FIG. 1 to avoid overcomplicating the drawings.

Data source 120 may provide data to distribution facility 104 over communications path 122 for distribution to the associated user equipment and 20 home network 113 (discussed below) over paths 114, 116, 118, and 119 (e.g., when data source 120 is located at a main facility). Communications path 122 may be any suitable communications path such as a satellite communications path or other wireless path, a fiber-optic or other wired communications path, a path that 25 supports Internet communications, or other suitable path or combination of such paths.

In some television-centric and non-television-centric approaches, data source 120 may provide 30 guidance data directly to user equipment 108 over path 124, communications network 126, and path 128 (e.g., when data source 120 is located at a facility such as one of programming sources 102). In some embodiments

of the present invention, data source 120 may provide guidance data directly to user equipment located on home network 113 (discussed below) over path 124, communications network 126, and path 139 (e.g., when 5 data source 120 is located at a facility such as one of programming sources 102). Paths 124, 128, and 139 may be wired paths such as telephone lines, cable paths, fiber-optic paths, satellite paths, wireless paths, any other suitable paths or a combination of such paths.

10 Communications network 126 may be any suitable communications network, such as the Internet, a public switched telephone network, or a packet-based network.

15 User equipment devices, including user equipment devices located on home network 113 (discussed below), such as user television equipment and personal computers, may use media programming schedule data and other interactive media guidance application data to display media listings (e.g., television program listings) and other information 20 (e.g., information on digital music) to the user. An interactive television program guide application or other suitable interactive media guidance application may be used to display the information on the user's display (e.g., in one or more overlays that are 25 displayed on top of video for a given television channel). Interactive displays may be generated and displayed for the user using any suitable approach. In one suitable approach, distribution facility 104, server 130, or another facility, may generate guidance 30 application display screens and may transmit the display screens to user equipment for display. In another suitable approach, user equipment may store data for use in one or more interactive displays (e.g.,

media programming schedule data, advertisements, logos, etc.), and an interactive media guidance application implemented at least partially on the user equipment may generate the interactive displays based on 5 instructions received from distribution facility 104, server 130 or another facility. In some embodiments of the present invention, user equipment may store only the data that is used to generate the interactive guidance application displays (e.g., storing logo data 10 for a particular television broadcaster only when the logo is to be included in one or more interactive displays). In some embodiments of the present invention, user equipment may store data that is not necessarily used to generate the interactive displays 15 (e.g., storing advertisements associated with a particular media channel that may or may not be displayed). Any other suitable approach or combination of approaches may be used to generate and display interactive overlays for the user.

20 In still other embodiments, the interactive media guidance application (television-centric and non-television centric) may be provided online as, for example, a website. For example, server 130 may provide an online interactive television program guide. 25 As another example, user equipment 108 may be a mobile device, such as a cellular telephone or personal digital assistant (PDA). The mobile device may be web-enabled to allow the user to access an on-line guidance application (which may be modified from its original 30 version to make it appropriate for a smaller display). Alternatively, the mobile device may have an applet that communicates with server 130 to obtain guidance data via the Internet.

Server 130 may receive program schedule data and other data from data source 120 via communications path 124, communications network 126, and communications path 132 or via another suitable path or 5 combination of paths. Path 132 may be a satellite path, fiber-optic path, wired path, or any other path or combination of paths. User equipment 108 may access the online interactive media guidance application and other sources from server 130 via communications path 10 128. User equipment 108 may also access the guidance application and other services on server 130 via communications path 114, distribution facility 104, and communications path 134. For example, a cable modem or other suitable equipment may be used by user equipment 15 108 to communicate with distribution facility 104.

User equipment such as user television equipment 110, user computer equipment 112, and user equipment located on home network 113 may access the online interactive media guidance application and 20 server 130 using similar arrangements. User television equipment 110 may access the on-line interactive media guidance application and server 130 using communications path 136 or using path 116, distribution facility 104, and path 134. User computer equipment 112 may access the on-line interactive media guidance application and server 130 using communications path 138 or using path 118, distribution facility 104, and path 134. User equipment located on home network 113 may access the on-line media guidance application and 25 server 130 using communications path 139 or using path 119, distribution facility 104, and path 134. Paths 136, 138, and 139 may be any suitable paths such as 30

wired paths, cable paths, fiber-optic paths, wireless paths, satellite paths, or a combination of such paths.

In some embodiments, system 100 may support other interactive applications in addition to the 5 interactive media guidance applications. Such applications may be implemented using any suitable approach. For example, the interactive applications may be implemented locally on the user equipment or in a distributed fashion (e.g., using a client-server 10 architecture in which the user equipment serves at least partly, and for at least some of the time, as the client and a server, such as server 140 at distribution facility 104, server 130, or other suitable equipment acts as the server). Other distributed architectures 15 may also be used if desired. Moreover, some or all of the features of the interactive applications of system 100 (including the media guidance application) may be provided using operating system software or middleware software. Such operating system software and 20 middleware may be used instead of, or in combination with, application-level software. In yet other approaches, interactive applications may also be supported by servers or other suitable equipment at one or more service providers such as service provider 142. 25 Regardless of the particular arrangement used, the software that supports these features may be referred to as an application or applications.

For example, an interactive application such as a home shopping service may be supported by a 30 service provider such as service provider 142 that has sales representatives, order fulfillment facilities, account maintenance facilities, and other equipment for supporting interactive home shopping features. A home

shopping application that is implemented using the user equipment may be used to access the service provider to provide such features to the user. The user equipment may access service provider 142 via distribution facility 104 and communications path 144 or via communications network 126 and communications path 146. Communications paths such as paths 144 and 146 may be any suitable paths such as wired paths, cable paths, fiber-optic paths, satellite paths, or a combination of such paths.

If desired, an interactive media guidance application such as a network-based video recorder or a video-on-demand application (e.g., as accessed through a video-on-demand channel) may be supported using server 140, server 130, or equipment at service provider 142. Video-on-demand content and video recorded using a network-based video recorder arrangement may be stored on server 140 or server 130 or at service provider 142 and may be provided to the user equipment when requested by users. An interactive television program guide, for example, may be used to support the functions of a personal video recorder (sometimes called a digital video recorder) that is implemented using user equipment 108. Illustrative equipment that may be used to support personal video recorder functions include specialized personal video recorder devices, integrated receiver decoders (IRDs), set-top boxes with integrated or external hard drives, or personal computers with video recording capabilities.

Interactive applications such as media guidance applications (e.g., interactive television program guide applications and video-on-demand

applications), home shopping applications, home banking applications, game applications, and other applications (e.g., applications related to e-mail and chat or other communications functions, etc.) may be provided as 5 separate applications that are accessed through a navigation shell application (i.e., a menu application with menu options corresponding to the applications). The features of such applications may be combined. For example, games, video-on-demand services, home shopping 10 services, network-based video recorder functions, personal video recorder functions, navigational functions, program guide functions, communications functions, and other suitable functions may be provided using one application or any other suitable number of 15 applications. The one or more applications may display various overlays on user equipment including, for example, interactive television information on top of video for a given television channel.

Interactive television program guide 20 applications, home banking applications, home shopping applications, network-based video recorder and personal video recorder applications, video-on-demand applications, gaming applications, communications applications, and navigational applications are only a 25 few illustrative examples of the types of interactive media guidance and other applications that may be supported by system 100. Other suitable interactive applications that may be supported include news services, web browsing and other Internet services, and 30 interactive wagering services (e.g., for wagering on horse races, sporting events, and the like).

Interactive overlays that are displayed by these

applications may also be customized in accordance with the present invention.

Users may have multiple types of user equipment by which they access media and obtain media guidance. For example, some users may have home networks that are accessed by in-home and mobile devices. As shown in FIG. 1, home network 113 communicates with distribution facility 104 and server 130 over paths 119 and 139 (and, in the case of server 130, communications network 126). Such home networks 113 may be located, for example, in homes of users or distributed, for example, among homes of users. Home networks 113 may each include a plurality of interconnected user equipment devices, such as, for example user equipment devices 108, 110 and 112. In some embodiments, users may control in-home devices via a media guidance application implemented on a remote device. For example, users may access an online media guidance application on a website via a personal computer at their office, or a mobile device such as a PDA or web-enabled cellular telephone. The user may set settings (e.g., recordings, reminders, or other settings) on the on-line guidance application to control the user's in-home equipment. The on-line guide may control the user's equipment directly, or by communicating with a media guidance application on the user's in-home equipment.

FIGS. 2-6 show illustrative arrangements for user equipment. An illustrative set-top box-based arrangement for user television equipment 110 is shown in FIG. 2. User television equipment 110 may be stand-alone or a part of home network 113 (FIG. 1). Input/output 202 may be connected to communications

paths such as paths 116 and 136 (FIG. 1). Input/output functions may be provided by one or more wires or communications paths, but are shown as a single path in FIG. 2 to avoid overcomplicating the drawing.

5 Television programming, program guide data, and any other suitable interactive media guidance application data or other data may be received using input/output 202. Commands and requests and other data generated as a result of user interactions with the interactive media guidance application may also be transmitted over input/output 202.

Set-top box 204 may be any suitable analog or digital set-top box (e.g., a cable set-top box). Set-top box 204 may contain an analog tuner for tuning to a desired analog television channel (e.g., a channel comprising television programming, interactive television data, or both). Set-top box 204 may also contain digital decoding circuitry for receiving digital television channels (e.g., channels comprising television or music programming, interactive television data, etc.). Set-top box 204 may also contain a high-definition television tuner for receiving and processing high-definition television channels.

25 Analog, digital, and high-definition channels may be handled together if desired. Multiple tuners may be provided (e.g., to handle simultaneous watch and record functions or picture-in-picture (PIP) functions). Box 204 may be an integrated receiver decoder (IRD) that handles satellite television. If desired, box 204 may have circuitry for handling cable, over-the-air broadcast, and satellite content.

Set-top box 204 may be configured to output media programming, such as television programs, in a preferred format. Because television programs may be received in a variety of formats, set-top box 204 may 5 contain scaler circuitry for upconverting and downconverting television programs into the preferred output format used by set-top box 204. For example, set-top box 204 may be configured to output television programs in 720p. In this example, the scaler 10 circuitry may upconvert standard-definition television programs having 480 lines of vertical resolution to 720p format and downconvert certain high-definition television programs having 1080 lines of vertical resolution to 720p format.

15 Box 204 may include a storage device (e.g., a digital storage device such as a hard disk drive) for providing recording capabilities. Box 204 may also be connected to a recording device 206 such as a video cassette recorder, personal video recorder, optical 20 disc recorder, or other device or devices with storage capabilities. Box 204 may be configured to record standard-definition television programs, high-definition television programs, digital music programming, and other media data (e.g., photographs).

25 Set-top box 204 contains a processor (e.g., a microcontroller or microprocessor or the like) that is used to execute software applications. Set-top box 204 may contain memory such as random-access memory for use when executing applications. Nonvolatile memory may 30 also be used (e.g., to launch a boot-up routine and other instructions). Hard disk storage in box 204 or in recording device 206 may be used to back up data and to otherwise support larger databases and storage

requirements than may be supported using random-access memory approaches. Hard disk storage in box 204 or in recording device 206 may also be used to store and back up program guide settings or saved user preferences.

5 Set-top box 204 may have infrared (IR) or other communications circuitry for communicating with a remote control or wireless keyboard. Set-top box 204 may also have dedicated buttons and a front-panel display. The front-panel display may, for example, be
10 used to display the current channel to which the set-top box is tuned.

Set-top box 204 may also have communications circuitry such as a cable modem, an integrated services digital network (ISDN) modem, a digital subscriber line (DSL) modem, a telephone modem, or a wireless modem for communications with other equipment. Such communications may involve the Internet or any other suitable communications networks or paths. If desired, the components of set-top box 204 may be integrated
15 into other user equipment (e.g., a television or
20 videocassette recorder).

Recording device 206 may be used to record media data provided by set-top box 204. For example, if set-top box 204 is tuned to a given television channel, the video signal for that television channel may be passed to recording device 206 for recording on a videocassette, compact disc, digital video disk, or internal hard drive or other storage device. Recording device 206 may be configured to record either standard-
25 definition television programs, high-definition television programs, digital music programming; or
30 other suitable media data. Recording device 206 may have communications circuitry such as a cable modem, an

ISDN modem, a DSL modem, or a telephone modem for communications with other equipment. Such communications may involve the Internet or any other suitable communications networks or paths. The

5 components of recording device 206 may be integrated into other user equipment (e.g., a television, stereo equipment, etc.).

Recording device 206 may be controlled using a remote control or other suitable user interface. If 10 desired, video recorder functions such as start, stop, record and other functions for device 206 may be controlled by set-top box 204. For example, set-top box 204 may control recording device 206 using infrared commands directed toward the remote control inputs of 15 recording device 206 or set-top box 204 may control recording device 206 using other wired or wireless communications paths between box 204 and device 206.

The output of recording device 206 may be provided to television 208 for display to the user. In 20 some embodiments, television 208 may be capable of displaying high-definition programming (i.e., HDTV-capable). If desired, multiple recording devices 206 or no recording device 206 may be used. If recording device 206 is not present or is not being actively 25 used, the video signals from set-top box 204 may be provided directly to television 208. Any suitable television or monitor may be used to display the video. In the equipment of FIG. 2 and the other equipment of system 100 (FIG. 1), the audio associated with various 30 video items is typically distributed with those video items and is generally played back to the user as the videos are played. In some embodiments, the audio may be distributed to a receiver (not shown), which

processes and outputs the audio via external speakers (not shown).

Another illustrative arrangement for user television equipment 110 (FIG. 1) is shown in FIG. 3.

5 User television equipment 110 may be stand-alone or a part of home network 113 (FIG. 1). In the example of FIG. 3, user television equipment 110 includes a recording device 302 such as a digital video recorder (e.g., a personal video recorder (PVR)) that uses a 10 hard disk or other storage for recording video.

Recording device 302 may alternatively be a digital video disc recorder, compact disc recorder, videocassette recorder, or other suitable recording device. Equipment 110 of FIG. 3 may also include a 15 television 304. In some embodiments, television 304 may be HDTV-capable. Input/output 306 may be connected to communications paths such as paths 116 and 136 (FIG. 1). Television programming, program schedule data, and other data (e.g., advertisement data, data indicating 20 one or more television channels for which the display of an overlay is to be customized, etc.) may be received using input/output 306. Commands and requests and other data from the user may be transmitted over input/output 306.

25 Recording device 302 may contain at least one analog tuner for tuning to a desired analog television channel (e.g., to display video for a given television channel to a user, to receive media guidance application data and other data). Recording device 302 30 may also contain digital decoding circuitry for receiving digital television programming, music programming, media guidance application data (e.g., programming schedule data), and other data on one or

more digital channels. Recording device 302 may also contain circuitry for receiving high-definition television channels. If desired, recording device 302 may contain circuitry for handling analog, digital, and 5 high-definition channels. Recording device 302 also contains a processor (e.g., a microcontroller or microprocessor or the like) that is used to execute software applications. Recording device 302 may contain memory such as random-access memory for use 10 when executing applications. Nonvolatile memory may also be used to store a boot-up routine or other instructions. The hard disk and other storage in recording device 302 may be used to support databases (e.g., program guide databases or other interactive 15 television application databases). The hard disk or other storage in recording device 302 may also be used to record video such as television programs or video-on-demand content or other content provided to recording device 302 over input/output 306.

20 Recording device 302 may have IR communications circuitry or other suitable communications circuitry for communicating with a remote control. Recording device 302 may also have dedicated buttons and a front-panel display. The 25 front-panel display may, for example, be used to display the current channel to which the recording device is tuned.

Recording device 302 may also have 30 communications circuitry such as a cable modem, an ISDN modem, a DSL modem, a telephone modem, or a wireless modem for communications with other equipment. Such communications may involve the Internet or other suitable communications networks or paths.

If desired, recording device 302 may include a satellite receiver or other equipment that has wireless communications circuitry for receiving satellite signals.

5 Recording device 302 of FIG. 3, recording device 206 of FIG. 2, or recording enabled set-top box 204 of FIG. 2 may record new video while previously recorded video is being played back on television 304 or 208. This allows users to press a pause button 10 during normal television viewing. When the pause button is pressed, the current television program is stored on the hard disk of digital video recorder 302 (or 206/204). When the user presses play, the recorded video may be played back. This arrangement allows the 15 user to seamlessly pause and resume television viewing. Recording devices may also be used to allow a user to watch a previously-recorded program while simultaneously recording a new program.

20 The set-top box arrangement of FIG. 2 (which may integrate recording functionality into the set-top box) and the personal video recorder with a built-in set-top box arrangement of FIG. 3 are merely 25 illustrative. Other arrangements may be used if desired. For example, user television equipment may be based on a WebTV box, a personal computer television (PC/TV), or any other suitable television equipment arrangement. If desired, the functions of components such as set-top box 204, recording device 302, a WebTV box, or PC/TV or the like may be integrated into a 30 television or personal computer or other suitable device.

An illustrative remote control 400 for operating user television equipment 110 or suitable

user computer equipment 112 (FIG. 1) is shown in FIG. 4. Remote control 400 is only illustrative and any other suitable user input interface may be used to operate user equipment (e.g., a mouse, trackball, 5 keypad, keyboard, touch screen, voice recognition system, etc.). Remote control 400 may have function keys 402 and other keys 404 such as keypad keys, power on/off keys, pause, stop, fast-forward and reverse keys. Volume up and down keys 406 may be used for 10 adjusting the volume of the audio portion of a video. Channel up and down keys 408 may be used to change media (television) channels and to access content on virtual channels. Cursor keys 410 may be used to 15 navigate on-screen menus. For example, cursor keys 410 may be used to position an on-screen cursor, indicator, or highlight (sometimes all generically referred to herein as a cursor) to indicate interest in a particular option or other item on a display screen that is displayed by the interactive media guidance 20 application.

OK key 412 (also called a select key) may be used to select on-screen options that the user has highlighted.

Keys 402 may include RECORD key 414 for 25 initiating recordings. MENU button 416 may be used to direct an interactive media guidance application to display a menu on the user's display screen (e.g., on television 208 or 304 or on a suitable monitor or computer display). INFO button 418 may be used to 30 request information from an interactive media guidance application. For example, when a user presses INFO key 418 while accessing programming from a given media channel, the guidance application may display a

FLIP/BROWSE overlay including information on the currently accessed programming. As another example, when a particular media listing displayed by the guidance application is highlighted by a cursor, the 5 user pressing INFO button 418 may cause the guidance application to provide additional information associated with the media listing (e.g., a program description, schedule information, etc.).

LOCK button 420 may be used to modify access 10 privileges. For example, a parent may use LOCK button 420 or on-screen options to establish parental control settings for the interactive media guidance application. The parental control settings may be time-based settings (e.g., to prevent a child from 15 watching television during a particular time block, such as from 3:00 PM to 5:00 PM daily). The parental control settings may also be used to, for example, block programming based on rating, program, channel, channel group, or any suitable combination thereof. A 20 locked or blocked program (or other media) is typically not accessible until the interactive media guidance application is provided with a suitable personal identification number (PIN). Once this PIN has been entered, the interactive media guidance application 25 will unlock the user's equipment and allow the locked content to be accessed. In one highlighted embodiment, one or more selected channel groups are locked by user actuation of the LOCK button. Locking a channel group may deny access to all the media channels and media 30 listings belonging to the channel group (pending entry of the PIN).

EXIT button 422 may be used to exit the interactive media guidance application or to exit a

portion of the interactive media guidance application (e.g., to cause the guidance application to remove a FLIP, BROWSE, or other interactive overlay from the display screen). GUIDE button 424 may be used to 5 invoke the media guidance application (e.g., a channel group menu screen, a media listings display screen, or other guidance application screen). FAVORITE button 426 may be used to set a media channel or channel group as a favorite (e.g., pressing the FAVORITE button after 10 selecting one or more channel groups sets all the group channels as favorite channels). PURCHASE button 428 may be used to purchase programming or channels that require payment. For example, PURCHASE button 428 may be used to subscribe to all the media channels in one 15 or more selected channel groups.

The keys shown in FIG. 4 are merely illustrative. Other keys or buttons may be provided if desired. For example, a music button may be used to access music with the interactive media guidance 20 application. An edit button may be used to edit stored content (e.g., to remove commercials, remove portions of a video, etc.). Alphanumeric buttons may be used to enter alphanumeric characters. A last or back button may be used to browse backward in the interactive media 25 guidance application (e.g., to return to a previous channel, web page, or other display screen). Video recorder function buttons such as a play button, pause button, stop button, rewind button, fast-forward button, and record button, may be used to control video 30 recorder functions (local or network-based) in system 100 (FIG. 1). A help key may be used to invoke help functions such as context-sensitive on-screen help functions.

Illustrative user computer equipment 112 (FIG. 1) is shown in FIG. 5. User computer equipment 112 may be stand-alone or a part of home network 113 (FIG. 1). In the arrangement of FIG. 5, personal computer unit 502 may be controlled by the user using keyboard 504 and/or other suitable user input device such as a trackball, mouse, touch pad, touch screen, voice recognition system, or a remote control, such as remote control 400 of FIG. 4. Video content, such as television programming or web pages having video elements, and interactive media guidance application display screens may be displayed on monitor 506. Television and audio programming, media guidance application data (e.g., television program guide data), video-on-demand content, video recordings played back from a network-based video recorder, and other data may be received from paths 118 and 138 (FIG. 1) using input/output 508. User commands and other information generated as a result of user interactions with the interactive media guidance application and system 100 (FIG. 1) may also be transmitted over input/output 508.

Personal computer unit 502 may contain a television or video card, such as a television tuner card, for decoding analog, digital, and high-definition television channels and for handling streaming video content. Multiple video cards (e.g., tuner cards) may be provided if desired. An illustrative television tuner card that may be used may contain an analog television tuner for tuning to a given analog channel, digital decoding circuitry for filtering out a desired digital television or music channel from a packetized digital data stream, and a high-definition television tuner for tuning to a high-definition channel. Any

suitable card or components in computer unit 502 may be used to handle video and other content delivered via input/output line 508 if desired.

Personal computer unit 502 may contain one or more processors (e.g., microprocessors) that are used to run the interactive media guidance application or a portion of the interactive media guidance application.

Personal computer unit 502 may include a hard drive, a recordable DVD drive, a recordable CD drive, or other suitable storage device or devices that stores video, program guide data, and other content. The interactive media guidance application and personal computer unit 502 may use a storage device or devices to, for example, provide the functions of a personal video recorder.

User equipment, such as user equipment 108, user television equipment 110, user computer equipment 112, and user equipment located on home network 113, may be used with network equipment such as server 130, server 140, and equipment at service providers such as service provider 142 (FIG. 1) to provide network-based video recording functions. Video recording functions may be provided by storing copies of television programs and other video content on a remote server (e.g., server 130 or server 140) or other network-based equipment, such as equipment at a service provider such as service provider 142.

Video recordings may be made in response to user commands that are entered at user equipment 108 or user equipment located on home network 113 (FIG. 1). In a personal video recorder arrangement, the interactive media guidance application may be used to record video locally on the user equipment in response

to the user commands. In a network-based video recorder arrangement, the interactive media guidance application may be used to record video or to make virtual recordings (described below) on network equipment such as server 130, server 140, or equipment at service provider 142 in response to the user commands. The user commands may be provided to the network equipment over the communications paths shown in FIG. 1. The personal video recorder arrangement and the network-based video recorder arrangement can support functions such as fast-forward, rewind, pause, play, and record.

To avoid unnecessary duplication in a network-based video recorder environment, system 100 may provide network-based video recording capabilities by using virtual copies or recordings. With this approach, each user may be provided with a personal area on the network that contains a list of that user's recordings. The video content need only be stored once (or a relatively small number of times) on the network equipment, even though a large number of users may have that video content listed as one of their recordings in their network-based video recorder personal area. Personal settings or any other suitable data may be stored in a user's personal area on the network.

The user television equipment and user computer equipment arrangements described above are merely illustrative. A more generalized embodiment of illustrative user equipment 108, 110, and 112 (FIG. 1) and user equipment located on home network 113 (FIG. 1) is shown in FIG. 6. Control circuitry 602 is connected to input/output 604. Input/output 604 may be connected to one or more communications paths such as paths 114,

116, 118, 128, 136, and 138 of FIG. 1. Media (e.g., television programming, music programming, other video and audio, and web pages) may be received via input/output 604 (e.g., from programming sources 102, 5 servers or other equipment, such as server 130, service providers such as service provider 142, distribution facility 104, etc.). Interactive media guidance application data, such as program schedule information for an interactive television program guide, may be 10 received from data source 120 via input/output 604. Input/output 604 may also be used to receive data from data source 120 for other interactive television applications. The user may use control circuitry 602 to send and receive commands, requests, and other 15 suitable data using input/output 604.

Control circuitry 602 may be based on any suitable processing circuitry 606 such as processing circuitry based on one or more microprocessors, microcontrollers, digital signal processors, 20 programmable logic devices, etc. In some embodiments, control circuitry 602 executes instructions for an interactive media guidance application or other interactive application (e.g., web browser) from memory. Memory (e.g., random-access memory and read- 25 only memory), hard drives, optical drives, or any other suitable memory or storage devices may be provided as storage 608 that is part of control circuitry 602. Tuning circuitry such as one or more analog tuners, one or more MPEG-2 decoders or other digital video 30 circuitry, high-definition tuners, or any other suitable tuning or video circuits or combinations of such circuits may also be included as part of circuitry 602. Encoding circuitry (e.g., for converting over-

the-air, analog, or digital signals to MPEG signals for storage) may also be provided. The tuning and encoding circuitry may be used by the user equipment to receive and display, play, or record a particular television or 5 music channel or other desired audio and video content (e.g., video-on-demand content or requested network-based or local video recorder playback). Television programming and other video and on-screen options and information may be displayed on display 610. Display 10 610 may be a monitor, a television, or any other suitable equipment for displaying visual images. In some embodiments, display 610 may be HDTV-capable. Speakers 612 may be provided as part of a television or may be stand-alone units. Digital music and the audio 15 component of videos displayed on display 610 may be played through speakers 612. In some embodiments, the audio may be distributed to a receiver (not shown), which processes and outputs the audio via speakers 612.

A user may control the control circuitry 602 20 using user input interface 614. User input interface 614 may be any suitable user interface, such as a mouse, trackball, keypad, keyboard, touch screen, touch pad, voice recognition interface, or a remote control.

Peripheral device 618 may also be connected 25 to processing circuitry 606 over communications path 616. Peripheral devices may include cellular phones, personal data assistants, handheld media players, and any other suitable peripheral device. Communications path 616 may include for example, USB cables, IEEE 1394 cables, or wireless paths (e.g., Bluetooth, infrared). Processing circuitry 606 may provide content and data 30 to peripheral device 618.

FIG. 7 shows an illustrative display screen of the interactive media guidance application. Screen 700 includes interactive elements 710 that represent the channel groups available to the user for selection.

5 The list of channel groups that are included in this channel group selection screen may be all the available channel groups or some subset thereof. When fewer than all the available channel groups are displayed in screen 700, the subset of channel groups to be

10 displayed may be determined by the service provider (e.g., provider 142 of FIG. 1), by the user, or by a combination of inputs from both. In one embodiment, the channel groups to be included in screen 700 may be provided by the service provider using profile

15 information on the user. The user profile information may include information on the media channels and programming accessed by the user. If a user frequently accesses media channels belonging to the sports channel group or frequently accesses sports programming, the

20 guidance application may select the sports channel group for display in channel group selection screen 700. In one approach, user profile information may also be used to determine the rank order in which channel groups are displayed in screen 700. For

25 example, channel groups that are most frequently accessed by the user (or which contain the channels or programming most frequently accessed by the user) may be prominently displayed in the first row of channel groups on screen 700. Such "favorite" channel groups may also be indicated to the user (e.g., by displaying a given element 710 larger than other elements or by adding an indicator 711 to the element).

Alternatively, the roster of channel groups on screen 700 may be manually set by the user through an edit screen that may be accessed from screen 700 by user selection of button 705. As illustrated by FIG. 8, edit screen 800 may enable the user to select channel groups by placing cursor 801 over check box 805 corresponding to a desired channel group and pressing the select key on the user input device. A selected channel group may be indicated on screen 800 by displaying a checkmark in the corresponding box 805. Interactive elements 810, which indicate the channel group names, may be similarly selected by the user to view information on the selected channel group (e.g., a description of the channel group). For example, information on the sports channel group highlighted by cursor 801 may be displayed in overlay 850 when the user presses the select key 412 on the user input device. As shown, overlay 850 may describe the selected channel group and provide a list of the media channels included in the channel group. At the conclusion of user selection, the user may select button 820 to save the settings and exit back to screen 700.

Returning to FIG. 7, screen 700 may include a reduced-scale video display window 720 (e.g., picture-in-picture or picture-in-guide window) and an information display area 730. A cursor 701 may be displayed in screen 700 and may be used by the user in conjunction with user input device 400 to highlight interactive elements of the display screen. For example, cursor 701 may be used by the user to highlight one of the interactive channel group elements 710. In one embodiment, when cursor 701 is located on

a particular channel group element 710, window 720 may display video related to the highlighted channel group. For example, window 720 may display one or more video clips promoting the highlighted channel group itself, 5 the individual media channels within the channel group, or the media programming available through the group channels (e.g., featured programming). In one approach, the user may be required to make an indication that the user wishes to view video related 10 to the highlighted channel group before window 720 begins displaying the video. For example, when cursor 701 is located on a channel group element 710, the user may be required to press INFO key 418 on the user input device to start viewing the one or more video clips.

15 In another embodiment, the user may also be able to view live media programming from the group channels through window 720. For example, when the user places cursor 701 on a channel group element (and optionally, presses the INFO key), window 720 may 20 provide live video of a first media channel belonging to the highlighted channel group. Audio of the media channel displayed in window 720 may or may not be provided, in some instances, depending on whether the media channel is a television channel or an audio-centric channel, such as a music channel. Window 720 25 may provide an identification of the first media channel in its video display. For example, when the live video displayed in window 720 is of the media channel ESPN, an overlay 721 may be used in window 720 30 to identify the media channel. In one approach, when the user presses the INFO key on the user input device while cursor 701 remains on the same channel group element, window 720 may change to display live

programming from a second media channel belonging to the highlighted channel group. In this way, the user may cycle through all the channels of a highlighted channel group by repeatedly pressing the INFO key while cursor 701 is on the channel group element.

5 Alternatively, the guidance application may automatically cycle the programming feed in window 720 through the media channels of the channel group. When one of the media channels in a channel group is not a broadcast channel that provides a continuous 10 programming feed (e.g., audio or video feed), window 720 may display a promotional video clip related to that media channel when the user or the guidance application cycles to that channel. For example, an 15 on-demand media channel may be represented in window 720 with a video clip promoting a program available through the on-demand channel, or with a video preview of one of the programs. Alternatively, the guidance application may simply skip media channels without a 20 traditional broadcast type feed as it cycles through the group channels in window 720.

In one embodiment that incorporates both promotional videos related to the channel group and live video of the group channels, window 720 may 25 automatically begin display of promotional video clips related to the highlighted channel group when cursor 701 is placed on a channel group element and, when the user presses the INFO key on the user input device, window 720 may replace the promotional video clips with 30 the programming feed from a first group channel. Further actuations of the INFO key may result in the cycling of the programming feeds from the group channels, as previously described.

Alternatively, window 720 may be used to display general promotional information regarding the channel groups displayed on screen 700 regardless of which channel group element is highlighted by cursor 701.

It should be understood that window 720 may be utilized in any of the above described approaches or in any combination of such approaches. One or more additional video display windows may also be provided on screen 700 and may provide additional promotional opportunities related to channel groups, media channels, media programming, or unrelated products and services.

Information display area 730 may be synchronized with the video being displayed in window 720. For example, when window 720 is displaying a video clip promoting a particular channel group, window 720 may display information on the same channel group. The information provided by area 730 may be text, graphics, video (and any accompanying audio) and may provide a description of the channel group (e.g., the common characteristic or organizing concept for the channel group), the channel group roster, current programming available through the channel group (e.g., featured programming), etc. Similarly, when window 720 is displaying a video clip promoting a particular channel or the live video feed from a particular channel, display area 730 may provide information on the given channel, such as a description of the channel (e.g., the type of programming on which the channel focuses) and promotional information for the channel and its programming. Similarly, when window 720 is displaying a particular program or a promotional video

relating to a particular program, display area 730 may provide further information describing and promoting the given program.

Alternatively, information display area 730 5 may not be synchronized with the video of window 720. In one embodiment, area 730 may be used to generally provide promotional information on channel groups, media channels, and media programming available through the service provider. Such promotional information may 10 periodically and automatically change, such that multiple channel groups, media channels, and media programs may be promoted within a given period of time. Display area 730 may be interactive and may enable the user to initiate one or more guidance application 15 functions with respect to the channel group, channel, or programming being promoted in area 730. For example, when area 730 is displaying information on a particular channel or currently broadcast programming, user selection of area 730 (e.g., by highlighting with 20 cursor 701 and selecting with key 412) may enable the user to access the particular channel or the channel on which the currently broadcast programming is being broadcast. When area 730 is displaying information on future programming, user selection of area 730 may 25 enable the user to set a reminder or a recording for the future programming. It should be understood that such functionality may require the display of further selection menus after user selection of area 730. Such further selection menus may be displayed by the 30 guidance application generally in area 730 or as independent overlays on screen 700.

In another embodiment, information display area 730 may be synchronized with the channel group

element highlighted by cursor 701. For example, as shown in FIG. 7, when cursor 701 is highlighting the sports channel group, area 730 may provide information on that channel group (e.g., the common characteristic or organizing concept for the channel group, the channel group roster, featured programming available through the channel group).

It should be understood that display area 730 may be utilized in any of the above described approaches or in any combination of such approaches. One or more additional promotional areas (e.g., area 740) may also be provided on screen 700 and may provide additional promotional opportunities related to channel groups, media channels, media programming, or unrelated products and services.

In another aspect of the present invention, guide application functions may be executed on a channel group. Common functions provided with a guidance application include, for example, setting a channel as a favorite channel, locking programs or channels using a parental control password, and purchasing programs or channels that require a payment. In this aspect of the present invention, the guidance application enables the user to initiate a guidance application function on one or more selected channel groups, instead of a single channel or program. In response to the user command to initiate the function, the guidance application may execute the function on the channel group roster (i.e., all the group channels and all other media listings available through the channel group).

As previously described in connection with FIG. 7, information display area 730 may be used to

provide access to guide functions (e.g., for programming being promoted in the area). Area 730 may be similarly used to provide access to functions that are applied upon channel groups. In one embodiment, 5 regardless of what other information is being displayed in area 730, upon user placement of cursor 701 on a channel group element 710, information area 730 may display a list of available guide functions 735 for the highlighted channel group. As illustrated in FIG. 7, 10 exemplary functions 735 include functions to "Set as Favorite," "Lock," and "Subscribe." When the user presses corresponding FAVORITE key 426 on the user input device while the cursor is placed on a channel group element 710, the guidance application will 15 execute the "Set as Favorite" function on the highlighted channel group. Executing the "Set as Favorite" function may cause the guidance application to set all the group channels as favorite channels. Additionally, channel groups that have been set by the 20 user as a "favorite" channel group may be indicated using marker 711.

Similarly, when the user presses the PURCHASE key 428 while the cursor is placed on a channel group element, the guidance application will execute the 25 "Subscribe" function on the highlighted channel group, which may result the guidance application charging the user for a subscription to the group channels and authorizing user access to such channels. It should be noted that the function may be executed on a subset of 30 the group channels. For example, when the user has already subscribed to some of the group channels but not others, executing a "Subscribe" function on the channel group may result in the guidance application

processing a subscription for only the previously unsubscribed channels. It should be understood that this concept applies to other guidance application functions as well.

5 If the user presses the corresponding LOCK key 420 while the cursor is on a channel group element, the guidance application may execute the "Lock" function on the highlighted channel group. Executing the "Lock" function may cause the guidance application 10 to prevent access to the group channels until the entry of a parental control pass code. Additionally, the "Lock" function may also result in the locking of individual media listings made available through the channel group (and therefore on the channel group 15 roster) that may not be sourced from a group channel. For example, when a channel group provides access to an interactive gaming application sourced from a gaming channel that is not a group channel, access to the interactive gaming application may also be locked upon 20 execution of the "Lock" function on the channel group. It should be understood that this concept applies to other guidance application functions as well, such that all media listings provided through the channel group 25 may be affected by an executed function, even when some media listings may not be provided or sourced from a group channel.

In another embodiment, multiple channel groups may be selected by the user for the execution of a guidance application function. For example, with 30 reference to FIG. 7, the user may highlight a first channel group element 710 using cursor 701 and press the INFO key on user input device 400. Actuation of the INFO key selects the channel group element and

causes the display of available functions in list 735. When the user moves cursor 701 to a second channel group element and presses the INFO key, the second channel group element is also selected. List 735 may 5 then display a list of functions commonly available for both the first and second selected channel groups. User activation of the corresponding key (e.g., FAVORITE, LOCK, PURCHASE) on user input device 400 may then execute the corresponding function on both the 10 selected channel group rosters (i.e., group channels and other media listings available through the channel group). It should be noted that there may not exist a commonly available function between two or more selected channel groups (e.g., when a first selected 15 channel group is of a different nature than a subsequently selected channel group). In this event, list 735 may remain blank or may display a message indicating that no function is commonly available.

It should be understood that the functions 20 applicable to channel groups may be any appropriate feature or function of the guidance application and is not limited to those illustrated in the foregoing.

FIG. 9 illustrates a display screen of the 25 guidance application that illustrates an alternative embodiment to the channel group selection screen of FIG. 7. Screen 900 illustrates a display in which channel groups are displayed in the program listings area together with media channels. For example, interactive channel group elements 910 may appear at 30 the top of the program listings grid 950. Channel group elements 910 may also appear together in another area of grid 950 (e.g., at the bottom), or may be interspersed among the media channel listings 915 in

the grid (e.g., a sports channel group may be displayed next to a sports media channel). Reduced scale video display window 920 and information display area 930 may operate as they normally do in the program listings screen of the guidance application (e.g., window 920 may provide video for a last tuned channel and area 930 may provide information corresponding to a highlighted listing), or may follow the functionality previously set forth with respect to window 720 and area 730.

10 In one embodiment of the present invention, when the user selects a channel group (e.g., by placing a cursor on channel group element 710/910 and pressing select key 412 on the user input device), the guidance application may display to the user a channel group portal screen for the selected channel group. As illustrated in FIG. 10, screen 1000 serves as a portal or home screen for the group of channels making up the channel group.

15 Screen 1000 may serve to provide focused information on the channel group to the user. For example, information display area 1030 may identify the channel group and display information on the channel group itself (e.g., list of group channels, information on the common characteristic or organizing concept for the channel group). As shown in FIG. 10, exemplary screen 1000 is the portal screen for a sports channel group. Consequently, area 1030 may inform the viewer that the channel group is dedicated to sports programming (e.g., as part of a promotional message to entice the viewer). Information area 1030 may also provide promotional information highlighting group channels and programming available through the channel group. In one embodiment, area 1030 may display

information on the channel group (1031) as well as scrolling information on group channels and programming (1032). If desired, area 1032 may present information on newly available programming on any of the group channels and other newly available media that is part of the group. Promotional information may also be displayed in one or more additional promotional areas (not shown) of screen 1000. Reduced scale video display window 1020 may cooperate with display area 1030 to provide video information related to the channel group. In one example, window 1020 may display one or more video clips promoting the channel group, its constituent channels, or featured programming available through the channel group. Window 1020 may be synchronized with promotional information 1032 displayed in area 1030 or in one of the additional promotional areas (not shown). In one example, when promotional information 1032 is for a future broadcast program, video window 1020 may display a video clip promoting the future program. When promotional information 1032 is for a currently broadcast program or for a media channel, window 1020 may provide a live video feed of the program. When promotional information 1032 is for an on-demand program, window 1020 may provide a preview clip of the on-demand program. Promotional information, whether displayed in area 1030 or in additional promotional areas, may automatically change to promote a plurality of programs and channels.

Information display area 1030 may also provide access to functions of the guidance application. For example, as previously described with respect to area 730, the user may select area 1030

(e.g., by placing cursor 1001 on the area and pressing the select key on the user input device) to initiate one or more functions of the guidance application on the media channel or programming being promoted (e.g., 5 access the channel or programming, set a reminder for the programming, set a recording for the programming). Additionally, information display area 1030 may provide access to functions that may be executed on the channel group. As previously described with respect to area 10 730, area 1030 may provide a list 1035 of the guidance application functions available for the current channel group. In one embodiment, interactive items 1036 may be provided in list 1035 that enable the user to highlight and select a function to be executed on the 15 present channel group.

As shown in FIG. 10, media listings for programming available through the channel group are displayed in grid 1050. Screen 1000 illustrates a time and channel grid type of listings display, but it should be understood that the display of listings may 20 be of any suitable format. Additional guide functionalities, such as sort and search functions, may also be provided to the user through screen 1000 and may be focused on the media listings of the channel 25 group. In guidance applications that enable a list of favorite channels, favorite channels that are part of the channel group may be displayed at the top of grid 1050 and may be indicated by a marker 1011 in the channel identification area. Alternatively, favorite 30 channels may be interspersed in the grid and indicated by marker 1011. Interactive elements 1010 in grid 1050 represent the media programming available through the group channels. For broadcast channels, elements 1010

occupy a length corresponding to a program duration. For non-broadcast channels, such as on-demand channels, a single element 1010 may span the entire length of grid 1010. Element 1010 may include any suitable information related to the associated program, such as its title, rating, description, indicators of upcoming actions (such as scheduled recordings), flags to indicate newly available content, and other related text and indicators. User selection of element 1010 (e.g., by placing cursor 1001 on the element and pressing the select key on the user input device) may initiate access to the selected programming, available guide functions for the selected programming (e.g., set reminder, set recording, view detailed information), or both.

In some systems, on-demand programming that originates from a particular media channel or a particular programmer is grouped together in an on-demand channel. For example, on-demand programming that originates from the media programmer ESPN may be accessed by the user from the ESPN ON-DEMAND channel. User selection of this on-demand channel may provide the user with access to an interactive media guidance application (e.g., a series of interactive displays) for receiving information on and accessing individual on-demand programs. In one approach illustrated by FIG. 10, on-demand media channels are provided in the listings grid as a channel. User selection of element 1010 corresponding to an on-demand channel initiates user access to the guidance application provided by the on-demand channel. Similarly, other non-broadcast media channels (e.g., games channels, web page

channels, etc.) may also be listed in the grid in this manner.

In another approach, listings for on-demand programming from the on-demand group channels may appear individually in the listings grid. As illustrated by FIG. 11, elements 1110 corresponding to individual on-demand programs may appear to take the place of an individual media channel and may span the entire length of the grid. The on-demand media listings may be grouped together at the top or bottom of the listings grid 1150 or may be located immediately underneath the media channel from which the on-demand programming originates or with which the on-demand programming shares a common programmer. For example, as shown in FIG. 11, on-demand programming from the ESPN On-Demand channel may appear directly underneath the ESPN media channel in the grid. User selection of an on-demand listing 1110 may enable the user to receive information on the program and request to access the program. A similar approach may be taken with non-traditional media such as interactive gaming applications and Internet web pages. For example, an individual gaming application or an individual web page (e.g., containing a single story from a news web site) may be listed in this manner instead of through a gaming channel or web site channel. It should be noted that the on-demand media listings provided in grid 1150 need not be sourced from an on-demand channel that belongs to the channel group. Individual on-demand media listings may be added to the channel group roster by the user or by the service provider, and may meet the common characteristic for the channel group as an individual media listing and not as a media channel.

In another approach, all the on-demand media listings available through the channel group may be organized under a single on-demand channel for the channel group. For example, all on-demand media 5 listings available through the sports channel group may be accessed through user selection of a sports group on-demand channel that may be organized solely for use in the channel group portal screen.

In some embodiments, listings grid 1050 may 10 include only a subset of the non-broadcast content that is available as part of the channel group. For example, the grid may feature popular on-demand content, newly released on-demand content, or on-demand content that is currently being promoted by the service 15 provider. In these embodiments, the full list of available non-broadcast content may be available through separate screens.

In some embodiments, on-demand programming available through the channel group may be accessed 20 through a separate menu of the guidance application. As illustrated by FIG. 10, the guidance application may provide interactive item 1005 that provides access to a dedicated on-demand media listing menu upon user selection. As illustrated by FIG. 12, upon user 25 selection of item 1005, the guidance application may replace the listings previously displayed in the listings area 1050 with all the on-demand media listings 1210 available through the channel group. The on-demand listings may be sorted in any suitable order. 30 For example, they may be alphabetical, ordered to highlight newly available content, ordered on a promotional basis, ordered by popularity, or ordered on any other suitable basis. It should be understood that

the on-demand listings displayed may be accomplished in a variety of alternative approaches and may additionally enable the user to search and sort the on-demand media listings. A similar effect may be 5 achieved through screen 1000 in the embodiment where a single on-demand channel is provided for all the on-demand programming available through the channel group.

As previously discussed in relation to FIG. 7, reduced scale video display windows of the present 10 invention may be used to display the live video feed of a group channel and other video related to the channel group. Turning to the channel group portal screens of FIG. 10, 11, and 12, similar functionality may be assigned to window 1020. In one embodiment, when the 15 user moves cursor 1001 to highlight a program listing in the listings grid, window 1020 may display the live video feed of the media channel corresponding to the highlighted listing, or a promotional video clip for the given channel. When the highlighted listing is for 20 an on-demand program (see FIGS. 11 and 12), the video window may display the on-demand program, a promotional video clip for the on-demand program, or a promotional video clip for the on-demand channel associated with the program. In another embodiment, the user may place 25 the cursor onto video display window 1020 and (optionally, upon pressing INFO key 418) receive the live video for a first media channel. As previously described in connection with window 720, video windows 1020 may cycle through the live video feed for each of 30 the group channels upon further user actuation of the INFO key. Alternatively, the guidance application may automatically cycle through the live video feeds without user input, or may provide means for the user

to a given group channel for which to receive the live video feed.

In one embodiment, live video feeds from the group channels may be presented to the user in a video mosaic format. For example, as illustrated by FIG. 5 12A, reduced scale video windows 1255 may be used to simultaneously display the live video feed from each of the group channels. Display screen 1250 may, for example, be accessed from channel group portal screen 1000. In one suitable approach, the user may move cursor 1001 onto video display window 1020 and indicate a desire to view the mosaic screen 1250 by pressing the select key on the user input device. As shown in FIG. 10 12A, cursor 1251 may be provided on screen 1250, the cursor being movable between the windows 1255 to highlight a given window. In the event that all the group channel video feeds do not fit onto a single display screen, the guidance application may provide additional screens to accommodate the additional video windows or may enable the user to scroll to additional video windows using cursor 1251. In one embodiment, the guidance application may enable tuning operation 15 from screen 1250. For example, the user may move cursor 1251 onto a window 1255 and press the select key 20 on the user input device. Upon such user input, the guidance application may tune the user to the group channel represented by selected window 1255. In one embodiment, individual media listings, such as on-demand listings, may also be represented by a video 25 window 1255. For example, in the case of an on-demand media listing, the guidance application may provide a preview of the media program or a promotional video for 30 the media program. In one embodiment, any audio

programming provided through the media channels or media listings represented in windows 1255 may be provided to the user when cursor 1251 is placed on a given window. In some embodiments, text is displayed 5 in conjunction with each video window, to describe or promote the channel or its content. In some embodiments, the user may press an info key on the remote while a video window is highlighted to access additional information about the media or to perform 10 other action related to the media.

FIG. 13 shows a multipurpose screen of the guidance application that enables the user to see all programming reminders, pending recordings, completed recordings, and purchased programming from the channel 15 group. Optionally, previously accessed on-demand media programming may also be included when the programming remains available for access by the user. Screen 1300 may be accessed by user selection of item 1006 from screen 1000. In one approach illustrated by screen 20 1300, this multipurpose screen may be organized by date. For example, as shown in FIG. 13, all reminders, recordings, and purchases from a particular day are placed together under the display heading for that day. Therefore, with reference to screen 1300, the user is 25 informed that on November 11th, a programming reminder for "Monday Night Football" on media channel ESPN has been set for the start time of 9pm. The user is informed that on the same day, a recording has been set for the "England vs. Denmark" soccer match on FOXSPORTS 30 at 10pm. The user is also informed that on November 11th, a jogging program that began at 7am was recorded from the FOXSPORTS channel and that a volleyball match was recorded from the RCN channel beginning at 9am. In

addition, the user is informed that on November 11th, a pay-per-view on-demand program, "Life of Dale Jared," was purchased from ESPN ON-DEMAND. Because multipurpose screen 1300 may include both future 5 programming items (e.g., future programming reminders and pending recordings) and past items (e.g., recorded or purchased programming, expired programming reminders), screen 1300 may be available for a set period both in the past and future (e.g., for the ten 10 day period before and after the present date). If desired, past programming may be shown for each day it continues to be available. For example, a recorded program may be shown for each day beginning when it is recorded and ending when the recording is deleted. As 15 another example, a purchased on-demand program may be shown for each day beginning when it is purchased and ending when the program is no longer authorized for viewing.

Elements 1310, which represent the reminders, 20 recordings, purchases (and, optionally, previously accessed and still authorized on-demand programs) in screen 1300, may be interactive. A cursor 1301 may be provided that enables the user to highlight an element 1310. For example, the user may highlight an element 25 1310 that represents a programming reminder. Upon user selection of that element (e.g., by pressing the select key of the user input device), the user may be able to edit or delete the programming reminder as well as view detailed information about the program with the 30 scheduled reminder and perform other functions related to the program. Similarly, the user may be able to interact with a pending recording element to edit or delete the scheduled recording, view program

information, and perform other program-related functions. User selection of elements 1310 that represent recorded programming or purchased programming may enable the user to access the recorded or purchased programming (if the programming is still accessible).

Reduced scale video display window 1320 may be used to display a video corresponding to the programming element 1310 highlighted by cursor 1301. For example, when a future program is highlighted using cursor 1301 (e.g., programming a reminder or a pending recording), window 1320 may display a promotional video clip about the upcoming program or a preview of the upcoming program. In another example, when cursor 1301 highlights an element 1310 that represents currently accessible programming (e.g., recorded or purchased programming, on-demand programming that remains available for access), window 1320 may begin playback of the programming or provide a clip of the programming. As previously described in connection with other embodiments, window 1320 may begin the display of video related to a highlighted program only upon some user indication to do so (e.g., pressing INFO request key on the user input device while cursor 1301 highlights the program element). Description area 1330 may cooperate with window 1320 to provide further information on the highlighted program.

In one approach, the user may be able to edit the content of multipurpose screen 1300 using selectable items 1305. By selecting items 1305, the user may control whether programming reminders are included on the screen, whether pending recordings are included on the screen, and whether play list items (i.e., programs that are available for access, such as

recorded programming, purchased or previously accessed programming that remain accessible) are included on the screen. A play list for the channel group may be generated by the guidance application by merging a list 5 of recorded programs from the channel group and a list of the previously purchased or accessed programs from the channel group that remain accessible to the user. Items 1310 that are accessible to the user (e.g., recorded programs and some purchased programs) may be 10 accessed by user selection of the element (e.g., by placing cursor 1301 on the element and pressing the select key). In addition, accessible items 1310 may include an additional marker 1311 indicating to the user that the programming is available for playback.

15 In an alternative approach, listings for programming reminders, recordings, and purchased or previously accessed programming from the channel group may be provided by the guidance application in suitable combinations. For example, as illustrated by FIG. 14, 20 a recording screen 1400 may provide the user with a list of all the pending recordings and completed recordings for the channel group. FIG. 14A illustrates a play list screen that provides all the recorded, purchased, and previously accessed media listings that 25 are accessible to the user. Alternatively, each list of information for the channel group may be provided on separate screens.

30 FIG. 15 illustrates another aspect of the present invention in which a viewing history of the channel group is provided. The viewing history screen 1500 may provide the user with a list of all the media programming accessed by the user through the channel group in a past period. In one approach illustrated by

screen 1500, the viewing history screen may be organized by the date on which the programming was accessed. In another approach, the viewing history may be a single cumulative list for a set period (e.g., 5 five days). In order to keep the number of programs appearing in the viewing history screen to a reasonable level, it may be desirable to require a certain level of user attention to a program before the program is considered to have been accessed. For example, a 10 program may only be entered onto the viewing history screen when it was accessed by the user for longer than five minutes. This approach would eliminate a large number of entries in the viewing history screen due to channel browsing by the user.

15 As shown in screen 1500, the viewing history screen may provide elements 1510 that represent media programming previously accessed by the user through the channel group. The viewing history screen may be accessed by the user for a given channel group through 20 the channel group portal screen. For example, the user may select item 1007 on screen 1000 to access view history screen 1500 for the sports channel group. Media programming may be accessed through viewing a program on one of the group channels, requesting an on- 25 demand or pay-pay-view program made available through the channel group, or accessing other media provided through the channel group (e.g., games, web sites). Elements 1510 may indicate the group channel on which the programming was carried, the title of the program, 30 the original broadcast time of the program (if relevant), and the duration for which the user accessed the program. In addition, element 1510 may also provide an indicator 1511 on each program. The status

indicator provides information on the nature of the programming that was accessed. For example, the status indicator may show that an accessed program was a broadcast program, an on-demand program, or a pay-per-view program. The status indicator may also serve to show whether a previously accessed program is currently available for access (e.g., using marker 1512). Previously accessed media programming that may be available for current user access include programming that has been recorded, on-demand programming that remains available for user request through the on-demand content provider, and previously purchased pay-per-view programming that remains available for access to the user (e.g., a three-day movie pass purchased by the user). For programs that remain accessible by the user, user selection of the corresponding element 1510 (e.g., by placing a cursor on the element and pressing the select key on the user input device) provides access to the programming (e.g., playback of the program).

As shown in FIG. 15, the user may navigate cursor 1501 to highlight one of the elements 1510 on the viewing history screen. Reduced scale video window 1520 and description 1530 may cooperate to provide information on the previously accessed media programming highlighted by the cursor. For example, information display area 1530 may provide descriptive information on the previously accessed programming and window 1520 may provide video related to the programming. If, for example, the highlighted programming remains available for current access by the user, window 1520 may begin playback of the programming. As previously described in connection

with the reduced scale video window, playback of video may require user initiation (e.g., the pressing of the INFO key on the user input device while highlighting element 1510 with the cursor). In the approach where 5 reduced scale video of the programming has already began in window 1520 when the user chooses to access the programming, the guidance application may query the user on whether the user would like to begin playback from the start of the program or continue the playback 10 already in progress in window 1520.

If the previously accessed programming selected by the user is not currently available for access, the guidance application may indicate to the user that the selected programming is not available for 15 access, and when applicable for the selected program, the guidance application may provide the user with information regarding a re-broadcast (i.e., re-run) of the previously accessed programming or information on the next installment of the series to which the 20 selected programming belongs.

In some instances, window 1520 and area 1530 may provide information on previously accessed programming with the benefit of hindsight. For example, area 1530 may display descriptive information 25 of a past sports contest that includes a recap of the contest and statistics of the contest, while window 1520 may display highlight reel video clips of the contest. In another approach, window 1520 and area 1530 may be used to promote another installment of a 30 programming series when the user highlights or selects a previously accessed installment of the series. In some embodiments, when an element 1510 is highlighted a user may press a select or info key to access

additional detailed information about the programming or perform other functions related to the programming.

It should be understood that viewing history screen 1500 is merely illustrative and further aspects 5 of the viewing history screen may be provided, including the sorting and searching of the previously accessed programming from the channel group.

In another aspect of the present invention, the guidance application may enable the user to create 10 custom channel groups by creating and editing the channel group roster (i.e., the list of channels and media listings that are part of the channel group). In one embodiment illustrated by FIG. 16, the user may create a custom channel group by selecting the channels 15 to be included in the channel roster. Screen 1600 may be accessed upon user selection of element 706 in the channel group selection screen of FIG. 7. Channel group creation screen 1600 may include a list of pre-existing channel groups and a list of all the channels 20 provided by the service provider or received by the user equipment. The displayed channels and channel groups are represented by interactive elements 1610 and checkboxes 1605. A cursor 1601 is provided, and user selection of a highlighted checkbox 1605 corresponding 25 to a channel or channel group element 1610 (e.g., by placing the cursor on the checkbox and pressing the select key) may result in the channel or channel group being added to the channel group roster display 1620 (and a checkmark being placed next to the selected 30 channel or channel group element). The user may also receive information on the channels or channel groups to aid in the roster selection. For example, when the user places the cursor on a channel group element and

presses the info key, the guidance application may provide the user with information on the channel group (e.g., channels making up the channel group, the nature of the channel group) by displaying an overlay 1650 (similar to overlay 850 of FIG. 8) or by leading the user to a separate information screen. Similarly, when the user requests information on a highlighted channel element 1610, the guidance application may use a similar mechanism to provide information on the channel (e.g., the nature of programming carried by the channel). In some instances, the user may wish to add individual media listings to the channel group roster instead of an entire media channel. As illustrated in FIG. 16, this may be accommodated by displaying an overlay 1660 (additional to overlay 1650) upon user selection of a channel element 1610. Overlay 1660 may include media listings 1661 that are available through the selected channel. For example, screen 1600 shows that an interactive gaming channel has been selected by the user and that overlay 1660 contains a list of all the interactive gaming applications 1631 offered through the gaming channel. Similar to the operation of elements 1610 and checkboxes 1605, applications 1661 may be individually selected by selecting checkboxes 1662, and the user may receive information on the individual applications by selecting elements 1661. An overlay similar to overlay 1660 may also be used to aid in user selection of channels included in a selected channel group element, such that the user may use the channel group elements 1610 as a guide to desired individual channels. When the user is finished setting the channel group roster 1620, the user may highlight and select item 1630, which creates the channel group

(e.g., for access through channel group selection screen 700) and exits the application to the previous screen (e.g., screen 700). Screen 1600 may also be provided to the user to edit a channel group roster. 5 For example, the user may select to edit a channel group by selecting element 1008 in the channel group portal screen of FIG. 10. The guidance application may enable the user to edit a channel group roster whether the roster was originally populated by the service 10 provider or by the user.

It should be understood that the media programming referred to with respect to the present invention may be any suitable media programming, such as television programming, audio programming, Internet 15 web pages, interactive applications (e.g., games, home shopping applications), photographs, etc. It should also be understood that media channels as referred to with respect to the present invention may be any provider or source of media programming, such as a 20 television channel, an Internet web site, a satellite radio channel, etc. A single channel group may contain a combination of different media types in its roster. In another embodiment of the present invention, the interactive media guidance application may be 25 implemented on a non-traditional platform such as a PDA and may provide guidance for mixed media channels such as Internet web sites, satellite radio channels, interactive gaming channels, and on-demand movie channels. As illustrated in FIG. 17, interactive 30 channel group elements 1710 may be provided for groups of Internet web sites, satellite radio stations, interactive gaming channels, and on-demand movie channels. For example, interactive element 1710

"World" may represent a group of Internet web sites and other types of programming that concentrate on world events. Interactive elements 1710 "Sports" and "Money" may similarly represent groups of Internet web sites 5 and other types of programming that concentrate on the stated topics. Interactive element 1710 "Jazz" may represent a group of satellite radio stations that specialize in jazz music. As previously described in other embodiments, the choice of media channel groups 10 to be displayed in screen 1700 may be set by the service provider, by the user, or some combination thereof.

Upon user selection of an interactive channel group element 1710 (e.g., by navigating cursor 1701 15 onto the element and indicating the selection using the user inputs provided by the PDA), the guidance application may provide a group portal screen that displays information on the media channel group and enables access to functions that are applicable to the 20 group. For example, user selection of element 1710 "World" may cause the guidance application to display portal screen 1800, which includes a list of the media channels included in the group (e.g., CNN.com, BBCNews.com, Reuters.com). Further, media listings 25 1811 may be provided for each media channel, for example, to feature links to web pages containing top news stories. User selection of interactive element 1810 (e.g., by navigating cursor 1801 onto the element and indicating the selection using the user inputs 30 provided by the PDA) may provide access to the home page of the user selected web site. Similar user selection of interactive elements 1811 may provide direct access to the deep-linked web page requested by

the user (e.g., the web page providing the promoted news story). The user may also be able to receive information on the individual group web sites (e.g., nature of the web site content) by, for example, 5 pressing an information request key on the PDA device while highlighting website element 1810. The guidance application may also display to the user a list of functions executable on the channel group and enable the user to initiate a function on the group. As 10 illustrated in FIG. 18, element 1820 may represent a function that sets an electronic mail alert for the media channels (e.g., web sites) of the group. When executed, this function may, for example, alert the user via electronic mail whenever a new top story is 15 added to any of the web sites of this channel group.

In another example, FIG. 19 illustrates a jazz music channel group portal screen that may be displayed upon user selection of element 1710 "Jazz." A plurality of satellite radio stations that 20 concentrate on jazz programming may be displayed on screen 1900 as elements 1910, along with other media that may be part of the channel group roster such as music on demand and jazz-related websites. An information display area 1920 may be used to provide 25 information on the channel group. For example, area 1920 may include a brief promotional message about the channel group as a whole, a promotional message about an individual radio station, and information on featured programming provided through the channel 30 group. As previously described, promotional information on featured programming may be periodically changed to promote multiple programs. Area 1920 may also be used to provide information on a user

highlighted radio station, such as a description of the station's musical genre. Screen 1900 may provide media listings for the group channels. For example, a listing of the current programming on the music channel 5 may be provided under each channel element 1910. Listings for past and future programming may also be provided. User selection of music channel elements 1910 (e.g., by navigating cursor 1901 onto the element and indicating the selection using the user inputs 10 provided by the PDA) may provide access (i.e., tune) to the selected radio station or, in the event the station has not been subscribed to by the user, a preview clip 15 of the station programming. User selection of element 1910 may also cause the guidance application to display a screen that provides information (e.g., media 20 listings) only on the selected radio station and allows the user to perform channel-specific functions related to the selected channel.

Screen 1900 may enable the user to receive 25 previews of the displayed media listings. For example, by selecting a media listing that is a currently broadcast radio program, the user may be tuned to the program. When the selected media listing is a future broadcast, the user may receive a preview clip of the program. As previously described in other embodiments, the guidance application may also use screen 1900 to 30 provide access to an on-demand listings screen (1906), a multipurpose screen (and any screens containing the constituent listings provided by the multipurpose screen, such as a recordings screen (1907)), an access history screen, a channel group roster edit screen, etc. Screen 1900 may also provide the user with access to functions that are executable on the channel group.

For example, user selection of interactive element 1905 may cause the guidance application to process a subscription for all the radio stations (and, optionally, the individual media listings (e.g., on-demand albums)) provided through the jazz group and subsequently enable access to the same.

It should be understood that the screens of FIGs. 7-16, as well as the screens of FIGs. 17-19 are merely examples of combinations of features. Alternate 10 embodiments may combine the features shown on these screens in different ways, add features, or otherwise vary from these examples.

FIG. 20 shows an illustrative flow diagram for providing channel groups in an interactive media 15 guidance application in accordance with the present invention.

At step 2010, the channel group is defined. The channel group definition may be a channel group roster, which may include a list of media channels to 20 be included in the channel group, and may also include individual media listings that may not originate from one of the group channels. The channel group roster (i.e., group channels and any individual media listings in the roster) may share at least one common 25 characteristic. As detailed in the illustrative flow chart of FIG. 21, step 2010 may include service provider input step 2011 and user input step 2012. At step 2011, the channel group definition may be provided, for example, by service provider 142 (FIG. 30 1). For example, the service provider may use profile information on a user as an input to the channel group roster. The service provider may use one or more common characteristic of a media channel or of a media

listing to organize the channel group roster. In addition, the service provider may exercise human editorial control over the channel group roster. At step 2012, the channel group roster may include input 5 from the user. In one approach, the channel group roster may be entirely provided by a user, for example, utilizing the editing screen of FIG. 16. In another approach, the user may edit a channel group roster previously provided by the service provider. At step 10 2013, the channel group roster (i.e., the channel group definition) is created and may be stored, for example, at media distribution facility 104 or user equipment 108 (FIG. 1) with other guidance application data. For example, server 140 of media distribution facility 104 15 may provide a channel group database that stores the channel group rosters. The database may include database items representing each of the channel groups that have been defined in the system (e.g., by the service provider or the user). The channel group database item may include a channel group roster database item, which in turn includes database items that represent each individual media channel and media listing in the channel group roster.

At step 2020, information on the channel group is provided to the user. As detailed in the 25 illustrative flow chart of FIG. 22, a myriad of information on the channel group may be provided at steps 2201-2216 included in step 2020. At step 2201, media listings for the channel group may be provided to 30 the user, for example, at channel group portal screen 1000. Media listings for the channel group may include media listings for the group channels and any individual media listings included in the channel group

roster. Media listings for the channel group may include on-demand media listings (which may or may not be pay-per-view) (FIG. 12). In the illustrative system of FIG. 1, for example, media listings may be stored in 5 a media listings database on server 140. Each media listing may be individually identified (e.g., using a listing code) and may be cross-referenced with the media channel through which the listing is provided. Upon user request to view media listings for the 10 channel group, the guidance application may use the channel group roster database item stored on server 140 to query the media listings database for media listings that correspond with the media channels and media 15 listings identified in the channel group roster database item. The corresponding media listings for the channel group may then be transmitted to the user equipment for display to the user.

A preview of a media listing may be provided at step 2202, for example, in the form of a video 20 preview of an on-demand media listing. In the illustrative system of FIG. 1, for example, media programming may be stored in a media programming database on server 140 and may be keyed to a corresponding media listing. When the user requests a 25 preview of a media listing, the guidance application may query the media programming database using the key that corresponds with the media listing. The media programming for the corresponding media listing may then be transmitted to user equipment to provide the 30 preview.

A viewing history of the channel group may be provided at step 2203. The viewing history tracks the media accessed by the user through the channel group in

a given period of time (FIG. 15). For example, in the illustrative system of FIG. 1, each channel group database item may include a viewing history database item. The viewing history database item includes items 5 representing each media listing accessed by the user through the channel group. For example, when the user accesses a given media listing with the user equipment, the guidance application may transmit the given media listing to server 140. Server 140 may use the media 10 channel information for the listing to query the channel group database for the channel groups to which the media channel belongs. The media listing is then added to the viewing history database item for the appropriate channel groups.

15 A list of programming reminders for the channel group may be provided at step 2204. A list of pending recordings and recorded programs for the channel group may be provided at steps 2205 and 2206. A list of purchased programs from the channel group may 20 be provided at step 2208. For example, in the illustrative system of FIG. 1, reminders, pending recordings, and recorded programs may all be represented as media listing database items in one or more reminder/recording databases on server 140. Each 25 media listing item stored in the databases may include the listing code and an identification (e.g., channel code) of the media channel on which the media listing is provided. Therefore, upon user request to view reminders or recordings for a channel group, the 30 guidance application may query the appropriate reminder/recording databases using the media channel codes and media listings codes included in the channel group roster database item. A preview of a recorded

program or purchased program from the channel group may be provided at steps 2307 and 2309, respectively. Such previews may be accomplished in a manner similar to the previews provided at step 2202. Steps 2204-2209 may be 5 provided, for example, through multipurpose screen 1300 (FIG. 13).

Promotional information on the channel group itself may be provided at step 2210. Promotional information on the channel group may include a video 10 clip promoting the channel group. Promotional information on a group channel, such as a video clip promoting a group channel, may be provided at step 2211. Promotional information on media programming from the channel group, such as information or videos 15 on featured programming, may be provided at step 2212. For example, in the illustrative system of FIG. 1, server 140 may include a promotional information database. Each parcel of promotional information 20 (whether the information is audio, video, text, graphics, etc.) is stored in the database with a database item that identifies the promotional information. The identifier may include, as appropriate, one or more codes that associate the promotional information with a channel group, a media 25 channel, or a media listing. When the guidance application requires the promotional information (e.g., for display on screen 1000), the guidance application may query the promotional information database using the channel group, media channel, and media listings 30 codes that are included in the channel group database item to retrieve promotional information related to the channel group for display.

A live media feed (e.g., video feed, audio feed) of a group channel may be provided at step 2213 and may be selectively tuned by the user at step 2214. For example, in the illustrative system of FIG. 1, each 5 media channel or media listing database item included in the channel group roster database item may include a programming source identifier that directs the guidance application to the programming source for the media channel or media listing (e.g., digital television 10 channel, Internet web site URL). The guidance application may direct the user equipment to the programming source specified by the programming source identifier to receive a live media feed.

A list of guidance application functions that 15 are executable on the channel group (e.g., Set as Favorite, Lock, Subscribe) may be provided at step 2215. For example, in the illustrative system of FIG. 1, each media channel and media listing database item included in the channel group roster database item may 20 include a list of guidance application functions that are executable on the media channel or media listing. The list of functions that are executable on the channel group may be created by extracting the common denominator functions from these individual lists.

25 A list of the group channels in the channel group may be provided at step 2216. In the illustrative system of FIG. 1, this list may be provided from the channel group database located on server 140.

30 Steps 2210-2216 may be provided, for example, through the channel group portal screen 1000 (FIG. 10). It should be understood that the above steps are illustrative only and are not exhaustive of the

information on the channel group that may be provided.

At step 2217, a channel group portal screen (FIG. 10) may be provided that either displays or provides access to the information of steps 2201-2216. In this manner, 5 information on the channel group may be provided at a central location in the guidance application.

At step 2030, a function of the guidance application is executed on the channel group. As described in the foregoing, the guidance application may execute, for example, a "Set as Favorite," "Lock/Unlock," "Subscribe," and "News Alert" functions on one or more selected channel groups. As detailed in the illustrative flow chart of FIG. 23, step 2030 may include channel group selection step 2031, user initiation step 2032, group channel execution step 2033, and media listing execution step 2034. At step 2031, the user may select one or more channel groups on which to initiate a function of the guidance application. For example, as described in connection with screen 700 (FIG. 7), the user may select multiple channel groups for execution of a function. Alternatively, as described in connection with screen 1000 (FIG. 10), the guidance application may, by context, set the selected channel group to the 25 currently viewed channel group. At step 2032, the user initiates a function of the guidance application on the channel group by entering a user command (e.g., via user input device 400). At step 2033, the guidance application executes the function on the group channels included in the one or more selected channel groups. 30 For example, in executing a "Lock" function, the guidance application may lock the group channels and condition access for the locked channels upon entry of

a password. At step 2404, the guidance application may optionally execute the function on any individual media listings that are included in the channel group rosters of the one or more selected channel groups, but that are not sourced from the group channels. For example, in executing the "Lock" function, the guidance application may lock access to an individual program included in the channel group roster that is not broadcast on a group channel.

For example, in the illustrative system of FIG. 1, the guidance application may construct a list of the media channels and media listings on which a function is to be performed by querying the channel group database on server 140. Using the channel group codes for the one or more channel groups selected by the user, the guidance application may access the channel group roster database items for the selected channel groups to construct the list of channels and media listings on which the function is to be executed. In some instances, the execution of the guidance application function may be achieved by changing one or more items of information in a media channel or media listing database item. For example, in one illustrative embodiment, the guidance application may execute a "Lock" function by changing the value of a parental control field in a media channel or listing database item from "N" to "Y." The guidance application may refer to a database of such media channel and media listing database items each time the guidance application receives a command to access a media channel or media listing. For example, upon receiving a user command to access a media listing, the guidance application may query this database for both

the media listing database item and the media channel database item corresponding to the user selected listing. If either of the database items contain a parental control field that reads "Y," the guidance 5 application will block access to the media listing and will execute a function that displays a request for the parental control PIN. Therefore, in this illustrative example, the guidance application may execute a function on one or more channel groups by changing 10 certain field values in the database items corresponding to the previously constructed list (of media channels and listings on which the function is to be executed).

It should be noted that the foregoing 15 discussion of the system of FIG. 1 in connection with the flow charts is for illustrative purposes only and should not be construed to exclude alternative systems and approaches for accomplishing the functionalities set forth in the flow charts.

It should be understood that the foregoing 20 description is merely illustrative of the principles of the present invention and various modifications can be made by those skilled in the art without departing from the scope and spirit of the present invention.

What is Claimed is:

1. A method for providing channel groups in an interactive media guidance application, the method comprising:

5 defining a channel group that includes a plurality of media channels, wherein the plurality of media channels is a subset of the media channels received by user equipment;

10 providing information on the channel group, wherein the information includes media listings for the plurality of media channels;

receiving a user command to initiate a function of the guidance application on the channel group; and

15 executing the function on the channel group in response to the user command.

2. The method of claim 1, wherein executing the function comprises executing the function on each of the plurality of media channels.

20 3. The method of claim 1, wherein receiving a user command to initiate a function comprises receiving a user command to initiate a function on one or more selected channel groups, and wherein executing the function comprises executing the function on the 25 plurality of media channels belonging to the one or more selected channel groups.

30 4. The method of claim 1, further comprising defining the channel group to include media listings that are not from the plurality of media channels.

5. The method of claim 4, further comprising executing the function on the media listings that are not from the plurality of media channels in response to the user command.

5 6. The method of claim 1, wherein receiving a user command to initiate a function comprises receiving a user command to set the channel group as a favorite channel group, and wherein executing the function comprises setting the plurality of media 10 channels as favorite media channels.

7. The method of claim 1, wherein receiving a user command to initiate a function comprises receiving a user command to block access to the channel group, and wherein executing the function comprises 15 blocking access to the plurality of media channels using a password.

8. The method of claim 1, wherein receiving a user command to initiate a function comprises receiving a user command to subscribe to the channel 20 group, and executing the function comprises subscribing a user to at least some of the plurality of media channels.

9. The method of claim 1, wherein receiving a user command to initiate a function comprises receiving a user command to set an alert for the channel group, and wherein executing the function comprises alerting a user when a condition is met for 25 any of the plurality of media channels.

10. The method of claim 1, wherein defining a channel group comprises receiving a list of the plurality of media channels.

11. The method of claim 10, further
5 comprising receiving user modifications to the list.

12. The method of claim 10, wherein receiving a list of the plurality of media channels comprises receiving a list of media channels that share at least one common characteristic.

10 13. The method of claim 1, further comprising providing access to a media program in response to a user selection of a corresponding media listing.

14. The method of claim 1, wherein providing
15 information on the channel group further comprises at least one of: providing a list of the plurality of media channels, providing media listings for the channel group, providing a list of on-demand media programs for the channel group, providing a list of
20 reminders for the channel group, providing a list of pending recordings for the channel group, providing a list of recorded programs for the channel group, providing a listing of purchased programs for the channel group, and providing a viewing history of
25 previously accessed programs for the channel group.

15. The method of claim 14, wherein providing a viewing history for the channel group comprises tracking a list of media programs accessed by

a user through the channel group in a given time period.

16. The method of claim 1, wherein providing information on the channel group further comprises 5 providing a preview for at least one of: an on-demand media program from the channel group, a recorded media program from the channel group, a purchased media program from the channel group, and a previously accessed media program for the channel group.

10 17. The method of claim 16, wherein providing a preview comprises displaying a reduced scale video of a program.

18. The method of claim 1, further comprising providing a channel group portal screen that 15 provides access to the information on the channel group and functions that are executable on the channel group.

19. The method of claim 18, wherein providing access to the information on the channel group comprises displaying on the portal screen at 20 least one of: a video clip promoting the channel group, a video clip promoting one of the plurality of media channels, a list of the plurality of media channels, promotional information on media programming accessible through the channel group, a live feed from one of the 25 plurality of media channels, media listings for the channel group, and a list of the functions that are executable on the channel group.

20. The method of claim 18, wherein providing access to the information on the channel group comprises providing access on the portal screen 30

to at least one of: a viewing history of the channel group, a list of reminders for the channel group, a list of pending recordings for the channel group, a list of completed recordings for the channel group, a list of purchased programs for the channel group, and on-demand media listings for the channel group.

21. A method for providing channel groups in an interactive television program guide application, the method comprising:

10 defining a channel group that includes a plurality of television channels, wherein the plurality of television channels is a subset of the television channels received by user equipment;

providing information on the channel group, wherein the information includes program listings for the plurality of television channels;

15 receiving a user command to initiate a function of the program guide application on the channel group; and

20 executing the function on the plurality of television channels in response to the user command.

22. The method of claim 21, further comprising providing a list of favorite television channels.

25 23. The method of claim 21, wherein receiving a user command to initiate a function comprises receiving a user command to set the channel group as a favorite channel group, and wherein executing the function comprises adding the plurality 30 of television channels to the list of favorite television channels.

24. The method of claim 21, wherein
receiving a user command to initiate a function
comprises receiving a user command to block access to
the channel group, and wherein executing the function
5 comprises blocking access to the plurality of
television channels using a password.

25. The method of claim 21, wherein
receiving a user command to initiate a function
comprises receiving a user command to subscribe to the
10 channel group, and executing the function comprises
subscribing a user to at least some of the plurality of
television channels.

26. The method of claim 21, wherein
providing information on the channel group further
15 comprises providing a list of on-demand programs
available through the channel group.

27. The method of claim 21, wherein
providing information on the channel group further
comprises providing a reduced scale video preview of a
20 television program corresponding to a displayed program
listing.

28. The method of claim 21, wherein
providing information on the channel group further
comprises providing a reduced scale video of a live
25 television broadcast from one of the plurality of
television channels.

29. An interactive media guidance system for
providing channel groups comprising:
an interactive media guidance

application implemented at least partially on circuitry configured to:

5 define a channel group that includes a plurality of media channels, wherein the plurality of media channels is a subset of the media channels received by user equipment;

provide information on the channel group, wherein the information includes media listings for the plurality of media channels;

10 receive a user command to initiate a function of the guidance application on the channel group; and

execute the function on the channel group in response to the user command.

15 30. The system of claim 29, wherein the circuitry configured to execute the function is further configured to execute the function on each of the plurality of media channels.

20 31. The system of claim 29, wherein the circuitry configured:

to receive a user command to initiate a function is further configured to receive a user command to initiate a function on one or more selected channel groups; and

25 to execute the function is further configured to execute the function on the plurality of media channels belonging to the one or more selected channel groups.

30 32. The system of claim 29, wherein the circuitry is further configured to define the channel

group to include media listings that are not from the plurality of media channels.

33. The system of claim 32, wherein the circuitry is further configured to execute the function on the media listings that are not from the plurality of media channels in response to the user command.

34. The system of claim 29, wherein the circuitry configured to:

receive a user command to initiate a function is further configured to receive a user command to set the channel group as a favorite channel group; and

execute the function is further configured to set the plurality of media channels as favorite media channels.

35. The system of claim 29, wherein the circuitry configured to:

receive a user command to initiate a function is further configured to receive a user command to block access to the channel group; and

execute the function is further configured to block access to the plurality of media channels using a password.

36. The system of claim 29, wherein the circuitry configured to:

receive a user command to initiate a function is further configured to receive a user command to subscribe to the channel group;

execute the function is further configured to subscribe a user to at least some of the plurality of media channels.

37. The system of claim 29, wherein the circuitry configured to:

receive a user command to initiate a function is further configured to receive a user command to set an alert for the channel group; and execute the function is further configured to alert a user when a condition is met for any of the plurality of media channels.

38. The system of claim 29, wherein the circuitry configured to define a channel group is further configured to receive a list of the plurality of media channels.

39. The system of claim 38, wherein the circuitry is further configured to receive user modifications to the list.

40. The system of claim 38, wherein the circuitry configured to receive a list of the plurality of media channels is further configured to receive a list of media channels that share at least one common characteristic.

41. The system of claim 29, wherein the circuitry is further configured to provide access to a media program in response to a user selection of a corresponding media listing.

42. The system of claim 29, wherein the circuitry configured to provide information on the channel group is further configured to provide at least one of: a list of the plurality of media channels, media listings for the channel group, a list of on-

demand media programs for the channel group, a list of reminders for the channel group, a list of pending recordings for the channel group, a list of recorded programs for the channel group, a listing of purchased programs for the channel group, and a viewing history of previously accessed programs for the channel group.

43. The system of claim 42, wherein the circuitry configured to provide a viewing history for the channel group is further configured to track a list of media programs accessed by a user through the channel group in a given time period.

44. The system of claim 29, wherein the circuitry configured to provide information on the channel group is further configured to provide a preview for at least one of: an on-demand media program from the channel group, a recorded media program from the channel group, a purchased media program from the channel group, and a previously accessed media program for the channel group.

45. The system of claim 44, wherein the circuitry configured to provide a preview is further configured to display a reduced scale video of a program.

46. The system of claim 29, wherein the circuitry is further configured to provide a channel group portal screen that provides access to the information on the channel group and functions that are executable on the channel group.

47. The system of claim 46, wherein the circuitry configured to provide access to the

information on the channel group is further configured to display on the portal screen at least one of: a video clip promoting the channel group, a video clip promoting one of the plurality of media channels, a 5 list of the plurality of media channels, promotional information on media programming accessible through the channel group, a live feed from one of the plurality of media channels, media listings for the channel group, and a list of the functions that are executable on the 10 channel group.

48. The system of claim 46, wherein the circuitry configured to provide access to the information on the channel group is further configured to provide access on the portal screen to at least one 15 of: a viewing history of the channel group, a list of reminders for the channel group, a list of pending recordings for the channel group, a list of completed recordings for the channel group, a list of purchased programs for the channel group, and on-demand media 20 listings for the channel group.

49. An interactive media guidance system for providing channel groups comprising:

an interactive media guidance application implemented at least partially on circuitry 25 configured to:

define a channel group that includes a plurality of television channels, wherein the plurality of television channels is a subset of the television channels received by user equipment;

30 provide information on the channel group, wherein the information includes program listings for the plurality of television channels;

receive a user command to initiate a function of the program guide application on the channel group; and

5 execute the function on the plurality of television channels in response to the user command.

50. The system of claim 49, wherein the circuitry is further configured to provide a list of favorite television channels.

10 51. The system of claim 49, wherein the circuitry configured to:

receive a user command to initiate a function is further configured to receive a user command to set the channel group as a favorite channel group; and

execute the function is further configured to add the plurality of television channels to the list of favorite television channels.

52. The system of claim 49, wherein the circuitry configured to:

receive a user command to initiate a function is further configured to receive a user command to block access to the channel group; and

25 execute the function is further configured to block access to the plurality of television channels using a password.

53. The system of claim 49, wherein the circuitry configured to:

30 receive a user command to initiate a function is further configured to receive a user command to subscribe to the channel group; and

execute the function is further configured to subscribe a user to at least some of the plurality of television channels.

5 54. The system of claim 49, wherein the circuitry configured to provide information on the channel group is further configured to provide a list of on-demand programs available through the channel group.

10 55. The system of claim 49, wherein the circuitry configured to provide information on the channel group is further configured to provide a reduced scale video preview of a television program corresponding to a displayed program listing.

15 56. The system of claim 49, wherein the circuitry configured to provide information on the channel group is further configured to provide a reduced scale video of a live television broadcast from one of the plurality of television channels.

1/24






FIG. 1


2/24

110**FIG. 2**


3/24

110**FIG. 3**

4/24

400**FIG. 4**

5/24

**FIG. 5**

6/24


108, 110, 112

FIG. 6

7/24



700

FIG. 7

8/24

800






FIG. 6




FIG. 10

		8:00 AM	8:30 AM	9:00 AM	9:30 AM
		Program	Program	Program	Program
1150	ESPN On-Demand	★ Life of Nolan Ryan – On-Demand			
	ESPN On-Demand		Classic Fights – On-Demand	1110	
	ESPN On-Demand		Documentary – Ali – On-Demand		
	Fox Sports	Program	Program	Program	Program
	RCN				


FIG. 11

12/24
1020
1200
1030

1050	ESPN On-Demand	On-Demand Title	1210
	ESPN On-Demand	On-Demand Title	
	ESPN On-Demand	On-Demand Title	
	RCN On-Demand	On-Demand Title	
	RCN On-Demand	On-Demand Title	
	RCN On-Demand	On-Demand Title	
	Fox Sports On-Demand	On-Demand Title	
	Fox Sports On-Demand	On-Demand Title	
1001	<input checked="" type="checkbox"/> 1005	On-Demand Listings	

FIG. 12

13/24

1250**FIG. 12A**

14/24
1300

1301		1320		11/11		1330					
ESPN	Monday Night Football			9:00 PM	Reminder						
Fox Sports	England v. Denmark			10:00 PM	Pending Recording						
Fox Sports	Jogging			7:00 AM	Recorded						
RCN	Volleyball			9:00 AM	Recorded						
ESPN On-Demand	Life of Dale Jared			On Demand	Purchased						
1310		1311		1311							

15/24

1400

Recording Screen			
11/9		8:00 AM	Recorded
ESPN	Soccer		▲ Recorded
RCN	Jogging	5:00 PM	▲ Recorded
11/10		8:00 AM	Recorded
Fox Sports	Volleyball		▲ Recorded
11/11			
ESPN	Football	9:00 PM	Pending Recording

FIG. 14

Playlist Screen			
11/9			
			8:00 AM Recorded
ESPN	Soccer		
RCN	Jogging	5:00 PM	Recorded
11/10			
			8:00 AM Recorded
Fox Sports	Volleyball		
RCN On-Demand	Classic Fights	On-Demand PPV	Purchased
ESPN On-Demand	Life of Dale Jared	On-Demand	Accessed

FIG. 14A

17/24

1500

WO 2007/078634

PCT/US2006/047092

Viewing History			1530	
1520			11/7	
43 min	ESPN	Jogging	10:00 AM	Broadcast
1 hr 5 min	ESPN	Sports Center	12:00 PM	Broadcast
12 min	RCN	Basketball	1:00 PM	Recorded
35 min	Fox Sports On-Demand	Volleyball	9:00 AM	Accessed
2 hrs	Fox Sports On-Demand	Classic Fights	On-Demand	Purchased
1 hr	ESPN On-Demand	On-Demand Previews for 11/7/05	On-Demand	Accessed

FIG. 15

18/24
1600
1610
1605
1620

Channel Group Roster		<input checked="" type="checkbox"/> Sports Group	<input checked="" type="checkbox"/> ESPN	GAMING CHANNEL			
ESPN		<input type="checkbox"/> News Group	<input checked="" type="checkbox"/> RCN	- Interactive games available upon your request			
RCN		<input type="checkbox"/> PPV Group	<input checked="" type="checkbox"/> FOX SPORTS	Current Games:			
Fox Sports		<input type="checkbox"/> Movies Group	<input checked="" type="checkbox"/> FOX SPORT WORLD	- GM 1	- GM 2	- GM 3	
Fox Sports World		<input type="checkbox"/> Music Group	<input type="checkbox"/> 1601	- GM 4	- GM 5	- GM 6	
Sports Gaming Channel		<input type="checkbox"/> HBO Group	<input type="checkbox"/> 1660	- GM 7	- GM 8	- GM 9	
ESPN.com		<input type="checkbox"/> Jazz Group	<input type="checkbox"/> 1661	- GM 10	- GM 11	- GM 12	
		<input type="checkbox"/> Games Group	<input checked="" type="checkbox"/> Gaming Channel	- GM 13			
		<input type="checkbox"/> On-Demand Group	<input type="checkbox"/> 1662		<input type="checkbox"/> CH 4	<input type="checkbox"/> CH 5	<input type="checkbox"/> CH 6
		<input type="checkbox"/> Premium Group	<input type="checkbox"/> 1660		<input type="checkbox"/> CH 1	<input type="checkbox"/> CH 2	<input type="checkbox"/> CH 7
		<input type="checkbox"/> Favorites Group	<input type="checkbox"/> 1661		<input type="checkbox"/> CH 3	<input type="checkbox"/> CH 8	
1630							
Save & Exit							

FIG. 16

19/24



18001700

FIG. 17

FIG. 18

20/24


1900

FIG. 19

21/24







FIG. 20

22/24

**FIG. 21**



24/24

**FIG. 23**

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2006/047092

A. CLASSIFICATION OF SUBJECT MATTER
INV. H04N5/445 H04N7/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
H04N G11B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 1 534 009 A (INDEX SYSTEMS INC [US]) 25 May 2005 (2005-05-25) paragraph [0068] the whole document -----	1-56
X	EP 1 496 692 A (LG ELECTRONICS INC [KR]) 12 January 2005 (2005-01-12) paragraphs [0022], [0023] -----	1-56
X	EP 1 143 717 A2 (MATSUSHITA ELECTRIC IND CO LTD [JP]) 10 October 2001 (2001-10-10) figure 3 the whole document -----	1-56
X	US 4 527 194 A (SIRAZI SEMIR [US]) 2 July 1985 (1985-07-02) column 14 ----- -/-	1-56

Further documents are listed in the continuation of Box C.

See patent family annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *&* document member of the same patent family

Date of the actual completion of the international search

4 June 2007

Date of mailing of the international search report

13/06/2007

Name and mailing address of the ISA/
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Bertrand, Frédéric

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2006/047092

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 00/60854 A (KONINKL PHILIPS ELECTRONICS NV [NL]) 12 October 2000 (2000-10-12) pages 3-5 -----	1-56
X	US 5 652 628 A (TOYOSHIMA KENICHIRO [JP] ET AL) 29 July 1997 (1997-07-29) the whole document -----	1-56
X	WO 98/57498 A (KEARNS DONOVAN E [US]) 17 December 1998 (1998-12-17) pages 14-15 -----	1-56
X	WO 99/04560 A (SAMSUNG INF SYST AMERICA [US]; SAMSUNG ELECTRONICS CO LTD [KR]) 28 January 1999 (1999-01-28) page 14, lines 6-19 -----	1-56
X	WO 99/35843 A (AMIGA DEV LLC [US]) 15 July 1999 (1999-07-15) page 10, line 15 page 14 -----	1-56

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No
PCT/US2006/047092

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
EP 1534009	A	25-05-2005	NONE		
EP 1496692	A	12-01-2005	CN 1578432 A KR 20050005652 A US 2005010948 A1		09-02-2005 14-01-2005 13-01-2005
EP 1143717	A2	10-10-2001	CN 1315805 A DE 60122958 T2 JP 3560558 B2 JP 2001339650 A US 6817027 B1 US 2001054183 A1		03-10-2001 08-02-2007 02-09-2004 07-12-2001 09-11-2004 20-12-2001
US 4527194	A	02-07-1985	CA 1203889 A1		29-04-1986
WO 0060854	A	12-10-2000	EP 1084571 A1 JP 2002541740 T US 6445306 B1		21-03-2001 03-12-2002 03-09-2002
US 5652628	A	29-07-1997	JP 3555696 B2 JP 8032891 A		18-08-2004 02-02-1996
WO 9857498	A	17-12-1998	AU 7259498 A US 6072535 A		30-12-1998 06-06-2000
WO 9904560	A	28-01-1999	CA 2297089 A1 CN 1269097 A EP 0998817 A1 ID 24292 A JP 3524059 B2 JP 2001511610 T KR 20010021730 A US 6175362 B1		28-01-1999 04-10-2000 10-05-2000 13-07-2000 26-04-2004 14-08-2001 15-03-2001 16-01-2001
WO 9935843	A	15-07-1999	AU 1951299 A US 7152236 B1		26-07-1999 19-12-2006