



US00D752764S

(12) **United States Design Patent**  
**Peters**

(10) **Patent No.:** **US D752,764 S**

(45) **Date of Patent:** **\*\* Mar. 29, 2016**

- (54) **ELECTRODE PATCH**
- (71) Applicant: **Nemo Healthcare B.V.**, Eindhoven (NL)
- (72) Inventor: **Christian Peters**, Rosmalen (NL)
- (73) Assignee: **Nemo Healthcare B.V.**, Eindhoven (NL)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/489,955**
- (22) Filed: **May 5, 2014**
- (30) **Foreign Application Priority Data**

Nov. 4, 2013 (EM) ..... 002337964

(51) **LOC (10) Cl.** ..... **24-01**

(52) **U.S. Cl.**  
USPC ..... **D24/187**

(58) **Field of Classification Search**  
USPC ..... D24/165–168, 186, 187, 107, 200;  
D10/70, 75, 97, 98; 600/301, 382–384,  
600/386, 390, 483, 500–503, 508, 509,  
600/513; 128/DIG. 15  
CPC . A61B 5/0444; A61B 5/0448; A61B 2503/02  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,380,445 A 4/1968 Frasier
- 3,565,060 A 2/1971 Sipple
- 3,703,168 A 11/1972 Frink
- 3,888,240 A \* 6/1975 Reinhold, Jr. .... A61B 5/04085  
600/390
- 4,742,828 A 5/1988 Sundstrom
- D297,460 S \* 8/1988 Inoue ..... D24/168
- 5,125,405 A 6/1992 Schmid

- 5,197,472 A 3/1993 DiSabito
- 5,402,780 A 4/1995 Faasse, Jr.
- 6,233,472 B1 \* 5/2001 Bennett ..... A61B 5/4041  
600/383

(Continued)

**FOREIGN PATENT DOCUMENTS**

- DE 19809930 9/1999
- EP 274577 6/2014

(Continued)

*Primary Examiner* — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Steven M. Koehler,  
Westman, Champlin & Koehler, P.A.

(57) **CLAIM**

The ornamental design for an electrode patch, as shown and described.


**DESCRIPTION**

FIG. 1 is a first perspective view of an electrode patch; FIG. 2 is a second perspective view of the electrode patch of FIG. 1.

FIG. 3 is a top plan view of the electrode patch of FIG. 1. FIG. 4 is a bottom plan view of the electrode patch of FIG. 1. FIG. 5 is a left side view of the electrode patch of FIG. 1. FIG. 6 is a right side view of the electrode patch of FIG. 1. FIG. 7 is a rear side view of the electrode patch of FIG. 1; and, FIG. 8 is a front side view of the electrode patch of FIG. 1.

The broken lines illustrating portions of the electrode patch form no part of the claimed design. The long dash-short dash-long dash broken lines depict boundary lines that define the bounds of the claimed design and form no part thereof. The dashed broken lines of equal length dashes and the area within such dashed broken lines represent unclaimed subject matter and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

6,292,679	B1 *	9/2001	Sheard .....	A61B 5/0444 600/376
D458,376	S *	6/2002	Rouns .....	D24/168
6,865,409	B2	3/2005	Getsla	
7,206,630	B1	4/2007	Tarler	
D584,414	S *	1/2009	Lash .....	D24/187
7,925,323	B2	4/2011	Meyer	
D658,768	S *	5/2012	Parker, III .....	D24/187
8,750,958	B2	6/2014	Storm	
2005/0154438	A1	7/2005	Fuller	
2006/0030781	A1 *	2/2006	Shennib .....	A61B 5/0402 600/509
2007/0191728	A1	8/2007	Shennib	

2011/0112440	A1	5/2011	Euliano, II	
2011/0196220	A1	8/2011	Storm	
2011/0237922	A1 *	9/2011	Parker, III .....	A61B 5/04085 600/382
2012/0150010	A1	6/2012	Hayes-Gill et al.	
2013/0018249	A1	1/2013	Storm	
2014/0180169	A1	6/2014	Peters et al.	
2015/0105646	A1	4/2015	Peters	

FOREIGN PATENT DOCUMENTS

JP	H08299294	11/1996
JP	2012183082	9/2012
WO	2007095457	8/2007
WO	2013130979	9/2013

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6




Fig. 7




Fig. 8