

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:

A1

(11) International Publication Number:

WO 90/08524

A61F 13/46, 13/72

(43) International Publication Date:

9 August 1990 (09.08.90)

(21) International Application Number:

PCT/AU90/00038

(22) International Filing Date:

5 February 1990 (05.02.90)

(30) Priority data:

PJ 2579

6 February 1989 (06.02.89)

(71)(72) Applicant and Inventor: TWIKLER, Megan [AU/AU]; Lot 10, King Street, Flinders, VIC 3929 (AU).

(74) Agent: CHRISTIANSEN, John; Smith Shelston Beadle, 207 Riversdale Road, P.O. Box 410, Hawthorn, VIC 3122 (AU).


(81) Designated States: AT, AT (European patent), AU, BB, BE (European patent), BF (OAPI patent), BG, BJ (OAPI patent), BR, CA, CF (OAPI patent), CG (OAPI patent), CR, CA, CF (OAPI patent), CB, CA, CF, CA, MW, NL, NL (European patent), NO, RO, SD, SE, SE (European patent), SN (OAPI patent), SU, TD (OAPI patent), TG (OAPI patent), US.

Published

With international search report.

With amended claims.

(54) Title: DISPOSABLE ABSORBENT PAD WITH UNDERGARMENT



(57) Abstract

A highly absorbent disposable insert adapted for incorporation with a standard or waterproof undergarment comprising a compact pad having a super absorbent material (7) which may be backed by a waterproof layer (8) and may incorporate self adhesive tabs (6) for attachment to said standard undergarment (1).

..**"** 2.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
ΑU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MR	Mauritania
BE	Belgium	GA	Gabon	MW	Malawi
BF	Burkina Fasso	GB	United Kingdom	NL	Netherlands
BG	Bulgaria	HU	Hungary	NO	Norway
BJ	Benin	IT	Italy	RO	Romania
BR	Brazil	JP	Japan	SD	Sudan
CA	Canada	KP	Democratic People's Republic	SE	Sweden
CF	Central African Republic		of Korea	SN	Senegal
CG	Congo	KR	Republic of Korea	SU	Soviet Union
CH	Switzerland	П	Liechtenstein	TD	Chad
CM	Cameroon	LK	Sri Lanka	TG	Togo
DE	Germany, Federal Republic of	w	Luxembourg	US	United States of America
DK	Denmark ·	MC	Monaco		

Disposable Absorbent Pad with Undergarment

This invention relates to a disposable highly absorbent and waterproof insert for attachment to a standard undergarment.

This invention also relates to a disposable highly absorbent and waterproof garment.

The problems of bed wetting, infant toilet training and related bladder management difficulties is generally dealt with by one form or another of absorbent and waterproof nappy, diaper or incontinent like garment.

The need for infant toilet training and the corresponding problems are well understood by any parent, and the marketplace has seen the emergence of a wide range of products to deal with these problems.

The development and regular production of disposable diapers began in about 1965 with a multitude of paper manufacturers entering into the market. The original product was a very bulky item based on a paper pulp passive absorbent. The production involved three basic steps. The first step was the pulverization of fluff or pulp as the passive absorbent material, which was covered with crepe material or tissue paper. The second step involved covering of the absorbent with both tissue paper and waterproof paper. The third step involved a final layer of rayon paper or non-woven fabric.

A further development followed where a thin polyethylene film was added to the outside in order to eliminate the need for a diaper cover.

Disposable diapers therefore began to appear as a viable alternative to reusable products and consisted of a fairly common design using three materials:-

- 1) facing
- 2) absorbent material
- 3) liquid-proofing material

For the facing material, non-woven fabrics were used, due to their air permeability, soft touch and high wet strength. Polyester and polypropylene are the most common types of facing material in use.

For absorbent materials, pulverized (fluff) pulp and creped tissue paper were used due to their softness, high speed of absorbency and high liquid retention capacity. For liquid proofing material polyethylene were commonly used.

A more recent development around 1980 saw the development of "super absorbents" and their application to disposable diapers by Schikedanz and Beghin-Say in Western Europe. In 1982 Uni-Charm was the first Japanese manufacturer to use a super absorbent as well as a spun-lace coverstock. The combination proved to be very successful and consequently the use of super absorbents has effectively displaced much of the initial production of disposable diapers.

The effect of super absorbents is to allow a reduction in bulk of the absorbent material and hence the product itself, but consumer demand has not utilized the full benefit of such an advantage to date. Unlike sanitary napkin purchases, diaper users are not diaper purchasers. Parents traditionally associate high bulk with high absorbency and are less concerned with the wearing comfort of the baby than with the perceived holding capacity of the product.

The super-absorbents provide a much higher urine capacity than conventional cellulose absorbents alone. Diapers of lower bulk and/or high capacity can be constructed. The concentrated capacity of super-absorbents allow changes in the location of absorbed fluid in the diaper.

As with sanitary napkins, many diaper failures occur due to leakage before full absorbent capacity is utilized. Fluff pulp diapers can absorb large quantities rapidly, but can release the fluid under pressure. Super-absorbents have a much higher retention characteristic. Diapers with super-absorbents will retain a much higher percentage of the absorbed urine than a non super-absorbent diaper. Leakage due to external pressure is much reduced.

Wicking is also a problem in diaper performance. Urine wicks relatively easily. However, in a diaper large

quantities of urine have to be absorbed in a very short period of time to prevent leakage. The better performing super-absorbents need to have fast rates of absorption, high capacity and resistance to gel blocking.

To date, the products available have not fully utilized the super-absorbents and have taken the form of an assemblable absorbent pad designed to wrap around the infants crotch and fasten at either side around the legs. This garment is typically known as a nappy and suffers from numerous drawbacks. Principally, a nappy is difficult to both fit to and remove from an infant who is half asleep, ill or otherwise unco-operative, unless they are placed on the ground or a table. Furthermore, this type of garment is only suitable for an infant or very small child, children from 18 months and older are generally of a size and height that renders them difficult to lay down so as to apply or remove a nappy, particularly if they are unco-operative.

A child of over 2 years old is not well catered for by a conventional nappy and hence, an older child experiencing either bed wetting or other bladder control problems, necessitating the use of a waterproof garment or accessory suffers a number of inconveniences, for example:

- a) the nappy is usually not the correct size to accommodate a child over 2 years old.
- b) a child over 2 years old will generally be aware of their older siblings and friends outgrowing nappies and be reluctant to continue wearing the garment.

Other forms of nappy exist whereby the absorbent pad is separated from the waterproof body and requires assembly prior to placement on the infant. Such a garment has similar drawbacks to the conventional nappy.

Another form of absorbent garment are incontinent products used as an accessory to conventional adult clothing consisting of a pad of absorbent material designed to be worn underneath conventional underclothing. However, this type of accessory is not ideally suited to young children as it is cumbersome to fit and remove and is generally not compatible with young children's clothes.

Disposable pants and briefs are also available but these do not have any absorbency or waterproofing to facilitate use with a child.

One object of the present invention is to provide a waterproof and highly absorbent compact pad for attachment to the inside of a conventional undergarment.

Accordingly, the invention provides a disposable undergarment insert comprising:

- a) a highly absorbent and waterproof pad for attachment to the inside of a conventional undergarment,
- b) securing means to attach said pad to said undergarment.

The insert may be secured to the garment by a self-adhesive strip or multiple strips or by way of tie on tabs or fittings.

Preferably the pad comprises a layer of absorbent material backed by a layer of waterproof material whereby the securing means are attached to the waterproof layer.

Preferably the absorbent material comprises a superabsorbent applied to a layer of pulverized pulp.

Preferably the pad further comprises a facing layer to provide an interface between the absorbent layer and the wearer's skin.

Preferably the facing material is polypropylene.

Preferably the waterproof layer is polyethylene film.

A further object of the present invention is to provide a self-contained waterproof highly absorbent garment designed to be disposable after use.

Accordingly, the invention further provides a waterproof highly absorbent undergarment comprising:

- a) a waterproof undergarments having means for snugly fitting around the upper thighs and waist of wearer, and
- b) a highly absorbent inner pad attached to said undergarment so as to effectively render at least the crotch area of the inside of the garment absorbent.

The undergarment preferably includes an elastic band or strip around the waist and thigh regions of the garment. The absorbent inner pad is preferably attached to the inner surface of the garment:

Preferably the absorbent material comprises a superabsorbent applied to a layer of pulverized pulp.

Preferably the pad further comprises a facing layer to provide an interface between the absorbent layer and the wearer's skin.

Preferably the facing material is polypropylene.

Other objects, features and advantages of the present invention shall become apparent from the following description of preferred embodiments and the accompanying drawings where figures 1 and 2 show two particularly preferred shape of the insert of the invention. Figure 3 shows a corss-section of an insert. Figure 4 shows a garment with an integral insert. Figure 5 shows a garment with a separate insert in situ.

The invention shall now be described in greater detail with particular reference to the figures which depict only one particularly preferred embodiment of the invention.

Figures 1 and 2 depict two preferred shapes of diaper insert designed for placement inside a conventional pair of undergarments as worn by a young child of two to six years of age. When viewed in conjunction with figure 3, the structure of the insert is evident.

Figure 3 shows a cross-section of the insert where the waterproof backing 8 provides the basis for the insert and also a point of anchorage for the fastening means 6. backing material may be any waterproof material but preferably a lightweight polymer-like material for example polyethylene film which serves to resist the passage of fluid to the undergarment and also provide a locating point for the fastening means 6 which may be tabs, buttons, "Velcro" (registered trade mark), type fastening means or preferably a self adhesive tab for quick and simple attachment and removal. Laminated or attached to the waterproof backing layer 8 is the absorbent material 7 which consists of a highly absorbent material like fluff pulp but preferably combines the use of super-absorbents, for example "Enkas Aqucell" (registered trade mark) starch grafts and

PCT/AU90/00038

WO 90/08524

acrylates. The starch graft made by Sanyo and Grain Processing combine good wicking with high capacity and retention. The acrylates from Stockhansen, Sectetsu Kagaku and Dow Chemcial in sheet form combine rapid rates of absorption with high capacity and good wicking. More preferably still the fluff pulp is eliminated altogether with the use of just super-absorbent material to reduce the bulk of the insert to a minimum.

Figure 4 shows a garment 1 utilizing the absorbent material of the invention but in a permanent attachment to the undergarment. Such a disposable diaper uses only highly absorbent super-absorbents and greatly reduces the bulk of the diaper and hence renders a garment of similar appearance to a standard undergarment but with high absorbancy and therefore suitable for use by a young child of 2 to 6 years.

The garment is a one-piece bonded and elastisized disposable and waterproof undergarment where the body of the garment is a waterproof outer layer having an absorbent inner layer 5 welded thereto; wherein a waist region 2 and leg regions 3 are incorporated and delineated by elastic means 4.

Figure 5 shows the insert of the invention in situ in a standard undergarment 1.

The resultant insert in this particular embodiment provides a re-usable but ultimately disposable garment for children ranging in size from about 2 years to 6 years.

It can be seen from the foregoing description and preferred embodiment, that the garment and insert of the instant invention provide a bridge between the available nappy garment or diapers and conventional clothing which, in the instance of a child with bladder-control problems, provides a garment of similar appearance to conventional clothing along with the facilities of a nappy. This ability to provide a child with clothing similar to their peers offers an enormous confidence boost to a young child while offering the parents all the conveniences of the earlier type of garment.

The garment can be seen to have distinct advantages

over conventional garments, namely;

- a) the instant garment is an undergarment and not a nappy; and
- b) the undergarment has the ability to be re-used more than once.
- c) the insert can be manufactured cheaply as an insert for use in conventional undergarments.
- d) once the insert is soiled it can be disposed and replaced with minimum inconvenience.

The disposable nature of the garment limits the lifespan of the garment, but does allow re-use on several occasions provided it does not become wet or soiled.

To date such a purpose manufactured insert of high absorbency for specific use in conventional garments has not been available for use, particularly in the case of young children of an age of two to six years. Such a purpose made insert, would be recognized as providing a different use to that of a conventional disposable nappy and hence the social conditioning of "a nappy must be bulky to absorb more" would not prejudice the consumer and allow the insert and undergarment to enter the marketplace and provide a much needed product.

The instant invention therefore provides a much needed article for use as an alternative to disposable nappies and conventional diapers.

PCT/AU90/00038

CLAIMS

- 1. An undergarment insert comprising:
- a) A highly absorbent and waterproof pad for attachment to the inside of a conventional undergarment,
- b) Securing means to attach said pad to said undergarment.
- 2. An insert according to claim 1 wherein the pad comprises a layer of absorbent material backed by a layer of waterproof material whereby the securing means are anchored to the waterproof material.
- 3. An insert according to claim 2 wherein the absorbent material is unbleached.
- 4. An insert according to any one of claims 1 to 3 wherein the absorbent material comprises a super-absorbent as hereinbefore defined applied to a layer of pulverized pulp or tissue paper.
- 5. An insert according to claim 4 wherein the absorbent material is super-absorbent material alone.
- 6. An insert according to any one of claims 1 to 5 wherein the pad further comprises a facing layer to provide an interface between the absorbent layer and the wearer's skin.
- 7. An insert according to any one of claims 1 to 6 wherein the facing layer material is polypropylene film.
- 8. An insert according to any one of claims 1 to 7 wherein the waterproof material is polyethylene film.
- An undergarment comprising:
- a) a waterproof undergarment having means for snugly fitting around the upper thighs and waist of the wearer,
- b) a highly absorbent inner pad attached to said undergarment so as to effectively render at least the crotch area of the inside of the garment absorbent.
- 10. An undergarment according to claim 9 including an elastic band or strip around the waist and thigh regions with the absorbent inner pad attached to the inner surface of the garment.
- 11. An undergarment according to claim 9 or 10 wherein the absorbent pad comprises unbleached absorbent material.
- 12. An undergarment according to any one of claims 9 to 11

PCT/AU90/00038

wherein the absorbent material comprises a super-absorbent as hereinbefore defined applied to a layer of pulverized pulp or tissue paper.

- 13. An undergarment according to any one of claims 9 to 12 wherein the absorbent material is super absorbent material alone.
- 14. An undergarment according to any one of claims 9 to 13 wherein the absorbent pad further comprises a facing layer to provide an interface between the absorbent layer and the wearers skin.
- 15. An undergarment according to any one of claims 9 to 14 wherein the facing layer material is poly propylene film.

AMENDED CLAIMS


[received by the International Bureau on 20 June 1990 (20.06.90); original claims 1-15 replaced by amended claims 1-17 (2 pages)]


- 1. An undergarment insert comprising:
- a) A highly absorbent and waterproof pad for attachment to the inside of a conventional undergarment,
- b) Securing means (6) to attach said pad to said undergarment (1), characterised in that the pad has a crotch region and a front and rear region wherein said crotch region is centrally disposed with respect to said front and rear regions and having sufficient transverse dimension to seal against the wearers inner thighs and wherein the said front and rear regions have greater transverse dimension than the crotch region sufficient to allow the front and rear regions to wrap around the wearer's waist.
- 2. An insert according to claim 1 wherein the pad comprises a layer of absorbent material (7) backed by a layer of waterproof material (8) whereby the securing means (6) are anchored to the waterproof material (8).
- 3. An insert according to claim 2 wherein the absorbent material (7) is unbleached.
- 4. An insert according to any one of claims 1 to 3 wherein the absorbent material (7) comprises a super-absorbent as hereinbefore defined applied to a layer of pulverized pulp or tissue paper.
- 5. An insert according to claim 4 wherein the absorbent material (7) is super-absorbent material alone.
- 6. An insert according to any one of claims 1 to 5 wherein the pad further comprises a facing layer (9) to provide an interface between the absorbent layer (7) and the wearer's skin.
- 7. An insert according to any one of claims 1 to 6 wherein the facing layer (9) material is polypropylene film.
- 8. An insert according to any one of claims 1 to 7 wherein the waterproof material (8) is polyethylene film.
- 9. An undergarment comprising:
- a) a waterproof undergarment having means for snugly fitting around the upper thighs and waist of the wearer,
- b) a highly absorbent inner pad attached to said undergarment so as to effectively render at least the crotch area of the inside of the garment absorbent.
- 10. An undergarment according to claim 9 including an elastic band or strip (4)

around the waist (2) and thigh (3) regions with the absorbent inner pad attached to the inner surface of the garment.


- 11. An undergarment according to claim 9 or 10 wherein the absorbent pad comprises unbleached absorbent material.
- 12. An undergarment according to any one of claims 9 to11 wherein the absorbent material comprises a super-absorbent as hereinbefore defined applied to a layer of pulverized pulp or tissue paper.
- 13. An undergarment according to any one of claims 9 to 12 wherein the absorbent material is super absorbent material alone.
- 14. An undergarment according to any one of claims 9 to 13 wherein the absorbent pad further comprises a facing layer (9) to provide an interface between the absorbent layer (7) and the wearers skin.
- 15. An undergarment according to any one of claims 9 to 13 wherein the facing layer (9) material is poly propylene film.
- 16. An undergarment insert according to any one of claims 1 to 8 substantially as hereinbefore described with particular reference to figures 1, 2, 3 or 5.
- 17. An undergarment according to any one of claims 9 to 15 substantially as hereinbefore described with particular reference to figure 4.

WO 90/08524 PCT/AU90/00038





SUBSTITUTE SHEET



SUBSTITUTE SHEET

INTERNATIONAL SEARCH REPORT

International Application No. PCT/AU 90/00038

	SSIFICATION OF SUBJECT MATTER (if several clas g to International Patent Classification (IPC)			
	5 A61F 13/46, 13/72	of to both national cases	-	
	LDS SEARCHED			
TT. PIL		Documentation Searched 7		
Clossific	ation System Classificati		· · · · · · · · · · · · · · · · · · ·	
	A61F 13/18, 13/16			
IPC .				
	Documentation Searched other than M to the Extent that such Documents are Inclu		8 is	
AU: IP	C as above			
III. DOC	UMENTS CONSIDERED TO BE RELEVANT 9			
Category*	Citation of Document, With indication, of the relevant passages		Relevant to Claim No 13	
X Y	AU,A, 89783/82 (560835) (COLGATE-PALMOLIVE (05.05.83)	COMPANY) 5 May 1983	(1, 9) (2,4,6-8,12,14-1	
x	US,A, 4735622 (ACUFF et al) 5 April 1988 (05	5.04.88)	(1, 9-10)	
P,X P,Y				
x	US,A, 2838047 (SIDNELL) 10 June 1958 (10.06	(1, 9 - 10)		
X	GB,A, 2159693 (KIMBERLY-CLARK CORPORATION) 1 (11.12.85)	ll December 1985	(1, 9-10)	
		(continued)		
	cial categories of cited documents: 10 "T"	later document published international filing date and not in conflict with	e or priority date	
art	ument defining the general state of the which is not considered to be of ticular relevance	cited to understand the underlying the invention	principle or theor	
"E" ear	lier document but published on or "X"			
	er the international filing date	claimed invention cannot or cannot be considered		
cla	ument which may throw doubts on priority im(s) or which is cited to establish the lication date of another citation or "Y"	inventive step document of particular re	elevance; the	
oth	er special reason (as specified)	claimed invention cannot involve an inventive ste		
	ument referring to an oral disclosure, , exhibition or other means	involve an inventive ste		
	ument published prior to the	documents, such combinat	ion being obvious	
· int	ernational filing date but later than priority date claimed "&"	a person skilled in the document member of the s		
IV. CER	TIFICATION			
	he Actual Completion of the	Date of Mailing of th	is International	
	onal Search 1990 (03.04.90)	Search Report 20 April 1990		
Internati	onal Searching Authority	Signature of Authoriz	ed Officer	
Australia	n Patent Office	PETER T. WEST		

III. DOC	IMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)	
Category*	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to
X Y	GB,A, 2185678 (KIMBERLY-CLARK CORPORATION) 29 July 1987 (29.07.87)	(1-2) (4,6,8-10,13-14)
P,X P,Y	GB,A, 2211418 (SMITH AND NEPHEW ASSOCIATED COMPANIES) 5 July 1989 (05.07.89)	(1-2)
X	GB,A, 2144637 (THE PROCTER AND GAMBLE COMPANY) 13 March 1985 (13.03.85)	(1, 9)
X Y	AU,A, 91324/82 (562092) (COLGATE-PALMOLIVE COMPANY) 16 June 1983 (16.06.83)	(1-2, 9-10) [(4,6-8,12,14-15)
х	US,A, 2793642 (ANDRUHOVICI) 28 May 1957 (28.05.57)	(1, 9)
X Y	AU,A, 32221/84 (563398) (SMITH AND NEPHEW ASSOCIATED COMPANIES) 28 February 1985 (28.02.85)	(1, 2) (4-8)
X Y	GB,A, 1333166 (JOHNSON AND JOHNSON) 10 October 1973 (10.10.73)	(1-2) (4, 6, 8)
X Y	US,A, 3897783 (GINOCCHIO) 5 August 1975 (05.08.75)	(1) (2, 4, 6)
X Y	US,A, 3672371 (ROEDER) 27 June 1972 (27.06.72)	(1) (2, 6)
Y	CH,A, 442611 (DEMARIA) 31 January 1968 (31.01.68)	(9–10)
Y A	US,A, 4326302 (LOWE et al) 27 April 1982 (27.04.82)	(9-10)
l A	GB,A, 1332956 (ETABLISSEMENTS RUBY) 10 October 1973 (10.10.73)	(1, 4, 6)
A	US,A, 3989867 (SISSON) 2 November 1976 (02.11.76)	(4-6)
· [
		<u> </u>

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL APPLICATION NO. PCT/AU 90/00038

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

	ent Document ed in Search Report			Paten	t Family Mem	bers
US	3672371	BR GB	7102594 1349962	DE ZA	2123515 7102969	FR 2903481
US	3897783	AR BE DE MX	204125 825589 2505921 146989	AT BR GB NL	1106/75 7500938 1481271 7501795	AU 78171/75 CH 604688 LU 71836 PH 11095
US	3989867	AT CA FR JP	1177/74 1001831 2218079 49111739	AU CH GB NL	65087/74 586520 1457348 7401998	BE 811067 DE 2406525 IT 1002939 US Re333110
US	4326302	DE IT	2933853 1121464	FR	2433912	GB 2035050
US	4850992	BR	8600823	JP	62268802	
GB	1332956	DE	2163295	FR	2119193	US 3771525
GB	2185678	AU	67665/87	US	4690681	
GB	2159693	AU ZA	43090/85 8504100	BR	8502652	US 4753646
GB	2144637	US	4555244			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
AU	32221/84	GB	2145970	ZA	8406484	
					CONTINU	IED

CONTINUED

INTERNATIONAL APPLICATION NO. PCT/AU 90/00038 (CONTINUED)

	ent Document ed in Search Report	Patent Family Members					
AU	91324/82	DK FR	230931 1184353 5426/82 2517524 8115106 19784	BE CH ES GB NL PT	895286 658369 523322 2112268 8204756 75951	BR DE ES IT NZ ZA	8207028 3244599 8404839 1149138 202663 8208816
AU	89783/82	BE CH IT NZ	894812 657759 1148439 202255	BR DE JP PT	8206230 3238491 58087307 75741	CA DK NL ZA	1183307 4636/82 8204158 8207611

END OF ANNEX