

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
14 November 2002 (14.11.2002)

PCT

(10) International Publication Number
WO 02/089861 A1

- (51) International Patent Classification⁷: **A61L 9/01**
- (21) International Application Number: PCT/CH02/00223
- (22) International Filing Date: 23 April 2002 (23.04.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
01810432.3 3 May 2001 (03.05.2001) EP
- (71) Applicant (*for all designated States except US*): **GIVAUDAN SA** [CH/CH]; Chemin de la Parfumerie 5, CH-1214 Vernier (CH).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): **GYGAX, Hans, Rudolf** [CH/CH]; Spitzacherstrasse 10, CH-7310 Bad-Ragaz (CH). **AUDIBERT, Thierry** [FR/FR]; 109, rue dU Général de Gaulle, F-95230 Saint Leu la Forêt (FR).
- (74) Agent: **SIMMONS, John, Murray**; Givaudan AG, Ueberlandstrasse 138, CH-8600 Duebendorf (CH).
- (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**
— *with international search report*
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*



WO 02/089861 A1

(54) Title: FRAGRANCE COMPOSITION TO BE DISTRIBUTED BY AN AEROSOL GENERATOR

(57) Abstract: The present invention relates to fragrance compositions to be distributed by an aerosol generator. Said fragrance composition comprises 30 % by weight or more of a component of the odour class A, wherein said components are characterised by a sensory threshold concentration that is 1 ng/l or higher and its vapour pressure that is 10 µg/l or higher.

Fragrance composition to be distributed by an aerosol generator

The present invention relates to fragrance compositions for distribution by an aerosol generator.

5 During the past years the products for air-freshening and fragrancng experienced an important growth in sales. Various device technologies were used to provide a scented environment ranging from simple air-circulation systems to devices using heat and/or carrier materials (e.g. gel and
10 candles). A problem of said device technologies ("classical technologies") was that the odour quality obtained was not sufficient.

In providing fragrance compositions with desirable accords for these "classical technologies", the perfumer should
15 ensure that the correct balance of volatile "Top Notes" and less volatile "Bottom Notes" are presented in the vapour phase over the lifetime of a product. Accordingly, the perfumer must consider the vastly different evaporation rates of fragrance ingredients used to make up
20 fragrance compositions. One method employed by perfumers to ensure that sufficient Bottom Notes are expressed in the vapour phase is to overdose on the Bottom Notes and also to use solvents to help lift the Bottom Notes into the vapour phase in order to blend with the Top Notes and
25 achieve a balanced fragrance accord. The terms "Top Note" and "Bottom Note" are generally recognised in the perfumery art and the term "Bottom Note" would include fragrance compounds having a vapour pressure below 10 micrograms/litre.

- 2 -

Whereas this approach enables the perfumer to produce pleasant fragrance accords, it is also rather expensive because Bottom Notes tend to be expensive. Furthermore, the use of large amounts of solvent is undesirable if the fragrance composition is intended to be delivered from miniaturised or portable devices, where volume efficiency is an important factor.

Aerosol generators offer an advantage over the "classical technologies" in that they are adapted to positively express both Top Notes and the less volatile Bottom Notes into the vapour phase. Essentially aerosol generators take the consideration of different evaporation rates of fragrance ingredients out of the equation when designing fragrance accords. However, the use of aerosol generators may create additional problems for the perfumer. Firstly, fragrance compositions created for "classical technologies" may not be suitable for dispensing from aerosols because the optimal balance of Top and Bottom Notes taking into account the evaporation behaviour of the components, may be distorted and result in an unacceptable fragrance accord heavy in Bottom Notes. Secondly, the use of high viscosity fragrance ingredients cause problems in aerosol generators as has been reported in the art (see for example WO 00/47335). In order to overcome the problems with viscosity, it is necessary to include large volumes of solvents such as triethylene glycol and ethanol, and this has the disadvantage, at least, of volume efficiency as mentioned above. Still further, in order to ensure that the correct amount of solvents are employed to attain the desired viscosity, manufacturers of fragrance compositions for use in aerosol generators have to undertake an iterative process requiring a number of assays to obtain the desired viscosity. This is time consuming and adds

- 3 -

complexity to the manufacturing process that ultimately may affect the cost of such fragrance compositions.

Accordingly, there remains a need to provide fragrance compositions suitable for dispensing from aerosol generators and for reliable and cost effective methods of producing same.

Surprisingly applicant has now found that a fragrance composition comprising 30% by weight or more of odour class A components may be dispensed by an aerosol generator, wherein said odour class A components are characterised by a Sensory Threshold Concentration that is 1 ng/l or higher and a vapour pressure that is 10 µg/l or higher.

The invention therefore provides in a first aspect a fragrance composition comprising 30% by weight or more of odour class A components wherein said components are characterised by a Sensory Threshold Concentration that is 1 ng/l or higher and a vapour pressure that is 10 µg/l or higher.

In a further aspect the present invention refers to fragrance compositions comprising in addition up to 70% by weight of odour class B components. Components of an odour class B have a Sensory Threshold Concentration smaller than 1 ng/l, and a vapour pressure smaller than 10 µg/l.

The Sensory Threshold Concentration is defined as the concentration of an odorous material for which the probability of detection of the stimulus is 0.5 (that is 50% above chance, by a given individual, under the condition of the test) The Sensory Threshold Concentration can be measured by standard methods, for example described

- 4 -

in ASTM E1432-91 and is measured either by olfactometry means or by using sniff-bottles allowing panellists to smell the presented headspace. It is also possible to smell the presented odour in a sequential process.

5 Certain natural fragrant raw materials, such as essential oils, resinoids, and absolutes generally comprise several components. Whether said fragrant raw material belongs to the odour class A or odour class B is determined by analysis of the five components present in the highest
10 concentration. From these five components the sensory threshold concentration and the vapour pressure has to be determined. If all five components taken alone are in one odour class then the fragrant raw material is classified in the same class. To give an example, in lavender oil
15 (i.e. Lavandin essence grosso) the five components present in the highest concentration are linalyl acetate (about 34.4% wt), linalool (about 29.3%wt), campher (about 7.5%wt), eucalyptol (about 5.2%wt) and terpinen-4-ol (about 2.3%wt). All five components fall within the
20 definition of the odour class A. Thus, lavender oil an essential oil belongs according to the definition of the present invention to components of the odour class A.

By categorising fragrant components as class A or class B and ensuring 30% by weight or more of class A components
25 in a composition, fragrance compositions according to the present invention meet all requirements concerning viscosity, necessary for the filling and dispensing from aerosol generators. Furthermore, the time-consuming iterative process of carrying out a large number of assays
30 to obtain the desired viscosity of a fragrance composition by adding a solvent or carrier fluid without changing its

- 5 -

odour impact is rendered unnecessary. This constitutes a great advantage of the present invention.

Thus, the fragrance composition according to the present invention may be formulated on the basis of its desired odour and not on any viscosity considerations, which is an advantage for perfumers and manufacturers of products containing said fragrance compositions.

The presence of 30% wt or more of components of the odour class A in a fragrance composition according to the present invention ensures good sprayability of the fragrance composition even if other components, such as components of the odour class B are present.

In a preferred embodiment the fragrance composition of the present invention comprises at least 50%, preferably 75% by weight of the components of the odour class A and up to 50% by weight, most preferably up to 25% of the components of the odour class B.

Components of the odour class A are preferably selected from the group of allylamylglycolate, allyl caproate, alpha pinene, beta pinene, terpineol, alpha terpineol, amyl acetate, benzyl acetate, benzyl methyl ether, borneol, butyl butyrate, cis-3-hexenol, cis-3-hexenylacetate, citronellal, citronellol, citronellyl acetate, ethyl isobutyrate, cyclal C, lemarome, ethyl butyrate, fructose, ethyl caprylate, hexyl acetate, linalool, linalyl acetate, diethyl maleate, limonene, phenyl propyl alcohol, tetrahydrolinalol, gardenol, styryllyl acetate, isomenthone, menthol, geraniol, geranyl acetate, melonal, phenyl ethyl alcohol, rose oxyde, nonyl aldehyde campher, eucalyptol and terpen-4-ol.

- 6 -

Components of the odour class B are preferably selected from the group of hedione, methyl octine carbonate, damascenone, damascone delta, damascone alpha, undecatriene, ambrettolide, ambroxan, ambroxif, ambrettone, vanilline, ethyl vanilline, eugenol, evernyl, cashmeran, ethylene brassylate, galaxolide, fixolide, tonalide, crysolide, celestolide, bacdanol and cedryl acetate.

In a preferred embodiment of the present invention at least one component of the odour class A or one component of the odour class B is a fragrance raw material of natural origin, i.e. which is not obtained synthetically.

Fragrance raw materials of natural origin are well known for the person skilled in the art and may be selected from the list of ambrette seed absolute, anise oil, artemisia oil, basil oil, bay oil, bensoin siam resinoid, bergamot oil, birch tar oil, calamus oil, cassia oil, cedarwood oil, cinnamon bark oil, citronella oil, civet absolute, clove oil, cumin oil, cypress oil, dill weed oil, elemi resinoid, estragon oil, eucalyptus oil, fennel oil, galbanum resinoid, ginger oil, grapefruit oil, hyacinth absolute, jasmine absolute, lavender oil, lemon oil, cubeba oil, nutmeg oil, marjoram oil, mandarin oil, mimosa concrete, neroli oil, oakmoss resinoid, olibanum resinoid, orange oil, origanum oil, orris oil, oamnathus absolute, patchouli oil, pepper oil, peppermint oil, pimento oil, pine needle oil, rosemary oil, rose oil, rosewood oil, sandalwood oil, thyme oil, tuberose absolute, vetiver oil, and ylang ylang oil.

When distributed by aerosol generators the fragrance compositions according to the present invention have a

- 7 -

constant and stable olfactive quality over the life time of the product. Even the so-called Top Notes are still present over the whole life time. Top Notes as used herein means high volatile compounds, e.g. compounds having a vapour pressure above about 1000µg/l.

Optionally the fragrance composition may contain fillers such as propylenglycol methyl ether, dipropylenglycol, triethylenglycol, ethanol, dipropylenglycol, diethylphtalaten and carbitol. These materials are not included in the fragrance composition for their impact on the odour of the fragrance composition and are therefore not considered as materials of either an odour class A or B for the purpose of this invention.

Other excipients such as insect repellents and antibacterials, for example Bronopol® may be present in the fragrance composition.

The fragrance composition according to the present invention may be used in all kinds of aerosol generators.

A variety of aerosol generators have been used to distribute fragrance compositions. One method to vaporise a fragrance composition is by a piezoelectric spraying system. Said piezoelectric spraying system generates droplets through actuated piezo-membranes. Examples for such piezoelectric spraying system are disclosed in WO 00/47335 and US 6,014,970. Another aerosol generator is an electrospray device, which uses an electric field to generate small droplets. Such generators are described for example in EP 194074 and WO94/12285. Another aerosol generator, a so-called "Venturi device" which is also known under the name "Indigo" splits a liquid mechanically

- 8 -

into small droplets. Such a device is capable of generating very small droplets (< 10 μm) which allow a fast transition of the aerosolised fragrance portion into the gas phase. A "Venturi device" is described, for example, in WO 99/49904.

Especially preferred are aerosol generators which are spraying systems such as piezoelectric spraying systems as described in WO00/47335 and US 6,014,970, which are hereby incorporated herein by reference, electropray devices as described in EP 194074 and WO94/12285, which are hereby incorporated herein by reference, or venturi devices as described in WO99/49904, which is incorporated herein by reference. Preferably, the fragrance composition according to the present invention is distributed at ambient temperature.

Fragrance compositions may be filled into devices containing aerosol generators. For example a fragrance composition in liquid form may be poured into a suitable receptacle provided in an aerosol generator device. Alternatively, fragrance compositions may be filled into a cartridge, which in turn may be adapted to be received in an aerosol-generator device, optionally in a refillable manner. Such cartridges may take any convenient form. For example, the cartridge may be in the form of an air-less bag, e.g. similar to the airless bags employed in ink-jet printer cartridges.

Fragrance compositions according to the present invention may be used in a wide variety of air-freshening and fragrancing products. For example, products used for scenting large spaces such as living spaces, hotel rooms or lobbies, or the like, e.g. household or building

- 9 -

ventilation and air-conditioning systems; multi-media products, e.g. home entertainment devices, scented cinema devices, computer and internet game devices; and devices used to scent cars and other means of transportation.

5 Because the fragrance compositions can be employed without using large volumes of solvents or fillers, they are particularly suitable for filling devices which are designed to be miniaturised or portable, or which are intended to incorporate a plurality of small-volumed,
 10 multi-scent cartridges where volume efficiency is important.

There now follows a series of examples that illustrate the invention.

Example 1

	weight %
15	INDOLE PUR ²⁾ 0.14
	VANILLINE ²⁾ 0.29
	ACET GERANYLE SYNT ¹⁾ 1.43
	RADJANOL SUPER ²⁾ 1.43
20	THIBETOLIDE ²⁾ 1.43
	CYCLOHEXAL ²⁾ 2.86
	GARDENOL ¹⁾ 2.86
	HELIOTROPINE CRIST ²⁾ 2.86
	SALICYLATE BENZYLE ²⁾ 2.86
25	EUGENOL PUR ²⁾ 3.57
	TETRAHYDRO LINALOL ¹⁾ 3.57
	CITRONELLOL EXTRA ¹⁾ 4.29
	LILIAL ²⁾ 4.29
	YLANG YLANG ESS 3 ORPUR ¹⁾ 5.71
30	ISO E SUPER ²⁾ 5.71
	ALC PHENYL ETHYLIQUE ¹⁾ 7.14

-10-

	HEDIONE ²⁾	7.14
	TERPINEOL PUR ¹⁾	8.57
	IONONE BETA ²⁾	10.71
	PROPYLENE GLYCOL METHYL ETH	23.14
5		Total 100.00

Example 2

	N112 ²⁾	0.05
10	OXANE 50%/CITR ²⁾	0.10
	OCTINE CARBONATE METHYLE ²⁾	0.10
	ACET CITRONELLYLE ¹⁾	0.20
	DAMASCENONE ²⁾	0.20
	HEXENOL-3-CIS ¹⁾	0.20
15	ALD C 9 NONYLIQUE FCC ¹⁾	0.40
	MENTHOL NATUREL ¹⁾	0.40
	AMBRETTOLIDE ²⁾	0.50
	ISOMENTHONE DL ¹⁾	0.50
	METHYL-2-BUTYRATE ETHYLE ¹⁾	0.50
20	ROSE OXYDE CO ¹⁾	0.50
	UNDECATRIENE ²⁾	0.50
	BUTYRATE AMYLE ¹⁾	1.00
	PECHE PURE ²⁾	1.00
	CYCLAL C ¹⁾	1.50
25	LABIENOXIME 1%/CQS ²⁾	1.50
	LEMAROME N ¹⁾	1.50
	BUTYRATE ETHYLE ¹⁾	2.00
	FRUCTONE ¹⁾	2.00
	BUTYRATE DIMETHYL BENZ CARB ¹⁾	2.50
30	CAPRONATE ALLYLE ¹⁾	3.00
	CARPRONATE ETHYLE ¹⁾	3.00
	ACET HEXYLE ¹⁾	5.00

-11-

	CITRONELLOL EXTRA ¹⁾	5.00
	HEDIONE ²⁾	5.00
	ROSOFLOR 2 ¹⁾	7.50
	LINALOL SYNT ¹⁾	15.00
5	ORANGE TERPENES DIST ¹⁾	19.35
	MALONATE DIETHYLE ¹⁾	20.00
	Total	100.00

10 1): component of the odour class A

2): component of the odour class B

All components above are commercially available at
Givaudan SA, Vernier, Switzerland.

Claims

1. A fragrance composition comprising 30% by weight or more of odour class A components, wherein said components are characterised by a Sensory Threshold Concentration that is 1ng/l or higher and a vapour pressure that is 10 µg/l or higher.
5
2. A fragrance composition according to claim 1 comprising at least 50% by weight of odour class A components.
- 10 3. A fragrance composition according to any of the preceding claims comprising at least 75% by weight of odour class A components.
4. A fragrance composition according to any of the preceding claims additionally comprising up to 70% by weight of an odour class B component, wherein said components are characterised by a Sensory Threshold Concentration that is smaller than 1ng/l and a vapour pressure that is smaller than 10µg/l.
15
5. A fragrance composition according to claim 4 comprising up to 50% by weight of odour class B components.
20
6. A fragrance composition according to claim 4 comprising up to 25% by weight of odour class B components.
- 25 7. A fragrance composition according to any of the preceding claims, wherein at least one component of the odour class A is a natural fragrance raw material.

-13-

8. A fragrance composition according to any of the claims 4 to 7, wherein at least one component of the odour class B is a natural fragrance raw material
9. A fragrance composition according to claim 1
5 distributed by an aerosol generator.
10. Use of a fragrance composition according to any of the preceding claims in a device using an aerosol generator for dispensing of said fragrance composition.
- 10 11. Use of a fragrance composition according to claim 10, wherein the aerosol generator is selected from a piezoelectric spraying system, an electrospray device, and a venturi device.
12. Use of a fragrance composition according to claim 10
15 or claim 11 at ambient temperature.
13. A device containing an aerosol generator for dispensing a fragrance composition containing a composition as defined in any of the claims 1 to 9.
14. A device according to claim 13 containing an aerosol
20 generator selected from the group consisting of a piezoelectric spraying system, an electrospray device, and a venturi device.
- 15 An air-freshening or air-fragrancing device according to claim 14 selected from multi-media devices, home
25 entertainment devices, scented cinema devices, computer and internet game devices and devices used to scent cars and other means of transportation.

-14-

- 16 A cartridge containing a fragrance compositions as defined in any of the claims 1 to 9.
- 17 A cartridge according to claim 16 comprising an air-less bag.
- 5 18 A cartridge for use in a device as defined in claim 14 or 15.
- 19 A method of manufacturing a device comprising an aerosol generator comprising the step of filling the device with a fragrance composition as defined in any
10 of the claims 1 to 9.
- 20 A method of manufacturing a fragrance composition comprising the step of selecting 30% by weight or more of odour class A components, wherein said components are characterised by a Sensory Threshold
15 Concentration that is 1ng/l or higher and a vapour pressure that is 10 µg/l or higher, and optionally blending these components with one or more fragrance components or excipients used in fragrance compositions.

20

INTERNATIONAL SEARCH REPORT

Inte l Application No
PCT/CH 02/00223

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A61L9/01

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 7 A61L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	W.A. POUCHER: "Lavender Oil" POUCHER'S PERFUMES, COSMETICS AND SOAPS- VOLUME 1 THE RAW MATERIALS OF PERFUMERY, CHAPMAN & HALL, LONDON, UK, 1991, pages 196-197, XP001034831 the whole document ---	1-20
X	WO 00 47335 A (JOHNSON & SON INC S C) 17 August 2000 (2000-08-17) cited in the application abstract --- -/--	13-19

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

° Special categories of cited documents :

A document defining the general state of the art which is not considered to be of particular relevance

E earlier document but published on or after the international filing date

L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

O document referring to an oral disclosure, use, exhibition or other means

P document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

* & * document member of the same patent family

Date of the actual completion of the international search

8 July 2002

Date of mailing of the international search report

15/07/2002

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Muñoz, M

INTERNATIONAL SEARCH REPORT

Inte | Application No
PCT/CH 02/00223

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>ASTM COMMITTE E-18: "E1432-91: Standard Practice for Defining and Dalculating Individual and Group Sensory Thresholds from Forced-Choice Data Dets of Intermediate Size" ANNUAL BOOK OF ASTM STANDARDS, ASTM, PHILADELPHIA,PA, 1991, pages 67-74, XP001039947 -----</p>	

INTERNATIONAL SEARCH REPORT

...formation on patent family members

International Application No

PCT/CH 02/00223

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0047335	A	AU 2758800	A 29-08-2000
		BR 0008101	A 06-11-2001
		CN 1346298	T 24-04-2002
		EP 1150779	A1 07-11-2001
		WO 0047335	A1 17-08-2000
		US 6378780	B1 30-04-2002
