



US00D426129S

**United States Patent** [19]  
**Pringle et al.**

[11] **Patent Number: Des. 426,129**  
[45] **Date of Patent: \*\* Jun. 6, 2000**

[54] **HAMMER HANDLE**

[75] Inventors: **David L. Pringle**, Town & Country, Mo.; **Joseph T. Gierer**, Glen Carbon, Ill.; **Kiyo Hoshino**, Chesterfield, Mo.

[73] Assignee: **Emerson Electric Co.**, St. Louis, Mo.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/096,498**

[22] Filed: **Nov. 12, 1998**

**Related U.S. Application Data**

[62] Division of application No. 29/086,018, Apr. 2, 1998, Pat. No. Des. 416,462.

[51] **LOC (7) Cl.** ..... **08-02**

[52] **U.S. Cl.** ..... **D8/80; D8/107**

[58] **Field of Search** ..... **D8/75, 76, 77, D8/78, 79, 80, 81, 107; 81/20, 21, 22, 23, 24, 25; 16/110 R**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 237,582	11/1975	Mostyn	.....	D8/75
D. 252,495	7/1979	Breger	.....	D8/80
D. 302,515	8/1989	Kandel	.....	D8/75
D. 322,021	12/1991	Hsu	.....	D8/75
D. 324,473	3/1992	Chen	.....	D8/80
D. 329,796	9/1992	Olson et al.	.....	D8/80
5,408,902	4/1995	Burnett	.....	81/22

**FOREIGN PATENT DOCUMENTS**

1137125	5/1957	France .
1273449	7/1968	Germany .

*Primary Examiner*—Philip S. Hyder  
*Attorney, Agent, or Firm*—Howrey Simon Arnold & White, LLP

[57] **CLAIM**

The ornamental design for a hammer handle, as shown.

**DESCRIPTION**

FIG. 1 is a side view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;

FIG. 2 is a side view of the hammer handle of the present invention having a left-handed handle portion viewed from the opposite side as shown in FIG. 1;

FIG. 3 is a perspective view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;

FIG. 4 is a back view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;

FIG. 5 is a front view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;

FIG. 6 is a top cross-sectional view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;

FIG. 7 is a bottom view of the hammer handle of the present invention having a left-handed handle portion in accordance with a first embodiment;

FIG. 8 is a perspective view of the hammer handle of the present invention having a right-handed handle portion in accordance with a second embodiment;


FIG. 9 is a back view of the hammer handle of the present invention having a right-handed handle portion in accordance with a second embodiment;


FIG. 10 is a front view of the hammer handle of the present invention having a right-handed handle portion in accordance with a second embodiment;

FIG. 11 is a top cross-sectional view of the hammer handle of the present invention having a right-handed handle portion in accordance with a second embodiment; and,


FIG. 12 is a bottom view of the hammer handle of the present invention having a right-handed handle portion in accordance with a second embodiment.

**1 Claim, 7 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**




**FIG. 7**




*FIG. 8*




*FIG. 9*



*FIG. 10*



*FIG. 11*



*FIG. 12*