



US00D744138S

(12) **United States Design Patent**
O’Leary et al.

(10) **Patent No.:** **US D744,138 S**

(45) **Date of Patent:** **** Nov. 24, 2015**

(54) **MODULAR EDGELIT LUMINAIRE**

2008/0212329 A1 9/2008 Duguay et al.
2011/0216532 A1 9/2011 Bryant et al.
2012/0320627 A1 12/2012 Araki et al.

(71) Applicants: **Marc Raymond O’Leary**, Aurora, CO
(US); **William Getzinger**, Aurora, CO
(US); **Bradley Stephen Garrett**,
Evergreen, CO (US)

FOREIGN PATENT DOCUMENTS

WO WO 2014/031155 2/2014

(72) Inventors: **Marc Raymond O’Leary**, Aurora, CO
(US); **William Getzinger**, Aurora, CO
(US); **Bradley Stephen Garrett**,
Evergreen, CO (US)

OTHER PUBLICATIONS

International Search Report for PCT/US2014/034812, mailed Aug.
7, 2014.

(73) Assignee: **Cooper Technologies Company**,
Houston, TX (US)

* cited by examiner

Primary Examiner — Brian N Vinson

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — King & Spalding LLP

(21) Appl. No.: **29/452,683**

(57) **CLAIM**

The ornamental design for a modular edgelit luminaire, as
shown and described.

(22) Filed: **Apr. 19, 2013**

DESCRIPTION

(51) **LOC (10) Cl.** **26-03**

FIG. 1 is a top perspective view of a modular edgelit lumi-
naire, showing our new design;

(52) **U.S. Cl.**

FIG. 2 is a bottom perspective view of the modular edgelit
luminaire of FIG. 1;

USPC **D26/63**

FIG. 3 is a top plan view of the modular edgelit luminaire of
FIG. 1;

(58) **Field of Classification Search**

USPC D26/24, 61, 63

FIG. 4 is a bottom plan view of the modular edgelit luminaire
of FIG. 1;

CPC F21S 8/00; F21S 8/003; F21S 8/036;
F21S 8/038; F21S 8/043; F21V 21/00; F21V
21/02; F21V 21/116; F21W 2131/08; F21W
2131/107; F21W 2131/406; F21Y 2105/00

FIG. 5 is a right-side elevation view of the modular edgelit
luminaire of FIG. 1;

See application file for complete search history.

FIG. 6 is a left-side elevation view of the modular edgelit
luminaire of FIG. 1;

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,945,668 B1 9/2005 Orlov et al.
D581,080 S * 11/2008 Mier-Langner D26/63
D586,934 S * 2/2009 Ogashiwa D26/63
D627,909 S * 11/2010 Hu et al. D26/63
D645,185 S * 9/2011 Chen et al. D26/63
D661,421 S * 6/2012 Hor et al. D26/63
D700,726 S * 3/2014 Kim et al. D26/63
D711,577 S * 8/2014 Zhan D26/65

FIG. 7 is a front elevation view of the modular edgelit lumi-
naire of FIG. 1; and,

FIG. 8 is a rear elevation view of the modular edgelit lumi-
naire of FIG. 1.

The broken lines shown represent portions of the luminaire
which forms no part of the claimed design, and the area
between the parallel broken away lines forms no part of the
claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

