



US00D724255S

(12) **United States Design Patent**  
**Herbin et al.**

(10) **Patent No.:** **US D724,255 S**

(45) **Date of Patent:** **\*\* Mar. 10, 2015**

(54) **LIGHT BEZEL FOR A VEHICLE**

(75) Inventors: **Cyril Herbin**, Potelle (FR); **Olivier Draguet**, Bois d'Haine (BE)

(73) Assignee: **Valeo Vision**, Bobigny (FR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/421,454**

(22) Filed: **Jul. 30, 2012**

**Related U.S. Application Data**

(60) Division of application No. 29/315,912, filed on Aug. 5, 2009, now Pat. No. Des. 670,012, and a continuation-in-part of application No. 29/327,307, filed on Nov. 4, 2008, now Pat. No. Des. 622,427, and a continuation-in-part of application No. 29/323,887, filed on Sep. 3, 2008, now Pat. No. Des. 625,443.

(51) **LOC (10) Cl.** ..... **26-99**

(52) **U.S. Cl.**

USPC ..... **D26/139**

(58) **Field of Classification Search**

USPC ..... D26/28-36, 139; 362/459-468, 362/475-478, 485-487

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D469,213 S \* 1/2003 Huang ..... D26/139  
D523,168 S \* 6/2006 Reed et al. .... D26/139  
D550,383 S 9/2007 Asai  
D556,349 S 11/2007 Golden et al.

(Continued)

**FOREIGN PATENT DOCUMENTS**

EM 000261870-0001 2/2005  
EM 000261870-0002 2/2005  
EM 000267372-0001 2/2005

(Continued)

*Primary Examiner* — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Jacox, Meckstroth & Jenkins

(57) **CLAIM**

The ornamental design for light bezel for a vehicle, as shown and described in FIGS. 1-10.

**DESCRIPTION**

The file of this patent contains at least one drawing executed in color. Copies of this patent with color drawing(s) will be provided by the Patent and Trademark Office upon request and payment of the necessary fee. The color shown on the claimed design forms no part thereof.

FIG. 1 is a front view of a component in a lighting device; FIG. 2 is a rear view of the lighting device component shown in FIG. 1;

FIG. 3 is a right side view of the lighting device component shown in FIG. 1;

FIG. 4 is a perspective view of the lighting device component shown in FIG. 1;

FIG. 5 is another view of the lighting device component shown in FIG. 1;

FIG. 6 is a view of the opposite side of the lighting device component shown in FIG. 5;



FIG. 7 is a perspective view of the lighting device component shown in FIG. 1;

FIG. 8 is a rear view of the lighting device component shown in FIG. 1;

FIG. 9 is another rear view of the lighting device component shown in FIG. 1; and,

FIG. 10 is a still another view of the lighting device component shown in FIG. 1.

**1 Claim, 5 Drawing Sheets**  
**(5 of 5 Drawing Sheet(s) Filed in Color)**



(56)

**References Cited**

**FOREIGN PATENT DOCUMENTS**

U.S. PATENT DOCUMENTS

D560,291 S	1/2008	Koyama	
D561,358 S	2/2008	Tachibana	
D563,576 S	3/2008	Hanaoka	
D570,016 S	5/2008	Hsu	
D595,895 S *	7/2009	Lamm .....	D26/139
D611,189 S *	3/2010	Elliott et al. ....	D26/139
D635,694 S	4/2011	Yang et al.	

EM	000237094-0001	3/2007
EM	000237094-0002	3/2007
EM	000237094-0003	3/2007
EM	000377122-0001	1/2008
EM	000344130-0001	7/2008
FR	032187-001	5/2006
FR	032187-002	5/2006

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10