PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

INTERNATIONAL APPLICATION TODEIS	ענונו	UNDER THE PATERIT COOLERATION TREATT (ICT)
(51) International Patent Classification ⁶ :		(11) International Publication Number: WO 98/4539
C11D 1/835, 3/48	A1	(43) International Publication Date: 15 October 1998 (15.10.5)
 (21) International Application Number: PCT/US (22) International Filing Date: 2 April 1998 (c) (30) Priority Data: 60/042,516 4 April 1997 (04.04.97) (71) Applicant: BENCKISER CONSUMER PRODUCT [US/US]; Greenwich American Centre, Five American Greenwich, CT 06831–2561 (US). (72) Inventors: PIROLO, Robert, S.; 1144 North Vassault, WA 98406 (US). CLARK, Allen, M.; 5606 W. O Drive, Gig Harbor, WA 98332 (US). (74) Agent: KALIS, Janal, M.; Oppenheimer Wolff & LLP, Suite 3400, 45 South Seventh Street, Minneap 55402 (US). 	UTS, IN can Lar Tacom Id Stun	CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IIL, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LMD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RSD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, UZ, VYU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SUG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MRU, TJ, TM), European patent (AT, BE, CH, CY, DE, DES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OA patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NSN, TD, TG). Published With international search report.
(54) Title: SANITIZING ANTIMICROBIAL RINSE AII)	

(57) Abstract

The present invention includes a method for killing microorganisms on an article that is rinsed in water at a temperature that is less than 140 °F. The method includes a step of treating the rinse water with an antimicrobial rinse aid. The rinse aid is comprised of a nonionic surfactant. The rinse aid is also comprised of a quaternary ammonium compound and a solubilizing agent. The antimicrobial rinse aid treated dish water is exposed to the articles. The rinse water is heated after exposure to a temperature that is less than 140 °F.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	\mathbf{PL}	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

SANITIZING ANTIMICROBIAL RINSE AID

BACKGROUND OF THE INVENTION

The need for a sanitizing antimicrobial rinse aid for automatic dishware washers is increasing with the emergence of new food borne pathogens. This increase is documented by reports from state health departments and from the CDC. Outbreaks of Salmonella enteritidis, E. coli 0157:H7, Campylobacter, H. pylorii, Staphylococcus aureus, and Enterococci, are all being reported in increasing numbers. A five fold increase in diseases caused by Salmonella enteritidis is expected in the next decade by the CDC.

5

10

15

20

25

30

Automatic consumer or household dishwashers now may fail to sanitize plates, glasses and flatware, because the prolonged high temperatures required for sanitation are not obtained in current automatic household dishwashers. This occurs for two reasons: 1) the water entering the dishwasher rarely exceeds 120° F., in order to prevent scalding and to conserve energy, 2) the dishwasher temperature cycle is not high enough, over 140° F., for a long enough time, over 30 minutes, to kill pathogenic bacteria. Our studies have shown the persistence of bacteria in household automatic dishwashers 30 minutes after the end of the wash cycle. With the increased contamination of food and of food preparation sites by disease causing bacteria such as E. coli 0157:H7 and Salmonella species, there is a need for a chemical sanitizer in the final rinse in household automatic dishwashers. If used in commercial dishwashers there would be a significant economic advantage due to energy savings and decrease in energy expenditures.

Other patented rinse aid sanitizing chemicals, such as chlorine have been used. U.S. Patent 5,358,653 Galdfelter et al. teaches the use of a solid system containing a highly active available chlorine source and sheeting agents. The system must be solid to permit manufacture, storage, distribution, sale, and consumption of the rinse aid, and to prevent chemical degradation of the chlorine source. An aqueous liquid system would be better for daily to monthly use in the rinse aid dispenser built in to most household automatic dishwashers.

Water used in the rinse cycle of automatic dishwashing machine frequently has substantial hardness component consisting of calcium and magnesium ions, which in the presence of certain final rinse material can precipitate and leave unsightly deposits of mixed calcium and magnesium salts. These deposits can also contain other hardness components

such as ferrous or ferric compounds and other common cations. There is a need to incorporate sequestrants into the formulas to overcome this problem.

SUMMARY OF THE INVENTION

The present invention includes a method for killing microorganisms on an article that is washed in water at a temperature that is less than 140° F. and that is rinsed in rinse water. The method includes a step of treating the rinse water with an antimicrobial rinse aid. The rinse aid is comprised of a surfactant with low to no foaming properties. The rinse aid is also comprised of a quaternary ammonium compound and a solubilizing agent. The antimicrobial rinse aid treated dishwater is exposed to the article. The wash water is heated either before exposure, after exposure or during exposure to a temperature of less than 140° F.

The present invention also includes an antimicrobial rinse aid. The rinse aid is comprised of a nonionic surfactant selected from the group consisting of a fatty alcohol C_{12-14} comprised of three ethylene oxide groups and six propylene oxide groups; a block polymer of ethylene oxide and propylene oxide; a low foaming mixture of nonophenol surfactants or an alkoxylated linear alcohol. The rinse aid also includes a quaternary ammonium compound and a solubilizing agent such as lactic acid.

DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

To create an aqueous liquid antimicrobial rinse aid several components are necessary, a surfactant with low foaming properties, an antimicrobial agent, and a solubilizing agent to aid in the maintenance of a clear and stable solution. It is preferred that the surfactant be nonionic to avoid chemical reactions with other components. The antimicrobial agent should meet the criteria of being broad spectrum, short acting, and food safe. The solubilizing agent should be compatible with the other components, capable of complexing metallic cations, and if possible synergistic to the antimicrobial agent.

Review of various low foam nonionic surfactants available today, led us to evaluate the four surfactants listed below, as examples of such surfactants:

 C_{12-14} , 3 ethylene oxide (EO) (CH₂-CH₂-O), 6 propylene oxide groups (CH₂-CH-₃-CH-O)

Henkel Dehypon[®] LS 36, a fatty alcohol C₁₂₋₁₄, 3 EO, 6 PO

BASF Industrol® N-3, a block copolymer EO PO

5

10

15

20

25

30 Union Carbide Triton[®] Nonionic Surfactant CF 32, a low foaming mixture of nonophenol surfactants

10

15

20

Olin Poly-Tergent® SLF 18, an alkoxylated linear alcohol

The BASF Industrol® N-3 is manufactured by the BASF Corporation in Mount Olive, New Jersey. The Industrol® N-3 is a nonionic surfactant which is designed to provide the combined performance requirement of sheeting and low foaming under variable field conditions. The active agent in the Industrol® surfactant is polyoxypropylene polyoxyethylene block copolymer. The viscosity of this nonionic surfactant falls within a range of 713-755 centipoise at 25° C.

The Olin Poly-Tergent[®] SLF 18 material is manufactured by Olin Corporation of Norwalk, Connecticut. This Poly-Tergent[®] material is comprised of poly(oxyethylene/polyoxypropylene) monohexylether. The Poly-Tergent[®] material has a freezing point of 0°-8° C. and a decomposition temperature in a range of 204°-218° C. The material has a pH at 25° C. of 5-7 as a 1% aqueous solution.

The Union Carbide Triton® Nonionic Surfactant CF 32 is manufactured by Union Carbide in South Charleston, West Virginia. This surfactant has a pH of 9.5-11 in a 5% aqueous solution. This surfactant has a cloud point of 1% in an aqueous solution of 20°-27° C. The surfactant formulation includes a water concentration of 5.0%-6.5% by weight.

The antimicrobial agent, should be short acting, and accepted for food use. Therefore, we chose a quaternary ammonium compound, such as Stepan 2125 M Quat, because it was available in an 80% active aqueous solution. The Stepan 2125 M Quat is also known as BTC 2125[®] M product. It is manufactured by Stepan Company in Northfield, Illinois. The Stepan 2125 M Quat is comprised of an N-alkyl dimethyl benzyl ammonium chloride and N-alkyl dimethyl ethyl benzyl ammonium chloride as is shown in the chemical formulations described below:

$$\begin{bmatrix} CH_{3} \\ R - N - CH_{2} - CH_{3} \\ CH_{3} \end{bmatrix} + CI^{-} \begin{bmatrix} CH_{3} \\ R - N - CH_{2} - CH_{3} \\ CH_{3} \end{bmatrix} + CI^{-} \begin{bmatrix} CH_{3} \\ R - N - CH_{2} - CH_{3} \\ CH_{3} \end{bmatrix} + CI^{-} \begin{bmatrix} CH_{3} \\ R - N - CH_{2} - CH_{3} \\ CH_{3} \end{bmatrix} + CI^{-} \begin{bmatrix} CH_{3} \\ CH_{3} \end{bmatrix} + CI^{$$

In particular, the active ingredients of the 2125 M quaternary ammonium product include N-alkyl (60% C₁₄, 30% C₁₀, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chloride in a concentration of 25% by weight. The 2125 M quaternary ammonium product further

4

includes N-alkyl (68% C_{12} , 32% C_{14}) dimethyl ethyl benzyl ammonium chloride in a concentration of 25%. Inert ingredients comprise 50% of the 2125 M preparation. The pH of a 10% aqueous solution of the 2125 M product is 6.5-8.5. The viscosity of the 2125 M Quat product is 50 centipoise at 25° C. The material has a pour point of -4° C. and a flash point of 77° C. The 2125 M Quat product is biodegradable.

The solubilizing agent, and sequestrant, should be a weak organic acid with multiple reactive groups to allow a buffering effect and to have metal sequestering properties. A preferred embodiment could include lactic acid, or other similar acids such as citric acid. One lactic acid source is 88% lactic acid from ADM, Decatur, Illinois.

The solutions were prepared by taking the solutions of the surfactants, the solution of the quaternary ammonium compound and the solution of the sequestrant, all obtained from the manufacturer, and mixing the solutions to form a clear solution. The percentages expressed by weight are indicated by the general formula Quat 50%, Surfactant 40% and Sequestrant 10%, i.e. 50 grams of 80% Stepan 2125 M was weighed into a beaker, 40 grams of Henkel surfactant solution was added, followed by 10 grams of 88% lactic acid solution, with the total weight being 100 grams.

Final Dilution of Antimicrobial Rinse Aid

5

10

15

20

25

30

In order to test if the formulas could achieve a working final concentration of quaternary ammonium compound the following calculations were made:

We initially calculated the amount needed in a concentrate, and then demonstrated the effectiveness of the diluted material in laboratory experiments.

Average rinse volume of dishwashers was estimated to be 1.84 U.S. gallons, or 6947.84 ml based on information obtained from five manufacturers representing 90% of the machines marketed in the United States. The amount in gallons was converted to milliliters:

$$1.84 \text{ gal x } 128 \text{ oz/gal x } 29.5 \text{ml/oz} = 6947.84 \text{ ml}$$

The usual amount of rinse aid dispensed in rinse cycle is three ml, 3.0 ml, according to the manufacturers. With 40% quaternary ammonium compound in Antibacterial Rinse Aid Formulas of the present invention, a level of between 150 and 200 ppm can be achieved in the rinse phase of the usual automatic dishwasher in use in the United States.

5

3.0 ml/6947.84 ml x 40% x 10000 ppm/1% = 172.7 ppm

Therefore we concluded that it was possible to make a working formula and test it for antimicrobial activity.

5

10

15

20

25

EXAMPLES

Demonstration of Antimicrobial Activity

Two standard microbiologic techniques were used to demonstrate the antimicrobial effect of the rinse aid formulas of the present invention compared to quaternary ammonium compound diluted in deionized water.

- 1. A modified disk antimicrobial diffusion method of Bauer et al. was used on lawn plate cultures of specific bacteria found in dishwashers and on similar lawn cultures of specified common food pathogens. Cultures were inoculated with 50 µl of diluted agent and observed for antimicrobial effect at 48 hours. Antimicrobial effect is shown by areas of clearing on the culture plates.
- 2. American Association of Analytical Chemists, AOAC, in use dilutions of four rinse aid formulas were performed using a 30 second exposure of a Gram positive organism, a Gram negative organism, and a yeast. After the 30 second exposure, the quaternary compound was neutralized and quantitative recovery of organisms remaining was performed by tube dilution and quantitative transfer of 50 µl of diluted bacteria to growth plates. Plates were incubated at 35° C. and observed at 24 hours. Remaining microorganisms were counted and recorded. See results below.

Results

The results of the minimum inhibitory concentration experiments are shown in Table I. All of the Antimicrobial Rinse Aid Formulas of the present invention were active against all of the microorganisms used in the test.

- 1. Henkel LS 36, Stepan 2125 M Quat, Lactic Acid
- 2. BASF N-3, Stepan 2125 M Quat, Lactic Acid
- 3. Union Carbide CF 32, Stepan 2125 M Quat, Lactic Acid
- 30 4. Olin SLF 18, Stepan 2125 M Quat, Lactic Acid
 - 5. Stepan 2125 M Quat, no surfactant, no acid.

General Antimicrobial Rinse Aid formula: Quat 50% (80% active), Surfactant 40%, Lactic Acid 10%, all by weight.

TABLE I

5

Minimum Inhibitory Concentrations (ppm) of Four Rinse Aid Formulas Compared to Quaternary Ammonium Compound Alone.

Organism/ Rinse Aid	1 Henkel	2 BASF	3 Union Carbide	4 Olin	5 Stepan Quat
S. aureus	<50	<50	<50	<50	<50
E. coli	200	<50	<50	<50	<50
S. enter.	<50	<50	<50	< 50	<50
Shigella	<50	< 50	<50	<50	<50
C. albicans	<50	< 50	<50	<50	<50

The results of the In Use Dilution Test (AOAC) are shown in Table II. All of the Antimicrobial Rinse Aid Formulas of the present invention reduced the bacterial count by more than 99.999% (>99.999) when tested against the bacteria listed below grown in liquid suspension. A Gram positive organism, Staphylococcus aureus, S. aureus; a Gram negative organism, Escherichia coli, E. coli; and a yeast, Candida albicans, C. albicans, were chosen as the test organisms.

TABLE II

In Use Dilution Test (AOAC) of Five Rinse Aid Formulas
(Percentage Reduction of Bacteria and Yeast in Liquid by Quat at 100 ppm)

2	0

Organism/ Rinse Aid	Conc. of Organism	1 Henkel	2 BASF	3 Union Carbide	4 Olin	5 Stepan Quat
S. aureus	6.8x10 ⁸	>99.999	>99.999	>99.999	>99.999	>99.999
E. coli	1.5x10 ⁹	99.733	>99.999	99.867	>99.999	>99.999
C. albicans	1.6x10 ⁹	99.575	99.995	78.75	>99.999	>99.999

7

Conclusion

5

10

15

20

The above two test methods used above demonstrate the antimicrobial effect of the four rinse aid formulas by both minimal inhibitory concentration method on lawn plate cultures of selected microorganisms and by the in use dilution method recommended by the AOAC. All of the rinse aid formulas were effective against the microorganisms in the minimum inhibitory concentration test on lawn cultures. The formula containing Henkel surfactant did require a 200 ppm level to inhibit the growth of E. coli. In the AOAC use dilution test most formulas were effective against Gram positive and Gram negative organisms. As can be seen from Table II, the only surfactant system, when used in formulation, to produce a five log reduction in C. albicans was the alkoxylated linear alcohol manufactured by Olin. Therefore we chose this surfactant as the preferred embodiment.

Demonstration of Decreased Spotting of Dishware

In order to evaluate the rinse aid's antispotting and antifilming properties of the antimicrobial rinse aid formulas, the following protocol was used. Dishware: glass, pottery, and metallic tableware were processed through the wash and rinse cycle of a household mechanical automatic dishwasher, with and without the use of the various sanitizing antimicrobial rinse aid formulas for 10 cycles. The water was moderately hard. Automatic dishwashing soap was used in the amount recommended by the manufacturer. The amount of spotting, and filming of dishware was evaluated by trained observers using the following criteria and scale:

Feature/ Score	0	1	2	3	4
Spots	none	1-2	3-4	5-7	8-12
Film	none	slight	grey	grey/white	white

The results of the test of antispotting and antifilming functions are shown in Table III.

TABLE III

Results of Four Rinse Aid Formulas and Water on Spot Formation in an Automatic Dishwasher

Rinse Aid/ Features	1 Henkel	2 BASF	3 Union Carbide	4 Olin	5 Water/No Rinse Aid
Spots	0	0	1	1	3
Film	2	2	0	0	2

Conclusion

Each of the four rinse aid formulas showed less spotting and filming than the cycles using water alone.

IN THE CLAIMS

What is claimed is:

1	1.	A rinse aid composition for rinsing dishware in an automatic dishwasher comprising:
2		a low to no foaming surfactant characterized in that it further comprises a water-
3		insoluble quaternary ammonium compound with antimicrobial activity.
1	2.	A method of rinsing dish water with rinse water and disinfecting dishware
2	compi	rising:
3		treating the rinse water with a rinse aid comprising a low foaming surfactant;
4		contacting the rinse aid treated rinse water to the article; and
5		heating the rinse water to a temperature of less than 70°C characterized in that the
6		rinse aid comprises a water-insoluble quaternary ammonium compound with
7		antimicrobial activity.
1	3.	A method for killing microorganisms on an article washed in water at a temperature
2	of less	s than 70° C. and mixed in rinse water, comprising:
3		treating the rinse water with an antimicrobial rinse aid comprising a low to no
4		foaming nonionic surfactant, a quaternary ammonium compound and a
5		solubilizing agent; and
6		contacting the antimicrobial rinse aid treated rinse water to the article; and
7		heating the wash water to a temperature less than 70° C.
1	4.	The method of claim 3 wherein the low to no foaming surfactant is selected from a
2	group	consisting of:
3		a fatty alcohol, C ₁₂₋₁₄ , with three ethylene oxide groups and six propylene oxide
4		groups;
5		a block copolymer with at least 2 ethylene oxide groups and 2 propylene oxide
6		groups;
7		a low foaming mixture of nonophenol surfactant; or
8		an alkoxylated linear alcohol.

- 1 5. The method of claim 3 wherein the quaternary ammonium compound is an 80%
- 2 active aqueous ammonium solution.
- 1 6. The method of claim 3 wherein the solubilizing agent comprises lactic acid.
- 1 7. The method of claim 3 wherein the solubilizing agent comprises citric acid.
- 1 8. An antimicrobial rinse aid, comprising:
- a low foaming surfactant selected from the group consisting of C_{12-14} , three ethylene
- oxide groups and six propylene oxide groups, a fatty alcohol C_{12-14} comprised
- 4 of three ethylene oxide groups and six propylene oxide groups;
- 5 a block copolymer of ethylene oxide and propylene oxide;
- a low-foaming mixture of nonophenol surfactants; or
- 7 an alkoxylated linear alcohol;
- 8 a quaternary ammonium compound; and
- 9 a solubilizing agent such as lactic acid.
- 1 9. The agent of claim 8 wherein the quaternary ammonium compound is present in a
- 2 concentration of 50% by weight.
- 1 10. The agent of claim 9 wherein the surfactant is present in a concentration of 40% by
- 2 weight.
- 1 11. The agent of claim 10 wherein the sequestrant is present in a concentration of 10% by
- 2 weight.
- 1 12. The agent of claim 8 wherein the quaternary ammonium compound is comprised of
- 2 one or more of N-alkyl dimethyl benzyl ammonium chloride or N-alkyl dimethyl ethyl
- 3 benzyl ammonium chloride.
 - 13. The agent of claim 8 wherein the surfactant is comprised of polyoxypropylene-
- 5 polyoxyethylene block copolymer.

national Application No PCT/US 98/06535

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 C11D1/835 C11D3/48

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 C11D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUM	ENTS CONSIDERED TO BE RELEVANT	
Category ³	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Χ	GB 2 172 607 A (DIVERSEY CORP) 24 September 1986	1,2
Α	see page 6, line 34 - page 7, line 3; claims; examples	3-8,12
X	FR 2 233 392 A (BENCKISER GMBH JOH A) 10 January 1975 see page 2, line 20 - line 37; claims; examples 4,6; table 1	1-8,12
X	EP 0 054 895 A (HOECHST AG) 30 June 1982	1,8-11, 13
	see page 9, line 9 - page 11, line 27; claims	
X	EP 0 651 049 A (EASTMAN KODAK CO) 3 May 1995 see claims	1-4
	-/	

X Further documents are listed in the continuation of box C.	X Patent family members are listed in annex.
"A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publicationdate of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search 6 July 1998	Date of mailing of the international search report $15/07/1998$
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Grittern, A

1

rational Application No
PCT/US 98/06535

	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	Option when all the All
Category :	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.
(GB 2 172 009 A (DREW CHEM CORP) 10 September 1986	1,2
4	see page 2, line 12 - line 15; claims	8,12,13
1	EP 0 318 279 A (UNILEVER) 31 May 1989 see page 3, line 47 - line 55; claims 	1-5
ı	DE 28 10 998 A (UNILEVER NV) 21 September 1978	1,2,8
	see claims; examples 	

1

Information on patent family members

PCT/US 98/06535

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
GB 2172607	Α	24-09-1986	AU	5487386 A	25-09-1986
FR 2233392	A	10-01-1975	DE BE DK NL SE	2330481 A 814402 A 320674 A 7407917 A 7404212 A	09-01-1975 16-08-1974 17-03-1975 17-12-1974 16-12-1974
EP 0054895	A	30-06-1982	DE AT CA JP JP JP US	3048642 A 8659 T 1160534 A 1681706 C 3045120 B 58109598 A 4443363 A	15-07-1982 15-08-1984 17-01-1984 31-07-1992 10-07-1991 29-06-1983 17-04-1984
EP 0651049	А	03-05-1995	AU AU BR CA JP NZ	672930 B 7756194 A 9404250 A 2132811 A 7188697 A 264819 A	17-10-1996 18-05-1995 04-07-1995 02-05-1995 25-07-1995 26-07-1995
GB 2172009	Α	10-09-1986	US BE CA JP NL	4647314 A 904343 A 1285221 A 62205197 A 8503387 A	03-03-1987 30-06-1986 25-06-1991 09-09-1987 01-10-1986
EP 0318279	А	31-05-1989	AU CA DE DE ES JP JP US	2577788 A 1312523 A 3852868 D 3852868 T 2067477 T 1170699 A 7013238 B 4931217 A	01-06-1989 12-01-1993 09-03-1995 08-06-1995 01-04-1995 05-07-1989 15-02-1995 05-06-1990
DE 2810998	Α	21-09-1978	GB CA	1562961 A 1108029 A	19-03-1980 01-09-1981

Information on patent family members

PCT/US 98/06535

DE 2810998 A NL 7802918 A 20-09-1978 SE 7803128 A 19-09-1978	Patent document cited in search report	Publication date	Patent family member(s)	Publication date
	DE 2810998 A	<u> </u>	NL 7802918 / SE 7803128 /	20-09-1978 19-09-1978