



US00D768071S

(12) **United States Design Patent** (10) **Patent No.:** **US D768,071 S**
Kim et al. (45) **Date of Patent:** **** Oct. 4, 2016**

(54) **BATTERY PACK**
(71) Applicant: **LG Chem, Ltd.**, Seoul (KR)
(72) Inventors: **Hyeon-Kyu Kim**, Daejeon (KR);
Bum-Hyun Lee, Daejeon (KR); **In-Jae Gang**, Daejeon (KR)
(73) Assignee: **LG Chem, Ltd.** (KR)
(**) Term: **15 Years**
(21) Appl. No.: **29/539,059**
(22) Filed: **Sep. 10, 2015**
(30) **Foreign Application Priority Data**

Mar. 11, 2015 (KR) 30-2015-0012221

(51) **LOC (10) Cl.** **13-02**
(52) **U.S. Cl.**

USPC **D13/103**

(58) **Field of Classification Search**

USPC D13/102–110, 118, 199, 184;
429/96–100, 149, 159, 163, 176, 177,
429/186; 206/703–705, 461–463, 471, 485,
206/485.1, 493; D14/203.3–203.8, 217,
D14/240, 248, 250–253, 432, 434, 440, 450,
D14/496; 320/101, 102, 107–115, 120;
D3/201, 207–209, 218, 269, 212, 301,
D3/273, 303; 361/679, 56; 379/426,
379/433.11–433.13, 455; 455/575.1, 575.8
CPC ... Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H01M 2/02; H01M 2/022;
H01M 2/0202; H01M 2/0207; H01M 2/0212;
H01M 2/1061; H01M 2/1022; H01M 2/1055;
H01M 2/1066; H01M 2/105; H01M 2/204;
H01M 10/4257; H01M 10/0436; H01M
10/48

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D509,184 S * 9/2005 Schuttler D13/110
D602,859 S * 10/2009 Kaiser D13/101

D606,937 S * 12/2009 Brookshire D13/110
D626,066 S * 10/2010 Liu D13/110
8,486,550 B2 * 7/2013 Suzuki H01M 2/1055
429/100
D725,589 S * 3/2015 Hidaka D13/103
D731,412 S * 6/2015 Gao D13/103
D749,064 S * 2/2016 Bhattacharya D14/240
2008/0241675 A1 * 10/2008 Enari H01M 2/105
429/179
2015/0263320 A1 * 9/2015 Takasaki H01M 2/105
429/156

* cited by examiner

Primary Examiner — Rosemary K Tarcza

Assistant Examiner — Christy Nemeth

(74) *Attorney, Agent, or Firm* — Lerner, David,
Littenberg, Krumholz & Mentlik, LLP

(57) **CLAIM**

The ornamental design for a battery pack, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a battery pack according to our design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof; and,

FIG. 8 is a front perspective view of the battery pack with a sub battery pack shown in broken lines. The sub battery pack is environmental only and forms no part of the claimed design.

The broken lines in the drawings illustrate environmental subject matter only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 8