



(12) **United States Patent**
Patenge et al.

(10) **Patent No.:** **US 10,987,590 B2**
(45) **Date of Patent:** ***Apr. 27, 2021**

(54) **SYSTEMS AND METHODS FOR INCENTIVIZING PARTICIPATION IN GAMEPLAY EVENTS IN AN ONLINE GAME**

(71) Applicant: **Kabam, Inc.**, San Francisco, CA (US)
(72) Inventors: **Luther Patenge**, San Francisco, CA (US); **Dylan Ortiz**, San Francisco, CA (US); **Luc Pieron**, San Francisco, CA (US); **Thomas Baxter**, Millbrae, CA (US); **Henry Rull**, Concord, CA (US)

(73) Assignee: **Kabam, Inc.**, San Francisco, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 80 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **16/658,451**

(22) Filed: **Oct. 21, 2019**

(65) **Prior Publication Data**
US 2020/0047072 A1 Feb. 13, 2020

Related U.S. Application Data

(63) Continuation of application No. 14/495,880, filed on Sep. 24, 2014, now Pat. No. 10,463,968.

(51) **Int. Cl.**
A63F 13/69 (2014.01)
A63F 13/35 (2014.01)

(52) **U.S. Cl.**
CPC **A63F 13/69** (2014.09); **A63F 13/35** (2014.09)

(58) **Field of Classification Search**
CPC **A63F 13/69**; **A63F 13/35**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,816,918 A	10/1998	Kelly
5,933,813 A	8/1999	Teicher
5,964,660 A	10/1999	James
6,142,472 A	11/2000	Kliebisch
6,190,225 B1	2/2001	Coleman
6,402,619 B1	6/2002	Sato

(Continued)

FOREIGN PATENT DOCUMENTS

KR	1020130137431	12/2013
WO	2002026333	1/2002

(Continued)

OTHER PUBLICATIONS

'Quest item—WoWiki—Your guide to the World of Warcraft', printed from http://www.wowwiki.com/Quest_Item, Retrieved on Apr. 16, 2014, 1 page.


(Continued)

Primary Examiner — Kang Hu
Assistant Examiner — Thomas H Henry
(74) *Attorney, Agent, or Firm* — Esplin & Associates, PC

(57) **ABSTRACT**

Systems and methods for incentivizing user participation in gameplay events that take place in an online game are presented herein. The gameplay events may include one or more time intervals that take place during the duration of the gameplay event. The time intervals may be associated with incentivizing one or more actions and/or activities by the users during the intervals. The users may be distributed awards based on their performance during the intervals. The awards associated with time interval performance may impact awards distributed based on final ranking in the gameplay event.

17 Claims, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,561,904	B2	5/2003	Locke	8,777,754	B1	7/2014	Santini
6,604,008	B2	8/2003	Chudley	8,784,214	B2	7/2014	Parks
6,745,236	B1	6/2004	Hawkins	8,790,185	B1	7/2014	Caldarone
6,811,483	B1	11/2004	Webb	8,821,260	B1	9/2014	DeSanti
6,850,900	B1	2/2005	Hare	8,831,758	B1	9/2014	Chu
6,928,474	B2	8/2005	Venkatesan	8,843,557	B2	9/2014	Ranade
7,050,868	B1	5/2006	Graepel	8,851,978	B1	10/2014	Koh
7,076,453	B2	7/2006	Jammes	8,920,243	B1	12/2014	Curtis
7,156,733	B2	1/2007	Chiang	8,961,319	B1	2/2015	Pieron
7,192,352	B2	3/2007	Walker	8,968,067	B1	3/2015	Curtis
7,197,352	B2	3/2007	Gott	9,007,189	B1	4/2015	Curtis
7,326,115	B2	2/2008	Baerlocher	9,138,639	B1	9/2015	Ernst
7,381,133	B2	6/2008	Thomas	9,256,887	B2	2/2016	Santini
7,533,336	B2	5/2009	Jaffe	9,257,007	B2	2/2016	Santini
7,660,740	B2	2/2010	Boone	9,259,642	B1	2/2016	McNeill
7,682,239	B2	3/2010	Friedman	9,286,510	B2	3/2016	Sooahoo
7,698,229	B2	4/2010	Hsu	9,317,993	B2	4/2016	Hardy
7,785,188	B2	8/2010	Cannon	9,375,636	B1	6/2016	Wakeford
7,813,821	B1	10/2010	Howell	9,403,093	B2	8/2016	Harrington
7,819,749	B1	10/2010	Fish	9,406,201	B2	8/2016	Englman
7,945,802	B2	5/2011	Hamilton, II	9,452,356	B1	9/2016	Tsao
7,959,507	B2	6/2011	Cannon	9,452,364	B1	9/2016	Curtis
8,010,404	B1	8/2011	Wu	9,463,376	B1	10/2016	Kim
8,016,668	B2	9/2011	Hardy	9,468,851	B1	10/2016	Pieron
8,047,909	B2	11/2011	Walker	9,610,503	B2	4/2017	Pieron
8,057,294	B2	11/2011	Pacey	9,616,331	B1	4/2017	Jordan
8,066,571	B2	11/2011	Koster	9,626,475	B1	4/2017	Schultz
8,105,156	B2	1/2012	Walker	9,656,174	B1	5/2017	McLellan
8,147,340	B2	4/2012	BrunetdeCourssou	9,669,313	B2	6/2017	Pieron
8,157,635	B2	4/2012	Hardy	9,669,315	B1	6/2017	Curtis
8,187,101	B2	5/2012	Herrmann	9,682,314	B2	6/2017	Kim
8,226,472	B2	7/2012	Van Luchene	9,773,254	B1	9/2017	Schultz
8,231,453	B2	7/2012	Wolf	9,776,089	B1	10/2017	Curtis
8,231,470	B2	7/2012	Feeney	9,782,677	B1	10/2017	Topkins
8,239,487	B1	8/2012	Hoffman	9,782,679	B1	10/2017	Chu
8,246,439	B2	8/2012	Kelly	9,789,407	B1	10/2017	Pieron
8,272,934	B2	9/2012	Olive	9,795,885	B1	10/2017	Kim
8,272,951	B2	9/2012	Ganz	9,975,050	B1	5/2018	Pieron
8,272,956	B2	9/2012	Kelly	9,978,211	B1	5/2018	Schultz
8,282,491	B2	10/2012	Auterio	10,068,431	B1	9/2018	Howell
8,287,367	B2	10/2012	Hall	10,307,101	B1	6/2019	Miller
8,287,383	B1	10/2012	Etter	10,350,501	B2	7/2019	Pieron
8,287,384	B2	10/2012	Auterio	10,357,719	B2	7/2019	Pieron
8,292,743	B1	10/2012	Etter	10,463,968	B1	11/2019	Patenge
8,313,372	B2	11/2012	Naicker	10,565,606	B2	2/2020	Schultz
8,317,584	B2	11/2012	Aoki	10,741,022	B2	8/2020	Schultz
8,317,601	B1	11/2012	Luciano, Jr.	2002/0023039	A1	2/2002	Fritsch
8,323,110	B2	12/2012	Shibamiya	2002/0059397	A1	5/2002	Feola
8,328,642	B2	12/2012	Mosites	2002/0072412	A1	6/2002	Young
8,332,260	B1	12/2012	Mysen	2002/0094863	A1	7/2002	Klayh
8,332,544	B1	12/2012	Rails	2002/0095327	A1	7/2002	Zumel
8,348,716	B2	1/2013	Ganz	2002/0115488	A1	8/2002	Berry
8,348,762	B2	1/2013	Willis	2002/0119824	A1	8/2002	Allen
8,348,767	B2	1/2013	Mahajan	2002/0165794	A1	11/2002	Ishihara
8,348,768	B2	1/2013	Auterio	2002/0183105	A1	12/2002	Cannon
8,360,858	B2	1/2013	LaRocca	2002/0193162	A1	12/2002	Walker
8,360,866	B2	1/2013	VanLuchene	2003/0003983	A1	1/2003	Walker
8,360,867	B2	1/2013	VanLuchene	2003/0008713	A1	1/2003	Ushiro
8,360,868	B2	1/2013	Shvili	2003/0027619	A1	2/2003	Nicastro
8,366,544	B2	2/2013	Walker	2003/0032476	A1	2/2003	Walker
8,366,550	B2	2/2013	Herrmann	2003/0102625	A1	6/2003	Katz
8,371,925	B2	2/2013	Bonney	2003/0109301	A1	6/2003	Chudley
8,376,826	B2	2/2013	Katz	2003/0157978	A1	8/2003	Englman
8,382,572	B2	2/2013	Hoffman	2003/0174178	A1	9/2003	Hodges
8,388,427	B2	3/2013	Yariv	2003/0190960	A1	10/2003	Jokipii
8,401,913	B2	3/2013	Alivandi	2003/0216167	A1	11/2003	Gauselmann
8,408,989	B2	4/2013	Bennett	2004/0002387	A1	1/2004	Grady
8,439,759	B1	5/2013	Mello	2004/0068451	A1	4/2004	Lenk
8,475,262	B2	7/2013	Wolf	2004/0143852	A1	7/2004	Meyers
8,506,394	B2	8/2013	Kelly	2004/0199471	A1	10/2004	Hardjono
8,512,150	B2	8/2013	Herrmann	2004/0215524	A1	10/2004	Parkyn
8,533,076	B2	9/2013	Chu	2004/0224745	A1	11/2004	Bregenzer
8,583,266	B2	11/2013	Herbrich	2004/0225387	A1	11/2004	Smith
8,636,591	B1	1/2014	Hawk	2004/0267611	A1	12/2004	Hoerenz
8,758,119	B1	6/2014	BronsteinBendayan	2005/0096117	A1	5/2005	Katz
				2005/0114223	A1	5/2005	Schneider
				2005/0165686	A1	7/2005	Zack
				2005/0192087	A1	9/2005	Friedman
				2005/0209008	A1	9/2005	Shimizu

(56)		References Cited					
		U.S. PATENT DOCUMENTS					
				2010/0240444	A1	9/2010	Friedman
				2010/0241491	A1	9/2010	Eglen
				2010/0241492	A1	9/2010	Eglen
				2010/0306015	A1	12/2010	Kingston
				2011/0045898	A1	2/2011	Anderson
				2011/0065511	A1	3/2011	Mahan
				2011/0092271	A1	4/2011	Nguyen
				2011/0092273	A1	4/2011	Cerbini
				2011/0111841	A1	5/2011	Tessmer
				2011/0112662	A1	5/2011	Thompson
				2011/0113353	A1	5/2011	Koh
				2011/0118002	A1	5/2011	Aoki
				2011/0145040	A1	6/2011	Zahn
				2011/0151957	A1	6/2011	Falciglia
				2011/0212756	A1	9/2011	Packard
				2011/0218033	A1	9/2011	Englman
				2011/0227919	A1	9/2011	Bongio
				2011/0250954	A1	10/2011	Braund
				2011/0256936	A1	10/2011	Walker
				2011/0263324	A1	10/2011	Ganetakos
				2011/0275438	A9	11/2011	Hardy
				2011/0281638	A1	11/2011	Bansi
				2011/0281654	A1	11/2011	Kelly
				2011/0282764	A1	11/2011	Borst
				2011/0300923	A1	12/2011	VanLuchene
				2011/0319152	A1	12/2011	Ross
				2011/0319170	A1	12/2011	Shimura
				2012/0011002	A1	1/2012	Crowe
				2012/0015714	A1	1/2012	Ocko
				2012/0015715	A1	1/2012	Luxton
				2012/0034961	A1	2/2012	Berman
				2012/0040743	A1	2/2012	Auterio
				2012/0040761	A1	2/2012	Auterio
				2012/0042282	A1	2/2012	Wong
				2012/0046111	A1	2/2012	Walker
				2012/0047002	A1	2/2012	Patel
				2012/0059730	A1	3/2012	Jensen
				2012/0083909	A1	4/2012	Carpenter
				2012/0101886	A1	4/2012	Subramanian
				2012/0108306	A1	5/2012	Munsell
				2012/0109785	A1	5/2012	Karlsson
				2012/0115593	A1	5/2012	Vann
				2012/0122589	A1	5/2012	Kelly
				2012/0129590	A1	5/2012	Morrisroe
				2012/0130856	A1	5/2012	Petri
				2012/0142429	A1	6/2012	Muller
				2012/0156668	A1	6/2012	Zelin
				2012/0157187	A1	6/2012	Moshal
				2012/0157193	A1	6/2012	Arezina
				2012/0166380	A1	6/2012	Sridharan
				2012/0166449	A1	6/2012	Pitaliya
				2012/0178514	A1	7/2012	Schulzke
				2012/0178515	A1	7/2012	Adams
				2012/0178529	A1	7/2012	Collard
				2012/0197874	A1	8/2012	Zatkin
				2012/0202570	A1	8/2012	Schwartz
				2012/0202589	A1	8/2012	Kelly
				2012/0203669	A1	8/2012	Borsch
				2012/0215667	A1	8/2012	Ganz
				2012/0221430	A1	8/2012	Naghmouchi
				2012/0226573	A1	9/2012	Zakas
				2012/0231891	A1	9/2012	Watkins
				2012/0244945	A1	9/2012	Kolo
				2012/0244947	A1	9/2012	Ehrlich
				2012/0244950	A1	9/2012	Braun
				2012/0245988	A1	9/2012	Pace
				2012/0256377	A1	10/2012	Schneider
				2012/0265604	A1	10/2012	Corner
				2012/0282986	A1	11/2012	Castro
				2012/0289315	A1	11/2012	Van Luchene
				2012/0289330	A1	11/2012	Leydon
				2012/0289346	A1	11/2012	VanLuchene
				2012/0295699	A1	11/2012	Reiche
				2012/0296716	A1	11/2012	Barbeau
				2012/0302329	A1	11/2012	Katz
				2012/0302335	A1	11/2012	Gregory-Brown
				2012/0309504	A1	12/2012	Isozaki
				2012/0311504	A1	12/2012	van Os
				2012/0322545	A1	12/2012	Arnone
2005/0227751	A1	10/2005	Zanelli				
2005/0255914	A1	11/2005	McHale				
2005/0277474	A1	12/2005	Barry				
2006/0030407	A1	2/2006	Thayer				
2006/0058103	A1	3/2006	Danieli				
2006/0063587	A1	3/2006	Manzo				
2006/0100006	A1	5/2006	Mitchell				
2006/0116196	A1	6/2006	Vancura				
2006/0155597	A1	7/2006	Gleason				
2006/0200370	A1	9/2006	Ratliff				
2006/0205461	A1	9/2006	LaRocca				
2006/0217198	A1	9/2006	Johnson				
2006/0287029	A1	12/2006	Yoshinobu				
2006/0287102	A1	12/2006	White				
2007/0021213	A1	1/2007	Foe				
2007/0077988	A1	4/2007	Friedman				
2007/0105615	A1	5/2007	Lind				
2007/0111770	A1	5/2007	Van Luchene				
2007/0129139	A1	6/2007	Nguyen				
2007/0129147	A1	6/2007	Gagner				
2007/0155485	A1	7/2007	Cuddy				
2007/0191101	A1	8/2007	Coliz				
2007/0191102	A1	8/2007	Coliz				
2007/0213116	A1	9/2007	Crawford				
2007/0233585	A1	10/2007	Ben Simon				
2007/0281285	A1	12/2007	Jayaweera				
2008/0004093	A1	1/2008	Van Luchene				
2008/0032787	A1	2/2008	Low				
2008/0058092	A1	3/2008	Schwartz				
2008/0076527	A1	3/2008	Low				
2008/0113706	A1	5/2008	OHalloran				
2008/0113815	A1	5/2008	Weingardt				
2008/0124353	A1	5/2008	Brodeur				
2008/0154798	A1	6/2008	Valz				
2008/0171599	A1	7/2008	Salo				
2008/0194318	A1	8/2008	Kralicky				
2008/0200260	A1	8/2008	Deng				
2008/0207306	A1	8/2008	Higbie				
2008/0214295	A1	9/2008	Dabrowski				
2008/0227525	A1	9/2008	Kelly				
2008/0234043	A1	9/2008	McCaskey				
2008/0248867	A1	10/2008	Englman				
2008/0268946	A1	10/2008	Roemer				
2008/0275786	A1	11/2008	Gluck				
2008/0300045	A1	12/2008	Ratcliff				
2008/0318668	A1	12/2008	Ching				
2009/0011812	A1	1/2009	Katz				
2009/0017886	A1	1/2009	McGucken				
2009/0036199	A1	2/2009	Myus				
2009/0048918	A1	2/2009	Dawson				
2009/0061982	A1	3/2009	Brito				
2009/0082099	A1	3/2009	Luciano				
2009/0124353	A1	5/2009	Collette				
2009/0204907	A1	8/2009	Finn				
2009/0208181	A1	8/2009	Cottrell				
2009/0210301	A1	8/2009	Porter				
2009/0234710	A1	9/2009	Belgaied Hassine				
2009/0280905	A1	11/2009	Weisman				
2009/0315893	A1	12/2009	Smith				
2010/0022307	A1	1/2010	Steuer				
2010/0035689	A1	2/2010	Altshuler				
2010/0041472	A1	2/2010	Gagner				
2010/0050088	A1	2/2010	Neustaedter				
2010/0070056	A1	3/2010	Coronel				
2010/0094841	A1	4/2010	Bardwil				
2010/0099471	A1	4/2010	Feeney				
2010/0107214	A1	4/2010	Ganz				
2010/0113162	A1	5/2010	Vemuri				
2010/0120525	A1	5/2010	Baerlocher				
2010/0174593	A1	7/2010	Cao				
2010/0198653	A1	8/2010	Bromshenkel				
2010/0210356	A1	8/2010	Losica				
2010/0227675	A1	9/2010	Luxton				
2010/0227682	A1	9/2010	Reville				
2010/0228606	A1	9/2010	Walker				

(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0322561	A1	12/2012	Kohlhoff
2012/0329549	A1	12/2012	Johnson
2012/0330785	A1	12/2012	Hamick
2013/0005437	A1	1/2013	Bethke
2013/0005466	A1	1/2013	Mahajan
2013/0005473	A1	1/2013	Bethke
2013/0005480	A1	1/2013	Bethke
2013/0006735	A1	1/2013	Koenigsberg
2013/0006736	A1	1/2013	Bethke
2013/0012304	A1	1/2013	Cartwright
2013/0013094	A1	1/2013	Parks
2013/0013326	A1	1/2013	Miller
2013/0013459	A1	1/2013	Kerr
2013/0029745	A1	1/2013	Kelly
2013/0036064	A1	2/2013	Osvald
2013/0072278	A1	3/2013	Salazar
2013/0079087	A1	3/2013	Brosnan
2013/0090173	A1	4/2013	Kislyi
2013/0090750	A1	4/2013	Herrman
2013/0095914	A1	4/2013	Allen
2013/0123005	A1	5/2013	Allen
2013/0124361	A1	5/2013	Bryson
2013/0151342	A1	6/2013	Citron
2013/0173393	A1	7/2013	Calman
2013/0178259	A1	7/2013	Strause
2013/0184075	A1	7/2013	Kim
2013/0210511	A1	8/2013	LaRocca
2013/0217453	A1	8/2013	Briggs
2013/0217489	A1	8/2013	Bronstein Bendayan
2013/0226733	A1	8/2013	Evans
2013/0237299	A1	9/2013	Bancel
2013/0244767	A1	9/2013	Barclay
2013/0260850	A1	10/2013	Carpe
2013/0288757	A1	10/2013	Guthridge
2013/0288787	A1	10/2013	Yoshie
2013/0290147	A1	10/2013	Chandra
2013/0303276	A1	11/2013	Weston
2013/0310164	A1	11/2013	Walker
2013/0324259	A1	12/2013	McCaffrey
2013/0339111	A1	12/2013	Ross
2013/0339228	A1	12/2013	Shuster
2013/0344932	A1	12/2013	Adams
2014/0004884	A1	1/2014	Chang
2014/0011565	A1	1/2014	Elias
2014/0018156	A1	1/2014	Rizzotti
2014/0033262	A1	1/2014	Anders
2014/0038679	A1	2/2014	Snow
2014/0038721	A1	2/2014	Archer
2014/0067526	A1	3/2014	Raju
2014/0067544	A1	3/2014	Klish
2014/0073436	A1	3/2014	Takagi
2014/0087864	A1	3/2014	Togashi
2014/0089048	A1	3/2014	Bruich
2014/0100020	A1	4/2014	Carroll
2014/0106858	A1	4/2014	Constable
2014/0128137	A1	5/2014	Balise
2014/0157314	A1	6/2014	Roberts
2014/0180725	A1	6/2014	Ton-That
2014/0206449	A1	7/2014	Alman
2014/0206452	A1	7/2014	Bambino
2014/0243065	A1	8/2014	Wright
2014/0243072	A1	8/2014	Santini
2014/0274359	A1	9/2014	Helava
2014/0295958	A1	10/2014	Shono
2014/0309026	A1	10/2014	Inukai
2014/0329585	A1	11/2014	Santini
2014/0337259	A1	11/2014	Lamb
2015/0011305	A1	1/2015	Deardorff
2015/0019349	A1	1/2015	Milley
2015/0031440	A1	1/2015	Desanti
2015/0065241	A1	3/2015	McCarthy
2015/0065256	A1	3/2015	Cudak
2015/0273320	A1	10/2015	Pieron
2015/0306494	A1	10/2015	Pieron
2015/0335995	A1	11/2015	McLellan
2015/0352436	A1	12/2015	Pieron
2016/0038083	A1	2/2016	Ding
2016/0121219	A1	5/2016	Kim
2016/0236094	A1	8/2016	Pieron
2016/0361654	A1	12/2016	Pieron
2017/0132874	A1	5/2017	Curtis
2017/0132879	A1	5/2017	Alexander
2018/0065042	A1	3/2018	McLellan
2018/0153463	A1	6/2018	Nissila
2018/0345150	A1	12/2018	Pieron
2018/0353862	A1	12/2018	Pieron
2018/0361256	A1	12/2018	Chu
2019/0134396	A1	5/2019	Toth
2019/0266628	A1	8/2019	Schultz
2019/0279466	A1	9/2019	Schultz
2019/0321734	A1	10/2019	Pieron
2019/0344178	A1	11/2019	Pieron
2020/0205747	A1	7/2020	Mulligan

FOREIGN PATENT DOCUMENTS

WO	2013013281	1/2013
WO	2013059639	1/2013
WO	2015013373	1/2015
WO	2015153010	10/2015
WO	2015168187	11/2015
WO	2015179450	11/2015
WO	2015196105	12/2015

OTHER PUBLICATIONS

"A Wondrous Drop Event and Double EXP", [dated Aug. 22, 2012]. From flyff-wiki. [online]. [retrieved on Jan. 12, 2016]. Retrieved from the Internet <URL: http://flyff-wiki.webzen.com/wiki/A_Wondrous_Drop_Event_and_Double_EXP>. 2 pages.

"Behavioural Analytics & Campaigning", http://lotaris.com/behavioural_analytics_and_campaigning.htm, screenshot access date May 24, 2012 2:21 PM, 1 page.

"Building Structures". War2.warcraft.org. Online. Accessed via the Internet. Accessed Aug. 9, 2014. <URL: <http://war2.warcraft.org/strategy/verybasics/building.shtml>>, 3 pages.

"Cataclysm Guide: Guild Advancement—Wowhead", <http://www.wowhead.com/guide=cataclysm&guilds>, printed Dec. 5, 2013, 4 pages.

"Clash of Clans". Wikipedia.org. Online. Accessed via the Internet. Accessed Aug. 9, 2014. <URL: http://en.wikipedia.org/wiki/Clash_of_Clans>, 3 pages.

"Digital River World Payments and Lotaris Partner to Extend Mobile Application Licensing and Monetization Capabilities to Software Publishers", Business Wire Press Release, <http://www.marketwatch.com/story/digital-river-world-payments-and-lotaris> . . . , posted San Francisco, Mar. 27, 2012 (Business Wire), 8:30 a.m. EDT, printed May 24, 2012 2:32 PM, 3 pages.

"Digital River World Payments and Lotaris Partner to Extend Mobile Application Licensing and Monetization Capabilities to Software Publishers", Lotaris Press Release, http://www.lotaris.com/digital_river_world_payments_and_lotaris_partne . . . , posted Tuesday, Mar. 27, 2012, screenshot access date May 24, 2012, 2:19 PM, 1 page.

"Flyff", [dated May 25, 2013]. From Wikipedia, The Free Encyclopedia. [on line]. [retrieved on Jan. 12, 2016]. Retrieved from the Internet <URL: <https://en.wikipedia.org/w/index.php?title=Flyff&oldid=556751091> >. 4 pages.

"Gem calculation formulas", forum.supercell.net. Online. Accessed via the Internet. Accessed Aug. 9, 2014. <URL: <http://forum.supercell.net/showthread.php/23028-Gem-calculation-formulas>>, 3 pages.

"Getting Started" written by BoD, published on Oct. 13, 2011 and printed from URL <http://lotrowiki.com/index.php?title=Getting_Started&oldid=349681 >, 5 pages.

"Guild Housing System—FlyFF Wiki", http://flyff-wiki.gpotato.com/wiki/Guild_Housing_System, printed Dec. 5, 2013, 5 pages.

"How Town Hall to Level 4". Forum.supercell.net. Online. Jan. 31, 2013. Accessed via the Internet. Accessed Feb. 21, 2015. URL: <http://forum.supercell.net/showthread.php/15052-How-Town-Hall-to-Level-4>, 2 pages.

(56)

References Cited

OTHER PUBLICATIONS

"I don't have enough resources/builders to upgrade anything in my village, what can I do?" gamesupport.supercell.net. Online. Accessed via the Internet. Accessed Aug. 9, 2014. <URL: <https://gamesupport.supercell.net/hc/en-us/articles/421482-I-don-t-have-enough-resources-builders-to-upgrade-anything-in-my-village-what-can-i-do->>, Apr. 23, 2014, 9 pages.

"Kabam Community Forums > Kingdoms of Camelot > Kingdoms of Camelot Open Discussion > Open Discussion : Tournament of Might Prizes / Main Discussion thread", printed from <http://community.kabam.com/forums/archive/index.php/t-43273.html>, Oct. 24, 2011, 23 pages.

"Lotro Store" written by Elinnea, published on Dec. 15, 2011 and printed from URL <http://lotrowiki.com/index.php?title=LOTRO_Store&oldid=396550>, 23 pages.

"Lotro-Wiki.com" (evidence in regards to "Lord of the Rings Online" MMORPG game), latest Dec. 22, 2011, <http://lotrowiki.com/index.php/Main_Page>http://lotro-wiki.com/index.php?title=LOTRO_Store&oldid=396550, http://lotro-wiki.com/index.php?title=Quest:A_Little_Extra_Never_Hurts_-_Part_1&oldid=399597, Links are to used articles, 28 pages.

"Lotro-Wiki.com" (evidence in regards to "Lord of the Rings Online" MMORPG game), latest Dec. 22, 2011, http://lotro-wiki.com/index.php/Main_Page (http://lotro-wiki.com/index.php?title=LOTRO_Store&oldid=396550, http://lotro-wiki.com/index.php?title=Quest:A_Little_Extra_Never_Hurts_-_Part_1&oldid=399597, http://lotro-wiki.com/index.php?title=Quest:A_Little_Extra_Never_Hurts_-_Part_2&oldid=399366, http://lotro-wiki.com/index.php?title=Getting_Started&oldid=349681, Links are to used articles, 33 pages.

"Main Page" written by Starbusty, published on Dec. 12, 2011 and printed from URL <http://lotrowiki.com/index.php?title=Main_Page&oldid=394429>, 2 pages.

"Quest: A Little Extra Never Hurts—Part 1" written by Zimoon, published on Dec. 22, 2011 and printed from URL <http://lotrowiki.com/index.php?title=Quest:A_Little_Extra_Never_Hurts_-_Part_1&oldid=399597>, 3 pages.

"Quest: A Little Extra Never Hurts—Part 2" written by Zimoon, published on Dec. 21, 2011 and printed from URL <http://lotrowiki.com/index.php?title=Quest:A_Little_Extra_Never_Hurts_-_Part_2&oldid=399366>, 2 pages.

"Rest—WoWWiki—Your guide to the World of Warcraft", printed from <http://www.wowwiki.com/Rest>, May 19, 2014, 2 pages.

"Scroll of Amplification R", [dated Apr. 26, 2012]. From flyff-wiki. [online], [retrieved on Jan. 12, 2016]. Retrieved from the Internet<URL:http://flyff-wiki.webzen.com/wiki/Scroll_of_Amplification_R>. 3 pages.

"Treasure Chest Game" written by Zelda Wiki, the Zelda encyclopedia; published on or before Oct. 17, 2012; accessible and printed from URL http://web.archive.org/web/20121017085058/http://zeldawiki.org/Treasure_Chest_Game>, 4 pages.

"Warcraft II: Tides of Darkness". Wikipedia.org. Online. Accessed via the Internet. Accessed Aug. 9, 2014. <URL: http://en.wikipedia.org/wiki/Warcraft_II:_Tides_of_Darkness>, 10 pages.

<http://lotro-wiki.com/index.php?title=Quest:A_Little_Extra_Never_Hurts_-_Part_2&oldid=399366>, <http://lotrowiki.com/index.php?title=Getting_Started&oldid=349681>. Links are to used articles. (7 pgs) Feb. 26, 2014.

City Coins. CityVille Wikia. Online. Accessed via the Internet. Accessed Aug. 9, 2014. <URL: http://cityville.wikia.com/wiki/City_Coins>, 2 pages.

Diablo 2, Blizzard Entertainment, Mar. 23, 2009, manual and online website, <http://web.archive.org/web/20090323171356/http://classic.battle.net/diablo2exp/items/basics.shtml>, 51 pages.

Dreamslayer's Enchanting and Upgrading Guide—With Pictures: D and Explanations, URL: forums.elswordonline.com/Topic5673.aspx [Retrieved Feb. 21, 2013], 8 pages.

Elsword—Wikipedia, the free encyclopedia, URL: en.wikipedia.org/wiki/Elsword [Retrieved Feb. 21, 2013], 6 pages.

Elsword, Dec. 27, 2007, KOG Studios, Guide posted Mar. 17, 2011, <http://forums.elswordonline.com/topic5673.aspx>, <http://en.wikipedia.org/wiki/Elsword>, 16 pages.

FriskyMongoose "Happy Island Updates", available Jun. 12, 2012 from <https://web.archive.org/web/20120612004417/http://friskymongoose.com/happy-island-updates-new-attractions-decorations-and-limited-edition-item-bundles/>, 7 pages.

Gaia "Black Friday Bundle" available on Nov. 23, 2011, from <http://www.gaiaonline.com/forum/community-announcements/black-friday-big-bundles-rare-items/t.76127933/>, 5 pages.

Gem System—Street Fighter X Tekken, <http://www.streetfighter.com/sfxtk/features/gem-system>, printed Nov. 6, 2012, 6 pages.

Hamari, Juho, "Game Design as Marketing: How Game Mechanics Create Demand for Virtual Goods", available on vol. 5, Issue 1, 2010, retrieved from Int. Journal of Business Science and Applied Management—http://www.business-and-management.org/library/2010/5_1-14-29-Hamari.Lehdonvirta.pdf, on May 26, 2015, 16 pages.

Katkov, Michail, "Clash of Clans—the Winning Formula", Sep. 16, 2012, retrieved from Internet on Sep. 30, 2015 from URL <<http://www.deconstructoroffun.com/2012/09/clash-of-clans-winning-formula.html>>, 13 pages.

MapleStory—Guides—Equipment Upgrading 101: Enhancements, URL: maplestory.nexon.net/guides/game-play/systems/OOFIk; [Retrieved Jun. 24, 2013] 3 pages.

MapleStory—Guides—Equipment Upgrading 101: Potentials, URL: maplestory.nexon.net/guides/game-play/systems/OOFIj; [Retrieved Jun. 24, 2013], 5 pages.

MapleStory—Guides—Equipment Upgrading 101: Scrolls, URL: maplestory.nexon.net/guides/game-play/systems/OOFfv/#mitigating [Retrieved Jun. 24, 2013], 4 pages.

MapleStory, Internet guide: <http://maplestory.nexon.net/guides/game-play/systems/OOFIk>, <http://maplestory.nexon.net/guides/game-play/systems/OOFIj>, <http://maplestory.nexon.net/guides/game-play/systems/OOFfv>, Sep. 28, 2012, 12 pages.

MMO Site "Rose Online Launches the Newest in Game Feature"; available Aug. 11, 2011 from https://web.archive.org/web/20110811231226/http://news.mmosite.com/content/2011-06-21/rose_online_launches_the_newest_in_game_feature.1.shtml, 3 pages.

New Feature: Tiered Tournaments and Tournament Updates, printed from <http://community.kabam.com/forums/showthread.php?171349-NewFeat> on Feb. 11, 2014, 2 pages.

Ozeagle, "What happens if . . . answers about account types" on Lotro forum, Jan. 18, 2011, <<https://www.lotro.com/forums/showthread.php?377885-What-happens-if-answers-about-the-account-types>> (16 pgs).

Path of Exile—Forum—Beta General Discussion—Unique Items Compendium 60/71 URL: web.archive.org/web/20120608004658/http://www.pathofexile.com/forum/view-thread/12056 [Retrieved Jun. 24, 2013], 52 pages.

Path of Exile, Internet posting: <http://web.archive.org/web/20120606004658/http://www.pathofexile.com/forum/view-thread/12056>, Nov. 16, 2011, 52 pages.

PCT International Search Report and Written Opinion for PCT/US2016/017637 dated Apr. 7, 2016, 12 pages.

Profession—WoWWiki—Your guide to the World of Warcraft, URL: <http://www.wowwiki.com/Profession>, printed Nov. 6, 2012, 8 pages.

Super Mario Bros. 3 Review, Nintendo for NES, Feb. 1990, pp. 1-4. Super Mario Bros. 3, NES Gameplay, <http://www.youtube.com/watch?v=82TL-Acm4ts>, Published on Mar 14, 2009, 1 page.

Super Mario Bros. 3, StrategyWiki, the video game walkthrough and strategy guide, http://strategywiki.org/wiki/Super_Mario_Bros._3, Oct. 2, 2012, 4 pages.

TFF Challenge—UC Davis, <http://tffchallenge.com/team/uc-davis/>, printed Jan. 15, 2014, 12 pages.

TFWiki "teamfortress wiki" available Nov. 5, 2011 retrieved from <https://web.archive.org/web/20111105044256/http://wiki.teamfortress.com/wiki/Loadout>, 4 pages.

The Arreat Summit—Items: Basic Item Information, URL: web.archive.org/web/20090323171356/http://classic.battle.net/diablo2exp/items/basics.shtml [Retrieved Feb. 21, 2013], 3 pages.

(56)

References Cited

OTHER PUBLICATIONS

UBC, "Theory of Auctions" available on Mar. 24, 2012 from <https://web.archive.org/web/20120324204610/http://montoya.econ.ubc.ca/Econ522/auctions.pdf>, slide 5, Para. 1.3, 19 pages.

Wiki "Gaia online", available on Sep. 9, 2011, https://web.archive.org/web/20110927210155/http://en.wikipedia.org/wiki/Gaia_Online, 8 pages.

Wikipedia, Mafia Wars, <http://en.wikipedia.org/wiki/Mafia_Wars>, Jan. 28, 2012, 3 pages.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

1

SYSTEMS AND METHODS FOR INCENTIVIZING PARTICIPATION IN GAMEPLAY EVENTS IN AN ONLINE GAME

FIELD OF THE DISCLOSURE

This disclosure relates to gameplay events in an online game and, more specifically, to activating timed intervals during the gameplay events where users are rewarded based on specific performance within the intervals.

BACKGROUND

Users may access virtual spaces via client computing platforms. A virtual space may include, for example, an online game. Content within the online game may include game entities that represent users and/or virtual objects that are available for use by the users. Game entities may include one or more of a virtual character, group of characters, a virtual object, a battalion, a clan, a unit, a village, an army, and/or other considerations. Virtual objects may include virtual items and/or goods. Virtual items and/or goods may include one or more of a virtual weapon, a tool, a food, a currency, a reward, a bonus, health, a potion, an enhancement, a mount, a power-up, a speed-up, clothing, a vehicle, an anatomical feature of a character, a troop or troop type, a pet, a virtual resource, and/or other virtual items and/or goods. Events may take place in the online game, such as a tournament. Users may be awarded virtual items based on their performance in the events.

SUMMARY

User participation in online gameplay events (e.g., tournaments, battles, challenges, etc.) may be driven by the opportunity to obtain awards based on performance in the event (e.g., rewarding users for placing 1st, 2nd, and/or 3rd). User participation in the gameplay events may spike and/or otherwise increase towards the end of the gameplay events where users more or less “scramble” to increase their final ranking. As such, one or more implementations of the system presented herein aim to incentivize user participation during other times of the gameplay events. For example, one or more time intervals may be “activated” during the gameplay event where user participation is incentivized by the opportunity to win additional awards. In some implementations, the awards associated with the time intervals may impact the final awards obtained based on final ranking. As such, user participation during the different time intervals, as well as through to the end of the gameplay events, may be increased, thereby enhancing the gameplay experience of the users participating in the events.

In some implementations, the system may comprise one or more physical processors configured to execute one or more computer components. The computer components may be executed to implement an instance of a virtual space and/or an online game taking place within the virtual space and to facilitate the participation of one or more users in the virtual space and/or the online game. The computer program components may include one or more of a space component, an event hosting component, a gameplay metric component, an award component, and/or other components.

The space component may be configured to execute an instance of an online game. The online game may take place in a virtual space. The space component may be configured to implement the instance of the online game to facilitate user participation in the online game. Users may participate

2

in the online game by controlling game entities in the virtual space. Users may participate in the one or more gameplay events that take place in the online game.

The event hosting component may be configured to facilitate gameplay events for the users of the online game. Events in the online game include one or more of a tournament, match, campaign, battle, siege, and/or other considerations of gameplay events where performance relative to other users may be quantitatively measured. The events may include one or more time intervals that take place within the duration of the gameplay event. The intervals may be separate and distinct start and end times. Actions and/or activities by the users during the time intervals may be incentivized by providing users awards based on performance during the time intervals.

The gameplay metric component may be configured to determine values for a gameplay metric. The gameplay metric may reflect one or more aspects of gameplay (e.g., actions and/or activities) in the online game by the users during the gameplay events.

The award component may be configured to distribute awards to the users based on performance within the gameplay events. The awards may include awards associated with determined changes in the respective values of the gameplay metric for the users. Changes in values may be determined for individual ones of the users in association with individual ones of the time intervals. These changes may reflect the users’ relative performance during the intervals. Changes in values may be determined for the users in association with the gameplay event as a whole. These changes may reflect the users’ relative performance over the entire gameplay event. The awards that may be distributed based on user performance within a time interval may impact the awards that may be distributed based on user performance within the entire gameplay event.

These and other features, and characteristics of the present technology, as well as the methods of operation and functions of the related elements of structure and the combination of parts and economies of manufacture, will become more apparent upon consideration of the following description and the appended claims with reference to the accompanying drawings, all of which form a part of this specification, wherein like reference numerals designate corresponding parts in the various figures. It is to be expressly understood, however, that the drawings are for the purpose of illustration and description only and are not intended as a definition of the limits of the invention. As used in the specification and in the claims, the singular form of “a”, “an”, and “the” include plural referents unless the context clearly dictates otherwise.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 illustrates a system for incentivizing user participation in gameplay events that take place in an online game, in accordance with one or more implementations.

FIG. 2 illustrates an implementation of a server employed in the system of FIG. 1.

FIG. 3 illustrates an implementation of a user interface presented to a user in connection with an implementation of the system of FIG. 1.

FIG. 4 illustrates a method of incentivizing user participation in gameplay events that take place in an online game, in accordance with one or more implementations.

DETAILED DESCRIPTION

FIG. 1 illustrates a system 10 for incentivizing user participation in gameplay events that take place in an online

game. The online game may take place within a virtual space. Users may participate in the virtual space and/or the online game by controlling game entities that represent the users in the virtual space. Game entities may include one or more of a virtual character, group of characters, a virtual object, a battalion, a clan, a unit, a village, an army, and/or other considerations. Users may participate in one or more gameplay events that take place in the virtual space. Events in the virtual space include one or more of a tournament, a match, a campaign, a battle, a siege, and/or other considerations of gameplay events where performance relative other users may be quantitatively measured.

Virtual objects may include virtual items and/or goods. Virtual items and/or goods may include one or more of a virtual weapon, a tool, a food, a currency, a reward, a bonus, health, a potion, an enhancement, a mount, a power-up, a speed-up, clothing, a vehicle, an anatomical feature of a game entity, a troop or troop type, a pet, a virtual resource, and/or other virtual item and/or good.

In FIG. 1, providing the virtual space may include hosting the virtual space over a network 34, such as the Internet. A host server 12 may include one or more processors configured to execute one or more computer components for implementing an instance of a virtual space and/or an online game taking place within the virtual space and to facilitate the participation of one or more users in the virtual space and/or the online game. The server 12 may include processor(s) 14.

The computer program components may include one or more of a space component 16, a user component 18, a shop component 20, an event-hosting component 22, a gameplay metric component 24, an award component 26, a leaderboard component 28, and/or other components. The server 12 may be configured to communicate with one or more client computing platforms 38, according to client/server architecture, and/or other considerations. The client computing platforms 38 can include, for example, a cellular telephone, a smartphone, a laptop, a tablet computer, a desktop computer, a television set-top box, smart TV, a gaming console, and/or other considerations. The users 40 may access system 10 and/or the virtual space via the client computing platforms 38.

The space component 16 may be configured to implement an instance of the virtual space executed by the computer components to determine state of the virtual space. The state may then be communicated (e.g., via streaming visual data, object/position data, and/or other state information) from server 12 to client computing platforms 38 for presentation to users 40. The state determined and transmitted to a given client computing platform 38 may correspond to a view for a user character (or other game entity) being controlled by a user 40 via input devices (e.g., a controller) at the given client computing platform 38. The state determined and presented to a given client computing platform 38 may correspond to a location in the virtual space (e.g., location in the game). The view described by the state for the given client computing platform 38 may correspond, for example, to the location from which the view is taken, the location the view depicts, and/or other locations, a zoom ratio, a dimensionality of objects, a point-of-view, and/or parameters of the view. One or more of the view parameters may be selectable by the users 40.

An instance of the virtual space may comprise a simulated space that is accessible by users 40 via clients (e.g., client computing platforms 38) that present the views of the virtual space to a user. The simulated space may have a topography, express ongoing real-time interaction by one or more users,

and/or include one or more objects positioned within the topography that are capable of locomotion within the topography. In some instances, the topography may be a 2-dimensional topography. In other instances, the topography may be a 3-dimensional topography. The topography may include dimensions of the space, and/or surface features of a surface or objects that are “native” to the space. In some instances, the topography may describe a surface (e.g., a ground surface) that runs through at least a substantial portion of the space. In some instances, the topography may describe a volume with one or more bodies positioned therein (e.g., a simulation of gravity-deprived space with one or more celestial bodies positioned therein). An instance executed by the computer components may be synchronous, asynchronous, and/or semi-synchronous.

The above description of the manner in which the state of the virtual space is determined by space component 16 is not intended to be limiting. The space component 16 may be configured to express the virtual space in a more limited, or richer, manner. For example, views determined for the virtual space representing the state of the instance of the virtual space may be selected from a limited set of graphics depicting an event in a given place within the virtual space. The views may include additional content (e.g., text, audio, pre-stored video content, and/or other content) that describes particulars of the current state of the place, beyond the relatively generic graphics. For example, a view may include a generic battle graphic with a textual description of the opponents to be confronted. Other expressions of individual places within the virtual space are contemplated.

Within the instance(s) of the virtual space executed by space component 16, users 40 may control game entities, simulated physical phenomena (e.g., wind, rain, earthquakes, and/or other phenomena), and/or other elements within the virtual space to interact with the virtual space and/or each other. The game entities may include virtual characters such as avatars. As used herein, the term character may refer to a game entity present in the virtual space that represents an individual user. A game entity may be controlled by the user 40 with which it is associated. The user-controlled element(s) may move through and interact with the virtual space (e.g., non-user characters in the virtual space, other objects in the virtual space). The user-controlled elements controlled by and/or associated with a given user 40 may be created and/or customized by the given user. The user may have an “inventory” of virtual items and/or currency that the user can use (e.g., by manipulation of a game entity or other user-controlled element, and/or other items) within the virtual space.

The users may participate in the instance of the virtual space by controlling one or more of the available user-controlled game entities in the virtual space. Control may be exercised through control inputs and/or commands input by the users through client computing platforms 38. The users may interact with each other through communications exchanged within the virtual space. Such communications may include one or more of textual chat, instant messages, private messages, voice communications, and/or other communications. Communications may be received and entered by the users 40 via their respective client computing platforms 38. Communications may be routed to and from the appropriate users through server 12 (e.g., through space component 16) and/or through communications which are external to the system 10 (e.g., text messaging services associated with the client computing platforms 38).

The instance of the virtual space and/or the online game that takes place therein may be persistent. That is, the virtual

space and/or the game may continue on whether or not individual players are currently logged in and/or participating in the game. A player who logs out of the virtual space and then logs back in some time later may find the virtual space has been changed through the interactions of other players with the virtual space during the time the player was logged out. These changes may include changes to the simulated physical space, changes in the player's inventory, changes in other players' inventories, changes experienced by non-player characters, changes to the virtual items available for use in the online game, and/or other changes.

The instance of the virtual space and/or online game may include events that take place in the virtual space. Events in the virtual space include one or more of a tournament, match, campaign, battle, siege, challenge, and/or other considerations of events. Events may correspond to gameplay where users control game entities and interact with other users controlling game entities, with artificial intelligence-controlled entities, and/or other considerations of gameplay within the events. Participation in events may be monitored and/or otherwise determined such that the performance of users relative to other users in the events may be quantitatively valued.

The user component **18** may be configured to access and/or manage one or more user profiles and/or user information associated with users of the system **10**. The one or more user profiles and/or user information may include information stored by server **12**, one or more of the client computing platforms **38**, and/or other storage locations. The user profiles may include, for example, information identifying users (e.g., a username or handle, a number, an identifier, and/or other identifying information) within the virtual space, security login information (e.g., a login code or password), virtual space account information, subscription information, virtual (or real) currency account information (e.g., related to currency held in credit for a user), virtual inventory information (e.g., virtual inventories associated with the users that include one or more virtual items available for the users in the virtual space), relationship information (e.g., information related to relationships between users in the virtual space), virtual space usage information (e.g., a login history indicating the frequency and/or amount of times the user logs in to the user accounts), demographic information associated with users, interaction history among users in the virtual space, information stated by users, browsing history of users, a client computing platform identification associated with a user, a phone number associated with a user, attribute information, and/or other information related to users.

The attribute information managed by the user component **18** may comprise one or more attributes and/or attribute values associated with the attributes. In some implementations, the attributes described herein may correspond to one or more game entities associated with a user and/or the users themselves. By way of non-limiting example, a gain in a value for an attribute of a particular game entity may be extended as a gain for a value of a same or similar attribute associated with the user (and perhaps with other game entities associated with the user). That is to say, an attribute that describes characteristics of the game entity may be used to describe characteristics of the user, and/or an attribute that describes characteristics of the user may be used to describe characteristics of one or more game entities associated with the user.

A value of an attribute may describe a state of a characteristic associated with the user and/or game entity in the online game. For example, a common attribute is experience

(XP). Other examples of attributes may include a reputation score, a rank, a skill score, a level of knowledge, average spending, a role, a class, a handle (e.g., username), alliance(s), friend(s), health (e.g., hit points), strength, power, mana, valor, might, spells, morale, speed, level, appearance, race, initiative score, skills, defense abilities, attack abilities, special abilities, production rate, upkeep, virtual items produced, technology produced, and/or any other attributes. The value of a given attribute may be numerical (e.g., points, amount, score, rank, ratings, grades, or any other type of numerical value), descriptive (e.g., text for name, race, role, and/or other considerations), progressive (e.g., high, medium, low, and/or other considerations), pictorial (e.g., an image representing a group of users associated with the user, and/or other considerations), and/or any other type of value for an attribute.

The user information associated with a given user as managed by the user component **18** may include information indicating inventory associated with the user in the online game. An inventory associated with a given user may provide an accounting of virtual items, such as virtual buildings, resources, weapons, objects, and/or any other virtual items; characters, such as a user-controlled game entity, avatar, troop, and/or any other type of user-controlled game entity; virtual currencies; and/or any other virtual space elements that have been procured, controlled by, and/or otherwise associated with a given user in the online game. Such accounting of items associated with users may reflect a balance (e.g., a quantity of the entities associated with the user in the online game). By way of a non-limiting example, the given user may have an X number of virtual currencies, a Y number of a virtual resources (e.g., iron, ore, wood, coal, etc.), a Z number of troops, and/or any other entities associated with the user in the online game.

In some implementations, a valor attribute associated with a game entity may reflect relative experiences and/or actions by the user controlling the associated game entity in the virtual space. The valor attribute may be a measure of the game entity's performance and/or capabilities to defeat enemies, inflict damage, collect resources, achieve objectives, and/or other considerations. For example, a game entity may gain and/or lose valor depending on the strength, resulting performance, and/or capabilities in the virtual space. In some implementations, with a certain amount of valor the game entity attains in the virtual space, the game entity may become more powerful and capable, which may be reflected by enhancements in various characteristics associated with the game entity. In some exemplary implementations, the valor associated with the game entity may be manifested via number(s) expressed as experience points ("XP"), and/or other considerations.

By way of illustration in FIG. 2, the user component **18** may be configured to manage user information for a first user **42**, a second user **44**, and/or other users. The user information managed for the first user **42** may include information corresponding to a first game entity **46** associated with the first user **42**, and/or other information. The information corresponding to the first game entity **46** may include a first attribute **40** and/or other information. A corresponding value of the first attribute **40** and/or other attribute (e.g., a point value, a non-numerical value, and/or other considerations) may be stored. The value of the first attribute **40** may be determined, changed, and/or updated based on gameplay by the first user **42** in the online game while using the first game entity **46**, and/or other considerations.

The user information managed for the second user **44** may include information corresponding to a second game entity **48** associated with the second user **44**. The information corresponding to the second game entity **48** may include the first attribute **40** of the second game entity **48**, and/or other attribute(s). A corresponding value of the first attribute **40** for the second game entity **48** and/or other attribute (e.g., a point value, a non-numerical value, and/or other considerations) may be stored. The value of the first attribute **40** for second game entity **48** may be determined, changed, and/or updated based on gameplay by the first user **42** in the online game, and/or other considerations.

Returning to FIG. 1, in some implementations, the shop component **20** may be configured to present offers to sell instances of virtual items to users in a virtual shop. The virtual shop may be a simulated environment within the virtual space which is accessible by users and presents the views of the virtual shop to the users. Users may access the virtual shop through one of a variety of ways. Users may access the virtual shop through the manipulation of one or more entities associated with the user within the virtual space using control inputs and/or commands input by the users through client computing platforms **38**, and/or other ways of access.

Manipulation of a game entity may include moving the game entity through the virtual space using control inputs and/or commands input by the users through client computing platforms **38** to move the one or more entities to the simulated environment designating the location of the virtual shop within the virtual space.

Users may use control inputs and/or commands not associated with a game entity to access the virtual shop. Control inputs and/or commands may automatically present the instance of the virtual shop on the client computing platforms **38** (e.g., user selects a virtual shop button to automatically be taken to the virtual shop).

The instance of the virtual shop may be presented to users through a shop interface. The shop interface may be configured to present the offers to sell virtual items to users. The shop interface may be configured to receive entry and/or selection of individual offers by the users to effectuate acceptance and/or purchase of the offers at a virtual (or real) currency purchase price.

The simulated environment of the virtual shop may have topography. The virtual shop may express ongoing real-time interaction by one or more users (e.g., may have limited stock of virtual items for sale which can be purchased by one or more users within the virtual space and which can be depleted), and/or include one or more objects (e.g., one or more virtual items, a virtual teller, and/or other objects) positioned within the topography that may be capable of locomotion within the topography. The virtual shop may display the virtual items and/or the one or more sets of virtual content available for purchase by the users. Users may view the virtual items (e.g., individual virtual items and/or sets of virtual items) available for purchase. Users may purchase the virtual items using virtual (or real) currency. Transactions may take place with the virtual teller, through various other actions of the user within the instance of the virtual shop, and/or other offer/transaction mechanisms. In some implementations, the virtual shop component **20** may be configured to manage transfer of instances of virtual items of value and instances of placeholder items to user inventories in response to purchase of the virtual items of value and placeholder items.

In some implementations, users may purchase virtual items and/or goods via the virtual shop in preparation for

gameplay events and/or during the gameplay events. In some implementations, the purchase of virtual items and/or goods by users participating in gameplay events may “spike” toward the end of the gameplay events. That is, users may purchase a higher quantity of virtual items and/or higher-valued virtual items and/or goods to enhance and/or increase their performance as the end of the gameplay events nears. This may give the users the opportunity to obtain more “points” and/or otherwise increase their performance relative to other users in order to get into the top ranking of players by the end of the gameplay event. In some instances, users may only minimally participate in the gameplay event up until the end of the gameplay event. As such, the participation level by users in the gameplay events in general may be minimal up until the near end of the events. However, in order to increase participation by users during the entirety of the gameplay event, one or more implementations of the system **10** presented herein contemplate providing incentives for user participation during one or more predetermined timed intervals that take place during the event. Participation by the users during these intervals may be incentivized by virtue of rewarding the users based on specific performance within the intervals.

The event-hosting component **22** may be configured to facilitate one or more gameplay events for the users of virtual space. By way of non-limiting example, the event-hosting component **22** may facilitate a gameplay event such that a user should undertake certain game actions or activities in the virtual space during an event time period. The users may be distributed awards based on their performance in the gameplay events. The event-hosting component **22** may be configured to facilitate gameplay events by specifying the event time period, a start time of the event time period, an end time of the event time period, and/or other considerations. In some implementations, the event-hosting component **22** may be instructed by the provider(s) of the virtual space to start facilitating a given gameplay event for the users of the virtual space. For instance, control information entered and/or selected by the provider(s) of the virtual space may be received by the event-hosting component **22**, instructing the event-hosting component **22** to start facilitating a gameplay event for the users of the online game, and/or other considerations. In some implementations, the event-hosting component **22** may be configured to facilitate one or more gameplay events on a periodic basis, and/or on some other basis.

In some implementations, the event-hosting component **22** may be configured such that facilitating gameplay events comprises determining one or more time intervals within the event time periods of gameplay events. Individual ones of the time intervals may be shorter than the duration of the gameplay event. Individual ones of the time intervals may take place during the duration of the gameplay event. For example, a time interval may have a start time that is temporally after a start time of the gameplay event. A time interval may have an end time that is temporally before an end time of the gameplay event. In some implementations, the determination of one or more time intervals for a given gameplay event may comprise determining a successive temporal order of the time intervals within the duration of the gameplay event. In some implementations, if a gameplay event is associated with more than one time interval, the time intervals may or may not overlap.

The one or more time intervals may correspond to user participation-incentivizing sub-events that take during the gameplay event. That is, a given time interval may correspond to an interval of time during the gameplay event

where one or more particular game actions and/or activities in the gameplay event may be incentivized. The actions and/or activities may be determined based on a determination of a particular gameplay metric, or change in the gameplay metric, associated with the interval and/or gameplay event in general (see, e.g., the gameplay metric component 24). In some implementations, the one or more particular actions and/or activities associated with the time intervals may be the same as the one or more actions and/or activities undertaken by the users associated with the gameplay event. In some implementations, the certain actions and/or activities associated with a given time interval may be different from the actions and/or activities associated with gameplay event.

The certain game actions and/or activities associated with the time intervals may be incentivized by providing the users with awards based on their performance in the gameplay event during individual ones of the time intervals. For example, a given time interval may be associated with incentivizing actions by the users that cause the user to increase a given gameplay metric. The performance of the user during the given time interval resulting in an increase in the gameplay metric may result in the user being determined to receive an award and/or prize. In some implementations, the awards for performance during different time intervals may also be different. In some implementations, the awards for performance during the different time intervals may be the same. In some implementations, the awards for performance during the time intervals may vary depending on a qualitative measure of the user's performance (see, e.g., gameplay metric component 24). For example, in some implementations, the greater the performance by the user of a certain action and/or activity during a time interval may result in a higher-valued award for that performance, and/or other considerations. In some implementations, the awards for performance during the different time intervals may impact the awards for performance during the entire event period of the gameplay event (see, e.g., the award component 26).

The determined one or more time intervals may be respectively "activated" during the event period of a corresponding gameplay event. A given time interval may be activated by establishing an interval clock, countdown, stopwatch, and/or other technique by which one or more of the interval duration, interval start time, and/or interval end time may be presented to the users in the virtual space. As such, the activation of the time intervals may provide an indication to the users that performance of a specific action and/or activity to increase a gameplay metric may be measured and/or that the users have the opportunity to obtain an award based on their performance during the intervals. Measuring user performance during the time intervals and/or gameplay events may be described in more detail with reference to gameplay metric component 26.

In some implementations, the event-hosting component 22 may be configured to effectuate presentation of notifications to the users of a gameplay event that are associated with the one or more time intervals. This may include effectuating presentation of one or more of the interval duration, an interval start time, and interval end time, and/or other notifications. By way of non-limiting example, in FIG. 3, a notification 98 within a user interface 96 may include presentation of information that indicates that a time interval is taking place or is going to take place. The notification 98 may indicate the gameplay metric, actions and/or activities to increase the gameplay metric, and/or other information related to the time interval. The notification 98 may include

information indicating an award or type of an award the users may obtain based on their relative performance during the interval, and/or other information. It is noted that notifications presented to users during a gameplay event may include more or less information. For example, a notification may include a stopwatch that may be displayed on-screen that provides a countdown of a time interval. Notifications may be considered in other ways.

In some implementations, the event hosting component 22 may be configured to facilitate gameplay events based on information determined and/or obtained from other components such as the gameplay metric component 24, award component 26, leaderboard component 28, and/or other components.

By way of non-limiting illustration, in FIG. 2, the event-hosting component 22 may be configured to facilitate a first gameplay event 50 and/or other gameplay events. Facilitating the first gameplay event 50 may include facilitating participation by the first user 42, the second user 44, and/or other user(s) in the first gameplay event 50. The first gameplay event 50 may take place during a first event time period 52. The first event time period 52 may be defined by a first start time 54, a first end time 56, duration, and/or other information.

In some implementations, the event-hosting component 22 may be configured such that facilitating the first gameplay event 50 includes determining a first time interval 58 of the first event time period 52. The first time interval 58 may be defined by a second start time 60, a second end time 62, duration, and/or other information. The first time interval 58 may take place within the first event time period 52. The second start time 60 may take place temporally after the first start time 54. The second end time 62 may take place temporally before the first end time 56.

In some implementations, the event component 22 may be configured such that facilitating the first gameplay event 50 includes determining a second time interval 64 of the first event time period 52. The second time interval 64 may be defined by a third start time 66, a third end time 68, duration, and/or other information. The second time interval 64 may take place within the first event time period 52. The second time interval 64 may take place temporally after the first time interval 58. The third start time 66 may take place temporally after the first start time 54, the second start time 60, both, and/or other considerations. The third end time 68 may take place temporally before the first end time 56. The third end time 68 may take place temporally after the second end time 62.

Returning to FIG. 1, in some implementations, the gameplay metric component 24 may be configured to obtain one or more gameplay metrics for the gameplay events and determine values of the gameplay metrics for the users in the virtual space. The gameplay metric component 24 may be configured to obtain a gameplay metric for one or more time intervals associated with a gameplay event. The gameplay metric component 24 may be configured to obtain a gameplay metric that may be associated with the gameplay event as a whole. In some implementations, the gameplay metric component 24 may obtain gameplay metrics from the provider, administrator, moderator, and/or any other entities related to the online games, e.g., via a graphical user interface. For example, the provider(s) of the online game may provide one or more gameplay metrics of interest to the provider(s) via a graphical user interface for each gameplay event, time interval, and/or other considerations.

A given gameplay metric obtained by gameplay metric component 24 may include any variable related to gameplay

(e.g., action and/or activity) by users in a gameplay event and/or a time interval within the gameplay event. A gameplay metric obtained by the gameplay metric component **24** may reflect (e.g., measure) one or more aspects of gameplay by users in the respective gameplay events, such as actions and/or activities performed by the user in the virtual space, and/or other considerations. Examples of a gameplay metric may include, but not be limited to, military power, commerce level, valor level, might level, production rate or output, a number of bosses killed, a number of quests engaged, an amount of virtual currency acquired, average spending, number of combats engaged in a period, most frequent game actions performed within a period (e.g., top 10), virtual items most used within a period (e.g., top 5), and/or other considerations.

For example, without limitation, a gameplay metric may be obtained by the gameplay metric component **24** to measure a valor level of users in a gameplay event. In another example, a gameplay metric may be obtained to measure production of virtual items by users in the gameplay event. In yet another example, a gameplay metric may be obtained to measure a number of combats engaged by the users in the gameplay event. Other examples of gameplay metric are contemplated.

As used herein, gameplay by users in a given gameplay event may refer to user actions and/or activities in a gameplay event for addressing, directly and indirectly, one or more objectives associated with the gameplay event and/or interval. Examples of gameplay by the users in the given gameplay event may include military actions (e.g., defeating opponents, NPCs, or other users' characters in encounters or combats), logistic actions (e.g., marching troops, transporting weapons, supplying food, resources, and any other logistic actions), planning actions (e.g., crafting weapons, raising troops, training troops, developing heroes, building or upgrading buildings, and any other planning actions), production actions (e.g., farming, prospecting, and mining for resources; producing units; and any other user actions related to production activities in the online game), commerce actions (e.g., trading for virtual resources and/or items), exploratory actions (e.g., exploring uncharted game space locations or area, surveying game space locations controlled by other users, and any other exploratory actions), social interaction actions (e.g., collaborating with other users, assisting other users, challenging other users, and/or any other social interaction actions), participation in a quest, campaign, event, team play, and any other type(s) of user actions and/or activities in the online game.

The gameplay metric component **24** may be configured to determine values of a gameplay metric for individual users in respective gameplay events. Determining gameplay metric values for users by the gameplay metric component **24** may include identifying and/or tracking user actions in the respective online game. For example, the gameplay metric component **24** may be configured to identify and track user inputs to the virtual space at any given time, during a specified time interval and/or time period, and/or other considerations. For instance, the gameplay metric component **24** may identify that a given user has attacked an NPC at a specific location within the gameplay event and gained a certain amount of valor, may identify that the given user has started a crafting process in the gameplay event to craft a rare virtual item, may identify that the given user has assisted another user in the gameplay event by transferring an amount of virtual resources to that user's inventory, and/or identify any other user actions in the respective gameplay event. Based on such identified user actions, the

gameplay metric component **24** may determine a change in the value of corresponding gameplay metric(s) over time. For instance, without limitation, the user attacking the NPC and/or other users' characters within the gameplay event over a time interval may increase (or decrease) the value of a gameplay metric measuring valor (or other metric) of the user in the gameplay event by a certain amount of points.

In some examples, a gameplay metric obtained by gameplay metric component **24** may correspond to one or more attributes, the number of entities controlled by the users, and/or any other user information managed by user component **18** as specified by the provider, administrator, moderator, and/or any other entities related to the virtual space. In those examples, the gameplay metric component **24** may determine the values of the gameplay metric by simply examining and/or querying the relevant user information corresponding to the gameplay metric. For example, without limitation, the provider(s) of a given gameplay event may specify that the gameplay metric measuring user valor (or other metric) in the gameplay event should correspond to the valor attribute included in the user information associated with the user. In some implementations, the provider(s) of a given gameplay event may specify that the gameplay metric measuring user valor (or other metric) in the gameplay event should correspond to attack abilities of the game entity(s), attack power of the game entity, number and levels of troops, weapons, military buildings (e.g., towers) controlled by the users, and any other attributes reflecting valor (or other metric) of the users in the gameplay events. In another example, a gameplay metric measuring user commerce level in the gameplay event may be specified by the provider(s) of the gameplay event as corresponding to a number of commerce units controlled by the users (e.g., merchants), types of trading structure controlled by the users, number and level of transportation units controlled by the users, number of roads controlled by the users, types of transportation infrastructure controlled by the users, and/or any other attributes. In these examples, determining the values of such gameplay metric for the users by gameplay metric component **24** may involve obtaining the corresponding attribute values from the user component **18**.

In some implementations, the gameplay metric component **24** may determine the values of a given gameplay metric for the users based on one or more functions, formulas, tables, or any other types of specifications provided by the provider, administrator, moderator, and/or any other entities related to the online games. For example, a given function, formula, table, or any other type of specification may specify an "action-for-point", "activity-for-point", and/or other conversion. For any given measure of a gameplay metric in a given gameplay event, a given function, formula, table, or any other type of specification may be provided by the provider(s) of the virtual space specifying points or other gameplay metric values associated with corresponding user actions and/or activities, attributes, and/or any other elements that may be used to quantify a value of the gameplay metric, and/or other considerations.

By way of non-limiting example, a table may specify that for every 100 units of troops (or other amount) trained by a given user, one valor (or other metric) point may be given to the user; for a level 1 barrack erected by the user, 1 valor (or other metric) point may be given to the user; for a level 10 sword (or other level and/or item) acquired by the user, 3 valor (or other metric) points may be given to the user; for every enemy defeated, an amount of valor points may be given to the user; and so on. In that instance, the gameplay metric component **24** may determine a value of the game-

play metric measuring valor of the given user in the given gameplay event in accordance with such a table. The discussion of “valor” above is not intended to limit the type of metric which may be quantified and/or measured during user participation in a gameplay event. Instead, this is simply an

example, and is not limiting with respect to gameplay metric, quantification techniques, measurement techniques, functions, formulas, tables, and/or other characteristics. By way of non-limiting illustration, in FIG. 3, the user interface 96 may depict a simulated gameplay portion 100 that shows the actions and/or activities of a game entity 102 controlled by an associated user (not shown). For example, the user may control the game entity 102 within the simulated environment of the gameplay portion 100 to defeat enemies 104 (e.g., other user-controlled game entities, non-player characters, and/or other considerations) and/or perform other actions and/or activities in connection to the gameplay event. One example of how a user may increase a value of a gameplay metric (e.g., valor, and/or other considerations) may include defeating the game enemies 104 and/or other considerations. In some implementations, the enemies 104 may be associated with an amount of valor that a user may obtain by defeating the enemy 104. The enemies 104 may be individually associated with a valor amount, for example, due to the difficulty in defeating the enemy 104, and/or other considerations. The user interface 96 may include a gameplay metric-tracking interface portion 106 that may allow the user to keep track of current value of the gameplay metric.

The discussion of user interface 96 above is not intended to limit how gameplay metrics may be defined, how users may acquire value for the gameplay metric, and/or how actions and/or activities may be carried out in a gameplay event. Instead, this is simply an example, and is not limiting with respect to gameplay metric, quantification techniques, measurement techniques, actions and/or activities within a gameplay event, and/or other characteristics of the virtual space.

By way of non-limiting illustration, in FIG. 2, the gameplay metric component 24 may be configured to obtain a first gameplay metric 70 for the first event time period 52 of the first gameplay event. The first gameplay metric 70 may correspond to a first action and/or activity, and/or set of actions and/or activities to be undertaken by the users participating in the first gameplay event 50. The gameplay metric component 24 may be configured to determine values for the first gameplay metric 70 for the first user 42 associated with the first event time period 52, including, but not limited to, a first value 72 and a second value 74. It is noted that the depictions of values in the drawings and accompanying descriptions are directed to performance values for the first user 42 in the first gameplay event 50. However, this is for purposes of clarity and is not to be considered limiting. In other implementations, it may be readily envisioned that determinations of values for gameplay metrics may be similarly performed for the second user 44 and/or other users.

With that being said, the first value 72 may correspond to a value of the first gameplay metric 70 at the first start time 54, and/or other considerations. The second value 74 may correspond to a value of the first gameplay metric 70 at the first end time 56, and/or other considerations. A change (e.g., increase or decrease) in the value of the first gameplay metric 70 for the first user 42 during the first event time period 52 may correspond to a difference between the second value 74 and the first value 72, and/or other considerations.

In some implementations, the gameplay metric component 24 may be configured to obtain a second gameplay metric 76 for the first time interval 58 of the first gameplay event 50. The second gameplay metric 76 may correspond to a second action and/or activity, and/or set of actions and/or activities to be undertaken by the users participating in the first gameplay event 50 during the first time interval 58. The gameplay metric component 24 may be configured to determine values for the second gameplay metric 76 for the first user 42 associated with the first time interval 58, including, but not limited to, a third value 78 and a fourth value 80. The third value 78 may correspond to a value of the second gameplay metric 76 at the second start time 60, and/or other considerations. The fourth value 80 may correspond to a value of the second gameplay metric 76 for the first user 42 at the second end time 62, and/or other considerations. A change (e.g., increase or decrease) in the second gameplay metric 76 for the first user 42 during the first time interval 58 may correspond to a difference between the fourth value 80 and the third value 78, and/or other considerations.

In some implementations, the gameplay metric component 24 may be configured to obtain a third gameplay metric 81 for the second time interval 64 of the first gameplay event 50. The third gameplay metric 81 may correspond to a third action and/or activity, and/or set of actions and/or activities to be undertaken by the users participating in the first gameplay event 50 during the second time interval 64. The gameplay metric component 24 may be configured to determine values for the third gameplay metric 81 for the first user 42 associated with the second time interval 64, including, but not limited to, a fifth value 82 and a sixth value 84. The fifth value 82 may correspond to a value of the third gameplay metric 81 at the third start time 66, and/or other considerations. The sixth value 84 may correspond to a value of the third gameplay metric 81 for the first user 42 at the third end time 68, and/or other considerations. A change (e.g., increase or decrease) in the third gameplay metric 81 for the first user 42 during the second time interval 64 may correspond to a difference between the sixth value 84 and the fifth value 82, and/or other considerations.

In some implementations, the first gameplay metric 70, the second gameplay metric 76, and third gameplay metric 81 may be the same gameplay metric. In some implementations, the first gameplay metric 70, the second gameplay metric 76, and third gameplay metric 81 may all be different gameplay metrics. In some implementations, the second gameplay metric 76 and third gameplay metric 81 may be the same gameplay metric while the first gameplay metric 70 may be a different gameplay metric. The gameplay metrics may be considered in other ways.

Returning to FIG. 1, award component 26 may be configured to determine awards for distribution to the users based on performance in the gameplay events. The award determination by the award component 26 may be based on values of the event metric(s), changes in the values of the gameplay metrics, and/or other performance criteria. Awards may be distributed based on performance criteria for individual ones of the time intervals and/or the gameplay event as a whole, and/or other considerations. For example, the changes in the values of the event metric(s) for the individual users may reflect their relative performance within the gameplay event as a whole and/or within one or more time intervals associated with the gameplay events.

In some implementations, the award component 26 may determine user rankings, scores, grades, ratings, and/or any gameplay event and/or time interval performance results, and determine the awards for distribution to the users based

on such performance results. The awards determined by the award component **26** may include virtual items and/or virtual currencies usable in the online games—for example, an item, a good, an enhancement, an award multiplier, a gameplay metric value multiplier, a consolation prize, and/or other considerations.

By way of non-limiting example, the award component **26** may determine rankings, scores, grades, ratings, and/or other performance results based on performance criteria for the individual time intervals and/or gameplay events as a whole. At its most basic level, performance criteria may be associated with the changes in the values of the gameplay metrics for the users, and/or other considerations. Performance criteria may specify that the user with the greatest increase in value of a given gameplay metric is to be distributed an award (e.g., is the “winner”, highest ranked, and/or other considerations). However, performance criteria may be specified in other ways. For example, performance criteria may specify that the user with the highest rate of increase in the value of the gameplay metric within a given gameplay event and/or time interval may be distributed an award. Performance criteria may be considered in other ways.

In some implementations, performance criteria may be obtained from the provider, administrator, moderator, and/or any other entities related to the online games, and/or other considerations. The awards may be distributed by providing the award and/or an instance of the award to an inventory associated with the “winning” user. Awards determinations and/or distributions may be considered in other ways.

In some implementations, the award component **26** may be configured to determine awards for distribution to the users based on cumulative performance within the time intervals of a gameplay event. For instance, if a gameplay event includes two or more time intervals, a user may obtain an award if they “win” the majority of the time intervals (e.g., perform the best within a majority of the time intervals). This may create further incentive to perform well within all the time intervals, as well as during the gameplay event as a whole.

In some implementations, the awards distributed to the users based on performance in the intervals (herein “interval awards”) may be dependent on and/or may impact the final awards distributed based on final ranking in the gameplay event as a whole (herein “event award”). For instance, the interval awards may enhance and/or increase a value and/or quantity of an event award. This may include designating the interval awards as “multipliers” that increase the event award, and/or other considerations. By way of non-limiting example, a given event award may correspond to one or more virtual items to be distributed to the users. A given interval award may correspond to a multiplier (e.g., 1.5×, 2×, 2.5×, 3×, and/or other considerations) that may increase the quantity and/or value of the virtual items associated with the event award. In such instances, the interval awards may be redeemed in conjunction with the event awards, and/or other considerations.

In some implementations, the interval awards may be dependent on the event awards. An interval award may not be redeemable by a user absent the user also obtaining an event award (e.g., based on final ranking). That is, an interval award may be a multiplier for an event award, but absent the user ranking high enough to receive an event award, the interval award may be of no value or even be usable. In some implementations, the interval awards may then simply be discarded at the end of the gameplay event, and/or other considerations.

In some implementations, the interval awards may be independent from the event awards. The interval awards may include one or more virtual items that may be distributed to the users based on performance in the time intervals, without consideration to the final ranking of the users. In some implementations, one or more virtual items associated with an interval award may be distributed to the users once the time interval has ended, once the gameplay event has ended, whether or not the user ranked high enough to receive an event award, and/or other considerations.

In some implementations, the interval awards may impact one or more attributes of a user and/or game entity associated with the user. The interval awards may impact an attribute that is associated with a gameplay metric for the particular interval. For example, a gameplay metric may correspond to an attribute and/or other user information managed by user component **18**. A user may be distributed an interval award based on user performance with regard to having the greatest increase in the value of the gameplay metric during the time interval (e.g., relative to other players). The interval award may provide a multiplier that increases the value of the corresponding attribute. By way of non-limiting illustration, a gameplay metric for a time interval may correspond to actions and/or activities that increase the value of valor (e.g., associated with a valor attribute managed by the user component **18**). An interval award may include a multiplier that increases the value of the corresponding valor attribute (or other attribute). As such, the value of the valor attribute (or other attribute) managed by the user component **18** may be increased by an amount specified by the multiplier. The increase in the value of the attribute may be effectuated at the end of the interval, at the end of the gameplay event, and/or other considerations.

The above discussion of event awards and interval awards is provided for illustrative purposes only and is not to be considered limiting. The relationships (or lack thereof) between event awards and interval awards may be considered in other ways. For example, a given user may be distributed both an interval award and an event award, an interval award only, an event award only, no awards, and/or other considerations.

By way of illustration, in FIG. 2, the awards component **26** may be configured to distribute awards to the first user **42**, second user **44**, and/or other users based on performance within the first gameplay event **50**. The awards may include a first award **86** (interval award), a second award **88** (event award), a third award **90** (interval award), a fourth award **92** (award based on cumulative interval performance), and/or other awards. The first award **86** may be associated with determined changes in the respective values of the second gameplay metric **76** for the first user **42**, second user **44**, and/or other users. For example, the determined change for the second gameplay metric **76** for the first user **42** may be the difference between the fourth value **80** and the third value **78** (e.g., obtained from the gameplay metric component **24**). The first award **86** may include, for example, an event award multiplier, one or more virtual items, an attribute value multiplier, and/or other considerations. In some implementations, only one user may receive the first award **86**.

In some implementations, in response to the change in the value of the second gameplay metric **76** for the first user **42** within the first interval **58** being determined to be greater than the change of the value of the second gameplay metric **76** for the second user **44** and/or any other users within the first interval **58**, the award component **26** may be configured

to determine that the first user **42** may receive the first award **86** and that the second user **44** and/or other users do not receive the first award **86**.

The second award **88** may be associated with determined changes in the respective values of the first gameplay metric **70** for the first user **42**, second user **44**, and/or other users (e.g., an event award). For example, the determined change for the first gameplay metric **70** for the first user **42** may be the difference between the second value **74** and the first value **72**. The second award **88** may be associated with user rank of the first user **42**, second user **44**, and/or other users by the end of the first gameplay event **50**. The second award **88** may include one or more virtual items. The quantity, value, and/or other characteristic of the one or more virtual items may correspond with the rank of the users by the end of the first gameplay event **50**, and/or other considerations. In some implementations, different instances of the second award **88** may be distributed to different users based on the user's final ranking. As such, in some implementations, the top ranked (e.g., top 4 and/or other considerations) users may receive different instances of the second award **88** (e.g., being of different value and/or quantity based on ranking).

In some implementations, in response to the change in the value of the first gameplay metric **70** for the first user **42** within the first event time period **52** being determined to be greater than the change of the value of the first gameplay metric **70** for the second user **44** within the first event time period **52**, the award component **26** may be configured to determine that the first user **42** may receive a first instance of the second award **88** and/or that the second user **44** may receive a second instance of the second award **88**, and/or other considerations. In some implementations, in response to the change in the value of the first gameplay metric **70** for the first user **42** within the first event time period **52** being determined to be greater than the change of the value of the first gameplay metric **70** for the second user **44** within the first event time period **52**, the award component **26** may be configured to determine that the first user **42** may receive an instance of the second award **88** and that the second user **44** does not receive an instance of the second award **88**.

The third award **90** may be associated with a determined change in the respective values of the third gameplay metric **81** for the first user **42**, second user **44**, and/or other users (e.g., an interval award). For example, the determined change in the third gameplay metric **81** for the first user **42** may be the difference between the sixth value **84** and the fifth value **82**. The third award **90** may include, for example, an event award multiplier, one or more virtual items, an attribute value multiplier, and/or other considerations. In some implementations, only one user may receive the third award **90**.

In some implementations, in response to the change in the value of the third gameplay metric **81** for the first user **42** within the second interval **64** being determined to be greater than the change of the value of the third gameplay metric **81** for the second user **44** and/or any other users within the second interval **64**, the award component **26** may be configured to determine that the first user **42** may receive the third award **90** and that the second user **44** and/or other users do not receive the third award **90**.

In some implementations, the fourth award **92** may be based on the performance of the users in the first interval **58**, the second interval **64**, and/or other intervals of the first gameplay event **50** (e.g., an award for cumulative performance in the intervals). The fourth award **92** may include, for example, an event award multiplier, one or more virtual items, an attribute value multiplier, and/or other consider-

ations. The fourth award **92** may be distributed to the user who performed the best in the majority of the intervals of the first gameplay event **50**. By way of illustration, in response to the first award **86** and third award **90** being distributed to the first user **42** and not to the second user **44**, the award component **26** may be configured to determine that the fourth award **92** may be distributed to the first user **42** and not to the second user **44**, and/or other considerations.

Returning to FIG. 1, the leaderboard component **28** may be configured to effectuate presentation of an event leaderboard to the users during a gameplay event, and/or other considerations. The leaderboard may reflect ongoing changes in ranking of the users during gameplay in a gameplay event. The leaderboard may be expressed as a list of users and/or user names reflecting the currently top-ranked users. For example, the leaderboard may display the top 4 users, 10 users, 15 users, 20 users, and/or other considerations. In some implementations, the leaderboard component **28** may be configured to effectuate presentation of the leaderboard as a banner, notification bar, and/or other considerations.

In some implementations, the leaderboard component may be configured such that effectuating presentation of an event leaderboard additionally comprises effectuating a presentation that reflects the distribution of the interval awards. For example, the users and/or usernames presented in connection to the leaderboard may include a graphic and/or other indicator that shows the interval awards acquired by the users, if any. This may include visually highlighting the usernames of the users that have obtained interval awards, providing a graphic alongside the username, and/or other considerations.

By way of non-limiting illustration, in FIG. 2, the leaderboard component **28** may be configured to effectuate presentation of a first leaderboard **94** in connection with the first gameplay event **50**. The first leaderboard **94** may be updated in real time, or near-real time, as gameplay in the first gameplay event **50** takes place. The first leaderboard **94** may include some indication of the users who have acquired interval awards based on performance in the intervals associated with the first gameplay event **50**. For example, the first leaderboard **94** may reflect the distribution of the first award **86**, the third award **90**, the fourth award **92**, and/or other awards.

By way of further non-limiting illustration, in FIG. 3, the user interface **96** may include a leaderboard interface portion **108** (e.g., as presented by the leaderboard component **28**). The leaderboard **108** may include presentation of a list of the currently top-ranked players in a gameplay event, and/or other considerations. In some implementations, if a user has obtained an interval award, the username of that user may include a graphic **110** depicted alongside the name, and/or other considerations. The graphic **110** may depict the type and/or quantity of the interval award (e.g., the multiplier amount), and/or other considerations. Users who are participating in the gameplay event may view the leaderboard **108** that reflects the distribution of interval awards to the users. The leaderboard **108** may drive participation in the gameplay event by encouraging a competitive spirit between the players.

Returning to FIG. 1, the server **12**, client computing platforms **38**, and/or external resources **36** may be operatively linked via one or more electronic communication links. For example, such electronic communication links may be established, at least in part, via a network **34** such as the Internet and/or other networks. It will be appreciated that this is not intended to be limiting and that the scope of this

disclosure includes implementations in which servers **12**, client computing platforms **38**, and/or external resources **36** may be operatively linked via some other communication media.

The external resources **36** may include sources of information, hosts and/or providers of virtual spaces outside of system **10**, external entities participating with system **10**, external entities for player-to-player communications, and/or other resources. In some implementations, some or all of the functionality attributed herein to external resources **36** may be provided by resources included in system **10**.

The server **12** may include electronic storage **32**, one or more processors **14**, and/or other components. The server **12** may include communication lines or ports to enable the exchange of information with a network and/or other computing platforms. Illustration of server **12** in FIG. **1** is not intended to be limiting. The server **12** may include a plurality of hardware, software, and/or firmware components operating together to provide the functionality attributed herein to server **12**. For example, server **12** may be implemented by a cloud of computing platforms operating together as server **12**.

Electronic storage **32** may comprise electronic storage media that electronically stores information. The electronic storage media of electronic storage **32** may include one or both of system storage that is provided integrally (i.e., substantially non-removable) with server **12** and/or removable storage that is removably connectable to server **12** via, for example, a port or a drive. A port may include a USB port, a firewire port, and/or other port. A drive may include a disk drive and/or other drive. Electronic storage **32** may include one or more of optically readable storage media (e.g., optical disks, etc.), magnetically readable storage media (e.g., magnetic tape, magnetic hard drive, floppy drive, etc.), electrical charge-based storage media (e.g., EEPROM, RAM, etc.), solid-state storage media (e.g., flash drive, etc.), and/or other electronically readable storage media. The electronic storage **32** may include one or more virtual storage resources (e.g., cloud storage, a virtual private network, and/or other virtual storage resources). Electronic storage **32** may store software algorithms, information determined by processor **14**, information received from server **12**, information received from client computing platforms **38**, and/or other information that enables server **12** to function as described herein.

Processor(s) **14** is configured to provide information processing capabilities in server **12**. As such, processor **14** may include one or more of a digital processor, an analog processor, a digital circuit designed to process information, an analog circuit designed to process information, a state machine, and/or other mechanisms for electronically processing information. Although processor **14** is shown in FIG. **1** as a single entity, this is for illustrative purposes only. In some implementations, processor **14** may include one or more processing units. These processing units may be physically located within the same device, or processor **14** may represent processing functionality of a plurality of devices operating in coordination. The processor **14** may be configured to execute components **16**, **18**, **20**, **22**, **24**, **26**, and/or **28**. Processor **14** may be configured to execute components **16**, **18**, **20**, **22**, **24**, **26**, and/or **28** by software; hardware; firmware; some combination of software, hardware, and/or firmware; and/or other mechanisms for configuring processing capabilities on processor **14**.

It should be appreciated that although components **16**, **18**, **20**, **22**, **24**, **26**, and/or **28** are illustrated in FIG. **1** as being co-located within a single processing unit, in implementa-

tions in which processor **14** includes multiple processing units, one or more of components **16**, **18**, **20**, **22**, **24**, **26**, and/or **28** may be located remotely from the other components. The description of the functionality provided by the different components **16**, **18**, **20**, **22**, **24**, **26**, and/or **28** described above is for illustrative purposes and is not intended to be limiting, as any of components **16**, **18**, **20**, **22**, **24**, **26**, and/or **28** may provide more or less functionality than is described. For example, one or more of components **16**, **18**, **20**, **22**, **24**, **26**, and/or **28** may be eliminated, and some or all of its functionality may be provided by other ones of components **16**, **18**, **20**, **22**, **24**, **26**, **28**, and/or other components. As another example, processor **14** may be configured to execute one or more additional components that may perform some or all of the functionality attributed below to one of components **16**, **18**, **20**, **22**, **24**, **26**, and/or **28**.

FIG. **4** illustrates a method **400** of incentivizing user participation in gameplay events that take place in an online game. The operations of method **400** presented below are intended to be illustrative. In some embodiments, method **400** may be accomplished with one or more additional operations not described, and/or without one or more of the operations discussed. Additionally, the order in which the operations of method **400** are illustrated in FIG. **4** and described below is not intended to be limiting.

In some embodiments, method **400** may be implemented in one or more processing devices (e.g., a digital processor, an analog processor, a digital circuit designed to process information, an analog circuit designed to process information, a state machine, and/or other mechanisms for electronically processing information). The one or more processing devices may include one or more devices executing some or all of the operations of method **400** in response to instructions stored electronically on an electronic storage medium. The one or more processing devices may include one or more devices configured through hardware, firmware, and/or software to be specifically designed for execution of one or more of the operations of method **400**.

Referring now to method **400** in FIG. **4**, at an operation **402**, an instance of an online game may be executed. The online game may take place in a virtual space. Executing the online game may include implementing the instance of the online game to facilitate user participation in the online game. Users may participate with the online game by controlling game entities in the virtual space. In some implementations, operation **402** may be performed by a space component the same as or similar to virtual space component **16** (shown in FIG. **1** and described herein).

At an operation **404**, gameplay events that take place in the online game may be facilitated. Individual ones of the gameplay events may include one or more time intervals that take place during the gameplay events. The time intervals may correspond to incentivizing user participation in the online game during the time intervals. In some implementations, operation **404** may be performed by an event-hosting component the same as or similar to the event hosting component **22** (shown in FIG. **1** and described herein).

At an operation **406**, values for one or more gameplay metrics for the users during participation in the gameplay events may be determined. The gameplay metrics may reflect one or more aspects of gameplay in an online game during the gameplay events by the users participating in the events. In some implementations, operation **406** may be performed by a gameplay metric component the same as or

21

similar to the gameplay metric component **24** (shown in FIG. **1** and described herein).

At an operation **408**, awards may be distributed to the users based on user performance in the gameplay events. The awards may include awards associated with changes in respective values of gameplay metrics for the users during one or more time intervals and/or the gameplay event as a whole. In some implementations, operation **408** may be performed by an award component the same as or similar to the award component **26** (shown in FIG. **1** and described herein).

Although the present technology has been described in detail for the purpose of illustration based on what is currently considered to be the most practical and preferred implementations, it is to be understood that such detail is solely for that purpose and that the technology is not limited to the disclosed implementations, but, on the contrary, is intended to cover modifications and equivalent arrangements that are within the spirit and scope of the appended claims. For example, it is to be understood that the present technology contemplates that, to the extent possible, one or more features of any implementation can be combined with one or more features of any other implementation.

What is claimed is:

1. A system for incentivizing participation in gameplay events that take place in an online game, the system comprising:

one or more physical processors configured by computer-readable instructions to:

execute an instance of an online game and to implement the instance of the online game to facilitate user participation in the online game, wherein users participate in the online game by controlling game entities, wherein a first user participates in the online game by controlling a first game entity from a first client computing platform, wherein a second user participates in the online game by controlling a second game entity from a second client computing platform, wherein the first client computing platform is associated with the first user, wherein the second client computing platform is associated with the second user;

facilitate gameplay events for the users of the online game, including facilitating a first gameplay event for the first user and the second user, the first gameplay event taking place within a first event time period, wherein during the first gameplay event the first user and second user interact with each other within the online game;

determine values for a first gameplay metric for the first user and the second user during participation by both the first user and the second user in the first gameplay event;

determine a first interval having a start interval time and an end interval time, wherein the first interval takes place within the first event time period and the first interval is less than the first event time period;

determine a first change for the first gameplay metric for the first user, wherein the first change is determined between the start interval time and the end interval time of the first interval;

determine a second change for the first gameplay metric for the second user, wherein the second change is determined between the start time and the end time of the first interval;

22

determine a third change for the first gameplay metric for the first user, wherein the third change is determined during the first event time period;

determine a fourth change for the first gameplay metric for the second user, wherein the fourth change is determined during the first event time period; and distribute awards to the users based on performance within the first gameplay event, the awards being different from both the first gameplay metric and the values for the first gameplay metric, the awards including:

a first award distributed to either the first user or the second user, wherein distribution of the first award is based on a comparison between the first change and the second change, wherein the first award is different from both the first gameplay metric and the values for the first gameplay metric, and

the second award distributed to either the first user or the second user, wherein distribution of the second award is based on a comparison between the third change and the fourth change, wherein the second award is different from both the first gameplay metric and the values for the first gameplay metric, wherein the second award is increased responsive to both the first award and the second award being distributed to the same user, and wherein, responsive to the first award and the second award being distributed to different users, the second award is not increased.

2. The system of claim **1**, wherein the online game takes place in a virtual space, wherein the users participate in the online game by controlling the game entities in the virtual space.

3. The system of claim **1**, wherein the third change for the first gameplay metric for the first user is determined between a start event time of the first event time period and an end event time of the first event time period, and wherein the fourth change for the first gameplay metric for the second user is determined between a start event time of the first event time period and an end event time of the first event time period.

4. The system of claim **1**, wherein responsive to the first award and the second award being distributed to different users, the first award is discarded.

5. The system of claim **1**, wherein the one or more physical processors are configured by computer-readable instructions to:

determine a second interval having a second start interval time and a second end interval time, wherein the second interval takes place within the first event time period and the second interval is less than the first event time period, wherein the second interval occurs temporally after the first interval, and wherein both the end interval time and the second end interval time occur prior to the end event time;

determine a fifth change for the first gameplay metric for the first user, wherein the fifth change is determined between the second start interval time and the second end interval time of the second interval; and

determine a sixth change for the first gameplay metric for the second user, wherein the sixth change is determined between the second start time and the second end time of the second interval;

wherein the awards include a third award distributed to either the first user or the second user, wherein distribution of the third award is based on a comparison between the fifth change and the sixth change, wherein

23

the third award is different from both the first gameplay metric and the values for the first gameplay metric, and wherein the third award is a second multiplier for increasing the second award,
 wherein the second award is multiplied in accordance with the third award responsive to both the third award and the second award being distributed to the same user.

6. The system of claim 5, wherein the one or more physical processors are configured by computer-readable instructions such that the awards include a fourth award associated with the distribution of the first award and third award, such that, in response to the first award and third award being distributed to the first user and not to the second user, the fourth award is determined to be distributed to the first user and not to the second user.

7. The system of claim 1, wherein the one or more physical processors are configured by computer-readable instructions to effectuate presentation of a notification to the first user and/or second user of the start interval time and the end interval time of the first interval.

8. The system of claim 1, wherein the one or more physical processors are configured by computer-readable instructions to effectuate presentation of a leaderboard that reflects the distribution of the first award.

9. The system of claim 1, wherein the first award is a multiplier for increasing the second award, wherein the one or more physical processors are configured by computer-readable instructions to:

in response to the first change being greater than the second change, determine that the first user receives the first award and the second user does not receive the first award; and

responsive to the third change being greater than the fourth change, distribute the second award to the first user, and wherein the second award is multiplied in accordance with the first award.

10. A method of incentivizing participation in gameplay events that take place in an online game, the method being implemented in a computer system including one or more physical processors and storage media storing machine-readable instructions, the method comprising:

executing an instance of an online game, and implementing the instance of the online game to facilitate user participation in the online game, wherein users participate in the online game by controlling game entities, wherein a first user participates in the online game by controlling a first game entity from a first client computing platform, wherein a second user participates in the online game by controlling a second game entity from a second client computing platform, wherein the first client computing platform is associated with the first user, wherein the second client computing platform is associated with the second user;

facilitating gameplay events for the users of the online game, including facilitating a first gameplay event for the first user and the second user, the first gameplay event taking place within a first event time period, wherein during the first gameplay event, the first user and second user interact with each other within the online game;

determining values for a first gameplay metric for the first user and the second user during participation by both the first user and the second user in the first gameplay event;

determining a first interval having a start interval time and an end interval time, wherein the first interval takes

24

place within the first event time period and the first interval is less than the first event time period;

determining a first change for the first gameplay metric for the first user, wherein the first change is determined between the start interval time and the end interval time of the first interval;

determining a second change for the first gameplay metric for the second user, wherein the second change is determined between the start time and the end time of the first interval;

determining a third change for the first gameplay metric for the first user, wherein the third change is determined during the first event time period;

determining a fourth change for the first gameplay metric for the second user, wherein the fourth change is determined during the first event time period; and

distributing awards to the users based on performance within the first gameplay event, the awards being different from both the first gameplay metric and the values for the first gameplay metric, the awards including:

a first award distributed to either the first user or the second user, wherein distribution of the first award is based on a comparison between the first change and the second change, wherein the first award is different from both the first gameplay metric and the values for the first gameplay metric; and

the second award distributed to either the first user or the second user, wherein distribution of the second award is based on a comparison between the third change and the fourth change, wherein the second award is different from both the first gameplay metric and the values for the first gameplay metric, wherein the second award is increased responsive to both the first award and the second award being distributed to the same user, and wherein, responsive to the first award and the second award being distributed to different users, the second award is not increased.

11. The method of claim 10, wherein responsive to the first award and the second award being distributed to different users, the first award is discarded.

12. The method of claim 10, further comprising:

determining a second interval having a second start interval time and a second end interval time, wherein the second interval takes place within the first event time period and the second interval is less than the first event time period, wherein the second interval occurs temporally after the first interval, and wherein both the end interval time and the second end interval time occur prior to the end event time;

determining a fifth change for the first gameplay metric for the first user, wherein the fifth change is determined between the second start interval time and the second end interval time of the second interval;

determining a sixth change for the first gameplay metric for the second user, wherein the sixth change is determined between the second start time and the second end time of the second interval;

wherein the awards include a third award distributed to either the first user or the second user, wherein distribution of the third award is based on a comparison between the fifth change and the sixth change, wherein the third award is different from both the first gameplay metric and the values for the first gameplay metric, and wherein the third award is a second multiplier for increasing the second award,

25

wherein the second award is multiplied in accordance with the third award responsive to both the third award and the second award being distributed to the same user.

13. The method of claim 12, wherein the awards include a fourth award based on the performance of the users in the first interval and the second interval, such that, in response to the first award and third award being distributed to the first user and not to the second user, the fourth award is determined to be distributed to the first user and not to the second user.

14. The method of claim 10, additionally comprising effectuating presentation of a notification to the first user and/or second user of the start interval time and the end interval time of the first interval.

15. The method of claim 10, additionally comprising effectuating presentation of a leaderboard that reflects the distribution of the first award.

26

16. The method of claim 10, wherein the first award is a multiplier for increasing the second award, and wherein the method further comprising:

in response to the first change being greater than the second change, determining that the first user receives the first award and the second user does not receive the first award; and

responsive to the third change being greater than the fourth change, distributing the second award to the first user, wherein the second award is multiplied in accordance with the first award.

17. The system of claim 1, wherein the one or more physical processors are configured by computer-readable instructions to receive input by the first user, through the first client computing platform, to move the first game entity among locations within the virtual space.

* * * * *