



(12) **United States Design Patent**
Muchandi et al.

(10) **Patent No.:** **US D760,418 S**
(45) **Date of Patent:** **** Jun. 28, 2016**

- (54) **LED LIGHTING HOUSING**
- (71) Applicant: **Appleton Grp LLC**, Rosemont, IL (US)
- (72) Inventors: **Sagar Rurdappa Muchandi**, Pune (IN);
Vishal Maruti Bavale, Pune (IN);
Jinchandra Suresh Palase, Pune (IN);
Sudhir Vasant Managuli, Pune (IN);
Vinaya Nandish Kubsad, Pune (IN);
William Leber, Vernon Hills, IL (US)

8,602,599 B2 12/2013 Zimmer et al.
 8,764,243 B2 7/2014 Zimmer et al.
 D717,483 S * 11/2014 Barnes D26/72
 D728,146 S * 4/2015 Ehrler D26/89
 2004/0200035 A1 10/2004 Fries
 2016/0003455 A1* 1/2016 Muchandi F21V 17/107
 362/235

FOREIGN PATENT DOCUMENTS

DE 202012001869 5/2012

OTHER PUBLICATIONS

Dialight, SafeSite LED Linear Fixture—UL 844 for Indoor and Outdoor Hazardous Locations, pre-Jul. 2014 representative catalogue, 8 pages.

* cited by examiner

Primary Examiner — George D Kirschbaum

Assistant Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — McDonnell Boehnen Hulbert & Berghoff LLP

(57) **CLAIM**

The ornamental design for an LED lighting housing, as shown and described.

DESCRIPTION

FIG. 1 is a perspective back view of a LED lighting housing having the inventive design;
 FIG. 2 is a right side view of the LED lighting housing shown in FIG. 1;
 FIG. 3 is a left side view of the LED lighting housing shown in FIG. 1;
 FIG. 4 is a front view of the LED lighting housing shown in FIG. 1;
 FIG. 5 is a rear view of the LED lighting housing shown in FIG. 1;
 FIG. 6 is a bottom view of the LED lighting housing shown in FIG. 1; and,
 FIG. 7 is a top view of the LED lighting housing shown in FIG. 1.

1 Claim, 3 Drawing Sheets

(73) Assignee: **Appleton Grp LLC**, Rosemont, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/495,760**

(22) Filed: **Jul. 3, 2014**

(51) **LOC (10) Cl.** **26-03**

(52) **U.S. Cl.**

USPC **D26/76**

(58) **Field of Classification Search**


USPC D26/76, 78, 79, 80, 81, 82, 83, 85, 86,
 D26/88, 90, 113, 118, 119, 120, 121, 122,
 D26/138, 139, 140, 141, 142
 CPC F21S 2/00; F21S 4/00; F21S 4/003;
 F21S 4/005; F21S 4/006; F21S 4/007; F21S
 4/008; F21S 6/00; F21S 8/00; F21S 8/024;
 F21S 8/026; F21S 8/031; F21S 8/033; F21S
 8/035–8/037; F21S 8/04; F21S 8/043; F21S
 8/063

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D496,122 S * 9/2004 Kan D26/76
 D579,139 S * 10/2008 Ghini D26/76
 D611,643 S * 3/2010 Owen D26/76
 D617,935 S * 6/2010 Miletich D26/76
 7,997,761 B2 8/2011 Peck et al.
 8,066,400 B2 11/2011 Curran et al.
 D662,245 S * 6/2012 Steffy D26/75
 8,231,245 B2 7/2012 Weimer et al.
 D665,524 S * 8/2012 Bush D26/76






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7