



- (51) **International Patent Classification:**
A61C 19/06 (2006.01)
- (21) **International Application Number:**
PCT/IB2013/060742
- (22) **International Filing Date:**
9 December 2013 (09.12.2013)
- (25) **Filing Language:** English
- (26) **Publication Language:** English
- (30) **Priority Data:**
61/738,587 18 December 2012 (18.12.2012) US
- (71) **Applicant:** KONINKLIJKE PHILIPS N.V. [NL/NL];
High Tech Campus 5, NL-5656 AE Eindhoven (NL).
- (72) **Inventor:** KLOSTER, Tyler G.; c/o High Tech Campus
5, NL-5656 AE Eindhoven (NL).
- (74) **Agents:** COOPS, Peter et al.; High Tech Campus 5, NL-
5656 AE Eindhoven (NL).
- (81) **Designated States** (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY,
BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM,
DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,
HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR,

KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME,
MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ,
OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA,
SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM,
ZW.

- (84) **Designated States** (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ,
UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ,
TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK,
EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
KM, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- *as to applicant's entitlement to apply for and be granted a
patent (Rule 4.17(ii))*
- *as to the applicant's entitlement to claim the priority of the
earlier application (Rule 4.17(iii))*

Published:

- *with international search report (Art. 21(3))*

- (54) **Title:** SEAL FOR TEETH WHITENING TRAYS




FIG. 1

- (57) **Abstract:** A teeth whitening appliance (10) such as a tray includes a seal member (18) which is attached to an interior surface (19) of the tray. The seal member comprises a fabric strip or a gecko adhesive strip which extends around the periphery of the interior surface of the tray adjacent the peripheral or boundary edge thereof. The seal member adheres to the teeth, so as to prevent gel from escaping from the tray when the tray is in place, as well as preventing water/saliva in the mouth from entering the tray, while also being convenient to remove.



SEAL FOR TEETH WHITENING TRAYS

Technical Field

This invention relates generally to teeth whitening appliances, and more specifically concerns an accessory for teeth whitening trays, mouthpieces and strips.

Background of the Invention

In general, appliances for use in teeth whitening are well known. These include mouthpieces, strips and in particular teeth whitening trays, all of which are adapted to receive teeth whitening gel. The appliance is then applied to the teeth for a selected period of time in order to accomplish teeth whitening. The teeth whitening gel itself can be any one of various known compositions, and does not form a part of the present invention.

None of the known teeth whitening appliances have a structure to seal the perimeter of the appliance. Hence, present teeth whitening appliances, for instance a tray, allow saliva to intrude into the tray and thus dilute or wash the gel from the tray, reducing the whitening effect of the gel in the tray. Further, the lack of a seal on such appliances also allows the gel to seep out from the appliance. Since the teeth whitening gel used typically contains peroxide, this can result in irritation of the gums, as well as an undesirable taste.

Summary of the Invention

Accordingly, a whitening appliance, comprises: a teeth whitening appliance for holding teeth whitening gel, wherein the appliance has an interior surface which comes adjacent the front portion of selected teeth of a user; and a seal member attached to the interior surface of the appliance, the seal member comprising a fabric strip member which extends around the periphery of the interior surface of the appliance and adheres to the teeth by absorbing water or saliva present in the mouth sufficient to create a surface tension which adheres and seals the appliance to the teeth, but which permits convenient removal from the teeth.

Also, a teeth whitening appliance, comprises: a teeth whitening appliance for holding teeth whitening gel, wherein the appliance has an interior surface which comes adjacent the front portion of selected teeth of a user; and a seal member attached to the

interior surface of the appliance, the seal member comprising a gecko adhesive strip for removably adhering the appliance to the teeth.

Brief Description of the Drawings

Figure 1 is an isometric view of a teeth whitening tray with one embodiment of a seal member in place.

Figure 2 is a cross sectional diagram of the teeth whitening tray with seal member of Figure 1.

Figure 3 is an elevational view of the seal member by itself.

Figure 4 is an isometric view of another embodiment of a seal member using gecko adhesive elements.

Best Mode For Carrying Out the Invention

Figures 1 and 2 show an isometric view and a cross sectional view of a teeth whitening tray with a seal member in place. The teeth whitening tray is shown generally at 10 and is shown in a formed configuration adapted to receive the teeth of a user. The teeth whitening tray 10 generally comprises a soft plastic material for comfort and includes a forward portion 12 covering the front surface of the teeth to be whitened, and a rear portion 14 covering at least a part of the rear surface of the same teeth, with the forward and rear portions being joined together to form a unitary tray with an interior surface 19. The details of the tray structure are disclosed in more detail in a co-pending application owned by the assignee of the present invention. The tray could, although not necessarily, include an embedded metal strip or mesh which allows the tray to be formed to the dentition configuration of an individual user. While a tray is shown for illustration, the whitening appliance could be a mouthpiece or a strip member

A seal member 18 extends continuously around the periphery of the interior surface of the tray. The seal member thus borders the peripheral edge of the interior surface of the tray. In one embodiment, the seal member 18 is a thin fabric strip which is attached to or a part of the interior surface of the tray. It could be integral with the tray. The cloth can be any of various fabrics which are capable of absorbing water/saliva, including cotton and other fabrics. The result is shown in Figures 1 and 2.

The seal member 18 is typically strongly attached to the tray or embedded therein. In use, the water/saliva in the mouth is absorbed into the cloth, sufficient to produce

a surface tension between the cloth and the tray which efficiently and reliably adheres the tray to the teeth, maintaining the tray with the gel therein on the teeth to accomplish the desired whitening. The fabric strip comprising the seal member acts as a semi-permeable membrane with the absorbed water/saliva to produce the necessary surface tension. While such a structure will not prevent all saliva from outside the seal member entering into the tray, it will substantially prevent entry of such saliva, due to the aspect ratio of the member, being wider than thick, in this case 2-4 mm wide and 0.2 mm thick. This arrangement will prevent most of the saliva in the mouth outside the seal from reaching the peroxide gel in the tray, as well as prevent the peroxide gel boundaried by the seal from migrating out of the tray. The tray, mouthpiece or strip with the seal member is thus convenient to apply to and remove from the teeth by a user.

Another embodiment, shown in Figure 4, includes a synthetic gecko adhesive strip or member 24 positioned around the perimeter of the tray or strip. Gecko adhesives use thousands of tiny hair-like spatulas 26-26, 1-5 microns, on their feet and surface molecules to stick to a surface through van der Waals forces. The gecko adhesive removably attaches the tray to the teeth.

With the seal member in place as part of the tray, mouthpiece or strip, the user places the appliance in their mouth and with fingers presses the tray or other appliance onto the teeth/gums. The tray is thus effectively sealed to the teeth. When the treatment is completed, the tray or other appliance is removed from the mouth and rinsed with water so that it is ready to use again. The appliance could also be single use and disposable. While the appliance has been generally described as a tray, it could be a mouthpiece, strip or other appliance.

Although a preferred embodiment has been disclosed for purposes of illustration, it should be understood that various changes, modifications and substitutions may be incorporated in the preferred embodiment without departing from the spirit of the invention as defined by the claims which follow:

CLAIMS:

1. A teeth whitening appliance, comprising:
a teeth whitening appliance (10) for holding teeth whitening gel, wherein the appliance has an interior surface (19) which comes adjacent the front portion of selected teeth of a user; and
a seal member (18) attached to the interior surface of the appliance, the seal member comprising a fabric strip member which extends around the periphery of the interior surface of the appliance and adheres to the teeth by absorbing water or saliva present in the mouth sufficient to create a surface tension which adheres and seals the appliance to the teeth, but which permits convenient removal from the teeth.
2. The appliance of claim 1, wherein the selected teeth are the front teeth.
3. The appliance of claim 1, wherein the appliance is a tray, arranged and configured so that the interior surface thereof comes adjacent the front portion of the selected teeth and a portion of the rear surface of the teeth.
4. The appliance of claim 3, wherein the tray is formable to the teeth configuration of the user.
5. The appliance of claim 1, wherein the fabric strip has an aspect ratio of 2-4 mm wide by approximately 0.2 mm thick.
6. The appliance of claim 1, wherein the surface tension adhesion force produces a strong enough seal to substantially prevent migration of water/saliva into the tray and to substantially prevent peroxide gel from migrating out of the tray, while permitting convenient removal of the appliance from the teeth.
7. The appliance of claim 1, wherein the appliance is a whitening strip.
8. The appliance of claim 1, wherein the appliance is a mouthpiece.

9. The appliance of claim 1, wherein the fabric strip is cotton.

10. A teeth whitening appliance, comprising:

a teeth whitening appliance for holding teeth whitening gel, wherein the appliance has an interior surface which comes adjacent the front portion of selected teeth of a user; and

a seal member (24) attached to the interior surface of the appliance, the seal member comprising a gecko adhesive(26) strip for removably adhering the appliance to the teeth.

1/2




FIG. 1




FIG. 2

2/2




FIG. 3




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No
PCT/IB2013/060742

A. CLASSIFICATION OF SUBJECT MATTER
INV. A61C19/06
ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED
Minimum documentation searched (classification system followed by classification symbols)
A61C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|-----------|---|-----------------------|
| A | US 2007/298380 A1 (ALLRED PETER M [US]) 27 December 2007 (2007-12-27) the whole document | 1,10 |
| A | US 2009/136893 A1 (ZEGARELLI PETER JOHN [US]) 28 May 2009 (2009-05-28) the whole document | 1,10 |
| A | US 5 575 654 A (FONTENOT MARK G [US]) 19 November 1996 (1996-11-19) the whole document | 1,10 |

Further documents are listed in the continuation of Box C.

See patent family annex.

* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search

20 March 2014

Date of mailing of the international search report

27/03/2014

Name and mailing address of the ISA/
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Salvatore, Claudio

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/IB2013/060742

| Patent document cited in search report | Publication date | Patent family member(s) | Publication date |
|--|------------------|-------------------------|-----------------------------|
| US 2007298380 | A1 | 27-12-2007 | NONE |
| | | | |
| US 2009136893 | A1 | 28-05-2009 | US 2009136893 A1 28-05-2009 |
| | | | US 2012214123 A1 23-08-2012 |
| | | | US 2014023994 A1 23-01-2014 |
| | | | |
| US 5575654 | A | 19-11-1996 | AU 2103195 A 03-10-1995 |
| | | | EP 0752833 A1 15-01-1997 |
| | | | JP 3640963 B2 20-04-2005 |
| | | | JP H09510376 A 21-10-1997 |
| | | | US 5575654 A 19-11-1996 |
| | | | WO 9524872 A1 21-09-1995 |
| | | | |