



(12) **United States Design Patent**  
**McGugan et al.**

(10) **Patent No.:** **US D928,065 S**  
(45) **Date of Patent:** **\*\* Aug. 17, 2021**

- (54) **WHEEL CHOCK**
- (71) Applicants: **Austin Hugh McGugan**, Greensboro, NC (US); **Bruce Andrew Angel**, Stokesdale, NC (US); **Anthony Dwayne Moore**, Summerfield, NC (US)
- (72) Inventors: **Austin Hugh McGugan**, Greensboro, NC (US); **Bruce Andrew Angel**, Stokesdale, NC (US); **Anthony Dwayne Moore**, Summerfield, NC (US)
- (73) Assignee: **Camco Manufacturing, Inc.**, Greensboro, NC (US)

|              |         |             |         |
|--------------|---------|-------------|---------|
| D594,398 S * | 6/2009  | Tai         | D12/217 |
| D601,479 S * | 10/2009 | Shaw        | D12/217 |
| D646,614 S * | 10/2011 | Brockington | D12/217 |
| D656,881 S * | 4/2012  | Beranek     | D12/217 |
| D656,882 S * | 4/2012  | Beranek     | D12/217 |
| D662,026 S * | 6/2012  | Beranek     | D12/217 |
| D673,106 S * | 12/2012 | Rossman     | D12/217 |
| D720,278 S * | 12/2014 | Pinkall     | D12/217 |
| D809,987 S * | 2/2018  | Angel       | D12/217 |
| D809,988 S * | 2/2018  | Angel       | D12/217 |
| D855,005 S * | 7/2019  | Delancey    | D12/217 |
| D860,107 S * | 9/2019  | Bilgin      | D12/217 |
| D868,635 S * | 12/2019 | Angel       | D12/217 |
| D918,522 S * | 5/2021  | Angel       | D34/32  |
| D918,523 S * | 5/2021  | Angel       | D34/32  |
| D918,776 S * | 5/2021  | Angel       | D12/106 |

\* cited by examiner

(\*\*) Term: **15 Years**

*Primary Examiner* — Stacia A Cadmus

(21) Appl. No.: **29/649,227**

(74) *Attorney, Agent, or Firm* — Tuggle Duggins P.A.;  
Blake P. Hurt

(22) Filed: **May 29, 2018**

(51) **LOC (13) Cl.** ..... **12-16**

(52) **U.S. Cl.** ..... **D12/217**  
USPC ..... **D12/217**

(58) **Field of Classification Search**  
USPC .... D12/217, 400, 223, 106; D34/31, 32, 38;  
D25/102, 113; D8/354  
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a wheel chock, as shown and described.

(56) **References Cited**



**U.S. PATENT DOCUMENTS**

|              |         |               |         |
|--------------|---------|---------------|---------|
| D236,612 S * | 9/1975  | Wetzel et al. | D12/217 |
| D282,459 S * | 2/1986  | Sauber        | D12/217 |
| D493,408 S * | 7/2004  | Chrisco       | D12/217 |
| D500,979 S * | 1/2005  | Chrisco       | D12/217 |
| D502,139 S * | 2/2005  | Chrisco       | D12/217 |
| D503,139 S * | 3/2005  | Colak         | D12/217 |
| D531,568 S * | 11/2006 | Davidian      | D12/217 |
| D577,651 S * | 9/2008  | Shaw          | D12/217 |

**DESCRIPTION**

FIG. 1 is a front, top, left side perspective view of a wheel chock showing our new design;  
FIG. 2 is a rear, bottom, left side perspective view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a front elevational view thereof;  
FIG. 6 is a left side elevational view thereof;  
FIG. 7 is a back elevational view thereof; and,  
FIG. 8 is a right side elevational thereof.  
The broken lines in the figures illustrate portions of the wheel chock that form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8