US00D950200S

(12) United States Design Patent

Rayner

(10) Patent No.: US D950,200 S
(45) Date of Patent: ** May 3, 2022

(54) **KIT INCLUDING VISORS AND A CUP HOLDER IN A FRANGIBLE CONNECTION**

(71) Applicant: **Joshua Rayner**, Fordingbridge (GB)

(72) Inventor: **Joshua Rayner**, Fordingbridge (GB)

(**) Term: **15 Years**

(21) Appl. No.: **29/762,924**

(22) Filed: **Dec. 18, 2020**

(51) **LOC (13) Cl.** **02-03**

(52) **U.S. Cl.**
USPC **D2/876**; D2/866

(58) **Field of Classification Search**
USPC D2/865, 866, 869, 870, 871, 872, 873, D2/874, 875, 876, 877, 879, 882, 883, D2/884, 885, 886, 887, 888, 890, 891, D2/892, 893, 895
CPC A42B 1/00; A42B 1/002; A42B 1/004; A42B 1/006; A42B 1/084; A42B 1/0192; A42B 1/02; A42B 1/06; A42B 1/201; A42B 1/225
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,266,056 A *	8/1966	De Villers	A42B 1/0192	2/12
D271,629 S *	12/1983	De Lozada	D2/875	
D282,405 S *	2/1986	De Lozada	D2/866	
4,920,576 A *	5/1990	Landis	A41D 13/1184	2/9
D352,378 S *	11/1994	Wise	D2/869	
D364,953 S *	12/1995	Bell	D2/882	
D403,141 S *	12/1998	De Lozada	D2/875	
D621,137 S *	8/2010	Byrne	D2/876	
D682,512 S *	5/2013	Andrews	D2/875	
8,635,713 B2 *	1/2014	Smith	A42B 1/208	2/200.3
D750,871 S *	3/2016	Caird	D2/872	
D867,727 S *	11/2019	Aronson	D2/891	
2015/0052667 A1 *	2/2015	Wittemann	A42B 3/227	2/410

* cited by examiner

Primary Examiner — Jasmine Mlinarcik
(74) *Attorney, Agent, or Firm* — Donn K. Harms

(57) **CLAIM**


The ornamental design for a kit including visors and a cup holder in a frangible connection, as shown and described.

DESCRIPTION

FIG. **1** is a top view of the kit showing visors and a cup holder in a frangible connection;
FIG. **2** is a bottom view thereof;
FIG. **3** is a top perspective view thereof;
FIG. **4** is a view of the visors and cup holder separated from the frangible connection of FIG. **1**;
FIG. **5** is a top view of the cup holder of the kit;
FIG. **6** is a bottom view of the cup holder of the kit;
FIG. **7** is a perspective view of the cup holder of the kit;
FIG. **8** is a first side view of the cup holder of the kit folded;
FIG. **9** is a second side view of the cup holder of the kit folded, opposite the view of FIG. **8**;
FIG. **10** depicts the cup holder of the kit holding cups;
FIG. **11** shows a bottom view of a visor of the kit;
FIG. **12** shows a top view of the visor of the kit of FIG. **11**;
FIG. **13** is a top perspective view of a visor of the kit; and,
FIG. **14** depicts the visor of the kit of FIG. **13**, configured for use.

The broken line showing of cups are for the purpose of illustrating the environment in which the design is associated, and form no part of the claimed design.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14