

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
24 June 2004 (24.06.2004)

PCT

(10) International Publication Number  
**WO 2004/053806 A2**

- (51) International Patent Classification<sup>7</sup>: **G07F 17/32**
- (21) International Application Number:  
PCT/US2003/038828
- (22) International Filing Date: 5 December 2003 (05.12.2003)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:  
60/431,036 5 December 2002 (05.12.2002) US
- (71) Applicant (for all designated States except US): **GAME-LOGIC INC.** [US/US]; 139 Main Street, 5th Floor, Cambridge, MA 02142 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): **HERRMANN, Mark, E.** [US/US]; 566 Commonwealth Avenue, Apt. 910, Boston, MA 02215 (US). **KANE, Steven, N.** [US/US]; 770 Boylston St., #27C, Boston, MA 02199 (US). **ROSEMAN, Stuart** [US/US]; 770 Boylston St., Apt. 24H, Boston, MA 02199 (US). **YANOWITZ, Jason** [US/US]; 11A Jay Street, Apt. 2, Cambridge, MA 02139 (US).
- (74) Agent: **RUSSAVAGE, Edward, J.**; Lowrie, Lando & Anastasi, LLP, One Main Street, Cambridge, MA 02142 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- Published:**  
— with declaration under Article 17(2)(a); without abstract; title not checked by the International Searching Authority
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 2004/053806 A2

(54) Title: GAME OF CHANCE AND SYSTEM AND METHOD FOR PLAYING GAMES OF CHANCE

(57) Abstract: A game of chance is provided in which a predetermined fixed number of winning cell content drawn from a predetermined set of cell content. The drawn content is matched to the content on game cards and if the matched game card content covers a predetermined winning pattern then the game card is a winner. In one example, numerous winners may occur per game session because the game continues until the predetermined fixed number of winning cell content is drawn and not until a win occurs.

**GAME OF CHANCE AND SYSTEM AND METHOD FOR PLAYING GAMES OF  
CHANCE**

**FIELD OF THE INVENTION**

5           The present invention relates to games of chance and, more particularly, to methods of and systems for playing games of chance.

**DESCRIPTION OF THE RELATED ART**

10           Legalized public and private bingo games abound in the United States and throughout the world. Bingo-type games involve a plurality of participants each having at least one pre-printed playing card. Typically, bingo playing cards comprise five columns, corresponding to the letters "B", "I", "N", "G" and "O", whence the game derives its name, and five rows in a boxed matrix. Numbers and/or free spaces populate the boxes in the matrix.

15           The game of bingo is played by randomly selecting winning numbers from a population of numbers. In a traditional bingo game, a participant wins when a combination of selected winning numbers covers at least one row, column, and/or diagonal of five numbers on at least one participant's playing card. However in many bingo games, numerous other patterns that have been predetermined may also be used for winning; these patterns include those known as Hard Way (five-in-a-row without using the free spot), Six Pack (2x3 or 3x2 matrix), or Small Kite. When a  
20           participant covers a winning pattern with winning numbers, he or she declares "Bingo!" Verification of the win occurs immediately and if the win is verified, the game ends and no further numbers are drawn. Generally, there is only a single winner for each game; if there are multiple winners, the prize is divided equally among all winners.

25           Keno is another type of legalized public and private game common in the United States and throughout the world. Compared to bingo, keno-type games typically draw more random winning numbers from a larger population of numbers, e.g., integers from 1 to 80. Indeed, keno-type games typically select more winning numbers from the population of numbers than are required to win.

30           For example, typically about twenty winning numbers are selected from the population of numbers and game participants may win a prize if they match anywhere between zero and fifteen of the winning numbers. Thus, a game participant still can win the top prize without having to

- 2 -

match all, or even any, of the winning numbers drawn. Indeed, by comparison, keno-type games typically produce more opportunities to match winning numbers.

Moreover, keno-type games are more flexible than bingo-type games because game participants can choose how many winning numbers they want to try to match in each game, for example two, five, ten, etc. Correspondingly, prizes, for example cash jackpots, are greater when more numbers must be, and ultimately are, matched. Indeed, keno prizes generally increase commensurate with the odds of matching two numbers of the twenty selected, versus matching five of twenty, versus matching ten of twenty, etc.

There is a present and recurring need for new games of chance that are easy to understand, are easy to play, and are accessible while still able to have more than one winner, have fixed odds to win and have a predetermined payout for a win. Such a game is needed to attract new game players and to provide existing players with another game of chance with fixed odds of winning other than an instant lottery or keno.

#### 15 SUMMARY OF THE INVENTION

One aspect of the invention provides a game that has a game session that includes one or more game players, each having one or more game pieces, which themselves each have one or more game cards. Each game card has cells arranged in a pattern predetermined for the game session and has each cell filled with content randomly by a game operator or computer from a predetermined set of cell content for the game session; as used herein, a "set" of items may include one or more of such items. A predetermined fixed number of winning cell content is then randomly drawn and matched to the content of each game card. The game player holding a winning game card is then paid according to a predetermined payout table associated with the game session.

25 According to one aspect of the present invention, a method is provided for conducting a plurality of game sessions. The method comprises acts of providing for, in at least one of at least two of the plurality of game sessions, a wagering game of chance, and providing for an entry of at least one player in at least one of a plurality of game sessions, wherein the act of providing for an entry includes an act of providing for a subscription of the at least one player to the at least two of the plurality of game sessions. According to one embodiment of the present invention, the  
30

- 3 -

wagering game of chance further comprises performing acts of determining, for the at least one player, the at least one game card having a pattern, determining, during a game session, a winning pattern, and drawing winning cell content from a predetermined set of cell content. The wagering game of chance further comprises performing acts of determining if, for the at least one player, whether the pattern of cell content on the game card matching the drawn winning cell content makes a pattern matching the winning pattern, and if so, determining a payout.

According to one embodiment of the present invention, the act of determining the payout includes an act of determining the payout based upon fixed odds of winning. According to one embodiment of the present invention, the at least two of the plurality of game sessions are consecutive. According to one embodiment of the present invention, the method further comprises an act of providing for payment, prior to a conducting of the at least two of the plurality of game sessions, for the subscription of the at least one player to the at least two of the plurality of game sessions.

According to one embodiment of the present invention, the method further comprises an act of conducting the wagering game of chance over a communication network. According to one embodiment of the present invention, the act of determining a payout includes determining, from a predetermined payout table, a payout to the at least one player. According to one embodiment of the present invention, the wagering game of chance includes odds of winning that are fixed. According to one embodiment of the present invention, the wagering game of chance includes odds of winning that are not fixed.

According to another aspect of the present invention, a wagering game of chance is provided wherein a game player subscribes to play multiple game sessions. According to one embodiment of the invention, the subscription is to play consecutive games. According to another embodiment of the invention, the player may automatically renew the subscription. According to another embodiment of the invention, the player pays to subscribe with money or loyalty points. According to another embodiment of the invention, the player pays to subscribe by cash, debit or credit card, account credit or loyalty program credit.

According to another embodiment of the invention, the game is available on a network.

According to another embodiment of the invention, the network is a cable system, the internet, or

- 4 -

wireless. According to another embodiment of the invention, the cells of each game card of each game piece played by the subscribing player contain content chosen randomly by a computer from a predetermined set of cell content. According to another embodiment of the invention, new game cards are chosen randomly by a computer every game session for the subscribing player.

5           According to another aspect of the present invention, a computer-readable medium is provided having computer-readable signals stored thereon that define instructions that, as a result of being executed by a computer, instruct the computer to perform a method for conducting a plurality of game sessions. The method comprises acts of providing for, in at least one of at least two of the plurality of game sessions, a wagering game of chance, and providing for an entry of at  
10   least one player in at least one of a plurality of game sessions, wherein the act of providing for an entry includes an act of providing for a subscription of the at least one player to the at least two of the plurality of game sessions.

          According to one embodiment of the invention, the wagering game of chance further comprises performing acts of determining, for the at least one player, the at least one game card  
15   having a pattern, determining, during a game session, a winning pattern, and drawing winning cell content from a predetermined set of cell content. The method further comprises acts of determining if, for the at least one player, whether the pattern of cell content on the game card matching the drawn winning cell content makes a pattern matching the winning pattern, and if so, determining a payout.

20           According to another embodiment of the invention, the act of determining the payout includes an act of determining the payout based upon fixed odds of winning. According to another embodiment of the invention, the at least two of the plurality of game sessions are consecutive. According to another embodiment of the invention, the method further comprises an act of providing for payment, prior to a conducting of the at least two of the plurality of game  
25   sessions, for the subscription of the at least one player to the at least two of the plurality of game sessions. According to another embodiment of the invention, the method further comprises an act of conducting the wagering game of chance over a communication network. According to another embodiment of the invention, the act of determining a payout includes determining, from a predetermined payout table, a payout to the at least one player.

- 5 -

According to another aspect of the present invention, a method is provided for conducting a game, the method comprising acts of providing for an entry of at least one player in the game, and providing, to the at least one player, an alternative method of entry (AMOE) to the game.

According to one embodiment of the present invention, the game is a wagering game of chance.

5 According to another aspect of the invention, the game is a wagering game of skill. According to another aspect of the invention, the game has fixed odds of winning the game. According to another aspect of the invention, the game has non-fixed odds of winning the game.

According to another embodiment of the invention, the method further comprises an act of conducting the game over a communication network. According to another embodiment of the  
10 invention, the act of providing an entry of the at least one player in the game includes an act of entering the at least one player in a game session following a processing of an entry request of the at least one player by the alternative method of entry (AMOE).

According to another embodiment of the invention, the method further comprises an act of providing to the at least one player an indication of a game session to be entered by the alternative  
15 method of entry (AMOE). According to another embodiment of the invention, the method further comprises an act of conducting the wagering game of chance, the act of conducting further comprising acts of determining, for the at least one player, the at least one game card having a pattern, determining, prior to a game session, a winning pattern, and drawing winning cell content from a predetermined set of cell content. The method further comprises acts of determining if, for  
20 the at least one player, whether the pattern of cell content on the game card matching the drawn winning cell content makes a pattern matching the winning pattern, and if so, determining a payout. According to another embodiment of the invention, the act of determining the payout includes an act of determining the payout based upon fixed odds of winning. According to another embodiment of the invention, the act of providing for the alternative method of entry  
25 (AMOE) includes providing for an entry of the at least one player in at least two game sessions.

According to another aspect of the present invention, a wagering game is provided wherein a game player plays the wagering game through the use of an alternative method of entry (AMOE). According to one embodiment of the present invention, the wagering game is available to be played on a communication network. According to another embodiment of the present

- 6 -

invention, the communication network includes at least one of a cable system, the Internet, or wireless network.

According to another embodiment of the present invention, the AMOE is performed by an act of submitting an entry to the wagering game by mail. According to another embodiment of the present invention, the AMOE is performed by an act of submitting an entry to the wagering game over the Internet. According to another embodiment of the present invention, a game session associated with the wagering game is provided with an entry by AMOE. According to another embodiment of the present invention, the game session entered is the next starting game session after the AMOE is received and logged by the game operator. According to another embodiment of the present invention, the game session entered is the next starting game session designated for AMOE game players after the AMOE is received and logged by the game operator. According to another embodiment of the present invention, the wagering game is a wagering game of chance.

According to another embodiment of the present invention, the wagering game is a wagering game of skill. According to another embodiment of the present invention, the wagering game has fixed odds of winning the game. According to another embodiment of the present invention, the wagering game has non-fixed odds of winning the game. According to another embodiment of the present invention, the alternative method of entry (AMOE) includes an entry of the at least one player in at least two game sessions.

According to another aspect of the present invention, a computer-readable medium is provided having computer-readable signals stored thereon that define instructions that, as a result of being executed by a computer, instruct the computer to perform a method for conducting a game. The method comprises acts of providing for an entry of at least one player in the game, and providing, to the at least one player, an alternative method of entry (AMOE) to the game. According to one embodiment of the present invention, the method further comprises an act of conducting the game over a communication network.

According to another embodiment of the present invention, the act of providing an entry of the at least one player in the game includes an act of entering the at least one player in a game session following a processing of an entry request of the at least one player by the alternative method of entry (AMOE). According to another embodiment of the present invention, the method

- 7 -

further comprises an act of providing to the at least one player an indication of a game session to be entered by the alternative method of entry (AMOE).

According to another embodiment of the present invention, the method further comprises an act of conducting the wagering game, the act of conducting further comprising acts of  
5 determining, for the at least one player, the at least one game card having a pattern, and determining, prior to a game session, a winning pattern. The method further comprises acts of drawing winning cell content from a predetermined set of cell content, determining if, for the at least one player, whether the pattern of cell content on the game card matching the drawn winning cell content makes a pattern matching the winning pattern, and if so, determining a payout.

10 According to another embodiment of the present invention, the act of determining the payout includes an act of determining the payout based upon fixed odds of winning.

According to another embodiment of the present invention, the game is a wagering game of chance. According to another embodiment of the present invention, the game is a wagering game of skill. According to another embodiment of the present invention, the game has fixed  
15 odds of winning the game. According to another embodiment of the present invention, the game has non-fixed odds of winning the game. According to another embodiment of the present invention, the alternative method of entry (AMOE) includes an entry of the at least one player in at least two game sessions.

According to another aspect of the present invention, a method is provided for conducting  
20 a game, the game including one or more players and involving, for each of the one or more players, at least one game card having a plurality of selectable content. The method comprises acts of determining, for at least one of the one or more players, the at least one game card having a pattern, wherein the act of determining the game card further comprises an act of determining content of the game card, determining, prior to a game session, a winning pattern, and drawing  
25 winning cell content from a predetermined set of cell content. The method further comprises acts of determining if, for the at least one player, whether the pattern of cell content on the game card matching the drawn winning cell content matches the winning pattern, and if so, determining a payout.

According to one embodiment of the present invention, the act of determining a payout  
30 further comprises an act of determining the payout based upon fixed odds of winning.



- 8 -

According to another embodiment of the present invention, the act of determining a payout further comprises an act of determining the payout based upon variable odds of winning. According to another embodiment of the present invention, the act of determining the content of the game card further comprises automatically choosing at least one portion of the content without the at least one player choosing the at least one portion. According to another embodiment of the present invention, the game includes a plurality of game cards including the at least one game card, and wherein the act of determining the at least one game card includes an act of ensuring that the content of the at least one game card is unique. According to another embodiment of the present invention, the game session is conducted without interaction of the at least one player.

According to another embodiment of the present invention, the method further comprises an act of providing for an entry of the at least one player in the game using an alternative method of entry (AMOE). According to another embodiment of the present invention, the act of determining a payout includes determining, from a predetermined payout table, a payout to the at least one player.

According to another aspect of the present invention, a game is provided having an associated game session, the game comprising one or more game pieces assigned to each player, wherein each game piece includes one or more game cards, wherein each of the one or more game cards includes a plurality of cells arranged in a pattern, wherein each of the one or more game pieces includes a set of game cards having a same set of game patterns, and wherein the calls of each of the one or more game cards contains content chosen randomly from a predetermined set of cell content, a winning cell matching pattern for the game session, a fixed number of winning cell content drawn from a known set of content, and a payout based upon a predetermined payout table.

According to one embodiment of the present invention, every game piece assigned in a game session is unique. According to another embodiment of the present invention, every game piece includes a set of game cards having at least one of different card patterns, a winning pattern, and cell content. According to another embodiment of the present invention, every game piece is made up of a set of game cards having at least one of a same card pattern, a winning pattern, and cell content. According to another embodiment of the present invention, every card in a game session is unique. According to another embodiment of the present invention, the cell content

includes at least one of a number, a letter, a shape, a symbol, a color, a logo and a drawing. According to another embodiment of the present invention, each cell of each game card contains content unique to each respective game card. According to another embodiment of the present invention, the cell content may be at least one of a free, a blank and a wild spot.

5           According to another embodiment of the present invention, the predetermined set of symbols is divided into subsets, at least one of which is assigned for use in a particular group of cells. According to another embodiment of the present invention, the game card is a bingo game card. According to another embodiment of the present invention, the player pays to play with at least one of money and loyalty points. According to another embodiment of the present invention,  
10           the player pays by at least one of cash, a debit card, a credit card, an account credit, and a loyalty program credit. According to another embodiment of the present invention, the player is permitted to subscribe to play multiple game sessions. According to another embodiment of the present invention, the player is permitted to automatically renew the subscription.

          According to another embodiment of the present invention, each player plays against an  
15           operator of the game. According to another embodiment of the present invention, each player is not required to observe the game session in order to play the game. According to another embodiment of the present invention, a player is permitted to observe the game session. According to another embodiment of the present invention, each player is permitted to observe on  
20           at least one of a television, a personal computer, a kiosk, a handheld device, a telephone having a display, a kiosk and in person. According to another embodiment of the present invention, the payout for winning depends upon the number of winning cell content drawn before obtaining the winning pattern. According to another embodiment of the present invention, the payout for winning decreases as the number of winning cell content drawn increases to obtain the winning pattern.

25           According to another embodiment of the present invention, the payout for winning to a player is increased with a corresponding increase in payment by the player to play. According to another embodiment of the present invention, the payout to a player for winning the game is divided among each of a plurality of winning players. According to another embodiment of the present invention, there may be at least one progressive jackpot. According to another  
30           embodiment of the present invention, the payout table is not directly determined by the odds of

- 10 -

winning with or without a fee to the gaming operator. According to another embodiment of the present invention, the payout for winning may include at least one of money, a credit, merchandise, and loyalty points. According to another embodiment of the present invention, the payout for winning money is performed by providing at least one of cash, a check, a debit card, and an account credit. According to another embodiment of the present invention, the payout for winning loyalty points is performed by providing at least one of a loyalty program credit and an account credit.

According to another embodiment of the present invention, the game sessions are run continually. According to another embodiment of the present invention, the winning cell content is randomly chosen manually. According to another embodiment of the present invention, the winning cell content is entered into a computer system. According to another embodiment of the present invention, a game playing computer system randomly picks the winning cell content from a predetermined set of content. According to another embodiment of the present invention, after each winning cell content is drawn, the computer system performs acts of determining whether any of the game cards being played attains the winning cell matching pattern, and determining the payout based upon the predetermined payout table.

According to another embodiment of the present invention, after each winning cell content is drawn, the computer system performs acts of determining whether any of the game cards being played attains the winning cell matching pattern, and determining the payout based upon the predetermined payout table. According to another embodiment of the present invention, the player manually daubs his or her at least one game card. According to another embodiment of the present invention, the player tells the gaming operator or computer system that the game winning pattern has been matched. According to another embodiment of the present invention, the player and the winning game card must be verified and authenticated by the gaming operator or computer system. According to another embodiment of the present invention, the player manually daubs his or her at least one game card. According to another embodiment of the present invention, the player tells the gaming operator or computer system that the game winning pattern has been matched. According to another embodiment of the present invention, the player and the winning game card must be verified and authenticated by the gaming operator or computer system. According to another embodiment of the present invention, a computer system additionally

- 11 -

automatically daubs each game card cell being played in a game session containing the winning content.

According to another embodiment of the present invention, a game playing computer system displays to all players when there is a winner. According to another embodiment of the present invention, a game playing computer system displays to all players when there is a winner. 5 According to another embodiment of the present invention, a game playing computer system displays to all players at least one of the winning game card and the winning player. According to another embodiment of the present invention, a game playing computer system displays to all players at least one of the winning game card and the winning player. According to another 10 embodiment of the present invention, a game playing computer system determines at least one of a game card or a player closest to winning. According to another embodiment of the present invention, a game playing computer system displays to all players at least one of the game card and player closest to winning. According to another embodiment of the present invention, the computer system automatically notifies a player of the game result. According to another 15 embodiment of the present invention, the computer system automatically notifies a player of winnings.

According to another embodiment of the present invention, the computer system notifies a player by at least one of a group including a telephone, a pager, a fax, a mail message, a television notification, a personal computer message, a handheld device, and a kiosk. According 20 to another embodiment of the present invention, the computer system notifies a player by at least one of a group including a telephone, a pager, a fax, a mail message, a television notification, a personal computer message, a handheld device, and a kiosk. According to another embodiment of the present invention, a player may access his or her results for past gaming sessions remotely at any time.

25 According to another embodiment of the present invention, the results for past gaming sessions are at least one of a win, a payout, and a loss. According to another embodiment of the present invention, a player gains remote access through at least one of a group including a kiosk, a phone, a handheld device, a television and a computer. According to another embodiment of the present invention, a player replays a past game session remotely at any time. According to 30 another embodiment of the present invention, a player gains remote access through at least one of

- 12 -

a group including a kiosk, a telephone having a display, a handheld device, a television and a computer. According to another embodiment of the present invention, the game sessions are run continually, and wherein advertising streams inserted into the display during the game session.

According to another embodiment of the present invention, the game sessions are run continually,

5 and wherein advertising streams displayed between individual game sessions. According to another embodiment of the present invention, the player may enter a game session through an alternative method of entry (AMOE). According to another embodiment of the present invention, the game and its associated game session are played using one or more computer systems.

According to another embodiment of the present invention, the cells of each of the one or more  
10 game cards is chosen by a gaming operator. According to another embodiment of the present invention, the cells of each of the one or more game cards is chosen randomly by a computer system.

According to another aspect of the present invention, a system is provided for playing a game on a computer system. The system comprises means for allowing game players to enter to  
15 play a wagering game of chance, means for assigning one or more game pieces to each player where each game piece comprises one or more game cards and wherein, each of the one or more game cards has cells arranged in a pattern, wherein each of the one or more game pieces includes a set of game cards having a same set of game card patterns, and wherein the cells of each of the one or more game card contain content chosen randomly from a predetermined set of cell content,  
20 means for choosing a winning cell matching pattern for the game session, and means for drawing a fixed number of winning cell content from a known set of content. The system further comprises means for matching the drawn winning cell content with the cell content of each game card, means for determining one or more winning game cards, and means for paying out winnings according to a predetermined payout table. According to one embodiment of the present invention, the system  
25 further comprises means for notifying a winning player that he or she has a winning game card. According to another embodiment of the present invention, the system further comprises means for notifying a winning player the payout that he or she has won.

According to another embodiment of the present invention, the system further comprises means for notifying all game players of winning game cards as they occur. According to another  
30 embodiment of the present invention, the system further comprises means for notifying all game

- 13 -

players of the identity of a winning game player. According to another embodiment of the present invention, the system further comprises means for allowing game players to view the game session proceedings as they occur. According to another embodiment of the present invention, the system further comprises means for allowing game players to replay past game sessions. According to  
5 another embodiment of the present invention, the system further comprises means for allowing game players to enter using an alternative method of entry (AMOE). According to another embodiment of the present invention, the system further comprises means for allowing game players to pay and to subscribe to one or more game sessions.

According to another aspect of the present invention, a computer-readable medium is  
10 provided having computer-readable signals stored thereon that define instructions that, as a result of being executed by a computer, instruct the computer to perform a method for conducting a game, the game including one or more players and involving, for each of the one or more players, at least one game card having a plurality of selectable content. The method comprises acts of determining, for at least one of the one or more players, the at least one game card having a  
15 pattern, wherein the act of determining the game card further comprises an act of determining content of the game card, determining, prior to a game session, a winning pattern, and drawing winning cell content from a predetermined set of cell content. The method further comprises acts of determining if, for the at least one player, whether the pattern of cell content on the game card matching the drawn winning cell content makes a pattern matching the winning pattern, and if so,  
20 determining a payout. According to one embodiment of the present invention, the act of determining a payout further comprises an act of determining the payout based upon a fixed odds of winning. According to one embodiment of the present invention, the act of determining the content of the game card further comprises an act of automatically choosing at least one portion of the content without the at least one player choosing the at least one portion.

25 According to one embodiment of the present invention, the game includes a plurality of game cards including the at least one game card, and wherein the act of determining the at least one game card includes an act of ensuring that the content of the at least one game card is unique. According to one embodiment of the present invention, the game session is conducted without interaction of the at least one player. According to one embodiment of the present invention, the  
30 method further comprises an act of providing for an entry of the at least one player in the game

- 14 -

using an alternative method of entry (AMOE). According to one embodiment of the present invention, the act of determining a payout includes determining, from a predetermined payout table, a payout to the at least one player.

Further features and advantages of the present invention as well as the structure of various  
5 embodiments of the present invention will be more fully understood from the examples described below with reference to the accompanying drawings. The following examples are intended to illustrate the benefits of the present invention, but do not exemplify the full scope of the invention. All references cited herein are expressly incorporated by reference.

#### 10 BRIEF DESCRIPTION OF THE DRAWINGS

In the drawings,

Fig. 1a is a diagram of a game card in a five-by-five (5 x 5) cell matrix according to one  
embodiment of the invention;

Fig. 1b is a diagram of a bingo game card matrix having a free cell marked;

15 Fig. 1c is a diagram of a bingo game card matrix having cell contents being numbers according to one embodiment of the invention;

Fig. 1d-h are diagrams showing example possible patterns for a bingo card;

Fig. 2a-i are diagrams showing winning patterns in a game card matrix according to various  
embodiments of the invention;

20 Fig. 3 is a block diagram showing an interrelationship between game sessions, players and cards according to one embodiment of the invention;

Fig. 4 is a diagram showing components of a game session according to one embodiment of the  
invention;

25 Fig. 5 is a diagram showing a flow chart of a process for playing a game card according to one embodiment of the invention;

Fig. 6 is a diagram showing components of the game computer system according to one  
embodiment of the invention;

Fig. 7 is a diagram showing components of a game payment subsystem according to one  
embodiment of the invention;

- 15 -

Fig. 8 is a diagram showing components of a game payout subsystem according to one embodiment of the invention;

Fig. 9 is a diagram showing components of a game playing and viewing subsystem according to one embodiment of the invention;

5 Fig. 10 is a block diagram of a general-purpose computer system upon which various embodiments of the invention may be implemented; and

Fig. 11 is a block diagram of a computer data storage system with which various embodiments of the invention may be practiced.

10

### DETAILED DESCRIPTION OF THE INVENTION

One aspect of the invention relates to a new game that includes elements of the well-known wagering games of chance known as bingo and keno. There are advantages of these types of games that make these games attractive for online gaming.

However, there are disadvantages of bingo-type games including the following:

- 15 • A player must be able to obtain the winnings numbers as they are drawn, check the game card(s) for the winning numbers, and be able to declare "Bingo!" to the game operator upon winning. Thus, this requires a player to be physically present or connected visually and/or aurally to the game operator.
- A player may have a winning card but not know it because he or she may have missed a  
20 winning number on the card or may not be able to keep up with the calling of the winning numbers.
- Typically only one or very few people win each game.
- Because the posted prize is shared if there are multiple winners, it is difficult for a gaming operator to provide merchandise as a prize unless the odds of winning are very low or a  
25 cash value equivalent is available to be split in the event of multiple winners.
- The odds of winning are variable. The odds are dependent upon the number of cards being played.

Shortcomings associated with keno-type games include game complexity and  
30 inaccessibility to the game. Indeed, keno-type games are most frequently played in gambling



- 16 -

establishments and bars, and therefore, access to these games are limited to those who go to such establishments. Furthermore, those who have never played keno-type games find the rules and the selection process confusing, so they are not inclined or are hesitant to play the game.

According to one embodiment of the invention, a game is provided which has a fixed odds  
5 of winning through the drawing of a predetermined number of winning cell content but is unlike keno in that a winning pattern must be obtained on a game card from the matches between the game card cell content and the drawn winning cell content.

Prior to a game session, a game player may need to pay for playing. For example, a game player may pay using money or loyalty points. In particular, a game player may pay using money  
10 by debit card, credit card, check, cash or from an account credit either with the gaming operator or an affiliated organization. Alternatively, a game player may pay using loyalty points from an account held either by the gaming operator or by an affiliated organization. Loyalty points may be obtained from any type of organization but are generally associated with loyalty programs such as frequent flier programs for airlines, frequent stay programs for hotels or frequent visitor programs  
15 for casinos. The game player may pay in person (e.g., by using a cashier) or by other remote methods including telephone, handheld device, kiosk, computer through the Internet or other network and mail. Payment may be in any form that is legal in the particular jurisdiction.

In one embodiment of the invention, players may subscribe to play multiple consecutive game sessions. That is, the player pays at one time to play many consecutive game sessions.  
20 According to one embodiment, such players may subscribe to multiple games (e.g., fixed-odds or non-fixed odds games) using a computer based interface (e.g., a personal computer, cell phone, PDA, set-top box or other interface). These subscribed games may be automatically played (e.g., by a computer system) without the need to interact with the game provider as discussed more fully below. In another embodiment, the player may also choose to have his or her subscription  
25 automatically renewed.

According to one embodiment of the invention, players may also enter to play this or any other wagering game of chance using an alternative method of entry (AMOE). AMOE is a required available method of entry that does not require a purchase to enter a sweepstake; sweepstakes are usually used as a promotional or marketing tool. An individual entering a

- 17 -

sweepstakes by AMOE is required by law to have the same odds of winning each of the available prizes.

A common AMOE method is to have an individual interested in entering the sweepstakes send in a postcard with his or her name, address or other contact information. Another AMOE  
5 method is to have an individual sign on to a free internet website and submit the required information for free. Numerous other methods may be used for AMOE. Most sweepstakes limit the number of times one individual or family may enter a sweepstakes by AMOE.

According to one embodiment of the invention, it is realized that an AMOE (alternative  
10 method of entry) may be used to enter a game of chance. More particularly, it is possible to develop, implement and run wagering games of chance, including the inventive games described herein, with an AMOE method of entry. AMOE methods are conventionally used to enter a player in a sweepstakes, which is not considered wagering or gambling. Thus, according to one  
15 embodiment of the invention, an individual may enter a wagering game of chance by AMOE using, for example, the post card or the online method outlined above. The wagering game of chance player entering by AMOE may also have the same odds to win the payout associated with the game session in which they are entered. The wagering game of chance player entering by  
20 AMOE may also be limited to a small number of game sessions within a given period of time, for example one game session in one year or two game session in one month. Other numbers of sessions and given periods may be any number, and the invention is not limited to any particular implementation.

According to one embodiment, the game session that the game player entering by AMOE is entered into may be determined by the game player on the AMOE entry form. For example, the  
25 post card AMOE may be required to state the date and the time of the game session that the game player wants to enter. Alternatively, the game session entered may be the next starting game session after the AMOE is received and logged. As another alternative, AMOE entries may be assigned to a specific game session(s) each hour, day, week or other time interval.

Fig. 3 shows an example relationship between time, game sessions, game players, game  
30 pieces and game cards according to one embodiment of the present invention. As shown in Fig. 3, the three dots denote when an item may proceed ad infinitum. For example, a player can play one or more game pieces (e.g., from one piece up to a very large number of pieces). As discussed

- 18 -

above, a player 120 may pay for the game or obtain access to the game through AMOE. A game player (e.g., player 120) may play at least one game piece 118 for a particular game session 122. Also, a player may have as many game pieces 118 as they desire to play in each session (e.g., session 122). Each game piece 118 may then be made up of one or more game cards 100.

5 According to one embodiment, the number of game cards 100 per game piece 118 may be predetermined (that is, determined at any time prior to the beginning of the game session, e.g., one second, one year in advance) for each game session 122. It may also be possible that each game card 100 within a game piece 118 has a different card pattern, different winning pattern, predetermined cell content set or any other predetermined parameter.

10 Referring to Fig. 1a, a game card 100 includes a number of cells 102. Each player in a game session 122 has at least one game card 100 with the same pattern (128 of Fig. 4, e.g., pattern) or matrix of cells 102. In one embodiment, each cell 102 of each game card 100 has a cell content 106. In one embodiment, the cell content 106 is one of a predetermined set of cell content (Fig. 4, 126) for that game session 122, e.g. integers from 1 to 75 or English letters from A to Z or  
15 a mixture of the two. The cells 102 of the game card 100 in each session may be subdivided into groups, each of which includes a subset of possible cell content, e.g. a first column (e.g., item 111 of Fig. 1) includes integers 1 to 15, a second column (e.g., item 112 of Fig. 1) includes integers 16 to 30, on up to a fifth column (item 115) having integers 61 to 75 just as in the traditional game of bingo. Preferably, every game card 100 is unique in a game session 122, although duplicate cards  
20 may exist.

According to one embodiment of the invention, the object of a game of chance is to match cell content of a particular game card with the drawn winning cell content (item 134) and to have the matched cell content cover at least the predetermined winning pattern 108. In Fig. 1, for example, the winning pattern 108 is denoted by the gray shading. Initially, because no winning  
25 cell content has yet been drawn, each game card does not have matching cell content (unless the cell content is a free or wild spot). The winning cell content is drawn from the predetermined set of cell content (e.g., item of 126). In one embodiment, winning cell content may be drawn one at a time up to a predetermined fixed number of drawn winning cell content (item 124 of Fig. 4).

Because it may be possible to have more than one game card 100 per game piece 118, a  
30 winning pattern may also cover more than one game card. For example, the winning pattern may

- 19 -

be "W" on the first card, "I" on the second card, and "N" on the third card for a game piece 118 containing three game cards for a game piece 118 containing three game cards. Alternatively, for a game piece 118 containing three game cards the winning pattern may be obtained by a standard 5-in-a-row on any of three cards.

5           According to one embodiment, a game session 122 also includes an associated predetermined payout table (e.g., item 130 of Fig. 4). Payout table 130 may include a listing of the ways to obtain a payout and its payout amount. Possible ways to obtain a payout include, for example, matching at least the winning pattern 108, matching only the winning pattern, matching part or none of the winning pattern, and matching none of the game card.

10           The payout amount for each method of winning may depend at least in part upon the odds of obtaining the particular way to obtain a payout in the predetermined fixed number of drawn winning cell content. For example, the odds of matching a winning pattern with thirty winning cell content drawn may be twice that for twenty winning cell content drawn, but the payout may be only one and one half times higher for matching the winning pattern in twenty versus thirty  
15 winning cell content drawn. Thus, the payout amount may be varied (e.g., increased) if the winning pattern was obtained in less than the predetermined fixed number of drawn winning cell content. For example, if the predetermined number of drawn winning cell content is thirty and the payout for that is thirty credits, then if the winning pattern is obtained within the first twenty drawn winning cell content then the payout for obtaining that may be forty-five credits. Other  
20 payout schemes may be used, and the invention is not limited to any particular scheme. Also, a game card 100 may have, in one embodiment, only one payout per game session 122.

          A payout table (item 130 of Fig. 4) may also include adjustments for a player's subscription. For instance, the payout may be adjusted according to their subscription level. For example, a payout to a particular player may be increased for example, if the player has a multiple  
25 game subscription, multiple card subscription, high payment per game card or any combination of the three. The payout may also be adjusted for numerous other criterion including, for example, frequent player credits. Of course, payout adjustments generally must meet any legal requirements for the gaming jurisdiction in which the game is played.

          The payout table for each game session may also be supplemented by a jackpot that  
30 transfers from game session to game session. These types of jackpots are commonly called rolling

- 20 -

or progressive jackpots. A rolling jackpot may be, for example, the same amount that transfers from game session to game session until it is paid out. A progressive jackpot is a rolling jackpot that increases as more game sessions, game cards or other criterion are played. Rolling or progressive jackpots are typically paid out for a difficult way to match the drawn winning cell content. For example, in the case of the conventional game of bingo, if all cells of a five by five (5 x 5) matrix are covered in the first twenty-five drawn winning cell content or no cells are covered after fifty drawn winning cell content, the rolling jackpot may be paid out.

The final payout may also be affected as to whether the game has a fixed payout for a win or whether the payout is shared (e.g., item 138 of Fig. 4). If the payout is fixed for a win, according to one embodiment, all players that have a game card winner for a certain type of win will be paid the amount listed in the payout table for the win. In this instance, each player is playing solely against the game operator. If the payout is shared, then all players that have a game card winner for a certain type of win will be paid a total of the amount listed in the payout table. Each player may receive a share of the total payout depending upon how much he or she paid for the game or any other legal criteria.

The final payout may also be affected by bonus play. Which is well-known in the gaming industry. Bonus play works to increase some payouts by offering the player a chance to multiply a payout.

One or more sessions may proceed concurrently. Parameters of the concurrent game sessions may be the same, similar, or different. For example, drawn winning cell content may be used for one or more concurrent sessions if, for example, the predetermined set of cell content is the same for the one or more concurrent sessions. As a further example, the game card pattern of cells may be different in all the game sessions.

Additionally, game sessions may run continually, i.e. one after another. When one game session ends, another session will begin immediately or in a short period of time. The game sessions may follow a precise time schedule so that players know when games will begin. For example, if game play in a session requires four and a half (4.5) minutes to complete, then the next game may start immediately or in a defined period (e.g., thirty seconds) to maintain to a schedule of games every five minutes (for instance, at :00, :05, :10, :15, :20, :25, :30, :35, :40, :45, :50, :55 of each hour). Because, according to one embodiment, the game sessions may run continually, it

- 21 -

may be possible that a particular game session will have no game player or game card that is being played within the particular game session.

Prior to a game session, cell content on at least one game card may be chosen by a game player from the predetermined set of cell content for a particular game session. A game player  
5 may choose the cell content of a game card manually or may use a computer system to select the cell content for a particular game session. Alternatively, according to one embodiment of the invention, a computer system may automatically choose the cell content on at least one game card for a game player. Because, according to one embodiment, a computer system can both choose the cell content and play the game, a player need not configure and attend each game playing  
10 session, as discussed further below.

Referring to Fig. 1, the cell content 106 may be a free spot 104, a blank spot or a wild spot. A free, blank, or wild spot may be in any cell of the game card 100. Preferably, in one embodiment, there is only one free, blank and/or wild spot per game card. It is also possible that there is no free, blank or wild spot on a game card.

15 Besides a free, blank or wild spot, the cell content 106 may be any letter or character, number, symbol, color, logo, shape, drawing or other item that may be represented in the cell. The cell content 106 may be, for example, a letter or character of any language (e.g., English, Russian, Japanese, Chinese, Greek, etc. Cell content 106 may also be any random combination of letters or characters including words and phrases. Cell content 106 may also be a number expressed in any  
20 language (e.g., English, Chinese, Roman, etc. The number may be represented by items (e.g. the number of stars in the cell or the dots on the face of a die or dice). The number may be negative, zero, positive, integer, fraction, decimal, real or imaginary. Preferably, according to one embodiment, the number is a positive integer. Cell content 106 may also be a symbol. For example, astrology, religion, printing and computer fonts, road signs, or law symbols may be used.  
25 Cell content 106 may be any color including black, white or shade of gray. Cell content may also be a logo of a company or product name or trademark. Any type of cell content may be used, and the invention is not limited to any particular type.

Preferably, cell content 106 of each cell 102 is unique for the game card 100 to maximize the different possible cell content to match the drawn winning cell content for a game session.

- 22 -

Also preferably, each game card in a game session is a unique combination of cell content 106 and cell position for that game session.

Cells (e.g. item 102) of the game card 100 are generally arranged in a pattern. The pattern includes three components: shape of the cells 102, cell connectivity (or how the cells are  
5 connected to each other) and the size of the total pattern. For example, in Fig. 1a the cells are square and are attached to each other side-to-side in a five by five (5 x 5) matrix. Fig. 2 shows examples of some of the numerous other possible cell shape, cell connectivity and pattern size combinations. These are just examples, and the invention may implement other shape, connectivity and size combinations.

10 Referring to Figs. 1a and 2, cells 102 on a game card 100 all have the same shape and size as shown in Figs. 1a and 2a-g or cells may have a different shape or size such as a combination of octagons and squares as in Fig. 2h.

Shape of the cells 102 may be any shape including, but not limited to, a circular, triangle, square, pentagon or hexagon shape. Also, it is possible that all cells have different shapes. For  
15 example, various aspects of the invention may be implemented with a game card having cells with irregularly shaped walls as shown in Fig. 2i. The cells 102 may be connected to each other side-to-side, corner-to-corner, point-to-point or any other method.

Patterns may also have holes in them. For example, in Fig. 2c, square cells are connected to make a larger square having a hole in the middle. Alternatively, the pattern of Fig. 2c has a  
20 pattern with a large square cell in the center. Another example pattern shown in Fig. 2h includes a combination of octagonal and square cells as described above or may include a matrix of octagonal cells with square holes in the middle. In another example pattern shown in Fig. 2d includes a pattern of circular cells having four-sided holes or a pattern having circular and four-sided cells. Further, holes may be the same size and shape as the cells. For instance, in Fig. 2e,  
25 three internal triangles of the pattern may be holes among six exterior triangles. It should be appreciated that other patterns may be used, and the invention is not limited to any particular pattern.

The winning pattern for a game session may be, any subset of all the cells in the associated game card pattern. The winning pattern may be, for example, a random subset of all cells that  
30 may not appear to have a pattern. Preferably, the winning pattern may be a recognizable pattern of

- 23 -

cells. The winning pattern may have only one way of being achieved and, as shown in Figs. 1d-f, the winning pattern may or may not include the cell with the free, blank or wild spot. The winning pattern may also be achieved in a number of different ways. For example, a five-in-a-row winning pattern in a five by five matrix (as in bingo) can be achieved twelve different ways as  
5 demonstrated by the shaded lines shown in Fig. 1g. A winning pattern known as "small kite" has four possible configurations as shown in Fig. 1h. Also, more than one winning pattern may be possible for a particular game session. For example, a winning pattern may include the triangles of six points of the pattern shown in Fig. 2f or six internal triangles.

Winning cell content may be randomly drawn by hand or by computer system from the  
10 predetermined set of cell content for a game session. When the drawing is performed by hand, the winning cell content may be chosen, for example from pieces of paper out of a hat or drum, by using balls or discs in a rotating or air blown sphere, or any other method that can be used for drawing content for a game session (e.g., for the games of keno or bingo). Hand-drawn winning cell content may then be displayed or entered into a computer system. Preferably, the winning cell  
15 content is randomly drawn by computer system from the predetermined set of cell content for a particular game session.

After a winning cell content is drawn, a player may manually daub his or her game card(s) on paper or by whatever means the player is viewing the game proceedings (e.g., by daubing a  
20 game card in an interface of a computer system). The game player may view the game proceedings using television, wireless or line telephone with display, handheld device, kiosk, computer or in person. For example, the game player may operate a computer system that has an Internet-enabled interface (e.g., using Macromedia Flash or Java) and the computer system may display streamed game information within that interface. It should be appreciated that any  
25 interface may be used to display game proceedings and that the invention is not limited to any particular interface. Depending upon the viewing medium, it may be necessary to download game information prior to viewing while another viewing medium may allow viewing of the streamed game information.

When a player matches enough winning cell content to obtain a winning pattern for a game session, the player informs the game operator that they are a winner. If the game player is playing  
30 the game in person, this act of informing may include raising one's hand or visually indicating that



- 24 -

he or she has a winner. The game operator then verifies that the game player won by checking the daubed game card cell content against the drawn winning cell content. If the game player plays the game remotely, for instance over the web or interactive television, or if the game operator is a computer system, then other electronic or voice indication method may be necessary to  
5 authenticate and verify the game player and the winning game card. Such methods are well-known in the remote and electronic gaming industry.

In one embodiment, a computer system (e.g., a personal computer PC, set top box, PDA, phone) may automatically daub the matching cell content of each game card being played in a game session after each drawn winning cell content. The game player may view the game  
10 proceedings using any interface including a television, a wireless or other type of telephone having a display, a handheld device, a kiosk or computer. However, because the computer is adapted to automatically daub matching cell content, the game player may decide not to observe the drawing of winning cell content.

The computer system may then automatically determine when a game card is a winner.  
15 Such a result may be automatically authenticated and verified by the computer system. In this instance, the computer system may then notify the game player that he or she has won and what the winnings are after the computer has consulted a predetermined payout table (e.g., item 130 of Fig. 4 as described above). The computer may also determine if the winning needs to be shared with other winning game cards. Notification of winning to a game player may occur by mail, e-  
20 mail, computer web or network, telephone, television, pager, fax, kiosk or any other method.

When the computer system daubs matching cell content on one or more game cards, the computer system may also determine the game card(s) and the associated player identity(ies) that are closest to winning after each drawn winning cell content. The computer system may then display the game card(s) or the identity of the game player(s) closest to winning to all game  
25 players observing the game session. The computer system may also choose to display only one or a subset of all the game cards or identities of players closest to winning to a particular game player observing the game session.

After a winner is authenticated and verified, the computer system may then notify all game players observing the game session that a win has occurred. Additionally, the computer system  
30 may display the winning game card, the winning player's identity or the payout. Because the

- 25 -

game session does not end until a predetermined fixed number of winning cell content is drawn, it is possible for this notification to occur several times, each time for a different game card during a particular game session.

As stated above, it may also be possible that a game card may be a winner because the  
5 game card does not match the drawn winning cell content. For example, in a game session having forty drawn winning cell content out of a predetermined set of cell content of seventy-five items, a game card that has no matches may be a winning card. Such a card may have a payout equivalent to a game card having a five-in-a-row matching pattern.

During a period of time between game sessions, a game operator may make  
10 announcements, rest, or perform any number of actions. If the game is played using a computer system, advertisements, sponsorships, public service announcements or any visual or auditory content may be inserted into these periods. Advertisements, and other content may also be inserted into the game display during a game session.

In the configuration where the computer automatically daubs the game cards for the  
15 players, it may be beneficial to allow a game player to remotely access information indicating the results of a game session after the session has completed. In this manner, a player may not need to attend a particular game session, as results of each session may be accessed at a later time. Further, the player need not access the game session results from a same interface at which the game was played or subscribed. Remote access may be gained, for example, by kiosk, telephone,  
20 television, computer, handheld device or any other device or system that is appropriate. Information that may be accessed regarding a past game session may include whether the player won or lost, what the player's payout was, or other information relating to the past game session.

A game player may also be able to replay or review a past game session using a video-enabled device. For instance, a kiosk, telephone having a display, television, computer or  
25 handheld device may be used to replay a past game session. By accessing a selected game session in the computer system, a game player may be able to see a past game session as it occurred, the winning cards and winning game player identity(ies), the drawn winning cell content, or possibly any other aspect of the game session of interest.

Preferably, the game, its game sessions, and the game play are partially or fully automated  
30 using one or more computer systems. More preferably, the game, its game sessions, and the game

- 26 -

play are fully automated. A computer system may be a single computer that may be a supercomputer, minicomputer or a mainframe or personal computer. A computer system used to run a game and its associates sessions and may also include any combination of computer system types that cooperate to accomplish system-level tasks. Multiple computer systems may also be used to run a game. The computer system also may include input or output devices, displays, or storage units. It should be appreciated that any computer system or systems may be used, and the invention is not limited to any number, type, or configuration of computer systems.

A computer system that executes a game according to various embodiments of the invention, may include, for example, three system components. One system component may handle payment, subscription and/or AMOE by players to enter the game sessions. Another system component may handle playing and viewing the game and a third system may handle payouts. Such a game system may also be connected (e.g., by direct line or network) to other computer systems including systems for handling casino or hotel loyalty programs, reservations, in-room television viewing, gambling floor kiosks, or other systems. Connections to other computer systems may be performed using one or more of the system components described below.

A payment component may include one or more of a number of well-known systems. For example, a player may be able to pay to play one or more games using a telephone and speaking with a call center representative who inputs player, payment and subscription information manually into a computer using a user interface. In the computer, data may be stored in a data structure which is stored in a memory of the computer system. As used herein, a "data structure" is an arrangement of data defined by computer-readable signals. These signals may be read by a computer system, stored on a medium associated with a computer system (e.g., in a memory, on a disk, etc.) and may be transmitted to one or more other computer systems over a communications medium such as, for example, a network. Also as used herein, a "user interface" or "UI" is an interface between a human user and a computer that enables communication between a user and a computer. Examples of UIs that may be implemented with various aspects of the invention include a graphical user interface (GUI), a display screen, a mouse, a keyboard, a keypad, a track ball, a microphone (e.g., to be used in conjunction with a voice recognition system), a speaker, a touch screen, a game controller (e.g., a joystick) etc, and any combinations thereof.

- 27 -

Player information may also be entered into a payment system component. Player information that may be input includes name, address, telephone number and age, and payment information may include credit or debit card number or loyalty account information. Also, as discussed above, various aspects of the present invention relate to subscription gaming for waging games of chance. Subscription information may be input, including, for example, a first game session date and time, a number of game sessions to be played, a number of game pieces to be played per game session and bet per game piece. Based upon the payment and subscription information, the call center representative may verify that the payment information is valid and that enough credit or funds is available for the player's desired subscription.

A similar system may exist for players entering using the mail or a post card AMOE except the call center may be replaced by a mail center having representatives that enter information into one or more computers via a user interface. For example, a cashier that works at a casino directly with players that pay cash or credit to play, may also have the ability to input player, account and subscription information for AMOE players using a user interface of computer.

Computer systems or pay engines for handling electronic or online payment and subscriptions may also be used. Such systems are well-known, and include such systems as Paypal, iKobo, Verisign, and other systems. Using such a system, a player interacts with a user interface to input information into a payment data structure that may be transferred to one or more payment systems (e.g., PayPal).

Various pay systems and one or more user interfaces may be located on computer systems coupled by a network with the computer system(s) storing data having player, account and subscription information. As used herein, a "network" or a "communications network" is a group of two or more devices interconnected by one or more segments of transmission media or active communications equipment on which communications may be exchanged between the devices.

The above examples are merely illustrative embodiments of a pay system component. It should be appreciated that an illustrative embodiment is not intended to limit the scope of the invention, as any of numerous other implementations of the pay system, for example, variations of online payment, are possible and are intended to fall within the scope of the invention. For example, the payment system may include using pay-per-view systems associated with interactive

- 28 -

television or the pay engine may additionally deliver a receipt to the player by either e-mail or mail. None of the claims set forth below are intended to be limited to any particular implementation of a pay system unless such claim includes a limitation explicitly reciting a particular implementation.

5           Payout systems are also well known. Any of a number of standard systems or payout engines for making payouts for winning may be used. For example, a standard application programming interface such as 'Quicken' (Intuit Inc., Mountain View, California, USA) may be used to write and mail checks or credit a debit card, credit card (if legal in the jurisdiction of play) or loyalty account. 'Quicken' may obtain the payout information by accessing a payout data  
10 structure across a network. As used herein, an "application programming interface" or "API" is a set of one or more computer-readable instructions that provide access to one or more other sets of computer-readable instructions that define functions, so that such functions can be configured to be executed on a computer in conjunction with an application program.

'Quicken' is merely an illustrative embodiment of the payout system. Such an illustrative  
15 embodiment is not intended to limit the scope of the invention, as any of numerous other implementations of the payout system, for example, variations of online payout, are possible and are intended to fall within the scope of the invention. Additionally, a cashier may also have access to payout information using a user interface to the payout data structure through a network; the cashier then makes a payment to the winning player based upon the accessed information. None  
20 of the claims set forth below are intended to be limited to any particular implementation of a pay system unless such claim includes a limitation explicitly reciting a particular implementation.

A game playing and viewing system according to one embodiment of the invention may comprise of a number of components for performing specific functions. These components may include, for example, storage means that store data structures having information relating to game  
25 configuration and game play. For example, such information may include game variation information, present game session information, game session history and win history. A game playing and viewing system may also include components to access payment and payout data structures.

Fig. 4 illustrates various embodiments of a data structure associated with a game session  
30 122. A game session may include a number of predetermined items including session date and

- 29 -

time 132, session length 140, payout table 130, payout type 138, game card pattern 128, winning pattern 108, set of cell content 126 and the number of winning content to be drawn 124 as well as who the players are and the game card(s) 100 assigned to each. In one embodiment of the invention, a game piece(s) adds another level of complexity to a game session.

5 From a predetermined number of winning content to be drawn 124 and set of cell content 126, a game session has associated with it winning cell content 134 that identifies the content necessary to determine a winning card. As discussed, content 134 may be drawn by hand or by the computer system. Further, the specific draw order of the winning content may be stored for later reference (e.g., for replay at a later time). A game session may also have one or more  
10 associated winners 144. According to another embodiment, it is possible that a particular session may have no winners.

The game playing and viewing system may also include a game engine. A game engine may perform, for example, functions according to process 222 as shown in Fig. 5. Referring to Fig. 5, a game session may proceed for a player (e.g., player 120) with a game piece (e.g., game  
15 piece 118) having a game card (e.g., game card 100). At block 200, the player pays for a game piece in the game session. At block 202, the computer chooses a game piece having one game card and the card cell content. At block 204, the computer draws the first winning cell content. The computer then checks the game card for a match and daubs the matching cell content, if necessary (at block 206). At block 208, the computer then checks the game card daubed cells to  
20 determine if the card matches the predetermined winning pattern. If the card is not a winner, the computer may proceed to draw another winning cell content (204) and continue the cycle until the predetermined number of winning cell content has been drawn or until a winner is found. When all the winning cell content has been drawn at 218 and the game card is not a winner, then the computer may notify the player that the card is not a winner, invite the player to play again or any  
25 number of actions.

If the card is a winner at 208, then the computer may proceed to notify the player that he or she is a winner as well as possibly determine the payout amount and also notifying the player of the payout amount (e.g., in a game play interface, e-mail, etc.).

The computer may also display the winning game card and/or player information to all the  
30 game players. Winning player information that may be displayed may include name, city, state

- 30 -

and country and/or any other identifying information. If multiple winners occur simultaneously, all winners or winning game cards may be displayed at one time or sequentially. It may also be possible that winners or winning game cards may be selectively displayed to particular game players. For instance, if numerous winners occur at one time, a player in Bismarck, North Dakota  
5 may be shown only the winning player information or game card that occurred closest to him or her, say in Pierre, South Dakota versus some other location (e.g., Boston, Massachusetts).

After a game card is found not to be a winner, the computer may also determine whether the card is the closest to winning if there have been no winners (at block 214). Any of a number of criteria may be used for determining the card closest to winning. For example, a computer may  
10 determine that a card is the closest to winning based upon having the highest number of matching cell content or the least number of cells to match to make the winning pattern. A card determined to be closest to winning may then be displayed to all game players.

It should be appreciated that game play process 222 may include more or less acts as shown in Fig. 5, and that the invention is not limited to any particular number or order of acts.  
15 (e.g., the order illustrated in Fig. 5) as the acts may be performed in other orders, may include additional acts and one or more of the acts of process 222 may be performed in series or in parallel to one or more other acts, or parts thereof. For example, acts 208 and 212, or parts thereof, may be performed in parallel, and act 214 may be performed at any point during performance of process  
20 222.

Process 222 is merely an illustrative embodiment of a method for performing game play  
25 using a game engine. Such an illustrative embodiment is not intended to limit the scope of the invention, as any of numerous other implementations for performing game play using a game engine. None of the claims set forth below are intended to be limited to any particular implementation of a method of game play for a game engine, unless such claim includes a  
30 limitation explicitly reciting a particular implementation.

Process 222, acts thereof and various embodiments and variations of these methods and acts, individually or in combination, may be defined by computer-readable signals tangibly embodied on a computer-readable medium, for example, a non-volatile recording medium, an integrated circuit memory element, or a combination thereof. Such signals may define  
35 instructions, for example, as part of one or more programs, that, as a result of being executed by a

- 31 -

computer, instruct the computer to perform one or more of the methods or acts described herein, and/or various embodiments, variations and combinations thereof. Such instructions may be written in any of a plurality of programming languages, for example, Java, Visual Basic, C, C#, or C++, Fortran, Pascal, Eiffel, Basic, COBOL, etc., or any of a variety of combinations thereof. The  
5 computer-readable medium on which such instructions are stored may reside on one or more of the components of a general-purpose computer described above, and may be distributed across one or more of such components.

The computer-readable medium may be transportable such that the instructions stored thereon can be loaded onto any computer system resource to implement the aspects of the present  
10 invention discussed herein. In addition, it should be appreciated that the instructions stored on the computer-readable medium, described above, are not limited to instructions embodied as part of an application program running on a host computer. Rather, the instructions may be embodied as any type of computer code (e.g., software or microcode) that can be employed to program a processor to implement the above-discussed aspects of the present invention.

15 It should be appreciated that any single component or collection of multiple components of a computer system, for example, the computer system described below in relation to Fig. 10, that perform the functions described above with respect to describe or reference the method can be generically considered as one or more controllers that control the above-discussed functions. The one or more controllers can be implemented in numerous ways, such as with dedicated hardware,  
20 or using a processor that is programmed using microcode or software to perform the functions recited above.

Another component of the game playing and viewing system may include a software component (e.g., a driver) that streams video via a broadband, satellite or wireless medium to a user interface. If the game is played completely automatically, the user interface may be merely a  
25 video terminal including television with no user input means. Viewing access may be controlled by standard methods for conditional access including using set top box addresses, telephone numbers or internet protocol (IP) addresses.

The above is merely an illustrative embodiment of a game playing and viewing system. Such an illustrative embodiment is not intended to limit the scope of the invention, as any of  
30 numerous other implementations of a game playing and viewing system, for example, variations



- 32 -

of conditional access, are possible and are intended to fall within the scope of the invention. None of the claims set forth below are intended to be limited to any particular implementation of a game playing and viewing system unless such claim includes a limitation explicitly reciting a particular implementation.

5           System 300, and components thereof such as the payment, payout and game engines, may be implemented using software (e.g., C, C#, C++, Java, or a combination thereof), hardware (e.g., one or more application-specific integrated circuits, processors or other hardware), firmware (e.g., electrically-programmed memory) or any combination thereof. One or more of the components of 300 may reside on a single system (e.g., the payment subsystem), or one or more components may  
10       reside on separate, discrete systems. Further, each component may be distributed across multiple systems, and one or more of the systems may be interconnected.

          Further, on each of the one or more systems that include one or more components of 300, each of the components may reside in one or more locations on the system. For example, different portions of the components of 300 may reside in different areas of memory (e.g., RAM, ROM,  
15       disk, etc.) on the system. Each of such one or more systems may include, among other components, a plurality of known components such as one or more processors, a memory system, a disk storage system, one or more network interfaces, and one or more busses or other internal communication links interconnecting the various components.

          System 300 may be implemented on a computer system described below in relation to  
20       Figs. 10 and 11.

          System 300 is merely an illustrative embodiment of the game system. Such an illustrative embodiment is not intended to limit the scope of the invention, as any of numerous other implementations of the game system, for example, variations of 300, are possible and are intended to fall within the scope of the invention. For example, a parallel system for viewing by interactive  
25       television may include one or more additional video streamers specific for interactive television. None of the claims set forth below are intended to be limited to any particular implementation of the game system unless such claim includes a limitation explicitly reciting a particular implementation.

          Various embodiments according to the invention may be implemented on one or more  
30       computer systems. These computer systems, may be, for example, general-purpose computers

- 33 -

such as those based on Intel PENTIUM-type processor, Motorola PowerPC, Sun UltraSPARC, Hewlett-Packard PA-RISC processors, or any other type of processor. It should be appreciated that one or more of any type computer system may be used to partially or fully automate play of the described game according to various embodiments of the invention. Further, the software design system may be located on a single computer or may be distributed among a plurality of computers attached by a communications network.

A general-purpose computer system according to one embodiment of the invention is configured to perform any of the described game functions including but not limited to player subscription or payment, game piece or card selection, drawing winning cell content, daubing matching cell content on game cards, determining winners and paying winners. It should be appreciated that the system may perform other functions, including network communication, and the invention is not limited to having any particular function or set of functions.

For example, various aspects of the invention may be implemented as specialized software executing in a general-purpose computer system 400 such as that shown in Figure 10. The computer system 400 may include a processor 403 connected to one or more memory devices 404, such as a disk drive, memory, or other device for storing data. Memory 404 is typically used for storing programs and data during operation of the computer system 400. Components of computer system 400 may be coupled by an interconnection mechanism 405, which may include one or more busses (e.g., between components that are integrated within a same machine) and/or a network (e.g., between components that reside on separate discrete machines). The interconnection mechanism 405 enables communications (e.g., data, instructions) to be exchanged between system components of system 400. Computer system 400 also includes one or more input devices 402, for example, a keyboard, mouse, trackball, microphone, touch screen, and one or more output devices 401, for example, a printing device, display screen, speaker. In addition, computer system 400 may contain one or more interfaces (not shown) that connect computer system 400 to a communication network (in addition or as an alternative to the interconnection mechanism 405).

The storage system 406, shown in greater detail in Fig. 11, typically includes a computer readable and writeable nonvolatile recording medium 501 in which signals are stored that define a program to be executed by the processor or information stored on or in the medium 501 to be

- 34 -

processed by the program. The medium may, for example, be a disk or flash memory. Typically, in operation, the processor causes data to be read from the nonvolatile recording medium 501 into another memory 502 that allows for faster access to the information by the processor than does the medium 501. This memory 502 is typically a volatile, random access memory such as a dynamic  
5 random access memory (DRAM) or static memory (SRAM). It may be located in storage system 406, as shown, or in memory system 404, not shown. The processor 403 generally manipulates the data within the integrated circuit memory 404, 502 and then copies the data to the medium 501 after processing is completed. A variety of mechanisms are known for managing data movement between the medium 501 and the integrated circuit memory element 404, 502, and the invention is  
10 not limited thereto. The invention is not limited to a particular memory system 404 or storage system 406.

The computer system may include specially-programmed, special-purpose hardware, for example, an application-specific integrated circuit (ASIC). Aspects of the invention may be implemented in software, hardware or firmware, or any combination thereof. Further, such  
15 methods, acts, systems, system elements and components thereof may be implemented as part of the computer system described above or as an independent component.

Although computer system 400 is shown by way of example as one type of computer system upon which various aspects of the invention may be practiced, it should be appreciated that aspects of the invention are not limited to being implemented on the computer system as shown in  
20 Fig. 10. Various aspects of the invention may be practiced on one or more computers having a different architecture or components that that shown in Fig. 10.

Computer system 400 may be a general-purpose computer system that is programmable using a high-level computer programming language. Computer system 400 may be also implemented using specially programmed, special purpose hardware. In computer system 400,  
25 processor 403 is typically a commercially available processor such as the well-known Pentium class processor available from the Intel Corporation. Many other processors are available. Such a processor usually executes an operating system which may be, for example, the Windows 95, Windows 98, Windows NT, Windows 2000 (Windows ME) or Windows XP operating systems available from the Microsoft Corporation, MAC OS System X available from Apple Computer,

- 35 -

the Solaris Operating System available from Sun Microsystems, or UNIX available from various sources. Many other operating systems may be used.

The processor and operating system together define a computer platform for which application programs in high-level programming languages are written. It should be understood that the invention is not limited to a particular computer system platform, processor, operating system, or network. Also, it should be apparent to those skilled in the art that the present invention is not limited to a specific programming language or computer system. Further, it should be appreciated that other appropriate programming languages and other appropriate computer systems could also be used.

One or more portions of the computer system may be distributed across one or more computer systems (not shown) coupled to a communications network. These computer systems also may be general-purpose computer systems. For example, various aspects of the invention may be distributed among one or more computer systems configured to provide a service (e.g., servers) to one or more client computers, or to perform an overall task as part of a distributed system. For example, various aspects of the invention may be performed on a client-server system that includes components distributed among one or more server systems that perform various functions according to various embodiments of the invention. These components may be executable, intermediate (e.g., IL) or interpreted (e.g., Java) code which communicate over a communication network (e.g., the Internet) using a communication protocol (e.g., TCP/IP).

It should be appreciated that the invention is not limited to executing on any particular system or group of systems. Also, it should be appreciated that the invention is not limited to any particular distributed architecture, network, or communication protocol.

Various embodiments of the present invention may be programmed using an object-oriented programming language, such as SmallTalk, Java, C++, Ada, or C# (C-Sharp). Other object-oriented programming languages may also be used. Alternatively, functional, scripting, and/or logical programming languages may be used. Various aspects of the invention may be implemented in a non-programmed environment (e.g., documents created in HTML, XML or other format that, when viewed in a window of a browser program, render aspects of a graphical-user interface (GUI) or perform other functions). Various aspects of the invention may be implemented as programmed or non-programmed elements, or any combination thereof.

- 36 -

Having now described some illustrative embodiments of the invention, it should be apparent to those skilled in the art that the foregoing is merely illustrative and not limiting, having been presented by way of example only. Numerous modifications and other illustrative embodiments are within the scope of one of ordinary skill in the art and are contemplated as falling within the scope of the invention. In particular, although many of the examples presented herein involve specific combinations of method acts or system elements, it should be understood that those acts and those elements may be combined in other ways to accomplish the same objectives. Acts, elements and features discussed only in connection with one embodiment are not intended to be excluded from a similar role in other embodiments. Further, for the one or more means-plus-function limitations recited in the following claims, the means are not intended to be limited to the means disclosed herein for performing the recited function, but are intended to cover in scope any means, known now or later developed, for performing the recited function.

As used herein, whether in the written description or the claims, the terms “comprising”, “including”, “carrying”, “having”, “containing”, “involving”, and the like are to be understood to be open-ended, i.e., to mean including but not limited to. Only the transitional phrases “consisting of” and “consisting essentially of”, respectively, shall be closed or semi-closed transitional phrases, as set forth, with respect to claims, in the United States Patent Office Manual of Patent Examining Procedures (Original Eighth Edition, August 2001), Section 2111.03.

Use of ordinal terms such as “first”, “second”, “third”, etc., in the claims to modify a claim element does not by itself connote any priority, precedence, or order of one claim element over another or the temporal order in which acts of a method are performed, but are used merely as labels to distinguish one claim element having a certain name from another element having a same name (but for use of the ordinal term) to distinguish the claim elements.

- 37 -

### CLAIMS

1. A method for conducting a game, the game including one or more players and involving, for each of the one or more players, at least one game card having a plurality of selectable content,  
5 the method comprising acts of:
  - determining, for at least one of the one or more players, the at least one game card having a pattern, wherein the act of determining the game card further comprises an act of determining content of the game card;
  - determining, prior to a game session, a winning pattern;
  - 10 drawing winning cell content from a predetermined set of cell content;
  - determining if, for the at least one player, whether the pattern of cell content on the game card matching the drawn winning cell content matches the winning pattern; and
  - if so, determining a payout.
- 15 2. The method according to claim 1, wherein the act of determining a payout further comprises an act of determining the payout based upon fixed odds of winning.
3. The method according to claim 1, wherein the act of determining a payout further comprises an act of determining the payout based upon variable odds of winning.  
20
4. The method according to claim 1, wherein the act of determining the content of the game card further comprises automatically choosing at least one portion of the content without the at least one player choosing the at least one portion.
- 25 5. The method according to claim 1, wherein the game includes a plurality of game cards including the at least one game card, and wherein the act of determining the at least one game card includes an act of ensuring that the content of the at least one game card is unique.
6. The method according to claim 1, wherein the game session is conducted without  
30 interaction of the at least one player.

- 38 -

7. The method according to claim 1, further comprising an act of providing for an entry of the at least one player in the game using an alternative method of entry (AMOE).

5 8. The method according to claim 1, wherein the act of determining a payout includes determining, from a predetermined payout table, a payout to the at least one player.

9. A game having an associated game session, the game comprising:

10 one or more game pieces assigned to each player, wherein each game piece includes one or more game cards, wherein each of the one or more game cards includes a plurality of cells arranged in a pattern, wherein each of the one or more game pieces includes a set of game cards having a same set of game patterns, and wherein the calls of each of the one or more game cards contains content chosen randomly from a predetermined set of cell content;

15 a winning cell matching pattern for the game session;

a fixed number of winning cell content drawn from a known set of content; and

a payout based upon a predetermined payout table.

10. The game according to claim 9, wherein every game piece assigned in a game session is unique.

20

11. The game according to claim 9, wherein every game piece includes a set of game cards having at least one of different card patterns, a winning pattern, and cell content.

12. The game according to claim 9, wherein every game piece is made up of a set of game cards having at least one of a same card pattern, a winning pattern, and cell content.

25

13. The game according to claim 9, wherein every card in a game session is unique.

14. The game according to claim 9, wherein the cell content includes at least one of a number, a letter, a shape, a symbol, a color, a logo and a drawing.

30

15. The game according to claim 9, wherein each cell of each game card contains content unique to each respective game card.

5 16. The game according to claim 9, wherein the cell content may be at least one of a free, a blank and a wild spot.

17. The game according to claim 9, wherein the predetermined set of symbols is divided into subsets, at least one of which is assigned for use in a particular group of cells.

10

18. The game according to claim 17, wherein the game card is a bingo game card.

19. The game according to claim 9, wherein the player pays to play with at least one of money and loyalty points.

15

20. The game according to claim 19, wherein the player pays by at least one of cash, a debit card, a credit card, an account credit, and a loyalty program credit.

21. The game according to claim 9, wherein the player is permitted to subscribe to play  
20 multiple game sessions.

22. The game according to claim 21, wherein the player is permitted to automatically renew the subscription.

25 23. The game according to claim 9, wherein each player plays against an operator of the game.

24. The game according to claim 9, wherein each player is not required to observe the game session in order to play the game.



- 40 -

25. The game according to claim 9, wherein each player is permitted to observe the game session.

26. The game according to claim 25, wherein each player is permitted to observe on at least one of a television, a personal computer, a kiosk, a handheld device, a telephone having a display, a kiosk and in person.

27. The game according to claim 9, wherein the payout for winning depends upon the number of winning cell content drawn before obtaining the winning pattern.

10

28. The game according to claim 27, wherein the payout for winning decreases as the number of winning cell content drawn increases to obtain the winning pattern.

29. The game according to claim 9, wherein the payout for winning to a player is increased with a corresponding increase in payment by the player to play.

15

30. The game according to claim 9, wherein the payout to a player for winning the game is divided among each of a plurality of winning players.

20 31. The game according to claim 9, wherein there may be at least one progressive jackpot.

32. The game according to claim 9, wherein the payout table is not directly determined by the odds of winning with or without a fee to the gaming operator.

25 33. The game according to claim 9, wherein the payout for winning may include at least one of money, a credit, merchandise, and loyalty points.

34. The game according to claim 9, wherein the payout for winning money is performed by providing at least one of cash, a check, a debit card, and an account credit.

30

- 41 -

35. The game according to claim 9, wherein the payout for winning loyalty points is performed by providing at least one of a loyalty program credit and an account credit.

36. The game according to claim 9, wherein the game sessions are run continually.

5

37. The game according to claim 9, wherein the winning cell content is randomly chosen manually.

38. The game according to claim 37, wherein the winning cell content is entered into a  
10 computer system.

39. The game according to claim 9, wherein a game playing computer system randomly picks the winning cell content from a predetermined set of content.

15 40. The game according to claim 38, wherein after each winning cell content is drawn, the computer system performs acts of:  
determining whether any of the game cards being played attains the winning cell matching pattern; and  
determining the payout based upon the predetermined payout table.

20

41. The game according to claim 39, wherein after each winning cell content is drawn, the computer system performs acts of:  
determining whether any of the game cards being played attains the winning cell matching pattern; and  
25 determining the payout based upon the predetermined payout table.

42. The game according to claim 9, wherein the player manually daubs his or her at least one game card.

- 42 -

43. The game according to claim 42, wherein the player tells the gaming operator or computer system that the game winning pattern has been matched.

44. The game according to claim 43, wherein the player and the winning game card must be  
5 verified and authenticated by the gaming operator or computer system.

45. The game according to claim 41, wherein the player manually daubs his or her at least one game card.

10 46. The game according to claim 45, wherein the player tells the gaming operator or computer system that the game winning pattern has been matched.

47. The game according to claim 46, wherein the player and the winning game card must be verified and authenticated by the gaming operator or computer system.

15

48. The game according to claim 39, wherein a computer system additionally automatically daubs each game card cell being played in a game session containing the winning content.

49. The game according to claim 44, wherein a game playing computer system displays to all  
20 players when there is a winner.

50. The game according to claim 46, wherein a game playing computer system displays to all players when there is a winner.

25 51. The game according to claim 44, wherein a game playing computer system displays to all players at least one of the winning game card and the winning player.

52. The game according to claim 46, wherein a game playing computer system displays to all players at least one of the winning game card and the winning player.

- 43 -

53. The game according to claim 48, wherein a game playing computer system determines at least one of a game card or a player closest to winning.

54. The game according to claim 53, wherein a game playing computer system displays to all  
5 players at least one of the game card and player closest to winning.

55. The game according to claim 48, wherein the computer system automatically notifies a player of the game result.

10 56. The game according to claim 48, wherein the computer system automatically notifies a player of winnings.

57. The game according to claim 55, wherein the computer system notifies a player by at least one of a group including a telephone, a pager, a fax, a mail message, a television notification, a  
15 personal computer message, a handheld device, and a kiosk.

58. The game according to claim 56, wherein the computer system notifies a player by at least one of a group including a telephone, a pager, a fax, a mail message, a television notification, a personal computer message, a handheld device, and a kiosk.  
20

59. The game according to claim 48, wherein a player may access his or her results for past gaming sessions remotely at any time.

60. The game according to claim 59, wherein the results for past gaming sessions are at least  
25 one of a win, a payout, and a loss.

61. The game according to claim 59, wherein a player gains remote access through at least one of a group including a kiosk, a phone, a handheld device, a television and a computer.

- 44 -

62. The game according to claim 48, wherein a player replays a past game session remotely at any time.

63. The game according to claim 62, wherein a player gains remote access through at least one  
5 of a group including a kiosk, a telephone having a display, a handheld device, a television and a computer.

64. The game according to claim 41, wherein the game sessions are run continually, and wherein advertising streams inserted into the display during the game session.

10

65. The game according to claim 41, wherein the game sessions are run continually, and wherein advertising streams displayed between individual game sessions.

66. The game according to claim 41, wherein the player may enter a game session through an  
15 alternative method of entry (AMOE).

67. The game according to claim 9, wherein the game and its associated game session are played using one or more computer systems.

20 68. The game according to claim 9, wherein the cells of each of the one or more game cards is chosen by a gaming operator.

69. The game according to claim 9, wherein the cells of each of the one or more game cards is chosen randomly by a computer system.

25

70. A system for playing a game on a computer system, the system comprising:  
means for allowing game players to enter to play a wagering game of chance;  
means for assigning one or more game pieces to each player where each game piece  
comprises one or more game cards and wherein, each of the one or more game cards has cells  
30 arranged in a pattern, wherein each of the one or more game pieces includes a set of game cards

- 45 -

having a same set of game card patterns, and wherein the cells of each of the one or more game card contain content chosen randomly from a predetermined set of cell content;

means for choosing a winning cell matching pattern for the game session;

means for drawing a fixed number of winning cell content from a known set of content;

5 means for matching the drawn winning cell content with the cell content of each game card;

means for determining one or more winning game cards; and

means for paying out winnings according to a predetermined payout table.

10 71. The computer system according to claim 70, further comprising means for notifying a winning player that he or she has a winning game card.

72. A computer system according to claim 66, further comprising means for notifying a winning player the payout that he or she has won.

15

73. A computer system according to claim 65, further comprising means for notifying all game players of winning game cards as they occur.

20 74. A computer system according to claim 65, further comprising means for notifying all game players of the identity of a winning game player.

75. A computer system according to claim 65, further comprising means for allowing game players to view the game session proceedings as they occur.

25 76. A computer system according to claim 65, further comprising means for allowing game players to replay past game sessions.

77. A computer system according to claim 65, further comprising means for allowing game players to enter using an alternative method of entry (AMOE).

- 46 -

78. A computer system according to claim 65, further comprising means for allowing game players to pay and to subscribe to one or more game sessions.

79. A computer-readable medium having computer-readable signals stored thereon that define instructions that, as a result of being executed by a computer, instruct the computer to perform a method for conducting a game, the game including one or more players and involving, for each of the one or more players, at least one game card having a plurality of selectable content, the method comprising acts of:

determining, for at least one of the one or more players, the at least one game card having a pattern, wherein the act of determining the game card further comprises an act of determining content of the game card;

determining, prior to a game session, a winning pattern;

drawing winning cell content from a predetermined set of cell content;

determining if, for the at least one player, whether the pattern of cell content on the game card matching the drawn winning cell content makes a pattern matching the winning pattern; and if so, determining a payout.

80. The computer-readable medium according to claim 79, wherein the act of determining a payout further comprises an act of determining the payout based upon a fixed odds of winning.

81. The computer-readable medium according to claim 79 wherein the act of determining the content of the game card further comprises an act of automatically choosing at least one portion of the content without the at least one player choosing the at least one portion.

82. The computer-readable medium according to claim 79, wherein the game includes a plurality of game cards including the at least one game card, and wherein the act of determining the at least one game card includes an act of ensuring that the content of the at least one game card is unique.

83. The computer-readable medium according to claim 79, wherein the game session is conducted without interaction of the at least one player.

- 47 -


84. The computer-readable medium according to claim 79, further comprising an act of providing for an entry of the at least one player in the game using an alternative method of entry (AMOE).

5


85. The computer-readable medium according to claim 79, wherein the act of determining a payout includes determining, from a predetermined payout table, a payout to the at least one player.



1/13



**FIG. 1a**




**FIG. 1b**

106

1	21	35	52	75
12	29	32	60	64
2	15	FREE	49	69
8	23	42	54	70
11	24	38	53	65

**FIG. 1c**



**FIG. 1d**




**FIG. 1e**




**FIG. 1f**

2/13




**FIG. 1g**




**FIG. 1h**

SUBSTITUTE SHEET (RULE 26)


3/13




**FIG. 2a**




**FIG. 2b**




**FIG. 2c**



**FIG. 2d**




**FIG. 2e**




**FIG. 2f**


4/13



**FIG. 2g**



**FIG. 2h**



**FIG. 2i**

5/13





FIG. 3



**FIG. 4**

7/13





FIG. 5

8/13



**FIG. 6**



9/13




FIG. 7

10/13




FIG. 8

11/13






FIG. 9

12/13



**FIG. 10**

13/13



**FIG. 11**

## DECLARATION OF NON-ESTABLISHMENT OF INTERNATIONAL SEARCH REPORT


(PCT Article 17(2)(a), Rules 13ter, 1(c) and Rule 39)

Applicant's or agent's file reference RO586-7010WO	IMPORTANT DECLARATION	Date of mailing (day/month/year) 10/05/2004
International application No. PCT/US 03/38828	International filing date (day/month/year) 05/12/2003	(Earliest) Priority date (day/month/year) 05/12/2002
International Patent Classification (IPC) or both national classification and IPC		G07F17/32
Applicant REVAHERTZ NETWORKS		

This International Searching Authority hereby declares, according to Article 17(2)(a), that **no international search report will be established** on the international application for the reasons indicated below

1.  The subject matter of the international application relates to:
- a.  scientific theories.
  - b.  mathematical theories
  - c.  plant varieties.
  - d.  animal varieties.
  - e.  essentially biological processes for the production of plants and animals, other than microbiological processes and the products of such processes.
  - f.  schemes, rules or methods of doing business.
  - g.  schemes, rules or methods of performing purely mental acts.
  - h.  schemes, rules or methods of playing games.
  - i.  methods for treatment of the human body by surgery or therapy.
  - j.  methods for treatment of the animal body by surgery or therapy.
  - k.  diagnostic methods practised on the human or animal body.
  - l.  mere presentations of information.
  - m.  computer programs for which this International Searching Authority is not equipped to search prior art.
2.  The failure of the following parts of the international application to comply with prescribed requirements prevents a meaningful search from being carried out:
- the description       the claims       the drawings
3.  The failure of the nucleotide and/or amino acid sequence listing to comply with the standard provided for in Annex C of the Administrative Instructions prevents a meaningful search from being carried out:
- the written form has not been furnished or does not comply with the standard.
- the computer readable form has not been furnished or does not comply with the standard.
4. Further comments:

SEE FURTHER INFORMATION SHEET

Name and mailing address of the International Searching Authority  European Patent Office, P.B. 5818 Patentlaan 2 NL-2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Authorized officer Jacinta Reddy
--	-------------------------------------

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 203

The claims relate to subject matter for which no search is required according to Rule 39 PCT. Given that the claims are formulated in terms of such subject matter or merely specify commonplace features relating to its technological implementation, the search examiner could not establish any technical problem which might potentially have required an inventive step to overcome. Hence it was not possible to carry out a meaningful search into the state of the art (Art. 17(2)(a)(i) and (ii) PCT; see PCT International Search Guidelines, Chapter VIII, items 1 to 3).

The applicant's attention is drawn to the fact that claims relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure. If the application proceeds into the regional phase before the EPO, the applicant is reminded that a search may be carried out during examination before the EPO (see EPO Guideline C-VI, 8.5), should the problems which led to the Article 17(2) declaration be overcome.