



US00D738955S

(12) **United States Design Patent**
Miller

(10) **Patent No.:** **US D738,955 S**

(45) **Date of Patent:** **** Sep. 15, 2015**

(54) **RIM SHOCK**

(71) Applicant: **Dale William Miller**, Oakhurst, NJ (US)

(72) Inventor: **Dale William Miller**, Oakhurst, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/477,714**

(22) Filed: **Dec. 26, 2013**

(51) **LOC (10) CL.** **17-04**

(52) **U.S. Cl.**
USPC **D17/22**

(58) **Field of Classification Search**
USPC D17/22, 99
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D302,435	S	*	7/1989	Pearse		D17/20
D347,019	S	*	5/1994	Yould		D17/22
5,977,463	A	*	11/1999	Bartlett		84/413
D611,524	S	*	3/2010	Lawrence, III		D17/22
2003/0029301	A1	*	2/2003	Belli		84/411 R

FOREIGN PATENT DOCUMENTS

EP	1503364	A1	*	2/2005		G10D 13/02
JP	3177438	U	*	8/2012		

* cited by examiner

Primary Examiner — Rashida Johnson


(57) **CLAIM**

The ornamental design for a rim shock, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a rim shock; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom elevational view thereof; FIG. 6 is a left-side elevational view thereof; FIG. 7 is a right-side elevational view thereof; and, FIG. 8 is a perspective view thereof. The broken line showing of a plurality of wing nuts in FIGS. 1-8 and the broken line showing of a drum in FIG. 8 are included for the purpose of showing environmental structure and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8