



US00D327896S

United States Patent [19]

[11] Patent Number: Des. 327,896

Yoshida et al.

[45] Date of Patent: ** Jul. 14, 1992

[54] CAMERA

[75] Inventors: Michio Yoshida, Tama, Japan; Chien C. Chih, Taichung, Taiwan

[73] Assignee: Canon Kabushiki Kaisha, Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 502,647

[22] Filed: Apr. 2, 1990

[30] Foreign Application Priority Data

Oct. 3, 1989 [JP] Japan 1-36267

[52] U.S. Cl. D16/209; D16/218

[58] Field of Search D16/200-205, D16/208, 209, 216-218; 354/126, 149.11, 202, 288

[56] References Cited

U.S. PATENT DOCUMENTS

D. 293,685 1/1988 Tanaka et al. D16/209

D. 311,016	10/1990	Tanaka et al.	D16/209
D. 313,423	1/1991	Onuma et al.	D16/209
D. 317,168	5/1991	Akabane et al.	D16/209
D. 319,452	8/1991	Shiiba	D16/209
4,556,304	12/1985	Fukuda	354/288

Primary Examiner—Bernard Ansher
Assistant Examiner—Adir Aronovich
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for a camera, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a camera showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof; and,
FIG. 7 is a top, front perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

